

6516
1F

LOCAL GOVERNMENT BOARD.

MEDICAL DEPARTMENT LIBRARY.

No. _____ Room 10911

Case N Shelf _____



22500992744

W6

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

~~~~~

By Authority of the Registrar General.

~~~~~

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 1. 1904. VOL. LXV.] WEEK ENDED SATURDAY, JAN. 9. [Price 1½d.

*General Register Office, Somerset House,
January 11th, 1904.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 20·4 per 1000 of their aggregate population, which is estimated† at 15,271,425 persons in the middle of this year. In the preceding three weeks the rates had been 17·9, 15·4, and 20·6. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 24·1 in Salford, 24·6 in Manchester, 24·7 in Stockport, 25·6 in Brighton, 26·1 in Gateshead, 26·7 in Liverpool, 28·5 in Bury, 34·6 in Wallasey, 40·1 in Merthyr Tydfil, and 41·7 in Preston; from *measles*, 2·0 in Blackburn, 2·3 in West Hartlepool, 2·7 in Bury and in Rotherham, 2·8 in Willesden, and 5·9 in Preston; from *diphtheria*, 1·3 in East Ham, 1·4 in Plymouth, and 1·8 in Bury; from *whooping-cough*, 1·2 in Liverpool, 1·3 in Aston Manor, 1·4 in Leyton and in Devonport, 1·5 in Warrington and in West Hartlepool, 1·7 in Rhondda, 1·8 in Rochdale, and 3·5 in Gateshead; and from *diarrhoea*, 2·2 in Merthyr Tydfil. One death from *small-pox* was registered in each of the following towns:—Warrington, Halifax, York, Sunderland, and Gateshead, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2862 BIRTHS and 1731 DEATHS were registered. Allowing for increase of population, the births were 74, and the deaths 216, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 16·8, 13·6, and 21·1 in the preceding three weeks, fell again last week to 19·4. During the four weeks ended on Saturday last the death-rate averaged 17·7 per 1000, being 3·1 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, and in certain local Small-pox Hospitals, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the recent Census, and on the increase in the last intercensal period.

The 1731 deaths included 58 from measles, 10 from scarlet fever, 14 from diphtheria, 28 from whooping-cough, 5 from enteric fever, and 16 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 131 deaths were referred to these diseases in the aggregate, being 60 below the corrected average weekly number.

The deaths from *measles*, which had been 41, 40, and 59 in the preceding three weeks, were 58 last week, and were 3 above the corrected average; 13 cases belonged to the Borough of Wandsworth, 6 to Hammer-smith, 6 to Stepney, 5 to Paddington, 4 to Chelsea, 4 to Lambeth, and 4 to Battersea. The deaths from *scarlet fever*, which had been 5, 7, and 9 in the preceding three weeks, were 10 last week, the corrected average being 18. The deaths from *diphtheria*, which had been 15, 9, and 27 in the preceding three weeks, fell again last week to 14, and were 33 below the corrected average; 3 cases belonged to St. Pancras and 3 to Stepney. The deaths from *whooping-cough*, which had been 22, 21, and 35 in the preceding three weeks, fell again last week to 28, and were 15 below the corrected average; 4 cases belonged to Lambeth. The fatal cases of *enteric fever*, which had been 8, 9, and 10 in the preceding three weeks, fell again last week to 5, and were 9 below the corrected average. The deaths from *diarrhoea*, which had been 22, 15, and 27 in the preceding three weeks, fell again last week to 16, but were 4 above the corrected average. Of the 16 deaths from diarrhoea, 12 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 4 more deaths at this age. The deaths attributed directly to *influenza* numbered 17, having been 16, 7, and 18 in the preceding three weeks.

Different forms of *violence* caused 73 deaths, concerning all but 1 of which inquests were held. Of these 73 deaths, 7 were cases of suicide and 3 of homicide, while the remaining 63 were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, 2 to conflagrations, 16 others to burns and scalds, and 20 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 26 cases of small-pox, 1659 of scarlet fever, 732 of diphtheria, and 235 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 6 cases, against 6, 7, and 4; of scarlet fever, 201 cases, against 188, 142, and 194; of diphtheria, 86 cases, against 115, 106, and 98; and of enteric fever, 18 cases, against 25, 28, and 20. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended January 2nd, 1904.

GREATER LONDON.

In Greater London 4213 births and 2385 deaths were registered. Allowing for increase of population, these numbers are 97 and 294 below the respective averages in the corresponding weeks of the last ten years. In that portion of the Outer Ring which is outside the great towns, 8 deaths from measles, 2 from scarlet fever, 3 from diphtheria, 5 from whooping-cough, 1 from "fever," and 2 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.73 inches, and that of the Thermometer 39°.8, the latter being 1°.6 above the week's average in the 50 years 1841-90. The general direction of the wind was Southerly, the horizontal movement of the air being 27 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 2.9 hours; the measured rainfall amounted to 0.29 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

Births, Deaths, and Rates of Mortality.

† These towns are included within the area of Greater London.

ended Saturday, 9th January, 1904, and DEATH-RATES during the preceding three weeks.

TOWNS.	COLS.	DEATH-RATES from all Causes.										Registered during the Week ended 9th Jan., 1904.		The DEATHS registered in the Week include										TOWNS.
		Week ended				Deaths from Diseases in 1904.		Deaths of Persons aged under 1 Year and upwards.	Deaths from															
		19th Dec., 1903.	2nd Dec., 1903.	9th Jan., 1904.	Week ended 9th Jan., 1904.	11-17.	Week ended 9th Jan., 1904.		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diphtheria.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.					
		1.	2.	3.	4.			5.												6.	7.	8.	9.	
76 TOWNS		15,271,425	17'9	15'4	20'6	20'4	1'6	9390	5968	1380	1812	5	132	36	60	121	42	66	218	484	1263	93	76 TOWNS.	
LONDON -	-	4,649,088	16'8	13'6	21'1	19'4	1'5	2862	1731	384	570	-	58	10	14	28	5	16	73	203	549	2	LONDON.	
(CROYDON -	-	144,419	15'1	14'8	22'5	20'6	0'4	77	57	11	19	-	-	-	1	-	-	-	2	5	13	-	(CROYDON.	
WILLESDEN -	-	132,568	19'7	12'3	21'7	15'7	3'5	72	40	7	12	-	7	-	1	-	-	1	1	2	3	-	WILLESDEN.	
HORNSEY -	-	81,221	10'6	8'0	10'0	13'5	1'3	35	21	4	6	-	2	-	-	-	-	-	-	1	5	-	HORNSEY.	
TOTTENHAM -	-	112,981	12'8	9'0	16'2	16'2	0'5	69	35	6	13	-	-	-	1	-	-	-	-	1	5	-	TOTTENHAM.	
WEST HAM -	-	288,424	15'9	11'7	22'0	16'3	2'4	235	90	24	26	-	4	2	-	4	3	-	-	5	23	-	WEST HAM.	
EAST HAM -	-	116,102	9'0	7'6	16'5	14'7	1'8	76	33	10	8	-	-	-	3	1	-	3	5	4	4	-	EAST HAM.	
LEYTON -	-	110,844	12'7	7'3	14'1	13'2	2'4	56	28	6	11	-	1	-	-	3	-	1	1	2	1	-	LEYTON.	
(WALTHAMSTOW -	-	111,282	11'8	7'8	14'2	13'1	-	77	28	11	5	-	-	-	-	-	-	-	2	4	6	-	(WALTHAMSTOW.	
HASTINGS -	-	66,503	12'6	7'9	17'3	11'8	-	14	15	-	9	-	-	-	-	-	-	-	1	1	3	-	HASTINGS.	
BRIGHTON -	-	126,286	17'0	12'1	24'9	25'6	2'1	54	62	14	24	-	-	-	2	2	1	-	2	3	11	-	BRIGHTON.	
PORTSMOUTH -	-	198,038	17'1	15'8	19'5	16'1	1'3	106	61	11	21	-	-	-	2	2	1	-	1	5	7	-	PORTSMOUTH.	
BOURNEMOUTH -	-	64,645	9'1	13'2	17'3	10'5	0'8	31	13	1	8	-	-	-	-	-	-	1	-	2	2	-	BOURNEMOUTH.	
SOUTHAMPTON -	-	112,500	18'0	10'9	18'0	15'3	-	70	33	9	15	-	-	-	-	-	-	-	4	4	5	-	SOUTHAMPTON.	
READING -	-	76,373	11'8	9'0	20'8	17'1	0'7	35	25	4	10	-	-	-	-	1	-	-	-	2	5	-	READING.	
NORTHAMPTON -	-	91,146	17'4	14'5	13'9	18'9	1'7	37	33	5	12	-	-	1	2	-	-	3	3	3	7	2	NORTHAMPTON.	
IPSWICH -	-	69,805	20'5	10'6	24'2	23'2	0'7	42	31	6	10	-	1	-	-	-	-	1	1	3	3	-	IPSWICH.	
GREAT YARMOUTH -	-	52,099	22'1	21'1	21'1	21'0	2'0	34	21	1	8	-	-	-	1	-	1	-	-	1	8	-	GREAT YARMOUTH.	
NORWICH -	-	115,538	17'8	12'8	18'7	22'1	1'4	66	49	8	18	-	1	-	-	1	1	-	-	1	11	-	NORWICH.	
PLYMOUTH -	-	114,003	17'7	18'2	18'6	15'1	1'8	61	33	5	11	-	-	-	3	-	1	1	-	2	8	-	PLYMOUTH.	
DEVONPORT -	-	75,334	17'7	18'4	20'5	16'6	2'8	44	24	5	8	-	-	-	1	2	-	-	-	1	1	-	DEVONPORT.	
BRISTOL -	-	343,204	18'5	16'2	20'3	17'6	1'2	181	116	36	45	-	1	2	2	1	-	2	2	10	17	-	BRISTOL.	
HANLEY -	-	63,432	23'1	20'6	19'8	22'0	-	29	27	5	9	-	-	-	-	-	-	-	-	1	7	-	HANLEY.	
BURTON-ON-TRENT -	-	51,934	11'1	12'2	16'2	13'1	-	25	13	4	7	-	-	-	-	-	-	-	-	-	2	-	BURTON-ON-TRENT.	
WOLVERHAMPTON -	-	98,194	16'7	13'4	23'7	15'9	0'5	79	30	9	11	-	-	-	1	-	-	-	1	3	4	-	WOLVERHAMPTON.	
WALSALL -	-	91,432	23'2	12'8	18'6	15'4	-	70	27	11	4	-	-	-	-	-	-	-	1	3	4	-	WALSALL.	
HANDSWORTH -	-	59,634	18'1	11'8	12'7	12'2	0'9	26	14	1	6	-	-	-	1	-	-	-	-	-	-	-	HANDSWORTH.	
WEST BROMWICH -	-	67,186	16'5	17'2	17'2	15'5	2'3	41	20	4	7	-	-	-	1	-	-	-	1	-	2	-	WEST BROMWICH.	

* See note on first page of this return.

Births, Deaths, and Rates of Mortality.

TOWNS.	POPULATION estimated to the middle of the Year 1904.*	DEATH-RATES from all Causes.					Rate from all causes during the week ended 9th Jan., 1904.		The DEATHS registered in the Week include												TOWNS.	
		Week ended					11-17.	8.	Deaths from													
		19th Dec., 1903.	2nd Jan., 1904.	9th Jan., 1904.	Week ended 9th Jan., 1904.	Measles.			Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.					
		1.	2.	3.	4.		5.	6.										7.	8.	9.		10.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM -	537,965	19.7	16.9	23.3	23.4	2.1	396	241	65	67	-	2	3	4	3	-	10	9	14	48	10	BIRMINGHAM.
KINGS NORTON -	66,967	8.2	10.6	11.5	16.4	-	58	21	3	9	-	-	-	-	-	-	-	2	2	-	2	KINGS NORTON.
SMETHWICK -	60,391	15.1	8.9	20.4	12.0	-	38	14	3	4	-	-	-	-	-	-	-	2	2	1	1	SMETHWICK.
ASTON MANOR -	80,363	11.8	10.5	19.0	15.6	1.9	44	24	8	7	-	1	-	-	2	-	-	-	1	3	3	ASTON MANOR.
COVENTRY -	73,904	17.2	13.6	13.6	15.5	0.7	46	22	5	10	-	-	-	1	-	-	-	-	3	1	1	COVENTRY.
LEICESTER -	224,186	19.4	12.8	18.5	17.4	0.5	92	75	12	31	-	-	-	-	1	1	-	3	5	7	-	LEICESTER.
GRIMSBY -	66,958	10.3	17.4	19.0	22.6	-	39	23	9	7	-	-	-	-	-	-	-	-	-	4	1	GRIMSBY.
NOTTINGHAM -	248,811	18.0	12.5	18.9	23.1	1.9	133	110	26	30	-	-	1	2	1	5	-	4	6	19	3	NOTTINGHAM.
DERBY -	120,449	13.2	10.1	14.1	21.6	0.4	82	50	12	12	-	-	-	-	1	-	-	5	9	6	-	DERBY.
STOCKPORT -	97,008	17.4	23.4	18.0	24.7	0.5	44	46	11	17	-	-	-	-	-	-	1	2	4	2	-	STOCKPORT.
BIRKENHEAD -	114,314	17.0	10.1	17.4	18.2	1.4	66	40	7	9	-	-	1	-	2	-	-	3	3	8	-	BIRKENHEAD.
WALLASEY -	60,354	12.5	15.2	17.0	34.6	-	15	40	2	4	-	-	-	-	-	-	-	-	-	-	-	WALLASEY.
LIVERPOOL -	723,430	22.0	20.7	26.8	26.7	2.1	513	370	82	113	-	1	1	2	16	6	3	18	25	106	17	LIVERPOOL.
BOOTLE -	61,755	18.0	20.6	18.9	22.0	3.4	37	26	6	9	-	-	2	1	-	-	1	-	1	8	1	BOOTLE.
ST. HELENS -	88,545	20.3	16.1	20.9	20.0	0.6	62	34	7	8	-	-	-	1	-	-	-	1	1	6	1	ST. HELENS.
WIGAN -	62,800	23.5	28.4	33.6	18.3	1.7	58	22	6	6	-	-	-	-	1	1	-	-	-	5	-	WIGAN.
WARRINGTON -	67,331	23.6	26.7	18.9	19.4	3.1	62	25	8	5	1	-	-	1	2	-	-	-	-	1	1	WARRINGTON.
BOLTON -	175,744	16.8	15.9	21.4	20.2	1.2	102	68	10	25	-	-	1	-	1	1	1	2	5	9	1	BOLTON.
BURY -	58,450	19.7	16.1	18.8	28.5	5.4	27	32	6	9	-	3	-	2	1	-	-	2	2	6	-	BURY.
MANCHESTER† -	557,938	19.3	19.6	23.2	24.6	1.1	370	263	56	71	-	1	-	3	2	1	5	10	19	67	10	MANCHESTER.†
SALFORD -	228,983	20.7	15.2	21.0	24.1	2.7	162	106	26	24	-	4	2	4	1	-	1	3	10	24	-	SALFORD.
OLDHAM -	139,497	15.8	17.7	19.2	22.1	1.5	94	59	12	15	-	1	2	-	-	-	1	2	5	8	-	OLDHAM.
ROCHDALE -	85,601	14.8	18.4	16.0	23.8	3.1	29	39	9	13	-	2	-	-	3	-	-	1	2	5	3	ROCHDALE.
BURNLEY -	100,669	19.9	18.9	22.0	21.3	-	60	41	8	17	-	-	-	-	-	-	-	5	5	8	1	BURNLEY.
BLACKBURN -	132,134	20.3	20.3	23.0	23.3	2.8	73	59	13	17	-	-	-	-	-	-	-	2	1	11	1	BLACKBURN.
PRESTON -	115,055	36.0	24.6	32.4	41.7	7.3	75	92	20	23	-	13	-	-	-	2	1	3	5	16	1	PRESTON.
BARROW-IN-FURNESS	59,954	9.7	7.1	16.8	7.9	1.7	37	9	1	2	-	1	-	-	-	-	1	-	-	1	-	BARROW-IN-FURNESS.

TOWNS.	POPULATION estimated to the middle of the Year 1904.*	DEATH-RATES FROM all Causes.				Rate from Diseases 11-17.		Registered Deaths Week ended 9th Jan., 1904.		The DEATHS registered in the Week include										TOWNS.			
		Week ended				11-17.		Week ended 9th Jan., 1904.		Deaths of		Deaths from									Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
		1904.				11-17.		1904.		Infants under 1 Year of Age.		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whoop- cough.	Fever.	Diarrhoea.	Violence.				
		10th Dec., 1903.	26th Dec., 1903.	2nd Jan., 1904.	9th Jan., 1904.	10th Dec., 1903.	11-17.	10th Dec., 1903.	11-17.	Persons aged 16 Years and upwards.	11.												
COLS.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
HUDDESFIELD	-	17'0	17'0	15'9	23'6	-	52	43	2	18	-	-	-	-	-	-	-	3	5	11	1	HUDDESFIELD.	
HALIFAX	-	17'6	14'7	16'6	19'9	1'5	48	41	7	14	1	-	-	-	1	-	1	-	2	1	2	HALIFAX.	
BRADFORD	-	20'1	21'7	19'3	21'2	0'7	116	116	21	40	-	2	-	-	-	-	2	3	12	17	1	BRADFORD.	
LEEDS	-	19'2	20'3	21'3	22'6	2'8	247	195	45	47	-	8	2	1	8	2	2	3	12	26	6	LEEDS.	
SHEFFIELD	-	16'2	15'7	16'7	22'6	1'4	326	188	49	57	-	2	-	1	6	2	1	5	7	26	6	SHEFFIELD.	
ROTHERHAM	-	21'9	19'1	18'2	20'5	3'6	41	31	7	5	-	3	-	-	-	1	-	-	1	7	-	ROTHERHAM.	
YORK	-	34'5	30'6	35'1	19'9	1'3	46	31	5	8	1	1	-	-	-	-	-	1	1	7	-	YORK.	
HULL	-	253,865	14'2	14'6	18'8	0'4	158	85	22	30	-	-	-	1	-	-	1	3	10	18	1	HULL.	
MIDDLESBROUGH	-	96,684	15'9	20'9	19'2	0'5	82	38	16	4	-	-	-	-	-	1	-	2	2	7	-	MIDDLESBROUGH.	
STOCKTON-ON-TEES	-	52,192	24'1	24'1	24'0	-	21	14	4	4	-	-	-	-	-	-	-	2	2	1	-	STOCKTON-ON-TEES.	
WEST HARTLEPOOL	-	69,251	20'2	14'7	16'3	3'8	36	27	9	5	-	3	-	-	2	-	-	1	2	3	-	WEST HARTLEPOOL.	
SUNDERLAND	-	151,157	17'8	15'3	23'4	2'1	113	60	18	12	1	1	-	1	-	2	1	1	3	9	5	SUNDERLAND.	
SOUTH SHIELDS	-	107,334	17'8	14'4	11'9	1'0	71	41	11	12	-	-	-	1	-	1	-	1	1	4	4	SOUTH SHIELDS.	
GATESHEAD	-	118,067	24'4	20'8	17'6	4'4	81	59	21	6	1	-	1	-	8	-	-	1	1	6	6	GATESHEAD.	
NEWCASTLE-ON-TYNE	-	225,362	21'4	17'8	18'3	0'5	151	86	19	22	-	-	-	-	2	-	-	5	9	16	-	NEWCASTLE-ON-TYNE.	
TYNEMOUTH	-	53,060	19'9	11'9	20'8	1'0	27	19	5	7	-	-	-	-	-	1	-	1	2	2	2	TYNEMOUTH.	
NEWPORT (MON.)	-	71,543	22'3	18'6	24'5	3'6	42	31	9	8	-	-	-	-	3	-	2	1	3	6	-	NEWPORT (MON.).	
CARDIFF	-	176,313	17'2	12'4	19'6	1'2	115	60	20	12	-	1	1	-	2	-	-	1	2	7	-	CARDIFF.	
RHONDDA	-	122,310	22'7	16'6	14'8	21'3	93	50	23	6	-	1	-	1	4	-	3	1	3	1	-	RHONDDA.	
MERTHYR TYDFIL	-	72,745	21'1	22'6	31'3	3'6	55	56	19	13	-	-	-	-	1	1	3	2	2	7	-	MERTHYR TYDFIL.	
SWANSEA	-	95,931	24'0	19'1	18'0	1'6	53	38	13	5	-	-	-	-	2	-	1	3	4	1	2	SWANSEA.	
GREATER LONDON	-	6,907,619	15'8	12'9	20'1	1'4	4213	2385	537	784	-	80	14	23	41	9	20	91	255	645	3	GREATER LONDON.	
OUTER RING	-	2,258,631	13'8	11'3	18'0	1'3	1351	654	153	214	-	22	4	9	13	4	4	18	52	96	1	OUTER RING.	
8 TOWNS IN OUTER RING	-	1,096,639	14'1	10'4	18'4	1'7	697	332	79	100	-	14	2	6	8	3	2	9	25	56	1	8 TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING	-	1,159,892	13'6	12'3	17'7	0'9	654	322	74	114	-	8	2	3	5	1	2	9	27	40	-	REMAINDER OF OUTER RING.	
EDINBURGH	-	331,977	18'5	16'4	20'1	0'3	147	130	21	41	-	-	-	-	-	1	1	4	?	26	5	EDINBURGH.	
GLASGOW	-	798,357	22'9	23'2	24'7	2'1	549	379	79	89	3	12	1	2	3	1	10	21	?	86	17	GLASGOW.	
DUBLIN†	-	378,994	25'6	19'9	31'8	3'2	195	202	32	58	-	2	3	1	9	5	3	3	6	59	7	DUBLIN.†	
BELFAST†	-	358,680	25'9	23'0	26'5	3'1	226	190	51	33	-	3	1	2	12	1	2	2	7	32	?	BELFAST.†	

* See Note 1 on first page of this volume.
† Deaths of persons domiciled in the Dublin Institutions from without the Corporation of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the FIRST Week of each of the Eleven Years, 1894-1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894-1903.*	1904
TOTAL Births -	2486	3085	2735	2717	3001	2893	2792	2983	2949	2661	2935.6	2862
Males - -	1306	1569	1425	1359	1509	1437	1400	1482	1496	1367	1488.5	1471
Females - -	1180	1516	1310	1358	1492	1456	1392	1501	1453	1294	1447.1	1391
TOTAL Deaths -	2038	1462	1707	1580	1990	1666	3266	1593	1810	1660	1947.1	1731
Males - -	1001	751	899	803	973	882	1542	801	920	805	972.6	861
Females - -	1037	711	808	777	1017	784	1724	792	890	855	974.5	870

* The numbers in this column are the average weekly numbers in the first week of the ten years 1894-1903, raised by 3.723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Oct. 17.	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	Jan. 2, 1904.	Jan. 9.	13 Weeks
TOTAL Births -	2437	2345	2567	2563	2466	2331	2342	2460	2448	2544	1802	2828	2862	31995
TOTAL Deaths -	1351	1333	1401	1426	1476	1473	1536	1578	1669	1486	1204	1866	1731	19530
Under 1 year -	407	360	404	370	398	357	406	401	379	347	262	408	384	4883
1-5 years -	144	140	145	145	155	189	157	165	162	156	128	209	176	2071
5-20 " -	58	56	65	65	68	62	74	71	73	61	60	82	84	877
20-40 " -	177	183	175	188	187	185	171	166	190	176	140	235	194	2367
40-60 " -	244	256	270	278	299	292	288	317	375	312	260	380	323	3894
(60 yrs. & upwds.)	321	338	342	380	371	383	440	458	490	434	354	552	570	5438
Deaths from—														
Small-pox† - -	-	-	-	-	1	-	1	-	-	-	1	-	-	3
Measles - -	14	18	21	15	31	36	37	24	31	41	40	59	58	425
Scarlet Fever - -	8	7	5	13	7	4	6	9	5	7	9	10	10	90
Diphtheria - -	10	12	19	18	11	20	9	10	16	15	9	27	14	190
Whooping-cough -	11	10	8	11	8	13	17	20	24	22	21	35	28	228
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	12	14	12	18	17	12	14	15	15	8	9	10	5	161
Pyrexia (origin uncertain) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery	125	67	74	53	60	29	31	27	23	22	15	27	16	569
All above Diseases -	180	128	139	128	135	114	115	105	109	113	102	167	131	1666
Dis. of Resp. System	80	102	127	126	182	165	200	193	234	186	139	228	248	2210
Pneumonia - -	95	92	133	145	157	160	199	165	183	158	132	176	185	1880
Phthisis - -	140	135	134	153	152	146	140	178	167	142	142	183	150	1962
Dis. of Circ. System	148	149	157	186	181	186	195	188	240	185	150	238	237	2440
Violence - -	49	66	47	54	64	71	53	48	65	60	49	77	73	776
Inquest Cases - -	135	141	116	128	154	165	169	133	178	150	127	195	203	1994
Deaths in Institutions	472	472	496	498	496	467	490	539	554	524	424	644	549	6625
TEMPERATURE OF THE AIR.														
Mean - -	52.0	49.3	50.8	47.1	48.4	41.1	45.3	35.2	41.5	42.0	40.2	32.6	39.8	42.7
Mean of Highest -	58.2	54.7	56.5	53.2	53.3	46.4	49.4	39.5	45.3	45.1	42.9	35.7	43.9	48.0
Mean of Lowest -	46.4	43.4	44.5	40.8	42.4	34.7	40.1	30.3	35.6	38.1	37.1	28.8	34.3	38.2
Mean Humidity of the Air.	81	86	84	87	88	84	82	83	86	88	89	78	91	85
Rain-fall (in inches) -	1.39	0.60	1.39	0.23	0.26	0.07	1.18	0.28	1.12	0.02	0.00	0.09	0.29	6.92
Registered Sunshine (in hours).	22.5	7.1	21.0	15.9	4.8	8.6	6.1	2.5	1.6	9.3	0.3	8.7	2.9	111.3
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox - -	11	34	42	43	51	47	40	35	32	26	27	26	26	Means, 34
Scarlet Fever - -	1861	1858	1828	1854	1824	1832	1770	1715	1717	1655	1617	1632	1639	1756
Diphtheria - -	732	752	756	782	790	808	765	754	776	733	770	739	732	759
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	296	289	285	279	276	268	286	285	273	266	259	246	235	273

* The Metropolitan Asylum and London Fever Hospitals.

† See note to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; and H. B. Witty, Esq., Hull.

TABLE 4. LONDON.—DEATHS Registered in the FIRST Week of the Year 1904.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.		Deaths in the 1st week of the year 1903.	1904—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 1st week of the year 1903.	1904—Deaths of Persons of the Ages						
			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
				0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES	-	1660	1731	384	176	84	194	323	570	Meningitis (not tuberc.)	22	19	10	4	4	1	-	
										Insanity, Gen. Par. of	13	31	-	-	1	2	12	
										Insane	-	-	-	-	-	-	-	
Small-pox*	-	1	-	-	-	-	-	-	-	Epilepsy	7	9	-	-	5	2	2	
Cowpox	-	-	-	-	-	-	-	-	-	Convulsions	30	22	22	-	-	-	-	
Measles (Morbilli)	-	37	58	16	38	3	1	-	-	Locomotor Ataxy	2	-	-	-	-	-	2	
Scarlet Fever	-	13	10	1	5	2	2	-	-	Paraplegia, Dis. of Cord	5	6	-	-	1	1	4	
Typhus	-	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	28	20	2	1	-	5	11	
Plague	-	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis	56	50	-	-	10	7	10	
Influenza	-	39	17	-	1	1	3	4	8	Cerebr. Hæm. Thromb.	34	30	-	-	-	-	23	
Whooping-cough	-	59	28	10	15	3	-	-	-	Apoplexy, Hemiplegia	33	27	-	-	-	5	22	
Diphtheria	-	18	14	-	11	2	-	-	1	Aneurysm	4	4	-	-	2	-	2	
Cerebro Spinal Fever	-	-	-	-	-	-	-	-	-	Embolism, Thrombosis (not cerebral)	3	2	-	-	-	1	1	
Pyæmia† (Origin uncertain)	-	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.	84	124	-	-	2	11	38	
Enteric Fever	-	10	5	-	-	-	5	-	-	Croup (not Spasm nor Memb.)	-	1	-	1	-	-	-	
Asiatic Cholera	-	-	-	-	-	-	-	-	-	Bronchitis	187	216	41	12	-	7	23	
Epidemic Diarrhoea (Infective Enteritis)	-	2	3	3	-	-	-	-	-	Asthma, Emphysema	14	10	-	-	1	1	6	
Diarrhoea, Dysentery	-	12	13	8	1	1	-	1	2	Pleurisy	5	8	1	-	-	2	5	
Tetanus	-	-	-	-	-	-	-	-	-	Respiratory Dis. (other)	8	13	2	1	1	1	2	
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy	-	-	-	1	-	-	-	
Glanders	-	-	-	-	-	-	-	-	-	Enteritis (not Epid.)	10	9	4	1	-	1	2	
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-	-	Gastro-Enteritis	4	5	4	-	-	-	-	
Venereal Dis.	-	8	9	5	1	-	-	2	1	Peritonitis (not Puerp.)	2	3	-	-	2	1	-	
Puerperal Septicæmia	-	3	1	-	-	-	1	-	-	Cirrhosis of Liver	15	15	-	-	-	5	8	
Puerperal Pyæmia	-	1	-	-	-	-	-	-	-	Liver Dis. (other)	3	7	-	1	-	3	3	
Puerperal Fever	-	-	-	-	-	-	-	-	-	Digestive Dis., Other	37	47	7	2	3	14	10	
Infective Endocarditis	-	2	4	-	-	1	-	3	-	Nephritis, Acute	10	8	-	-	-	1	3	
Lobar Pneumonia	-	17	18	-	2	2	1	5	8	Bright's Dis., Albuminuria	51	33	-	-	-	2	13	
Broncho-Pneumonia	-	74	75	32	21	2	4	3	13	Urinary Sys., Other Dis.	9	6	-	-	-	3	3	
Epidemic	-	2	-	-	-	-	-	-	-	Generative Organs Dis.	6	6	-	-	-	1	1	
Not defined	-	49	92	13	16	5	10	21	27	Childbirth (Accid. of)	4	3	-	-	-	2	1	
Erysipelas	-	4	4	-	-	-	-	2	2	Old Age	67	52	-	-	-	-	52	
Septicæmia (not Puerperal)	-	2	-	-	-	-	-	-	-	Other Diseases	119	115	79	8	5	4	14	
Pyæmia (not Puerperal)	-	2	-	-	-	-	-	-	-									
Other Infective Conditions	-	5	17	3	3	1	2	5	3	ACCIDENT.								
Tuberculous Phthisis	-	58	78	1	5	5	33	25	9	By Railways	1	3	-	-	-	2	1	
Phthisis"	-	76	72	1	2	6	28	30	5	By Vehicles and Horses	7	5	-	-	-	2	2	
Tuberculous Meningitis	-	17	10	1	5	4	-	-	-	In Ships, Boats, Docks, (exclusive of Drowning)	-	1	-	-	-	1	-	
Tuberculous Peritonitis	-	11	5	3	1	1	-	-	-	In Building Operations	-	2	-	-	-	-	2	
Tubes Mesentericæ	-	8	3	2	1	-	-	-	-	In Conflagrations	-	2	-	-	-	1	1	
Tuberculous Dis. (other)	-	12	18	2	5	3	2	3	3	By Burns, Scalds, Explosions	10	16	-	10	5	1	-	
Scrophula	-	1	-	-	-	-	-	-	-	By Drowning	6	1	-	-	-	1	-	
Alcoholism	-	14	18	-	-	-	6	12	-	By Suffocation in Bed	13	20	20	-	-	-	-	
Rheumatic Fever	-	6	8	-	-	1	4	3	-	By Poisons or Poisonous Vapours	3	3	-	-	-	1	2	
Scout	-	6	1	-	-	-	-	-	1	Other Deaths by Accident	18	10	3	-	2	2	-	
Sarcoma	-	40	49	-	-	-	4	20	25									
Carcinoma	-	6	5	-	1	1	1	2	-	VIOLENCE OTHER THAN ACCIDENTAL.								
Cancer (undefined)	-	43	24	-	-	1	2	10	11	Homicide	1	3	2	-	-	1	-	
Diabetes Mellitus	-	15	9	-	-	2	1	2	4	Suicide	9	7	-	-	1	3	3	
Premature Birth	-	47	86	86	-	-	-	-	-	Execution	-	-	-	-	-	-	-	

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 9th January, 1904.

REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include															Deaths in Public Institutions.
					Deaths of	Deaths from														
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.			
LONDON - - -	4,536,541	2862	1731	384	570	-	58	10	14	28	-	5	-	16	73	203	549			
WEST DISTRICTS - - -	805,311	409	309	70	111	-	20	1	-	2	-	1	-	3	17	35	100			
NORTH DISTRICTS - - -	1,056,070	609	376	71	136	-	4	3	6	4	-	-	-	3	13	37	102			
CENTRAL DISTRICTS - - -	209,465	135	82	21	22	-	1	-	1	1	-	-	-	-	5	9	31			
EAST DISTRICTS - - -	715,739	545	310	72	101	-	11	-	-	3	-	-	-	1	18	61	121			
SOUTH DISTRICTS - - -	1,749,956	1164	615	150	193	-	22	3	7	18	-	4	-	9	20	60	156			
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	39	-	7	-	-	3	-	-	-	-	-	-	-	1	39			
WEST DISTRICTS.																				
St. Mary Paddington } G. & W.	93,178	53	30	9	9	-	4	-	-	-	-	-	-	-	-	1	3	10		
W ^{2H} - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. John Paddington } H - - G.	33,617	9	12	1	5	-	-	-	-	-	-	-	-	-	-	-	1	7		
North-West Paddington - - C.	17,181	11	7	1	3	-	1	-	-	-	-	-	-	-	-	-	2	-		
Kensington Town 2W, w ^{2H} G., W. & C.	128,037	66	70	11	31	-	-	-	-	-	-	-	-	-	-	2	7	27		
Brompton 2H - - - W. & C.	48,591	5	8	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-		
North Hammersmith W, w ^H } W. & G.	49,192	36	14	3	3	-	1	-	-	-	-	-	-	-	-	-	4	-		
South Hammersmith w ^{2H} - - -	63,047	43	22	7	7	-	2	-	-	-	-	-	-	-	-	4	4	3		
North-west Fulham W } W. & C.	45,180	40	32	13	7	-	4	-	-	-	-	-	-	-	1	1	4	16		
North-east Fulham F - - -	46,405	31	14	2	3	-	1	-	-	1	-	-	-	-	-	2	2	2		
South Fulham W - - -	45,704	39	14	9	2	-	2	-	-	-	-	-	-	-	-	-	-	-		
Chelsea North W, w ^{3H} - - C.	42,514	12	37	6	20	-	-	-	-	-	-	-	-	-	-	1	1	22		
Chelsea South 2H - - - C.	31,338	17	4	2	1	-	4	-	-	-	-	-	-	-	-	2	1	-		
May Fair and Knightsbridge } C. & G.	28,743	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
H - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Belgrave W ^{2H} - - - C.	55,815	16	27	4	10	-	-	-	-	1	-	1	-	-	-	4	5	10		
St. Margaret & St. John 4H - C.	43,698	16	12	1	4	-	1	-	-	-	-	-	-	-	-	-	-	2		
St. James Westminster } N. & G.	21,588	8	2	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-		
W ^H - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Anne Soho 5H - - - N.	11,493	6	4	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1		
NORTH DISTRICTS.																				
All Souls Marylebone 8H - W.	35,391	21	19	3	3	-	-	-	-	-	-	-	-	-	1	2	2	11		
Rectory Marylebone W - G. & W.	19,849	7	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1		
St. Mary Marylebone 4H G. & W.	18,099	26	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Christchurch Marylebone H- W.	39,536	22	13	4	1	-	-	-	1	-	-	-	-	-	-	-	1	-		
St. John Marylebone 3H - W.	20,426	6	6	1	3	-	-	-	-	-	-	-	-	-	-	1	-	-		
Hampstead W, P ^{3H} - - N. & W.	81,942	37	33	8	10	-	1	2	1	-	-	-	-	-	-	2	5	8		
West St. Pancras 2H - - W.	60,562	35	27	6	8	-	-	-	1	1	1	-	-	-	-	-	2	4		
Tottenham-court w ^{6H} N. & W.	21,258	6	13	-	3	-	-	-	-	-	-	-	-	-	-	-	-	11		
Gray's Inn Lane 4H - - N.	34,449	20	9	2	3	-	-	-	1	-	-	-	-	-	-	-	1	3		
East St. Pancras W ^{2H} - - N.	60,320	47	26	5	15	-	-	-	-	-	1	-	-	-	-	-	3	11		
North St. Pancras 2W - - N.	68,728	37	25	6	11	-	-	-	-	-	-	-	-	-	-	1	1	5		
Tufnell W - - - N.	31,995	20	20	2	7	-	-	-	-	-	-	-	-	-	-	-	-	-		
Upper Holloway 2W, w ^{2H} - - N.	33,978	27	30	2	11	-	-	-	-	-	-	-	-	-	-	-	-	13		
Tollington W - - - N.	33,922	17	8	2	4	-	-	-	-	-	-	-	-	-	-	2	4	20		
Lower Holloway - - - N.	41,424	17	12	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-		
Barnsbury - - - N.	54,478	58	15	3	4	-	-	-	-	-	-	-	-	-	-	-	3	-		
Islington South-east F - - N.	75,397	40	18	2	7	-	-	-	-	-	-	-	-	-	-	-	-	-		
Highbury 2H - - - N.	63,797	27	19	4	9	-	-	-	-	1	-	-	-	-	-	2	3	-		
Stoke Newington H - - N.	51,247	26	21	7	12	-	-	-	-	-	-	-	-	-	-	1	1	-		
North Hackney - - - E. & N.	50,560	25	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Central Hackney 2w, F - E. & N.	50,536	25	15	2	1	-	1	-	1	-	-	-	-	-	-	-	-	-		
South-west Hackney 3H E. & N.	59,921	30	17	4	8	-	-	-	-	-	-	-	-	-	-	1	2	4		
South-east Hackney 2W, w ^H E. & N.	58,255	33	21	4	12	-	-	-	1	-	-	-	-	-	-	-	3	3		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Companies which supply the different sub-districts:—G, signifies Grand Junction Company; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River; E, East London; and K, the Kent Company.

See note * on first page of this return.

† Formerly described as "Simple Continued Fever."

Population, Births, and Deaths in London Sub-Districts.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., register in each SUB-DISTRICT during the Week ended Saturday, 9th January, 1904—continued.

REGISTRATION SUB-DISTRICTS,	Enu- me- rated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include													
				Deaths of		Deaths from											
				Infants under 1 Year of Age.	Persons aged 40 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.
CENTRAL DISTRICTS.																	
St. Giles and Bloomsbury W, 2H N	31,436	37	9	3	3	-	-	-	-	-	-	-	-	-	2	3	3
St. Pancras W, 4H - - - N. & O.	21,674	5	10	1	4	-	-	-	-	1	-	-	-	-	-	-	6
St. Pancras Union Workhouse, Edmonton -	-	-	6	-	5	-	-	-	-	-	-	-	-	-	-	-	6
St. Pancras W, 6H - - - N.	29,612	18	13	2	3	-	1	-	-	-	-	-	-	-	-	-	7
St. Pancras South Clerkenwell - - - N.	28,676	10	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Pancras North Clerkenwell H - - - N.	35,028	18	13	3	-	-	-	-	-	-	1	-	-	-	-	1	-
St. Pancras St. Pancras 3H, L - - - N.	36,116	40	15	10	3	-	-	-	-	-	-	-	-	-	2	2	-
St. Pancras Colborn Union Workhouse, } Mitcham - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Pancras St. Botolph H - - - N. & E.	10,299	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Pancras St. Sepulchre and Allhallows* } W, H - - - - - } N.	16,624	4	11	2	1	-	-	-	-	-	-	-	-	-	1	1	8
St. Pancras City of London Asylum, Stone - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
EAST DISTRICTS.																	
St. Pancras Finsbury South H, L - E. & N.	16,369	13	6	2	2	-	-	-	-	-	-	-	-	-	-	2	-
St. Pancras Finsbury New Town W, H - - N.	29,761	20	15	2	2	-	-	-	-	-	-	-	-	-	-	3	8
St. Pancras Finsbury Old Town - - - N.	28,504	25	13	4	5	-	-	-	-	-	-	-	-	-	1	2	-
St. Pancras Finsbury St. Pancras W - - - N. & E.	46,003	34	18	4	5	-	3	-	-	-	-	-	-	-	2	6	7
St. Pancras Finsbury Finsbury Union Workhouse, Wood } Green - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Pancras Finsbury Bethnal Green North 2H - E.	51,514	30	20	9	3	-	-	-	-	-	1	-	-	-	2	4	6
St. Pancras Finsbury Bethnal Green South - - E.	33,472	30	7	2	3	-	-	-	-	-	-	-	-	-	1	1	-
St. Pancras Finsbury Bethnal Green East 2W, H, L - E.	44,694	28	30	7	9	-	2	-	-	-	1	-	-	-	1	4	17
St. Pancras Finsbury Finsbury Fields - - - E. & N.	27,969	20	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Pancras Finsbury Finsbury End New Town W, H - E.	23,718	24	38	8	7	-	1	-	-	-	-	-	-	-	3	10	32
St. Pancras Finsbury Finsbury Woodman's Fields - - - E.	22,081	13	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Pancras St. George and St. John 2W E.	49,068	45	18	6	5	-	2	-	-	-	-	-	-	-	-	3	8
St. Pancras Finsbury Finsbury End Well and Ratcliff W, H E. & N.	25,568	20	7	3	-	-	1	-	-	-	-	-	-	-	-	-	2
St. Pancras Finsbury Finsbury End Well and Ratcliff W, H E. & N.	32,369	26	16	1	6	-	1	-	-	-	-	-	-	-	-	3	-
St. Pancras Finsbury Finsbury End Old Town West H - E.	59,479	56	14	3	6	-	1	-	-	-	-	-	-	-	2	3	-
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25	6	15	-	-	-	-	-	-	-	-	-	4	6	14
St. Pancras Finsbury Finsbury End Old Town East } W, W - - - - - }	53,348	30	25</														

* On 1st November, 1903, the Sub-districts of St. Sepulchre and Allhallows Barking were united and called St. Sepulchre and Allhallows.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 9th January, 1904.—continued.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														Inquest Cases.	Deaths in Public Institutions.
				Deaths of		Deaths from													
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.				
SOUTH DISTRICTS.																			
Christchurch Southwark W, HL & S.	11,263	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Saviour Southwark H - S.	12,056	11	19	4	2	-	-	-	-	-	1	-	-	-	-	5	13		
Kent-road - - - S. & L.	21,904	18	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. George the Martyr } S. & L.	39,094	20	15	7	4	-	-	-	-	-	-	-	-	-	-	1	5		
West W, 2H, L - - - }																			
Trinity Newington - S. & L.	28,504	17	12	7	2	-	-	-	-	-	-	-	-	-	-	1	-		
St. Peter Walworth W - S. & L.	61,767	44	16	2	5	-	-	-	-	-	-	-	-	-	-	1	-		
St. Mary Newington - L. & S.	31,592	21	7	2	2	-	-	-	-	-	-	-	-	-	-	-	-		
St. Olave 2W - - - S.	9,817	7	5	-	1	-	-	-	-	-	-	-	-	1	1	2	-		
Bermondsey W - - - S.	82,483	59	18	8	6	-	-	-	-	2	-	-	-	-	-	1	-		
Rotherhithe W, F - - S. & K.	38,480	27	22	4	10	-	-	-	-	-	-	-	-	-	-	2	8		
Waterloo-road 2H - - L. & S.	27,440	31	9	4	1	-	-	-	-	-	-	-	-	-	-	2	2		
Lambeth Church 1st H - L. & S.	18,423	11	21	7	1	-	-	-	1	-	-	-	-	-	3	4	18		
Lambeth Church 2nd 2W L. & S.	39,818	36	32	6	12	-	-	-	-	-	-	-	-	-	-	1	21		
Kennington 1st H - S. & L.	53,198	23	14	3	6	-	-	-	-	-	-	-	-	1	1	1	-		
Kennington 2nd H - S. & L.	42,896	34	10	2	4	-	-	-	-	-	-	-	-	-	1	1	-		
Brixton F - - - L. & S.	84,232	61	32	4	6	-	4	1	1	4	-	-	-	-	2	5	2		
Norwood W, H - - - L.	35,888	13	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-		
East Battersea - - - S.	72,203	47	18	6	5	-	1	-	-	-	-	-	-	3	-	-	-		
North-west Battersea - - S.	49,656	37	11	3	1	-	2	-	-	-	-	-	-	-	2	2	-		
South-west Battersea W, H - S.	47,048	16	23	5	12	-	-	-	2	-	-	-	-	1	1	3	12		
Clapham 2H - - - S.	51,361	40	21	8	6	-	7	1	-	-	-	-	-	-	1	1	9		
Streatham W, 2w 2H, 2L - L.	88,131	59	33	5	12	-	4	-	-	2	-	1	-	-	-	1	1		
Springfield 2W, L - - S.	27,959	20	7	1	3	-	-	-	-	-	-	-	-	-	-	1	1		
Southfields H - - - S.	40,444	32	15	4	3	-	2	-	-	1	-	-	-	1	-	-	-		
Putney - - - - S.	24,139	16	11	1	8	-	-	-	-	-	-	-	-	1	1	1	-		
Dulwich - - - - L. & S.	10,247	1	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-		
Camberwell 2W w 2L - S. & L.	90,465	53	40	6	19	-	-	-	-	1	-	-	-	-	1	2	21		
Peckham 2W, w - - S., L. & K.	93,038	77	26	6	8	-	-	-	-	-	-	-	-	-	1	5	-		
St. George Camberwell - L. & S.	65,589	56	24	7	6	-	1	-	-	2	-	1	-	-	1	2	-		
Deptford North - - - K.	37,613	27	8	3	2	-	-	-	-	-	-	-	-	1	-	2	-		
Deptford Central F - - K.	45,481	39	9	5	1	-	-	-	-	1	-	-	-	-	1	2	-		
Deptford South - - - K.	34,626	11	9	3	6	-	-	-	-	-	-	-	-	-	-	-	-		
Greenwich West 2H - - K.	23,466	15	6	1	1	-	-	-	-	-	-	-	-	1	-	-	1		
Greenwich East 2W, H - K.	43,859	26	18	3	3	-	-	-	-	1	1	-	-	1	1	3	9		
Eltham w, H - - - K.	7,226	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Lee H - - - - K.	25,490	6	7	1	6	-	-	-	-	-	-	-	-	-	-	1	1		
Lewisham W w, F. - - K.	58,352	49	35	8	11	-	-	-	2	1	-	1	-	-	1	1	22		
Sydenham H - - - L.	43,663	26	14	4	8	-	-	-	-	-	-	1	-	-	-	2	-		
Charlton F 2H - - - K.	21,134	6	5	1	-	-	-	-	1	2	-	-	-	-	1	1	4		
Woolwich 4H - - - K.	41,625	24	8	1	1	-	-	-	-	-	-	-	-	-	1	1	-		
Plumstead West W - - K.	18,063	19	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-		
Plumstead East 2W, H - K.	60,264	30	13	2	2	-	-	-	-	-	-	-	-	-	-	-	5		
London County Asy., Banstead - -	-	-	5	-	3	-	-	-	-	-	-	-	-	-	-	-	5		
Horton Manor Asylum - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
London County Asy., Epsom - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1		
Met. Asy. for Imbeciles, Caterham -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
London County Asy., Cane Hill -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2		
M.A.B. Ships and Hosps., Dartford -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Met. Asy. for Imbeciles, Darenth -	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4		
London County Asylum, Dartford } Heath - - - -	-	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6		
London County Asylum, Hanwell -	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3		
Central London Sick Asy., Hendon -	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3		
London County Asy., Colney Hatch -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
M.A.B. North-Eastern Hospital -	-	-	3	-	-	-	-	-	3	-	-	-	-	-	-	-	3		
M.A.B. Northern Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Met. Asy. for Imbeciles, Leavesden -	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3		
London County Asylum, Claybury -	-	-	8	-	2	-	-	-	-	-	-	-	-	-	-	-	8		

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 9th January, 1904.

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.	Area in Acres	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths from												
					Deaths of 1 Year of Age. Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
LONDON—OUTER RING	368,580	2,044,861	1,351	654	153	214	-	22	4	9	13	4	4	18	52	96	1
0 1 Carshalton <i>W,2F,2H</i>	12,228	32,997	22	10	2	2	-	-	-	-	-	-	-	-	-	-	-
2 Epsom, <i>part of</i> * <i>W,w,2F,H</i>	10,423	15,548	8	4	1	1	-	-	-	-	-	-	-	1	1	1	2
7 1 Godstone, <i>part of</i> * <i>W,F</i>	2,754	2,692	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8 1 Coulsdon	11,069	8,166	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2 1 South Croydon	9,012	49,309	20	15	4	6	-	-	-	-	-	-	-	-	1	-	-
3 1 West Croydon <i>3W,F,H</i>		42,888	31	32	7	11	-	-	-	1	-	-	-	1	3	16	1
4 1 North Croydon <i>H</i>		41,698	26	14	-	-	-	-	-	-	-	-	-	1	1	1	-
5 1 Penge <i>w</i>	770	22,465	10	8	-	-	-	-	-	-	-	-	-	-	-	-	-
6 1 Mitcham <i>w</i>	11,689	29,903	17	9	1	5	-	-	-	-	1	-	-	-	1	-	-
9 1 Wimbledon <i>F,3H</i>	3,221	41,652	33	7	6	1	-	-	-	-	1	-	-	-	1	-	-
2 1 Kingston <i>W,H</i>	6,224	42,068	37	10	4	4	-	-	-	-	-	-	-	1	1	2	-
3 1 Surbiton <i>F,H</i>	3,046	15,017	6	3	-	1	-	-	-	-	-	1	-	-	-	1	-
4 1 Esher, <i>part of</i> * <i>H</i>	5,402	13,100	5	3	1	2	-	-	-	-	-	-	-	-	-	-	-
5 1 Hampton <i>H,L</i>	4,564	23,456	13	6	2	3	-	-	-	-	-	-	-	-	-	1	-
0 1 Richmond <i>W,H</i>	2,162	28,865	9	14	-	5	-	1	-	-	-	-	-	-	-	3	-
2 1 Mortlake <i>F</i>	2,847	20,628	15	6	1	1	-	1	-	-	-	-	-	-	1	-	-
1 1 Bromley <i>F,2H</i>	4,703	27,354	9	10	2	1	-	-	-	-	1	-	-	1	2	1	-
2 1 Beckenham <i>H</i>	7,825	28,497	18	3	-	1	-	-	-	-	-	-	-	-	-	-	-
3 1 Orpington, <i>part of</i> * <i>W</i>	10,113	9,857	4	5	1	1	-	-	-	-	-	-	-	-	1	2	-
4 1 Chislehurst <i>2H</i>	7,393	16,446	12	2	-	1	-	-	-	-	-	-	-	-	-	1	-
2 1 Bexley <i>F,H</i>	8,678	21,151	14	5	-	2	-	-	-	-	-	-	-	-	-	-	-
3 1 Erith <i>F,H</i>	3,854	25,296	18	5	1	1	-	-	-	-	-	-	-	-	-	-	-
2 1 Dartford <i>W,F, part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4 1 Sunbury <i>w</i>	11,054	18,683	14	7	3	1	-	-	1	2	-	-	-	-	-	-	-
2 1 Staines <i>W,H</i>	13,277	15,178	8	14	2	7	-	1	-	-	-	-	-	-	1	7	-
5 1 Hillingdon <i>W,F,H</i>	6,035	13,661	7	6	2	3	-	-	-	-	-	-	-	-	-	-	-
2 1 Uxbridge	12,757	8,984	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-
3 1 Hayes <i>w,F,H</i>	8,066	16,358	10	5	2	1	-	-	-	-	-	-	-	-	1	-	-
6 1 Isleworth <i>3W,2F,H</i>	6,859	30,863	24	17	7	5	-	-	-	-	-	-	-	-	-	5	-
2 1 Twickenham <i>F,H</i>	2,421	20,991	8	8	1	4	-	-	-	-	-	-	-	-	-	-	-
3 1 Brentford <i>2F,2H,L</i>	4,319	48,289	30	14	6	6	-	1	-	-	-	-	-	1	2	-	-
4 1 Chiswick <i>H</i>	1,249	29,809	13	13	-	6	-	-	-	-	-	-	-	-	2	-	-
5 1 Acton <i>w,3H</i>	6,132	48,914	50	13	3	4	-	-	-	-	-	-	1	1	2	1	-
7 1 Harrow <i>F,H</i>	13,809	25,523	13	12	5	4	-	2	-	-	-	-	-	-	-	-	-
2 1 Edgware <i>F,2H</i>	6,994	4,521	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3 1 Willesden <i>W,F,2H</i>	4,384	114,811	72	40	7	12	-	7	-	1	-	-	1	1	2	3	1
4 1 Hendon <i>W,F</i>	8,382	22,450	11	7	3	1	-	-	-	-	1	-	-	-	-	-	-
8 1 South Mimms <i>2F,H</i>	17,755	7,308	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-
3 1 Barnet <i>W,3H</i>	3,324	17,070	15	4	2	1	-	-	-	-	-	-	-	-	-	-	-
9 1 Finchley <i>F,2H</i>	4,688	33,692	18	6	2	-	-	-	-	-	1	-	-	-	-	-	-
2 1 Hornsey <i>F,H</i>	2,875	72,056	35	21	4	6	-	2	-	-	-	-	-	-	2	-	-
1 1 Wood Green <i>H</i>	1,625	34,243	22	6	1	3	-	-	-	1	-	-	-	-	-	1	-
4 1 West Tottenham <i>F</i>	3,013	48,853	42	14	2	7	-	-	-	-	3	1	-	-	1	-	-
3 1 East Tottenham <i>F,H</i>		53,688	27	16	4	4	-	-	-	-	-	-	-	-	-	-	-
5 1 Edmonton <i>W,w,2F</i>		61,892	47	23	4	8	-	-	-	-	-	-	-	1	2	5	-
6 1 Enfield <i>2W,F,H</i>	12,601	42,738	29	6	2	3	-	-	-	-	-	-	-	-	2	-	-
7 1 Waltham Abbey	11,017	6,549	1	3	-	-	-	-	-	-	-	-	-	1	1	-	-
8 1 Cheshunt <i>F,H</i>	8,479	12,292	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-
5 1 Hatfield, <i>part of</i> * <i>W</i>	3,305	661	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7 1 Bushey <i>H</i>	9,393	9,173	3	4	-	2	-	2	-	-	-	-	-	-	-	-	-
2 1 Watford <i>W,2F part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 1 Stratford <i>H</i>	1,072	44,827	39	12	2	5	-	-	-	-	-	-	-	-	-	2	-
2 1 Plaistow <i>F,3H</i>	1,249	90,921	100	26	12	1	-	2	-	3	1	-	-	-	1	3	-
3 1 Canning Town <i>H</i>	1,556	70,718	73	22	9	2	-	4	-	1	1	-	-	-	2	2	-
4 1 Forest Gate <i>w</i>	806	60,892	23	14	1	10	-	-	-	-	-	-	-	-	1	-	-
5 1 North East Ham <i>w</i>	3,326	58,676	43	11	3	4	-	-	-	1	-	-	-	-	1	3	-
6 1 South East Ham <i>3F</i>		37,342	33	20	7	3	-	-	2	-	-	-	-	2	2	2	-
7 1 Wanstead <i>F</i>		9,179	4	4	1	1	-	-	1	-	-	-	-	-	-	-	-
8 1 South Leyton <i>2W</i>	631	50,467	39	17	3	7	-	1	-	-	2	-	-	-	1	9	-
9 1 North Leyton <i>W,w,F</i>	1,963	48,445	26	33	3	16	-	-	-	-	2	1	1	1	1	15	1
10 1 Walthamstow <i>3H,L</i>	6,504	108,929	82	23	13	4	-	-	-	-	-	-	-	2	5	2	-
2 1 Chigwell, <i>part of</i> * <i>2F,4H</i>	11,778	16,397	10	2	1	1	-	-	-	-	-	-	-	-	-	-	-
1 1 Epping <i>W,F, part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 1 Romford, <i>part of</i> * <i>W,2F</i>	6,556	6,091	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3 1 Ilford <i>F,L</i>	8,496	41,234	20	14	3	4	-	-	-	-	-	-	1	2	3	2	-
2 1 Barking Town <i>F</i>	3,803	21,547	22	7	-	3	-	-	-	-	-	-	-	-	-	-	-
Middlesex County Asylum, Wandsworth.	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	3	-
London County Asylum, Bantstead.	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
North-Eastern Hospital, Tottenham.	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-

The parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes, 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Leydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

Births, Deaths, Meteorology, &c.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping- cough.	Fever.	Diarrhoeal
Calcutta (including Suburbs)	847,796	November 21	-	526	32·2	-	-	-	-	2	175†	
BOMBAY -	776,006	December 22	-	-	-	-	-	-	-	-	-	
MADRAS -	509,346	" 4	412	396	40·4	-	1	?	?	?	112†	
PARIS -	2,660,559	January 2	921	982	20·3	1	11	1	3*	3	8	
BRUSSELS -	575,896	" 2	213	189	17·1	-	-	-	-	1	-	
ANTWERP -	281,376	" 2	118	79	14·5	-	6	-	2*	-	3	
AMSTERDAM -	542,073	December 26	269	158	15·1	-	13	-	-	1	1	
COPENHAGEN -	416,000	January 2	223	127	15·9	-	1	1	1*	-	1	
STOCKHOLM -	305,115	December 26	114	82	14·0	-	-	1	2*	-	-	
CHRISTIANIA -	225,709	January 2	159	72	16·6	-	-	-	2	-	-	
ST. PETERSBURG	1,248,643	" 2	-	-	-	-	-	-	-	-	-	
MOSCOW -	1,093,410	December 26	-	564	26·9	-	4	9	8	3	5	
BERLIN -	1,888,613	" 19	833	633	16·8	-	9	4	6	15	-	
HAMBURG -	737,328	January 2	-	-	-	-	-	-	-	-	-	
MUNICH -	512,000	January 2	-	220	22·3	-	3	-	2*	2	-	
VIENNA -	1,761,931	" 2	730	670	19·6	-	6	3	13*	1	2	
PRAGUE -	423,990	December 26	189	164	20·2	-	3	-	5*	2	-	
BUDA-PESTH -	790,529	January 2	458	250	16·4	-	3	9	8*	-	1	
TRIESTE -	185,524	" 2	-	-	-	-	-	-	-	-	-	
ROME -	491,074	-	-	-	-	-	-	-	-	-	-	
VENICE -	166,522	December 26	67	63	19·7	-	-	-	-	-	1	
CAIRO -	621,179	-	-	-	-	-	-	-	-	-	-	
ALEXANDRIA -	352,010	-	-	-	-	-	-	-	-	-	-	
NEW YORK -	3,732,903	December 19	1575	1288	18·0	-	9	18	40*	6	13	
PHILADELPHIA -	1,378,221	" 26	1249	1321	18·5	-	6	27	50*	3	14	
BOSTON -	603,163	" 19	-	679	21·9	22	19	9	16	2	12	
		" 12	-	221	19·1	-	4	2	5*	1	1	

* Including deaths from croup.

† Including 22 deaths from plague in Calcutta, and 1 in Madras.

‡ Including 35 deaths from cholera in Calcutta, and 2 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 9th January, 1904.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	47·7	29·3	38·5	0·29	HUDDERSFIELD -	47·4	30·0	38·2	0·61
BRIGHTON -	48·8	31·5	41·8	0·60	BRADFORD -	47·6	32·0	38·8	1·00
PORTSMOUTH -	49·0	31·0	40·9	0·69	LEEDS -	47·0	34·0	38·9	0·80
NORWICH -	46·0	31·6	39·1	0·36	HULL -	48·0	30·0	38·0	0·20
PLYMOUTH -	51·1	37·3	44·4	1·25					
BRISTOL -	49·9	31·6	40·7	0·64	EDINBURGH -	47·5	31·6	38·9	0·80
WOLVERHAMPTON	-	-	-	-	GLASGOW -	48·4	33·8	40·4	1·40
BIRMINGHAM -	47·1	28·9	38·9	0·62					
NOTTINGHAM -	47·6	30·5	38·1	0·41	DUBLIN { Phoenix Park.	50·0	25·3	40·0	1·50
LIVERPOOL	48·0	30·0	39·0	0·48	DUBLIN { Fitz- william Square.†	52·0	31·8	42·3	1·31
MANCHESTER -	45·8	28·8	38·1	0·67					
PRESTON -	47·0	34·0	39·3	0·77	BELFAST -	48·0	31·0	39·3	1·71

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of the return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0·21 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1904.		MONTH AND DAY.		BARO-METER.		TEMPERATURE.		TEMPERATURE.		Wind as deduced from Anemometers.		Rain collected in a Gauge whose receiving vessel is 6 inches above the ground.	
Phases of the Moon.	Mean daily reading and reduced to 32° F. (mean height).	Of the Air.		Difference between the Air temperature and Dew point.		Of the Radiation.		Of the Direction.		Pressure on the Square Foot.		Robinson's.	
		High-est.	Low-est.	Daily Range.	Mean daily value.	De-parture from daily Average value.	Mean value.	Of the Sun's Rays.	High-est.	Low-est.	Mean hourly obs.	Horizontal Movement of the Air on each Day.	Vertical Movement of the Air on each Day.
JANUARY.													
SUNDAY - 3	Full	29.547	46.0	42.0	40.0	+ 5.2	41.1	2.8	4.2	0.9	0.1	55.0	36.7
MONDAY - 4	Perigee	29.425	44.8	32.2	12.6	40.1	37.6	2.5	4.6	0.7	9.1	64.1	27.0
TUESDAY - 5	..	29.838	44.8	33.5	11.3	39.1	38.3	2.3	5.5	0.5	9.2	63.4	23.6
WEDNESDAY - 6	..	30.133	36.3	29.3	7.0	34.1	31.1	3.0	3.5	1.3	3.9	41.2	21.4
THURSDAY - 7	..	29.816	47.7	30.0	17.7	41.1	37.3	3.2	4.8	1.7	8.3	49.0	22.5
FRIDAY - 8	In Equinox.	29.576	47.0	39.0	8.0	42.4	41.3	1.1	1.8	1.0	9.6	47.0	33.0
SATURDAY - 9	Quarter.	29.796	41.0	34.4	6.6	38.0	34.5	3.5	5.3	1.8	8.7	47.2	29.7
MEANS	-	29.723	43.9	34.3	9.6	39.8	37.2	2.6	4.2	1.1	9.1	52.7	27.7
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15
16	17	18	19	20	21	22	23	24	25	26	27	28	29

GENERAL REMARKS.		REGISTERED SUN ABOVE HORIZON, IN HOURS.		ELECTRICITY. (For explanation of symbols, see Note.)	
JANUARY.		79		w. P. till 10h. A.M.; m. P. till 3h. P.M.; w. P. and s. N. till 7h. P.M.; m. P. afterwards.	
MONDAY - 4		79		m. P. till 3h. A.M.; s. P. generally till 5h. P.M.; w. P. and s. N. afterwards.	
TUESDAY - 5		0.7		w. P. till 9h. A.M.; m. P. till 3h. P.M.; s. P. generally afterwards.	
WEDNESDAY - 6		0.0		s. P. till 3h. A.M.; m. P. afterwards.	
THURSDAY - 7		0.0		m. P. till noon; w. P. afterwards.	
FRIDAY - 8		0.0		w. P. till 6h. A.M.; m. P. afterwards.	
SATURDAY - 9		0.0		m. P. till 9h. A.M.; s. P. afterwards.	
No. of Col.		Sum 567		Sum 2.9	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1888 for the thermometers. With the corrected mean readings of the dry bulb thermometer the combined mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1880, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1876.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: - P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 29.09 in. at the beginning of the week to 29.37 in. by 6h. P.M. on the 4th; increased to 30.17 in. by 10h. A.M. on the 6th; decreased to 29.50 in. by 7h. P.M. on the 8th; increased to 29.91 in. by 3h. P.M. on the 9th; and decreased to 29.87 in. by midnight on the same day.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 2nd January, 1904.*

BOROUGHES.	Estimated Population in the middle of 1903.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - - -	146,032	-	6	-	-	-	-	-	4	-
Kensington - - - - -	178,409	-	6	5	-	2	-	-	-	-
Hammersmith - - - - -	115,803	-	3	8	-	-	-	-	-	-
Fulham - - - - -	147,780	-	1	4	-	-	-	-	5	1
Chelsea - - - - -	74,169	-	1	1	-	-	-	-	-	-
City of Westminster - - - - -	179,052	1	2	1	-	2	-	-	3	-
NORTH										
St. Marylebone - - - - -	131,234	-	7	2	-	3	-	-	2	1
Hampstead - - - - -	85,197	-	1	5	-	2	-	-	2	-
St. Pancras - - - - -	235,716	-	11	4	-	5	-	-	1	-
Islington - - - - -	339,137	-	9	17	-	1	-	-	6	-
Stoke Newington - - - - -	52,069	-	2	1	-	-	-	-	1	-
Hackney - - - - -	224,082	-	10	23	-	8	-	-	5	-
CENTRAL.										
Holborn - - - - -	57,845	-	3	2	-	4	-	-	3	-
Finsbury - - - - -	99,717	-	6	2	-	1	-	-	-	-
City of London - - - - -	24,539	-	-	-	-	-	-	-	-	-
EAST.										
Shoreditch - - - - -	117,513	-	5	3	-	-	-	-	10	-
Bethnal Green - - - - -	130,028	-	12	6	-	3	-	-	4	-
Stepney - - - - -	302,153	2	11	9	-	4	-	-	6	-
Poplar - - - - -	169,550	-	15	2	-	3	-	-	3	-
SOUTH.										
Southwark - - - - -	207,369	1	7	3	-	-	-	-	6	-
Bermondsey - - - - -	129,801	-	12	-	-	-	-	-	3	-
Lambeth - - - - -	307,711	-	23	2	-	3	-	-	8	-
Battersea - - - - -	173,422	-	7	4	-	3	-	-	3	1
Wandsworth - - - - -	249,678	-	12	17	-	2	-	-	3	-
Camberwell - - - - -	265,562	-	10	5	-	3	-	-	1	-
Deptford - - - - -	112,537	-	8	6	-	-	-	-	4	-
Greenwich - - - - -	99,824	-	2	5	-	1	-	-	1	-
Lewisham - - - - -	136,405	-	9	4	-	2	-	-	2	-
Woolwich - - - - -	121,478	-	3	1	-	-	-	-	-	-
Port of London - - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. }										
4,613,812		4	204	142	-	52	-	-	90	3
Ages										
0-1 - - - - -	-	-	2	6	-	-	-	-	2	-
" 1-5 - - - - -	-	1	71	55	-	2	-	-	3	-
" 5- - - - -	-	-	74	44	-	9	-	-	2	-
" 10- - - - -	-	-	34	13	-	12	-	-	4	-
" 15- - - - -	-	1	9	6	-	5	-	-	3	-
" 20- - - - -	-	1	5	8	-	5	-	-	3	1
" 25- - - - -	-	1	8	4	-	12	-	-	7	2
" 35- - - - -	-	-	1	3	-	6	-	-	23	-
" 45- - - - -	-	-	-	3	-	1	-	-	21	-
" 55- - - - -	-	-	-	-	-	-	-	-	12	-
" 65 and upwards - - - - -	-	-	-	-	-	-	-	-	10	-
Age not stated - - - - -	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

TABLE 11.—DEATHS OF PERSONS BELONGING to the COUNTY of LONDON and the METROPOLITAN BOROUGHs, REGISTERED in the 13 WEEKS ENDED 2nd JANUARY, 1904.

BOROUGHs.	Deaths from										Deaths of Infants under 1 Year of Age.	Deaths under 1 Year to 1000 Births registered.	
	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping cough.	Typhus.	Enteric Fever.	Pyrexia* (origin uncertain).	Diarrhoea.			Phthisis.
COUNTY OF LONDON -	18,514	3	375	89	187	208	-	163	-	682	1,890	4,801	152
West.													
PADDINGTON -	501	-	15	4	2	2	-	1	-	23	40	105	138
KENSINGTON -	661	-	24	4	3	2	-	3	-	17	51	149	167
HAMMERSMITH -	470	-	20	3	6	2	-	4	-	13	44	116	167
FULHAM -	599	-	48	1	8	4	-	8	-	30	68	152	128
CHELSEA -	279	-	8	-	1	1	-	3	-	8	24	57	152
CITY OF WESTMINSTER -	631	2	21	1	6	4	-	6	-	11	76	96	131
North.													
ST. MARYLEBONE -	590	-	23	4	8	3	-	8	-	15	55	115	116
HAMPSTEAD -	232	-	1	1	2	-	-	-	-	-	20	42	125
ST. PANCRAS -	1,002	-	5	6	10	13	-	4	-	23	112	239	153
ISLINGTON -	1,198	-	3	5	6	7	-	10	-	26	135	303	136
STOKE NEWINGTON -	170	-	-	-	1	6	-	2	-	9	14	34	135
HACKNEY -	846	-	16	5	11	13	-	14	-	19	84	204	143
Central.													
HOLBORN -	282	-	3	-	2	1	-	4	-	11	40	49	136
FINSBURY -	507	-	8	6	2	3	-	4	-	22	56	137	150
CITY OF LONDON -	89	-	-	1	-	-	-	1	-	3	10	17	213
East.													
SHOREDITCH -	602	-	20	4	4	10	-	6	-	21	71	177	192
BETHNAL GREEN -	626	-	3	5	6	10	-	10	-	30	63	211	193
STEPNEY -	1,446	1	17	5	19	16	-	12	-	85	168	468	175
POPLAR -	830	-	5	10	19	12	-	7	-	47	81	256	186
South.													
SOUTHWARK -	952	-	6	1	4	9	-	14	-	48	120	275	165
BERMONDSEY -	650	-	1	2	3	9	-	6	-	25	77	183	191
LAMBETH -	1,229	-	38	6	11	19	-	9	-	48	110	282	131
BATTERSEA -	649	-	14	1	11	13	-	9	-	20	62	173	139
WANDSWORTH -	896	-	57	5	11	9	-	7	-	41	71	224	133
CAMBERWELL -	963	-	18	3	3	9	-	4	-	34	89	260	145
DEPTFORD -	430	-	-	3	10	12	-	2	-	10	44	127	168
GREENWICH -	373	-	-	1	9	14	-	-	-	14	33	109	166
LEWISHAM -	383	-	1	2	4	-	-	2	-	10	31	101	117
WOOLWICH -	428	-	-	-	5	5	-	3	-	19	41	135	153

In the above Table all deaths of persons in, or on the way to, Hospitals and other Public Institutions, as well as those of persons under treatment in surgical homes, or dying by accident or otherwise in the streets, have been distributed, as far as practicable, to the Boroughs in which the deceased had previously resided. The deaths of 502 London residents who died outside London in the Strand Union Workhouse at Edmonton, the Holborn Union Workhouse at Mitcham, the City of London Lunatic Asylum at Stone, the Central London Sick Asylum at Hendon, and the Metropolitan Hospitals and Asylums, have been similarly distributed. In 568 cases the previous residence was outside London, and these have been excluded from the Table.

* Formerly described as "Simple Continued Fever."

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING DECEMBER, 1903

*Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
5th January, 1904.*

SIR.

I HAVE to report to you the results of the chemical analysis and physical examination of the water supplied to the Metropolis, by the eight Water Companies, during the month of December.

Sixteen samples of the East London Company's water and twelve samples of the other Companies' supplies were examined, making a total of 100 samples for the month.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

COMPANIES.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Ni- trates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
THAMES.										
Chelsea - - -	{ Dec. 14th, Cab Rank, Victoria St., near Christ Church. }	6'0	34'06	'242	'028	0	'283	'311	1'6	23'9
West Middlesex -	{ Dec. 14th, Cab Rank, Albert Road, N.W. }	5'7	32'96	'293	'031	0	'279	'310	1'55	23'2
Southwark - -	{ Dec. 14th, Cab Rank, Stockwell Rd., near "The Swan." }	6'5	33'12	'350	'038	0	'230	'268	1'50	22'7
Grand Junction -	{ Dec. 14th, Cab Rank, Piccadilly, opposite Bolton St. }	5'9	31'66	'346	'038	0	'271	'309	1'55	21'8
Lambeth - - -	{ Dec. 14th, Cab Rank, Waterloo Rd., opposite St. John's Church. }	6'0	33'60	'328	'035	0	'324	'359	1'65	22'8
LEA, WELLS, & C.										
New River - -	{ Dec. 14th, Cab Rank, Bayham St., Camden Town. }	6'0	33'98	'226	'021	0	'256	'277	1'75	22'4
East London - -	{ Dec. 14th, Cab Rank, Sidney St., E. }	5'8	40'66	'219	'021	0	'276	'297	1'95	27'1
DEEP WELL.										
Kent - - - -	{ Dec. 14th, Police Station, Black- heath Road. }	12'0	41'00	'042	'007	0	'552	'559	2'25	28'7
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The Chelsea Company's water, collected on the 14th December, at the cab-rank in Victoria Street, near Christ Church, had a temperature of 6·0° C.; 100,000 lbs. of it contained 34·06 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained ·242 lb. of carbon and ·028 lb. of nitrogen. The above quantity of water also contained ·283 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was ·311 lb. The above weight of water also contained 1·6 lbs. of chlorine and 23·9 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

Samples of all the Companies' waters collected on the 14th December were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies was:—Kent 0·8, East London 4·1, New River 4·2, Chelsea 4·6, West Middlesex 5·5, Lambeth 6·2, Grand Junction 6·5, and Southwark 6·6.

Of the supplies derived from the Thames, and collected on the 14th December, those of the Chelsea and West Middlesex Companies were of much better quality than in the previous month, the proportion of organic matter present being about one half as much as was then found. On the other hand, the water furnished by the Southwark, Grand Junction, and Lambeth Companies was of less satisfactory quality, owing to the amount of organic impurity in it being higher than it should be. All these samples were clear and bright.

The New River Company's water, obtained chiefly from the River Lea, contained a proportion of organic matter very similar to that found in November; it was clear and of good quality. The East London Company's Lea-derived water was also clear and of good quality.

The Kent Company's deep-well water was, as usual, of high organic purity and excellent quality.

Seen through a stratum two feet deep the Kent Company's water was colourless, and that of the New River and East London Companies very pale yellow; the supplies of the Chelsea and West Middlesex Companies were pale yellow, and the Southwark, Grand Junction, and Lambeth Company's waters were yellow in colour.

In addition to the above analytical examination, the 100 samples collected during December at various places in the districts supplied by the several Companies have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has, also, been recorded. The following results were obtained:—

PARTS PER 100,000.

COMPANIES.	“Oxygen consumed.”						Free Ammonia.			Albuminoid Ammonia.		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)								
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
Chelsea	·166	·135	·145	·177	·141	·155	0	0	0	·013	·009	·011
West Middlesex	·177	·150	·166	·189	·162	·177	0	0	0	·0125	·010	·011
Southwark ...	·221	·091	·158	·233	·095	·168	0	0	0	·016	·009	·013
Grand Junction	·219	·117	·170	·235	·121	·181	0	0	0	·0145	·0095	·013
Lambeth	·204	·128	·168	·223	·137	·181	0	0	0	·014	·0095	·012
New River	·127	·041	·096	·138	·044	·103	0	0	0	·0095	·0055	·0075
East London ...	·116	·099	·109	·128	·102	·115	0	0	0	·0105	·008	·0095
Kent	·014	·007	·011	·015	·010	·013	0	0	0	·002	·001	·0015

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures; with each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

A comparison of the above results with those obtained in November shows that all the Thames-derived supplies in the past month contained much smaller mean amounts of organic matter, and consequently the colours and qualities of the supplies were much better. The Chelsea Company's water gave the lowest mean proportion and those of the other Companies were only a little higher, and in no case were such high maximum amounts of organic impurity found as in November. Although all these waters exhibit improvement in quality, the amount of organic matter was still high for the time of year, and on several days the Southwark, Grand Junction, and Lambeth Companies delivered water of inferior quality, a condition of affairs which could be avoided by the better provision and utilization of stored water.

The supplies of the New River and East London Companies, obtained chiefly from the River Lea, were better than those furnished by the Companies dealing with Thames water exclusively. Both supplies contained only moderate amounts of organic matter, and the favourable effect of the very considerable additions which the East London Company have made to their storage has been shown by the constant quality of the water during the past month, the maximum amount found being actually less than that noted in the case of the New River Company's supply, although the latter contains a considerable proportion of deep-well water.

In certain samples of the East London Company's water, drawn in a district supplied with water from the Thames at Sunbury and gravel wells at Hanworth, much higher proportions of nitric nitrogen than usual have been recently found; the highest amount noted was 1·04 part per 100,000, in a sample collected in High Street, Shoreditch, on the 21st December, and from this and other data it was evident that on that occasion the water was practically all Hanworth gravel water and not, as is usually the case, a mixture containing a relatively small fraction from that source.

All the samples of the Kent Company's deep-well water were of their usual high organic purity and excellent quality.

All the samples of the Chelsea, West Middlesex, Lambeth, and Kent Companies' supplies were clear, but in the cases of the other Companies, on a few occasions, minute amounts of rust-stained suspended matters were observed.

I am, Sir,

Your obedient Servant.

The Registrar-General,

Somerset House, W.C.

T. E. THORPE.

RETURNS OF LONDON WATER COMPANIES.

The LONDON WATER COMPANIES have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of December, 1903. The supply was in the ratio of 202 gallons to one service.

COMPANIES.	Number of Services.		Daily Supply of Water in Gallons.	
	DECEMBER. 1902.	DECEMBER. 1903.	DECEMBER. 1902.	DECEMBER. 1903.
TOTAL SUPPLY - - -	958,375	978,696	203,133,604	198,223,189
From Thames - - - -	454,609	464,894	108,679,519	104,514,423
From Lea and from other Sources - - -	503,766	513,802	94,454,085	93,708,766
THAMES.				
Chelsea - - - - -	39,449	39,654	11,167,097	11,410,677
West Middlesex - - - - -	89,195	90,360	21,859,345	21,545,675
Southwark and Vauxhall - - - - -	127,452	128,871	31,033,801	27,670,583
Grand Junction - - - - -	72,637	75,149	17,365,357	15,419,124
Lambeth - - - - -	126,486	130,860	26,953,919	28,459,364
LEA AND OTHER SOURCES.				
New River - - - - -	176,981	179,026	37,756,936	38,025,409
East London - - - - -	221,421	226,165	39,181,000	38,136,000
Kent - - - - -	105,364	108,611	17,516,149	17,547,337

Note.—The Return for December, 1903, as compared with that for the corresponding month of 1902, shows an increase of 20,321 services and a decrease of 4,910,415 gallons of water supplied daily.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 2. 1904. VOL. LXV.] WEEK ENDED SATURDAY, JAN. 16. [Price 1½d.

General Register Office, Somerset House,

January 18th, 1904.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 19·0 per 1000 of their aggregate population, which is estimated† at 15,271,425 persons in the middle of this year. In the preceding three weeks the rates had been 15·4, 20·6, and 20·3. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 23·1 in Liverpool, 23·3 in Burnley, 24·7 in Gateshead, 25·6 in Rochdale, 27·5 in Tynemouth, 28·7 in Warrington, 29·0 in Preston, 30·1 in West Hartlepool, 33·0 in Merthyr Tydfil, and 38·2 in Wigan; from *measles*, 1·3 in East Ham, 1·4 in Salford and in Sunderland, 1·8 in West Ham and in Rotherham, 2·8 in Willesden, 3·1 in Warrington, and 5·4 in Preston; from *whooping-cough*, 1·3 in Portsmouth, 1·4 in Birkenhead, 1·5 in West Hartlepool and in Newport (Mon.), 1·7 in Handsworth, 2·5 in Wigan, and 2·6 in Gateshead; and from *diarrhœa*, 1·4 in Walthamstow. One death from *small-pox* was registered in Nottingham and 1 in Sunderland, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2589 BIRTHS and 1677 DEATHS were registered. Allowing for increase of population, the births were 168, and the deaths 249, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 13·6, 21·1, and 19·4 in the preceding three weeks, further fell last week to 18·8. During the four weeks ended on Saturday last the death-rate averaged 18·2 per 1000, being 3·0 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, and in certain local Small-pox Hospitals, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the recent Census, and on the increase in the last intercensal period.

The 1677 deaths included 49 from measles, 10 from scarlet fever, 11 from diphtheria, 37 from whooping-cough, 8 from enteric fever, 1 from ill-defined pyrexia, and 19 from diarrhœa, but not one death from small-pox or from typhus ; thus, 135 deaths were referred to these diseases in the aggregate, being 53 below the corrected average weekly number.

The deaths from *measles*, which had been 40, 59, and 58 in the preceding three weeks, fell last week to 49, and were 5 below the corrected average ; 8 cases belonged to the Borough of Kensington, 6 to Hammersmith, 4 to Fulham, 4 to St. Marylebone, and 4 to Lambeth. The deaths from *scarlet fever*, which had been 7, 9, and 10 in the preceding three weeks, were again 10 last week, the corrected average being 14. The deaths from *diphtheria*, which had been 9, 27, and 14 in the preceding three weeks, further fell last week to 11, and were 29 below the corrected average ; 2 cases belonged to St. Pancras. The deaths from *whooping-cough*, which had been 21, 35, and 28 in the preceding three weeks, rose again last week to 37, but were 11 below the corrected average ; 5 cases belonged to Poplar and 5 to Bermondsey. The fatal cases of *enteric fever*, which had been 9, 10, and 5 in the preceding three weeks, rose again last week to 8, but were 6 below the corrected average. The deaths from *diarrhœa*, which had been 15, 27, and 16 in the preceding three weeks, rose again last week to 19, and were 6 above the corrected average. Of the 19 deaths from diarrhœa, 16 were those of children under 5 years of age ; the term *gastro-enteritis* was used to denote the cause of 5 more deaths at this age. The deaths attributed directly to *influenza* numbered 21, having been 7, 18, and 17 in the preceding three weeks.

Different forms of *violence* caused 65 deaths, concerning all of which inquests were held. Of these 65 deaths, 9 were cases of suicide and 3 of homicide, while the remaining 53 were attributed to accident or negligence. Four of these latter were referred to vehicles in the streets, 10 to burns and scalds, and 18 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 26 cases of small-pox, 1660 of scarlet fever, 749 of diphtheria, and 191 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows :—Of small-pox, 4 cases, against 7, 4, and 6 ; of scarlet fever, 195 cases, against 142, 194, and 201 ; of diphtheria, 94 cases, against 106, 98, and 86 ; and of enteric fever, 16 cases, against 28, 20, and 18. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended January 9th, 1904.

GREATER LONDON.

In Greater London 3928 births and 2322 deaths were registered. Allowing for increase of population, these numbers are 135 and 311 below the respective averages in the corresponding weeks of the last ten years. In that portion of the Outer Ring which is outside the great towns, 5 deaths from measles, 1 from scarlet fever, 4 from diphtheria, 9 from whooping-cough, and 1 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.44 inches, and that of the Thermometer 42°.1, the latter being 4°.0 above the week's average in the 50 years 1841-90. The general direction of the wind was South-westerly, the horizontal movement of the air being 62 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 9.2 hours ; the measured rainfall amounted to 0.69 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

[illegible]

† These towns are included within the area of Greater London.

* See note † on first page of this return.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON AND FOUR SCOTCH TOWNS.—BIRTHS, DEATHS, AND DEATH-RATES during the preceding three weeks, ended Saturday, 16th January, 1904, and DEATH-RATES during the week including the 16th January, 1904.

Births, Deaths, and Rates of Mortality.

TOWNS.	Cols.	POPULATION estimated to the middle of the Year 1904.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the week ended 16th Jan., 1904.		The DEATHS registered in the Week include											TOWNS.		
			Week ended				Week ended 16th Jan., 1904.	BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.		Unidentified Causes of Death.	
			26th Dec., 1903.	2nd Jan., 1904.	9th Jan., 1904.	16th Jan., 1904.																		
			1.	2.	3.	4.																		5.
BIRMINGHAM	-	537,965	16'9	23'3	23'4	21'7	2'8	341	224	64	58	-	9	4	7	4	-	5	8	10	66	7	BIRMINGHAM.	
KINGS NORTON	-	66,667	10'6	11'5	16'4	12'5	1'6	24	16	1	8	-	1	-	-	-	-	-	-	2	2	1	KINGS NORTON.	
SMETHWICK	-	60,691	8'9	20'4	12'0	12'9	0'9	57	15	6	7	-	-	-	-	-	-	1	-	-	-	2	1	SMETHWICK.
ASTON MANOR	-	80,363	10'5	19'0	15'6	13'6	0'6	44	21	8	4	-	-	-	-	1	-	-	-	2	2	1	ASTON MANOR.	
COVENTRY	-	73,904	13'6	13'6	15'5	8'5	-	44	12	2	6	-	-	-	-	-	-	-	-	-	-	-	-	COVENTRY.
LEICESTER	-	224,186	12'8	18'5	17'4	15'1	0'9	118	65	15	20	-	-	-	-	3	-	1	3	3	10	1	LEICESTER.	
GRIMSBY	-	86,958	17'4	19'0	22'6	17'9	1'6	33	23	8	7	-	-	1	-	-	1	2	2	2	3	18	-	GRIMSBY.
NOTTINGHAM	-	248,811	12'5	18'9	23'1	17'8	1'0	143	85	16	25	1	-	1	2	1	-	-	2	3	18	-	-	NOTTINGHAM.
DERBY	-	120,449	10'1	14'1	21'6	12'6	-	53	29	8	10	-	-	-	-	-	-	1	2	6	-	-	-	DERBY.
STOCKPORT	-	97,008	23'4	18'0	24'7	16'1	0'5	44	30	4	8	-	1	-	-	-	-	2	3	5	-	-	-	STOCKPORT.
BIRKENHEAD	-	114,814	10'1	17'4	18'2	18'2	2'3	85	40	10	13	-	-	-	2	3	-	-	2	2	9	-	-	BIRKENHEAD.
WALLASEY†	-	60,354	15'2	17'0	13'0	16'4	0'9	23	19	2	12	-	-	-	1	-	-	-	-	2	1	-	-	WALLASEY†.
LIVERPOOL	-	723,430	20'7	26'8	26'7	23'1	1'7	465	321	74	88	-	2	1	5	12	1	2	15	18	81	10	-	LIVERPOOL.
BOOTLE	-	61,755	20'6	18'9	22'0	16'9	-	46	20	1	6	-	-	-	-	-	-	2	2	5	-	-	-	BOOTLE.
ST. HELENS	-	88,545	16'1	20'9	20'0	18'3	0'6	58	31	9	8	-	-	-	-	-	-	1	-	6	4	-	-	ST. HELENS.
WIGAN	-	62,800	29'4	33'6	18'3	38'2	3'3	44	46	11	6	-	-	1	-	3	-	1	1	6	-	-	-	WIGAN.
WARRINGTON	-	67,331	26'7	18'9	19'4	28'7	5'4	34	37	9	3	-	4	1	-	-	-	1	-	4	3	-	-	WARRINGTON.
BOLTON	-	175,744	15'9	21'4	20'2	21'1	0'6	80	71	14	21	-	-	-	-	2	-	-	1	3	11	-	-	BOLTON.
BURY	-	58,450	16'1	18'8	28'5	18'7	1'8	23	21	-	10	-	1	-	-	1	-	2	2	4	1	4	1	BURY.
MANCHESTER†	-	557,938	19'6	23'2	24'6	18'9	1'3	338	202	46	57	-	3	1	1	6	2	1	10	13	54	4	-	MANCHESTER,†
SALFORD	-	228,983	15'2	21'0	24'1	20'7	3'4	146	91	24	24	-	6	1	2	5	1	-	3	6	18	1	-	SALFORD.
OLDHAM	-	139,497	17'7	19'2	22'1	22'8	1'5	66	61	6	21	-	2	1	-	1	-	-	4	6	8	-	-	OLDHAM.
ROCHDALE	-	85,601	18'4	16'0	23'8	25'6	1'2	30	42	5	12	-	-	-	1	1	-	-	3	4	2	-	-	ROCHDALE.
BURNLEY	-	100,569	18'9	22'0	21'3	23'3	2'6	48	45	8	14	-	-	1	1	2	1	-	2	2	13	1	-	BURNLEY.
BLACKBURN	-	132,134	20'3	23'0	23'3	21'7	0'4	62	55	7	18	-	1	-	-	-	-	-	2	3	9	3	-	BLACKBURN.
PRESTON	-	115,055	24'6	32'4	41'7	29'0	7'3	63	64	18	18	-	12	-	2	-	-	1	1	1	3	-	-	PRESTON.
BARROW-IN-FURNESS	-	69,054	7'1	16'8	7'9	19'2	-	24	22	5	4	-	-	-	-	-	-	-	-	-	6	2	-	BARROW-IN-FURNESS.

TOWNS.	POPULATION estimated to the middle of the year 1904.*	DEATH-RATES FROM all CAUSES.				Rate from all causes in Cols. 11-17.		Registered Deaths during the Week ended 16th Jan., 1904.		The DEATHS registered in the Week include											TOWNS.		
		Week ended				Week ended 16th Jan., 1904.		BIRTHS.	DEATHS.	Deaths of							Deaths from				Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
		26th Dec., 1903.	2nd Jan., 1904.	9th Jan., 1904.	16th Jan., 1904.	Infants under 1 Year	Persons aged 1 to 60 Years			Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.						
		1.	2.	3.	4.			5.	6.									7.	8.	9.	10.	11.	12.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
HUDDESFIELD -	94,925	17'0	15'9	23'6	15'9	-	38	29	4	9	-	-	-	-	-	-	-	1	2	4	-	HUDDESFIELD.	
HALIFAX -	107,580	14'7	16'6	19'9	19'9	1'0	46	41	8	21	-	-	-	1	-	-	1	3	4	4	-	HALIFAX.	
BRADFORD -	285,089	21'7	19'3	21'2	20'7	0'2	107	113	18	45	-	1	-	-	-	-	-	12	15	21	-	BRADFORD.	
LEEDS -	450,142	20'3	21'3	22'6	21'4	2'0	241	185	45	52	-	9	3	-	5	-	2	15	30	30	1	LEEDS.	
SHEFFIELD -	432,940	15'7	16'7	22'6	20'1	1'4	275	167	50	46	-	9	2	1	7	2	-	3	9	25	8	SHEFFIELD.	
ROTHERHAM -	58,498	19'1	18'2	20'5	17'8	2'7	34	20	5	5	-	2	-	-	1	-	-	-	2	-	-	ROTHERHAM.	
YORK -	81,268	30'6	35'1	19'9	15'4	0'6	51	24	7	7	-	-	-	1	1	-	1	3	5	5	-	YORK.	
HULL -	253,865	14'6	18'8	17'5	15'2	0'6	143	74	16	23	-	-	1	1	-	1	4	7	17	2	-	HULL.	
MIDDLESBROUGH -	96,684	20'9	19'2	20'5	17'8	1'6	84	33	11	4	-	-	-	-	-	1	2	1	6	-	-	MIDDLESBROUGH.	
STOCKTON-ON-TEES -	52,192	24'1	24'1	14'0	20'0	1'0	42	26	6	4	-	-	-	-	1	-	1	1	-	-	-	STOCKTON-ON-TEES.	
WEST HARTLEPOOL -	69,251	14'7	16'3	20'3	30'1	1'5	36	40	8	9	-	-	-	-	2	-	3	3	5	-	-	WEST HARTLEPOOL.	
SUNDERLAND -	151,157	15'3	23'4	20'7	21'4	2'4	84	62	16	13	-	4	-	-	-	-	-	1	11	4	1	SUNDERLAND.	
SOUTH SHIELDS -	107,334	14'4	11'9	19'9	18'5	1'0	61	38	9	9	-	-	-	-	-	2	1	1	5	1	5	SOUTH SHIELDS.	
GATESHEAD -	118,067	20'8	17'6	26'1	24'7	4'4	76	53	15	11	-	-	1	1	6	1	1	2	2	2	4	GATESHEAD.	
NEWCASTLE-ON-TYNE -	225,362	17'8	18'3	19'9	17'8	1'6	133	77	10	22	-	-	3	1	3	-	-	5	7	22	-	NEWCASTLE-ON-TYNE.	
TYNEMOUTH -	53,060	11'9	20'8	18'7	27'5	1'0	54	28	12	7	-	-	-	-	-	-	1	-	-	7	1	TYNEMOUTH.	
NEWPORT (MON.) -	71,543	18'6	24'5	22'6	17'5	1'5	39	24	8	5	-	-	-	-	2	-	-	2	1	-	-	NEWPORT (MON.).	
CARDIFF -	176,313	12'4	19'6	17'7	18'0	2'7	87	61	14	15	-	3	3	1	1	-	1	3	10	-	-	CARDIFF.	
RHONDDA -	122,310	16'6	14'8	21'3	22'2	1'7	96	52	26	9	-	1	-	-	1	-	2	3	5	2	1	RHONDDA.	
MERTHYR TYDFIL -	72,745	22'6	31'3	40'1	33'0	2'9	51	46	23	4	-	-	2	-	1	-	1	1	2	2	-	MERTHYR TYDFIL.	
SWANSEA -	95,931	19'1	18'0	20'7	16'8	1'1	63	31	4	8	-	-	-	-	2	-	-	2	6	-	-	SWANSEA.	
GREATER LONDON -	6,907,619	12'9	20'1	18'0	17'5	1'5	3928	2322	510	730	-	76	14	17	50	10	26	92	237	723	8	GREATER LONDON.	
OUTER RING -	2,253,531	11'3	18'0	15'1	14'9	1'3	1339	645	153	209	-	27	4	6	13	1	7	27	60	111	3	OUTER RING.	
8 TOWNS IN OUTER RING	1,098,639	10'4	18'4	15'8	14'5	1'8	690	305	73	80	-	22	3	2	4	1	6	17	35	61	2	8 TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING	1,159,892	12'3	17'7	14'5	15'3	0'9	649	340	80	129	-	6	1	4	9	-	1	10	25	50	1	REMAINDER OF OUTER RING.	
EDINBURGH -	331,977	16'4	20'1	20'4	16'8	1'4	146	107	23	38	-	-	-	1	2	-	6	4	7	30	7	EDINBURGH.	
GLASGOW -	798,357	23'2	24'7	24'8	20'2	2'0	421	309	66	65	4	19	-	-	2	2	4	6	7	63	12	GLASGOW.	
DUBLIN† -	378,994	19'9	31'8	27'8	28'8	1'4	202	209	31	61	-	-	-	-	5	2	3	4	4	82	9	DUBLIN†.	
BELFAST† -	358,680	23'0	26'5	27'6	28'9	2'0	213	199	48	47	-	1	-	-	9	3	1	3	9	40	?	BELFAST†.	

TABLE 2. LONDON.—Births and Deaths Registered in the SECOND Week of each of the Eleven Years, 1894-1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894-1903.*	1904
TOTAL Births -	2867	2922	2454	2928	2703	2435	2766	2466	2890	2349	2757.0	2589
Males - -	1444	1498	1218	1519	1382	1275	1396	1259	1351	1147	1399.1	1331
Females - -	1423	1424	1236	1409	1321	1160	1370	1207	1339	1202	1357.9	1258
TOTAL Deaths -	2461	1622	1540	1538	1982	1568	2930	1750	1633	1545	1926.0	1677
Males - -	1236	806	767	765	997	808	1325	863	820	774	950.2	840
Females - -	1225	816	773	773	985	760	1605	887	813	771	975.8	837

* The numbers in this column are the average weekly numbers in the second week of the ten years 1894-1903, raised by 3.723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Oct. 24.	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	1904. Jan. 2.	Jan. 9.	Jan. 16.	13 Weeks.
TOTAL Births -	2345	2567	2563	2466	2331	2342	2460	2448	2544	1802	2328	2862	2589	32147
TOTAL Deaths -	1333	1401	1426	1476	1473	1536	1578	1669	1486	1204	1866	1731	1677	19856
Ages at Death {														
Under 1 year -	360	404	370	398	357	406	401	379	347	262	408	384	357	4833
1-5 years -	180	145	145	155	189	157	165	162	156	128	209	176	160	2087
5-20 " -	56	65	65	66	62	74	71	73	61	60	82	84	82	901
20-40 " -	183	175	188	187	185	171	166	190	176	140	235	194	208	2398
40-60 " -	256	270	278	299	292	288	317	375	312	260	380	323	349	3999
60 yrs. & upwds.	338	342	380	371	388	440	458	490	434	354	552	570	521	5638
Deaths from—														
Small-pox† - -	-	-	-	1	-	1	-	-	-	1	-	-	-	3
Measles - -	18	21	15	31	36	37	24	31	41	40	59	58	49	460
Scarlet Fever - -	7	5	13	7	4	6	9	-	5	7	9	10	10	92
Diphtheria - -	12	19	18	11	20	9	10	16	15	9	27	14	11	191
Whooping-cough -	10	8	11	8	13	17	20	24	22	21	35	28	37	254
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	14	12	18	17	12	14	15	15	8	9	10	5	8	157
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Diarrhoea, Dysentery	67	74	53	60	29	31	27	23	22	15	27	16	19	463
All above Diseases -	128	139	128	135	114	115	105	109	113	102	167	131	135	1621
Dis. of Resp. System														
Pneumonia - -	102	127	126	182	165	200	193	234	186	139	223	248	217	2347
Phthisis - -	92	133	145	157	160	199	165	183	158	132	176	185	139	2074
Diphtheria - -	135	134	153	152	146	140	178	167	142	142	183	160	180	2002
Dis. of Circ. System -	149	157	186	181	186	195	188	240	185	150	238	237	195	2487
Violence - -	66	47	54	64	71	53	48	65	60	49	77	73	65	792
Inquest Cases -	141	116	128	154	165	169	133	178	150	127	195	203	177	2036
Deaths in Institutions	472	496	498	496	467	490	539	554	524	424	644	549	612	6765
TEMPERATURE OF THE AIR.														
Mean - -	49.3	50.8	47.1	48.4	41.1	45.3	35.2	41.5	42.0	40.2	32.6	39.8	42.1	42.7
Mean of Highest - -	54.7	56.5	53.2	53.3	48.4	49.4	39.5	45.3	45.1	42.9	35.7	43.9	46.4	47.1
Mean of Lowest - -	43.4	44.5	40.8	42.4	34.7	40.1	30.3	35.6	38.1	37.1	28.8	34.3	36.6	37.4
Mean Humidity of the Air.	86	84	87	88	84	82	83	86	88	89	78	91	82	85
Rain-fall (in inches) -	0.60	1.39	0.23	0.26	0.07	1.18	0.28	1.12	0.02	0.00	0.09	0.29	0.69	6.22
Registered Sunshine (in hours).	7.1	21.0	15.9	4.8	8.6	6.1	2.5	1.6	9.3	0.3	8.7	2.9	9.2	98.0
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox - -	34	42	43	51	47	40	35	32	26	27	26	26	26	35
Scarlet Fever - -	1853	1828	1854	1824	1832	1770	1715	1717	1655	1617	1632	1659	1660	1740
Diphtheria - -	752	756	782	790	808	765	754	756	733	770	739	732	749	760
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	289	285	279	276	268	286	285	273	266	259	246	235	191	264

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; and H. B. Witty, Esq., Hull.

TABLE 4. LONDON.—DEATHS Registered in the SECOND Week of the Year 1904.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 2nd week of the year 1904.	1904—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 2nd week of the year 1903.	1904—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			30 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			30 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES - - -	1545	1677	357	160	82	208	349	521	Meningitis (not tuberc.)	7	16	8	5	1	1	-	
									Insanity, Gen. Par. of	18	35	-	-	-	4	8	
									Insane - - - - -	10	6	-	-	1	1	3	
Small-pox* - - -	1	-	-	-	-	-	-	-	Epilepsy - - - - -	29	24	23	1	-	-	-	
Cowpox - - - - -	-	-	-	-	-	-	-	-	Convulsions - - -	-	3	-	-	-	-	1	
Measles (Morbilli) -	40	49	13	33	3	-	-	-	Locomotor Ataxy -	4	5	-	1	-	-	1	
Scarlet Fever - - -	7	10	1	6	3	-	-	-	Paraplegia, Dis. of Cord	31	16	1	-	-	-	12	
Diphtheria - - - - -	20	11	-	5	6	-	-	-	Nervous Sys. (other dis.)	43	43	-	-	1	6	14	
Cerebro Spinal Fever	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis-	24	34	-	-	-	3	8	
Typhoid (Origin un-	-	-	-	-	-	-	-	-	Cerebr. Hæm. Thromb.-	31	16	-	-	-	-	3	
certain) - - - - -	7	8	-	1	-	4	3	-	Apoplexy, Hemiplegia -	2	-	-	-	-	-	6	
Enteric Fever - - -	-	-	-	-	-	-	-	-	Aneurysm - - - - -	1	4	-	-	-	-	1	
Asiatic Cholera - -	-	-	-	-	-	-	-	-	Embolism, Thrombosis }	104	91	2	-	2	9	26	
Epidemic } Diarrhoea	1	6	5	-	-	-	1	-	(not cerebral) - - -	1	-	-	-	-	-	52	
(Infective Enteritis)	-	1	-	1	-	-	-	-	Heart & Blood Vessel Dis.	1	-	-	-	-	-	-	
Diarrhoea, Dysentery	13	13	8	3	-	1	1	-	Croup (not Spasm: nor }	1	-	-	-	-	-	-	
Tetanus - - - - -	-	-	-	1	-	-	-	-	Memb.) - - - - -	158	181	28	7	-	3	39	
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Bronchitis - - - - -	9	7	-	-	-	2	2	
Plague - - - - -	-	-	-	-	-	-	-	-	Asthma, Emphysema -	3	5	-	1	-	1	3	
Typhus - - - - -	-	-	-	-	-	-	-	-	Pleurisy - - - - -	15	24	6	2	-	8	8	
Influenza - - - - -	34	21	-	1	1	2	3	14	Respiratory Dis. (other)	1	-	-	-	-	-	-	
Whooping-cough -	41	37	10	26	-	-	1	-	Tonsillitis, Quinsy -	9	1	-	1	-	-	-	
Diphtheria - - - -	20	11	-	5	6	-	-	-	Enteritis (not Epid.) -	1	6	3	-	-	2	1	
Cerebro Spinal Fever	-	-	-	-	-	-	-	-	Gastro-Enteritis - -	1	6	4	1	-	1	-	
Typhoid (Origin un-	-	-	-	-	-	-	-	-	Feritonitis (not Puerp.)	14	13	-	-	-	2	8	
certain) - - - - -	7	8	-	1	-	4	3	-	Cirrhosis of Liver -	7	5	-	1	-	3	2	
Enteric Fever - - -	-	-	-	-	-	-	-	-	Liver Dis. (other) -	38	45	5	3	6	11	12	
Asiatic Cholera - -	-	-	-	-	-	-	-	-	Digestive Dis., Other -	10	8	-	-	-	1	4	
Epidemic } Diarrhoea	1	6	5	-	-	-	1	-	Nephritis, Acute - - -	47	32	1	-	-	5	11	
(Infective Enteritis)	-	1	-	1	-	-	-	-	Bright's Dis., Albumin-}	6	9	-	-	-	1	4	
Diarrhoea, Dysentery	13	13	8	3	-	1	1	-	uria - - - - -	8	6	1	-	-	2	1	
Tetanus - - - - -	-	-	-	1	-	-	-	-	Urinary Sys., Other Dis.	7	4	-	-	-	4	-	
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Generative Organs Dis.-	61	64	-	-	-	-	64	
Plague - - - - -	-	-	-	-	-	-	-	-	Childbirth (Accid. of)	109	111	75	9	6	3	7	
Typhus - - - - -	-	-	-	-	-	-	-	-	Old Age - - - - -	61	64	-	-	-	-	64	
Influenza - - - - -	34	21	-	1	1	2	3	14	Other Diseases - - -	109	111	75	9	6	3	7	
Whooping-cough -	41	37	10	26	-	-	1	-									
Diphtheria - - - -	20	11	-	5	6	-	-	-									
Cerebro Spinal Fever	-	-	-	-	-	-	-	-									
Typhoid (Origin un-	-	-	-	-	-	-	-	-									
certain) - - - - -	7	8	-	1	-	4	3	-									
Enteric Fever - - -	-	-	-	-	-	-	-	-									
Asiatic Cholera - -	-	-	-	-	-	-	-	-									
Epidemic } Diarrhoea	1	6	5	-	-	-	1	-									
(Infective Enteritis)	-	1	-	1	-	-	-	-									
Diarrhoea, Dysentery	13	13	8	3	-	1	1	-									
Tetanus - - - - -	-	-	-	1	-	-	-	-									
Rabies, Hydrophobia	-	-	-	-	-	-	-	-									
Plague - - - - -	-	-	-	-	-	-	-	-									
Typhus - - - - -	-	-	-	-	-	-	-	-									
Influenza - - - - -	34	21	-	1	1	2	3	14									
Whooping-cough -	41	37	10	26	-	-	1	-									
Diphtheria - - - -	20	11	-	5	6	-	-	-									
Cerebro Spinal Fever	-	-	-	-	-	-	-	-									
Typhoid (Origin un-	-	-	-	-	-	-	-	-									
certain) - - - - -	7	8	-	1	-	4	3	-									
Enteric Fever - - -	-	-	-	-	-	-	-	-									
Asiatic Cholera - -	-	-	-	-	-	-	-	-									
Epidemic } Diarrhoea	1	6	5	-	-	-	1	-									
(Infective Enteritis)	-	1	-	1	-	-	-	-									
Diarrhoea, Dysentery	13	13	8	3	-	1	1	-									
Tetanus - - - - -	-	-	-	1	-	-	-	-									
Rabies, Hydrophobia	-	-	-	-	-	-	-	-									
Plague - - - - -	-	-	-	-	-	-	-	-									
Typhus - - - - -	-	-	-	-	-	-	-	-									
Influenza - - - - -	34	21	-	1	1	2	3	14									
Whooping-cough -	41	37	10	26	-	-	1	-									
Diphtheria - - - -	20	11	-	5	6	-	-	-									
Cerebro Spinal Fever	-	-	-	-	-	-	-	-									
Typhoid (Origin un-	-	-	-	-	-	-	-	-									
certain) - - - - -	7	8	-	1	-	4	3	-									
Enteric Fever - - -	-	-	-	-	-	-	-	-									
Asiatic Cholera - -	-	-	-	-	-	-	-	-									
Epidemic } Diarrhoea	1	6	5	-	-	-	1	-									
(Infective Enteritis)	-	1	-	1	-	-	-	-									
Diarrhoea, Dysentery	13	13	8	3	-	1	1	-									
Tetanus - - - - -	-	-	-	1	-	-	-	-									
Rabies, Hydrophobia	-	-	-	-	-	-	-	-									
Plague - - - - -	-	-	-	-	-	-	-	-									
Typhus - - - - -	-	-	-	-	-	-	-	-									
Influenza - - - - -	34	21	-	1	1	2	3	14									
Whooping-cough -	41	37	10	26	-	-	1	-									
Diphtheria - - - -	20	11	-	5	6	-	-	-									
Cerebro Spinal Fever	-	-	-	-	-	-	-	-									
Typhoid (Origin un-	-	-	-	-	-	-	-	-									
certain) - - - - -	7	8	-	1	-	4	3	-									
Enteric Fever - - -	-	-	-	-	-	-	-	-									
Asiatic Cholera - -	-	-	-	-	-	-	-	-									
Epidemic } Diarrhoea	1	6	5	-	-	-	1	-									
(Infective Enteritis)	-	1	-	1	-	-	-	-									
Diarrhoea, Dysentery	13	13	8	3	-	1	1	-									
Tetanus - - - - -	-	-	-	1	-	-	-	-									
Rabies, Hydrophobia	-	-	-	-	-	-	-	-									
Plague - - - - -	-	-	-	-	-	-	-	-									
Typhus - - - - -	-	-	-	-	-	-	-	-									
Influenza - - - - -	34	21	-	1	1	2	3	14									
Whooping-cough -	41	37	10	26	-	-	1	-									
Diphtheria - - - -	20	11	-	5	6	-	-	-									
Cerebro Spinal Fever	-	-	-	-	-	-	-	-									
Typhoid (Origin un-	-	-	-	-	-	-	-	-									
certain) - - - - -	7	8	-	1	-	4	3	-									
Enteric Fever - - -	-	-	-	-	-	-	-	-									
Asiatic Cholera - -	-	-	-	-	-	-	-	-									
Epidemic } Diarrhoea	1	6	5	-	-	-	1	-									
(Infective Enteritis)	-	1	-	1	-	-	-	-									
Diarrhoea, Dysentery	13	13	8	3	-	1	1	-									
Tetanus - - - - -	-	-	-	1	-	-	-	-									
Rabies, Hydrophobia	-	-	-	-	-	-	-	-									
Plague - - - - -	-	-	-	-	-	-	-	-									
Typhus - - - - -	-	-	-	-	-	-	-	-									
Influenza - - - - -	34	21	-	1	1	2	3	14									
Whooping-cough -	41	37	10	26	-	-	1	-									
Diphtheria - - - -	20	11	-	5	6	-	-	-									
Cerebro Spinal Fever	-	-	-	-	-	-	-	-									
Typhoid (Origin un-	-	-	-	-	-	-	-	-									
certain) - - - - -	7	8	-	1	-	4	3	-									
Enteric Fever - - -	-	-	-	-	-	-	-	-									
Asiatic Cholera - -	-	-	-	-	-	-	-	-									
Epidemic } Diarrhoea	1	6	5	-	-	-	1	-									
(Infective Enteritis)	-	1	-	1	-	-	-	-									
Diarrhoea, Dysentery	13	13	8	3	-	1	1	-									
Tetanus - - - - -	-	-	-	1	-	-	-	-									
Rabies, Hydrophobia	-	-	-	-													

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 16th January, 1904.

REGISTRATION SUB-DISTRICTS.		Enu- me- rated Popu- lation, 1901.	Total Births.	The DEATHS registered during the Week include															Inquest Cases.
				Total Deaths.	Deaths from														
					Infants under 1 Year of Age.	Persons aged 1 to 4 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.			
LONDON	-	-	4,536,541	2589	1677	357	521	-	49	10	11	37	-	8	1	19	65	177	61
WEST DISTRICTS	-	-	805,311	402	283	43	91	-	21	-	2	1	-	-	-	3	9	25	9
NORTH DISTRICTS	-	-	1,056,070	542	340	56	115	-	8	-	3	6	-	-	-	3	7	30	12
CENTRAL DISTRICTS	-	-	209,465	120	80	11	22	-	-	-	-	-	-	-	-	1	3	9	4
EAST DISTRICTS	-	-	715,739	506	315	79	79	-	7	1	1	11	-	-	-	2	18	54	12
SOUTH DISTRICTS	-	-	1,749,956	1019	606	163	191	-	13	4	4	19	-	4	1	9	27	58	16
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*			-	-	53	-	23	-	-	3	2	-	-	-	-	1	1	1	5
WEST DISTRICTS.																			
St. Mary Paddington } W, 2H	G. & W.	93,178	48	21	6	6	-	1	-	-	-	-	-	-	-	-	1	2	
St. John Paddington } H	- G.	33,617	9	17	2	4	-	-	-	-	-	-	-	-	-	-	1	1	
North-West Paddington	- C.	17,181	6	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
Kensington Town 2W, w, 2H } Brompton 2H	G. & W. & C. - W. & C.	128,037 48,591	65 13	73 11	11 5	23 5	-	8	-	-	1	-	-	-	-	1	-	3	2
North Hammersmith } South Hammersmith } North-west Fulham } North-east Fulham } South Fulham W	W, w, H } w, 2H } W } F } W	49,192 63,047 45,180 46,405 45,704	30 36 39 30 40	17 21 31 11 5	5 10 9 1 4	4 10 8 2 -	-	3 1 6 -	-	-	-	-	-	-	-	-	3 1 1 -	1 4 5 1	
Chelsea North } Chelsea South	W, w, 3H } 2H -	42,514 31,328	14 16	21 9	2 -	10 3	-	-	-	-	-	-	-	-	-	-	1 1	1 1	
May Fair and Knightsbridge } H	C. & G.	28,743	6	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	
Belgrave } St. Margaret & St. John	W, 2H } 4H -	55,815 43,698	20 22	23 11	4 1	8 2	-	1 1	-	-	-	-	-	-	-	-	2 -	5 1	
St. James Westminster } W, H	N. & G.	21,583	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. Anne Soho } 5H	- N.	11,493	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
NORTH DISTRICTS.																			
All Souls Marylebone } Rectory Marylebone } St. Mary Marylebone } Christchurch Marylebone } St. John Marylebone	8H } - W. } 4H } H- W. } 3H -	35,391 19,349 18,099 39,536 20,426	12 8 30 18 7	19 4 4 6 3	2 2 1 1 1	7 2 3 1 1	-	-	-	-	-	-	-	-	-	-	-	-	
Hampstead } West St. Pancras } Tottenham-court } Gray's Inn Lane } East St. Pancras } North St. Pancras	W, F, 3H } 2H - } w, 6H } 4H - } W, 2H - } 2W -	81,942 60,562 21,258 34,449 60,320 58,728	27 29 8 16 48 25	25 16 10 13 21 22	4 5 - 3 3 5	3 3 4 10 10 8	-	3	2	2	-	-	1	-	-	-	1	1	
Tufnell } Upper Holloway } Tollington } Lower Holloway } Barnsbury } Islington South-east } Highbury	W- } 2W, w, 2H } W- } - } - } F- } 2H -	31,995 33,978 33,922 41,424 54,478 75,397 63,797	20 35 21 24 31 35 22	23 29 7 10 9 15 11	4 1 1 1 3 4 1	11 9 3 5 3 3 4	-	-	-	1	-	-	-	-	-	-	1	1	
Stoke Newington } North Hackney } Central Hackney } South-west Hackney } South-east Hackney	H } - } 2w, F } 3H } 2W, w, H	51,247 50,560 50,536 59,921 58,255	20 12 30 26 38	10 13 14 23 33	2 3 3 2 4	3 6 5 7 14	-	-	-	-	1	-	-	-	-	-	2	3	5

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein: namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. sign Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.
See note. * on first page of this return.
† Formerly described as "Simple Continued Fever."

Population, Births, and Deaths in London Sub-Districts.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., register in each SUB-DISTRICT during the Week ended Saturday, 16th January, 1904—continued.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														Deaths in Public Institutions.
				Deaths of Infants under 1 Year of Age.	Deaths from										Inquest Cases.			
					Persons aged 40 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhea.		Violence.		
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury W, 2H N.	31,436	15	7	2	3	-	-	-	-	-	-	-	-	-	-	-	3	
Strand W, 4H - - - N. & C.	21,874	5	13	-	3	-	-	-	-	-	-	-	-	-	-	2	10	
Strand Union Workhouse, Edmonton -	-	-	4	-	4	-	-	-	-	-	-	-	-	-	1	1	4	
Colborn W, 6H - - - N.	29,612	9	9	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
South Clerkenwell - - - N.	28,676	18	5	1	2	-	-	-	-	-	-	-	-	-	-	1	5	
North Clerkenwell H - - - N.	35,023	26	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Islington 3H, L - - - N.	36,116	43	10	2	3	-	-	-	-	-	-	-	-	1	-	1	2	
Colborn Union Workhouse, } Mitcham - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Botolph H - - - N. & E.	10,299	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre and Allhallows* } W, H - - - N.	16,624	2	21	2	3	-	-	-	-	-	-	1	-	-	2	4	18	
City of London Asylum, Stone - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EAST DISTRICTS.																		
Shoreditch South H, L - E. & N.	16,369	5	6	2	3	-	-	-	-	-	-	-	-	-	-	-	-	
Shoreditch New Town w, H - - N.	29,761	22	14	5	4	-	-	-	-	1	-	-	-	-	-	-	6	
Shoreditch Old Town - - - N.	26,504	20	11	6	2	-	-	-	-	1	-	-	-	-	1	2	-	
Shoreditch W - - - N. & E.	46,003	27	24	7	6	-	1	-	-	1	-	-	-	-	-	-	11	
Shoreditch Union Workhouse, Wood } Green - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Shoreditch Green North 2H - - E.	51,514	37	22	9	5	-	1	-	-	-	-	-	-	1	2	4	10	
Shoreditch Green South - - - E.	33,472	18	9	1	3	-	-	-	-	-	-	-	-	1	1	3	-	
Shoreditch Green East 2W, H, L - E.	44,694	25	31	5	11	-	2	-	-	2	-	-	-	-	-	-	13	
Spitalfields - - - E. & N.	27,969	14	4	1	1	-	-	-	-	-	-	-	-	-	1	1	-	
Spitalfields End New Town w, H - E.	28,718	26	39	7	5	-	-	-	-	-	-	-	-	1	3	9	34	
Spitalfields End Old Town - - - E.	22,081	10	4	-	2	-	-	-	-	-	-	-	-	-	-	-	1	
St. George and St. John 2W E.	49,068	53	13	3	3	-	1	-	-	-	-	-	-	-	-	-	5	
St. James and Ratchiff W, H E. & N.	25,568	21	10	5	1	-	-	-	-	1	-	-	-	-	-	2	5	
St. James Union Workhouse - - - E.	32,369	22	7	3	-	-	1	-	1	-	-	-	-	-	-	1	-	
Spitalfields End Old Town West H - E.	59,479	52	12	2	6	-	-	-	-	-	-	-	-	-	-	-	-	
Spitalfields End Old Town East } W, w - - - E.	53,348	39	19	3	8	-	-	-	-	-	1	-	-	-	-	-	10	
St. James L - - - E.	41,989	26	16	7	2	-	-	-	-	-	-	-	-	-	1	6	-	
St. James 3w, H - - - E.	68,319	44	49	6	12	-	1	-	-	2	-	-	-	-	4	14	31	
St. James W, w - - - E.	56,514	45	25	7	5	-	-	-	-	1	-	-	-	-	3	5	2	

* On 1st November, 1903, the Sub-districts of St. Sepulchre and Allhallows Barking were united and called St. Sepulchre.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 16th January, 1904.—continued.

The DEATHS registered during the Week include																		
REGISTRATION SUB-DISTRICTS.			Enu- merated Popu- lation, 1901.	Total Births.	Total DEATHS.	Deaths of		Deaths from										Inquest Cases.
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhea.	Violence.	
SOUTH DISTRICTS.																		
Christchurch Southwark W,H,L.&S.			11,283	5	1	1	-	-	-	-	-	-	-	-	1	-	-	
St. Saviour Southwark H - S.			12,056	13	25	6	1	-	-	-	-	-	-	-	4	5	2	
Kent-road - - - S. & L.			21,904	12	5	2	-	-	-	-	1	-	-	-	1	1	2	
St. George the Martyr } S. & L.			39,094	29	20	7	5	-	-	-	-	-	-	-	-	3	-	
West W,2H,L - - - }																		
Trinity Newington - S. & L.			28,504	28	11	6	1	-	-	-	-	-	-	-	1	1	2	
St. Peter Walworth W- S. & L.			61,767	38	37	17	7	-	-	-	-	-	-	-	1	7	12	
St. Mary Newington - L. & S.			31,592	17	11	2	2	-	1	-	-	-	-	-	-	1	1	
St. Olave 2W - - - S.			9,817	9	5	2	2	-	-	-	-	-	-	-	-	-	-	
Bermondsey W - - - S.			82,483	55	30	13	8	-	-	-	5	-	-	-	-	2	3	
Rotherhithe W,F- - S. & K.			38,460	20	15	1	6	-	-	-	-	-	-	-	-	-	1	
Waterloo-road 2H - L. & S.			27,440	28	9	2	3	-	-	-	-	-	-	-	-	1	1	
Lambeth Church 1st H L. & S.			18,423	12	17	5	1	-	-	-	2	-	1	-	-	1	1	
Lambeth Church 2nd 2W L. & S.			39,818	22	26	5	12	-	1	-	-	-	-	-	-	1	1	
Kennington 1st H - S. & L.			53,198	43	13	5	4	-	-	-	-	-	-	-	-	1	1	
Kennington 2nd H - S. & L.			42,896	9	10	2	6	-	1	-	-	-	-	-	-	-	-	
Brixton F - - - L. & S.			84,232	36	20	4	6	-	2	1	-	-	1	-	-	-	-	
Norwood W,H - - - L.			35,888	22	12	2	7	-	-	-	1	-	-	-	-	-	-	
East Battersea - - - S.			72,203	42	17	6	5	-	-	-	-	-	-	-	1	-	-	
North-west Battersea - - S.			49,656	37	11	4	-	-	2	-	1	-	-	-	-	1	-	
South-west Battersea W,H - S.			47,048	21	27	5	11	-	-	-	-	-	-	-	1	-	1	
Clapham 2H - - - S.			51,361	27	11	5	2	-	2	-	-	-	-	-	1	-	-	
Streatham W,2w,2H,2L - L.			88,131	44	21	3	12	-	1	1	-	1	-	-	-	-	-	
Springfield 2W,L - - S.			27,959	22	10	5	-	-	1	-	-	-	-	-	1	-	1	
Southfields H - - - S.			40,444	18	12	2	5	-	-	-	2	-	-	-	-	-	-	
Putney - - - - S.			24,139	12	5	1	3	-	-	1	-	-	-	-	-	-	-	
Dulwich - - - - L. & S.			10,247	2	2	1	1	-	-	-	-	-	-	-	-	-	1	
Camberwell 2W w,2L - S. & L.			90,465	43	49	6	21	-	-	-	-	-	-	-	-	3	3	
Peckham 2W,w - - S., L. & K.			93,038	55	28	5	7	-	3	-	2	-	-	-	-	-	1	
St. George Camberwell - L. & S.			65,589	45	14	3	5	-	-	-	1	-	-	-	-	-	-	
Deptford North - - - K.			37,613	25	4	1	1	-	-	-	-	-	-	-	-	-	2	
Deptford Central F - - K.			45,481	26	15	7	2	-	-	-	1	-	-	-	1	1	-	
Deptford South - - - K.			34,625	8	4	-	4	-	-	-	-	-	-	-	-	-	-	
Greenwich West 2H - - K.			23,456	16	4	2	2	-	-	-	-	-	-	-	-	-	-	
Greenwich East 2W,H - K.			43,859	23	20	3	7	-	-	-	-	-	-	-	2	5	-	
Eltham w,H- - - - K.			7,226	5	1	1	2	-	-	-	-	-	-	-	-	-	-	
Lee H - - - - K.			25,490	9	5	2	2	-	-	-	-	-	-	-	-	1	-	
Lewisham Ww,F - - K.			58,352	43	28	6	12	-	-	1	-	1	-	-	1	1	1	
Sydenham H - - - L.			43,653	20	10	2	6	-	-	-	-	-	-	-	-	2	-	
Charlton F,2H - - - K.			21,134	7	7	2	1	-	-	1	1	-	1	-	-	-	2	
Woolwich 4H - - - K.			41,625	29	14	5	5	-	-	-	2	-	-	-	-	-	-	
Plumstead West W - - K.			18,063	11	5	2	-	-	-	-	1	-	-	-	1	1	-	
Plumstead East 2W,H - K.			50,264	31	15	2	6	-	-	-	1	-	-	-	1	3	-	
London County Asy.,Banstead -			-	-	4	-	3	-	-	-	-	-	-	-	-	-	-	
Horton Manor Asylum - - -			-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
London County Asy.,Epsom - -			-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	
Met. Asy. for Imbeciles,Caterham			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
London County Asy.,Cane Hill -			-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	
M.A.B. Ships and Hosps.,Dartford			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Met. Asy. for Imbeciles,Darenth			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
London County Asylum,Dartford			-	-	12	-	6	-	-	-	-	-	-	-	-	-	1	
Heath - - - - -			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
London County Asylum,Hanwell			-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	
Central London Sick Asy.,Hendon			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
London County Asy.,Colney Hatch			-	-	6	-	5	-	-	-	-	-	-	-	1	1	-	
M.A.B. North-Eastern Hospital -			-	-	5	-	-	-	3	2	-	-	-	-	-	-	-	
M.A.B. Northern Hospital - -			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Met. Asy. for Imbeciles,Leavesden			-	-	6	-	2	-	-	-	-	-	-	-	-	-	-	
London County Asylum,Claybury			-	-	7	-	3	-	-	-	-	-	-	-	1	-	-	

Area, Population, Births, and Deaths in Outer Ring.

29

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 16th January, 1904.

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths from												
					Deaths of		Deaths from										
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unidentified Causes of death.
LONDON—OUTER RING	368,580	2,044,861	1,339	645	153	209	-	27	4	6	13	1	7	27	60	111	3
Carshalton <i>w,2F,2H</i>	12,228	32,997	15	7	3	1	-	-	-	1	-	-	-	-	-	-	-
Epsom, <i>part of</i> * <i>W,w,2F,H</i>	10,423	15,548	3	3	-	1	-	-	1	-	-	-	-	-	-	1	2
Godstone, <i>part of</i> * <i>W,F</i>	2,754	2,692	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Coulsdon	11,069	31,166	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
South Croydon	9,012	49,319	25	7	1	3	-	-	-	-	1	-	-	-	-	-	-
West Croydon <i>3W,F,H</i>		42,888	27	20	2	8	-	-	-	-	-	-	2	3	9	-	
North Croydon <i>H</i>		41,688	28	10	4	2	-	-	-	-	-	-	1	1	1	-	
Penge <i>w</i>	770	22,465	6	8	3	1	-	-	-	-	4	-	-	-	-	-	-
Mitcham <i>w</i>	11,689	29,963	16	13	4	5	-	1	-	-	-	-	-	2	2	-	-
Wimbledon <i>F,3H</i>	3,221	41,662	26	14	3	4	-	1	-	-	-	-	1	1	1	1	1
Kingston <i>W,H</i>	6,224	42,068	27	22	2	12	-	-	-	1	-	-	-	-	-	7	-
Surbiton <i>F,H</i>	3,046	15,017	5	5	3	1	-	-	-	-	-	-	-	-	1	1	-
Essex, <i>part of</i> * <i>H</i>	5,402	13,100	8	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Hampton <i>H,L</i>	4,664	23,456	8	6	3	1	-	-	-	-	1	-	-	-	1	-	-
Richmond <i>W,H</i>	2,162	28,885	11	6	1	1	-	-	-	-	-	-	-	-	1	-	-
Mortlake <i>F</i>	2,847	20,628	15	10	3	3	-	-	-	1	-	-	-	-	2	-	-
Bromley <i>F,2H</i>	4,703	27,354	15	5	1	-	-	-	-	-	-	-	-	-	2	1	-
Beckenham <i>H</i>	7,825	28,497	9	6	2	3	-	-	-	-	-	-	-	-	-	2	-
Orpington, <i>part of</i> * <i>W</i>	10,113	9,857	8	8	1	6	-	-	-	-	-	-	-	-	-	7	-
Chislehurst <i>2H</i>	7,333	16,446	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Bexley <i>F,H</i>	8,678	21,151	16	11	5	4	-	-	-	-	-	-	-	1	1	-	-
Erith <i>F,H</i>	3,854	25,296	26	7	2	2	-	1	-	-	-	-	-	1	1	-	-
Dartford <i>W,F, part of</i> *	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	3	-
Sunbury <i>w</i>	11,054	18,683	8	9	2	4	-	-	-	1	-	-	-	-	-	-	-
Staines <i>W,H</i>	13,277	15,178	6	5	1	3	-	-	-	-	-	-	-	-	-	2	-
Hillingdon <i>W,F,H</i>	6,035	13,661	7	3	2	1	-	-	-	-	-	-	-	-	1	-	-
Uxbridge	12,757	8,934	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hayes <i>w,F,H</i>	8,066	16,358	11	4	-	3	-	-	-	-	-	-	-	-	-	-	-
Isleworth <i>3W,2F,H</i>	6,859	30,863	29	19	3	8	-	-	-	-	-	-	-	-	1	11	-
Twickenham <i>F,H</i>	2,421	20,991	18	8	4	3	-	-	-	-	1	-	-	-	-	1	-
Brentford <i>2F,2H,L</i>	4,319	48,289	30	16	1	8	-	1	-	-	-	-	-	-	-	-	-
Chiswick <i>H</i>	1,249	29,809	21	11	1	4	-	-	-	-	-	-	-	-	1	-	-
Acton <i>w,3H</i>	6,132	48,914	28	10	1	6	-	-	-	-	-	-	-	-	-	1	-
Harrow <i>F,H</i>	13,809	25,523	26	8	2	1	-	-	-	-	-	-	-	-	-	1	1
Edgware <i>F,2H</i>	6,994	4,521	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Willesden <i>W,F,2H</i>	4,384	114,811	92	38	11	10	-	7	-	-	-	-	-	-	2	4	2
Hendon <i>W,F</i>	8,382	22,450	11	11	3	6	-	-	-	-	-	-	-	-	-	-	-
South Mimms <i>2F,H</i>	17,755	7,308	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnet <i>W,3H</i>	3,324	17,970	10	7	-	5	-	-	-	-	-	-	-	-	-	-	-
Finchley <i>F,2H</i>	4,688	33,692	15	5	-	1	-	-	-	-	-	-	-	-	1	1	-
Hornsey <i>F,H</i>	2,875	72,056	33	14	4	7	-	-	-	-	-	-	-	-	-	-	-
Wood Green <i>H</i>	1,625	34,233	27	11	3	2	-	-	-	-	-	-	-	-	1	2	1
West Tottenham <i>F</i>	3,013	48,853	25	12	4	2	-	-	-	-	-	-	-	-	2	2	-
East Tottenham <i>F,H</i>		53,688	35	16	1	4	-	-	-	-	-	-	-	-	3	5	2
Edmonton <i>W,w,2F</i>		61,892	43	19	5	4	-	1	-	-	-	-	-	-	1	1	6
Enfield <i>2W,F,H</i>	12,601	42,738	30	19	7	7	-	-	-	-	2	-	-	-	1	2	1
Waltham Abbey	11,017	6,549	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cheshunt <i>F,H</i>	8,479	12,292	15	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Hatfield, <i>part of</i> * <i>W</i>	3,205	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey <i>H</i>	9,333	9,173	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-
Watford <i>W,2F part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford <i>H</i>	1,072	44,827	32	17	6	5	-	1	-	-	-	-	-	-	1	3	1
Plaistow <i>F,2H</i>	1,249	90,921	72	35	7	3	-	4	1	1	-	-	-	2	1	1	7
Canning Town <i>H</i>	1,555	70,718	73	22	9	1	-	4	-	-	-	-	-	-	4	6	2
Forest Gate <i>w</i>	806	60,892	34	16	2	8	-	1	-	-	1	-	-	-	-	2	-
North East Ham <i>w</i>	3,326	58,676	44	18	6	5	-	2	-	-	-	-	-	-	1	3	1
South East Ham <i>3F</i>		37,342	26	9	3	2	-	1	-	-	-	-	-	-	-	-	-
Wanstead <i>F</i>		9,179	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-
South Leyton <i>2W</i>	631	50,467	41	17	6	5	-	-	-	1	-	-	-	-	-	-	12
North Leyton <i>W,w,F</i>	1,963	48,445	31	27	2	6	-	1	-	-	1	-	-	-	2	4	15
Walthamstow <i>3H,L</i>	6,504	108,929	80	21	6	7	-	1	-	1	-	1	3	1	1	-	-
Chigwell, <i>part of</i> * <i>2F,4H</i>	11,778	16,397	3	6	-	4	-	-	-	-	-	-	-	-	-	-	-
Epping <i>W,F, part of</i> *	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Romford, <i>part of</i> * <i>W,2F</i>	6,556	6,091	6	3	-	1	-	-	-	-	-	-	-	-	1	-	-
Ilford <i>F,L</i>	8,496	41,234	34	15	4	5	-	-	-	-	-	-	-	-	1	2	6
Barking Town <i>F</i>	3,803	21,547	15	8	2	1	-	-	-	-	1	-	-	-	-	2	-
North-Eastern Fever Hos- pital.	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
Eastern Hospital, Hackney	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-

The parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Escher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Epsom Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.
CALCUTTA (including SUBURBS)	847,796	November 28	-	465	28·5	-	1	-	2	-	145
BOMBAY -	776,006	December 22	461	581	38·9	2	4	-	-	-	1107
MADRAS -	509,346	" 11	386	439	44·8	-	2	?	?	?	132
PARIS -	2,660,559	January 9	1024	1005	19·4	-	12	2	8*	1	6
BRUSSELS -	575,896	" 9	251	214	19·3	-	-	-	3*	2	1
ANTWERP -	281,376	" 9	155	117	21·6	-	-	-	1*	1	-
AMSTERDAM -	542,073	" 2	277	170	16·4	1	15	-	-	-	2
COPENHAGEN -	416,000	" 9	224	136	17·0	-	1	-	1*	3	1
STOCKHOLM -	305,115	" 2	188	102	17·4	-	-	2	1*	-	1
CHRISTIANIA -	225,709	" 9	133	55	12·7	-	-	-	1	-	-
ST. PETERSBURG	1,248,643	-	-	-	-	-	-	-	-	-	-
MOSCOW -	1,093,410	January 2	-	505	24·1	-	5	12	5	5	1
BERLIN -	1,960,909	December 26	939	618	16·4	-	9	3	5	12	1
HAMBURG -	737,328	January 9	-	249	17·2	-	-	2	4*	4	1
BRESLAU -	445,403	" 9	-	246	28·8	-	1	1	2	-	1
MUNICH -	520,000	" 9	-	236	23·6	-	1	-	2*	3	-
VIENNA -	1,779,869	" 9	881	648	18·9	-	2	2	6*	3	-
PRAGUE -	423,990	" 2	167	189	23·2	-	1	-	2*	-	-
BUDA-PESTH -	817,399	" 9	412	317	20·3	-	6	12	8*	2	-
TRIESTE -	187,349	" 9	101	102	28·3	-	2	-	-	-	1
ROME -	491,074	-	-	-	-	-	-	-	-	-	-
VENICE -	166,522	January 2	88	75	23·5	-	-	-	3*	-	-
CAIRO -	621,179	-	-	-	-	-	-	-	-	-	-
ALEXANDRIA -	352,010	-	-	-	-	-	-	-	-	-	-
NEW YORK -	3,732,903	January 2	1778	1420	19·3	1	15	23	53*	2	10
PHILADELPHIA -	1,378,624	December 26	-	554	21·0	14	17	6	22	5	10
BOSTON -	603,163	" 19	-	204	17·6	-	3	-	2*	1	4

* Including deaths from croup.

† Including 21 deaths from plague in Calcutta, and 65 in Bombay.

‡ Including 29 deaths from cholera in Calcutta.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 16th January, 1904

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	54·8	33·0	41·5	0·69	HUDDERSFIELD -	51·0	32·0	39·6	1·1
BRIGHTON -	49·4	33·7	42·6	0·96	BRADFORD -	51·2	29·2	39·9	1·3
PORTSMOUTH -	52·5	34·5	44·0	1·12	LEEDS -	53·0	30·0	40·6	0·9
NORWICH -	55·0	33·0	41·0	0·22	HULL -	53·0	31·0	39·7	0·9
PLYMOUTH -	52·7	37·3	44·8	1·41					
BRISTOL -	52·5	32·5	42·3	1·44	EDINBURGH -	46·0	29·2	36·7	1·1
WOLVERHAMPTON -	-	-	-	-	GLASGOW -	47·1	30·8	39·3	1·2
BIRMINGHAM -	52·0	31·1	39·8	0·89					
NOTTINGHAM -	52·2	33·6	40·5	0·57	DUBLIN { Phoenix Park, Fitz- william Square,†	50·9	28·8	39·4	0·9
LIVERPOOL -	51·0	33·0	40·7	0·78		52·1	31·5	41·1	0·9
MANCHESTER -	51·3	31·8	38·9	1·63					
PRESTON -	50·0	35·0	40·9	1·37	BELFAST -	48·0	31·0	38·0	0·9

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of the return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0·2 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

[illegible]

GENERAL REMARKS.

Generally overcast till evening; cloudless at night; strong gusty wind prevalent till 3h. P.M.; slight sleet in early morning; rain in afternoon.

Very fine in early morning; generally overcast afterwards. Solar halo in forenoon; Overcast; fog and misty rain in forenoon; steady rain after 4h. P.M. Mild.

Overcast with frequent rain till noon; variable with occasional showers of rain and hail afterwards; strong wind prevalent throughout; lightning at night. Very mild.

Generally cloudy and showery till evening; very fine and generally cloudless at night; frequent lightning in morning; strong wind throughout the day.

Very fine generally; cloudless with hoar frost in morning and at night.

Very fine generally; partially cloudy; hoar frost in morning and at night; brisk wind prevalent between 11h. A.M. and 2h. P.M.

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine horizon, in hours.	Sun above horizon, in hours.
JANUARY.				
SUNDAY	- 10	w. P. generally till 8h. P.M.; m. P. after- wards; w. N. be- tween 1h. and 3h. P.M. w. P. generally.	0'0	8'1
MONDAY	- 11		0'0	8'1
TUESDAY	- 12	Insulation defec- tive.	0'0	8'1
WEDNESDAY	- 13	Insulation defec- tive till 1h. P.M.; w. P. with occasional s. N. afterwards.	1'7	8'2
THURSDAY	- 14	w. P. with occa- sional s. N. till 5h. P.M.; w. P. after- wards, m. P. through- out.	1'6	8'2
FRIDAY	- 15		4'4	8'2
SATURDAY	- 16	m. P. till 9h. A.M.; s. P. till 9h. P.M.; m. P. afterwards.	1'5	8'3
			Sum 9'2	Sum 57'2
No. of Col.	-	27	28	29

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 9th January, 1904.*

BOROUGH.	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever.	Diphtheria (Includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - - -	146,975	-	6	2	-	-	-	-	3	-
Kensington - - - - -	179,236	-	3	2	-	1	-	-	3	-
Hammersmith - - - - -	117,412	-	4	-	-	1	-	-	1	-
Fulham - - - - -	152,482	-	9	3	-	2	-	-	4	-
Chelsea - - - - -	74,329	-	2	1	-	1	-	-	-	-
City of Westminster - - -	177,321	1	2	-	-	-	-	-	-	-
NORTH.										
St. Marylebone - - - - -	130,337	-	5	1	-	2	-	-	3	1
Hampstead - - - - -	86,663	-	1	2	-	1	-	-	-	-
St. Pancras - - - - -	235,936	-	17	9	-	3	-	-	-	-
Islington - - - - -	341,044	-	17	12	-	1	-	-	3	1
Stoke Newington - - - - -	52,445	-	2	1	-	-	-	-	1	-
Hackney - - - - -	226,266	-	18	6	-	3	-	-	5	-
CENTRAL.										
Holborn - - - - -	57,161	-	2	-	-	1	-	-	5	-
Finsbury - - - - -	98,958	-	3	5	-	2	-	-	-	-
City of London - - - - -	23,482	-	1	-	-	-	-	-	-	-
EAST.										
Shoreditch - - - - -	117,033	-	6	3	-	-	-	-	3	-
Bethnal Green - - - - -	130,207	-	5	11	-	1	-	-	5	-
Stepney - - - - -	303,791	-	14	13	-	2	-	-	2	-
Poplar - - - - -	169,905	-	11	7	-	2	-	-	3	1
SOUTH.										
Southwark - - - - -	207,937	4	11	7	-	-	-	-	4	-
Bermondsey - - - - -	129,397	-	8	2	-	1	-	-	4	1
Lambeth - - - - -	310,359	1	17	5	-	2	-	-	3	-
Battersea - - - - -	175,465	-	5	6	-	1	-	-	7	-
Wandsworth - - - - -	257,586	-	17	7	-	1	-	-	5	-
Camberwell - - - - -	268,384	-	9	6	-	2	-	-	7	-
Deptford - - - - -	113,509	-	8	10	-	-	-	-	3	1
Greenwich - - - - -	101,651	-	3	4	-	1	-	-	1	-
Lewisham - - - - -	140,401	-	10	3	-	1	-	-	1	-
Woolwich - - - - -	123,416	-	10	4	-	1	-	-	2	-
Port of London - - - - -	-	-	-	-	-	2	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. }		4,649,088	6	226	132	-	36	-	81	5
Ages										
0-1 - - - - -	-	1	5	3	-	-	-	-	1	-
" 1-5 - - - - -	-	1	78	46	-	2	-	-	1	-
" 5- - - - -	-	-	87	44	-	5	-	-	3	-
" 10- - - - -	-	1	18	10	-	4	-	-	-	-
" 15- - - - -	-	2	17	12	-	5	-	-	5	-
" 20- - - - -	-	1	8	5	-	4	-	-	3	2
" 25- - - - -	-	-	7	8	-	8	-	-	16	2
" 35- - - - -	-	-	-	2	-	4	-	-	16	1
" 45- - - - -	-	-	-	-	-	3	-	-	12	-
" 55- - - - -	-	-	-	-	-	-	-	-	15	-
" 65 and upwards - - -	-	-	-	1	-	1	-	-	9	-
Age not stated - - - - -	-	-	1	1	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By **DARLING & SON, LTD.**, 34-40, BACON STREET, E.

1904.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 3. 1904. VOL. LXV.] WEEK ENDED SATURDAY, JAN. 23. [Price 1½d.

General Register Office, Somerset House,
January 25th, 1904.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 18·1 per 1000 of their aggregate population, which is estimated† at 15,271,425 persons in the middle of this year. In the preceding three weeks the rates had been 20·6, 20·3, and 19·0. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 22·3 in Swansea, 22·5 in West Bromwich, 22·6 in West Ham, 22·8 in Liverpool, 23·2 in Wigan, 23·6 in Tynemouth, 24·0 in Stockton on Tees, 25·0 in Great Yarmouth, 29·5 in Preston, and 39·4 in Merthyr Tydfil; from *measles*, 1·6 in West Ham, 1·8 in Rotherham, 3·1 in Warrington, and 7·3 in Preston; from *diphtheria*, 1·8 in St. Helens; from *whooping-cough*, 2·2 in Swansea, 2·6 in Gateshead, 3·0 in West Hartlepool, 3·1 in Burnley, and 4·3 in Merthyr Tydfil; and from *diarrhœa*, 2·3 in West Bromwich. One death from *small-pox* was registered in Gateshead, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2515 BIRTHS and 1549 DEATHS were registered. Allowing for increase of population, the births were 219, and the deaths 300, below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 21·1, 19·4, and 18·8 in the preceding three weeks, further fell last week to 17·4. During the four weeks ended on Saturday last the death-rate averaged 19·2 per 1000, being 2·4 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, and in certain local Small-pox Hospitals, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the recent Census, and on the increase in the last intercensal period.

The 1549 deaths included 46 from measles, 10 from scarlet fever, 10 from diphtheria, 29 from whooping-cough, 5 from enteric fever, and 25 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 125 deaths were referred to these diseases in the aggregate, being 70 below the corrected average weekly number.

The deaths from *measles*, which had been 59, 58, and 49 in the preceding three weeks, further fell last week to 46, and were 9 below the corrected average; 6 cases belonged to the Borough of Hammersmith, 5 to Kensington, 5 to Lambeth, and 4 to St. Marylebone. The deaths from *scarlet fever*, which had been 9, 10, and 10 in the preceding three weeks, were again 10 last week, the corrected average being 14. The deaths from *diphtheria*, which had been 27, 14, and 11 in the preceding three weeks, further fell last week to 10, and were 30 below the corrected average. The deaths from *whooping-cough*, which had been 35, 28, and 37 in the preceding three weeks, fell again last week to 29, and were 24 below the corrected average; 4 cases belonged to Poplar and 4 to Southwark. The fatal cases of *enteric fever*, which had been 10, 5, and 8 in the preceding three weeks, fell again last week to 5, and were 8 below the corrected average; 2 cases belonged to Battersea. The deaths from *diarrhœa*, which had been 27, 16, and 19 in the preceding three weeks, further rose last week to 25, and were 11 above the corrected average. Of the 25 deaths from diarrhœa, 18 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 5 more deaths at this age. The deaths attributed directly to *influenza* numbered 17, having been 18, 17, and 21 in the preceding three weeks.

Different forms of *violence* caused 50 deaths, concerning all but 1 of which inquests were held. Of these 50 deaths, 3 were cases of suicide and 1 of homicide, while the remaining 46 were attributed to accident or negligence. Three of these latter were referred to vehicles in the streets, 1 to a conflagration, 10 others to burns and scalds, 1 to the effects of an anæsthetic administered for surgical purposes, and 7 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 24 cases of small-pox, 1677 of scarlet fever, 758 of diphtheria, and 184 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 3 cases, against 4, 6, and 4; of scarlet fever, 178 cases, against 194, 201, and 195; of diphtheria, 99 cases, against 98, 86, and 94; and of enteric fever, 16 cases, against 20, 18, and 16. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended January 16th, 1904.

GREATER LONDON.

In Greater London 3760 births and 2143 deaths were registered. Allowing for increase of population, these numbers are 229 and 382 below the respective averages in the corresponding weeks of the last ten years. In that portion of the Outer Ring which is outside the great towns, 4 deaths from measles, 1 from scarlet fever, 6 from diphtheria, 2 from whooping cough, 1 from "fever," and 6 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 30.30 inches, and that of the Thermometer 35°.7, the latter being 2°.7 below the week's average in the 50 years 1841-90. The general direction of the wind was variable, the horizontal movement of the air being 46 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 4.3 hours; the measured rainfall amounted to 0.18 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

The DEATHS registered in the Week include

TOWNS.	COLS.	POPULATION estimated to the middle of the Year 1904.*				DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the Week ended 23rd Jan., 1904.		Deaths of		Deaths from								Deaths in Public Institutions.		Uncertified Causes of Death.		TOWNS.													
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.																	
																									Week ended		Rate from Diseases in Cols. 11-17.		Registered during the Week ended 23rd Jan., 1904.		Deaths of		Deaths from								
																									2nd Jan., 1904.	9th Jan., 1904.	16th Jan., 1904.		23rd Jan., 1904.	Week ended 23rd Jan., 1904.	Births.	Deaths.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-Pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Dysentery.
76 TOWNS		15,271,425	20'6	20'3	19'0	18'1	1'5	8718	5304	1181	1614	1	114	36	64	121	25	66	190	409	1205	78						76 TOWNS.													
LONDON -	-	4,649,088	21'1	19'4	18'8	17'4	1'4	2515	1549	313	483	-	-	1	10	29	5	25	50	144	544	3						LONDON.													
(CROYDON.		144,419	22'5	20'6	13'0	15'2	0'4	66	42	8	16	-	-	-	-	-	-	-	-	6	9	-						(CROYDON.													
WILLESDEN -	-	132,566	21'7	15'7	14'9	14'2	0'8	84	36	7	11	-	1	-	1	-	-	-	1	3	7	-						WILLESDEN.													
HORNSEY -	-	81,221	10'0	13'5	9'6	7'1	-	29	11	4	6	-	-	-	-	-	-	-	-	1	1	-						HORNSEY.													
TOTTENHAM -	-	112,981	16'2	16'2	13'8	13'8	0'5	81	30	4	6	-	-	-	1	-	-	-	-	4	5	-						TOTTENHAM.													
WEST HAM -	-	238,424	22'0	16'3	19'9	22'6	3'1	194	125	28	31	-	9	-	3	1	-	4	5	10	32	-						WEST HAM.													
EAST HAM -	-	116,102	16'5	14'7	13'8	10'3	1'3	55	23	8	5	-	2	-	-	-	-	-	-	-	4	-						EAST HAM.													
LEYTON -	-	110,844	14'1	13'2	10'8	11'8	1'4	53	25	5	8	-	2	-	1	-	-	-	-	-	3	-						LEYTON.													
(WALTHAMSTOW -	-	111,282	14'2	13'1	10'3	12'2	0'9	75	26	11	5	-	-	-	-	1	-	1	1	3	2	-						(WALTHAMSTOW.													
HASTINGS -	-	66,503	17'3	11'8	21'2	11'8	-	16	15	3	6	-	-	-	-	-	-	-	1	2	3	-						HASTINGS.													
BRIGHTON -	-	126,286	24'9	25'6	15'3	17'3	0'4	64	42	11	20	-	-	-	1	-	-	-	2	5	10	-						BRIGHTON.													
PORTSMOUTH -	-	138,038	19'5	16'1	18'2	18'2	1'3	122	69	17	30	-	-	1	-	3	1	-	4	7	11	-						PORTSMOUTH.													
BOURNEMOUTH -	-	64,645	17'3	10'5	17'7	11'3	0'8	21	14	-	5	-	-	-	1	-	-	-	-	-	3	-						BOURNEMOUTH.													
SOUTHAMPTON -	-	112,500	18'0	15'3	20'4	14'8	-	75	32	6	11	-	-	-	-	-	-	-	-	4	2	-						SOUTHAMPTON.													
READING -	-	76,373	20'8	17'1	13'7	17'1	2'0	41	25	4	10	-	-	-	1	1	-	1	1	2	-	1						READING.													
NORTHAMPTON -	-	91,146	13'9	18'9	14'9	16'6	0'6	41	29	2	13	-	-	1	-	-	-	-	1	1	6	2						NORTHAMPTON.													
IPSWICH -	-	69,805	24'2	23'2	15'7	13'4	-	31	18	5	8	-	-	-	-	-	-	-	1	2	1	1						IPSWICH.													
GREAT YARMOUTH -	-	52,099	21'1	21'0	20'0	25'0	1'0	25	25	3	12	-	1	-	-	-	-	-	1	1	2	-						GREAT YARMOUTH.													
NORWICH -	-	115,538	18'7	22'1	18'5	18'5	-	68	41	10	19	-	-	-	-	-	-	-	-	1	7	1						NORWICH.													
PLYMOUTH -	-	114,003	18'6	15'1	22'9	17'8	0'9	69	39	8	16	-	-	1	-	-	1	-	1	2	7	-						PLYMOUTH.													
DEVONPORT -	-	75,334	20'5	16'6	11'1	14'5	0'7	33	21	1	6	-	-	1	-	-	-	-	-	1	3	-						DEVONPORT.													
BRISTOL -	-	343,204	20'3	17'6	16'6	19'3	1'5	176	127	21	50	-	1	1	5	1	-	2	3	7	32	-						BRISTOL.													
HANLEY -	-	63,932	19'8	22'0	13'0	21'2	1'6	36	26	10	6	-	1	1	-	-	-	-	1	1	2	-						HANLEY.													
BURTON-ON-TRENT -	-	61,934	16'2	13'1	17'1	19'1	-	28	19	3	8	-	-	-	-	-	-	-	-	1	5	-						BURTON-ON-TRENT.													
WOLVERHAMPTON -	-	98,194	23'7	15'9	19'1	13'8	-	69	26	4	12	-	-	-	-	-	-	-	-	1	3	-						WOLVERHAMPTON.													
WALSALL -	-	91,432	18'6	15'4	18'8	15'4	1'7	52	27	13	3	-	-	1	-	-	-	-	-	2	1	-						WALSALL.													
HANDSWORTH -	-	59,634	12'7	12'2	12'2	12'2	-	31	14	3	8	-	-	-	-	-	-	-	-	-	3	-						HANDSWORTH.													
WEST BROMWICH -	-	67,186	17'2	15'5	21'7	22'5	3'9	43	29	10	12	-	-	1	1	-	-	3	2	3	4	-						WEST BROMWICH.													

† These towns are included within the area of Greater London.

* See note † on first page of this return.

TABLE 1 (cont.).—78 GREAT TOWNS, GREATER LONDON and FOUR SCOTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES during the Week ended Saturday, 23rd January, 1904, and DEATH-RATES during the preceding three weeks.

TOWNS.	COLS.	POPULATION estimated to be in the middle of the Year 1904.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the Week ended 23rd Jan., 1904.		The DEATHS registered in the Week include											TOWNS.				
			Week ended				Week ended		Deaths of Persons aged under 1 Year and upwards.	Deaths from						Deaths in Public Institutions.	Uncertified Causes of Death.									
			2nd Jan., 1904.				9th Jan., 1904.			Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.			Diarrhoea.	Violence.							
			2nd Jan., 1904.	9th Jan., 1904.	16th Jan., 1904.	23rd Jan., 1904.	2nd Jan., 1904.	9th Jan., 1904.												16th Jan., 1904.	23rd Jan., 1904.					
BIRMINGHAM -	-	537,965	23'3	23'4	21'7	18'4	2'0	313	190	62	42	-	-	-	-	-	-	6	41	8	19.	20.	21.	BIRMINGHAM.		
KINGS NORTON -	-	66,667	11'5	16'4	12'5	2'3	0'8	53	3	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	KINGS NORTON.	
SMETHWICK -	-	60,691	20'4	12'0	12'9	12'9	0'9	37	15	2	1	-	-	1	-	-	-	-	-	1	1	-	-	1	SMETHWICK.	
ASTON MANOR -	-	80,363	19'0	15'6	13'6	13'0	-	54	20	4	5	-	-	-	-	-	-	-	-	1	1	-	-	-	ASTON MANOR.	
COVENTRY -	-	73,904	13'6	15'5	8'5	13'4	0'7	44	19	3	10	-	-	-	-	-	1	-	-	2	2	3	-	-	COVENTRY.	
LEICESTER -	-	224,188	18'5	17'4	15'1	12'6	0'5	93	54	12	18	-	-	-	-	-	1	-	1	2	7	8	1	-	LEICESTER.	
GRIMSBY -	-	66,958	19'0	22'6	17'9	14'0	-	32	18	3	4	-	-	-	-	-	-	-	-	2	2	1	-	-	GRIMSBY.	
NOTTINGHAM -	-	248,811	18'9	23'1	17'8	21'4	1'5	140	102	19	47	-	-	-	1	2	1	2	1	2	3	23	2	-	NOTTINGHAM.	
DERBY -	-	120,419	14'1	21'6	12'6	17'3	0'4	86	40	8	12	-	-	-	-	1	-	-	-	2	7	8	-	-	DERBY.	
STOCKPORT -	-	87,008	18'0	24'7	16'1	21'5	1'6	54	40	12	14	-	-	1	1	-	1	-	-	3	6	6	-	-	STOCKPORT.	
BIRKENHEAD -	-	114,814	17'4	18'2	18'2	18'2	-	77	40	12	15	-	-	-	-	-	-	-	-	3	5	10	-	-	BIRKENHEAD.	
WALLASEY -	-	60,354	17'0	13'0	16'4	14'7	1'7	41	17	4	4	-	-	-	-	-	1	-	1	2	2	2	-	-	WALLASEY.	
LIVERPOOL -	-	728,480	26'8	26'7	23'1	22'8	1'9	471	317	77	84	-	-	2	3	6	13	-	2	12	20	92	15	-	LIVERPOOL.	
BOOTLE -	-	61,755	18'9	22'0	16'9	17'7	1'7	37	21	3	4	-	-	-	-	-	1	-	1	1	1	5	-	-	BOOTLE.	
ST. HELENS -	-	88,545	20'9	20'0	18'3	19'4	1'8	62	33	10	7	-	-	-	-	-	3	-	-	4	5	4	3	-	ST. HELENS.	
WIGAN -	-	62,800	33'6	18'3	38'2	23'2	2'5	39	28	7	6	-	-	-	2	-	1	-	-	-	2	-	-	-	WIGAN.	
WARRINGTON -	-	67,331	18'9	19'4	28'7	17'8	3'1	49	23	4	4	-	-	4	-	-	-	-	-	1	1	3	1	-	WARRINGTON.	
BOLTON -	-	175,744	21'4	20'2	21'1	21'7	1'5	90	73	16	15	-	-	-	-	-	2	-	1	1	6	7	-	-	BOLTON.	
BURY -	-	58,450	18'8	28'5	18'7	15'2	-	31	17	4	7	-	-	-	-	-	-	-	-	-	-	4	-	-	BURY.	
MANCHESTER† -	-	557,938	23'2	24'6	18'9	20'6	1'3	314	220	44	63	-	-	2	1	-	6	2	3	11	18	51	4	-	MANCHESTER†.	
SALFORD -	-	228,983	21'0	24'1	20'7	20'7	1'6	153	91	24	31	-	-	1	-	2	1	1	2	3	4	19	-	-	SALFORD.	
OLDHAM -	-	139,497	19'2	22'1	22'8	18'3	1'5	60	49	8	9	-	-	-	-	2	-	-	2	2	3	5	1	-	OLDHAM.	
ROCHDALE -	-	156,001	16'0	23'8	25'6	20'7	3'0	47	34	7	11	-	-	1	-	2	2	-	-	-	-	2	2	-	ROCHDALE.	
BURNLEY -	-	100,569	22'0	21'3	23'3	19'7	3'6	60	38	11	12	-	-	-	1	-	6	-	-	-	3	6	1	-	BURNLEY.	
BLACKBURN -	-	132,134	23'0	23'3	21'7	20'5	2'8	70	52	9	18	-	-	2	2	1	-	-	1	1	2	3	2	3	-	BLACKBURN.
PRESTON -	-	115,055	32'4	41'7	29'0	29'5	9'5	66	65	14	16	-	-	16	-	-	-	-	16	1	1	4	1	-	PRESTON.	
BARROW-IN-FURNESS	-	56,654	16'8	7'9	19'2	8'7	-	40	10	2	4	-	-	-	-	-	-	-	-	-	-	1	-	-	BARROW-IN-FURNESS.	

TOWNS.	POPULATION estimated to the middle of the Year 1864.*	DEATH-RATES from all Causes.				Rate from Diseases in Col. C.		Registered Deaths during the Week ended 23rd Jan., 1864.		The DEATHS registered in the Week include											TOWNS.	
		Week ended —				11-17.	18-19.	20-21.	22-23.	24-25.	26-27.	28-29.	30-31.	32-33.	34-35.	36-37.	38-39.	40-41.	42-43.			
		2nd Jan., 1864.	9th Jan., 1864.	16th Jan., 1864.	23rd Jan., 1864.																	
Col.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Col.
HUDDESFIELD	94,925	15.9	23.6	15.9	16.5	-	47	30	3	9	-	-	-	-	-	-	-	4	4	10	1	HUDDESFIELD.
HALIFAX	107,580	16.6	19.9	19.9	14.1	-	39	29	6	14	-	-	-	-	-	-	-	1	2	4	1	HALIFAX.
BRADFORD	285,089	19.3	21.2	20.7	17.0	1.3	138	93	10	39	-	1	1	3	-	1	1	2	7	15	-	BRADFORD.
LEEDS	450,142	21.3	22.6	21.4	20.3	1.6	260	175	33	50	-	1	1	3	6	-	1	7	14	29	1	LEEDS.
SHEFFIELD	432,940	16.7	22.6	20.1	17.8	0.5	263	148	30	48	-	1	-	2	-	-	1	6	8	27	9	SHEFFIELD.
ROTHERHAM	58,498	18.2	20.5	17.8	13.4	2.7	28	15	4	1	-	2	-	1	-	-	1	1	1	-	-	ROTHERHAM.
YORK	81,268	35.1	19.9	15.4	20.5	1.3	36	32	5	10	-	-	-	-	1	-	1	3	6	7	-	YORK.
HULL	263,865	18.8	17.5	15.2	17.3	0.2	146	84	14	35	-	-	-	-	1	-	-	4	4	16	1	HULL.
MIDDLESBROUGH	98,684	19.2	20.5	17.8	21.0	1.6	85	39	16	6	-	-	-	-	-	1	2	2	4	6	1	MIDDLESBROUGH.
STOCKTON-ON-TEES	52,192	24.1	14.0	20.0	24.0	1.0	27	24	2	12	-	-	1	-	-	-	-	2	2	7	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	69,251	16.3	20.3	30.1	17.3	3.0	42	23	6	5	-	-	-	-	4	-	-	2	2	4	1	WEST HARTLEPOOL.
SUNDERLAND	151,157	23.4	20.7	21.4	19.3	1.7	99	56	16	14	-	1	-	1	1	2	-	3	5	11	4	SUNDERLAND.
SOUTH SHIELDS	107,334	11.9	19.9	18.5	17.5	1.0	82	36	16	7	-	1	-	-	1	-	1	-	-	2	4	SOUTH SHIELDS.
GATESHEAD	118,067	17.6	26.1	24.7	19.4	3.5	88	44	18	6	1	-	1	-	6	-	-	-	-	2	2	GATESHEAD.
NEWCASTLE-ON-TYNE	225,362	18.3	19.9	17.8	20.4	0.5	116	88	20	20	-	-	-	-	2	-	-	5	10	27	1	NEWCASTLE-ON-TYNE.
TYNEMOUTH	53,060	20.8	18.7	27.5	23.6	-	40	24	8	4	-	-	-	-	-	-	-	2	3	1	1	TYNEMOUTH.
NEWPORT (MON.)	71,543	24.5	22.6	17.5	17.5	2.9	42	24	5	3	-	-	1	1	2	-	-	1	1	4	-	NEWPORT (MON.).
CARDIFF	176,313	19.6	17.7	18.0	18.3	2.1	101	62	12	19	-	3	-	3	1	-	-	2	5	6	-	CARDIFF.
RHONDDA	122,310	14.8	21.3	22.2	20.5	4.3	110	48	16	5	-	2	1	1	3	2	2	-	2	2	-	RHONDDA.
MERTHYR TYDFIL	72,745	31.3	40.1	33.0	39.4	4.3	64	55	19	10	-	-	-	-	6	-	-	5	6	3	-	MERTHYR TYDFIL.
SWANSEA	95,931	18.0	20.7	16.8	22.3	3.8	56	41	18	7	-	-	-	1	4	1	1	-	2	1	-	SWANSEA.
GREATER LONDON	6,907,619	20.1	18.0	17.5	16.2	1.3	3760	2143	457	683	-	64	12	22	33	7	36	68	195	645	7	GREATER LONDON.
OUTER RING	2,258,531	18.0	15.1	14.9	13.7	1.1	1245	594	144	200	-	18	2	12	4	2	11	18	51	101	4	OUTER RING.
8 TOWNS IN OUTER RING	1,098,639	18.4	15.8	14.5	15.1	1.4	637	318	75	88	-	14	1	6	2	1	5	9	27	63	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	1,159,892	17.7	14.5	15.3	12.4	0.9	608	276	69	112	-	4	1	6	2	1	6	9	24	38	4	REMAINDER OF OUTER RING.
EDINBURGH	331,977	20.1	20.4	16.8	17.4	1.3	172	111	27	36	-	-	-	-	4	-	4	-	?	26	7	EDINBURGH.
GLASGOW	798,357	24.7	24.8	20.2	20.6	1.8	512	316	64	67	2	13	-	3	2	3	5	17	?	81	14	GLASGOW.
DUBLIN†	376,994	31.8	27.8	28.8	26.0	1.1	203	189	40	52	-	-	-	-	5	3	-	4	5	67	11	DUBLIN.†
BELFAST	368,680	26.5	27.6	28.9	20.4	1.2	215	140	34	31	-	-	-	2	5	1	-	5	8	30	?	BELFAST.†

TABLE 2. LONDON.—Births and Deaths Registered in the THIRD Week of each of the Eleven Years, 1894-1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894-1903.*	1904
TOTAL Births -	2729	2818	2491	2484	2631	2811	2533	2693	2580	2593	2734.4	2515
Males - -	1342	1388	1310	1284	1322	1485	1288	1334	1360	1353	1396.7	1288
Females - -	1387	1430	1181	1200	1309	1326	1245	1359	1220	1240	1337.7	1227
TOTAL Deaths -	1975	1689	1624	1547	2021	1503	2365	1666	1583	1848	1848.5	1549
Males - -	997	879	820	800	1043	779	1123	799	802	930	931.2	791
Females - -	978	810	804	747	978	724	1237	867	781	918	917.3	758

* The numbers in this column are the average weekly numbers in the third week of the ten years 1894-1903, raised by 3.723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Oct. 31.	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	1904. Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	13 Weeks
TOTAL Births -	2567	2563	2466	2331	2342	2460	2448	2544	1802	2828	2862	2589	2515	32317
TOTAL Deaths -	1401	1426	1476	1473	1536	1578	1669	1486	1204	1866	1731	1677	1549	20072
Ages at Death -														
Under 1 year -	404	370	398	357	406	401	379	347	262	408	384	357	313	4786
1-5 years -	145	145	155	189	157	165	162	156	128	209	176	160	150	2097
5-20 " -	65	65	66	62	74	71	73	61	60	82	84	82	77	922
20-40 " -	175	188	187	185	171	166	190	176	140	235	194	208	194	2409
40-60 " -	270	278	299	292	288	317	375	312	260	380	323	349	332	4075
60 yrs. & upwds.	342	360	371	383	440	458	490	434	354	532	570	521	483	5783
Deaths from—														
Small-pox -	-	-	1	-	1	-	-	-	1	-	-	-	-	3
Measles -	21	15	31	36	37	24	31	41	40	59	53	49	46	488
Scarlet Fever -	5	13	7	4	6	9	-	5	7	9	10	10	10	95
Diphtheria -	19	18	11	20	9	10	16	15	9	27	14	11	10	189
Whooping-cough -	8	11	8	13	17	20	24	22	21	35	28	37	29	273
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	12	18	17	12	14	15	15	8	9	10	5	8	5	148
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Diarrhoea, Dysentery	74	53	60	29	31	27	23	22	15	27	16	19	25	421
All above Diseases -	139	128	135	114	115	105	109	113	102	167	131	135	125	1618
Dis. of Resp. System -	127	126	182	165	200	193	234	186	139	228	248	217	208	2453
Pneumonia -	133	145	157	160	199	165	183	158	132	176	185	189	145	2127
Phtisis -	134	163	152	146	140	178	167	142	142	183	150	180	180	2047
Dis. of Circ. System -	157	186	181	186	195	188	240	185	150	238	237	195	181	2519
Violence -	47	54	64	71	53	48	65	60	49	77	73	65	50	776
Inquest Cases -	116	128	154	165	169	133	178	150	127	195	203	177	144	2039
Deaths in Institutions	496	498	496	467	490	539	554	521	424	644	549	613	544	6838
TEMPERATURE OF THE AIR.														
Mean -	50.8	47.1	48.4	41.1	45.3	35.2	41.5	42.0	40.2	32.6	39.8	42.1	35.7	41.7
Mean of Highest	56.5	53.2	53.3	48.4	49.4	39.5	45.3	45.1	42.9	35.7	43.9	46.4	41.2	46.1
Mean of Lowest	44.5	40.8	42.4	34.7	40.1	30.3	35.6	38.1	37.1	28.8	34.3	36.6	29.1	36.3
Mean Humidity of the Air.	84	87	88	84	82	83	86	88	89	78	91	82	92	86
Rain-fall (in inches) -	1.39	0.23	0.26	0.07	1.18	0.28	1.12	0.02	0.00	0.09	0.29	0.69	0.18	5.80
Registered Sunshine (in hours).	21.0	15.9	4.8	8.6	6.1	2.5	1.8	9.3	0.3	8.7	2.9	9.2	4.3	95.2
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox -	42	43	51	47	40	35	32	26	27	26	23	23	24	34
Scarlet Fever -	1828	1854	1824	1832	1770	1715	1717	1655	1617	1632	1659	1660	1677	1726
Diphtheria -	756	782	790	808	765	754	756	733	770	739	732	749	758	761
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	285	279	276	263	286	285	273	266	259	246	235	191	184	266

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; and H. B. Witty, Esq., Hull.

TABLE 4. LONDON.—DEATHS Registered in the THIRD Week of the Year 1904.

terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

		Deaths in the 3rd week of the year 1903.		1904—Deaths of Persons of the Ages								Deaths in the 3rd week of the year 1903.		1904—Deaths of Persons of the Ages											
CAUSES OF DEATH.				ALL AGES.		Under 20.		20 and under 40.		40 and under 60.		60 years and upwards.				ALL AGES.		Under 20.		20 and under 40.		40 and under 60.		60 years and upwards.	
				0-1.		1-5.		5-20.								0-1.		1-5.		5-20.					
L CAUSES		1848	1549	313	150	77	194	332	483	Meningitis (not tuberc.)		18	11	7	3	1	-	-	-	-	-	-	-	-	
										Insanity, Gen. Par. of } Insane		21	30	-	-	-	-	1	8	2	5	2	2		
										Epilepsy		10	10	-	-	1	2	5	2	-	-	-	-		
										Convulsions		22	23	20	2	1	-	-	-	-	-	-	-		
										Locomotor Ataxy		2	4	-	-	-	2	1	1	1	1	1	1		
										Paraplegia, Dis. of Cord		8	4	-	-	1	1	1	1	1	1	1	1		
										Nervous Sys. (other dis.)		32	23	1	1	2	2	6	11	-	-	-	-		
										Valv. Dis., Endocarditis		58	30	-	-	2	5	11	12	-	-	-	-		
										Cerebr. Hem. Thromb.		33	42	-	-	-	4	14	24	-	-	-	-		
										Apoplexy, Hemiplegia		33	18	-	-	-	-	1	17	-	-	-	-		
										Aneurysm		5	6	-	-	-	-	4	2	-	-	-	-		
										Embolism, Thrombosis (not cerebral)		3	1	-	-	-	1	-	-	-	-	-	-		
										Heart & Blood Vessel Dis.		99	84	1	-	4	6	16	57	-	-	-	-		
										Croup (not Spasm: nor Memb.)		-	-	-	-	-	-	-	-	-	-	-	-		
										Bronchitis		242	180	27	8	2	5	36	102	-	-	-	-		
										Asthma, Emphysema		15	14	-	-	-	-	4	10	-	-	-	-		
										Pleurisy		7	3	-	-	1	-	-	2	-	-	-	-		
										Respiratory Dis. (other)		17	11	1	1	-	-	2	7	-	-	-	-		
										Tonsillitis, Quinsy		2	-	-	-	-	-	-	-	-	-	-	-		
										Enteritis (not Epid.)		10	9	5	-	-	1	2	1	-	-	-	-		
										Gastro-Enteritis		5	5	5	-	-	-	-	-	-	-	-	-		
										Peritonitis (not Puerp.)		-	3	-	-	1	-	1	1	-	-	-	-		
										Cirrhosis of Liver		13	14	1	-	-	3	7	3	-	-	-	-		
										Liver Dis. (other)		6	8	-	-	-	2	1	5	-	-	-	-		
										Digestive Dis., Other		39	40	8	1	4	11	11	5	-	-	-	-		
										Nephritis, Acute		10	7	-	-	-	2	2	3	-	-	-	-		
										Bright's Dis., Albuminuria		56	42	-	-	2	22	16	-	-	-	-	-		
										Urinary Sys., Other Dis.		8	12	-	-	-	2	2	8	-	-	-	-		
										Generative Organs Dis. Childbirth (Accid. of)		5	4	-	-	-	3	1	-	-	-	-			
										Old Age		77	50	-	-	-	-	-	50	-	-	-	-		
										Other Diseases		104	103	76	8	4	3	4	8	-	-	-	-		
										ACCIDENT.															
										By Railways		2	3	-	-	1	1	1	-	-	-	-	-		
										By Vehicles and Horse		4	3	-	-	2	-	-	1	-	-	-	-		
										In Ships, Boats, Docks, (exclusive of Drowning)		1	-	-	-	-	-	-	-	-	-	-	-		
										In Building Operations		-	-	-	-	-	-	-	-	-	-	-	-		
										In Conflagrations		-	-	-	-	-	-	-	-	-	-	-	-		
										By Burns, Scalds, Explosions		16	10	-	6	2	-	2	-	-	-	-	-		
										By Drowning		3	4	-	-	2	1	1	-	-	-	-	-		
										By Suffocation in Bed		17	7	7	-	-	-	-	-	-	-	-	-		
										By Poisons or Poisonous Vapours		3	1	-	-	-	-	1	-	-	-	-	-		
										Other Deaths by Accident		18	16	-	1	-	6	3	6	-	-	-	-		
										VIOLENCE OTHER THAN ACCIDENTAL.															
										Homicide		-	1	-	-	-	-	1	-	-	-	-	-		
										Suicide		5	3	-	-	1	2	-	-	-	-	-	-		
										Execution		-	-	-	-	-	-	-	-	-	-	-	-		

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 23rd January, 1904.

REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include												
					Deaths of		Deaths from										
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia† (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.
LONDON - - -	4,536,541	2515	1549	813	483	-	46	10	10	29	-	5	-	25	50	144	
WEST DISTRICTS	- - -	805,311	381	278	47	86	-	17	-	1	3	-	1	-	4	8	16
NORTH DISTRICTS	- - -	1,056,070	546	360	73	101	-	12	2	2	5	-	1	-	1	12	33
CENTRAL DISTRICTS	- - -	209,465	112	70	15	21	-	1	-	1	-	-	-	-	1	5	10
EAST DISTRICTS	- - -	715,739	471	288	72	80	-	6	-	3	9	-	1	-	6	9	43
SOUTH DISTRICTS	- - -	1,749,956	1005	524	106	183	-	10	7	3	12	-	2	-	11	16	42
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*		-	-	29	-	12	-	-	1	-	-	-	-	-	2	-	-
WEST DISTRICTS.																	
St. Mary Paddington } G. & W.	93,178	49	32	10	14	-	1	-	-	-	-	-	-	-	-	1	3
W,2H																	
St. John Paddington H - - G.	33,617	7	20	1	7	-	-	-	-	-	-	-	-	-	1	4	5
North-West Paddington - - C.	17,181	11	5	3	2	-	1	-	-	-	-	-	-	-	-	-	2
Kensington Town 2W,w,2H G.,W. & C.	128,037	60	52	2	21	-	4	-	-	2	-	1	-	2	-	1	-
Brompton 2H - - W. & C.	48,591	16	13	3	4	-	1	-	-	1	-	-	-	-	-	-	-
North Hammersmith W,w,H } W. & G.	49,192	34	18	8	1	-	4	-	-	-	-	-	-	-	-	-	-
South Hammersmith w,2H } W. & G.	63,047	32	22	6	7	-	1	-	-	-	-	-	-	-	1	-	1
North-west Fulham W } W. & C.	45,180	43	19	3	4	-	3	-	-	-	-	-	-	-	-	-	-
North-east Fulham F } W. & C.	46,405	32	9	1	6	-	-	-	1	-	-	-	-	-	-	-	-
South Fulham W } W. & C.	45,704	32	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Chelsea North W,w,3H - - C.	42,514	12	18	1	4	-	-	-	-	-	-	-	-	-	-	1	2
Chelsea South 2H - - C.	31,328	15	12	-	3	-	-	-	-	-	-	-	-	-	-	-	-
May Fair and Knightsbridge } C. & G.	28,743	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
H																	
Belgrave W,2H - - C.	55,815	12	15	1	4	-	1	-	-	-	-	-	-	-	-	-	-
St. Margaret & St. John 4H - C.	43,698	12	25	5	4	-	1	-	-	-	-	-	-	-	-	2	2
St. James Westminster } N. & G.	21,588	7	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-
W,H																	
St. Anne Soho 5H - - N.	11,493	3	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone 8H - W.	35,391	10	21	-	5	-	-	-	-	-	-	-	-	-	-	-	-
Rectory Marylebone W G. & W.	19,849	2	9	2	3	-	-	-	-	-	-	-	-	-	-	1	1
Gray's Inn Lane 4H G. & W.	18,099	33	7	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone H- W.	39,536	19	8	1	3	-	2	-	-	-	-	-	-	-	-	2	2
St. John Marylebone 3H - W.	20,426	5	6	-	2	-	2	-	-	-	-	-	-	-	-	-	-
Hampstead W,F,6H - N. & W.	81,942	33	21	3	4	-	1	1	2	-	-	-	-	-	1	2	2
West St. Pancras 2H - - W.	60,562	19	14	3	2	-	1	-	-	1	-	-	-	-	-	1	2
Tottenham-court w,6H N. & W.	21,258	10	15	2	4	-	-	-	-	-	-	-	-	-	-	2	4
Gray's Inn Lane 4H - - N.	34,449	21	10	3	4	-	-	-	-	-	-	-	-	-	-	-	-
East St. Pancras W,2H - - N.	60,320	44	22	3	11	-	-	-	-	-	-	-	-	-	-	1	3
North St. Pancras 2W - - N.	58,728	30	18	7	7	-	-	-	-	-	-	-	-	-	-	3	3
Tufnell W- - - N.	31,995	19	25	-	9	-	-	-	-	-	-	-	-	-	-	-	1
Upper Holloway 2W,w,2H - - N.	33,978	19	24	5	4	-	-	-	-	-	-	1	-	-	-	1	1
Tollington W- - - N.	33,922	19	7	1	-	-	-	-	-	-	-	-	-	-	-	2	2
Lower Holloway - - - N.	41,424	13	13	4	2	-	1	-	-	-	-	-	-	-	-	2	2
Barnsbury - - - N.	54,478	37	17	4	6	-	1	-	-	-	-	-	-	-	-	2	3
Islington South-east F- - N.	75,397	48	17	3	4	-	-	-	-	-	-	-	-	-	-	-	1
Highbury 2H - - - N.	63,797	25	13	5	2	-	-	-	-	2	-	-	-	-	-	-	-
Stoke Newington H - - N.	51,247	29	11	1	5	-	-	-	-	1	-	-	-	-	-	-	2
North Hackney - - E. & N.	50,560	14	12	4	4	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney 2w,F - E. & N.	50,536	22	17	4	3	-	4	1	-	-	-	-	-	-	-	-	-
South-west Hackney 3H E. & N.	59,921	44	26	9	6	-	-	-	-	-	-	-	-	-	-	1	3
South-east Hackney 2W,w,H E. & N.	58,255	31	27	8	8	-	-	-	-	1	-	-	-	-	-	2	2

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated the namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. sign Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

See note * on first page of this return.

† Formerly described as "Simple Continued Fever."

Population, Births, and Deaths in London Sub-Districts.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 23rd January, 1904—continued.

REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														Inquest Cases.	Deaths in Public Institutions.
				Deaths of		Deaths from													
				Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Small-pox.	Measle.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.				
CENTRAL DISTRICTS.																			
St. Giles and Bloomsbury W,2H N.	31,436	27	9	3	3	-	-	-	-	-	-	-	-	-	-	-	-	5	
Grand W,4H - - - N. & C.	21,674	9	10	1	3	-	-	-	-	-	-	-	-	-	-	1	1	6	
Grand Union Workhouse, Edmonton-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	
Colborn W,6H - - - N.	29,612	11	13	3	3	-	1	-	-	-	-	-	-	-	-	-	2	6	
South Clerkenwell - - - N.	28,676	15	5	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
North Clerkenwell H - - - N.	35,028	21	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Pancras 3H,L - - - N.	36,116	25	6	4	-	-	-	-	-	1	-	-	-	-	1	1	2	1	
Colborn Union Workhouse, } Mitcham - - - - - }	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	
St. Botolph H - - - N. & E.	10,299	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre and Allhallows* } W,H - - - - - } N.	16,024	2	17	1	4	-	-	-	-	-	-	-	-	-	-	3	4	10	
City of London Asylum, Stone - -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3	
EAST DISTRICTS.																			
Shoreditch South H,L - E. & N.	16,369	14	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	
Boxton New Town w,H - - N.	29,761	23	13	3	4	-	-	-	-	-	2	-	-	-	-	-	2	5	
Boxton Old Town - - - N.	26,504	13	12	5	3	-	3	-	-	-	-	-	-	-	-	-	2	-	
Aggerston W - - - N & E.	46,003	33	23	3	7	-	-	-	-	-	-	-	-	-	1	-	2	10	
Shoreditch Union Workhouse, Wood Green - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Paul Green North 2H - E.	51,514	39	18	7	3	-	-	-	2	-	-	-	-	-	-	-	6	5	
St. Paul Green South - - E.	33,472	22	9	2	1	-	-	-	1	-	-	-	-	-	-	-	1	-	
St. Paul Green East 2W,H,L - E.	44,694	19	26	4	15	-	-	-	1	-	-	-	-	-	1	2	17	-	
St. Paul's Fields - - - E. & N.	27,989	25	5	3	-	-	-	-	-	-	-	-	-	-	-	-	3	-	
St. Paul's End New Town W,H - E.	28,718	29	39	9	6	-	-	-	-	-	1	-	-	-	2	5	11	35	
St. Paul's End Old Town East } W,w - - - - - }	22,081	7	6	1	1	-	-	-	-	1	-	-	-	-	1	1	1	-	
St. George and St. John 2W E.	49,068	41	10	3	2	-	2	-	-	-	-	-	-	-	-	-	2	1	
St. Andrew and Ratcliff W,H E. & N.	25,568	17	15	6	1	-	1	-	-	-	-	-	-	-	-	-	1	6	
St. Andrew's Workhouse - - - E.	32,369	22	11	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Paul's End Old Town West H - E.	59,479	40	11	1	4	-	-	-	-	-	-	-	-	-	-	-	1	-	
St. Paul's End Old Town East } W,w - - - - - }	53,348	31	26	5	13	-	-	-	-	-	-	-	-	2	1	1	14	-	
St. Andrew's L - - - - E.	41,989	19	11	5	2	-	-	-	-	2	-	-	-	-	-	-	1	-	
St. Andrew's 3w,H - - - E.	68,319	34	37	10	11	-	-	-	1	2	-	-	-	-	1	3	19	-	
St. Andrew's W,w - - - E.	58,514	43	13	1	4	-	-	-	-	-	-	-	-	-	1	3	2	-	

* On 1st November, 1903, the Sub-districts of St. Sepulchre and Allhallows Barking were united and called St. Sepulchre and Allhallows.

Population, Births, and Deaths in London Sub-Districts.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 23rd January, 1904—continued.

REGISTRATION SUB-DISTRICTS.	Enu- me- rated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include														Inquest Cases.	Deaths in Public Institutions.
				Deaths of Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Deaths from													
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhœa.	Violence.				
SOUTH DISTRICTS.																			
Christchurch Southwark W,HL,&S.	11,263	7	6	1	3	-	-	-	-	-	-	-	-	-	-	-	2	1	
St. Saviour Southwark H - S.	12,056	11	19	12	2	-	-	-	-	-	-	-	-	-	-	-	4	5	
Kent-road - - - S. & L.	21,904	13	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. George the Martyr West W,2H,L - - S. & L.	39,091	31	15	4	2	-	-	-	1	2	-	-	-	-	-	-	-	3	
Trinity Newington - - S. & L.	28,504	20	6	2	1	-	-	-	-	1	-	-	-	-	-	-	2	-	
St. Peter Walworth W- S. & L.	61,767	47	12	5	3	-	-	-	-	1	-	-	-	-	1	-	3	-	
St. Mary Newington - L. & S.	31,592	28	13	4	4	-	-	-	-	-	-	-	-	-	1	-	-	-	
St. Olave 2W - - - S.	9,817	6	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	
Bermondsey W - - - S.	82,483	64	15	6	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
Rotherhithe W,F- - - S. & K.	38,460	19	16	-	6	-	-	-	-	-	-	-	-	-	1	1	1	6	
Waterloo-road 2H - - L. & S.	27,440	27	6	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	
Lambeth Church 1st H L. & S.	18,423	13	13	2	1	-	-	-	-	1	-	-	-	-	1	2	2	8	
Lambeth Church 2nd 2W L. & S.	39,818	29	26	5	10	-	2	-	-	1	-	-	-	-	2	1	3	17	
Kennington 1st H - - S. & L.	53,198	41	12	3	6	-	1	-	-	-	-	-	-	-	-	-	-	-	
Kennington 2nd H - - S. & L.	42,896	14	15	3	6	-	-	-	-	-	-	-	-	-	-	-	-	2	
Brixton F - - - L. & S.	84,232	30	12	4	4	-	2	1	1	-	-	-	-	-	-	-	-	-	
Norwood W,H - - - L.	35,888	23	8	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
East Battersea - - - S.	72,203	36	14	6	5	-	-	-	-	1	-	-	-	-	1	-	2	-	
North-west Battersea - - S.	49,656	27	8	2	-	-	1	-	-	-	-	1	-	-	-	-	2	-	
South-west Battersea W,H - S.	47,048	26	27	3	12	-	-	-	-	-	-	-	-	-	1	-	1	17	
Clapham 2H - - - S.	51,361	23	8	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
Streatham W,2w,2H,2L - L.	88,131	40	35	6	14	-	1	1	-	-	-	1	-	-	-	1	1	11	
Springfield 2W,L - - - S.	27,959	17	5	-	3	-	-	-	-	1	-	-	-	-	-	-	1	1	
Southfields H - - - S.	40,444	19	6	1	2	-	-	-	-	1	-	-	-	-	1	-	1	1	
Putney - - - - S.	24,139	9	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dulwich - - - - L. & S.	10,247	1	6	-	4	-	-	-	-	-	-	-	-	-	-	1	1	-	
Camberwell 2W w,2L - - S. & L.	90,465	46	40	3	16	-	-	-	-	-	-	-	-	-	-	1	2	29	
Peckham 2W,w - - - S., L. & K.	93,093	48	21	2	8	-	1	-	-	-	-	-	-	-	-	1	2	-	
St. George Camberwell - L. & S.	65,589	33	15	3	5	-	1	-	-	1	-	-	-	-	-	1	3	-	
Deptford North - - - K.	37,613	21	5	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-	
Deptford Central F - - K.	45,481	18	8	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Deptford South - - - K.	34,625	15	11	2	5	-	-	-	-	-	-	-	-	-	-	1	2	-	
Greenwich West 2H - - K.	23,456	17	7	-	2	-	-	-	-	-	-	-	-	-	-	-	1	3	
Greenwich East 2W,H - - K.	43,859	28	27	6	12	-	-	-	-	-	-	-	-	-	-	-	1	13	
Eltham w,H- - - - K.	7,226	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lee H - - - - K.	26,490	10	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lewisham W w,F - - - K.	58,352	35	17	4	6	-	-	1	1	-	-	-	-	-	-	1	-	10	
Sydenham H - - - - L.	43,653	28	11	2	6	-	-	-	-	-	-	-	-	-	-	1	-	-	
Charlton F,2H - - - K.	21,134	12	13	2	3	-	-	4	-	-	-	-	-	-	-	-	-	5	
Woolwich 4H - - - K.	41,625	24	10	3	4	-	-	-	-	1	-	-	-	-	-	-	-	1	
Plumstead West W - - K.	18,063	6	6	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Plumstead East 2W,H - K.	50,264	36	14	4	6	-	-	-	-	-	-	-	-	-	-	-	1	3	
London County Asy.,Banstead - -	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	
Horton Manor Asylum - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
London County Asy.,Epsom - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Met. Asy. for Imbeciles,Caterham -	-	-	-	4	-	1	-	-	-	-	-	-	-	-	-	1	-	4	
London County Asy.,Cane Hill - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M.A.B. Ships and Hosps.,Dartford -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	
Met. Asy. for Imbeciles,Darenth -	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
London County Asylum,Dartford } Heath - - -	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5	
London County Asylum,Hanwell - -	-	-	-	6	-	4	-	-	-	-	-	-	-	-	-	-	-	6	
Central London Sick Asy.,Hendon -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
London County Asy.,Colney Hatch -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M.A.B. North-Eastern Hospital - -	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	
M.A.B. Northern Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	
Met. Asy. for Imbeciles,Leavesden -	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
London County Asylum,Claybury -	-	-	-	6	-	4	-	-	-	-	-	-	-	-	1	-	-	-	

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 23rd January, 1904.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu-merated Popu-lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
					Deaths of	Deaths from												
						Infants under 1 Year of Age.	Persons aged 15 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING	368,580	2,044,861	1,245	594	141	200	-	-	18	2	12	4	2	11	18	51	101	4
1 Carshalton <i>w</i> 2F 2H	12,228	32,997	11	8	3	1	-	-	-	-	-	-	-	-	-	1	1	-
2 Epsom, <i>part of</i> * <i>W, w</i> 2F, H	10,423	15,548	4	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-
3 Godstone, <i>part of</i> * <i>W, F</i>	2,754	2,692	4	2	-	1	-	-	-	-	-	-	-	-	1	2	-	-
4 Coulsdon	11,089	21,166	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5 South Croydon	-	49,319	21	11	2	6	-	-	-	-	-	-	-	-	-	-	-	-
6 West Croydon 3W, F, H	9,012	42,868	17	19	3	5	-	-	1	-	-	-	-	-	-	5	9	-
7 North Croydon H	-	41,668	28	12	3	6	-	-	-	-	-	-	-	-	-	1	1	-
8 Penge <i>w</i>	770	22,465	8	5	2	2	-	-	-	-	-	1	-	-	-	-	-	-
9 Mitcham <i>w</i>	11,889	23,913	21	10	3	3	-	-	-	-	-	-	-	-	-	-	-	-
10 Wimbledon F 3H	3,221	41,612	15	5	2	3	-	-	-	-	-	-	-	-	-	-	-	-
11 Kingston W, H	6,224	42,068	21	11	2	5	-	-	-	-	1	-	-	-	1	1	5	-
12 Surbiton F, H	3,046	15,017	5	4	-	3	-	-	-	-	-	-	-	-	-	1	-	-
13 Esher, <i>part of</i> * H	5,402	13,100	9	1	-	-	-	-	-	-	-	-	-	-	-	1	2	-
14 Hampton H, L	4,564	23,456	4	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-
15 Richmond W, H	2,162	28,865	10	8	-	5	-	-	-	1	-	-	-	1	-	1	1	-
16 Mortlake F	2,847	20,638	11	11	4	5	-	2	-	-	-	-	-	-	1	3	-	-
17 Bromley F, 2H	4,703	27,354	18	5	2	1	-	-	-	-	-	1	-	-	-	-	-	-
18 Beckenham H	7,825	28,497	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
19 Orpington, <i>part of</i> * W	10,113	9,857	3	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-
20 Chislehurst 2H	7,333	16,446	11	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
21 Bexley F, H	8,678	21,151	7	5	-	4	-	-	-	-	-	-	-	-	-	-	-	1
22 Erith F, H	3,854	25,296	18	7	4	1	-	-	-	-	-	-	1	-	-	-	-	-
23 Dartford W, F, <i>part of</i> *	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
24 Sunbury <i>w</i>	11,054	18,683	12	4	-	1	-	-	-	-	1	-	-	-	-	-	-	-
25 Staines W, H	13,277	15,178	7	8	1	6	-	-	-	-	-	-	-	-	-	5	1	-
26 Hillingdon W, F, H	6,035	13,661	12	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
27 Uxbridge	12,757	8,984	6	4	-	2	-	-	-	-	-	-	-	-	1	1	-	-
28 Hayes W, F, H	8,066	16,358	16	10	8	1	-	-	-	-	-	-	-	-	-	1	-	-
29 Isleworth 3W 2F, H	6,859	30,863	19	16	4	5	-	-	-	-	-	-	-	1	1	2	8	-
30 Twickenham F, H	2,421	20,991	18	7	4	1	-	-	-	-	-	-	-	1	-	-	-	-
31 Brentford 2F 2H, L	4,319	48,289	31	11	3	4	-	-	-	-	-	-	-	-	-	-	-	-
32 Chiswick H	1,249	29,809	8	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-
33 Acton w, 3H	6,132	48,914	47	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-
34 Harrow F, H	13,809	25,523	12	4	-	2	-	-	2	-	-	-	-	-	-	-	-	-
35 Edgware F 2H	6,994	4,521	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
36 Willesden W, F 2H	4,384	114,811	84	35	7	10	-	1	-	1	-	-	-	1	1	3	6	-
37 Hendon W, F	8,382	22,450	17	4	2	1	-	-	-	-	-	-	-	1	-	-	-	-
38 South Mimms 2F, H	17,755	7,368	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
39 Barnet W 3H	3,324	17,970	8	8	1	3	-	-	-	-	-	-	-	-	-	-	-	-
40 Finchley F 2H	4,688	33,692	11	14	3	7	-	-	-	-	-	-	-	-	1	1	-	-
41 Hornsey F, H	3,875	72,056	29	10	4	5	-	-	-	-	-	-	-	-	-	1	-	-
42 Wood Green H	1,625	34,243	21	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
43 West Tottenham F	-	48,853	41	14	3	4	-	-	-	1	-	-	-	-	-	2	3	-
44 East Tottenham F, H	3,013	53,688	40	14	1	2	-	-	-	-	-	-	-	-	-	2	3	-
45 Edmonton W, w 2F	7,491	61,892	41	21	3	6	-	-	-	-	-	-	-	1	-	3	5	1
46 Enfield 2W, F, H	12,601	42,738	34	11	2	5	-	-	-	-	-	-	-	-	2	3	1	-
47 Waltham Abbey	11,017	6,549	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
48 Cheshunt F, H	8,479	12,292	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
49 Hatfield, <i>part of</i> * W	3,305	604	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50 Bushey H	9,333	9,173	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51 Watford W 2F <i>part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
52 Stratford H	1,072	44,827	32	10	4	2	-	1	-	1	-	-	-	-	2	3	2	-
53 Plaistow F 2H	1,249	90,921	72	28	5	6	-	3	-	2	1	-	-	-	2	2	5	-
54 Canning Town H	1,558	70,718	62	33	9	6	-	5	-	-	-	-	-	1	1	5	-	-
55 Forest Gate <i>w</i>	806	60,892	28	19	5	6	-	-	-	-	-	-	-	-	-	-	-	-
56 North East Ham <i>w</i>	-	58,676	32	11	5	4	-	-	-	-	-	-	-	-	-	-	-	-
57 South East Ham 3F	3,226	37,312	23	9	1	1	-	2	-	-	-	1	-	-	-	-	1	-
58 Wanstead F	1,879	9,179	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
59 South Leyton 2W	631	50,467	29	25	11	10	-	-	-	-	1	-	-	3	-	-	14	-
60 North Leyton W, w, F	1,963	48,445	24	23	2	5	-	2	-	-	-	-	-	-	-	-	12	-
61 Walthamstow 3H, L	6,504	108,929	86	30	12	8	-	-	-	-	1	-	1	1	1	3	-	1
62 Chigwell, <i>part of</i> * 2FAH	11,778	16,397	4	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-
63 Epping W, F, <i>part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
64 Romford, <i>part of</i> * W 2F	6,556	6,091	5	5	1	3	-	-	-	-	-	-	-	-	1	1	4	-
65 Ilford F, L	8,496	41,234	37	19	5	7	-	-	-	1	-	-	-	1	-	1	9	-
66 Barking Town F	3,803	21,547	17	9	2	2	-	-	1	1	-	-	-	-	-	-	1	-
67 City of London Lunatic Asylum, Stone.	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-
68 Middlesex County Asylum, Wandsworth.	-	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	3	-
69 North-Eastern Hospital, Tottenham.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-

The parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chislehurst, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Uxbridge parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.
CALCUTTA (including SUBURBS)	847,796	December 5	-	493	30.2	-	-	-	-	-	134
BOMBAY	776,008	" 29	339	627	42.0	3	2	-	1	-	107†
MADRAS	509,346	" -	-	-	-	-	-	-	-	-	-
PARIS - - -	2,860,559	January 16	970	1109	22.9	2	14	1	9*	2	8
BRUSSELS - -	575,896	" 16	222	189	17.0	-	-	-	4*	4	-
ANTWERP - -	281,376	" 16	133	84	15.5	-	2	1	3*	-	1
AMSTERDAM -	542,073	" 9	279	210	20.1	-	20	-	2	2	1
COPENHAGEN -	416,000	" 16	227	133	16.5	-	-	1	-	3	1
STOCKHOLM -	305,115	" 9	144	99	16.9	-	2	-	-	1	-
CHRISTIANIA -	225,709	" 16	110	53	12.2	-	-	-	-	1	-
ST. PETERSBURG	1,248,643	" 9	333	577	24.1	-	12	5	9	8	10
MOSCOW - - -	1,093,410	" 9	-	527	25.2	2	7	14	12	4	4
BERLIN - - -	1,960,909	Dec. 27-31	577	420	15.6	-	9	1	7	5	1
HAMBURG - - -	737,328	January 16	-	254	17.6	-	-	-	2*	1	1
BRESLAU - - -	445,403	" 16	-	219	25.6	-	-	3	1	?	3
MUNICH - - -	520,000	" 16	-	218	21.8	-	-	-	2*	1	-
VIENNA - - -	1,779,669	" 16	857	624	18.2	-	5	1	7*	1	1
PRAGUE - - -	423,990	" 16	177	193	23.7	-	4	-	-	1	4
BUDA-PESTH -	812,399	" 16	368	260	16.5	-	8	11	11*	2	2
TRIESTE - - -	187,349	" 16	134	89	24.7	-	1	-	-	1	1
ROME - - -	491,074	October 31	188	196	20.8	-	-	-	1	1	8‡
VENICE - - -	166,522	January 9	76	82	25.7	-	-	-	1*	2	-
CAIRO - - -	621,179	October 21	491	354	29.6	1	3	-	6*	?	13
ALEXANDRIA -	352,010	" 21	281	183	27.3	1	-	-	5*	?	8†
NEW YORK - -	3,732,903	January 9	2312	1635	22.2	-	14	34	57*	1	10
PHILADELPHIA-	1,378,221	" 2	-	607	23.0	11	10	5	23	1	20
BOSTON - - -	603,163	" -	-	-	-	-	-	-	-	-	-

* Including deaths from croup.
† Including 14 deaths from plague in Calcutta, 64 in Bombay, and 5 in Alexandria.
‡ Including 42 deaths from cholera in Calcutta.
§ Including one death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 23rd January, 1904.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	48.9	26.2	35.2	0.18	HUDDERSFIELD	48.7	29.0	39.6	0.18
BRIGHTON	50.4	28.5	37.8	0.23	BRADFORD	50.0	29.2	40.7	0.18
PORTSMOUTH	50.5	28.5	38.4	0.14	LEEDS	53.0	31.0	41.6	0.18
NORWICH	43.0	23.2	34.8	0.36	HULL	49.0	27.0	39.0	0.18
PLYMOUTH	51.9	31.9	43.0	0.06					
BRISTOL	51.6	26.0	38.3	0.10	EDINBURGH	50.2	30.2	42.7	0.18
WOLVERHAMPTON	-	-	-	-	GLASGOW	52.6	31.7	43.8	0.18
BIRMINGHAM	48.5	28.0	38.9	0.01					
NOTTINGHAM	49.0	26.2	37.1	0.13					
LIVERPOOL	47.0	31.0	40.8	0.20	DUBLIN	50.4	29.4	42.4	0.18
OBSERVATORY.	47.2	25.6	39.2	0.22					
MANCHESTER	47.2	25.6	39.2	0.22					
PRESTON	48.0	30.0	40.8	0.23	BELFAST	50.0	31.0	41.0	0.18

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0.2° Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 16th January, 1904.*

BOROUGHs.	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	
WEST.											
Paddington - - - - -	146,975	-	10	1	-	2	-	-	3	-	
Kensington - - - - -	179,236	-	5	2	-	1	-	-	1	-	
Hammersmith - - - - -	117,412	-	4	2	-	1	-	-	2	-	
Fulham - - - - -	152,482	-	6	3	-	2	-	-	1	-	
Chelsea - - - - -	74,329	-	3	-	-	1	-	-	1	-	
City of Westminster - - - - -	177,321	2	2	1	-	-	-	-	4	-	
NORTH.											
St. Marylebone - - - - -	130,337	-	2	3	-	1	-	-	2	-	
Hampstead - - - - -	86,663	-	5	2	-	-	-	-	3	-	
St. Pancras - - - - -	235,936	-	7	4	-	4	-	-	6	-	
Islington - - - - -	341,044	-	14	6	-	1	-	-	2	-	
Stoke Newington - - - - -	52,445	-	1	-	-	-	-	-	-	-	
Hackney - - - - -	226,266	-	10	8	-	3	-	-	4	1	
CENTRAL.											
Holborn - - - - -	57,161	1	-	1	-	-	-	-	2	-	
Finsbury - - - - -	98,958	-	5	1	-	1	-	-	1	-	
City of London - - - - -	23,482	-	2	1	-	1	-	-	-	-	
EAST.											
Shoreditch - - - - -	117,033	-	8	2	-	-	-	-	3	-	
Bethnal Green - - - - -	130,267	-	10	12	-	1	-	-	1	-	
Stepney - - - - -	303,791	-	10	14	-	3	-	-	1	2	
Poplar - - - - -	169,905	-	13	7	-	2	-	-	4	-	
SOUTH.											
Southwark - - - - -	207,937	-	8	10	-	2	-	-	4	-	
Bermondsey - - - - -	129,387	-	10	7	-	1	-	-	5	-	
Lambeth - - - - -	310,359	-	11	4	-	3	-	-	6	-	
Battersea - - - - -	175,465	-	6	4	-	1	-	-	3	-	
Wandsworth - - - - -	257,586	-	10	9	-	4	-	-	7	-	
Camberwell - - - - -	268,384	-	16	3	-	1	-	-	2	-	
Deptford - - - - -	113,509	-	6	3	-	-	-	-	3	-	
Greenwich - - - - -	101,651	-	8	8	-	-	-	-	2	-	
Lewisham - - - - -	140,401	-	8	2	-	-	-	-	-	-	
Woolwich - - - - -	123,416	-	16	-	-	1	-	-	1	-	
Port of London - - - - -	-	-	-	-	-	-	-	-	-	-	
ADMINISTRATIVE COUNTY OF LONDON. }		4,649,088	3	216	123	-	39	-	-	74	5
Ages											
0-1 - - - - -	-	-	1	4	-	-	-	-	5	-	
" 1-5 - - - - -	-	-	82	52	-	4	-	-	1	-	
" 5- - - - -	-	-	61	31	-	5	-	-	5	-	
" 10- - - - -	-	-	33	14	-	4	-	-	5	-	
" 15- - - - -	-	-	15	9	-	6	-	-	2	-	
" 20- - - - -	-	-	12	6	-	4	-	-	7	1	
" 25- - - - -	-	-	1	7	4	5	-	-	11	4	
" 35- - - - -	-	-	1	5	3	6	-	-	11	-	
" 45- - - - -	-	-	1	-	-	5	-	-	13	-	
" 55- - - - -	-	-	-	-	-	-	-	-	10	-	
" 65 and upwards - - - - -	-	-	-	-	-	-	-	-	4	-	
Age not stated - - - - -	-	-	-	-	-	-	-	-	-	-	

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.



1871
April 22nd
1871

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

1904.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 4. 1904. VOL. LXV.] WEEK ENDED SATURDAY, JAN. 30. [Price 1½d.

General Register Office, Somerset House,
February 1st, 1904.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 19·4 per 1000 of their aggregate population, which is estimated† at 15,271,425 persons in the middle of this year. In the preceding three weeks the rates had been 20·3, 19·0, and 18·1. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 23·2 in Warrington, 24·0 in Walsall, 25·0 in Swansea, 25·4 in Manchester, 25·8 in Preston, 27·0 in Great Yarmouth, 32·1 in Bury, and 38·0 in Merthyr Tydfil; from *measles*, 1·5 in Cardiff, 1·6 in Blackburn, 1·8 in Bury, 3·1 in Warrington, and 5·4 in Preston; from *diphtheria*, 1·3 in East Ham and in Aston Manor, and 1·8 in St. Helens; from *whooping-cough*, 1·7 in Wallasey, in Bootle, and in Rhondda, 1·8 in Bolton, in Bury, and in Gateshead, 2·0 in Great Yarmouth, 2·1 in Coventry, 2·2 in Merthyr Tydfil, 3·0 in West Hartlepool, and 3·8 in Swansea; from "*fever*," 1·3 in Rhondda and 1·4 in Devonport; and from *diarrhœa*, 1·4 in Preston. One death from *small-pox* was registered in Manchester and 1 in Gateshead, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2434 BIRTHS and 1734 DEATHS were registered. Allowing for increase of population, the births were 290 below, and the deaths 51 above the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 19·4, 18·8, and 17·4 in the preceding three weeks, rose again last week to 19·5. During the four weeks ended on Saturday last the death-rate averaged 18·8 per 1000, being 2·0 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, and in certain local Small-pox Hospitals, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the recent Census, and on the increase in the last intercensal period.

The 1734 deaths included 38 from measles, 9 from scarlet fever, 25 from diphtheria, 43 from whooping-cough, 3 from enteric fever, and 17 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 135 deaths were referred to these diseases in the aggregate, being 39 below the corrected average weekly number.

The deaths from *measles*, which had been 58, 49, and 46 in the preceding three weeks, further fell last week to 38, and were 5 below the corrected average; 4 cases belonged to the Borough of Hammersmith and 4 to St. Marylebone. The deaths from *scarlet fever*, which had been 10, 10, and 10 in the preceding three weeks, were 9 last week, the corrected average being 12. The deaths from *diphtheria*, which had been 14, 11, and 10 in the preceding three weeks, rose again last week to 25, but were 11 below the corrected average; 4 cases belonged to Stepney and 3 to Wandsworth. The deaths from *whooping-cough*, which had been 28, 37, and 29 in the preceding three weeks, rose again last week to 43, but were 11 below the corrected average; 8 cases belonged to Southwark. The fatal cases of *enteric fever*, which had been 5, 8, and 5 in the preceding three weeks, further fell last week to 3, and were 9 below the corrected average. The deaths from *diarrhœa*, which had been 16, 19, and 25 in the preceding three weeks, fell again last week to 17, but were 4 above the corrected average. Of the 17 deaths from diarrhœa, 13 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 4 more deaths at this age. The deaths attributed directly to *influenza* numbered 12, having been 17, 21, and 17 in the preceding three weeks.

Different forms of *violence* caused 57 deaths, concerning all of which inquests were held. Of these 57 deaths, 3 were cases of suicide and 2 of homicide, while the remaining 52 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, 8 to burns and scalds, 1 to the effects of an anæsthetic administered for surgical purposes, and 16 (including 15 of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 21 cases of small-pox, 1651 of scarlet fever, 760 of diphtheria, and 166 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 4 cases, against 6, 4, and 3; of scarlet fever, 168 cases, against 201, 195, and 180; of diphtheria, 112 cases, against 86, 94, and 99; and of enteric fever, 12 cases, against 18, 16, and 16. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended January 23rd, 1904.

GREATER LONDON.

In Greater London 3599 births and 2329 deaths were registered. Allowing for increase of population, these numbers are 389 below and 28 above the respective averages in the corresponding weeks of the last ten years. In that portion of the Outer Ring which is outside the great towns, 3 deaths from measles, 3 from scarlet fever, 3 from diphtheria, 5 from whooping-cough, and 1 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.74 inches, and that of the Thermometer 40°.9, the latter being 1°.7 above the week's average in the 50 years 1841-90. The general direction of the wind was south-westerly, the horizontal movement of the air being 14 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 8.7 hours; the measured rainfall amounted to 0.92 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	COLS.	POPULATION estimated to the middle of the year 1904.	DEATH-RATES from all Causes.				Rate from Diseases in the column 11-17.		Registered Diseases in the column 11-17.		Deaths of Persons aged 60 Years and upwards.		Deaths from								Deaths in Public Institutions.		Unverified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
			Week ended				11-17.		30th Jan., 1904.		30th Jan., 1904.		Deaths from								Deaths in Public Institutions.	Unverified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
			Week ended				11-17.		30th Jan., 1904.		Deaths from																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
			9th Jan., 1904.	16th Jan., 1904.	23rd Jan., 1904.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.			11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.	30th Jan., 1904.	11-17.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES during the Week ended Saturday, 30th January, 1904, and DEATH-RATES during the preceding three weeks.

TOWNS.	PopULATION estimated to the middle of the year 1904.*	DEATH-RATES from all Causes.					Rate from Diseases in Colls. 11-17.		Registered Deaths in Colls. Week ended 30th Jan., 1904.		The DEATHS registered in the Week include												TOWNS.		
		Week ended			30th Jan., 1904.	30th Jan., 1904.	Week ended 30th Jan., 1904.	BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from													
		9th Jan., 1904.	16th Jan., 1904.	23rd Jan., 1904.								Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unidentified Causes of Death.			
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.		
BIRMINGHAM -	537,965	23'4	21'7	18'4	22'3	2'7	317	230	45	55	-	9	2	4	9	1	3	12	16	69	7	BIRMINGHAM.			
KINGS NORTON -	66,667	16'4	12'5	2'3	9'4	-	28	12	2	2	-	-	-	-	-	-	-	1	3	1	-	KINGS NORTON.			
SMETHWICK -	60,691	12'0	12'9	12'9	20'6	-	37	24	12	4	-	-	-	-	-	-	-	-	-	1	2	SMETHWICK.			
ASTON MANOR -	80,363	15'6	13'6	13'0	15'6	3'2	44	24	8	3	-	1	-	2	2	-	-	-	-	1	-	ASTON MANOR.			
COVENTRY -	73,904	15'5	8'5	13'4	22'6	2'1	58	32	13	11	-	-	-	-	3	-	-	-	1	1	3	COVENTRY.			
LEICESTER -	224,186	17'4	15'1	12'6	16'3	1'4	118	70	20	22	-	-	-	-	4	-	2	2	5	10	2	LEICESTER.			
GRIMSBY -	66,958	22'6	17'9	14'0	19'5	1'6	38	25	7	9	-	-	-	-	1	1	4	4	6	2	-	GRIMSBY.			
NOTTINGHAM -	248,811	23'1	17'8	21'4	17'6	2'1	132	84	17	30	-	-	-	1	3	3	2	3	13	3	1	NOTTINGHAM.			
DERBY -	120,449	21'6	12'6	17'3	16'5	0'9	54	38	11	9	-	-	-	-	2	-	-	-	1	8	-	DERBY.			
STOCKPORT -	87,008	24'7	16'1	21'5	22'6	0'5	52	42	16	8	-	-	-	-	-	1	1	2	4	4	1	STOCKPORT.			
BIRKENHEAD -	114,814	18'2	18'2	18'2	20'4	0'9	66	45	14	9	-	-	-	1	-	-	2	4	9	-	-	BIRKENHEAD.			
WALLASEY -	60,354	13'0	16'4	14'7	10'4	1'7	26	12	4	4	-	-	-	-	2	-	-	2	2	3	-	WALLASEY.			
LIVERPOOL -	723,430	26'7	23'1	22'8	21'5	2'5	474	298	75	77	-	1	3	6	14	3	7	15	22	96	10	LIVERPOOL.			
BOOTLE -	61,755	22'0	16'9	17'7	19'4	1'7	33	23	3	8	-	-	-	-	2	-	-	1	1	5	2	BOOTLE.			
ST. HELENS -	88,545	20'0	18'3	19'4	20'0	2'9	82	34	13	3	-	-	-	3	2	-	-	1	1	5	1	ST. HELENS.			
WIGAN -	62,800	18'3	38'2	23'2	21'6	0'8	35	26	4	8	-	-	-	-	1	-	-	-	-	4	-	WIGAN.			
WARRINGTON -	67,331	19'4	28'7	17'8	23'2	3'9	42	30	7	6	-	4	1	-	-	-	-	-	-	7	2	WARRINGTON.			
BOLTON -	175,744	20'2	21'1	21'7	19'3	3'0	89	65	12	23	-	-	1	1	6	1	-	-	1	7	-	BOLTON.			
BURY -	58,450	28'5	18'7	15'2	32'1	4'5	30	36	8	9	-	2	-	-	2	-	-	-	-	4	2	BURY.			
MANCHESTER† -	557,988	24'6	18'9	20'6	25'4	2'1	354	272	61	74	1	1	3	1	11	1	4	9	12	67	11	MANCHESTER.†			
SALFORD -	228,983	24'1	20'7	20'7	22'3	2'3	150	98	21	19	-	4	2	2	-	-	2	5	8	16	3	SALFORD.			
OLDHAM -	139,497	22'1	22'8	18'3	21'7	1'5	70	58	8	19	-	1	1	1	-	-	1	2	4	11	-	OLDHAM.			
ROCHDALE -	55,601	23'8	25'6	20'7	17'1	2'4	45	28	1	11	-	2	1	1	-	-	-	1	1	6	1	ROCHDALE.			
BURNLEY -	100,569	21'3	23'3	19'7	17'1	0'5	58	33	10	7	-	-	-	-	-	-	1	1	2	5	2	BURNLEY.			
BLACKBURN -	132,134	23'3	21'7	20'5	20'9	2'0	60	53	9	18	-	4	-	-	-	-	1	2	3	6	2	BLACKBURN.			
PRESTON -	115,055	41'7	29'0	29'5	25'8	7'3	72	57	17	17	-	12	-	-	-	1	3	1	1	7	2	PRESTON.			
BARROW-IN-FORTH -	59,654	7'9	18'2	8'7	14'0	-	36	16	4	5	-	-	-	-	-	-	-	1	1	3	-	BARROW-IN-FORTH.			

TOWNS.	COLS.	The Deaths registered in the Week include														Registered Deaths during the Week ended 30th Jan., 1904.		DEATH-RATES from all Causes.				POPULATION of the middle of the Year 1901.*
		Deaths from						Deaths of				BIRTHS.	DEATHS.	Week ended		Week ended						
		Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhoid.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unsettled Causes of Death.	TOWNS.			COLS.	9th Jan., 1904.	16th Jan., 1904.	23rd Jan., 1904.	30th Jan., 1904.				
																			Infants under 1 Year of Age.	Persons aged 60 Years and upwards.		
HUDDESFIELD.	-	1	10	-	1	1	2	5	-	20.	21.	-	36	7.	8.	6.	5.	4.	3.	2.	1.	
HALIFAX.	-	8	13	-	1	1	3	6	1	5	-	47	34	47	34	1'0	1'6	14'1	16'5	19'8	23'6	
BRADFORD.	-	124	37	-	2	2	3	4	19	2	2	116	252	177	177	2'7	20'5	17'0	21'2	19'9	18'9	
LEEDS.	-	35	52	-	10	2	8	24	-	8	3	304	156	252	177	1'2	18'8	17'8	20'3	20'5	23'6	
SHEFFIELD.	-	37	49	-	6	1	2	26	6	5	7	41	19	41	19	1'8	16'9	13'4	16'9	18'9	20'5	
ROTHERHAM.	-	3	3	-	1	-	-	2	2	2	2	41	19	41	19	1'8	16'9	13'4	16'9	18'9	20'5	
YORK.	-	4	10	-	1	-	-	1	2	2	2	44	29	44	29	1'3	18'6	15'4	20'5	18'9	19'9	
HULL.	-	26	27	-	1	1	3	17	1	8	17	142	100	142	100	1'4	20'5	17'3	20'5	17'5	20'5	
MIDDLESBROUGH.	-	5	10	-	1	1	-	-	-	-	-	66	33	66	33	1'6	17'8	21'0	17'8	17'8	20'5	
STOCKTON-ON-TEES.	-	4	3	-	1	1	-	2	-	2	-	29	16	29	16	2'0	16'0	24'0	16'0	20'0	14'0	
WEST HARTLEPOOL.	-	8	5	-	1	4	-	3	1	2	-	53	25	53	25	3'8	18'8	17'3	18'8	30'1	20'3	
SUNDERLAND.	-	14	13	-	-	-	-	14	3	1	-	91	52	91	52	1'4	19'3	17'9	18'8	17'9	20'7	
SOUTH SHIELDS.	-	7	11	-	1	-	2	8	4	7	11	78	47	78	47	1'0	17'5	22'8	17'5	18'5	19'9	
GATESHEAD.	-	12	12	-	4	1	-	82	40	1	-	26	19	26	19	2'6	19'4	17'7	17'7	24'7	26'1	
NEWCASTLE-ON-TYNE.	-	19	23	-	1	3	4	25	1	1	-	118	97	118	97	1'2	22'4	20'4	22'4	17'8	18'9	
TYNEMOUTH.	-	4	5	-	-	-	-	1	1	1	-	43	18	43	18	-	23'6	17'7	17'7	27'5	18'7	
NEWPORT (MON.).	-	8	5	-	1	-	3	2	-	3	-	38	23	38	23	0'7	17'5	16'8	16'8	17'5	22'6	
CARDIFF.	-	22	16	-	-	-	4	9	8	2	-	98	66	98	66	2'1	18'3	19'5	18'3	17'7	22'6	
RHONDDA.	-	17	8	-	5	-	1	8	-	1	-	97	45	97	45	3'8	20'5	19'2	18'3	18'0	20'7	
MERTHYR TYDFIL.	-	25	7	-	2	-	4	5	3	1	-	40	19	40	19	2'2	39'4	38'0	20'5	18'5	19'9	
SWANSEA.	-	13	14	-	3	-	-	5	5	5	-	43	46	43	46	3'8	22'3	25'0	16'8	17'8	20'7	
GREATER LONDON.	-	457	779	-	47	13	33	52	6	22	74	204	717	10	457	779	17'6	16'2	17'6	18'0	6,907,619	
OUTER RING.	-	124	215	-	9	4	8	9	3	5	17	46	112	4	124	215	13'7	13'7	13'7	15'1	2,258,531	
8 TOWNS IN OUTER RING.	-	68	91	-	6	1	5	4	3	4	9	28	57	2	68	91	1'1	15'1	13'7	15'8	1,098,639	
REMAINDER OF OUTER RING.	-	56	124	-	3	3	3	5	-	1	8	18	55	2	56	124	0'7	12'4	13'8	14'5	1,169,862	
EDINBURGH.	-	23	38	-	-	1	1	3	-	1	3	?	28	6	23	38	0'9	17'4	16'8	16'8	20'4	
GLASGOW.	-	55	60	3	6	3	5	1	1	8	16	?	76	10	55	60	1'8	20'6	17'8	20'2	798,357	
DUBLIN.	-	29	50	-	1	-	-	11	1	1	6	3	75	10	29	50	1'9	26'0	25'6	28'8	27'8	
BELFAST.	-	40	28	-	1	-	-	10	1	-	3	9	26	?	40	28	1'7	20'4	21'7	28'9	27'6	

TABLE 2. LONDON.—Births and Deaths Registered in the FOURTH Week of each of the Eleven Years, 1894–1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894–1903.*	1904
TOTAL Births -	2689	2612	2452	2715	2639	2686	2634	2713	2467	2652	2723·7	2434
Males - -	1377	1294	1228	1419	1322	1360	1329	1355	1247	1343	1376·9	1236
Females - -	1312	1318	1224	1296	1317	1326	1305	1358	1220	1309	1346·8	1198
TOTAL Deaths -	1655	1481	1582	1702	1764	1331	1950	1568	1571	1569	1682·7	1734
Males - -	855	728	808	843	876	698	1009	777	803	801	850·8	853
Females - -	800	753	774	859	888	633	941	791	768	768	831·9	881

* The numbers in this column are the average weekly numbers in the fourth week of the ten years 1894–1903, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Nov. 7.	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	1904. Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	13 Weeks.
TOTAL Births -	2563	2466	2331	2342	2460	2448	2544	1802	2828	2862	2589	2515	2434	32184
TOTAL Deaths -	1426	1476	1473	1536	1578	1689	1486	1204	1866	1731	1677	1549	1734	20405
Ages at Death														
Under 1 year -	370	398	357	406	401	379	347	262	403	384	357	313	333	4715
1–5 years -	145	155	139	157	165	102	156	123	209	176	180	150	189	2141
5–20 " -	65	66	62	74	71	73	61	60	82	84	82	77	82	939
20–40 " -	188	187	185	171	166	190	176	140	235	194	208	194	211	2445
40–60 " -	278	299	292	288	317	375	312	260	380	323	349	332	355	4160
(60 yrs. & upwds.	380	371	388	440	458	490	434	354	552	570	521	483	564	6005
Deaths from—														
Small-pox - -	-	1	-	1	-	-	-	1	-	-	-	-	-	3
Measles - -	15	31	36	37	24	31	41	40	59	58	49	46	38	505
Scarlet Fever -	13	7	4	6	9	-	5	7	9	10	10	10	9	99
Diphtheria - -	18	11	20	9	10	16	15	9	27	14	11	10	25	195
Whooping-cough -	11	8	13	17	20	24	22	21	35	28	37	29	43	308
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	18	17	12	14	15	15	8	9	10	5	8	5	3	139
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Diarrhoea, Dysentery	53	60	29	31	27	23	22	15	27	16	19	25	17	364
All above Diseases -	128	135	114	115	105	109	113	102	167	131	135	125	135	1614
Dis. of Resp. System	126	182	165	200	193	234	186	139	228	248	217	208	258	2584
Pneumonia - -	145	157	160	199	165	183	158	132	176	185	189	145	171	2165
Phthisis - -	153	152	146	140	178	167	142	142	183	150	180	180	178	2091
Dis. of Circ. System -	186	181	186	195	188	240	185	150	238	237	185	181	222	2584
Violence - -	54	64	71	53	48	65	60	49	77	73	65	50	57	786
Inquest Cases - -	128	154	165	169	133	178	150	127	195	203	177	144	158	2081
Deaths in Institutions	498	496	467	490	539	554	524	424	644	549	613	545	605	6948
TEMPERATURE OF THE AIR.														
Mean - -	47·1	48·4	41·1	45·3	35·2	41·5	42·0	40·2	32·6	39·8	42·1	35·7	40·9	40·9
Mean of Highest	53·2	53·3	48·4	49·4	39·5	45·3	45·1	42·9	35·7	43·9	46·4	41·2	44·3	45·1
Mean of Lowest	40·8	42·4	34·7	40·1	30·3	35·6	38·1	37·1	26·8	34·3	36·6	29·1	37·1	35·8
Mean Humidity of the Air.	87	88	84	82	83	86	88	89	78	91	82	92	86	86
Rain-fall (in inches) -	0·23	0·26	0·07	1·18	0·28	1·12	0·02	0·00	0·09	0·29	0·69	0·18	0·92	5·33
Registered Sunshine (in hours).	15·9	4·8	8·6	6·1	2·5	1·6	9·3	0·3	8·7	2·9	9·2	4·3	8·7	82·9
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	43	51	47	40	35	32	26	27	26	26	26	24	21	33
Scarlet Fever - -	1354	1824	1832	1770	1715	1717	1655	1617	1632	1659	1660	1679	1651	1713
Diphtheria - -	782	790	808	765	754	756	733	770	739	732	749	758	760	761
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	279	276	263	286	285	273	266	259	246	235	191	184	166	247

* The Metropolitan Asylum and London Fever Hospitals.
† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; and H. B. Witty, Esq., Hull.

TABLE 4. LONDON.—DEATHS Registered in the FOURTH Week of the Year 1904.

Names printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.		Deaths in the 4th week of the year 1903.	1904—Deaths of Persons of the Ages							CAUSES OF DEATH.		Deaths in the 4th week of the year 1903.	1904—Deaths of Persons of the Ages						
			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.				ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
				0-1.	1-5.	5-20.								0-1.	1-5.	5-20.			
CAUSES	-	1569	1734	333	189	82	211	355	564	Meningitis (not tuberc.)	13	14	4	4	2	3	1	-	
										Insanity, Gen. Par. of }	19	55	-	-	1	13	14	2	
										Insane - - -	8	5	-	-	1	1	1	2	
Ill-pox*	-	-	-	-	-	-	-	-	-	Epilepsy - - -	20	24	20	4	-	-	-	-	
"pox - - -	-	-	-	-	-	-	-	-	-	Convulsions - - -	1	3	-	-	-	1	2	-	
sles (Morbilli) - - -	41	38	10	27	1	-	-	-	-	Locomotor Ataxy - -	5	5	-	-	1	1	-	-	
let Fever - - -	6	9	2	2	4	1	-	-	-	Paraplegia, Dis. of Cord	25	22	-	1	-	1	3	17	
hus - - -	-	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	43	48	-	-	5	7	14	22	
ue - - -	-	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis-	37	27	-	-	1	2	8	16	
enza - - -	25	12	-	2	-	2	4	4	-	Cerebr. Hem. Thromb.-	23	22	-	-	-	-	8	14	
oping-cough - - -	76	43	24	17	2	-	-	-	-	Apoplexy, Hemiplegia -	7	4	-	-	-	3	1	-	
htheria - - -	8	25	3	15	7	-	-	-	-	Aneurysm - - -	1	-	-	-	-	-	-	-	
bro Spinal Fever	-	-	-	-	-	-	-	-	-	Embolism, Thrombosis }	86	121	-	-	7	8	31	75	
ria,† (Origin un- }	-	-	-	-	-	-	-	-	-	(not cerebral) - - -	-	-	-	-	-	-	-	-	
rain) - - -	-	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.	-	-	-	-	-	-	-	-	
eric Fever - - -	4	3	-	-	-	3	-	-	-	Croup (not Spasm: nor }	-	-	-	-	-	-	-	-	
tic Cholera - - -	-	-	-	-	-	-	-	-	-	Memb.) - - -	193	236	33	22	-	4	42	135	
emic Diarrhoea }	-	-	-	-	-	-	-	-	-	Bronchitis - - -	9	4	-	-	-	-	-	4	
nfective Enteritis }	-	-	-	-	-	-	-	-	-	Asthma, Emphysema -	4	-	-	-	-	-	-	-	
rhaa, Dysentery	16	12	7	1	1	-	2	-	-	Pleurisy - - -	16	18	1	-	1	3	10	-	
us - - -	2	2	1	-	-	1	-	-	-	Respiratory Dis. (other)	1	2	1	1	-	-	-	-	
ies, Hydrophobia -	-	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy - -	8	11	5	2	-	-	2	2	
nders - - -	-	-	-	-	-	-	-	-	-	Enteritis (not Epid.) -	3	4	3	1	-	-	-	-	
hras (Splenic Fever)-	-	-	-	-	-	-	-	-	-	Gastro-Enteritis - - -	4	2	-	-	-	-	2	-	
ereal Dis. - - -	8	9	6	-	-	2	-	1	-	Fertionitis (not Puerp.)	4	12	-	-	-	10	2		
rperal Septicæmia -	3	7	-	-	-	6	1	-	-	Cirrhosis of Liver - -	8	6	-	1	-	1	3		
rperal Pyæmia - - -	-	-	-	-	-	-	-	-	-	Liver Dis. (other) - -	44	40	5	-	3	7	9	16	
rperal Fever - - -	-	2	-	-	-	2	-	-	-	Digestive Dis., Other -	7	8	1	1	1	1	2	2	
ective Endocarditis	1	5	-	-	-	3	2	-	-	Bright's Dis., Albumin- }	39	39	-	-	1	8	14	16	
Lobar - - -	16	16	1	-	-	5	3	7	-	uria - - -	11	12	-	-	-	1	2	9	
Broncho - - -	57	72	27	29	2	3	4	7	-	Urinary Sys., Other Dis.	2	4	-	-	-	2	2	-	
Epidemic - - -	-	-	-	-	-	-	-	-	-	Generative Organs Dis.-	2	5	-	-	-	1	3	1	
Not defined - - -	60	83	7	18	2	11	22	23	-	Childbirth (Accid. of) -	65	55	-	-	-	-	-	55	
isipelas - - -	8	3	1	-	-	1	1	-	-	<i>Old Age</i> - - -	101	105	73	14	7	1	6	4	
ticæmia (not Puer- }	-	-	-	-	-	-	-	-	-	Other Diseases - - -	-	-	-	-	-	-	-	-	
eral) - - -	-	-	-	-	-	-	-	-	-	<i>ACCIDENT.</i>	-	-	-	-	-	-	-	-	
æmia (not Puerperal)	2	1	-	-	1	-	-	-	-	By Railways - - -	2	3	-	-	1	1	1	-	
er Infective Conditions	6	18	4	1	1	4	6	2	-	By Vehicles and Horses-	5	6	-	-	-	2	1	3	
erulous Phthisis -	80	108	2	2	5	45	47	7	-	In Ships, Boats, Docks, }	3	1	-	-	-	-	1	-	
thists" - - -	65	70	-	-	5	26	31	8	-	(exclusive of Drown-	-	3	-	-	-	-	1	1	
erulous Meningitis -	20	21	8	4	7	-	2	-	-	<i>ing</i>) - - -	4	-	-	-	-	-	-	-	
erulous Peritonitis -	6	6	2	2	2	-	-	-	-	In Building Operations -	9	8	-	4	2	1	-	1	
<i>Measenterica</i> - - -	5	4	2	1	-	-	1	-	-	In Conflagrations - - -	1	2	1	-	-	-	1	-	
erulous Dis. (other)-	18	22	4	7	3	3	4	1	-	By Burns, Scalds, Ex-	14	16	15	1	-	-	-	-	
ula - - -	-	1	-	1	-	-	-	-	-	plosions - - -	-	1	-	1	-	-	-	-	
obolism - - -	13	15	-	-	-	1	11	3	-	By Drowning - - -	23	12	2	1	-	1	2	6	
umatic Fever - - -	6	4	-	-	3	-	-	1	-	By Suffocation in Bed -	-	-	-	-	-	-	-	-	
ut - - -	5	2	-	-	-	-	-	2	-	By Poisons or Poisonous	-	-	-	-	-	-	-	-	
cinoma - - -	41	42	-	-	-	6	16	20	-	Vapours - - -	-	-	-	-	-	-	-	-	
coma - - -	7	5	-	-	-	4	1	-	-	Other Deaths by Acci-	-	-	-	-	-	-	-	-	
cer (undefined) - - -	31	33	-	-	-	2	11	20	-	<i>dent</i> - - -	-	-	-	-	-	-	-	-	
betes Mellitus - - -	10	12	-	-	-	2	3	7	-	<i>VIOLENCE OTHER THAN</i>	-	2	-	1	1	-	-	-	
mature Birth - - -	34	54	54	-	-	-	-	-	-	<i>ACCIDENTAL.</i>	-	3	-	-	-	-	1	2	
										Homicide - - -	16	-	-	-	-	-	-	-	
										Suicide - - -	-	-	-	-	-	-	-	-	
										Execution - - -	-	-	-	-	-	-	-	-	

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

58 *Population, Births, and Deaths in London Sub-Districts.*
TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 30th January, 1904.

The DEATHS registered during the Week include																	
REGISTRATION SUB-DISTRICTS.	Enu- me- rated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths from													Inquest Cases.
				Deaths of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.		
LONDON - - -	4,536,541	2434	1734	333	564	-	38	9	25	43	-	3	-	17	57	158	
WEST DISTRICTS	805,311	363	318	55	102	-	13	-	4	1	-	1	-	3	6	23	
NORTH DISTRICTS	1,056,070	517	389	56	142	-	10	1	4	7	-	1	-	2	14	41	
CENTRAL DISTRICTS	209,465	107	84	14	27	-	1	-	1	3	-	-	-	-	4	12	
EAST DISTRICTS -	715,739	470	259	64	80	-	2	-	6	2	-	1	-	5	12	32	
SOUTH DISTRICTS	1,749,956	947	647	144	202	-	12	7	9	30	-	-	-	7	21	50	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	37	-	11	-	-	1	1	-	-	-	-	-	-	-	
WEST DISTRICTS.																	
St. Mary Paddington } G. & W.	93,178	57	38	4	17	-	1	-	-	-	-	-	-	-	-	-	
W ² H						-	-	-	-	-	-	-	-	-	-	-	
St. John Paddington H - - G.	33,617	11	16	1	5	-	-	-	-	1	-	-	-	-	-	-	
North-West Paddington - - C.	17,181	5	4	-	2	-	-	-	-	-	-	-	-	-	-	1	
KensingtonTown 2W,w ² H G,W.&C.	128,037	54	65	9	21	-	3	-	-	-	-	1	-	-	3	7	
Brompton 2H - - W. & C.	48,591	7	11	3	2	-	-	-	-	-	-	-	-	1	-	-	
NorthHammersmith W,w ² H } W.&G.	49,192	27	10	3	2	-	1	-	-	-	-	-	-	-	-	2	
SouthHammersmith w ² H } W.&G.	63,047	29	20	1	6	-	2	-	-	-	-	-	-	-	-	1	
North-west Fulham W } W. & C.	45,180	39	27	6	7	-	1	-	-	-	-	-	-	1	-	2	
North-east Fulham F } W. & C.	46,405	19	23	5	7	-	3	-	4	-	-	-	-	-	-	1	
South Fulham W } W. & C.	45,704	20	9	4	3	-	-	-	-	-	-	-	-	-	1	2	
Chelsea North W,w ³ H - - C.	42,514	22	32	6	10	-	2	-	-	-	-	-	-	1	1	3	
Chelsea South 2H - - C.	31,328	14	12	5	5	-	-	-	-	-	-	-	-	-	-	-	
May Fair and Knightsbridge } C.&G.	28,743	5	4	2	1	-	-	-	-	-	-	-	-	-	1	1	
H						-	-	-	-	-	-	-	-	-	-	-	
Belgrave W ² H - - C.	55,815	20	26	2	9	-	-	-	-	-	-	-	-	-	-	1	
St. Margaret & St. John 4H - C.	43,698	24	16	4	3	-	-	-	-	-	-	-	-	-	-	2	
St. James Westminster } N. & G.	21,588	5	4	-	2	-	-	-	-	-	-	-	-	-	-	-	
W ² H						-	-	-	-	-	-	-	-	-	-	-	
St. Anne Soho 5H - - N.	11,493	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
NORTH DISTRICTS.																	
All Souls Marylebone 8H - W.	35,391	8	14	1	1	-	1	-	-	-	-	-	-	-	1	3	
Rectory Marylebone W G. & W.	19,849	9	3	-	2	-	-	-	-	-	-	-	-	-	-	-	
St. Mary Marylebone 4H G. & W.	18,099	26	5	-	1	-	-	-	-	-	-	-	-	-	-	-	
Christchurch Marylebone H- W.	39,536	23	7	1	2	-	1	-	-	-	-	-	-	-	-	2	
St. John Marylebone 3H - W.	20,426	6	10	1	3	-	2	-	-	-	-	-	-	-	-	1	
Hampstead W,F,6H - N. & W.	81,942	26	30	2	9	-	2	-	2	-	1	-	-	-	1	2	
West St. Pancras 2H - - W.	60,562	24	25	8	9	-	-	-	-	1	-	-	-	-	-	1	
Tottenham-court w,6H - N. & W.	21,258	11	11	-	5	-	-	-	-	-	-	-	-	-	1	1	
Gray's Inn Lane 4H - - N.	34,449	18	15	4	4	-	-	-	-	1	-	-	-	-	-	2	
East St. Pancras W ² H - - N.	60,320	46	36	6	14	-	1	-	-	-	-	-	-	-	1	3	
North St. Pancras 2W - - N.	58,728	31	24	1	11	-	-	-	-	-	-	-	-	-	1	2	
Tufnell W- - - N.	31,995	20	23	1	12	-	-	-	-	-	-	-	-	-	1	3	
Upper Holloway 2W,w ² H - N.	33,978	17	29	2	10	-	-	-	-	-	-	-	-	-	1	2	
Tollington W- - - N.	33,922	21	6	3	2	-	-	-	-	-	-	-	-	-	-	1	
Lower Holloway - - - N.	41,424	20	7	1	2	-	-	-	-	-	-	-	-	-	1	3	
Barnsbury - - - N.	54,478	34	16	5	4	-	-	-	-	-	-	-	-	-	2	3	
Islington South-east F - - N.	75,397	42	20	2	9	-	1	-	-	-	-	-	-	2	-	1	
Highbury 2H - - - N.	63,797	23	15	2	8	-	-	-	-	1	-	-	-	-	-	2	
Stoke Newington H - - N.	51,247	17	17	4	6	-	-	-	-	2	-	-	-	-	1	2	
North Hackney - - E. & N.	50,560	22	16	2	5	-	-	-	-	-	-	-	-	-	-	-	
Central Hackney 2w,F - E. & N.	50,536	39	11	1	4	-	-	1	2	-	-	-	-	-	-	2	
South-west Hackney 3H - E. & N.	59,921	41	19	6	6	-	1	-	-	1	-	-	-	-	1	3	
South-east Hackney 2W,w,H E. & N.	68,265	23	30	3	13	-	1	-	-	1	-	-	-	-	3	3	

NOTE.—The *Italic* letters placed against the names of the sub-districts denote Public Institutions situated there: namely: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other District than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Companies which supply the different Sub-districts:—*G*. signifying Grand Junction Company; *W*. West Middlesex; *C*. Chelsea; *S*. Southwark and Vauxhall; *L*. Lambeth; *N*. New River; *E*. East London; and *K*. the Kent Company.
 See note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 30th January, 1904—continued.

REGISTRATION SUB-DISTRICTS,	Enu- me- rated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include													Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of		Deaths from													
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhoea.	Violence.				
CENTRAL DISTRICTS.																			
Giles and Bloomsbury W,2H N.	31,136	13	11	-	3	-	-	-	-	-	-	-	-	-	-	-	-	5	-
and W,4H - - - N. & C.	21,674	6	11	1	4	-	-	-	-	-	-	-	-	-	-	1	2	5	-
and Union Workhouse, Edmonton -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-
born W,6H - - - N.	29,612	13	9	1	2	-	1	-	-	-	-	-	-	-	-	1	1	3	-
th Clerkenwell - - - N.	28,676	13	5	2	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
th Clerkenwell H - - - N.	35,023	25	14	6	4	-	-	-	-	-	2	-	-	-	-	-	2	-	-
sbury 3H,L - - - N.	36,116	33	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
born Union Workhouse, } Mcham - - - - - }	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3	-
Botolph H - - - N. & E.	10,299	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sepulchre and Allhallows* } H, H - - - - - }	16,624	4	20	4	6	-	-	-	1	1	-	-	-	-	-	2	3	12	-
of London Asylum, Stone - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																			
preditch South H,L - E. & N.	16,369	5	6	1	3	-	-	-	-	-	-	-	-	-	-	-	2	3	-
ton New Town w,H - - N.	29,761	18	16	4	8	-	-	-	-	1	-	-	-	-	-	-	2	10	-
ton Old Town - - - N.	28,504	16	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ggerston W - - - N & E.	46,003	22	16	3	8	-	1	-	-	-	-	-	-	-	-	-	3	12	-
reditch Union Workhouse, Wood } reen - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
hnal Green North 2H - E.	51,514	29	13	6	2	-	-	-	-	-	-	-	-	-	-	2	5	5	-
hnal Green South - - E.	33,472	20	4	-	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-
hnal Green East 2W,H,L - E.	44,694	35	25	3	15	-	-	-	-	1	-	-	-	-	-	1	1	20	-
talfields - - - E. & N.	27,969	24	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
e End New Town W,H - E.	28,718	25	38	13	3	-	-	-	-	3	-	-	-	-	-	1	3	37	-
edman's Fields - - - E.	22,081	13	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
George and St. John 2W E.	49,068	42	22	5	2	-	1	-	-	-	-	-	-	-	2	-	3	6	-
dwel and Ratcliff W,H E. & N.	25,568	19	8	6	1	-	-	-	-	-	1	-	-	-	-	-	1	3	-
ehouse - - - E.	32,369	23	7	-	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-
e End Old Town West H - E.	59,479	44	9	3	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-
e End Old Town East } y,w - - - - - }	53,348	28	22	2	9	-	-	-	-	-	-	-	-	-	-	-	-	10	-
w L - - - E.	41,989	27	8	2	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-
smley 3w,H - - - E.	68,319	99	31	4	10	-	-	-	-	-	-	-	-	-	1	3	8	15	-
lar W,w - - - E.	68,514	41	19	6	6	-	-	-	-	1	-	-	1	-	-	-	2	2	-

On 1st November, 1903, the Sub-districts of St. Sepulchre and Allhallows Barking were united and called St. Sepulchre and Allhallows.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday 30th January, 1904—continued.

			The DEATHS registered during the Week include														
REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.		
SOUTH DISTRICTS.																	
Christchurch Southwark W,H,L.&S.	11,263	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark H - S.	12,056	8	26	3	3	-	-	-	-	-	1	-	-	-	-	1	1
Kent-road - - S. & L.	21,904	12	6	1	2	-	-	-	-	-	1	-	-	-	-	1	1
St. George the Martyr West W,H,L - - } S. & L.	39,094	23	9	-	3	-	-	-	-	1	-	-	-	-	-	1	1
Trinity Newington - S. & L.	28,504	19	20	8	3	-	1	-	-	-	4	-	-	-	-	1	-
St. Peter Walworth W- S. & L.	61,767	38	28	5	11	-	1	-	-	-	-	-	-	-	-	5	4
St. Mary Newington - L. & S.	31,592	24	9	7	1	-	-	-	-	-	2	-	-	-	-	1	-
St. Olave 2W - - - S.	9,817	4	4	2	2	-	-	-	-	-	-	-	-	-	-	2	1
Bermondsey W - - - S.	82,483	46	23	13	7	-	-	-	-	1	-	-	-	-	-	2	-
Rotherhithe W,F- - S. & K.	38,460	17	28	5	8	-	2	-	-	-	-	-	-	-	2	1	12
Waterloo-road 2H - - L. & S.	27,440	19	9	5	2	-	-	-	-	-	-	-	-	-	-	1	2
Lambeth Church 1st H L. & S.	18,423	11	16	2	1	-	-	-	-	-	-	-	-	-	-	2	12
Lambeth Church 2nd 2W L. & S.	39,818	38	23	4	4	-	-	-	-	-	1	-	-	-	-	1	13
Kennington 1st H - - S. & L.	53,198	31	11	4	5	-	-	-	-	-	-	-	-	-	-	1	1
Kennington 2nd H - - S. & L.	42,896	13	16	5	6	-	1	-	-	-	-	-	-	-	-	1	3
Brixton F - - - L. & S.	84,232	30	34	8	15	-	1	2	1	1	1	-	-	-	1	2	4
Norwood W,H - - - L.	35,888	12	10	2	4	-	-	-	-	-	1	-	-	-	-	1	-
East Battersea - - - S.	72,203	40	15	6	1	-	-	-	-	2	-	-	-	-	-	1	-
North-west Battersea - - S.	49,656	31	12	2	3	-	-	-	-	1	-	-	-	-	-	-	-
South-west Battersea W,H - S.	47,048	22	33	3	10	-	1	-	1	-	-	-	-	-	1	1	21
Clapham 2H - - - L.	51,361	42	19	3	6	-	1	-	-	-	-	-	-	-	-	1	-
Streatham W,2w,2F,2L - S.	88,131	41	31	10	14	-	-	1	2	2	-	-	-	-	1	1	8
Springfield 2W,L - - - S.	27,959	17	6	2	2	-	1	-	-	-	-	-	-	-	-	-	-
Southfields H - - - S.	40,444	32	18	3	10	-	-	-	-	-	-	-	-	-	-	-	-
Putney - - - - S.	24,139	12	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich - - - - L. & S.	10,247	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell 2W w,2L - S. & L.	90,465	40	40	3	21	-	-	-	-	-	-	-	-	-	-	2	26
Peckham 2W,w - - S., L. & K.	93,038	47	23	2	6	-	-	-	-	1	-	-	-	-	-	-	-
St. George Camberwell - L. & S.	65,589	35	19	10	5	-	1	-	-	-	-	-	-	-	-	1	-
Deptford North - - - K.	37,613	19	11	3	2	-	1	-	-	3	-	-	-	-	-	-	-
Deptford Central F - - K.	45,481	22	16	2	6	-	-	-	1	-	-	-	-	-	-	-	-
Deptford South - - - K.	34,625	15	10	2	5	-	-	-	-	1	-	-	-	-	-	-	-
Greenwich West 2H - - K.	23,456	11	14	4	3	-	-	-	-	3	-	-	-	-	3	4	1
Greenwich East 2W,H - K.	43,859	28	30	5	4	-	1	-	-	-	-	-	-	-	1	2	16
Eltham w,H - - - K.	7,226	1	3	-	1	-	-	-	-	-	-	-	-	-	-	2	-
Lee H - - - - K.	25,490	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham W w,F - - K.	58,352	36	20	2	7	-	-	1	2	1	-	-	-	-	-	1	9
Sydenham H - - - L.	43,653	27	8	1	4	-	-	-	-	-	-	-	-	-	1	-	-
Charlton F,2H - - - K.	21,134	9	8	3	1	-	-	2	1	1	-	-	-	-	-	1	3
Woolwich 4H - - - K.	41,625	32	10	1	2	-	-	-	-	1	-	-	-	-	-	1	2
Plumstead West W - - K.	18,063	7	3	1	-	-	-	-	1	-	-	-	-	-	-	1	-
Plumstead East 2W,H - K.	50,264	29	16	2	8	-	-	-	-	1	-	-	-	-	1	1	7
London County Asy.,Banstead - -	-	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	4
Horton Manor Asylum - - -	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	2
London County Asy.,Epsom - -	-	-	-	6	-	2	-	-	-	-	-	-	-	-	-	-	6
Met. Asy. for Imbeciles, Caterham -	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1
London County Asy.,Cane Hill - -	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3
M.A.B. Hospitals, Dartford - -	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2
Met. Asy. for Imbeciles, Darenth -	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	3
London County Asylum, Dartford } Heath - - -	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2
London County Asylum, Hanwell -	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2
Central London Sick Asy., Hendon -	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
London County Asy.,Colney Hatch -	-	-	-	6	-	2	-	-	-	-	-	-	-	-	-	-	6
M.A.B. North-Eastern Hospital - -	-	-	-	2	-	-	-	-	1	1	-	-	-	-	-	-	2
M.A.B. Northern Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Leavesden -	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2
London County Asylum, Claybury -	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	3

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 30th January, 1904.

The DEATHS registered in the Week include																			
REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.					
LONDON—OUTER RING	368,580	2,044,861	1,165	595	124	215	-	9	4	8	9	3	5	17	46	112	4		
1 Carshalton <i>w, F, H</i>	12,228	32,997	9	10	2	2	-	-	-	-	1	-	-	1	1	-	-		
2 Epsom, part of* <i>W, w, F, H</i>	10,423	15,548	13	5	1	3	-	-	-	-	-	-	-	-	-	4	1		
1 Godstone, part of* <i>W, F</i>	2,754	2,892	2	2	2	-	-	-	-	-	-	-	-	1	1	-	-		
1 Coulsdon	11,069	8,166	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1 South Croydon	9,012	49,309	25	17	3	7	-	-	-	1	-	-	-	-	2	-	-		
4 West Croydon <i>3W, F, H</i>		42,888	30	31	4	14	-	-	-	-	-	-	-	3	5	14	-		
4 North Croydon <i>H</i>		41,898	26	12	3	5	-	-	-	-	-	-	2	1	1	2	-		
6 Penge <i>w</i>	770	22,465	13	4	2	1	-	-	-	-	-	-	-	-	-	-	-		
6 Mitcham <i>w</i>	11,689	23,903	11	5	-	3	-	-	-	-	-	-	-	-	-	-	-		
1 Wimbledon <i>F, H</i>	3,221	41,662	16	8	1	3	-	1	-	-	1	-	-	-	-	-	-		
2 Kingston <i>W, H</i>	6,224	42,068	21	19	3	8	-	-	-	-	-	-	1	-	2	6	-		
3 Surbiton <i>F, H</i>	3,046	15,017	7	5	-	4	-	-	-	-	-	-	-	-	-	-	-		
4 Esher, part of* <i>H</i>	5,402	13,100	6	4	1	3	-	-	-	-	-	-	-	-	-	-	-		
6 Hampton <i>H, L</i>	4,564	23,456	6	5	-	4	-	-	-	-	-	-	-	-	-	-	-		
1 Richmond <i>W, H</i>	2,162	28,865	9	9	-	5	-	-	-	-	-	-	-	-	-	1	-		
2 Mortlake <i>F</i>	2,847	20,628	10	5	-	2	-	-	-	-	-	-	-	-	-	-	-		
1 Bromley <i>F, H</i>	4,703	27,354	6	5	1	2	-	-	-	1	-	-	-	1	1	1	-		
2 Beckenham <i>H</i>	7,825	28,497	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
3 Orpington, part of* <i>W</i>	10,113	9,857	3	6	-	5	-	-	-	-	-	-	-	-	-	6	-		
4 Chislehurst <i>2H</i>	7,333	16,446	6	6	1	3	-	-	-	-	-	-	-	-	-	2	-		
1 Bexley <i>F, H</i>	8,678	21,151	18	4	1	-	-	-	-	-	-	-	-	-	1	-	-		
2 Erith <i>F, H</i>	3,554	25,296	13	10	3	2	-	-	-	-	1	-	-	-	-	-	-		
3 Dartford <i>W, F, part of*</i>	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-		
1 Sunbury <i>w</i>	11,054	18,683	14	5	1	1	-	-	-	-	-	-	-	-	1	-	-		
2 Staines <i>W, H</i>	13,277	15,178	7	4	2	1	-	-	-	-	-	-	-	-	1	1	-		
3 Hillingdon <i>W, F, H</i>	6,035	13,661	6	4	-	3	-	-	-	1	-	-	-	-	-	3	-		
4 Uxbridge	12,757	8,984	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
5 Hayes <i>w, F, H</i>	8,066	16,358	6	6	2	2	-	-	-	-	-	-	-	-	-	-	-		
1 Isleworth <i>3W, F, H</i>	6,859	30,863	15	21	3	11	-	-	-	1	-	-	-	-	1	9	-		
2 Twickenham <i>F, H</i>	2,421	20,991	19	4	2	1	-	-	-	-	-	-	-	1	1	-	-		
3 Brentford <i>2F, H, L</i>	4,319	48,289	24	15	4	4	-	-	-	1	-	-	-	1	1	2	1		
4 Chiswick <i>H</i>	1,249	29,809	10	6	1	3	-	-	-	-	-	-	-	1	1	-	-		
5 Acton <i>w, H</i>	6,132	48,914	46	17	3	8	-	-	-	-	-	-	-	-	-	-	-		
1 Harrow <i>F, H</i>	13,809	25,523	17	3	2	-	-	-	-	-	-	-	-	1	1	-	-		
2 Edgware <i>F, H</i>	6,994	4,521	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
3 Willesden <i>W, F, H</i>	4,384	114,811	63	29	10	7	-	1	-	1	-	-	-	1	4	3	2		
4 Hendon <i>W, F</i>	8,382	22,460	12	8	1	5	-	-	-	-	-	-	-	-	3	-	-		
1 South Mimms <i>2F, H</i>	17,755	7,308	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-		
2 Barnet <i>W, H</i>	3,324	17,070	6	5	1	3	-	-	-	-	-	-	-	-	-	1	-		
3 Finchley <i>F, H</i>	4,688	33,692	8	13	3	2	-	-	-	-	-	-	-	-	-	-	-		
1 Hornsey <i>F, H</i>	2,875	72,056	30	10	-	5	-	-	-	-	-	-	-	-	-	-	-		
2 Wood Green <i>H</i>	1,825	34,233	11	7	-	4	-	-	-	-	-	-	-	-	-	-	-		
3 West Tottenham <i>F</i>	3,013	48,863	39	11	2	3	-	-	1	-	-	-	-	2	1	-	-		
4 East Tottenham <i>F, H</i>		53,888	25	20	1	8	-	1	-	-	-	-	-	1	4	-	-		
5 Edmonton <i>W, w, F</i>		61,892	39	21	2	6	-	2	-	-	-	-	-	4	5	-	-		
1 Enfield <i>2W, F, H</i>	12,601	42,738	31	12	4	3	-	-	-	-	-	-	-	1	1	-	-		
2 Waltham Abbey	11,017	6,549	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
3 Cheshunt <i>F, H</i>	8,479	12,292	12	6	-	3	-	-	-	-	-	-	-	-	-	-	-		
1 Hatfield, part of* <i>W</i>	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Bushey <i>H</i>	9,333	9,173	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
3 Watford <i>W, F, part of*</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1 Stratford <i>H</i>	1,072	44,827	33	12	6	2	-	1	-	-	1	-	-	2	2	1	-		
2 Plaistow <i>F, H</i>	1,249	90,921	72	18	6	5	-	1	-	-	-	1	-	3	2	-	-		
3 Canning Town <i>H</i>	1,556	70,718	46	16	4	5	-	1	-	-	-	1	-	1	-	-	-		
4 Forest Gate <i>w</i>	806	60,892	33	12	-	6	-	-	-	-	-	-	-	-	-	-	-		
1 North East Ham <i>w</i>	3,326	58,676	43	13	6	1	-	-	-	-	-	-	-	-	1	-	-		
2 South East Ham <i>3F</i>		37,342	29	12	2	1	-	1	1	3	-	-	-	-	2	-	-		
3 Wanstead <i>F</i>		9,179	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1 South Leyton <i>2W</i>	631	50,467	28	24	6	8	-	-	-	-	2	1	1	-	-	14	-		
2 North Leyton <i>W, w, F</i>	1,963	48,445	31	27	6	8	-	-	-	-	-	1	-	-	1	1	-		
3 Walthamstow <i>3H, L</i>	6,504	108,929	70	25	10	9	-	-	-	-	-	-	2	4	1	-	-		
1 Chigwell, part of* <i>2F, H</i>	11,778	16,397	10	5	-	3	-	-	1	-	-	-	-	-	-	1	-		
2 Epping <i>W, F, part of*</i>	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-		
1 Romford, part of* <i>W, F</i>	6,556	6,091	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
2 Ilford <i>F, L</i>	8,496	41,234	26	13	1	4	-	-	2	-	-	-	-	1	1	8	-		
3 Barking Town <i>F</i>	3,803	21,547	24	6	2	1	-	-	-	-	1	-	-	-	-	-	-		
1 Horton Asylum, Epsom	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-		

parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher; 41: 3, excepting Chislefield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting on Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping- cough.	Fever.
CALCUTTA (including SUBURBS)	847,796	December 12	-	512	31'4	-	3	-	1	-	148
BOMBAY -	776,008	January 5	317	728	48'8	3	2	-	-	-	181†
MADRAS -	509,346	December 18	358	407	41'5	-	1	?	?	?	120
PARIS -	2,660,559	January 23	1012	967	20'1	9	15	-	7*	7	5
BRUSSELS -	575,896	" 23	226	177	16'0	-	-	1	1*	1	1
ANTWERP -	281,376	" 23	143	78	14'4	1	3	-	1*	-	1
AMSTERDAM -	542,073	" 16	278	210	20'1	1	13	-	-	5	-
COPENHAGEN -	416,000	" 23	223	119	14'8	-	-	-	1*	3	2
STOCKHOLM -	305,115	" 16	152	110	18'8	-	-	1	2*	-	-
CHRISTIANIA -	225,709	" 23	155	64	14'8	-	-	-	-	-	-
ST. PETERSBURG	1,248,643	" 16	712	627	26'2	1	16	9	10	6	15
MOSCOW -	1,093,410	" 16	-	564	26'9	1	13	10	16	2	2
BERLIN -	1,960,909	" 9	992	657	17'2	-	6	7	9*	12	1
HAMBURG -	737,328	" 23	-	201	13'9	-	-	1	-	4	2
BRESLAU -	445,403	" 23	-	182	21'3	-	1	-	3	?	1
MUNICH -	520,000	" 23	-	168	16'8	-	2	-	1*	1	-
VIENNA -	1,779,869	" 23	862	590	17'2	-	2	1	9*	-	2
PRAGUE -	423,990	" 23	200	205	25'2	-	2	1	1*	1	1
BUDA-PESTH -	812,399	" 23	452	318	20'3	-	12	8	5*	3	-
TRIESTE -	187,249	" 23	149	102	28'3	-	3	-	2*	-	1
ROME -	491,074	November 21	222	149	15'8	-	-	-	-	1	13§
VENICE -	166,522	January 16	76	96	28'7	-	-	-	1*	3	-
CAIRO -	621,179	November 11	534	368	30'7	1	3	-	11*	?	9
ALEXANDRIA -	352,010	" 11	319	202	30'2	-	-	-	4	-	3†
NEW YORK -	3,732,903	January 16	1769	1610	21'9	-	21	21	59*	2	8
PHILADELPHIA -	1,378,624	-	-	-	-	-	-	-	-	-	-
BOSTON -	603,163	December 26 January 2	- -	193 231	16'6 19'4	- -	2 1	3 4	2* 4*	3 -	3 2

* Including deaths from croup.

† Including 13 deaths from plague in Calcutta, 125 in Bombay, and 2 in Alexandria.

‡ Including 38 deaths from cholera in Calcutta.

§ Including 4 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 30th January, 1904.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	50'9	28'8	40'7	0'92	HUDDERSFIELD -	52'8	27'0	39'8	0'0
BRIGHTON -	49'2	32'1	41'6	1'94	BRADFORD -	51'6	27'6	41'3	0'0
PORTSMOUTH -	51'0	31'5	41'7	1'92	LEEDS -	54'0	28'0	40'6	0'0
NORWICH -	54'0	27'2	39'0	0'31	HULL -	52'0	28'0	40'3	0'0
PLYMOUTH -	50'9	35'3	44'2	2'36					
BRISTOL -	52'2	27'8	41'8	1'43	EDINBURGH -	50'3	31'7	41'0	0'0
WOLVERHAMPTON	-	-	-	-	GLASGOW -	51'0	33'0	42'6	0'0
BIRMINGHAM -	50'2	25'5	39'3	1'14					
NOTTINGHAM -	51'8	24'9	39'3	0'54	DUBLIN { Phoenix Park.	52'8	29'9	41'9	0'0
LIVERPOOL { Fitz- william Square.†	52'0	28'0	40'7	0'58					
MANCHESTER -	50'8	27'8	40'3	0'57	BELFAST -	51'0	30'5	41'7	0'0
PRESTON -	-	-	-	-					

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of the return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0'3 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1904.		Phases of the Moon.	BAROMETER.		TEMPERATURE.				Difference between the Air and Dew Point Temperature.				TEMPERATURE.		Wind as deduced from Anemometers.				Rain collected in a Glass whose surface is 5 inches above the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
MONTH AND DAY.	Mean daily reading		Of the Air.		Of the Dew point		Of the Air and Dew Point Temperature.		Of Radiation.		Of the Earth's Surface.		Oiler's.		Pressure on the Square Foot.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
			Low-est.	Daily Range.	Mean daily value.	Dew point daily value.	Mean daily value.	Great-est.	Least.	Highest in Sun's Rays.	Lowest on Grass.	A.M.	P.M.	General Direction.	Great-est.	Least.	Mean of 24 hourly obs.	Horizontal distance from the Air on each Day.		Depar- ture from the average of 15 years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
JANUARY.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°</

DATE.	ELECTRICITY (Excess of symbols, see Note).	Registered Sunshine in hours.		Registered Horizontal Sunshine in hours.		GENERAL REMARKS.	
		in hours.	°	in hours.	°		
		00	86	00	87		
SUNDAY - 24	w. P. throughout.	00	86	00	87	Overcast.	
MONDAY - 25	w. P. throughout.	00	87	00	87	Generally overcast.	
TUESDAY - 26	w. P. generally.	25	87	25	87	Generally cloudless with hoar frost in morning; fine and partially cloudy afterwards. Lunar halo in evening. Brisk wind at night.	
WEDNESDAY 27	w. P. generally; occasional w. N.	00	88	00	88	Generally overcast; frequent rain: strong wind throughout.	
THURSDAY - 28	w. P. and w. N. till 9h. A.M.; loss of Register till 3h. P.M.; v. P. and w. N. till 6h. P.M.; w. P. afterwards.	00	88	00	88	Generally overcast; frequent rain till evening; gusty wind prevalent till noon.	
FRIDAY - 29	w. P. till 8h. A.M.; m. P. generally afterwards.	6.2	89	6.2	89	Very fine with small amounts of cloud till evening; cloudy with gusty wind at night; hoar frost in morning. Lunar halo in evening.	
SATURDAY - 30	v. N. generally; occasional w. P.	0.0	89	0.0	89	Generally overcast; strong gusty wind and frequent rain till evening. Lunar halo at night.	
MEANS	-	Sum 87	Sum 61.4	Sum 87	Sum 61.4		
No. of Col. -	-	28	29	28	29		

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the bar is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1860, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1876.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: - P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30.26 in. at the beginning of the week to 29.52 in. by 2h. P.M. on the 28th; increased to 29.85 in. by 10h. A.M. on the 29th; and decreased to 29.30 in. by midnight on the 30th.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 23rd January, 1904.*

BOROUGHES.	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	
WEST.											
Paddington - - - -	146,975	-	12	3	-	-	-	-	1	-	
Kensington - - - -	179,236	-	4	5	-	1	-	-	2	-	
Hammersmith - - - -	117,412	-	3	2	-	2	-	-	1	-	
Fulham - - - -	152,482	-	6	3	-	-	-	-	1	-	
Chelsea - - - -	74,329	-	1	3	-	-	-	-	-	-	
City of Westminster - - -	177,321	-	2	3	-	-	-	-	3	-	
NORTH.											
St. Marylebone - - - -	130,337	-	5	1	-	-	-	-	1	-	
Hampstead - - - -	86,663	-	-	1	-	-	-	-	3	-	
St. Pancras - - - -	235,936	-	11	7	-	1	-	-	6	-	
Islington - - - -	341,044	-	19	14	-	-	-	-	5	1	
Stoke Newington - - - -	52,445	-	3	-	-	-	-	-	1	-	
Hackney - - - -	226,266	1	6	8	-	5	-	-	5	1	
CENTRAL.											
Holborn - - - -	57,161	-	-	-	-	-	-	-	1	-	
Finsbury - - - -	98,958	-	7	4	-	3	-	-	1	-	
City of London - - - -	23,482	-	3	-	-	-	-	-	-	-	
EAST.											
Shoreditch - - - -	117,033	-	3	1	-	-	-	-	3	-	
Bethnal Green - - - -	130,267	2	3	8	-	-	-	-	6	-	
Stepney - - - -	303,791	1	21	11	-	5	-	-	8	1	
Poplar - - - -	169,905	-	9	8	-	3	-	-	3	1	
SOUTH.											
Southwark - - - -	207,937	-	3	8	-	4	-	-	3	-	
Bermondsey - - - -	129,397	-	7	-	-	2	-	-	4	-	
Lambeth - - - -	310,359	1	10	6	-	4	-	-	5	-	
Battersea - - - -	175,466	-	5	5	-	1	-	-	3	-	
Wandsworth - - - -	257,586	-	11	5	-	1	-	-	1	1	
Camberwell - - - -	268,384	-	6	5	-	-	-	-	8	1	
Deptford - - - -	113,509	-	4	3	-	-	-	-	-	-	
Greenwich - - - -	101,651	-	1	3	-	-	-	-	-	-	
Lewisham - - - -	140,401	-	6	3	-	-	-	-	-	1	
Woolwich - - - -	123,418	-	19	1	-	-	-	-	-	-	
Port of London - - - -	-	-	-	-	-	-	-	-	-	-	
ADMINISTRATIVE COUNTY OF LONDON. }		4,649,088	5	190	123	-	32	-	-	76	7
Ages 0-1 - - - -		-	1	4	4	-	-	-	-	1	-
" 1-5 - - - -		-	1	55	44	-	1	-	-	3	-
" 5- - - - -		-	1	82	47	-	7	-	-	2	-
" 10- - - - -		-	-	22	10	-	4	-	-	2	-
" 15- - - - -		-	-	9	8	-	4	-	-	2	-
" 20- - - - -		-	1	10	5	-	5	-	-	4	-
" 25- - - - -		-	1	6	3	-	7	-	-	12	4
" 35- - - - -		-	-	2	1	-	3	-	-	14	3
" 45- - - - -		-	-	-	1	-	1	-	-	20	-
" 55- - - - -		-	-	-	-	-	-	-	-	10	-
" 65 and upwards - - - -		-	-	-	-	-	-	-	-	6	-
Age not stated - - - -		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1904.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 5. 1904. VOL. LXV.] WEEK ENDED SATURDAY, FEB. 6. [Price 1½d.

General Register Office, Somerset House,
February 8th, 1904.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 17·2 per 1000 of their aggregate population, which is estimated† at 15,271,425 persons in the middle of this year. In the preceding three weeks the rates had been 19·0, 18·1, and 19·4. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 20·1 in Rochdale, 20·4 in Hanley, 20·6 in Newcastle on Tyne, 21·0 in Grimsby, 21·2 in Swansea, 21·8 in Wolverhampton and in Burnley, 22·2 in Rhondda, 22·6 in Newport (Mon.), 22·9 in Merthyr Tydfil, 23·1 in Liverpool, 24·1 in Bury, and 26·6 in Wigan; from *measles*, 1·2 in Willesden, 1·5 in Cardiff, and 2·7 in Preston and in Rotherham; from *scarlet fever*, 1·1 in Oldham, 1·4 in Merthyr Tydfil, and 1·5 in Warrington; and from *whooping-cough*, 2·1 in Bolton, 2·3 in Warrington, 2·4 in Rochdale, 2·5 in Bootle, 3·0 in West Hartlepool, 3·8 in Swansea, and 4·0 in Gateshead. One death from *small-pox* was registered in Newcastle on Tyne, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2748 BIRTHS and 1554 DEATHS were registered. Allowing for increase of population, the births were 76 above, and the deaths 149 below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 18·8, 17·4, and 19·5 in the preceding three weeks, fell again last week to 17·4. During the four weeks ended on Saturday last the death-rate averaged 18·3 per 1000, being 1·8 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, and in certain local Small-pox Hospitals, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the recent Census, and on the increase in the last intercensal period.

The 1554 deaths included 31 from measles, 3 from scarlet fever, 13 from diphtheria, 45 from whooping-cough, 4 from enteric fever, and 20 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 116 deaths were referred to these diseases in the aggregate, being 57 below the corrected average weekly number.

The deaths from *measles*, which had been 49, 46, and 38 in the preceding three weeks, further fell last week to 31, and were 2 below the corrected average. The deaths from *scarlet fever*, which had been 10, 10, and 9 in the preceding three weeks, fell last week to 3, and were 1 below the corrected average. The deaths from *diphtheria*, which had been 11, 10, and 25 in the preceding three weeks, fell again last week to 13, and were 29 below the corrected average; 3 cases belonged to the Borough of Fulham. The deaths from *whooping-cough*, which had been 37, 29, and 43 in the preceding three weeks, further rose last week to 45, but were 9 below the corrected average; 5 cases belonged to Poplar, 5 to Southwark, 4 to Bermondsey, 4 to Camberwell, and 4 to Battersea. The fatal cases of *enteric fever*, which had been 8, 5, and 3 in the preceding three weeks, were 4 last week, the corrected average being 12. The deaths from *diarrhoea*, which had been 19, 25, and 17 in the preceding three weeks, rose again last week to 20, and were 5 above the corrected average. Of the 20 deaths from diarrhoea, 12 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 4 more deaths at this age. The deaths attributed directly to *influenza* numbered 14, having been 21, 17, and 12 in the preceding three weeks.

Different forms of *violence* caused 59 deaths, concerning all of which inquests were held. Of these 59 deaths, 14 were cases of suicide and 1 of homicide, while the remaining 44 were attributed to accident or negligence. Four of these latter were referred to vehicles in the streets, 6 to burns and scalds, and 10 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 25 cases of small-pox, 1657 of scarlet fever, 782 of diphtheria, and 161 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 8 cases, against 4, 3, and 4; of scarlet fever, 169 cases, against 195, 180, and 168; of diphtheria, 110 cases, against 94, 99, and 112; and of enteric fever, 20 cases, against 16, 16, and 12. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended January 30th, 1904.

GREATER LONDON.

In Greater London 4147 births and 2082 deaths were registered. Allowing for increase of population, these numbers are 252 above and 230 below the respective averages in the corresponding weeks of the last ten years. In that portion of the Outer Ring which is outside the great towns, 2 deaths from measles, 1 from diphtheria, and 8 from whooping-cough were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.18 inches, and that of the Thermometer 40.6, the latter being 0.9 above the week's average in the 50 years 1841-90. The general direction of the wind was Southerly, the horizontal movement of the air being 1 per cent below the week's average in the 16 years 1841-75. The duration of registered bright sunshine in the week was 15.0 hours; the measured rainfall amounted to 1.15 inches.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	Colo.	DEATH-RATES from all Causes.					Rate from 18 years and upwards in Colo. 11-17.		Registered during the week ended 6th Feb., 1904.		Deaths from										Deaths in Public Institutions.		Unidentified Causes of Death.		TOWNS.
		Week ended					11-17.		11-17.		Deaths from										Deaths in Public Institutions.		Unidentified Causes of Death.		
		16th Jan., 1904.	23rd Jan., 1904.	30th Jan., 1904.	6th Feb., 1904.	Week ended 11-17.	Births.	Deaths.	Infants under 1 year of age.	Persons aged 10 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unidentified Causes of Death.				
76 TOWNS		19'0	18'1	19'4	17'2	1'4	8990	5049	1196	1490	1	80	39	48	173	17	54	164	345	1170	63	21.	Colo.		
LONDON -	-	18'8	17'4	19'5	17'4	1'3	2748	1554	349	495	-	31	3	13	45	4	20	59	127	540	2	63	76 TOWNS.		
(CROYDON -	-	18'0	15'2	20'2	17'0	-	110	47	14	24	-	-	-	-	-	-	-	3	5	10	-	2	LONDON.		
WILLESDEN -	-	14'9	14'2	11'4	11'8	2'0	103	30	6	8	-	3	1	1	-	-	-	1	3	4	-	-	(CROYDON.		
HORNSEY -	-	9'6	7'1	6'4	6'4	0'5	38	10	1	7	-	-	-	-	-	-	-	1	1	2	-	-	WILLESDEN.		
TOTTENHAM -	-	13'8	13'8	14'3	7'4	0'5	68	16	4	5	-	1	-	-	-	-	-	-	1	4	-	-	HORNSEY.		
WEST HAM -	-	18'9	22'6	14'5	16'5	2'7	172	91	24	17	-	5	-	1	8	1	-	5	8	20	-	4	TOTTENHAM.		
EAST HAM -	-	13'8	10'3	12'9	10'7	1'3	59	24	8	2	-	-	-	2	1	-	-	-	1	3	-	1	WEST HAM.		
LEYTON -	-	10'8	11'8	12'2	10'8	0'5	66	23	8	2	-	-	-	-	1	-	-	-	2	6	-	1	EAST HAM.		
(WALTHAMSTOW -	-	10'3	12'2	12'7	7'5	0'9	65	16	5	4	-	-	1	-	-	-	1	1	1	2	-	-	LEYTON.		
HASTINGS -	-	21'2	11'8	8'6	14'9	-	23	19	2	9	-	-	-	-	-	-	-	-	1	6	-	-	(WALTHAMSTOW.		
BRIGHTON -	-	15'3	17'3	21'1	17'8	2'1	51	43	2	20	-	-	-	2	3	-	-	1	3	8	-	-	HASTINGS.		
PORTSMOUTH -	-	18'2	18'2	18'7	16'6	1'3	109	63	16	18	-	-	-	-	3	-	1	2	2	15	-	1	BRIGHTON.		
BOURNEMOUTH -	-	17'7	11'3	14'5	16'1	-	26	20	3	8	-	-	-	-	-	-	-	-	1	1	-	-	PORTSMOUTH.		
SOUTHAMPTON -	-	20'4	14'8	14'4	15'8	1'4	58	34	4	13	-	-	-	1	1	-	1	-	1	7	-	-	BOURNEMOUTH.		
READING -	-	13'7	17'1	16'4	15'7	-	30	23	1	11	-	-	-	-	-	-	-	1	4	7	-	1	SOUTHAMPTON.		
NORTHAMPTON -	-	14'9	16'6	12'0	16'0	0'6	40	28	5	13	-	-	-	-	-	-	1	1	2	7	-	2	READING.		
IPSWICH -	-	15'7	13'4	18'7	12'0	-	41	16	5	6	-	-	-	-	-	-	-	-	3	1	-	1	NORTHAMPTON.		
GREAT YARMOUTH -	-	20'0	25'0	27'0	19'0	2'0	24	19	1	7	-	-	-	1	-	-	1	2	-	1	-	-	IPSWICH.		
NORWICH -	-	18'5	18'5	19'0	15'3	0'9	75	34	7	12	-	-	-	-	-	-	2	-	1	5	-	-	GREAT YARMOUTH.		
PLYMOUTH -	-	22'9	17'8	18'8	16'5	-	43	36	16	11	-	-	-	-	-	-	-	-	1	4	-	-	NORWICH.		
DEVONPORT -	-	11'1	14'5	17'3	15'9	2'8	52	23	7	7	-	-	1	1	2	-	-	1	4	1	-	-	PLYMOUTH.		
BRISTOL -	-	16'6	19'3	16'6	14'4	0'9	182	95	14	38	-	-	-	3	-	1	1	2	6	24	-	-	DEVONPORT.		
HANLEY -	-	13'0	21'2	18'8	20'4	1'6	49	25	7	7	-	-	-	1	-	-	1	1	2	4	-	-	BRISTOL.		
BURTON-ON-TRENT -	-	17'1	19'1	19'1	18'1	-	23	18	-	-	-	-	-	-	-	-	-	-	2	4	-	-	HANLEY.		
WOLVERHAMPTON -	-	19'1	13'8	15'4	21'8	1'6	63	41	9	12	-	-	-	1	-	-	-	-	3	7	-	-	BURTON-ON-TRENT.		
WALSALL -	-	18'8	15'4	24'0	13'1	2'3	51	23	8	6	-	-	-	-	1	-	2	1	1	3	-	-	WOLVERHAMPTON.		
HANDSWORTH -	-	12'2	12'2	21'0	17'5	3'5	17	20	6	9	-	-	-	-	-	-	1	-	1	1	-	-	WALSALL.		
WEST BROMWICH -	-	21'7	22'5	16'3	18'6	1'6	42	24	8	6	-	-	-	1	2	-	2	-	-	2	-	1	HANDSWORTH.		

† These towns are included within the area of Greater London.

* See note † on first page of this return.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON AND FOUR SCOTTISH OR IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES during the Week ended Saturday, 6th February, 1904, and DEATH-RATES during the preceding three weeks.

TOWNS.	POPULATION estimated in the middle of the Year 1904.*	DEATH-RATES from all Causes.					Rate from Diseases in Cols. 11-17.		Registered during the Week ended 6th Feb., 1904.		The DEATHS registered in the Week include										TOWNS.	
		Week ended					Week ended 6th Feb. 1904.		Deaths of Persons aged 60 Years and upwards.	Deaths from	Deaths in Public Institutions.								Unsettled Causes of Death.			
		6th Jan., 1904.					Deaths of Infants under 1 Year of Age.	Small-pox.			Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.					
		16th Jan., 1904.	23rd Jan., 1904.	30th Jan., 1904.	6th Feb., 1904.	Deaths.																
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM -	537,965	21.7	18.4	22.3	16.1	1.6	345	166	41	40	-	2	2	4	6	-	2	3	6	33	-	3
KINGS NORTON -	66,667	12.5	2.3	9.4	11.0	0.8	38	14	3	8	-	-	-	1	-	-	-	-	-	-	-	-
SMETHWICK -	60,691	12.9	12.9	20.6	6.0	-	25	7	2	-	-	-	-	-	-	-	1	1	1	-	-	-
ASTON MANOR -	80,363	13.6	13.0	15.6	17.5	1.9	46	27	10	2	-	1	-	-	1	1	-	1	3	2	-	-
COVENTRY -	73,904	8.5	13.4	22.6	12.7	-	43	18	8	4	-	-	-	-	-	-	-	2	3	2	-	-
LEICESTER -	224,186	15.1	12.6	16.3	13.7	1.2	126	59	18	15	-	-	-	-	2	-	3	4	6	12	-	-
GRIMSBY -	66,958	17.9	14.0	19.5	21.0	0.8	45	27	7	5	-	-	-	1	-	-	2	2	4	7	-	-
NOTTINGHAM -	248,811	17.8	21.4	17.6	19.7	1.3	134	94	23	34	-	-	1	-	5	-	-	2	5	13	1	-
DERBY -	120,449	12.6	17.3	16.5	15.6	-	71	36	11	9	-	-	-	-	-	-	-	-	-	2	-	-
STOCKPORT -	97,008	16.1	21.5	22.6	17.7	1.1	54	33	6	10	-	-	1	-	1	-	-	-	1	9	-	-
BIRKENHEAD -	114,814	18.2	18.2	20.4	18.2	1.4	63	40	10	7	-	-	1	-	2	-	3	-	6	10	-	-
WALLASEY -	60,354	16.4	14.7	10.4	13.0	1.7	27	15	7	4	-	-	-	-	-	1	-	-	1	2	-	-
LIVERPOOL -	723,430	23.1	22.8	21.5	23.1	1.7	480	321	89	87	-	2	2	2	16	1	1	14	17	94	13	-
BOOTLE -	61,755	16.9	17.7	19.4	19.4	2.5	34	23	7	2	-	-	-	-	3	-	-	-	-	5	-	-
ST. HELENS -	88,545	18.3	19.4	20.0	14.7	1.2	66	25	7	8	-	-	-	-	1	-	1	-	-	2	3	-
WIGAN -	62,800	38.2	23.2	21.6	26.6	1.7	58	32	10	10	-	-	-	-	1	1	-	-	2	4	1	-
WARRINGTON -	67,331	28.7	17.8	23.2	18.6	4.6	48	24	5	7	-	1	2	-	3	-	-	-	-	1	-	-
BOLTON -	175,744	21.1	21.7	19.3	19.9	2.4	90	67	15	15	-	-	-	1	7	-	1	-	2	8	-	-
BURY -	58,450	18.7	15.2	32.1	24.1	4.5	27	27	4	11	-	1	1	-	2	1	-	1	2	2	1	-
MANCHESTER† -	557,998	18.9	20.6	25.4	19.4	0.8	370	208	47	60	-	3	1	-	2	1	2	2	9	58	4	-
SALFORD -	228,983	20.7	20.7	22.3	16.6	0.9	145	73	20	16	-	-	-	1	1	1	1	1	4	16	-	-
OLDHAM -	139,497	22.8	18.3	21.7	17.6	2.2	75	47	6	14	-	-	3	-	-	-	-	-	2	3	-	-
ROCHDALE -	85,601	25.6	20.7	17.1	20.1	2.4	36	33	6	11	-	-	-	-	4	-	-	-	2	4	1	-
BURNLEY -	100,569	23.3	19.7	17.1	21.8	2.1	55	42	13	9	-	-	-	-	2	-	-	-	-	2	2	-
BLACKBURN -	132,134	21.7	20.5	20.9	18.2	1.2	57	46	7	13	-	-	-	-	-	-	1	2	3	7	1	-
PRESTON -	115,055	29.0	29.5	25.8	19.0	3.2	67	42	12	10	-	-	-	-	-	-	-	-	1	4	2	-
BARROW-IN-F.	59,054	19.2	8.7	14.0	10.5	0.9	34	12	3	-	-	-	-	-	1	-	-	1	1	-	1	-

TOWNS.	POPULATION estimated to the middle of the year 1904.*	Causes.				Diseases in Colic. 11-17.		Registered during the week ended 6th Feb., 1904.		Deaths of Persons aged 60 Years and upwards.		Deaths from								Deaths in Public Institutions.		Unclassified Causes of Death.		TOWNS.
		Week ended				11-17.		6th Feb., 1904.		Infectious diseases.		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes of Death.		
		16th Jan., 1904.	23rd Jan., 1904.	30th Jan., 1904.	6th Feb., 1904.	6th Feb., 1904.	11-17.	6th Feb., 1904.	11-17.	Persons aged 60 Years and upwards.	Infectious diseases.													
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.		
HUDDESFIELD -	94,925	15'9	16'5	19'8	19'2	0'5	52	35	7	7	-	-	-	1	-	-	-	2	3	3	1	HUDDESFIELD.		
HALIFAX -	107,580	19'9	14'1	16'5	17'9	-	38	37	5	13	-	-	-	-	-	-	-	3	5	6	-	HALIFAX.		
BRADFORD -	285,089	20'7	17'0	21'2	14'6	1'1	130	80	11	25	-	1	1	3	-	1	-	4	11	18	-	BRADFORD.		
LEEDS -	450,142	21'4	20'3	20'5	19'5	3'0	254	168	47	52	-	6	4	-	12	-	4	2	16	32	-	LEEDS.		
SHEFFIELD -	432,940	20'1	17'8	18'8	17'3	1'3	278	144	31	44	-	2	3	-	4	1	1	4	7	30	10	SHEFFIELD.		
ROTHERHAM -	58,498	17'8	13'4	16'9	16'9	2'7	38	19	4	6	-	3	-	-	-	-	-	-	4	-	-	ROTHERHAM.		
YORK -	81,268	15'4	20'5	18'6	12'2	-	46	19	8	3	-	-	-	-	-	-	-	-	2	1	-	YORK.		
HULL -	253,865	15'2	17'3	20'5	14'6	0'4	159	71	17	17	-	-	1	-	1	-	3	5	13	1	-	HULL.		
MIDDLESBROUGH -	96,684	17'8	21'0	17'8	16'2	0'5	57	30	7	9	-	-	-	1	-	-	2	2	5	-	-	MIDDLESBROUGH.		
STOCKTON-ON-TEES -	52,192	20'0	24'0	16'0	17'0	-	27	17	4	7	-	-	-	-	-	-	-	2	2	-	-	STOCKTON-ON-TEES.		
WEST HARTLEPOOL -	69,251	30'1	17'3	18'8	13'6	3'0	33	18	6	3	-	-	-	-	4	-	-	-	3	-	-	WEST HARTLEPOOL.		
SUNDERLAND -	151,157	21'4	19'3	17'9	19'0	1'0	101	55	14	13	-	1	2	-	-	-	-	3	3	12	3	SUNDERLAND.		
SOUTH SHIELDS -	107,334	18'5	17'5	22'8	12'6	0'5	68	26	8	4	-	-	-	-	1	-	2	2	2	3	1	SOUTH SHIELDS.		
GATESHEAD -	118,067	24'7	19'4	17'7	16'8	4'0	70	38	15	9	-	-	-	-	9	-	-	1	1	-	2	GATESHEAD.		
NEWCASTLE-ON-TYNE -	225,362	17'8	20'4	22'4	20'6	1'4	141	89	20	24	1	-	2	1	2	-	-	4	8	18	-	NEWCASTLE-ON-TYNE.		
TYNEMOUTH -	53,060	27'5	23'6	17'7	18'7	-	30	19	-	11	-	-	-	-	-	-	-	1	1	3	1	TYNEMOUTH.		
NEWPORT (MON.) -	71,543	17'5	17'5	16'8	22'6	1'5	48	31	13	3	-	-	-	-	2	-	-	3	5	2	-	NEWPORT (MON.).		
CARDIFF -	176,313	18'0	18'3	19'5	16'9	2'1	100	57	23	15	-	5	-	1	1	-	-	1	4	5	1	CARDIFF.		
RHONDDA -	122,310	22'2	20'5	19'2	22'2	1'3	114	52	18	10	-	-	-	1	-	1	1	2	2	4	-	RHONDDA.		
MERTHYR TYDFIL -	72,745	33'0	39'4	38'0	22'9	5'0	55	32	11	7	-	-	2	2	2	-	1	-	5	-	-	MERTHYR TYDFIL.		
SWANSEA -	95,931	16'8	22'3	25'0	21'2	3'8	54	39	10	14	-	-	-	-	7	-	-	2	1	1	1	SWANSEA.		
GREATER LONDON -	6,907,619	17'5	16'2	17'6	15'7	1'2	4147	2082	486	665	-	42	5	18	63	5	21	77	172	630	4	GREATER LONDON.		
OUTER RING -	2,258,531	14'9	13'7	13'7	12'2	0'9	1399	528	137	170	-	11	2	5	18	1	1	18	45	90	2	OUTER RING.		
8 TOWNS IN OUTER RING	1,098,639	14'5	15'1	13'7	12'2	1'3	681	257	70	89	-	9	2	4	10	1	1	11	21	51	2	8 TOWNS IN OUTER RING.		
REMAINDER OF OUTER RING	1,159,892	15'3	12'4	13'8	12'2	0'5	718	271	67	101	-	2	-	1	8	-	-	7	24	39	-	REMAINDER OF OUTER RING.		
EDINBURGH -	331,977	16'8	17'4	16'8	16'0	0'6	137	102	16	27	-	-	-	-	1	-	3	7	?	26	6	EDINBURGH.		
GLASGOW -	798,357	20'2	20'6	17'8	17'4	1'2	443	267	52	73	2	6	2	3	2	-	3	6	?	53	7	GLASGOW.		
DUBLIN† -	376,994	28'8	26'0	25'6	30'5	1'7	255	222	42	73	-	-	-	1	9	1	1	7	8	77	13	DUBLIN†.		
BELFAST† -	358,680	28'9	20'4	21'7	21'8	2'2	190	150	39	24	-	-	-	1	11	3	-	1	4	29	?	BELFAST†.		

† See note † on first page of this return.

‡ Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

* See note f on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the FIFTH Week of each of the Eleven Years, 1894-1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894-1903.*	1904
TOTAL Births -	2708	2587	2461	2582	2603	2696	2498	2410	2448	2765	2671.7	2748
Males -	1365	1336	1282	1279	1306	1342	1263	1254	1203	1422	1351.7	1390
Females -	1343	1251	1199	1303	1297	1354	1235	1156	1245	1343	1320.0	1358
TOTAL Deaths -	1620	1598	1516	1764	1801	1690	1722	1438	1652	1558	1703.0	1554
Males -	821	828	759	884	939	875	854	709	806	797	858.2	792
Females -	799	770	757	880	922	815	866	729	846	761	844.8	762

* The numbers in this column are the average weekly numbers in the fifth week of the ten years 1894-1903, raised by 3.723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Nov. 14.	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	1904. Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	13 Weeks
TOTAL Births -	2466	2331	2342	2460	2448	2544	1802	2828	2862	2589	2515	2434	2748	32369
TOTAL Deaths -	1476	1473	1536	1578	1669	1486	1204	1866	1731	1677	1549	1734	1554	20533
Under 1 year -	368	357	406	401	379	347	262	408	384	357	313	333	349	4694
1-5 years -	155	189	157	165	162	156	128	209	176	160	150	189	164	2160
5-20 " -	66	62	74	71	75	61	60	82	84	82	77	82	68	942
20-40 " -	187	185	171	166	190	176	140	235	194	208	194	211	181	2438
40-60 " -	299	292	288	317	375	312	260	380	323	349	332	355	297	4179
60 yrs. & upwds.	371	388	440	458	490	434	354	552	570	521	483	564	495	6120
Deaths from—														
Small-pox† -	1	-	1	-	-	-	1	-	-	-	-	-	-	5
Measles -	31	36	37	24	31	41	40	59	58	49	46	38	31	521
Scarlet Fever -	7	4	6	9	-	5	7	9	10	10	10	9	3	89
Diphtheria -	11	20	9	10	16	15	9	27	14	11	10	25	13	190
Whooping-cough -	8	13	17	20	24	22	21	35	28	37	29	43	45	342
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	17	12	14	15	15	8	9	10	5	8	5	3	4	125
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Diarrhoea, Dysentery	60	29	31	27	23	22	15	27	16	19	25	17	20	331
All above Diseases -	135	114	115	105	109	113	102	167	131	135	125	135	116	1602
Dis. of Resp. System	182	185	200	193	234	186	139	228	248	217	208	258	190	2648
Pneumonia -	157	160	199	165	183	163	132	176	185	189	145	171	157	2177
Phthisis -	152	146	140	178	167	142	142	183	150	180	180	178	160	2098
Dis. of Circ. System	181	186	195	188	240	185	150	238	237	195	181	222	199	2597
Violence -	64	71	53	48	65	60	49	77	73	65	50	57	59	791
Inquest Cases -	154	165	169	133	178	150	127	195	203	177	144	158	127	2080
Deaths in Institutions	496	467	490	539	554	524	424	644	549	613	545	605	540	6990
TEMPERATURE OF THE AIR.														
Mean -	48.4	41.1	45.3	35.2	41.5	42.0	40.2	32.6	39.8	42.1	35.7	40.9	40.6	40.1
Mean of Highest -	53.3	46.4	49.4	39.5	45.3	45.1	42.9	35.7	43.9	46.4	41.2	44.3	45.7	44.5
Mean of Lowest -	42.4	34.7	40.1	30.3	35.6	38.1	37.1	28.8	34.3	36.6	29.1	37.1	35.6	35.4
Mean Humidity of the Air.	88	84	82	83	86	88	89	78	91	82	92	86	87	86
Rain-fall (in inches) -	0.26	0.07	1.18	0.28	1.12	0.02	0.00	0.09	0.29	0.69	0.18	0.92	1.15	6.25
Registered Sunshine (in hours).	4.8	8.6	6.1	2.5	1.6	9.3	0.3	8.7	2.9	9.2	4.3	8.7	15.0	82.0
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox -	51	47	40	35	32	26	27	26	26	23	24	21	25	31
Scarlet Fever -	1824	1832	1770	1715	1717	1655	1617	1632	1659	1660	1679	1651	1657	1686
Diphtheria -	790	808	765	754	756	733	770	739	732	749	758	760	782	761
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	276	263	283	285	273	266	259	246	235	191	184	166	161	238

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; and H. B. Witty, Esq., Hull.

TABLE 4. LONDON.—DEATHS Registered in the FIFTH Week of the Year 1904.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 5th week of the year 1903.	1904—Deaths of Persons of the Ages								CAUSES OF DEATH.	Deaths in the 5th week of the year 1904.	1904—Deaths of Persons of the Ages								
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.	ALL AGES.			Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.						
CAUSES	1558	1554	349	164	68	181	297	495												
									Meningitis (not tuberc.)	23	16	12	3	-	1	-	-	-	-	
									Insanity, Gen. Par. of	20	41	-	-	-	10	10	2	-	-	
									Insane -											
									Epilepsy -	6	5	-	-	-	3	-	-	2	-	
									Convulsions -	22	22	21	1	-	-	-	-	-	-	
									Locomotor Ataxy -	1	3	-	-	-	-	2	1	-	-	
									Paraplegia, Dis. of Cord	5	7	-	-	-	3	3	1	-	-	
									Nervous Sys. (other dis.)	36	31	1	2	2	1	6	19	-	-	
									Valv. Dis., Endocarditis-	33	46	-	-	4	5	10	27	-	-	
									Cerebr. Hæm. Thromb.-	30	35	-	-	-	1	11	23	-	-	
									Apoplexy, Hemiplegia -	14	20	-	-	-	-	5	15	-	-	
									Aneurysm -	6	2	-	-	-	1	1	-	-	-	
									Embolism, Thrombosis }	1	1	-	-	-	-	1	-	-	-	
									(not cerebral)											
									Heart & Blood Vessel Dis.	105	95	1	1	8	6	31	48	-	-	
									Croup (not Spasm nor	3	1	-	1	-	-	-	-	-	-	
									Memb.) -											
									Bronchitis -	167	163	45	6	-	4	21	87	-	-	
									Asthma, Emphysema -	11	5	-	-	-	-	2	3	-	-	
									Pleurisy -	6	7	-	-	-	1	2	4	-	-	
									Respiratory Dis. (other)	12	14	2	2	1	1	2	6	-	-	
									Tonsillitis, Quinsy -	-	1	-	1	-	-	-	-	-	-	
									Enteritis (not Epid.) -	11	11	4	1	-	2	3	1	-	-	
									Gastro-Enteritis -	6	6	2	2	-	-	1	1	-	-	
									Peritonitis (not Puerp.) -	5	1	-	-	1	-	-	-	-	-	
									Cirrhosis of Liver -	13	10	-	-	-	-	8	2	-	-	
									Liver Dis. (other) -	5	3	-	-	-	-	2	1	-	-	
									Digestive Dis., Other -	41	38	9	1	5	7	8	8	-	-	
									Nephritis, Acute -	9	8	1	-	-	3	2	2	-	-	
									Bright's Dis., Albumin-	29	30	-	-	1	4	14	11	-	-	
									uria -											
									Urinary Sys., Other Dis.	7	8	-	-	-	1	1	6	-	-	
									Generative Organs Dis.-	1	6	-	-	-	2	3	1	-	-	
									Childbirth (Accid. of) -	3	4	-	-	-	2	2	-	-	-	
									Old Age -	42	61	-	-	-	-	-	61	-	-	
									Other Diseases -	113	106	76	12	4	5	2	7	-	-	
									ACCIDENT.											
									By Railways -	2	1	-	-	-	1	-	-	-	-	
									By Vehicles and Horses-	4	4	-	-	-	1	-	3	-	-	
									In Ships, Boats, Docks,	-	-	-	-	-	-	-	-	-	-	
									(exclusive of Drown-											
									ing) -											
									In Building Operations -	2	-	-	-	-	-	-	-	-	-	
									In Conflagrations -	-	-	-	-	-	-	-	-	-	-	
									By Burns, Scalds, Ex-	8	6	-	4	1	-	-	1	-	-	
									plosions -											
									By Drowning -	6	4	-	-	-	3	1	-	-	-	
									By Suffocation in Bed -	13	10	10	-	-	-	-	-	-	-	
									By Poisons or Poisonous	1	3	-	-	-	3	-	-	-	-	
									Vapours -											
									Other Deaths by Acci-	18	16	3	-	1	3	1	8	-	-	
									dent -											
									VIOLENCE OTHER THAN											
									ACCIDENTAL.											
									Homicide -	3	1	1	-	-	-	-	-	-	-	
									Suicide -	5	14	-	-	-	-	4	6	-	4	
									Execution -	2	-	-	-	-	-	-	-	-	-	

In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 6th February, 1904.

REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include																Deaths under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmic (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.
					Deaths from																													
LONDON - - -			4,536,541	2748	1554	349	495	-	31	3	13	45	-	4	-	20	59	127	510															
WEST DISTRICTS - - -			805,311	402	244	48	73	-	9	1	5	2	-	2	-	3	6	19	89															
NORTH DISTRICTS - - -			1,056,070	566	322	73	110	-	7	1	3	6	-	-	-	11	23	99																
CENTRAL DISTRICTS - - -			209,465	127	76	18	16	-	1	-	-	-	-	-	-	5	10	40																
EAST DISTRICTS - - -			715,739	536	297	70	89	-	4	-	2	10	-	-	2	15	38	111																
SOUTH DISTRICTS - - -			1,749,956	117	572	142	188	-	10	1	2	27	-	2	8	22	37	158																
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*			-	-	43	-	19	-	-	-	1	-	-	-	5	-	-	43																
WEST DISTRICTS.																																		
St. Mary Paddington } G. & W.			93,178	53	29	8	5	-	-	-	1	-	-	-	-	-	-	10																
W ² H } - - G.			33,617	9	14	1	4	-	-	-	-	-	-	-	-	-	-	5																
St. John Paddington H - - G.			17,181	6	3	1	-	-	1	-	-	-	-	-	-	-	2	-																
North-West Paddington - - C.																																		
Kensington Town 2W, w ² H G. & W. & C.			128,037	80	41	5	18	-	3	-	-	-	-	-	2	1	4	17																
Brompton 2H - - W. & C.			48,591	11	3	-	2	-	-	-	-	-	-	-	1	1	1	-																
North Hammersmith W, w ² H } W. & G.			49,192	27	12	1	7	-	1	-	-	-	-	-	-	-	1	-																
South Hammersmith w ² H } - - G.			63,047	31	12	1	7	-	-	-	-	-	-	-	-	-	2	3																
North-west Fulham W } W. & C.			45,180	41	27	8	5	-	-	-	-	-	-	1	-	2	2	12																
North-east Fulham F } - - G.			46,405	24	14	3	2	-	1	3	-	-	-	-	-	1	4	-																
South Fulham W } - - C.			45,704	34	8	4	1	-	-	1	-	-	-	-	-	-	-	-																
Chelsea North W, w ² H - - C.			42,514	8	24	2	9	-	3	-	-	2	-	-	-	-	-	14																
Chelsea South 2H - - C.			31,328	14	14	3	6	-	-	-	-	-	-	-	-	-	1	3																
May Fair and Knightsbridge } C. & G.			28,743	6	3	1	-	-	-	-	-	-	-	-	1	-	-	-																
H } - - C.																																		
Belgrave W ² H - - C.			55,815	27	23	6	3	-	1	-	-	-	-	-	-	2	4	13																
St. Margaret & St. John 4H - C.			43,698	23	14	4	4	-	-	-	-	-	-	1	-	1	1	6																
St. James Westminster } N. & G.			21,588	6	3	-	-	-	-	-	-	-	-	-	-	-	-	1																
W ² H } - - N.			11,493	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-																
St. Anne Soho 5H - - N.																																		
NORTH DISTRICTS.																																		
All Souls Marylebone 8H - W.			35,391	9	22	-	6	-	-	-	-	-	-	-	-	1	1	11																
Rectory Marylebone W } G. & W.			19,849	4	3	1	1	-	-	-	-	-	-	-	-	-	-	1																
St. Mary Marylebone 4H } G. & W.			18,099	37	5	2	1	-	1	-	-	-	-	-	-	-	-	1																
Christchurch Marylebone H- W.			39,536	21	14	2	5	-	2	-	-	-	-	-	-	-	-	-																
St. John Marylebone 3H - W.			20,426	10	7	1	3	-	-	-	1	1	-	-	-	-	-	-																
Hampstead W, F, 3H - N. & W.			81,942	25	23	7	7	-	1	-	-	1	-	-	1	1	2	6																
West St. Pancras 2H - - W.			60,562	29	12	4	4	-	-	-	-	1	-	-	-	-	1	-																
Tottenham-court w, 6H } N. & W.			21,258	3	12	-	2	-	1	-	-	-	-	-	-	2	2	10																
Gray's Inn Lane 4H - - N.			34,449	17	7	-	2	-	-	-	-	-	-	-	-	-	-	2																
East St. Pancras W, 2H - - N.			60,320	34	17	6	7	-	1	-	-	-	-	-	-	1	1	8																
North St. Pancras 2W - - N.			68,728	40	17	2	5	-	1	-	-	-	-	-	-	-	-	8																
Tufnell W- - - N.			31,995	18	17	2	10	-	-	-	-	-	-	-	-	-	2	10																
Upper Holloway 2W, w, 2H - N.			33,978	24	22	4	8	-	-	-	-	-	-	-	-	1	1	13																
Tollington W- - - N.			33,922	20	5	1	-	-	-	-	-	-	-	-	-	-	-	-																
Lower Holloway - - - N.			41,424	29	7	2	2	-	-	-	-	-	-	-	-	-	1	-																
Barnsbury - - - N.			54,478	40	13	5	4	-	-	-	-	1	-	-	-	-	-	-																
Islington South-east F - - N.			75,397	23	23	3	8	-	-	-	-	1	-	-	1	-	1	-																
Highbury 2H - - - N.			63,797	30	13	3	4	-	-	-	-	-	-	-	-	1	2	-																
Stoke Newington H - - N.			51,247	30	9	3	5	-	-	-	-	-	-	-	-	-	-	-																
North Hackney - - E. & N.			50,560	29	11	3	6	-	-	-	-	-	-	-	-	1	1	-																
Central Hackney 2w, F - E. & N.			50,536	25	14	3	5	-	1	2	-	-	-	-	-	1	1	3																
South-west Hackney 3H - E. & N.			59,921	24	22	8	6	-	-	-	-	1	-	-	2	4	9	-																
South-east Hackney 2W, w, H E. & N.			58,255	45	27	6	9	-	-	-	-	-	-	-	-	1	3	17																

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein: namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G, significant Grand Junction Company; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River; E, East London; and K, the Kent Company.

See note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 6th February, 1904—continued.

REGISTRATION SUB-DISTRICTS.	Enu- me- rated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														Deaths in Public Institutions.
				Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from												
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.			
CENTRAL DISTRICTS.																		
St. Giles and Bloomsbury W,2H N.	31,436	17	5	2	1	-	-	-	-	-	-	-	-	-	-	1	1	1
Strand W,4H - - - N. & C.	21,674	5	23	2	3	-	-	-	-	-	-	-	-	-	-	1	1	18
Strand Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Holborn W,6H - - - N.	29,612	17	10	1	3	-	1	-	-	-	-	-	-	-	-	-	-	5
South Clerkenwell - - - N.	28,676	15	5	1	2	-	-	-	-	-	-	-	-	-	-	-	2	-
North Clerkenwell H - - - N.	35,028	36	10	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Finsbury 3H,L - - - N.	36,116	34	7	4	1	-	-	-	-	-	-	-	-	-	-	-	2	2
Holborn Union Workhouse, } Mitcham - - - - - }	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2
St. Botolph H - - - N. & E.	10,299	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows* } W,H - - - - - }	16,624	3	13	4	1	-	-	-	-	-	-	-	-	-	-	2	3	11
City of London Asylum, Stone - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1
EAST DISTRICTS.																		
Shoreditch South H,L - - E. & N.	16,369	4	5	-	3	-	-	-	-	-	-	-	-	-	-	-	1	-
Roxton New Town w,H - - N.	29,761	27	9	-	5	-	-	-	-	-	-	-	-	-	-	-	-	5
Roxton Old Town - - - N.	26,504	18	7	4	1	-	-	-	-	-	-	-	-	-	-	-	2	-
Faggerston W - - - N & E.	46,003	30	23	3	9	-	1	-	-	-	-	-	-	-	-	-	4	13
Shoreditch Union Workhouse, Wood } Green - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North 2H - - E.	51,514	45	22	7	4	-	-	-	1	2	-	-	-	-	-	-	3	4
Bethnal Green South - - - E.	33,472	20	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green East 2W,H,L - E.	44,694	31	37	6	15	-	-	-	-	1	-	-	-	-	1	2	3	22
Capitalfields - - - E. & N.	27,969	14	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
File End New Town W,H - - E.	28,718	28	38	6	7	-	-	-	-	1	-	-	-	-	-	3	5	31
Woodman's Fields - - - E.	22,081	8	2	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-
St. George and St. John 2W E.	49,068	49	14	7	2	-	-	-	-	1	-	-	-	-	-	1	3	2
Shadwell and Ratcliff W,H E. & N.	25,568	20	13	6	2	-	-	-	-	-	-	-	-	-	-	-	-	7
Timehouse - - - - - E.	32,369	30	13	2	7	-	1	-	-	-	-	-	-	-	-	-	-	-
File End Old Town West H - E.	59,479	64	12	5	2	-	1	-	-	-	-	-	-	-	1	1	1	-
File End Old Town East } W,w - - - - - }	53,348	36	9	-	4	-	-	-	-	-	-	-	-	-	-	-	-	3
Row L - - - - - E.	41,989	26	12	4	4	-	-	-	-	2	-	-	-	-	-	1	2	-
Bromley 3w,H - - - - E.	68,319	34	48	8	16	-	1	-	-	1	-	-	-	-	-	3	7	22
Poplar W,w - - - - - E.	68,614	52	25	6	6	-	-	-	1	2	-	-	-	-	-	3	6	2

* On 1st November, 1903, the Sub-districts of St. Sepulchre and Allhallows Barking were united and called St. Sepulchre and Allhallows.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 6th February, 1904—continued.

REGISTRATION SUB-DISTRICTS,		Enu- me- rated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include													Deaths in Public Institutions.
					Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from											
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Ptychitis (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.	
SOUTH DISTRICTS.																		
Christchurch Southwark W,HL&S.	11,263	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark H - S.	12,056	8	15	4	1	-	-	-	-	-	-	-	-	-	-	2	2	13
Kent-road - - - S. & L.	21,904	11	9	3	2	-	-	-	-	-	1	-	-	-	-	1	3	-
St. George the Martyr } West W2H,L - - - S. & L.	39,094	26	6	2	-	-	-	-	-	-	-	-	-	-	-	1	1	1
Trinity Newington - - - S. & L.	28,504	27	5	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
St. Peter Walworth W- S. & L.	61,767	51	12	1	4	-	1	-	-	1	-	-	-	-	-	-	-	1
St. Mary Newington - L. & S.	31,592	19	11	4	3	-	-	-	-	-	2	-	-	-	-	-	-	-
St. Olave 2W - - - S.	9,817	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Bermondsey W - - - S.	82,483	66	23	7	4	-	1	-	-	-	-	-	-	-	-	2	2	-
Rotherhithe W,F- - - S. & K.	38,480	27	13	3	3	-	1	-	-	-	2	-	-	-	-	-	-	5
Waterloo-road 2H - - L. & S.	27,440	24	11	3	4	-	-	-	-	-	-	-	-	-	-	-	-	1
Lambeth Church 1st H - L. & S.	18,423	14	14	1	1	-	-	-	-	-	-	-	-	-	-	4	4	13
Lambeth Church 2nd 2W L. & S.	39,818	27	25	5	10	-	-	-	-	1	-	-	-	-	1	1	1	17
Kennington 1st H - - S. & L.	53,198	35	11	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Kennington 2nd H - - S. & L.	42,896	20	14	5	1	-	2	-	-	-	-	-	-	-	-	1	2	4
Brixton F - - - L. & S.	84,232	39	23	5	13	-	-	1	1	-	-	-	-	-	-	-	-	2
Norwood W,H - - - L.	35,888	22	9	1	5	-	-	-	-	-	-	-	-	-	-	-	-	1
East Battersea - - - S.	72,203	43	14	5	3	-	-	-	-	-	2	-	-	-	-	-	-	-
North-west Battersea - - S.	49,656	32	18	8	4	-	-	-	-	-	1	-	-	-	1	1	3	-
South-west Battersea W,H - S.	47,048	21	26	3	13	-	1	-	-	-	-	-	-	-	-	1	2	13
Clapham 2H - - - S.	51,361	25	24	5	11	-	-	-	-	-	-	-	-	-	-	-	-	-
Streatham W2w,2F,2L - - L.	88,131	56	40	4	17	-	-	-	-	1	-	1	-	-	-	1	2	16
Springfield 2W,L - - - S.	27,959	16	9	5	1	-	-	-	-	-	-	-	-	-	-	1	2	1
Southfields H - - - S.	40,444	25	8	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-
Putney - - - S.	24,139	15	9	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Oulwich - - - L. & S.	10,247	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell 2W w,2L - S. & L.	90,465	70	54	6	22	-	1	-	-	3	-	-	-	-	-	-	-	37
Peckham 2W,w - - S., L. & K.	93,038	60	19	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George Camberwell - L. & S.	65,589	49	19	6	5	-	1	-	-	1	-	-	-	-	1	-	-	3
Deptford North - - - K.	37,613	40	10	5	3	-	-	-	-	2	-	-	-	-	1	-	-	-
Deptford Central F - - K.	45,481	35	4	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Deptford South - - - K.	34,625	17	8	2	5	-	-	-	-	-	-	-	-	-	-	1	1	-
Greenwich West 2H - - K.	23,456	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East 2W,H - K.	43,859	24	17	2	6	-	-	-	-	3	-	-	-	-	-	2	3	7
Eltham w,H - - - K.	7,226	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee H - - - K.	25,490	9	5	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham W w,F - - - K.	58,352	44	18	6	8	-	-	-	-	-	-	1	-	-	1	1	2	11
Sydenham H - - - L.	43,653	30	11	6	2	-	-	-	-	-	-	-	-	-	-	1	2	-
Charlton F2H - - - K.	21,134	9	6	2	1	-	-	-	1	1	-	-	-	-	-	-	-	3
Woolwich 4H - - - K.	41,625	23	19	8	5	-	-	-	-	1	-	-	-	-	-	2	1	-
Plumstead West W - - K.	18,063	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East 2W,H - K.	50,264	29	20	2	12	-	-	-	-	-	-	-	-	-	-	-	-	6
London County Asy.,Banstead	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4
Porton Manor Asylum	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Epsom	-	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4
Met. Asy. for Imbeciles, Caterham	-	-	-	3	-	3	-	-	-	-	-	-	-	-	1	-	-	3
London County Asy., Cane Hill	-	-	-	6	-	3	-	-	-	-	-	-	-	-	-	-	-	6
M.A.B. Hospitals, Dartford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Darenth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Dartford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Heath - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Hanwell	-	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4
Central London Sick Asy., Hendon	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3
London County Asy., Colney Hatch	-	-	-	5	-	3	-	-	-	-	-	-	-	-	-	-	-	5
M.A.B. North-Eastern Hospital	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
M.A.B. Northern Hospital	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Leavesden	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3
London County Asylum, Claybury	-	-	-	10	-	4	-	-	-	-	-	-	-	-	4	-	-	10

LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 6th February, 1904.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include														
					Deaths of		Deaths from												
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
LONDON—OUTER RING	368,580	2,044,861	1,399	528	137	170	-	11	2	5	18	1	1	18	45	90	2		
Carshalton w,2F,2H	12,228	32,997	19	11	2	5	-	-	-	-	-	-	-	-	2	-	-		
Epsom, part of* W,w,2F,H	10,423	15,548	8	2	-	1	-	-	-	-	-	-	-	-	-	1	-		
Godstone, part of* W,F	2,754	2,692	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Coulsdon	11,069	8,166	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
South Croydon	9,012	49,319	38	14	5	8	-	-	-	-	-	-	-	1	1	-	-		
West Croydon 3W,F,H		42,888	44	22	5	12	-	-	-	-	-	-	-	2	2	11	-		
North Croydon H		41,658	28	12	4	5	4	-	-	-	-	-	-	2	2	1	-		
Penge w	770	22,465	5	6	-	4	-	-	-	-	1	-	-	-	-	1	-		
Mitcham w	11,689	22,903	33	10	4	5	-	-	-	-	-	-	-	-	3	-	-		
Wimbledon F,3H	3,221	41,652	23	7	1	2	-	-	-	-	-	-	-	-	-	-	-		
Kingston W,H	8,224	42,068	16	10	2	3	-	-	-	-	-	-	-	-	1	-	-		
Surbiton F,H	3,046	15,017	5	5	1	2	-	-	-	-	-	-	-	1	1	-	-		
Esher, part of* H	5,402	13,100	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Hampton H,L	4,564	23,456	11	4	-	1	-	-	-	-	-	-	-	-	-	-	-		
Richmond W,H	2,162	28,865	10	9	-	5	-	-	-	-	-	-	-	-	-	2	-		
Mortlake F	2,847	20,628	20	6	4	1	-	-	-	-	-	-	-	-	-	-	-		
Bromley F,2H	4,703	27,354	26	5	3	-	-	-	-	-	-	-	-	-	-	2	-		
Beckenham H	7,825	28,497	25	6	3	1	-	-	-	-	-	-	-	-	-	-	-		
Orpington, part of* W	10,113	9,857	10	3	2	-	-	-	-	-	-	-	-	-	-	-	-		
Chislehurst 2H	7,333	16,446	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Bexley F,H	8,678	21,151	12	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
Erith F,H	3,854	25,296	18	4	1	1	-	-	-	-	1	-	-	1	1	1	-		
Dartford W,F, part of*	-	-	-	3	-	3	-	-	-	-	-	-	-	-	-	3	-		
Sunbury w	11,054	18,683	12	4	1	2	-	-	-	-	-	-	-	-	-	-	-		
Staines W,H	13,277	15,178	7	7	2	2	-	-	-	-	-	-	-	-	2	2	-		
Hillingdon W,F,H	6,035	13,661	13	5	4	1	-	-	-	-	2	-	-	-	-	-	-		
Uxbridge	12,757	8,984	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
Hayes w,F,H	8,066	16,358	13	3	-	1	-	-	-	-	-	-	-	-	-	-	-		
Uxbridge 3W,2F,H	6,859	30,863	19	15	3	5	-	-	-	-	-	-	-	-	1	3	-		
Twickenham F,H	2,421	20,991	14	6	3	2	-	-	-	-	1	-	-	-	-	-	-		
Brentford 2F,2H,L	4,319	43,289	30	10	-	6	-	-	-	-	-	-	-	1	1	-	-		
Uxbridge H	1,249	29,809	18	3	-	-	-	-	-	-	-	-	-	1	1	-	-		
Acton w,3H	6,132	48,914	42	13	7	2	-	-	-	-	-	-	-	1	3	-	-		
Harrow F,H	13,809	25,523	17	8	2	3	-	-	-	-	-	-	-	-	-	-	-		
Edgware F,2H	6,994	4,521	-	2	1	1	-	-	-	-	-	-	-	-	-	2	-		
Willesden W,F,2H	4,384	114,811	103	30	6	8	-	3	1	1	-	-	-	1	3	4	-		
Hendon W,F	8,382	22,450	20	8	-	4	-	-	-	-	1	-	-	-	-	-	-		
South Mimms 2F,H	17,755	7,308	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-		
Barnet W,3H	3,324	17,970	6	6	1	3	-	-	-	-	-	-	-	-	1	1	-		
Finchley F,2H	4,688	33,692	14	8	3	5	-	-	-	-	-	-	-	-	-	-	-		
Hornsey F,H	2,875	72,056	38	8	-	6	-	-	-	-	-	-	-	1	1	-	-		
Wood Green H	1,625	34,293	17	10	2	5	-	-	-	-	-	-	-	1	3	1	-		
West Tottenham F	3,013	48,853	29	4	1	1	-	-	-	-	-	-	-	-	-	-	-		
East Tottenham F,H		53,688	39	9	2	4	-	1	-	-	-	-	-	-	-	1	-		
Edmonton W,w,2F		61,892	54	22	8	5	-	-	-	-	-	1	2	12	-	-	-		
Enfield 2W,F,H	12,601	42,738	41	18	4	4	-	-	-	-	1	-	-	-	-	-	-		
Waltham Abbey	11,017	6,549	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
Waltham Abbey F,H	8,479	12,292	14	3	1	1	-	1	-	-	1	-	-	-	-	-	-		
Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Bushey H	9,333	9,173	6	3	1	2	-	-	-	-	-	-	-	-	-	-	-		
Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Stratford H	1,072	44,827	30	13	6	2	-	-	-	-	-	-	-	1	1	1	-		
Plaistow F,2H	1,249	90,921	61	25	5	4	-	3	-	1	2	1	-	2	2	4	1		
Barking Town H	1,556	70,718	52	26	8	2	-	2	-	-	4	-	-	2	2	2	-		
Forest Gate w	806	60,892	29	14	3	5	-	-	-	-	1	-	-	-	3	-	-		
North East Ham w	3,326	58,676	34	15	5	2	-	-	-	-	1	1	-	-	-	-	-		
South East Ham 3F		37,342	25	9	3	-	-	-	-	-	1	-	-	1	1	-	-		
Wanstead F		9,179	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
South Leyton 2W	631	50,467	33	13	5	4	-	-	-	-	2	-	-	-	1	6	-		
North Leyton W,w,F	1,963	48,445	33	25	5	4	-	-	-	-	-	-	-	-	-	15	1		
Walthamstow 3H,L	6,504	108,929	73	16	5	3	-	-	1	-	-	-	1	1	1	-	-		
Chigwell, part of* 2F,4H	11,778	16,397	11	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Romford, part of* W,2F	6,556	6,091	9	5	-	3	-	1	-	-	-	-	-	-	-	2	-		
Ilford F,L	8,496	41,234	33	10	1	4	-	-	-	-	-	-	-	-	1	3	-		
Barking Town F	3,803	21,547	18	4	1	1	-	-	-	-	-	-	-	-	-	-	-		
London Fever Hospital, Islington.	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-		
Middlesex County Asylum, Wandsworth.	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-		

Parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4, excepting Esher; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.
CALCUTTA (including SUBURBS)	847,796	December 19	-	533	32·6	-	2	-	1	1	155†
BOMBAY	776,006	January 12	422	730	48·9	6	2	-	-	-	238†
MADRAS	509,346	December 25	360	440	45·8	-	2	?	?	?	121†
PARIS	2,660,550	January 30	1054	1055	21·8	3	18	1	8*	3	6
BRUSSELS	575,896	-	-	-	-	-	-	-	-	-	-
ANTWERP	281,376	-	-	-	-	-	-	-	-	-	-
AMSTERDAM	542,073	January 23	270	169	16·2	-	13	-	2	1	1
COPENHAGEN	416,000	" 30	254	130	-	-	1	-	1*	3	-
STOCKHOLM	305,115	" 23	149	74	12·6	-	-	-	-	-	-
CHRISTIANIA	225,709	" 30	134	48	11·1	-	-	1	-	-	-
ST. PETERSBURG	1,248,643	" 23	687	514	21·5	4	17	3	12	3	11
MOSCOW	1,093,410	" 23	-	513	24·5	4	8	10	5	2	7
BERLIN	1,960,909	" 16	928	691	18·5	-	9	4	16*	11	-
HAMBURG	737,328	" 30	-	206	14·2	-	-	1	4*	-	1
BRESLAU	445,403	-	-	-	-	-	-	-	-	-	-
MUNICH	520,000	January 30	-	215	21·5	-	1	-	4*	3	-
VIENNA	1,779,869	" 30	888	624	18·2	-	4	-	4*	3	2
PRAGUE	423,990	" 30	216	202	24·8	-	8	2	2*	5	-
BUDA-PESTH	813,399	-	-	-	-	-	-	-	-	-	-
TRIESTE	187,349	January 30	121	106	29·4	-	1	-	-	2	-
ROME	491,074	December 19	251	179	19·0	-	1	-	1	-	6
VENICE	166,522	January 23	72	82	25·0	-	-	-	3*	1	-
CAIRO	621,179	November 18	503	381	31·8	-	3	-	14*	?	11
ALEXANDRIA	352,010	" 18	300	162	24·2	1	-	-	-	?	2
NEW YORK	3,732,903	January 23	1815	1451	19·7	1	23	30	35	2	5
PHILADELPHIA	1,378,624	-	-	-	-	-	-	-	-	-	-
BOSTON	603,163	-	-	-	-	-	-	-	-	-	-

* Including deaths from croup.

† Including 15 deaths from plague in Calcutta, 186 in Bombay, and 1 in Madras.

‡ Including 28 deaths from cholera.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 6th February, 1904.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	49·5	31·7	40·6	1·15	HUDDERSFIELD	39·8	32·0	35·8	2·12
BRIGHTON	47·9	33·5	43·4	0·54	BRADFORD	41·4	34·0	38·0	1·59
PORTSMOUTH	49·0	31·0	42·8	1·08	LEEDS	43·0	34·0	38·7	1·59
NORWICH	49·6	31·8	40·1	0·84	HULL	45·0	31·0	38·4	1·08
PLYMOUTH	49·0	31·1	42·2	1·77					
BRISTOL	48·0	31·4	39·9	0·89	EDINBURGH	44·4	31·6	36·2	1·59
WOLVERHAMPTON	-	-	-	-	GLASGOW	46·4	27·8	37·2	0·37
BIRMINGHAM	46·8	31·0	37·8	1·36		43·6	25·9	37·0	1·36
NOTTINGHAM	44·2	33·1	38·0	1·70	DUBLIN	43·1	30·1	39·0	1·47
LIVERPOOL	42·0	34·0	37·8	1·59					
MANCHESTER	41·2	32·6	37·0	1·19					
PRESTON	41·5	33·0	38·0	1·42	BELFAST	46·9	26·8	36·9	0·61

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0·3 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 30th January, 1904.*

BOROUGHES.	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - - -	146,975	-	8	1	-	-	-	-	-	-
Kensington - - - - -	179,236	-	11	2	-	-	-	-	1	-
Hammersmith - - - - -	117,412	-	3	-	-	-	-	-	2	-
Fulham - - - - -	152,482	-	8	7	-	1	-	-	4	-
Chelsea - - - - -	74,329	-	3	-	-	-	-	-	-	-
City of Westminster - - - - -	177,321	-	3	2	-	-	-	-	2	-
NORTH.										
St. Marylebone - - - - -	130,337	-	6	2	-	-	-	-	1	-
Hampstead - - - - -	86,663	-	1	-	-	-	-	-	-	-
St. Pancras - - - - -	235,936	-	9	9	-	-	-	-	3	-
Islington - - - - -	341,044	1	14	8	-	1	-	-	4	1
Stoke Newington - - - - -	52,445	-	2	-	-	-	-	-	1	-
Hackney - - - - -	226,266	-	11	13	-	4	-	-	5	1
CENTRAL.										
Holborn - - - - -	57,161	-	1	2	-	4	-	-	-	-
Finsbury - - - - -	98,958	-	3	4	-	-	-	-	-	1
City of London - - - - -	23,482	-	-	1	-	-	-	-	-	-
EAST.										
Shoreditch - - - - -	117,033	-	4	1	-	-	-	-	2	-
Bethnal Green - - - - -	130,207	-	5	10	-	-	-	-	2	-
Stepney - - - - -	303,791	-	26	25	-	3	-	-	5	-
Poplar - - - - -	169,905	1	7	7	-	3	-	-	4	-
SOUTH.										
Southwark - - - - -	207,937	-	4	6	-	2	-	-	3	-
Bermondsey - - - - -	129,397	-	4	4	-	3	-	-	2	-
Lambeth - - - - -	310,359	1	7	7	-	-	-	-	1	-
Battersea - - - - -	175,465	-	4	4	-	1	-	-	5	-
Wandsworth - - - - -	257,586	-	6	12	-	-	1	-	6	-
Camberwell - - - - -	268,384	-	11	7	-	2	-	-	6	-
Deptford - - - - -	113,509	-	7	10	-	-	-	-	4	-
Greenwich - - - - -	101,651	-	4	1	-	-	-	-	2	-
Lewisham - - - - -	140,401	-	6	3	-	-	-	-	-	2
Woolwich - - - - -	123,416	-	8	2	-	-	-	-	2	-
Port of London - - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. }		4,649,088	3	186	150	-	24	1	-	67
AGES.										
Ages 0-1 - - - - -	-	-	3	6	-	-	-	-	5	-
" 1-5 - - - - -	-	1	75	46	-	2	1	-	3	-
" 5- - - - -	-	-	65	69	-	4	-	-	5	-
" 10- - - - -	-	-	21	9	-	3	-	-	1	-
" 15- - - - -	-	-	5	5	-	3	-	-	3	-
" 20- - - - -	-	-	7	8	-	2	-	-	6	1
" 25- - - - -	-	-	9	3	-	5	-	-	3	5
" 35- - - - -	-	1	-	2	-	2	-	-	17	1
" 45- - - - -	-	1	1	-	-	3	-	-	9	-
" 55- - - - -	-	-	-	1	-	-	-	-	6	-
" 65 and upwards - - - - -	-	-	-	1	-	-	-	-	9	-
Age not stated - - - - -	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING JANUARY, 1904.

*Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
2nd February, 1904.*

SIR, I HAVE to report to you the results of the chemical analysis and physical examination of the water supplied to the Metropolis, by the eight Water Companies, during the month of January.

Thirteen samples of each Company's water were examined, making a total of 104 samples for the month.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

COMPANIES.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Ni- trates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
THAMES.										
Chelsea - - -	{ Jan. 11th, Cab Rank, Victoria St., near Christ Church. }	4.9	34.80	.214	.019	0	.341	.360	1.6	24.5
West Middlesex -	{ Jan. 11th, Cab Rank, Riding House St. }	6.0	35.12	.218	.020	0	.364	.384	1.6	24.5
Southwark - -	{ Jan. 11th, Cab Rank, High St., Peckham. }	7.0	34.26	.163	.014	0	.282	.296	1.6	23.7
Grand Junction -	{ Jan. 11th, Cab Rank, Portman St., Oxford St. }	5.1	34.66	.188	.018	0	.395	.413	1.65	24.2
Lambeth - - -	{ Jan. 11th, Cab Rank, Station Rd., Brixton. }	5.8	34.36	.225	.022	0	.355	.377	1.7	23.6
LEA, WELLS, & CO.										
New River - -	{ Jan. 11th, Cab Rank by St. Clement Dane's Church. }	5.5	35.64	.096	.012	0	.364	.376	1.75	25.1
East London - -	{ Jan. 11th, Tap on main at Lea Bridge Works. }	4.5	41.04	.175	.016	0	.410	.426	1.95	28.0
DEEP WELL.										
Kent- - - -	{ Jan. 11th, Cab Rank, New Cross Station, opposite Jerningham Rd. }	11.5	39.62	.057	.007	0	.531	.538	2.05	28.0
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The Chelsea Company's water, collected on the 11th January at the cab-rank in Victoria Street, near Christ Church, had a temperature of 4.9° C.; 100,000 lbs. of it contained 34.80 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained .214 lb. of carbon and .019 lb. of nitrogen. The above quantity of water also contained .341 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was .360 lb. The above weight of water also contained 1.6 lbs. of chlorine and 24.5 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on the 11th January were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies was:—Kent 1·1, New River 1·8, Southwark 3·0, East London 3·2, Grand Junction 3·5, Chelsea 3·9, West Middlesex 4·0, Lambeth 4·2.

The supplies of the five Companies drawing water from the Thames were much better than they were in December; of the samples taken on the 11th January the Southwark Company's water contained the smallest amount of organic impurity, but in the other supplies the actual proportions present were quite moderate for a winter month. These waters were clear and of good quality.

The New River Company's water, obtained chiefly from the River Lea, contained less organic matter than in December, and was clear and of good quality. The East London Company's Lea-derived water, taken on the 11th January, contained more organic impurity than the New River Company's supply, but less than was found in any of the Thames water; it was clear and of good quality.

The Kent Company's deep-well water was, as usual, of high organic purity and excellent quality.

Seen through a stratum two feet deep the Kent Company's water was colourless, and that of the New River Company nearly colourless; the waters of the remaining Companies were very pale yellow in colour.

In addition to the above analytical examination, the 104 samples collected during January at various places in the districts supplied by the several Companies have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded. The following results were obtained:—

PARTS PER 100,000.

COMPANIES.	“Oxygen consumed.”						Free Ammonia.			Albuminoid Ammonia.		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)								
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
Chelsea	·138	·092	·107	·149	·098	·113	0	0	0	·0095	·007	·008
West Middlesex	·149	·097	·122	·159	·104	·130	0	0	0	·0105	·0075	·009
Southwark ...	·173	·066	·112	·186	·071	·120	0	0	0	·0105	·0055	·008
Grand Junction	·160	·091	·113	·170	·092	·119	0	0	0	·013	·0075	·009
Lambeth ...	·130	·103	·118	·138	·112	·123	0	0	0	·010	·0085	·009
New River ...	·086	·045	·063	·090	·050	·068	0	0	0	·0055	·0035	·0045
East London ...	·188	·072	·098	·201	·075	·104	0	0	0	·014	·0055	·009
Kent	·012	·008	·010	·014	·009	·011	0	0	0	·0015	·001	·001

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures; with each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

With regard to the Thames-derived supplies the data tabulated above show that the smallest maximum and mean proportions of organic impurity were found in the Chelsea Company's water; the mean amounts in the other Thames waters were only slightly larger, and all the supplies showed a marked improvement in organic quality over those furnished in the two preceding months. With the exception of three occasions (January 18th, 20th, and 22nd), when the organic matter in the Southwark Company's water was somewhat high, the whole of the filtered Thames water samples examined were of good quality for a winter month.

The New River Company's Lea and well water was of good quality throughout the month, and it may be noted that the mean amount of organic matter in this Company's water was lower than it had been for five months past.

The East London Company's water, although it yielded the highest maximum, contained on the average less organic impurity than the Thames Companies' supplies. All the samples examined were of good quality except one, which was collected on the 18th January in a district supplied with filtered Thames water from the Sunbury works of the Company.

The Kent Company's water, obtained exclusively from deep wells, maintained its usual excellent quality throughout the month.

All the samples taken from the mains of the Chelsea, West Middlesex, East London and Kent Companies were clear, but in the cases of the four other Companies, on several occasions, minute amounts of suspended matter, probably derived from the mains, were observed.

I am, Sir,

Your obedient Servant.

T. E. THORPE.

The Registrar-General,

Somerset House, W.C.

RETURNS OF LONDON WATER COMPANIES.

The LONDON WATER COMPANIES have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of January, 1904. The supply was in the ratio of 204 gallons to one service.

COMPANIES.	Number of Services.		Daily Supply of Water in Gallons.	
	JANUARY, 1903.	JANUARY, 1904.	JANUARY, 1903.	JANUARY, 1904.
TOTAL SUPPLY - - -	959,262	980,231	210,451,663	199,871,405
From Thames - - - - -	455,098	465,290	112,259,765	105,178,850
From Lea and from other Sources	504,164	514,941	98,191,898	94,692,555
THAMES.				
Chelsea - - - - -	39,451	39,676	11,439,032	11,361,290
West Middlesex - - - - -	89,285	90,372	22,175,378	22,152,033
Southwark and Vauxhall - - -	127,518	128,915	33,023,999	27,666,983
Grand Junction - - - - -	72,196	75,288	17,491,143	16,153,750
Lambeth - - - - -	126,648	131,039	28,130,213	27,844,794
LEA AND OTHER SOURCES.				
New River - - - - -	176,939	179,259	39,373,372	37,242,850
East London - - - - -	221,585	226,672	41,043,000	39,574,000
Kent - - - - -	105,640	109,010	17,775,526	17,875,705

Note.—The Return for January, 1904, as compared with that for the corresponding month of 1903, shows an increase of 20,969 services and a decrease of 10,580,258 gallons of water supplied daily.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1904.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 6. 1904. VOL. LXV.] WEEK ENDED SATURDAY, FEB. 13. [Price 1½d.

General Register Office, Somerset House,
February 15th, 1904.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 18·4 per 1000 of their aggregate population, which is estimated† at 15,271,425 persons in the middle of this year. In the preceding three weeks the rates had been 18·1, 19·4, and 17·2. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 23·0 in Manchester and in Stockton on Tees, 23·1 in Preston, 23·2 in Rotherham, 23·6 in Birkenhead, 26·2 in Bootle, 26·5 in Gateshead, 27·7 in Rhondda, 27·9 in Warrington, 28·5 in Bury, 28·8 in Swansea, and 29·2 in Newport (Mon.); from *measles*, 1·2 in Blackburn, 1·4 in Sunderland, 1·6 in Willesden, and 3·9 in Warrington; from *scarlet fever*, 3·1 in Warrington; from *whooping-cough*, 2·2 in Newport (Mon.), 2·3 in West Hartlepool, 3·0 in Stockton on Tees, 3·1 in Gateshead, 3·4 in Bootle, and 6·2 in Bury; and from "*fever*," 1·4 in Preston. Four deaths from *small-pox* were registered in Gateshead, and 1 each in Nottingham, Hull, and South Shields, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2637 BIRTHS and 1574 DEATHS were registered. Allowing for increase of population, the births were 224, and the deaths 242 below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 17·4, 19·5, and 17·4 in the preceding three weeks, rose again last week to 17·7. During the four weeks ended on Saturday last the death-rate averaged 18·0 per 1000, being 1·8 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, and in certain local Small-pox Hospitals, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the recent Census, and on the increase in the last intercensal period.

The 1574 deaths included 37 from measles, 4 from scarlet fever, 12 from diphtheria, 52 from whooping-cough, 8 from enteric fever, and 13 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 126 deaths were referred to these diseases in the aggregate, being 60 below the corrected average weekly number.

The deaths from *measles*, which had been 46, 38, and 31 in the preceding three weeks, rose again last week to 37, but were 5 below the corrected average; 5 cases belonged to the Borough of Paddington and 5 to Battersea. The deaths from *scarlet fever*, which had been 10, 9, and 3 in the preceding three weeks, were 4 last week, the corrected average being 14. The deaths from *diphtheria*, which had been 10, 25, and 13 in the preceding three weeks, were 12 last week, the corrected average being 43; 3 cases belonged to Hackney. The deaths from *whooping-cough*, which had been 29, 43, and 45 in the preceding three weeks, further rose last week to 52, but were 2 below the corrected average; 7 cases belonged to Islington, 7 to Southwark, 6 to Greenwich, and 5 to Lewisham. The fatal cases of *enteric fever*, which had been 5, 3, and 4 in the preceding three weeks, rose last week to 8, but were 3 below the corrected average; 2 cases belonged to Battersea. The deaths from *diarrhœa*, which had been 25, 17, and 20 in the preceding three weeks, fell again last week to 13, and were 2 below the corrected average. Of the 13 deaths from diarrhœa, 10 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 2 more deaths at this age. The deaths attributed directly to *influenza* numbered 12, having been 17, 12, and 14 in the preceding three weeks. Two deaths were referred to *ptomaine poisoning*, 1 to *lead poisoning*, and 1 to *glanders*.

Different forms of *violence* caused 78 deaths, concerning all of which inquests were held. Of these 78 deaths, 8 were cases of suicide and 2 of homicide, while the remaining 68 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, 7 to burns and scalds, 6 to drowning, 1 to the effects of an anæsthetic administered for surgical purposes, and 16 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 24 cases of small-pox, 1,644 of scarlet fever, 767 of diphtheria, and 139 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 3 cases, against 3, 4, and 8; of scarlet fever, 162 cases, against 180, 168, and 169; of diphtheria, 99 cases, against 99, 112, and 110; and of enteric fever, 12 cases, against 16, 12, and 20. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended February 6th, 1904.

GREATER LONDON.

In Greater London 3864 births and 2200 deaths were registered. Allowing for increase of population, these numbers are 311 and 251 below the respective averages in the corresponding weeks of the last ten years. In that portion of the Outer Ring which is outside the great towns, 1 death from measles, 2 from scarlet fever, 5 from diphtheria, 7 from whooping-cough, and 3 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·06 inches, and that of the Thermometer 42°·1, the latter being 3°·3 above the week's average in the 50 years 1841-90. The general direction of the wind was South-westerly, the horizontal movement of the air 52 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 14·2 hours; the measured rainfall amounted to 1·27 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

Births, Deaths, and Rates of Mortality.

TOWNS.	POPULATION estimated to the middle of the Year 1904.*	Week ended				Diseases in Cols. 11-17.	Registered during the Week ended 13th Feb., 1904.	Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.	
		Causes.						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.					
		23rd Jan., 1904.	30th Jan., 1904.	6th Feb., 1904.	13th Feb., 1904.																	
																						BIRTHS.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	15,271,425	18'1	19'4	17'2	18'4	1'5	8684	5396	1241	1652	7	93	31	61	182	32	43	194	424	1211	55	76 TOWNS.
LONDON -	-	17'4	19'5	17'4	17'7	1'4	2637	1574	316	507	-	37	4	12	52	8	13	78	189	548	1	LONDON.
CROYDON -	-	15'2	20'2	17'0	12'6	0'7	54	35	5	14	-	-	-	1	1	-	-	3	3	10	-	CROYDON.
WILLESDEN -	-	14'2	11'4	11'8	14'2	2'4	90	36	14	10	-	4	-	1	-	-	-	-	1	5	-	WILLESDEN.
HORNSEY -	-	7'1	6'4	6'4	9'0	-	32	14	1	7	-	-	-	-	-	-	-	-	2	-	-	HORNSEY.
TOTTENHAM -	-	13'8	14'3	7'4	16'6	-	88	36	9	13	-	-	-	-	-	-	-	1	5	2	-	TOTTENHAM.
WEST HAM -	-	22'6	14'5	16'5	18'6	1'8	178	103	29	22	-	4	-	2	3	-	1	4	7	20	-	WEST HAM.
EAST HAM -	-	10'3	12'9	10'7	10'7	0'9	71	24	9	4	-	-	-	-	1	1	-	-	1	1	-	EAST HAM.
LEYTON -	-	11'8	12'2	10'8	15'1	3'3	39	32	3	5	-	-	2	1	4	-	-	1	1	4	3	LEYTON.
WALTHAMSTOW -	-	12'2	12'7	7'5	11'2	-	66	24	5	16	-	-	-	-	-	-	-	-	-	3	-	WALTHAMSTOW.
HASTINGS -	-	11'8	8'6	14'9	11'0	-	20	14	1	9	-	-	-	-	-	-	-	-	-	-	-	HASTINGS.
BRIGHTON -	-	17'3	21'1	17'8	16'9	0'8	51	41	7	16	-	-	-	1	1	-	-	-	-	13	-	BRIGHTON.
PORTSMOUTH -	-	18'2	18'7	16'6	20'0	1'6	84	76	12	29	-	-	2	-	3	1	-	-	1	10	-	PORTSMOUTH.
BOURNEMOUTH -	-	11'3	14'5	16'1	15'3	0'8	24	19	5	9	-	-	-	-	1	-	-	-	-	1	-	BOURNEMOUTH.
SOUTHAMPTON -	-	14'8	14'4	15'8	16'2	0'9	47	35	10	12	-	-	-	1	-	1	1	1	1	5	-	SOUTHAMPTON.
READING -	-	17'1	16'4	15'7	17'1	1'4	36	25	5	7	-	-	-	1	-	-	1	2	2	7	-	READING.
NORTHAMPTON -	-	16'6	12'0	16'0	6'3	-	39	11	4	5	-	-	-	-	-	-	-	-	-	2	-	NORTHAMPTON.
IPSWICH -	-	13'4	18'7	12'0	18'7	3'7	40	25	4	12	-	1	-	1	1	1	1	-	1	6	-	IPSWICH.
GREAT YARMOUTH -	-	25'0	27'0	19'0	18'0	4'0	35	18	1	9	-	-	-	2	-	1	1	-	-	5	-	GREAT YARMOUTH.
NORWICH -	-	18'5	19'0	15'3	18'5	0'9	75	41	10	16	-	2	-	-	-	-	2	5	7	-	-	NORWICH.
PLYMOUTH -	-	17'8	18'8	16'5	17'4	0'5	57	38	8	15	-	-	-	-	-	1	-	3	5	2	-	PLYMOUTH.
DEVONPORT -	-	14'5	17'3	15'9	22'1	1'4	51	32	12	6	-	-	-	-	1	-	1	1	3	5	-	DEVONPORT.
BRISTOL -	-	19'3	16'6	14'4	16'9	1'4	166	111	16	40	-	2	1	4	1	-	1	1	5	32	-	BRISTOL.
HANLEY -	-	21'2	18'8	20'4	22'8	0'8	41	28	10	9	-	-	-	1	-	-	-	1	2	5	-	HANLEY.
BURTON-ON-TRENT -	-	19'1	19'1	18'1	16'1	-	29	16	1	6	-	-	-	-	-	-	-	-	3	-	-	BURTON-ON-TRENT.
WOLVERHAMPTON -	-	13'8	15'4	21'8	14'3	0'5	65	27	7	6	-	-	-	-	-	-	1	-	1	1	-	WOLVERHAMPTON.
WALSALL -	-	15'4	24'0	13'1	22'2	2'3	56	39	11	9	-	-	1	-	1	1	4	6	2	-	-	WALSALL.
HANDSWORTH -	-	12'2	21'0	17'5	12'2	0'9	28	14	4	6	-	-	1	-	-	-	-	-	-	-	1	HANDSWORTH.
WEST BROMWICH -	-	22'5	16'3	18'6	15'5	1'6	48	20	8	6	-	-	-	-	1	-	-	-	1	6	-	WEST BROMWICH.

* See note on first page of this return.

+ These towns are included within the area of Greater London.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON AND FOUR SCOTTISH OR IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES during the Week ended Saturday, 13th February, 1904, and DEATH-RATES during the preceding three weeks.

TOWNS.	Population estimated to the middle of the Year 1904.	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the week ended 13th Feb., 1904.		The DEATHS registered in the Week include											TOWNS.		
		Week ended				11-17.		during the week ended 13th Feb., 1904.		Deaths of			Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
										Persons aged 50 Years and upwards.													
		23rd Jan., 1904.	30th Jan., 1904.	6th Feb., 1904.	13th Feb., 1904.	Week ended 13th Feb., 1904.		DEATHS.		Infants under 1 Year of Age.			Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
BIRMINGHAM -	537,985	18'4	22'3	16'1	22'8	1'6	353	235	59	61	-	5	1	1	6	-	3	17	23	62	6	BIRMINGHAM.	
KINGS NORTON -	66,667	2'3	9'4	11'0	13'3	-	33	17	2	9	-	-	-	-	-	-	-	1	1	-	-	KINGS NORTON.	
SMETHWICK -	60,691	12'9	20'6	6'0	6'0	0'9	30	7	2	3	-	-	-	1	-	-	-	-	-	1	1	SMETHWICK.	
ASTON MANOR -	80,363	13'0	15'6	17'5	8'4	-	32	13	1	5	-	-	-	-	-	-	-	-	-	2	-	ASTON MANOR.	
COVENTRY -	73,904	13'4	22'6	12'7	14'1	1'4	45	20	5	7	-	-	-	-	1	-	1	1	1	2	-	COVENTRY.	
LEICESTER -	224,186	12'6	16'3	13'7	18'8	0'7	116	81	26	24	-	-	-	-	2	-	1	2	6	10	1	LEICESTER.	
GRIMSBY -	86,968	14'0	19'5	21'0	21'0	0'8	43	27	10	5	-	-	-	1	-	-	-	-	1	4	-	GRIMSBY.	
NOTTINGHAM -	248,811	21'4	17'6	19'7	19'1	1'9	118	91	22	23	1	-	-	3	3	2	-	2	3	19	-	NOTTINGHAM.	
DERBY -	120,449	17'3	16'5	15'6	15'6	-	58	36	10	10	-	-	-	-	-	-	-	1	5	5	-	DERBY.	
STOCKPORT -	97,008	21'5	22'6	17'7	21'5	1'6	55	40	3	20	-	2	1	-	-	-	-	-	2	7	-	STOCKPORT.	
BIRKENHEAD -	114,814	18'2	20'4	18'2	23'6	1'8	75	52	14	17	-	-	1	-	3	-	-	2	4	5	-	BIRKENHEAD.	
WALLASEY -	60,354	14'7	10'4	13'0	11'2	1'7	28	13	8	2	-	-	-	-	2	-	-	-	-	-	-	WALLASEY.	
LIVERPOOL -	723,430	22'8	21'5	23'1	20'9	2'4	468	290	74	80	-	1	2	4	25	-	1	10	10	81	9	LIVERPOOL.	
BOOTLE -	61,755	17'7	19'4	19'4	26'2	4'2	34	31	9	10	-	-	-	1	4	-	-	3	4	5	-	BOOTLE.	
ST. HELENS -	88,545	19'4	20'0	14'7	15'9	1'2	59	27	11	5	-	1	-	-	-	-	1	2	2	1	2	ST. HELENS.	
WIGAN -	62,800	23'2	21'6	26'6	19'9	-	33	24	3	13	-	-	-	-	-	-	2	2	3	2	-	WIGAN.	
WARRINGTON -	67,331	17'8	23'2	18'6	27'9	7'0	50	36	8	8	-	5	4	-	-	-	-	2	3	6	2	WARRINGTON.	
BOLTON -	175,744	21'7	19'3	19'9	21'7	1'8	84	73	20	12	-	-	2	-	4	-	-	1	6	7	-	BOLTON.	
BURY -	58,450	15'2	32'1	24'1	28'5	8'9	34	32	8	9	-	1	-	2	7	-	-	1	1	4	1	BURY.	
MANCHESTER† -	557,498	20'6	25'4	19'4	23'0	0'9	357	246	66	62	-	3	1	2	3	1	-	7	19	65	4	MANCHESTER.†	
SALFORD -	228,983	20'7	22'3	16'6	20'7	2'3	164	91	21	22	-	-	1	1	2	3	2	1	6	20	-	SALFORD.	
OLDHAM -	139,497	18'3	21'7	17'6	17'6	1'5	63	47	10	12	-	2	-	-	2	-	-	1	2	-	-	OLDHAM.	
ROCHDALE -	85,601	20'7	17'1	20'1	20'1	1'2	31	33	4	13	-	1	-	-	1	-	-	3	3	2	1	ROCHDALE.	
BURNLEY -	100,569	19'7	17'1	21'8	13'5	2'1	43	26	10	6	-	-	-	-	2	-	2	1	2	4	-	BURNLEY.	
BLACKBURN -	132,134	20'5	20'9	18'2	17'8	2'0	63	45	12	13	-	-	-	-	-	-	2	1	2	3	6	BLACKBURN.	
BREXTON -	115,055	20'5	20'9	19'0	22'1	9'2	55	41	9	10	-	-	-	-	-	-	2	1	3	3	1	BREXTON.	

Births, Deaths, and Rates of Mortality.

TOWNS.	POPULATION estimated middle of the Year 1904.*	Causes.				Diseases in Colls. 11-17.		Registered during the week ending 13th Feb., 1904.		Deaths of		Deaths from								Deaths in Public Institutions.		Unidentified Causes of Death.	TOWNS.																																																																																																																																																																																																																																																																																																																																																																																																																													
		Week ended				11-17.		13th Feb., 1904.		under 1 Year of Age.		Persons aged 60 Years and upwards.								Small-pox.				Measles.		Scarlet Fever.		Diphtheria.		Whooping-cough.		Fever.		Diarrhoea.		Violence.																																																																																																																																																																																																																																																																																																																																																																																																																
		30th Jan., 1904.				13th Feb., 1904.		13th Feb., 1904.		13th Feb., 1904.		13th Feb., 1904.								13th Feb., 1904.				13th Feb., 1904.		13th Feb., 1904.		13th Feb., 1904.		13th Feb., 1904.		13th Feb., 1904.		13th Feb., 1904.		13th Feb., 1904.																																																																																																																																																																																																																																																																																																																																																																																																																
		23rd Jan., 1904.	30th Jan., 1904.	6th Feb., 1904.	13th Feb., 1904.	11-17.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.			13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.	13th Feb., 1904.

TABLE 2. LONDON.—Births and Deaths Registered in the SIXTH Week of each of the Eleven Years, 1894–1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894–1903.*
TOTAL Births -	2709	2736	2651	2917	2843	2802	2889	2637	2647	2696	2860.9
Males - -	1408	1381	1370	1490	1488	1408	1516	1366	1359	1332	1464.4
Females - -	1301	1355	1286	1427	1355	1394	1373	1321	1288	1364	1396.5
TOTAL Deaths -	1532	1768	1762	1583	1922	1991	1792	1668	1978	1504	1815.7
Males - -	781	889	936	816	914	989	905	843	1002	778	921.5
Females - -	751	888	826	772	968	1002	887	825	976	726	894.2

* The numbers in this column are the average weekly numbers in the sixth week of the ten years 1894–1903, raised by 3.723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Nov. 21.	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	1904. Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	W.
TOTAL Births -	2331	2342	2460	2448	2544	1802	2828	2862	2589	2515	2434	2748	2637	
TOTAL Deaths -	1473	1536	1578	1669	1486	1204	1866	1731	1677	1549	1734	1554	1574	
Ages at Death {														
Under 1 year -	357	406	401	379	347	262	408	384	357	313	333	349	316	
1–5 years -	189	157	165	162	156	128	209	176	160	150	189	164	183	
5–20 " -	62	74	71	73	61	60	82	84	82	77	82	68	70	
20–40 " -	185	171	166	190	176	140	235	194	208	194	211	181	191	
40–60 " -	202	288	317	375	312	260	380	323	349	332	355	297	307	
60 yrs. & upwds	388	440	458	490	434	354	552	570	521	483	564	495	507	
Deaths from—														
Small-pox†	-	1	-	-	-	1	-	-	-	-	-	-	-	
Measles - -	36	37	24	31	41	40	59	58	49	46	38	31	37	
Scarlet Fever - -	4	6	9	-	5	7	9	10	10	10	9	3	4	
Diphtheria - -	20	9	10	16	15	9	27	14	11	10	25	13	12	
Whooping-cough -	13	17	20	24	22	21	35	28	37	29	43	45	52	
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Enteric Fever - -	12	14	15	15	8	9	10	5	8	5	3	4	8	
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	1	-	-	-	-	
Diarrhoea, Dysentery	29	31	27	23	22	15	27	16	19	25	17	20	13	
All above Diseases -	114	115	105	109	113	102	167	131	135	125	135	116	126	
Dis. of Resp. System	165	200	193	234	186	139	228	248	217	208	258	190	165	
Pneumonia - -	160	199	165	183	158	132	176	185	189	145	171	157	159	
Phthisis - -	146	140	178	167	142	142	183	150	180	180	178	160	139	
Dis. of Circ. System -	186	195	188	240	185	150	238	237	195	181	222	199	236	
Violence - -	71	53	48	65	60	49	77	73	65	50	57	59	78	
Inquest Cases -	165	169	133	178	150	127	195	203	177	144	158	127	189	
Deaths in Institutions	467	490	539	554	524	424	644	549	613	545	605	540	548	
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	
Mean - -	41.1	45.3	35.2	41.5	42.0	40.2	32.6	39.8	42.1	35.7	40.9	40.6	42.1	
Mean of Highest - -	46.4	49.4	39.5	45.3	45.1	42.9	35.7	43.9	46.4	41.2	44.3	45.7	47.7	
Mean of Lowest - -	34.7	40.1	30.3	35.6	38.1	37.1	28.8	34.3	36.6	29.1	37.1	35.6	36.5	
Mean Humidity of the Air.	84	82	83	86	88	89	78	91	82	92	86	87	81	
Rain-fall (in inches) -	0.07	1.18	0.28	1.12	0.02	0.00	0.09	0.29	0.69	0.18	0.92	1.15	1.27	
Registered Sunshine (in hours).	8.6	6.1	2.5	1.6	9.3	0.3	8.7	2.9	9.2	4.3	8.7	15.0	14.2	
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox - -	47	40	35	32	26	27	26	23	26	24	21	25	24	
Scarlet Fever - -	1832	1770	1715	1717	1655	1617	1632	1659	1660	1679	1651	1657	1644	
Diphtheria - -	808	765	754	756	733	770	739	732	749	758	760	782	767	
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Enteric Fever - -	263	286	285	273	266	259	246	235	191	184	166	161	139	

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newshol Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Broome Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Bude; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; and H. B. Witty, Esq., G.

TABLE 4. LONDON.—DEATHS Registered in the SIXTH Week of the Year 1904.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 6th week of the year 1904.	1904—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 6th week of the year 1904.	1904—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
CAUSES	1504	1574	316	183	70	191	307	507	Meningitis (not tuberc.)	12	17	7	8	1	-	1	-
									Insanity, Gen. Par. of	24	26	-	-	-	5	9	12
									Insane	5	6	-	-	-	4	2	-
									Epilepsy	22	31	31	-	-	-	-	-
									Convulsions	1	1	-	-	-	-	-	1
									Locomotor Ataxy	1	2	-	-	-	-	1	1
									Paraplegia, Dis. of Cord	37	26	-	2	-	2	6	16
									Nervous Sys. (other dis.)	37	53	-	-	6	11	16	20
									Valv. Dis., Endocarditis.	34	31	-	-	-	2	7	22
									Cerebr. Hem. Thromb.	19	25	-	-	-	-	8	17
									Apoplexy, Hemiplegia	4	9	-	-	-	4	4	1
									Aneurysm	-	3	-	-	-	-	2	1
									Embolism, Thrombosis	91	115	1	-	2	7	29	76
									(not cerebral)	-	-	-	-	-	-	-	-
									Heart & Blood Vessel Dis.	-	-	-	-	-	-	-	-
									Croup (not Spasm: nor Memb.)	119	148	27	11	-	2	9	99
									Bronchitis	8	9	-	-	-	1	2	6
									Asthma, Emphysema	4	1	-	-	-	-	1	-
									Pleurisy	19	7	1	1	1	2	1	1
									Respiratory Dis. (other)	-	-	-	-	-	-	-	-
									Tonsillitis, Quinsy	18	12	8	1	-	1	1	1
									Enteritis (not Epid.)	6	2	1	1	-	-	-	-
									Gastro-Enteritis	4	2	-	-	-	-	-	1
									Peritonitis (not Puerp.)	14	12	-	-	-	3	8	1
									Cirrhosis of Liver	8	5	-	-	1	-	2	2
									Liver Dis. (other)	41	40	7	2	5	10	9	7
									Digestive Dis., Other	4	8	-	-	-	3	2	3
									Nephritis, Acute	32	42	-	-	1	6	17	18
									Bright's Dis., Albuminuria	13	14	-	-	-	4	3	7
									Urinary Sys., Other Dis.	3	8	-	-	1	1	4	2
									Generative Organs Dis.	5	2	-	-	-	1	1	-
									Childbirth (Accid. of)	45	67	-	-	-	-	-	67
									Old Age	119	110	65	13	6	7	12	7
									Other Diseases	-	-	-	-	-	-	-	-
									ACCIDENT.	-	-	-	-	-	-	-	-
									By Railways	5	2	-	-	-	1	-	1
									By Vehicles and Horses	1	7	-	1	2	1	1	2
									In Ships, Boats, Docks, (exclusive of Drowning)	-	-	-	-	-	-	-	-
									In Building Operations	-	4	-	-	-	2	2	-
									In Conflagrations	-	-	-	-	-	-	-	-
									By Burns, Scalds, Explosions	4	7	1	3	1	1	-	1
									By Drowning	5	6	1	-	-	4	1	-
									By Suffocation in Bed	15	16	16	-	-	-	-	-
									By Poisons or Poisonous Vapours	1	2	-	1	-	1	-	-
									Other Deaths by Accident	20	24	1	-	1	6	2	14
									VIOLENCE OTHER THAN ACCIDENTAL.	-	-	-	-	-	-	-	-
									Homicide	-	2	-	1	1	-	-	-
									Suicide	8	8	-	-	-	-	2	4
									Execution	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., in each SUB-DISTRICT during the Week ended Saturday, 13th February, 1904.

REGISTRATION SUB-DISTRICTS.			Enu- me- rated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include											
						Deaths of		Deaths from									
						Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhœa.	Violence.
LONDON	-	-	4,536,541	2637	1574	316	507	-	37	4	12	52	-	8	-	13	78
WEST DISTRICTS	-	-	805,311	406	272	43	91	-	13	-	-	1	-	1	-	2	22
NORTH DISTRICTS	-	-	1,056,070	545	321	61	114	-	3	1	7	11	-	3	-	1	13
CENTRAL DISTRICTS	-	-	209,465	117	68	13	13	-	-	-	-	1	-	-	-	-	4
EAST DISTRICTS	-	-	715,739	564	269	61	82	-	5	-	-	10	-	-	-	1	12
SOUTH DISTRICTS	-	-	1,749,956	1005	594	137	189	-	16	3	4	29	-	4	-	8	23
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	-	-	50	1	18	-	-	-	1	-	-	-	-	1	1
WEST DISTRICTS.																	
St. Mary Paddington } W,2H	G. & W.	93,178	49	35	6	11	-	1	-	-	1	-	-	-	-	-	4
St. John Paddington } H	- G.	33,617	6	17	2	3	-	1	-	-	-	-	-	-	-	-	3
North-West Paddington } -	- C.	17,181	5	8	1	-	-	2	-	-	-	-	-	-	-	-	-
Kensington Town } 2W,w,2H	G. & W. & C.	128,037	69	41	5	21	-	3	-	-	-	-	-	-	-	-	3
Brompton } -	- W. & C.	48,591	14	12	-	7	-	-	-	-	-	-	-	-	-	-	-
North Hammersmith } W,w,H	W. & G.	49,192	32	10	3	1	-	1	-	-	-	-	-	-	-	-	-
South Hammersmith } w,2H		63,047	41	12	2	4	-	2	-	-	-	-	-	-	-	-	-
North-west Fulham } W		45,180	45	20	6	4	-	-	-	-	-	-	-	-	-	-	1
North-east Fulham } F		46,405	23	14	4	6	-	2	-	-	-	-	-	-	-	-	1
South Fulham } W	W. & C.	45,704	29	11	3	1	-	-	-	-	-	-	-	-	-	-	1
Chelsea North } W,w,3H	- C.	42,514	19	28	5	13	-	-	-	-	-	-	-	-	-	1	2
Chelsea South } 2H	- C.	31,328	15	10	-	4	-	-	-	-	-	-	-	-	-	-	1
May Fair and Knightsbridge } H	C. & G.	28,743	4	3	-	2	-	-	-	-	-	-	-	-	-	-	-
Belgrave } W,2H	- C.	55,815	20	24	2	7	-	1	-	-	-	-	-	-	-	1	3
St. Margaret & St. John } 4H	- C.	43,698	30	19	3	5	-	-	-	-	-	-	-	1	-	2	4
St. James Westminster } W,H	N. & G.	21,588	4	4	1	1	-	-	-	-	-	-	-	-	-	-	1
St. Anne Soho } 5H	- N.	11,493	1	4	-	1	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone } 8H	- W.	35,391	10	12	-	6	-	-	-	-	-	-	-	-	-	-	1
Rectory Marylebone } W	G. & W.	19,849	5	4	1	1	-	-	-	-	-	-	-	-	-	-	1
St. Mary Marylebone } 4H	G. & W.	18,099	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone } H-W	- W.	39,536	26	7	3	1	-	-	-	-	-	-	-	-	1	-	-
St. John Marylebone } 3H	- W.	20,426	9	4	2	1	-	-	-	-	-	1	-	-	-	-	-
Hampstead } W,F,3H	- N. & W.	81,942	22	23	5	8	-	1	1	3	1	-	2	-	-	2	2
West St. Pancras } 2H	- W.	60,562	24	13	2	4	-	1	-	-	-	1	-	-	-	-	2
Tottenham-court } w,6H	N. & W.	21,258	8	11	2	3	-	-	-	-	-	-	-	-	-	-	1
Gray's Inn Lane } 4H	- N.	34,449	12	8	2	1	-	-	-	-	-	-	-	-	-	1	2
East St. Pancras } W,2H	- N.	60,320	28	30	3	8	-	-	-	1	-	-	-	-	-	6	1
North St. Pancras } 2W	- N.	58,728	39	21	4	5	-	1	-	-	-	-	-	-	-	1	1
Tufnell W- } -	- N.	31,995	14	15	2	6	-	-	-	-	-	-	-	-	-	-	3
Upper Holloway } 2W,w,2H	- N.	33,978	15	23	1	9	-	-	-	-	-	2	-	-	-	2	4
Tollington W- } -	- N.	33,922	21	8	1	4	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway } -	- N.	41,424	28	9	3	1	-	-	-	-	-	2	-	-	-	1	2
Barnsbury } -	- N.	54,478	33	16	4	3	-	-	-	-	-	1	-	-	-	2	3
Islington South-east } F	- N.	75,397	44	22	4	8	-	-	-	-	-	1	-	-	-	2	4
Highbury } 2H	- N.	63,797	17	14	2	8	-	-	-	-	-	1	-	-	-	-	3
Stoke Newington } H	- N.	51,247	21	12	1	7	-	-	-	-	-	-	-	-	-	-	2
North Hackney } -	E. & N.	50,560	23	9	3	3	-	-	-	-	-	1	-	1	-	-	1
Central Hackney } 2w,F	E. & N.	50,536	27	11	3	2	-	-	-	-	3	-	-	-	-	-	2
South-west Hackney } 3H	E. & N.	59,921	53	20	7	8	-	-	-	-	-	-	-	-	-	-	3
South-east Hackney } 2W,w,H	E. & N.	58,255	40	29	6	17	-	-	-	-	-	-	-	-	-	1	4

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other D than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When district contains more than one institution of either kind, the number is indicated by a figure prefixed letter. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. s Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; R. River; E. East London; and K. the Kent Company.

See note * on first page of this return.

† Formerly described as "Simple Continued Fever."

Population, Births, and Deaths in London Sub-Districts.

TABLE 5 LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 13th February, 1904—continued.

REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include															Inquest Cases.	Deaths in Public Institutions.
				Deaths of		Deaths from														
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.					
ST. MARTIN'S Hilles and Bloomsbury W,2H N.	31,436	21	6	1	2	-	-	-	-	-	-	-	-	-	-	-	1	1		
St. Martin's Union Workhouse, Edmonton -	21,674	4	13	2	3	-	-	-	-	-	-	-	-	-	-	-	-	11		
St. Martin's Union Workhouse, } St. Martin's - - - - - }	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1		
St. Martin's Union Workhouse, } St. Martin's - - - - - }	29,612	21	11	4	1	-	-	-	-	1	-	-	-	-	-	-	-	7		
St. Martin's Union Workhouse, } St. Martin's - - - - - }	28,676	16	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Martin's Union Workhouse, } St. Martin's - - - - - }	35,023	20	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Martin's Union Workhouse, } St. Martin's - - - - - }	36,116	30	9	3	1	-	-	-	-	-	-	-	-	-	-	1	2	3		
St. Martin's Union Workhouse, } St. Martin's - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Paul's H - - - N. & E.	10,299	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Paul's Sepulchre and Allhallows* } St. Paul's H - - - - - }	16,624	3	23	2	3	-	-	-	-	-	-	-	-	-	-	1	3	15		
St. Paul's of London Asylum, Stone - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
CENTRAL DISTRICTS.																				
St. Andrew's South H,L - E. & N.	16,369	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	2		
St. Andrew's on New Town W,H - - N.	29,761	25	8	2	3	-	-	-	-	1	-	-	-	-	-	1	2	3		
St. Andrew's on Old Town - - - N.	26,504	19	8	3	1	-	-	-	-	1	-	-	-	-	-	-	2	-		
St. Andrew's Erston W - - - N & E.	46,003	34	25	3	10	-	-	-	-	1	-	-	-	-	-	1	2	13		
St. Andrew's Union Workhouse, Wood } St. Andrew's - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. George's Green North 2H - - E.	51,514	45	8	2	4	-	-	-	-	-	-	-	-	-	-	-	2	1		
St. George's Green South - - - E.	33,472	26	4	2	2	-	-	-	-	1	-	-	-	-	-	-	1	-		
St. George's Green East 2W,H,L - E.	44,694	30	28	1	10	-	1	-	-	-	-	-	-	-	-	-	2	19		
St. Giles's Fields - - - E. & N.	27,969	25	4	2	1	-	-	-	-	1	-	-	-	-	-	-	2	-		
St. Giles's New Town W,H - - E.	28,718	26	41	4	10	-	1	-	-	-	-	-	-	-	-	4	8	36		
St. Giles's St. Giles's Fields - - E.	22,081	11	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. George's George and St. John 2W E.	49,068	54	24	12	3	-	1	-	-	2	-	-	-	-	-	2	6	5		
St. George's Well and Ratcliff W,H,E. & N.	25,568	13	9	-	2	-	-	-	-	1	-	-	-	-	-	-	-	6		
St. George's House - - - - - E.	32,369	36	8	3	1	-	-	-	-	-	-	-	-	-	-	2	5	-		
St. Giles's End Old Town West H - E.	59,479	55	10	2	3	-	-	-	-	-	-	-	-	-	-	-	2	-		
St. Giles's End Old Town East } St. Giles's - - - - - }	53,348	34	25	8	7	-	-	-	-	-	-	-	-	-	-	-	4	8		
St. Giles's L - - - - - E.	41,989	26	11	4	3	-	-	-	-	2	-	-	-	-	-	1	-	2		
St. Giles's W,3H - - - - - E.	68,319	57	29	6	11	-	2	-	-	-	-	-	-	-	-	1	5	14		
St. Giles's W,w - - - - - E.	58,514	42	21	5	8	-	-	-	-	-	-	-	-	-	-	1	5	2		

On 1st November, 1903, the Sub-districts of St. Sepulchre and Allhallows Barking were united and called St. Sepulchre and Allhallows.

TABLE 5. LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 13th February, 1904.—continued.

REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1901.	The DEATHS registered during the Week include														Inquest Cases.			
			Total BIRTHS.	Total DEATHS.	Deaths of		Deaths from													
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.				
SOUTH DISTRICTS.																				
Christchurch Southwark W,HL.&S.		11,263	4	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1
Saviour Southwark H - S.		12,056	5	20	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Kent-road - - - S. & L.		21,904	14	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
St. George the Martyr } S. & L.		39,094	22	8	4	3	-	2	-	-	-	1	-	-	-	-	-	-	-	1
West W2H,L																				1
Trinity Newington - S. & L.		28,504	21	8	3	1	-	-	1	-	-	3	-	-	-	-	-	-	-	1
St. Peter Walworth W- S. & L.		61,767	34	21	9	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1
St. Mary Newington - L. & S.		31,592	22	9	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
St. Olave 2W - - - S.		9,817	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey W - - S.		82,483	63	25	6	5	-	2	-	-	-	-	-	-	-	-	-	1	-	1
Rotherhithe W,F- - S. & K.		38,460	30	17	3	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Waterloo-road 2H - - L. & S.		27,440	21	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Lambeth Church 1st H L. & S.		18,423	9	19	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	3
Lambeth Church 2nd 2W L. & S.		39,818	28	23	1	14	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Kennington 1st H - - S. & L.		53,198	40	15	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Kennington 2nd H - - S. & L.		42,896	18	16	4	4	-	2	-	-	-	-	-	-	-	-	-	-	-	1
Brixton F - - - L. & S.		84,232	54	17	2	7	-	2	1	1	-	-	-	-	-	-	-	-	-	1
Norwood W,H - - - L.		35,888	14	7	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea - - - S.		72,203	39	17	4	5	-	-	-	-	-	-	-	-	-	-	-	-	-	2
North-west Battersea - - S.		49,656	35	14	4	3	-	3	-	-	-	1	-	-	-	-	-	-	-	2
South-west Battersea W,H - S.		47,048	22	23	4	12	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Slaptham 2H - - - S.		51,361	32	11	2	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Streatham W2w2F,2L - - L.		88,131	40	29	10	11	-	-	-	-	-	1	-	3	-	-	1	1	2	2
Springfield 2W,L - - - S.		27,959	19	9	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Southfields H - - - S.		40,444	27	17	3	10	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Putney - - - - S.		24,139	5	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich - - - - L. & S.		10,247	3	2	-	2	-	-	-	-	-	1	-	-	-	-	-	-	4	4
Camberwell 2Ww2L - - S. & L.		90,465	53	47	4	18	-	1	-	-	-	1	-	-	-	-	-	-	3	3
Peckham 2W,w - - S. & L. & K.		93,038	53	25	3	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1
St. George Camberwell - L. & S.		65,589	35	16	6	3	-	1	-	-	-	1	-	-	-	-	-	-	-	-
Deptford North - - - K.		37,613	22	14	7	4	-	-	-	-	-	3	-	-	-	-	-	-	2	-
Deptford Central F - - K.		45,481	33	12	6	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Deptford South - - - K.		34,625	13	9	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West 2H - - K.		23,456	7	8	5	1	-	-	-	-	-	1	-	-	-	-	-	-	-	2
Greenwich East 2W,H - K.		43,859	36	30	4	7	-	-	-	-	-	4	-	-	-	-	-	-	-	-
Eltham w,H- - - - K.		7,226	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Lee H - - - - K.		25,490	9	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham Ww,F - - K.		58,352	36	27	8	6	-	-	1	1	3	-	-	-	-	-	-	1	-	-
Sydenham H - - - L.		43,653	12	11	1	6	-	-	-	-	-	2	-	-	-	-	-	-	-	-
Charlton F2H - - - K.		21,134	5	12	1	2	-	-	-	1	2	-	-	-	-	-	-	-	-	2
Woolwich 4H - - - K.		41,625	17	11	4	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Plumstead West W - - K.		18,063	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Plumstead East 2W,H - K.		50,264	32	19	5	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asy.,Banstead -		-	-	9	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton Manor Asylum - - -		-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Epsom -		-	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Caterham		-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Cane Hill		-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.A.B. Hospitals, Dartford -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Darenth		-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Dartford		-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Heath - - - - -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Hanwell		-	-	5	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asy., Hendon		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Colney Hatch		-	-	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1
M.A.B. North-Eastern Hospital -		-	-	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
M.A.B. Northern Hospital -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Leavesden		-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Claybury		-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

IN 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSING HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the week ended Saturday, 13th February, 1904.

					The DEATHS registered in the Week include														
REGISTRATION SUB-DISTRICTS.		Area in Acres.	Enu- merated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public		
LONDON—OUTER RING		368,580	2,044,861	1,227	626	139	201	-	9	4	10	16	2	4	16	40	95		
1	Carshalton <i>w, 2F, 2H</i>	12,228	32,997	16	10	2	5	-	-	-	-	-	-	1	-	-	-		
2	Epsom, part of* <i>W, w, 2F, H</i>	10,423	15,548	2	6	1	2	-	-	-	-	-	-	-	-	-	3		
1	Godstone, part of* <i>W, F</i>	2,754	2,692	3	1	-	-	-	-	-	-	-	-	-	-	-	-		
1	Coulsdon	11,069	8,166	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	South Croydon	9,012	49,379	18	12	3	4	-	-	-	-	-	-	-	2	2	-		
3	West Croydon <i>3W, F, H</i>		42,888	17	18	1	7	-	-	1	1	-	-	-	1	1	11		
4	North Croydon <i>H</i>		41,698	19	7	1	4	-	-	-	-	-	-	-	-	-	1		
5	Penge <i>w</i>	770	22,465	8	6	3	1	-	-	-	-	-	-	-	-	1	-		
6	Mitcham <i>w</i>	11,689	23,903	23	6	1	2	-	-	-	-	-	-	-	-	1	-		
1	Wimbledon <i>F, 3H</i>	3,221	41,652	30	9	1	5	-	-	-	-	-	-	-	1	2	1		
2	Kingston <i>W, H</i>	6,224	42,068	17	13	2	7	-	-	-	1	-	-	-	2	2	3		
3	Surbiton <i>F, H</i>	3,046	15,017	5	4	-	1	-	-	-	-	-	-	-	-	-	-		
4	Esher, part of* <i>H</i>	5,402	13,100	6	4	1	2	-	-	-	-	-	-	-	-	-	-		
5	Hampton <i>H, L</i>	4,564	23,456	11	8	1	2	-	-	-	-	-	-	-	-	-	-		
1	Richmond <i>W, H</i>	2,162	28,865	10	9	1	2	-	-	-	-	-	-	-	-	-	5		
2	Mortlake <i>F</i>	2,847	20,628	12	12	2	4	-	-	-	-	1	-	-	2	3	-		
1	Bromley <i>F, 2H</i>	4,703	27,354	8	4	-	2	-	-	-	1	-	-	-	-	-	1		
2	Beckenham <i>H</i>	7,825	28,497	19	7	2	2	-	1	-	-	-	-	-	-	-	-		
3	Orpington, part of* <i>W</i>	10,113	9,857	6	3	3	1	-	-	-	-	-	-	-	-	-	1		
4	Chislehurst <i>2H</i>	7,333	16,446	2	4	2	2	-	-	-	-	-	-	-	-	-	-		
1	Bexley <i>F, H</i>	8,678	21,151	10	5	-	3	-	-	-	-	-	-	-	-	-	-		
2	Erith <i>F, H</i>	3,854	25,296	24	3	2	-	-	-	-	-	-	-	-	-	-	-		
3	Dartford <i>W, F, part of*</i>	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	3		
1	Sunbury <i>w</i>	11,054	18,683	7	5	3	1	-	-	-	-	-	-	-	-	-	-		
2	Staines <i>W, H</i>	13,277	15,178	5	4	1	-	-	-	-	-	-	-	-	-	-	-		
1	Hillingdon <i>W, F, H</i>	6,035	13,661	7	3	-	1	-	-	-	-	-	-	-	1	1	1		
2	Uxbridge	12,757	8,984	7	3	1	1	-	-	-	-	-	-	-	-	-	-		
3	Hayes <i>w, F, H</i>	8,066	16,358	10	4	1	1	-	-	-	-	-	-	-	1	-	-		
1	Isleworth <i>3W, 2F, H</i>	6,859	30,863	15	19	1	7	-	-	1	-	-	-	-	-	1	10		
2	Twickenham <i>F, H</i>	2,421	20,991	13	10	2	4	-	-	-	2	2	-	-	-	-	-		
3	Brentford <i>2F, 2H, L</i>	4,319	48,289	36	11	-	7	-	-	-	-	-	-	-	-	-	-		
4	Chiswick <i>H</i>	1,249	29,809	23	8	4	1	-	-	-	-	-	-	-	-	-	-		
5	Acton <i>w, 3H</i>	6,132	48,914	38	19	4	7	-	-	-	-	-	-	1	-	-	1		
1	Harrow <i>F, H</i>	13,809	25,523	11	5	-	2	-	-	-	-	-	-	-	-	1	-		
2	Edgware <i>F, 2H</i>	6,994	4,521	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
3	Willesden <i>W, F, 2H</i>	4,384	114,811	90	36	14	10	4	-	1	-	1	-	-	1	5	-		
4	Hendon <i>W, F</i>	8,382	22,450	8	5	-	5	-	-	-	-	-	-	-	-	-	2		
1	South Mimms <i>2F, H</i>	17,755	7,308	2	3	2	1	-	-	-	-	-	-	-	-	-	-		
2	Barnet <i>W, 3H</i>	3,324	17,970	10	11	2	5	-	-	-	1	-	-	-	-	1	6		
3	Finchley <i>F, 2H</i>	4,688	33,692	21	6	1	3	-	-	-	-	1	1	-	-	-	-		
1	Hornsey <i>F, H</i>	2,875	72,056	32	14	1	7	-	-	-	-	-	-	-	-	2	-		
2	Wood Green <i>H</i>	1,625	34,233	20	8	2	4	-	-	-	-	-	-	-	-	-	-		
3	West Tottenham <i>F</i>	3,013	48,853	45	14	3	4	-	-	-	-	-	-	-	1	5	-		
4	East Tottenham <i>F, H</i>		53,688	43	23	6	8	-	-	-	-	-	-	-	-	-	3		
5	Edmonton <i>W, w, 2F</i>		7,491	61,892	47	22	5	8	-	-	-	-	-	-	1	3	6		
6	Enfield <i>2W, F, H</i>	12,601	42,738	20	15	5	3	-	-	-	1	-	-	-	1	2	1		
7	Waltham Abbey	11,017	8,549	2	1	-	-	-	-	-	-	-	-	-	-	-	-		
8	Cheshunt <i>F, H</i>	8,479	12,292	9	7	2	3	-	-	-	-	-	-	1	-	-	-		
1	Hatfield, part of* <i>W</i>	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Bushey <i>H</i>	9,333	9,173	4	2	1	1	-	-	-	-	-	-	-	-	1	-		
3	Watford <i>W, 2F, part of*</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1	Stratford <i>H</i>	1,072	44,827	28	20	6	3	-	4	-	-	-	-	-	-	-	1		
2	Plaistow <i>F, 3H</i>	1,249	90,921	73	30	10	7	-	-	-	2	1	-	1	1	3	2		
3	Canning Town <i>H</i>	1,556	70,718	54	23	9	3	-	-	-	-	2	-	3	3	2	-		
4	Forest Gate <i>w</i>	806	60,892	23	15	3	3	-	-	-	-	-	-	-	-	-	-		
5	North East Ham <i>w</i>	3,326	58,676	39	17	6	3	-	-	-	-	1	1	-	-	-	-		
6	South East Ham <i>3F</i>		37,342	32	6	2	1	-	-	-	-	-	-	-	-	-	-		
7	Wanstead <i>F</i>		9,179	4	1	1	-	-	-	-	-	-	-	-	-	-	-		
8	South Leyton <i>2W</i>	631	50,467	20	19	1	4	-	1	-	4	-	-	-	-	-	3		
9	North Leyton <i>W, w, F</i>	1,963	48,445	19	27	5	5	-	1	1	-	-	-	1	1	15	-		
0	Walthamstow <i>3H, L</i>	6,504	108,929	74	23	4	5	-	-	-	-	-	-	-	-	-	-		
1	Chigwell, part of* <i>2F, 4H</i>	11,778	16,397	6	3	-	1	-	-	-	-	1	-	-	-	-	-		
2	Epping <i>W, F, part of*</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3	Romford, part of* <i>W, 2F</i>	6,556	6,091	7	3	1	1	-	1	-	-	-	-	-	-	-	-		
4	Ilford <i>F, L</i>	8,496	41,234	32	15	1	6	-	-	-	-	-	-	-	-	1	4		
5	Barking Town <i>F</i>	3,803	21,547	16	8	1	4	-	-	1	-	-	-	-	-	1	-		
6	Middlesex County Asylum, Wandsworth.	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	3		
7	Park Hospital, Lewisham	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-		

ne parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer parts of the Metropolitan Police District, are as follows:—30: 2, excepting Ashted parish; 37: 1, Warrington and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping- cough.	Fever.
CUTTACK (including SUBURBS)	847,796	December 26	-	466	28·5	-	-	-	1	-	142†
BOMBAY	776,008	January 19	401	680	45·6	1	3	-	-	1	238†
COCHIN	509,348	" 1	357	405	41·3	-	2	?	?	?	108
MASSARAS	509,348	" 8	411	435	44·4	-	3	?	?	?	116
CHENNAI	2,680,559	February 6	1055	985	20·3	2	10	3	7*	6	4
COLOMBO	575,886	-	-	-	-	-	-	-	-	-	-
CEYLON	281,376	-	-	-	-	-	-	-	-	-	-
AMSTERDAM	542,073	January 30	300	190	18·2	1	10	-	1	5	-
COPENHAGEN	416,000	February 6	214	125	15·5	-	-	-	3*	4	-
STOCKHOLM	305,115	January 30	111	67	11·4	-	-	-	4*	1	-
CHRISTIANIA	225,709	February 6	119	48	10·6	-	-	-	-	-	-
PETERSBURG	1,248,643	January 30	556	557	23·3	2	10	9	8	2	13
MOSCOW	1,093,410	" 30	-	491	23·4	1	4	12	10	2	2
BERLIN	1,960,909	" 23	880	570	15·2	-	6	8	6*	6	1
STAMBOURG	737,328	February 6	-	237	16·4	-	-	5	4*	3	-
PODSILAU	445,403	January 30	-	175	20·5	-	1	1	3*	?	2
PODSILAU	520,000	February 6	-	223	22·3	-	1	-	4*	2	-
VENNNA	1,779,869	" 6	925	655	19·1	-	10	1	11*	3	1
BRAGUE	423,990	" 6	209	182	22·4	-	3	1	1*	5	1
UDA-PESTH	813,399	January 30	400	304	19·4	-	3	7	7*	1	2
PESTH	813,399	February 6	444	332	21·2	-	6	5	6*	1	1
PESTH	187,249	" 6	121	98	27·4	-	3	-	-	2	2
ROME	491,074	December 26	274	175	18·6	-	2	-	-	-	6
NICE	166,522	January 30	69	89	25·6	-	-	-	-	-	-
SIRO	621,179	November 25	579	396	33·1	-	6	-	10*	?	14
ALEXANDRIA	352,010	" 25	302	184	27·5	1	-	-	-	?	2†
NEW YORK	3,732,903	January 30	1701	1549	21·1	-	19	27	53*	1	7
PHILADELPHIA	1,378,621	" 9	-	656	24·8	25	8	6	17*	-	22
PHILADELPHIA	1,378,621	" 16	-	736	27·8	21	6	9	15*	4	13
BOSTON	603,163	" 9	-	229	19·3	-	2	6	8*	1	2

* Including deaths from croup.

† Including 15 deaths from plague in Calcutta, 189 in Bombay, and 1 in Alexandria.

‡ Including 10 deaths from cholera.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 13th February, 1900

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	49·9	32·4	42·1	1·27	HUDDERSFIELD	48·0	30·0	38·1	
BRIGHTON	48·5	33·1	43·7	1·62	BRADFORD	48·0	31·8	39·1	
PORTSMOUTH	51·0	33·5	44·0	1·93	LEEDS	50·0	33·0	40·5	
OXFORD	50·4	31·2	40·6	1·32	HULL	50·0	31·0	39·6	
PLYMOUTH	50·7	31·9	44·0	2·84	EDINBURGH	46·3	29·0	36·8	
BIRMINGHAM	50·4	35·5	41·8	2·71	GLASGOW	48·8	26·7	38·4	
SHEFFIELD	-	-	-	-	DUBLIN	51·8	28·9	38·3	
MANCHESTER	48·8	33·0	39·1	1·48	PHOENIX PARK	52·2	32·9	40·0	
NOTTINGHAM	48·5	32·0	39·1	0·89	FITZ-WILLIAM SQUARE	-	-	-	
LIVERPOOL	48·0	32·0	39·1	0·72	BELFAST	48·2	26·3	36·2	
MET. OBSERVATORY.	47·3	30·8	38·0	0·91					
MANCHESTER	47·8	32·0	38·8	0·76					

* These figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0·4° Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

Meteorological Observations.

1904.		Phases of the Moon.	Baro- meter.	TEMPERATURE.				Difference between the Air Temperature and the Dew Point Temperature.				TEMPERATURE.		Wind as deduced from Anemometers.				Rain collected in the Gauge whose receiving surface is 5 inches above the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
MONTH AND DAY.	Of the Air.				Of the Dew point		Degrees of Hu- midity (Sat- uration 100).	Of Radiation.		Oiler's.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	High- est.			Low- est.	Daily Range.	Mean daily value.		Mean from Average of 50 years.	Mean daily value.	Great- est.	Least.	Highest in Sun's Rays.	Lowest on the Grass.	A.M.	P.M.	Great- est.	Least.		Mean hourly obs.	Horizontal Movement of 24 hours on each Day.	Depart- ure from Average of 16 years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
FEBRUARY.			In.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea ; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M. ; noon ; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1888 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1876.

"In reading columns 9 and 24 it will be borne in mind that + indicates 'higher', and - 'lower', than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are - P, positive ; N, negative ; w, weak ; m, moderate ; s, strong ; and v, variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29.35 in. at the beginning of the week to 29.50 in. by 11h. A.M. on the 7th ; decreased to 28.78 in. by 4h. P.M. on the 8th ; increased to 29.01 in. by 4h. A.M. on the 9th ; decreased to 28.49 in. by 8h. P.M. on the same day ; increased to 28.79 in. by 11h. A.M. on the 10th ; decreased to 28.69 in. by 5h. P.M. on the 11th ; increased to 28.83 in. by 11h. A.M. on the 12th ; decreased to 28.75 in. by 4h. P.M. on the 13th ; increased to 28.83 in. by 11h. A.M. on the 14th ; decreased to 28.75 in. by 4h. P.M. on the 15th ; increased to 28.83 in. by 11h. A.M. on the 16th ; decreased to 28.75 in. by 4h. P.M. on the 17th ; increased to 28.83 in. by 11h. A.M. on the 18th ; decreased to 28.75 in. by 4h. P.M. on the 19th ; increased to 28.83 in. by 11h. A.M. on the 20th ; decreased to 28.75 in. by 4h. P.M. on the 21st ; increased to 28.83 in. by 11h. A.M. on the 22nd ; decreased to 28.75 in. by 4h. P.M. on the 23rd ; increased to 28.83 in. by 11h. A.M. on the 24th ; decreased to 28.75 in. by 4h. P.M. on the 25th ; increased to 28.83 in. by 11h. A.M. on the 26th ; decreased to 28.75 in. by 4h. P.M. on the 27th ; increased to 28.83 in. by 11h. A.M. on the 28th ; decreased to 28.75 in. by 4h. P.M. on the 29th ; increased to 28.83 in. by 11h. A.M. on the 30th ; decreased to 28.75 in. by 4h. P.M. on the 31st ; increased to 28.83 in. by 11h. A.M. on the 32nd ; decreased to 28.75 in. by 4h. P.M. on the 33rd ; increased to 28.83 in. by 11h. A.M. on the 34th ; decreased to 28.75 in. by 4h. P.M. on the 35th ; increased to 28.83 in. by 11h. A.M. on the 36th ; decreased to 28.75 in. by 4h. P.M. on the 37th ; increased to 28.83 in. by 11h. A.M. on the 38th ; decreased to 28.75 in. by 4h. P.M. on the 39th ; increased to 28.83 in. by 11h. A.M. on the 40th ; decreased to 28.75 in. by 4h. P.M. on the 41st ; increased to 28.83 in. by 11h. A.M. on the 42nd ; decreased to 28.75 in. by 4h. P.M. on the 43rd ; increased to 28.83 in. by 11h. A.M. on the 44th ; decreased to 28.75 in. by 4h. P.M. on the 45th ; increased to 28.83 in. by 11h. A.M. on the 46th ; decreased to 28.75 in. by 4h. P.M. on the 47th ; increased to 28.83 in. by 11h. A.M. on the 48th ; decreased to 28.75 in. by 4h. P.M. on the 49th ; increased to 28.83 in. by 11h. A.M. on the 50th ; decreased to 28.75 in. by 4h. P.M. on the 51st ; increased to 28.83 in. by 11h. A.M. on the 52nd ; decreased to 28.75 in. by 4h. P.M. on the 53rd ; increased to 28.83 in. by 11h. A.M. on the 54th ; decreased to 28.75 in. by 4h. P.M. on the 55th ; increased to 28.83 in. by 11h. A.M. on the 56th ; decreased to 28.75 in. by 4h. P.M. on the 57th ; increased to 28.83 in. by 11h. A.M. on the 58th ; decreased to 28.75 in. by 4h. P.M. on the 59th ; increased to 28.83 in. by 11h. A.M. on the 60th ; decreased to 28.75 in. by 4h. P.M. on the 61st ; increased to 28.83 in. by 11h. A.M. on the 62nd ; decreased to 28.75 in. by 4h. P.M. on the 63rd ; increased to 28.83 in. by 11h. A.M. on the 64th ; decreased to 28.75 in. by 4h. P.M. on the 65th ; increased to 28.83 in. by 11h. A.M. on the 66th ; decreased to 28.75 in. by 4h. P.M. on the 67th ; increased to 28.83 in. by 11h. A.M. on the 68th ; decreased to 28.75 in. by 4h. P.M. on the 69th ; increased to 28.83 in. by 11h. A.M. on the 70th ; decreased to 28.75 in. by 4h. P.M. on the 71st ; increased to 28.83 in. by 11h. A.M. on the 72nd ; decreased to 28.75 in. by 4h. P.M. on the 73rd ; increased to 28.83 in. by 11h. A.M. on the 74th ; decreased to 28.75 in. by 4h. P.M. on the 75th ; increased to 28.83 in. by 11h. A.M. on the 76th ; decreased to 28.75 in. by 4h. P.M. on the 77th ; increased to 28.83 in. by 11h. A.M. on the 78th ; decreased to 28.75 in. by 4h. P.M. on the 79th ; increased to 28.83 in. by 11h. A.M. on the 80th ; decreased to 28.75 in. by 4h. P.M. on the 81st ; increased to 28.83 in. by 11h. A.M. on the 82nd ; decreased to 28.75 in. by 4h. P.M. on the 83rd ; increased to 28.83 in. by 11h. A.M. on the 84th ; decreased to 28.75 in. by 4h. P.M. on the 85th ; increased to 28.83 in. by 11h. A.M. on the 86th ; decreased to 28.75 in. by 4h. P.M. on the 87th ; increased to 28.83 in. by 11h. A.M. on the 88th ; decreased to 28.75 in. by 4h. P.M. on the 89th ; increased to 28.83 in. by 11h. A.M. on the 90th ; decreased to 28.75 in. by 4h. P.M. on the 91st ; increased to 28.83 in. by 11h. A.M. on the 92nd ; decreased to 28.75 in. by 4h. P.M. on the 93rd ; increased to 28.83 in. by 11h. A.M. on the 94th ; decreased to 28.75 in. by 4h. P.M. on the 95th ; increased to 28.83 in. by 11h. A.M. on the 96th ; decreased to 28.75 in. by 4h. P.M. on the 97th ; increased to 28.83 in. by 11h. A.M. on the 98th ; decreased to 28.75 in. by 4h. P.M. on the 99th ; increased to 28.83 in. by 11h. A.M. on the 100th ; decreased to 28.75 in. by 4h. P.M. on the 101st ; increased to 28.83 in. by 11h. A.M. on the 102nd ; decreased to 28.75 in. by 4h. P.M. on the 103rd ; increased to 28.83 in. by 11h. A.M. on the 104th ; decreased to 28.75 in. by 4h. P.M. on the 105th ; increased to 28.83 in. by 11h. A.M. on the 106th ; decreased to 28.75 in. by 4h. P.M. on the 107th ; increased to 28.83 in. by 11h. A.M. on the 108th ; decreased to 28.75 in. by 4h. P.M. on the 109th ; increased to 28.83 in. by 11h. A.M. on the 110th ; decreased to 28.75 in. by 4h. P.M. on the 111th ; increased to 28.83 in. by 11h. A.M. on the 112th ; decreased to 28.75 in. by 4h. P.M. on the 113th ; increased to 28.83 in. by 11h. A.M. on the 114th ; decreased to 28.75 in. by 4h. P.M. on the 115th ; increased to 28.83 in. by 11h. A.M. on the 116th ; decreased to 28.75 in. by 4h. P.M. on the 117th ; increased to 28.83 in. by 11h. A.M. on the 118th ; decreased to 28.75 in. by 4h. P.M. on the 119th ; increased to 28.83 in. by 11h. A.M. on the 120th ; decreased to 28.75 in. by 4h. P.M. on the 121st ; increased to 28.83 in. by 11h. A.M. on the 122nd ; decreased to 28.75 in. by 4h. P.M. on the 123rd ; increased to 28.83 in. by 11h. A.M. on the 124th ; decreased to 28.75 in. by 4h. P.M. on the 125th ; increased to 28.83 in. by 11h. A.M. on the 126th ; decreased to 28.75 in. by 4h. P.M. on the 127th ; increased to 28.83 in. by 11h. A.M. on the 128th ; decreased to 28.75 in. by 4h. P.M. on the 129th ; increased to 28.83 in. by 11h. A.M. on the 130th ; decreased to 28.75 in. by 4h. P.M. on the 131st ; increased to 28.83 in. by 11h. A.M. on the 132nd ; decreased to 28.75 in. by 4h. P.M. on the 133rd ; increased to 28.83 in. by 11h. A.M. on the 134th ; decreased to 28.75 in. by 4h. P.M. on the 135th ; increased to 28.83 in. by 11h. A.M. on the 136th ; decreased to 28.75 in. by 4h. P.M. on the 137th ; increased to 28.83 in. by 11h. A.M. on the 138th ; decreased to 28.75 in. by 4h. P.M. on the 139th ; increased to 28.83 in. by 11h. A.M. on the 140th ; decreased to 28.75 in. by 4h. P.M. on the 141st ; increased to 28.83 in. by 11h. A.M. on the 142nd ; decreased to 28.75 in. by 4h. P.M. on the 143rd ; increased to 28.83 in. by 11h. A.M. on the 144th ; decreased to 28.75 in. by 4h. P.M. on the 145th ; increased to 28.83 in. by 11h. A.M. on the 146th ; decreased to 28.75 in. by 4h. P.M. on the 147th ; increased to 28.83 in. by 11h. A.M. on the 148th ; decreased to 28.75 in. by 4h. P.M. on the 149th ; increased to 28.83 in. by 11h. A.M. on the 150th ; decreased to 28.75 in. by 4h. P.M. on the 151st ; increased to 28.83 in. by 11h. A.M. on the 152nd ; decreased to 28.75 in. by 4h. P.M. on the 153rd ; increased to 28.83 in. by 11h. A.M. on the 154th ; decreased to 28.75 in. by 4h. P.M. on the 155th ; increased to 28.83 in. by 11h. A.M. on the 156th ; decreased to 28.75 in. by 4h. P.M. on the 157th ; increased to 28.83 in. by 11h. A.M. on the 158th ; decreased to 28.75 in. by 4h. P.M. on the 159th ; increased to 28.83 in. by 11h. A.M. on the 160th ; decreased to 28.75 in. by 4h. P.M. on the 161st ; increased to 28.83 in. by 11h. A.M. on the 162nd ; decreased to 28.75 in. by 4h. P.M. on the 163rd ; increased to 28.83 in. by 11h. A.M. on the 164th ; decreased to 28.75 in. by 4h. P.M. on the 165th ; increased to 28.83 in. by 11h. A.M. on the 166th ; decreased to 28.75 in. by 4h. P.M. on the 167th ; increased to 28.83 in. by 11h. A.M. on the 168th ; decreased to 28.75 in. by 4h. P.M. on the 169th ; increased to 28.83 in. by 11h. A.M. on the 170th ; decreased to 28.75 in. by 4h. P.M. on the 171st ; increased to 28.83 in. by 11h. A.M. on the 172nd ; decreased to 28.75 in. by 4h. P.M. on the 173rd ; increased to 28.83 in. by 11h. A.M. on the 174th ; decreased to 28.75 in. by 4h. P.M. on the 175th ; increased to 28.83 in. by 11h. A.M. on the 176th ; decreased to 28.75 in. by 4h. P.M. on the 177th ; increased to 28.83 in. by 11h. A.M. on the 178th ; decreased to 28.75 in. by 4h. P.M. on the 179th ; increased to 28.83 in. by 11h. A.M. on the 180th ; decreased to 28.75 in. by 4h. P.M. on the 181st ; increased to 28.83 in. by 11h. A.M. on the 182nd ; decreased to 28.75 in. by 4h. P.M. on the 183rd ; increased to 28.83 in. by 11h. A.M. on the 184th ; decreased to 28.75 in. by 4h. P.M. on the 185th ; increased to 28.83 in. by 11h. A.M. on the 186th ; decreased to 28.75 in. by 4h. P.M. on the 187th ; increased to 28.83 in. by 11h. A.M. on the 188th ; decreased to 28.75 in. by 4h. P.M. on the 189th ; increased to 28.83 in. by 11h. A.M. on the 190th ; decreased to 28.75 in. by 4h. P.M. on the 191st ; increased to 28.83 in. by 11h. A.M. on the 192nd ; decreased to 28.75 in. by 4h. P.M. on the 193rd ; increased to 28.83 in. by 11h. A.M. on the 194th ; decreased to 28.75 in. by 4h. P.M. on the 195th ; increased to 28.83 in. by 11h. A.M. on the 196th ; decreased to 28.75 in. by 4h. P.M. on the 197th ; increased to 28.83 in. by 11h. A.M. on the 198th ; decreased to 28.75 in. by 4h. P.M. on the 199th ; increased to 28.83 in. by 11h. A.M. on the 200th ; decreased to 28.75 in. by 4h. P.M. on the 201st ; increased to 28.83 in. by 11h. A.M. on the 202nd ; decreased to 28.75 in. by 4h. P.M. on the 203rd ; increased to 28.83 in. by 11h. A.M. on the 204th ; decreased to 28.75 in. by 4h. P.M. on the 205th ; increased to 28.83 in. by 11h. A.M. on the 206th ; decreased to 28.75 in. by 4h. P.M. on the 207th ; increased to 28.83 in. by 11h. A.M. on the 208th ; decreased to 28.75 in. by 4h. P.M. on the 209th ; increased to 28.83 in. by 11h. A.M. on the 210th ; decreased to 28.75 in. by 4h. P.M. on the 211st ; increased to 28.83 in. by 11h. A.M. on the 212th ; decreased to 28.75 in. by 4h. P.M. on the 213th ; increased to 28.83 in. by 11h. A.M. on the 214th ; decreased to 28.75 in. by 4h. P.M. on the 215th ; increased to 28.83 in. by 11h. A.M. on the 216th ; decreased to 28.75 in. by 4h. P.M. on the 217th ; increased to 28.83 in. by 11h. A.M. on the 218th ; decreased to 28.75 in. by 4h. P.M. on the 219th ; increased to 28.83 in. by 11h. A.M. on the 220th ; decreased to 28.75 in. by 4h. P.M. on the 221st ; increased to 28.83 in. by 11h. A.M. on the 222nd ; decreased to 28.75 in. by 4h. P.M. on the 223rd ; increased to 28.83 in. by 11h. A.M. on the 224th ; decreased to 28.75 in. by 4h. P.M. on the 225th ; increased to 28.83 in. by 11h. A.M. on the 226th ; decreased to 28.75 in. by 4h. P.M. on the 227th ; increased to 28.83 in. by 11h. A.M. on the 228th ; decreased to 28.75 in. by 4h. P.M. on the 229th ; increased to 28.83 in. by 11h. A.M. on the 230th ; decreased to 28.75 in. by 4h. P.M. on the 231st ; increased to 28.83 in. by 11h. A.M. on the 232nd ; decreased to 28.75 in. by 4h. P.M. on the 233rd ; increased to 28.83 in. by 11h. A.M. on the 234th ; decreased to 28.75 in. by 4h. P.M. on the 235th ; increased to 28.83 in. by 11h. A.M. on the 236th ; decreased to 28.75 in. by 4h. P.M. on the 237th ; increased to 28.83 in. by 11h. A.M. on the 238th ; decreased to 28.75 in. by 4h. P.M. on the 239th ; increased to 28.83 in. by 11h. A.M. on the 240th ; decreased to 28.75 in. by 4h. P.M. on the 241st ; increased to 28.83 in. by 11h. A.M. on the 242nd ; decreased to 28.75 in. by 4h. P.M. on the 243rd ; increased to 28.83 in. by 11h. A.M. on the 244th ; decreased to 28.75 in. by 4h. P.M. on the 245th ; increased to 28.83 in. by 11h. A.M. on the 246th ; decreased to 28.75 in. by 4h. P.M. on the 247th ; increased to 28.83 in. by 11h. A.M. on the 248th ; decreased to 28.75 in. by 4h. P.M. on the 249th ; increased to 28.83 in. by 11h. A.M. on the 250th ; decreased to 28.75 in. by 4h. P.M. on the 251st ; increased to 28.83 in. by 11h. A.M. on the 252nd ; decreased to 28.75 in. by 4h. P.M. on the 253rd ; increased to 28.83 in. by 11h. A.M. on the 254th ; decreased to 28.75 in. by 4h. P.M. on the 255th ; increased to 28.83 in. by 11h. A.M. on the 256th ; decreased to 28.75 in. by 4h. P.M. on the 257th ; increased to 28.83 in. by 11h. A.M. on the 258th ; decreased to 28.75 in. by 4h. P.M. on the 259th ; increased to 28.83 in. by 11h. A.M. on the 260th ; decreased to 28.75 in. by 4h. P.M. on the 261st ; increased to 28.83 in. by 11h. A.M. on the 262nd ; decreased to 28.75 in. by 4h. P.M. on the 263rd ; increased to 28.83 in. by 11h. A.M. on the 264th ; decreased to 28.75 in. by 4h. P.M. on the 265th ; increased to 28.83 in. by 11h. A.M. on the 266th ; decreased to 28.75 in. by 4h. P.M. on the 267th ; increased to 28.83 in. by 11h. A.M. on the 268th ; decreased to 28.75 in. by 4h. P.M. on the 269th ; increased to 28.83 in. by 11h. A.M. on the 270th ; decreased to 28.75 in. by 4h. P.M. on the 271st ; increased to 28.83 in. by 11h. A.M. on the 272nd ; decreased to 28.75 in. by 4h. P.M. on the 273rd ; increased to 28.83 in. by 11h. A.M. on the 274th ; decreased to 28.75 in. by 4h. P.M. on the 275th ; increased to 28.83 in. by 11h. A.M. on the 276th ; decreased to 28.75 in. by 4h. P.M. on the 277th ; increased to 28.83 in. by 11h. A.M. on the 278th ; decreased to 28.75 in. by 4h. P.M. on the 279th ; increased to 28.83 in. by 11h. A.M. on the 280th ; decreased to 28.75 in. by 4h. P.M. on the 281st ; increased to 28.83 in. by 11h. A.M. on the 282nd ; decreased to 28.75 in. by 4h. P.M. on the 283rd ; increased to 28.83 in. by 11h. A.M. on the 284th ; decreased to 28.75 in. by 4h. P.M. on the 285th ; increased to 28.83 in. by 11h. A.M. on the 286th ; decreased to 28.75 in. by 4h. P.M. on the 287th ; increased to 28.83 in. by 11h. A.M. on the 288th ; decreased to 28.75 in. by 4h. P.M. on the 289th ; increased to 28.83 in. by 11h. A.M. on the 290th ; decreased to 28.75 in. by 4h. P.M. on the 291st ; increased to 28.83 in. by 11h. A.M. on the 292nd ; decreased to 28.75 in. by 4h. P.M. on the 293rd ; increased to

TABLE 10. —NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 6th February, 1904.*

BOROUGH.	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - -	146,975	-	8	-	-	2	-	-	4	-
Kensington - - - -	179,236	-	4	4	-	1	-	-	2	-
Hammersmith - - - -	117,412	-	1	2	-	-	-	-	2	2
Fulham - - - -	152,482	-	4	5	-	-	-	-	2	-
Chelsea - - - -	74,329	-	5	-	-	1	-	-	2	-
City of Westminster - - - -	177,321	-	6	6	-	-	-	-	3	1
NORTH.										
St. Marylebone - - - -	130,337	-	7	1	-	-	-	-	3	-
Hampstead - - - -	86,663	-	1	3	-	-	-	-	2	-
St. Pancras - - - -	235,936	-	8	6	-	1	-	-	3	-
Islington - - - -	341,044	-	17	7	-	1	-	-	3	2
Stoke Newington - - - -	52,445	-	2	1	-	-	-	-	2	-
Hackney - - - -	226,266	-	6	7	-	1	-	-	6	1
CENTRAL.										
Holborn - - - -	57,161	-	-	-	-	-	-	-	-	-
Finsbury - - - -	98,958	-	5	1	-	1	-	-	2	-
City of London - - - -	23,482	-	1	-	-	-	-	-	-	-
EAST.										
Shoreditch - - - -	117,033	-	2	2	-	2	-	-	5	-
Bethnal Green - - - -	130,207	2	5	20	-	-	-	-	2	-
Stepney - - - -	303,791	-	13	16	-	5	-	-	6	-
Poplar - - - -	189,905	-	9	8	-	2	-	-	5	1
SOUTH.										
Southwark - - - -	207,937	1	6	4	-	1	-	-	5	-
Bermondsey - - - -	129,397	3	8	2	-	1	-	-	4	-
Lambeth - - - -	310,359	-	7	5	-	1	-	-	2	1
Battersea - - - -	175,465	-	3	9	-	3	-	-	1	-
Wandsworth - - - -	257,588	1	14	7	-	1	-	-	2	-
Camberwell - - - -	268,384	-	9	9	-	-	-	-	8	-
Deptford - - - -	113,509	-	9	5	-	-	-	-	3	1
Greenwich - - - -	101,651	-	3	4	-	1	-	-	1	-
Lewisham - - - -	140,401	-	4	3	-	-	-	-	-	-
Woolwich - - - -	123,416	-	11	1	-	-	-	-	-	-
Port of London - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. }		4,649,083	7	178	138	-	25	-	79	9
Ages 0-1 - - - -		1	3	2	-	-	-	-	2	-
" 1-5 - - - -		-	69	50	-	1	-	-	6	-
" 5- - - - -		-	67	44	-	6	-	-	2	-
" 10- - - - -		-	20	21	-	4	-	-	2	-
" 15- - - - -		-	5	7	-	2	-	-	1	1
" 20- - - - -		1	4	4	-	7	-	-	7	2
" 25- - - - -		4	8	7	-	3	-	-	13	4
" 35- - - - -		-	2	2	-	2	-	-	14	2
" 45- - - - -		-	-	1	-	-	-	-	13	-
" 55- - - - -		1	-	-	-	-	-	-	8	-
" 65 and upwards - - - -		-	-	-	-	-	-	-	11	-
Age not stated - - - -		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1904.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 7. 1904. VOL. LXV.] WEEK ENDED SATURDAY, FEB. 20. [Price 1½d.

General Register Office, Somerset House,
February 22nd, 1904.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 18·5 per 1000 of their aggregate population, which is estimated† at 15,271,425 persons in the middle of this year. In the preceding three weeks the rates had been 19·4, 17·2, and 18·4. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 23·1 in Bolton, 23·3 in West Hartlepool, 23·5 in Sunderland, 23·9 in Nottingham and in Liverpool, 24·1 in Salford, 24·3 in Oldham, 24·9 in Preston, 25·6 in Plymouth and in Warrington, 25·8 in Merthyr Tydfil, and 27·9 in Bootle; from *measles*, 1·3 in Rhondda, 2·3 in Warrington, 2·7 in Preston, 3·2 in Stockport, and 4·1 in Norwich; from *scarlet fever*, 2·2 in Merthyr Tydfil; from *diphtheria*, 1·1 in Salford, 1·6 in Willesden, and 2·4 in Hanley; from *whooping-cough*, 1·7 in Leeds, 1·8 in Birkenhead, in St. Helens, in Bury, in Rochdale, and in Rotherham, 2·0 in Liverpool, 2·1 in Portsmouth, 2·2 in Gateshead, 2·5 in Wigan, and 4·3 in Wallasey; from "*fever*," 1·4 in Preston; and from *diarrhœa*, 1·3 in Rhondda. Two deaths from *small-pox* were registered in Hull, and 1 each in London, Derby, Wigan, Manchester, and Gateshead, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2737 BIRTHS and 1589 DEATHS were registered. Allowing for increase of population, the births were 13 above, and the deaths 317 below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 19·5, 17·4, and 17·7 in the preceding three weeks, further rose last week to 17·8. During the four weeks ended on Saturday last the death-rate averaged 18·1 per 1000, being 1·9 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, and in certain local Small-pox Hospitals, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the recent Census, and on the increase in the last intercensal period.

The 1589 deaths included 1 from small-pox, 42 from measles, 9 from scarlet fever, 17 from diphtheria, 55 from whooping-cough, 2 from enteric fever, and 16 from diarrhœa, but not one death from typhus or from ill-defined pyrexia; thus, 142 deaths were referred to these diseases in the aggregate, being 38 below the corrected average weekly number.

The death from *small-pox* was that of a male, aged 62 years, who had been removed from the Borough of Southwark to the Metropolitan Asylums Hospital at Joyce Green, Dartford. The deaths from *measles*, which had been 38, 31, and 37 in the preceding three weeks, further rose last week to 42, but were 7 below the corrected average; 7 cases belonged to Hammersmith, 6 to Lambeth, 4 to Paddington, and 4 to Kensington. The deaths from *scarlet fever*, which had been 9, 3, and 4 in the preceding three weeks, rose again last week to 9, but were 4 below the corrected average; 3 cases belonged to Lambeth. The deaths from *diphtheria*, which had been 25, 13, and 12 in the preceding three weeks, rose again last week to 17, but were 20 below the corrected average; 3 cases belonged to Deptford. The deaths from *whooping-cough*, which had been 43, 45, and 52 in the preceding three weeks, further rose last week to 55, and were 3 above the corrected average; 5 cases belonged to Stepney, 5 to Deptford, 4 to Greenwich, 4 to Lewisham, 4 to Woolwich, 4 to Battersea, and 4 to Poplar. The fatal cases of *enteric fever*, which had been 3, 4, and 8 in the preceding three weeks, fell again last week to 2, and were 9 below the corrected average. The deaths from *diarrhœa*, which had been 17, 20, and 13 in the preceding three weeks, rose again last week to 16, and were 4 above the corrected average. Of the 16 deaths from diarrhœa, 9 were those of children under 5 years of age. The deaths attributed directly to *influenza* numbered 25, having been 12, 14, and 12 in the preceding three weeks. The death of a female, aged 76 years, was certified after inquest as due to *ptomaine poisoning*.

Different forms of *violence* caused 53 deaths, concerning all but 1 of which inquests were held. Of these 53 deaths, 10 were cases of suicide and 1 of homicide, while the remaining 42 were attributed to accident or negligence. Four of these latter were referred to vehicles in the streets, 4 to burns and scalds, 3 to drowning, and 11 (including 10 of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 29 cases of small-pox, 1620 of scarlet fever, 768 of diphtheria, and 129 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 9 cases, against 4, 8, and 3; of scarlet fever, 143 cases, against 168, 169, and 162; of diphtheria, 113 cases, against 112, 110, and 99; and of enteric fever, 8 cases, against 12, 20, and 12. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended February 13th, 1904.

GREATER LONDON.

In Greater London 4097 births and 2135 deaths were registered. Allowing for increase of population, these numbers are 105 above and 459 below the respective averages in the corresponding weeks of the last ten years. In the portion of the Outer Ring which is outside the great towns, 11 deaths from measles, 3 from diphtheria, 9 from whooping-cough, and 1 from "fever" were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.30 inches, and that of the Thermometer 38°.8, the latter being 0.8 below the week's average in the 50 years 1841-90. The general direction of the wind was Westerly, the horizontal movement of the air being 32 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 10.3 hours; the measured rainfall amounted to 0.45 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

The deaths registered in the week include

Registered during the week ended 20th Feb., 1904.

Diseases in 11-17.

Population estimated to the middle of the year 1904.

TOWNS.

TOWNS.	Cols.	POPULATION estimated to the middle of the Year 1904 *					In Cols. 11-17.		Deaths during the week ended 20th Feb., 1904.					Deaths from										Inquest Cases.		Deaths in Public Institutions.		Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
		1.	Week ended				6.	7.	8.	9.	10.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	19.	20.	21.	Cols.	76 TOWNS.	LONDON.	CROYDON.	WILLESDEN.	HORNSEY.	TOTTENHA.	WEST HAM.	EAST HAM.	LEYTON.	WALTHAMSTOW.	HASTINGS.	BRIGHTON.	PORTSMOUTH.	BOURNEMOUTH.	SOUTHAMPTON.	READING.	NORTHAMPTON.	IPSWICH.	GREAT YARMOUTH.	NORWICH.	PLYMOUTH.	DEVONPORT.	BRISTOL.	HANLEY.	BURTON-ON-TRENT.	WOLVERHAMPTON.	WALSALL.	HANDSWORTH.	WEST BROMWICH.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
			30th Feb., 1904.	6th Feb., 1904.	13th Feb., 1904.	20th Feb., 1904.																																															Infants under 1 Year of Age.	Persons aged 60 Years and upwards.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
Week ended	30th Feb., 1904.	6th Feb., 1904.	13th Feb., 1904.	20th Feb., 1904.	Week ended 20th Feb., 1904.	Deaths.	Births.	Deaths.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Causes of Death.	Cols.	76 TOWNS.	LONDON.	CROYDON.	WILLESDEN.	HORNSEY.	TOTTENHA.	WEST HAM.	EAST HAM.	LEYTON.	WALTHAMSTOW.	HASTINGS.	BRIGHTON.	PORTSMOUTH.	BOURNEMOUTH.	SOUTHAMPTON.	READING.	NORTHAMPTON.	IPSWICH.	GREAT YARMOUTH.	NORWICH.	PLYMOUTH.	DEVONPORT.	BRISTOL.	HANLEY.	BURTON-ON-TRENT.	WOLVERHAMPTON.	WALSALL.	HANDSWORTH.	WEST BROMWICH.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
15,271,425	19'4	17'2	18'4	18'5	1'7	9075	5420	1253	1591	7	119	37	70	191	21	48	180	412	1255	63	21.	20.	19.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	8.	7.	6.	5.	4.	3.	2.	1.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0.	0

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (cont.). -76 GREAT TOWNS, GREATER LONDON and FOUR SCOTTISH or IRISH TOWNS.-BIRTHS, DEATHS, and DEATH-RATES during the preceding three weeks, ended Saturday, 20th February, 1904, and DEATH-RATES during the preceding three weeks.

TOWNS.		POPULATION estimated to the middle of the Year 1904.*		DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the Week ended 20th Feb., 1904.		The DEATHS registered in the Week include											Deaths of		Deaths from								Deaths in Public Institutions.		Causes of Death.		TOWNS.									
				Week ended				Week ended		20th Feb., 1904.													Persons aged under 1 Year of Age.		Persons aged 60 Years and upwards.																					

TOWNS.	Population estimated to the middle of the Year 1904.*	Deaths from Diseases.				Registered during the year ended 20th Feb., 1904.		Deaths of				Deaths from				Inquest Cases.		Deaths in Public Institutions.		Unrecorded Causes of Death.		TOWNS.
		Week ended				BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence.	19.	20.	21.	Cols.	
		Week ended																				
		30th Jan., 1904.	6th Feb., 1904.	13th Feb., 1904.	20th Feb., 1904.																	
	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	
HUDDESFIELD.	94,825	19'8	19'2	19'2	17'6	1'1	44	32	4	11	-	2	-	-	-	-	-	1	2	2	-	HUDDESFIELD.
HALIFAX.	107,580	16'5	17'9	16'0	16'0	0'5	30	33	3	16	-	-	-	-	-	-	1	-	2	4	-	HALIFAX.
BRADFORD.	285,089	21'2	14'6	17'7	21'9	1'6	128	120	19	38	-	4	1	2	1	-	1	5	13	20	1	BRADFORD.
LEEDS.	450,142	20'5	19'5	21'2	21'4	3'5	264	185	57	33	-	9	1	2	15	-	3	6	19	21	-	LEEDS.
SHEFFIELD.	432,940	18'8	17'3	18'3	17'8	1'1	262	148	39	41	-	1	2	-	5	1	-	4	9	27	11	SHEFFIELD.
ROTHERHAM.	58,498	16'9	19'9	23'2	17'8	2'7	33	27	8	3	-	-	1	-	2	-	-	1	1	-	-	ROTHERHAM.
YORK.	81,268	18'6	12'2	10'9	17'3	-	52	27	8	9	-	-	-	-	-	-	-	1	-	3	-	YORK.
HULL.	253,865	20'5	14'6	16'4	17'7	1'0	155	86	20	33	2	-	-	2	1	-	2	2	5	18	3	HULL.
MIDDLESBROUGH.	96,684	17'8	16'2	15'1	19'4	2'2	74	36	11	4	-	-	1	-	3	-	-	2	4	5	1	MIDDLESBROUGH.
STOCKTON-ON-TEES.	52,192	16'0	17'0	23'0	11'0	1'0	34	11	3	4	-	-	-	-	1	-	-	1	4	2	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL.	68,251	18'8	13'6	17'3	23'3	1'5	42	31	12	7	-	-	-	-	2	-	-	4	7	4	-	WEST HARTLEPOOL.
SUNDERLAND.	151,157	17'9	19'0	18'3	23'5	1'0	100	68	11	20	-	3	-	-	-	-	2	2	15	2	-	SUNDERLAND.
SOUTH SHIELDS.	107,334	22'8	12'6	18'5	13'6	0'5	78	28	5	13	-	-	-	1	-	-	1	1	1	2	3	SOUTH SHIELDS.
GATESHEAD.	118,067	17'7	16'8	26'5	19'4	3'1	80	44	9	9	1	-	1	-	5	-	-	-	-	7	1	GATESHEAD.
NEWCASTLE-ON-TYNE.	225,362	22'4	20'6	17'4	17'1	0'7	145	74	18	17	-	-	-	2	1	-	-	5	7	18	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH.	53,060	17'7	18'7	19'7	19'7	1'0	48	20	8	2	-	-	-	-	-	-	1	1	1	3	-	TYNEMOUTH.
NEWPORT (MON.).	71,543	16'8	22'6	23'2	16'8	-	58	23	8	6	-	-	-	-	-	-	-	1	1	4	-	NEWPORT (MON.).
CARDIFF.	176,313	19'5	16'9	17'2	18'9	1'8	126	64	23	12	-	2	1	1	2	-	2	2	3	7	-	CARDIFF.
RHONDDA.	122,310	19'2	22'2	27'7	17'9	3'4	92	42	13	10	-	3	1	1	-	-	3	4	5	5	-	RHONDDA.
MERTHYR TYDFIL.	72,745	38'0	22'9	22'2	25'8	3'6	61	36	8	7	-	-	3	-	2	-	2	2	2	2	-	MERTHYR TYDFIL.
SWANSEA.	95,981	25'0	21'2	28'8	19'0	3'2	72	35	14	11	-	-	-	-	2	-	-	3	-	-	1	SWANSEA.

TABLE 2. LONDON.—Births and Deaths Registered in the SEVENTH Week of each of the Eleven Years, 1894–1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894–1903.*	1904
TOTAL Births -	2602	2737	2575	2621	2527	2862	2439	2690	2691	2515	2723·7	2737
Males - -	1300	1402	1336	1319	1244	1465	1232	1373	1372	1306	1381·6	1373
Females - -	1302	1335	1239	1302	1283	1397	1207	1317	1319	1209	1339·1	1364
TOTAL Deaths -	1552	2167	1727	1524	1856	1686	2013	1719	2277	1556	1906·1	1582
Males - -	784	1203	869	787	918	896	1015	883	1103	798	950·7	784
Females - -	768	1264	858	737	938	880	998	836	1174	758	955·4	798

* The numbers in this column are the average weekly numbers in the seventh week of the ten years 1894–1903, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Nov. 28.	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	1904. Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	13 Weeks
TOTAL Births -	2342	2460	2448	2544	1802	2828	2862	2589	2515	2434	2748	2637	2737	329
TOTAL Deaths -	1536	1578	1669	1486	1204	1866	1731	1677	1549	1734	1554	1574	1539	207
Under 1 year -	406	401	379	347	262	408	384	357	313	333	349	316	345	46
1–5 years -	157	165	143	156	128	209	176	160	150	189	164	183	206	22
5–20 " -	74	71	73	61	60	82	84	82	77	82	68	70	72	9
Ages at Death: 20–40 " -	171	166	190	176	140	235	194	208	194	211	181	191	180	24
40–60 " -	288	317	375	312	260	380	323	349	332	355	297	307	299	41
60 yrs. & upwards -	440	458	490	434	354	552	570	521	483	564	495	507	487	63
Deaths from—														
Small-pox - -	1	-	-	-	1	-	-	-	-	-	-	-	1	5
Measles - -	37	24	31	41	40	59	58	49	46	38	31	37	42	5
Scarlet Fever - -	6	9	-	5	7	9	10	10	10	9	3	4	9	1
Diphtheria - -	9	10	16	15	9	27	14	11	10	25	13	12	17	1
Whooping-cough -	17	20	24	22	21	35	28	37	29	43	45	52	55	4
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	14	15	15	8	9	10	5	8	5	3	4	8	2	1
Pyrexia (origin uncertain) -	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Diarrhoea, Dysentery -	31	27	23	22	15	27	16	19	25	17	20	13	16	2
All above Diseases -	115	105	109	113	102	167	131	135	125	135	116	126	142	16
Dis. of Resp. System	200	193	234	186	139	223	248	217	208	258	190	165	195	26
Pneumonia - -	199	165	183	158	132	176	185	189	145	171	157	159	154	21
Phthisis - -	140	178	167	142	142	183	150	180	180	178	160	139	146	20
Dis. of Circ. System -	195	188	240	185	150	238	237	195	181	222	199	236	220	26
Violence - -	53	48	65	60	49	77	73	65	50	57	59	78	53	7
Inquest Cases -	169	133	178	150	127	195	203	177	144	158	127	189	150	21
Deaths in Institutions	490	539	554	524	424	644	549	613	545	605	541	548	572	71
TEMPERATURE OF THE AIR.														
Mean - -	45·3	35·2	41·5	42·0	40·2	32·6	39·8	42·1	35·7	40·9	40·6	42·1	38·8	3
Mean of Highest - -	49·4	39·5	45·3	45·1	42·9	35·7	43·9	46·4	41·2	41·3	45·7	47·7	43·9	4
Mean of Lowest - -	40·1	30·3	35·6	38·1	37·1	28·8	34·3	36·6	29·1	37·1	35·6	36·5	33·4	3
Mean Humidity of the Air.	82	83	88	88	89	78	91	82	92	86	87	81	81	
Rain-fall (in inches) -	1·18	0·28	1·12	0·02	0·00	0·09	0·29	0·69	0·18	1·02	1·15	1·27	0·45	7
Registered Sunshine (in hours).	6·1	2·5	1·6	9·3	0·3	8·7	2·9	9·2	4·3	8·7	15·0	14·2	10·3	9
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox - -	40	35	32	26	27	26	26	26	24	21	25	24	29	1
Scarlet Fever - -	1770	1715	1717	1655	1617	1632	1659	1660	1679	1651	1657	1644	1620	1
Diphtheria - -	765	754	756	733	770	739	732	749	758	760	782	767	768	1
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	286	285	273	266	259	246	235	191	184	166	161	139	129	1

* The Metropolitan Asylum and London Fever Hospitals.
† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholm Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; and H. B. Witty, Esq.,

Names printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.		Deaths in the 7th week of the year 1903.	1904—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 7th week of the year 1903.	1904—Deaths of Persons of the Ages						
			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
				0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
CAUSES	-	1556	1589	345	206	72	180	299	487	Meningitis (not tuberc.)	19	16	9	6	-	-	1	-
										Insanity, Gen. Par. of	20	14	-	1	-	7	3	-
										Insane -	10	11	-	-	1	3	2	5
Il-pox*	-	-	1	-	-	-	-	-	1	Epilepsy -	23	22	22	-	-	-	-	-
pox -	-	-	1	1	-	-	-	-	-	Convulsions -	4	3	-	-	-	1	-	2
les (Morbilli)	-	45	42	10	29	2	-	1	-	Locomotor Ataxy -	2	5	-	-	1	-	-	4
let Fever -	-	9	9	-	4	3	2	-	-	Paraplegia, Dis. of Cord	33	22	-	-	2	1	2	17
ue -	-	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	42	43	-	-	6	4	12	21
et Fever -	-	9	9	-	4	3	2	-	-	Valv. Dis., Endocarditis-	37	42	-	-	1	-	10	31
ue -	-	-	-	-	-	-	-	-	-	Cerebr. Hem. Thromb.	13	21	-	-	-	1	6	14
enza -	-	25	25	-	1	1	3	8	12	Apoplexy, Hemiplegia	5	6	-	-	-	4	2	-
oping-cough -	-	51	55	23	32	-	-	-	-	Aneurysm -	1	2	-	-	-	-	1	1
theria -	-	27	17	1	13	3	-	-	-	Embolism, Thrombosis }	77	106	2	-	4	6	29	65
bro Spinal Fever	-	-	-	-	-	-	-	-	-	(not cerebral) -	-	-	-	-	-	-	-	-
gia,† (Origin un-}	-	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.	-	-	-	-	-	-	-	-
tain) -	-	-	-	-	-	-	-	-	-	Croup (not Spasm: nor	-	-	-	-	-	-	-	-
ric Fever -	-	5	2	-	-	-	2	-	-	Memb.) -	125	173	41	12	2	4	27	87
tic Cholera -	-	-	-	-	-	-	-	-	-	Bronchitis -	3	7	-	-	-	1	3	3
lemic Diarrhoea }	-	7	4	3	1	-	-	-	-	Asthma, Emphysema -	4	15	4	3	-	-	3	5
fective Enteritis)	-	20	12	3	2	-	1	2	4	Pleurisy -	18	-	-	-	-	-	-	-
rhæa, Dysentery	-	1	1	1	-	-	-	-	-	Respiratory Dis. (other)	-	-	-	-	-	-	-	-
nus -	-	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy -	3	3	1	-	1	1	-	-
es, Hydrophobia	-	-	-	-	-	-	-	-	-	Enteritis (not Epid.) -	9	6	2	1	-	-	2	1
nders -	-	-	-	-	-	-	-	-	-	Gastro-Enteritis -	4	4	-	-	1	1	-	2
rax (Splenic Fever)-	-	-	-	-	-	-	-	-	-	Peritonitis (not Puerp.)	16	19	-	-	1	3	11	4
ereal Dis. -	-	4	9	4	3	-	2	-	-	Cirrhus of Liver -	3	7	-	-	1	1	3	2
peral Septicæmia -	-	2	2	-	-	-	2	-	-	Liver Dis. (other) -	43	50	13	1	6	5	11	14
peral Pyæmia -	-	-	2	-	-	-	2	-	-	Digestive Dis., Other -	5	6	-	-	1	2	1	2
peral Fever -	-	2	1	-	-	-	1	-	-	Nephritis, Acute -	38	34	-	-	1	3	15	15
ective Endocarditis	-	6	2	-	-	-	1	1	-	Bright's Dis., Albumin-	11	15	-	-	-	1	3	11
Lobar -	-	12	9	1	3	-	3	-	2	uria -	8	3	-	-	-	2	1	-
Broncho -	-	69	82	28	36	2	3	6	7	Childbirth (Accid. of) -	1	3	-	-	-	3	-	-
Epidemic -	-	-	-	-	-	-	-	-	-	Old Age -	37	60	-	-	-	-	-	60
Not defined -	-	43	63	16	7	4	13	9	14	Other Diseases -	118	83	60	7	1	5	4	6
sipelas -	-	3	5	3	-	-	2	-	-	ACCIDENT.								
icæmia (not Puer-}	-	7	-	-	-	-	-	-	-	By Railways -	-	2	-	-	-	-	2	-
ral) -	-	2	2	-	-	-	1	1	-	By Vehicles and Horses -	4	4	-	-	2	-	1	1
mia (not Puerperal)	-	1	11	3	1	1	2	2	2	In Ships, Boats, Docks, }	1	-	-	-	-	-	-	-
er Infective Conditions	-	82	74	1	2	11	27	30	3	(exclusive of Drown-	1	2	-	-	-	-	-	-
erculous Phthisis -	-	80	72	-	-	2	40	26	4	ing) -	8	4	-	4	-	-	-	-
hthis" -	-	28	33	8	21	2	2	-	-	In Building Operations -	5	3	-	-	1	-	2	-
erculous Meningitis -	-	6	5	-	3	2	-	-	-	In Conflagrations -	14	11	10	1	-	-	-	-
erculous Peritonitis -	-	2	4	3	1	-	-	-	-	By Burns, Scalds, Ex-	2	1	-	-	-	1	-	-
es Mesenterica -	-	21	20	4	8	4	2	1	1	plosions -	16	15	3	3	1	2	1	5
erculous Dis. (other)-	-	-	-	-	-	-	-	-	-	By Drowning -	-	-	-	-	-	-	-	-
fula -	-	-	-	-	-	-	-	-	-	By Suffocation in Bed -	-	-	-	-	-	-	-	-
holism -	-	11	10	-	-	-	2	7	1	By Poisons or Poisonous	-	-	-	-	-	-	-	-
umatic Fever -	-	6	2	-	-	-	1	1	-	Vapours }	-	-	-	-	-	-	-	-
t -	-	1	4	-	-	-	-	-	4	Other Deaths by Acci-	-	-	-	-	-	-	-	-
cinoma -	-	34	53	-	-	-	1	24	28	dent -	-	-	-	-	-	-	-	-
oma -	-	6	-	-	-	-	-	-	-	VIOLENCE OTHER THAN ACCIDENTAL.								
er (undefined) -	-	29	30	-	-	1	1	11	17	Homicide -	-	1	-	-	-	1	-	-
etes Mellitus -	-	4	6	-	-	-	1	3	2	Suicide -	8	10	-	-	-	3	4	3
nature Birth -	-	58	65	65	-	-	-	-	-	Execution -	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

8. *Population, Births, and Deaths in London Sub-Districts.*

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 20th February, 1901.

The DEATHS registered during the Week include.																
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of												
				Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from										
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.
LONDON - - -	4,536,541	2737	1589	345	487	1	42	9	17	55	-	2	-	16	53	159
WEST DISTRICTS	805,311	404	276	46	92	-	21	2	2	3	-	-	-	1	10	21
NORTH DISTRICTS	1,056,070	545	375	70	138	-	4	3	6	8	-	-	-	1	9	33
CENTRAL DISTRICTS	209,465	102	82	12	21	-	3	-	1	3	-	-	-	1	6	10
EAST DISTRICTS -	715,739	553	274	92	65	-	4	-	-	12	-	-	-	4	13	47
SOUTH DISTRICTS	1,749,956	1133	543	125	156	-	10	3	6	29	-	-	-	6	15	39
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	39	-	15	1	-	1	2	-	-	-	-	3	-	-
WEST DISTRICTS.																
St. Mary Paddington } G. & W.	93,178	52	25	8	9	-	1	-	-	-	-	-	-	-	-	3
W2H } - - -	33,617	7	9	-	1	-	1	-	-	-	-	-	-	-	-	1
St. John Paddington H - - G.	17,181	7	4	-	1	-	2	-	-	-	-	-	-	-	-	-
North-West Paddington - - C.	17,181	7	4	-	1	-	2	-	-	-	-	-	-	-	-	-
Kensington Town 2W,w,2H G.,W.&C.	128,037	59	59	10	23	-	4	-	-	1	-	-	-	-	3	5
rompton 2H - - W. & C.	48,591	19	11	-	3	-	-	-	-	-	-	-	-	-	-	1
North Hammersmith W,w,H } W.&G.	49,192	22	15	2	5	-	4	-	-	-	-	-	-	-	-	2
South Hammersmith w,2H } - - -	63,047	30	14	2	4	-	3	-	-	-	-	-	-	-	-	2
North-west Fulham W } W. & C.	45,180	40	23	5	6	-	-	-	-	-	-	-	-	-	2	1
North-east Fulham F } - - -	46,405	27	18	2	5	-	3	2	2	-	-	-	-	1	-	1
South Fulham W } - - -	45,704	30	12	4	4	-	-	-	-	-	-	-	-	-	-	-
Chelsea North W,w,3H - - C.	42,514	20	32	-	14	-	1	-	-	1	-	-	-	-	-	-
Chelsea South 2H - - - C.	31,328	23	10	1	3	-	2	-	-	-	-	-	-	-	-	-
May Fair and Knightsbridge } C.&G.	28,743	6	6	2	2	-	-	-	-	-	-	-	-	-	1	1
H } - - -	55,815	25	22	6	7	-	-	-	-	-	-	-	-	-	3	4
Belgrave W2H - - - C.	43,698	24	11	3	2	-	-	-	-	1	-	-	-	-	1	1
St. Margaret & St. John 4H - - C.	43,698	24	11	3	2	-	-	-	-	-	-	-	-	-	-	-
St. James Westminster } N. & G.	21,538	5	4	1	3	-	-	-	-	-	-	-	-	-	-	-
W,H } - - -	11,493	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Anne Soho 5H - - - N.	11,493	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																
All Souls Marylebone 8H - W.	35,391	7	16	1	6	-	-	-	-	-	-	-	-	-	1	5
Rectory Marylebone W G. & W.	19,849	7	5	1	3	-	-	-	-	-	-	-	-	-	-	1
St. Mary Marylebone 4H G. & W.	18,099	30	3	2	1	-	-	-	-	-	-	-	-	-	-	1
Christchurch Marylebone H- W.	39,536	22	3	1	2	-	-	-	-	-	-	-	-	-	1	1
St. John Marylebone 3H - W.	20,426	13	3	1	2	-	-	-	-	-	-	-	-	-	-	-
Hampstead W,P,8H - N. & W.	81,942	17	23	6	9	-	-	2	2	-	-	-	-	-	-	1
West St. Pancras 2H - - W.	60,562	28	19	8	5	-	-	-	-	1	-	-	-	-	-	1
Tottenham-court w,6H N. & W.	21,258	5	11	2	5	-	1	-	-	-	-	1	-	-	-	-
Gray's Inn Lane 4H - - N.	34,449	11	12	3	4	-	1	-	-	-	-	-	-	-	-	-
East St. Pancras W,2H - - N.	60,320	31	23	4	9	-	-	-	-	-	-	-	-	1	-	2
North St. Pancras 2W - - N.	68,728	26	21	5	6	-	1	-	-	-	-	-	-	-	1	1
Tufnell W- - - N.	31,995	20	29	5	18	-	-	-	-	-	-	-	-	-	-	-
Upper Holloway 2W,w,2H - N.	33,978	23	24	2	7	-	1	-	-	1	-	-	-	-	1	2
Tollington W- - - N.	33,922	19	6	1	3	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway - - - N.	41,424	23	11	3	3	-	-	-	-	-	-	-	-	-	1	2
Barnsbury - - - N.	54,473	32	13	6	4	-	-	-	-	2	-	-	-	-	1	3
Barnsbury - - - N.	54,473	32	13	6	4	-	-	-	-	2	-	-	-	-	1	3
Islington South-east F - - N.	75,397	36	23	6	10	-	-	-	-	1	-	-	-	-	1	2
Highbury 2H - - - N.	63,797	31	16	1	8	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington H - - N.	51,247	29	13	1	5	-	-	-	-	-	-	-	-	-	1	2
North Hackney - - E. & N.	50,560	10	11	3	3	-	-	-	-	2	-	-	-	-	-	1
Central Hackney 2w,F - E. & N.	50,536	31	13	2	3	-	-	1	2	-	-	1	-	-	-	4
South-west Hackney 3H E. & N.	59,921	36	22	2	5	-	-	-	-	1	1	-	-	-	-	-
South-east Hackney 2W,w,H E. & N.	58,255	43	49	4	17	-	-	-	-	-	-	-	-	-	1	5

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated in them: namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. the Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; M. the River; E. East London; and K. the Kent Company.

See note * on first page of this return.

† Formerly described as "Simple Continued Fever."

5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 20th February, 1904—continued.

REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include													Inquest Cases.	Deaths in Public Institutions.
				Deaths of		Deaths from												
				Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhoea.	Violence.			
CENTRAL DISTRICTS.																		
Isle and Bloomsbury W,2H N.	31,436	18	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-	1
St Giles W,4H - - - N. & C.	21,674	-	10	-	-	-	1	-	-	-	-	-	-	-	-	3	3	8
St Giles Union Workhouse, Edmonton-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2
St Giles W,6H - - - N.	29,612	12	17	4	3	-	1	-	1	2	-	-	-	-	-	-	-	11
St Giles Clerkenwell - - - N.	28,676	14	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles Clerkenwell H - - - N.	35,023	19	5	1	2	-	-	-	-	1	-	-	-	-	-	-	-	-
St Giles W,3H,L - - - N.	36,116	29	12	1	4	-	1	-	-	-	-	-	-	-	-	3	2	-
St Giles Union Workhouse, } Woodcham - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles St Giles H - - - N. & E.	10,299	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
St Giles St Giles and Allhallows* } St Giles H - - - - - }	16,924	7	22	4	4	-	-	-	-	-	-	-	-	1	3	3	3	20
St Giles St Giles of London Asylum, Stone - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
St Giles South H,L - E. & N.	16,360	15	4	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1
St Giles New Town W,H - - N.	29,761	20	16	6	6	-	-	-	-	1	-	-	-	-	-	-	3	5
St Giles Old Town - - - N.	26,504	20	7	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-
St Giles W - - - N & E.	46,003	28	9	-	3	-	-	-	-	1	-	-	-	-	-	1	3	4
St Giles St Giles Union Workhouse, Woodcham - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles St Giles North 2H - E.	51,514	40	20	11	-	-	-	-	-	-	-	-	-	-	-	-	5	3
St Giles St Giles South - - E.	33,472	29	5	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-
St Giles St Giles East 2W,H,L - E.	44,694	33	23	4	9	-	-	-	-	-	-	-	-	-	-	1	3	14
St Giles St Giles - - - E. & N.	27,960	13	4	2	1	-	-	-	-	-	-	-	-	-	-	-	2	-
St Giles End New Town W,H - E.	23,718	34	44	13	5	-	1	-	-	-	-	-	-	-	-	4	6	40
St Giles St Giles Fields - - E.	22,081	13	3	2	1	-	-	-	-	-	-	-	-	-	-	2	2	-
St Giles St Giles and St. John 2W E.	49,068	52	25	12	4	-	1	-	-	3	-	-	-	-	-	-	2	9
St Giles St Giles and Ratcliff W,H E. & N.	25,568	8	13	6	1	-	-	-	-	-	-	-	-	-	-	1	2	6
St Giles St Giles Union Workhouse - - - E.	32,369	31	9	4	2	-	-	-	-	2	-	-	-	-	1	-	1	-
St Giles St Giles End Old Town West H - E.	59,470	51	17	6	6	-	1	-	-	-	-	-	-	-	-	-	2	-
St Giles St Giles End Old Town East } St Giles W - - - - - }	53,348	43	20	3	10	-	-	-	-	-	-	-	-	-	2	3	3	15
St Giles St Giles L - - - - E.	41,989	21	12	-5	1	-	-	-	-	2	-	-	-	-	-	-	-	1
St Giles St Giles W,3H - - - E.	68,319	59	30	7	10	-	1	-	-	1	-	-	-	-	-	1	7	16
St Giles St Giles W,w - - - E.	58,514	43	13	-4	4	-	-	-	-	1	-	-	-	-	-	-	3	1

On 1st November, 1903, the Sub-districts of St. Sepulchre and Allhallows Barking were united and called St. Sepulchre and Allhallows.

Population, Births, and Deaths in London Sub-Districts.

LE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-
MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., regis-
tered in each SUB-DISTRICT during the Week ended Saturday, 20th February, 1904.—continued.

The DEATHS registered during the Week include																
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	Deaths of		Deaths from										Inquest Cases.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhoea.	Violence.	
SOUTH DISTRICTS.																
St Andrew's Church Southwark W, HL. & S.	11,263	4	3	1	-	-	-	-	-	-	-	-	-	-	-	
Saviour Southwark H - S.	12,056	12	16	4	1	-	1	-	-	-	-	-	-	-	-	
St Andrew's Church Southwark S. & L.	21,904	14	8	3	1	-	-	-	-	-	1	-	-	-	-	
St George the Martyr West W, 2H, L	39,091	36	13	5	3	-	-	-	-	-	2	-	-	-	-	
St Mary Newington S. & L.	28,504	20	4	2	-	-	1	-	-	-	-	-	-	-	-	
Peter Walworth W - S. & L.	61,767	54	19	5	10	-	-	-	-	-	-	-	-	1	1	
Mary Newington L. & S.	31,592	20	15	8	3	-	-	-	-	-	-	-	-	1	1	
Olave 2W - - - S.	9,817	6	2	1	-	-	-	-	-	-	-	-	-	-	-	
St Edmundsey W - - - S.	82,483	56	25	8	4	-	-	-	-	-	2	-	-	-	-	
St Peter's Church W, F - - S. & K.	38,460	23	17	-	4	-	-	-	-	-	-	-	-	1	-	
St Peter's Church Waterloo-road 2H - - L. & S.	27,440	25	7	2	-	-	1	-	-	-	-	-	-	1	1	
St Andrew's Church Lambeth Church 1st H - L. & S.	18,423	11	20	3	3	-	2	-	-	-	-	-	-	1	3	
St Andrew's Church Lambeth Church 2nd 2W - L. & S.	39,818	30	20	2	10	-	1	-	-	-	-	-	-	1	1	
St Andrew's Church Lambeth Church 1st H - S. & L.	53,198	35	10	2	7	-	-	-	-	-	-	-	-	-	-	
St Andrew's Church Lambeth Church 2nd H - S. & L.	42,896	30	12	2	2	-	2	-	-	-	-	-	-	-	-	
St Andrew's Church Lambeth Church 1st F - L. & S.	84,232	45	19	3	4	-	-	1	1	-	-	-	-	1	-	
St Andrew's Church Lambeth Church 2nd W, H - L.	36,888	17	12	4	3	-	-	-	1	-	-	-	-	-	-	
St Andrew's Church Battersea - - - S.	72,203	53	16	7	5	-	-	-	-	-	2	-	-	1	1	
St Andrew's Church North-west Battersea - S.	49,656	43	11	6	2	-	-	-	-	-	-	-	-	1	2	
St Andrew's Church North-west Battersea W, H - S.	47,048	26	23	5	11	-	-	-	-	-	-	-	-	1	2	
St Andrew's Church North-west Battersea W, H - S.	51,361	31	13	2	5	-	-	-	-	-	-	-	-	1	3	
St Andrew's Church North-west Battersea W, H - S.	88,131	63	23	4	10	-	-	2	-	-	-	-	-	1	-	
St Andrew's Church North-west Battersea W, 2W, 2F, 2L - L.	27,959	19	5	1	-	-	-	-	-	-	-	-	-	-	-	
St Andrew's Church North-west Battersea W, 2W, L - S.	40,444	30	8	2	1	-	-	-	-	-	1	-	-	-	1	
St Andrew's Church North-west Battersea W, 2W, L - S.	24,139	17	5	-	2	-	-	-	-	-	-	-	-	1	1	
St Andrew's Church North-west Battersea W, 2W, L - S.	10,247	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
St Andrew's Church North-west Battersea W, 2W, L - S.	90,465	50	46	5	20	-	-	-	-	-	-	-	-	-	2	
St Andrew's Church North-west Battersea W, 2W, L - S.	93,038	45	15	3	3	-	1	-	-	1	-	-	-	-	3	
St Andrew's Church North-west Battersea W, 2W, L - S.	65,589	38	13	6	5	-	-	-	-	1	-	-	-	-	-	
St Andrew's Church North - - - K.	37,613	20	11	4	3	-	-	-	-	1	-	-	-	-	2	
St Andrew's Church Central F - - K.	45,481	39	17	6	5	-	1	-	-	1	-	-	-	-	1	
St Andrew's Church South - - - K.	34,625	14	10	-	2	-	-	-	-	3	-	-	-	-	-	
St Andrew's Church South - - - K.	23,456	21	9	-	3	-	-	-	-	1	-	-	-	-	-	
St Andrew's Church South - - - K.	43,859	22	21	3	6	-	-	-	-	2	-	-	-	1	1	
St Andrew's Church South - - - K.	7,226	8	2	1	-	-	-	-	-	-	-	-	-	-	-	
St Andrew's Church South - - - K.	25,490	12	3	-	2	-	-	-	-	-	-	-	-	-	-	
St Andrew's Church South - - - K.	58,352	38	21	8	4	-	-	-	-	4	-	-	-	2	3	
St Andrew's Church South - - - L.	43,653	23	8	1	4	-	-	-	-	-	-	-	-	-	1	
St Andrew's Church South - - - K.	21,134	12	8	1	-	-	-	-	-	4	1	-	-	-	1	
St Andrew's Church South - - - K.	41,625	28	12	3	2	-	-	-	-	-	3	-	-	-	-	
St Andrew's Church South - - - K.	18,063	9	8	2	2	-	-	-	-	-	-	-	-	-	-	
St Andrew's Church South - - - K.	50,264	34	12	-	4	-	-	-	-	1	-	-	-	-	1	
St Andrew's Church South - - - K.	-	-	4	-	3	-	-	-	-	-	-	-	-	-	-	
St Andrew's Church South - - - K.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St Andrew's Church South - - - K.	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	
St Andrew's Church South - - - K.	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	
St Andrew's Church South - - - K.	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	
St Andrew's Church South - - - K.	-	-	6	-	1	-	-	-	-	-	-	-	-	-	-	
St Andrew's Church South - - - K.	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	
St Andrew's Church South - - - K.	-	-	5	-	3	-	-	-	-	-	-	-	-	1	-	
St Andrew's Church South - - - K.	-	-	5	-	1	-	1	2	-	-	-	-	-	-	-	
St Andrew's Church South - - - K.	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
St Andrew's Church South - - - K.	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
St Andrew's Church South - - - K.	-	-	8	-	4	-	-	-	-	-	-	-	-	1	-	

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSE HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 20th February, 1904.

The DEATHS registered in the Week include																		
REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths from													
					Deaths of	Deaths from												
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unregistered Causes of Deaths.	
LONDON—OUTER RING	368,580	2,044,861	1,360	546	140	167	-	19	-	11	17	4	3	15	41	94	1	
Carshalton <i>w, 2F, 2H</i>	12,228	32,997	20	11	3	3	-	-	-	-	-	-	-	1	1	-	-	
Epsom, <i>part of</i> * <i>W, w, 2F, H</i>	10,423	15,548	7	4	1	1	-	-	-	-	-	-	-	-	-	3	-	
Godstone, <i>part of</i> * <i>W, F</i>	2,754	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Coulsdon	11,069	21,166	5	2	2	-	-	-	-	1	-	-	-	-	-	-	-	
South Croydon	9,012	49,309	22	10	3	5	-	-	-	-	-	-	-	-	-	-	-	
West Croydon		42,888	29	17	1	11	-	-	-	-	-	-	-	1	1	11	-	
North Croydon		41,668	21	7	1	4	-	-	-	-	-	-	-	-	2	-	-	
Penge <i>w</i>		21,465	9	3	1	2	-	-	-	-	-	-	-	-	1	-	-	
Mitcham <i>w</i>	11,689	21,903	33	7	2	1	-	-	-	-	-	-	-	-	1	-	-	
Wimbledon <i>F, 3H</i>	3,221	41,652	23	8	3	2	-	1	-	-	-	-	-	1	2	-	-	
Kingston <i>W, H</i>	6,224	42,068	30	14	7	1	-	-	-	-	-	-	-	-	2	3	-	
Surbiton <i>F, H</i>	3,046	15,017	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Esher, <i>part of</i> * <i>H</i>	5,402	13,100	8	7	2	1	-	-	-	-	1	-	-	-	-	-	-	
Hampton <i>H, L</i>	4,564	23,456	18	5	1	2	-	-	-	-	-	-	-	1	1	1	-	
Richmond <i>W, H</i>	2,162	28,865	8	6	1	3	-	-	-	-	-	-	-	1	1	2	-	
Mortlake <i>F</i>	2,847	20,628	15	6	2	1	-	-	-	-	1	-	-	-	-	-	-	
Bromley <i>F, 2H</i>	4,703	27,354	10	4	2	1	-	-	-	-	-	-	-	-	-	1	-	
Beckenham <i>H</i>	7,825	28,497	10	5	2	2	-	-	-	-	-	-	-	-	-	-	-	
Orpington, <i>part of</i> * <i>W</i>	10,113	9,857	10	9	1	5	-	-	-	-	-	-	-	-	-	7	-	
Chislehurst <i>2H</i>	7,333	16,446	13	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
Bexley <i>F, H</i>	8,678	21,151	17	7	1	2	-	-	-	-	1	-	-	1	1	1	-	
Erith <i>F, H</i>	3,854	25,296	15	2	-	1	-	-	-	-	-	-	-	1	1	-	-	
Dartford <i>W, F, part of</i> *	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	
Sunbury <i>w</i>	11,054	18,683	9	7	1	2	-	-	-	-	-	-	-	1	-	-	-	
Staines <i>W, H</i>	13,277	15,178	13	6	-	4	-	-	-	-	-	-	-	-	-	4	-	
Hillingdon <i>W, F, H</i>	8,035	13,661	6	8	1	4	-	-	-	-	-	-	-	-	-	1	-	
Uxbridge	12,757	8,984	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
Hayes <i>w, F, H</i>	8,066	16,358	15	6	1	4	-	-	-	-	-	-	-	-	-	-	-	
Isleworth <i>3W, 2F, H</i>	6,859	30,363	31	20	4	11	-	-	-	-	-	-	-	-	2	5	-	
Twickenham <i>F, H</i>	2,421	20,991	13	5	2	1	-	-	-	-	-	-	-	-	-	1	-	
Brentford <i>2F, 2H, L</i>	4,319	48,289	36	16	6	3	-	-	-	-	-	-	-	-	-	-	-	
Chiswick <i>H</i>	1,249	29,809	17	9	2	2	-	-	-	-	-	-	-	-	-	-	-	
Acton <i>w, 3H</i>	6,132	48,914	39	21	6	6	-	1	-	-	-	-	-	-	1	1	-	
Harrow <i>F, H</i>	13,800	25,523	17	5	-	1	-	-	-	-	-	-	-	-	-	-	-	
Edgware <i>F, 2H</i>	6,994	4,521	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Willesden <i>W, F, 2H</i>	4,384	114,811	88	34	11	10	-	2	-	4	-	-	-	2	2	7	-	
Hendon <i>W, F</i>	8,382	22,450	16	8	4	4	-	-	-	-	-	-	-	-	-	2	-	
South Mimms <i>2F, H</i>	17,755	7,308	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
Barnet <i>W, 3H</i>	3,324	17,970	7	7	1	5	-	-	-	-	-	-	-	-	-	1	-	
Finchley <i>F, 2H</i>	4,688	33,692	13	6	1	2	-	-	-	-	-	-	-	-	1	-	-	
Hornsey <i>F, H</i>	2,875	72,056	28	13	1	5	-	1	-	-	-	-	-	-	-	-	-	
Wood Green <i>H</i>	1,625	34,233	17	5	1	-	-	2	-	1	-	-	-	-	1	-	-	
West Tottenham <i>F</i>	3,013	48,853	37	9	5	-	-	1	-	-	-	-	-	-	-	-	-	
East Tottenham <i>F, H</i>		53,688	30	8	4	-	-	-	-	-	1	-	-	1	1	1	-	
Edmonton <i>W, w, 2F</i>		61,892	46	21	2	6	-	5	-	-	-	-	-	-	-	-	-	
Enfield <i>2W, F, H</i>		42,738	45	9	3	1	-	1	-	-	2	1	-	-	-	-	1	-
Waltham Abbey	11,017	6,549	1	5	1	1	-	-	-	-	-	-	-	1	1	1	-	
Cheshunt <i>F, H</i>	8,479	12,292	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
Hatfield, <i>part of</i> * <i>W</i>	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bushey <i>H</i>	9,333	9,173	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Watford <i>W, 2F, part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Stratford <i>H</i>	1,072	44,827	34	9	1	4	-	1	-	-	-	-	-	1	-	1	-	
Plaistow <i>F, 2H</i>	1,249	90,921	71	22	5	6	-	1	-	1	-	-	-	1	3	3	-	
Canning Town <i>H</i>	1,556	70,718	62	18	5	1	-	-	-	-	-	-	-	-	4	1	-	
Forest Gate <i>w</i>	806	60,892	28	10	3	4	-	-	-	-	-	-	-	-	-	-	-	
North East Ham <i>w</i>	3,326	58,676	52	14	7	3	-	-	-	-	1	-	-	-	1	1	-	
South East Ham <i>3F</i>		37,342	38	11	1	3	-	-	-	1	2	1	-	-	-	2	-	
Wanstead <i>F</i>		9,179	6	1	-	-	-	-	-	-	-	-	-	-	-	-	3	-
South Leyton <i>2W</i>		631	50,467	42	12	4	3	-	-	-	-	1	-	-	-	-	-	-
North Leyton <i>W, w, F</i>	1,963	48,445	34	23	4	7	-	-	-	2	1	1	-	-	1	13	-	
Walthamstow <i>3H, L</i>	6,504	108,929	81	21	10	6	-	1	-	-	2	-	-	-	1	-	-	
Chigwell, <i>part of</i> * <i>2F, 4H</i>	11,778	16,397	3	5	1	-	-	-	-	-	-	-	-	-	-	-	-	
Epping <i>W, F, part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Romford, <i>part of</i> * <i>W, 2F</i>	6,556	6,091	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ilford <i>F, L</i>	8,496	41,234	27	14	1	3	-	1	-	-	-	-	-	-	-	6	-	
Barking Town <i>F</i>	3,803	21,547	14	8	3	3	-	-	-	1	2	-	-	-	2	1	-	
Middlesex County Asylum, Wandsworth.	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.
CALCUTTA (including BURBES)	847,798	January 2	-	501	30·7	1	-	-	1	-	158†
BOMBAY	778,006	" 9	-	462	28·3	-	2	-	-	-	131
MADRAS	509,348	" 23	408	763	51·1	7	7	-	-	-	293†
		" 15	299	373	38·0	-	3	?	?	?	131‡
BRISTOL	2,680,559	February 13	862	906	18·7	1	13	1	6*	6	3
GLoucester	575,896	" 13	227	157	14·2	1	-	-	2*	2	-
SWANSEA	261,376	" 13	105	81	15·0	2	1	-	-	-	-
AMSTERDAM	542,073	" 6	301	175	16·7	-	7	1	3	4	1
COPENHAGEN	416,000	" 13	244	112	17·6	-	-	1	-	5	-
STOCKHOLM	305,115	" 6	141	89	15·2	-	-	1	-	-	-
CHRISTIANIA	225,709	" 13	96	45	10·4	-	-	-	-	-	-
PETERSBURG	1,248,643	" 6	552	599	25·0	2	18	4	8	4	12
MOSCOW	1,093,410	" 6	-	537	26·6	4	4	16	15	-	6
BERLIN	1,960,909	January 30	939	555	14·8	-	12	3	6*	9	1
STAMBOURG	737,328	February 13	-	216	14·9	-	-	4	2*	3	-
RESLAU	445,403	" 6	-	177	20·7	-	-	-	4	?	-
PRAGUE	520,000	" 13	-	223	22·3	-	2	-	1*	2	-
VIENNA	1,779,869	" 13	916	615	18·0	-	9	2	5*	1	2
BRAGUE	423,990	" 13	194	167	20·5	-	1	-	-	3	2
BUDA-PESTH	81,399	" 13	443	297	19·0	1	7	5	2	4	1
TRIESTE	187,249	" 13	119	98	26·7	-	2	-	-	4	-
ROME	491,074	January 2	265	223	23·7	-	5	-	-	-	8
VENICE	166,522	February 6	91	79	23·1	-	-	-	-	-	-
CAIRO	621,179	December 2	-	-	-	-	-	-	-	-	-
ALEXANDRIA	352,610	-	-	-	-	-	-	-	-	-	-
NEW YORK	3,732,903	February 6	2012	1590	21·6	-	18	24	62	2	13
PHILADELPHIA	1,378,721	January 23	-	618	23·4	13	4	11	15	4	9
BOSTON	603,163	" 16	-	236	19·9	-	4	-	9*	-	1

* Including deaths from croup.

† Including 18 and 15 deaths from plague in Calcutta, 231 in Bombay, and one in Madras

‡ Including 19 and 11 deaths from cholera.

§ Including one death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 20th February, 1903

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			R
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	53·7	29·8	38·7	0·45	HUDDERSFIELD	49·0	27·0	36·6	
BRIGHTON	46·5	31·7	39·5	1·01	BRADFORD	51·6	29·0	38·4	
PORTSMOUTH	50·5	32·0	39·9	0·74	LEEDS	44·0	30·0	38·1	
FORWICK	54·2	30·2	38·8	1·02	HULL	53·0	30·0	38·0	
PLYMOUTH	50·7	33·2	41·7	1·93					
BRISTOL	48·5	29·0	38·6	0·62	EDINBURGH	48·1	27·8	36·0	
WOLVERHAMPTON	-	-	-	-	GLASGOW	49·8	26·0	38·0	
BIRMINGHAM	51·9	29·1	36·8	0·81					
NOTTINGHAM	52·9	16·2	37·6	0·13	DUBLIN { Phoenix Park.	50·8	27·8	37·7	
LIVERPOOL	51·0	32·0	38·9	0·82	DUBLIN { Fitz- william Square.†	54·8	30·0	39·7	
MANCHESTER	48·8	24·9	36·7	1·14					
PRESTON	48·0	29·3	37·7	0·87	BELFAST	49·8	26·0	36·7	

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0·4 F. here to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir I. W. Moore, B.A., M.D., Dublin.

1904. MONTH AND DAY.		Phases of the Moon.	BARO- METER.		TEMPERATURE.				Difference between the Air Temperature and Dew Point Temperature.				Degree of High- midity (Satu- ration 100).		Of Radiation.			TEMPERATURE.			Wind as deduced from Anemometers.				Rain collected in a Gauge whose receiving surface 5 inches above the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
			Mean daily reading (cor- rected and re- duced to 32° Fahr- heit).	Mean daily range.	High- est.	Low- est.	Of the Air.	De- ture from Average of 50 years.	Mean daily value.	Mean daily value.	Great- est.	Least.	Highest in Sun's Rays.	Lowest on the Grass, the Surface.	General Direction.	Pressure on the Square Foot.	Horizontal Movement of the Air on each Day.	Robinson's.	Oiler's.	A.M.	P.M.	Great- est.	Least.	Mean hourly obs.		Of the Earth 3 feet below the Surface.	lbs.	lbs.	lbs.	Miles.	Miles.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
FEBRUARY.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 13th February, 1904.*

BOROUGHs.	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - -	146,975	-	8	1	-	-	-	-	2	-
Kensington - - - -	179,236	-	11	12	-	-	-	-	1	1
Hammersmith - - - -	117,412	-	1	1	-	1	-	-	4	-
Fulham - - - -	152,482	-	9	12	-	12	-	-	-	-
Chelsea - - - -	74,329	-	3	12	-	-	-	-	-	-
City of Westminster - - - -	177,321	-	6	12	-	1	-	-	5	-
NORTH.										
St. Marylebone - - - -	130,337	-	8	4	-	-	-	-	4	1
Hampstead - - - -	86,663	-	6	-	-	-	-	-	-	-
St. Pancras - - - -	235,936	-	10	9	-	4	-	-	7	1
Islington - - - -	341,044	1	10	8	-	1	-	-	4	-
Stoke Newington - - - -	52,445	-	-	4	-	-	-	-	-	-
Hackney - - - -	226,266	-	11	12	-	3	-	-	8	1
CENTRAL.										
Holborn - - - -	57,161	-	-	2	-	-	-	-	1	-
Finsbury - - - -	98,958	-	2	-	-	1	-	-	2	-
City of London - - - -	23,482	-	-	-	-	-	-	-	-	-
EAST.										
Shoreditch - - - -	117,033	-	6	2	-	1	-	-	5	-
Bethnal Green - - - -	130,207	-	9	10	-	-	-	-	5	-
Stepney - - - -	303,791	-	18	7	-	4	-	-	7	-
Poplar - - - -	169,905	-	8	7	-	1	-	-	2	-
SOUTH.										
Southwark - - - -	207,937	-	5	3	-	1	-	-	7	-
Bermondsey - - - -	129,397	-	9	4	-	-	-	-	4	-
Lambeth - - - -	310,359	-	3	8	-	1	-	-	3	-
Battersea - - - -	175,465	-	7	7	-	6	-	-	5	-
Wandsworth - - - -	257,586	-	14	6	-	2	-	-	6	-
Camberwell - - - -	268,384	-	4	4	-	1	-	-	5	-
Deptford - - - -	113,509	-	9	8	-	-	-	-	3	-
Greenwich - - - -	101,651	-	3	1	-	-	-	-	3	-
Lewisham - - - -	140,401	-	11	-	-	1	-	-	2	-
Woolwich - - - -	123,416	-	1	1	-	-	-	-	1	-
Port of London - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.		4,649,088	1	192	120	-	31	-	98	4
Ages										
0-1 - - - -	-	-	-	3	-	-	-	-	3	-
" 1-5 - - - -	-	-	62	48	-	3	-	-	3	-
" 5- - - - -	-	-	84	47	-	4	-	-	6	-
" 10- - - - -	-	-	24	10	-	4	-	-	3	-
" 15- - - - -	-	-	5	6	-	2	-	-	6	1
" 20- - - - -	-	-	5	1	-	2	-	-	3	-
" 25- - - - -	-	1	7	4	-	9	-	-	11	3
" 35- - - - -	-	-	3	1	-	3	-	-	22	-
" 45- - - - -	-	-	2	-	-	1	-	-	16	-
" 55- - - - -	-	-	-	-	-	2	-	-	8	-
" 65 and upwards - - - -	-	-	-	-	-	-	-	-	17	-
Age not stated - - - -	-	-	-	-	-	1	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1904.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 8. 1904. VOL. LXV.] WEEK ENDED SATURDAY, FEB. 27. [Price 1½d.

General Register Office, Somerset House,
February 29th, 1904.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 17·5 per 1000 of their aggregate population, which is estimated† at 15,271,425 persons in the middle of this year. In the preceding three weeks the rates had been 17·2, 18·4, and 18·5. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 23·2 in Wigan, 23·7 in Stockport, 24·0 in Great Yarmouth, 24·2 in Halifax, 24·4 in Norwich, 25·1 in Merthyr Tydfil, 27·1 in St. Helens and in Warrington, and 30·6 in Plymouth; from *measles*, 1·2 in Cardiff, 1·3 in Aston Manor and in Rhondda, 1·5 in Warrington, 2·0 in Great Yarmouth, 2·2 in Stockport, 3·6 in Bury, and 4·1 in Norwich; from *diphtheria*, 1·5 in Oldham, 1·7 in Bootle, and 2·4 in Hanley; and from *whooping-cough*, 1·6 in Wolverhampton, 1·8 in Rochdale and in Gateshead, 2·1 in Bolton and in Burnley, 2·3 in West Hartlepool, 2·5 in Wigan, and 2·7 in Swansea. One death from *small-pox* was registered in London and 1 in Gateshead, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2456 BIRTHS and 1467 DEATHS were registered. Allowing for increase of population, the births were 308, and the deaths 543 below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 17·4, 17·7, and 17·8 in the preceding three weeks, fell again last week to 16·5. During the four weeks ended on Saturday last the death-rate averaged 17·4 per 1000, being 3·5 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, and in certain local Small-pox Hospitals, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the recent Census, and on the increase in the last intercensal period.

The 1467 deaths included 1 from small-pox, 32 from measles, 5 from scarlet fever, 18 from diphtheria, 41 from whooping-cough, 5 from enteric fever, and 28 from diarrhoea, but not one death from typhus or from ill-defined pyrexia; thus, 130 deaths were referred to these diseases in the aggregate, being 61 below the corrected average weekly number.

The death from *small-pox* was that of a male, aged 2 years, who had been removed from the Borough of Islington to the Metropolitan Asylums Hospital at Joyce Green, Dartford. The deaths from *measles*, which had been 31, 37, and 42 in the preceding three weeks, fell again last week to 32, and were 26 below the corrected average; 5 cases belonged to Camberwell. The deaths from *scarlet fever*, which had been 3, 4, and 9 in the preceding three weeks, fell again last week to 5, and were 4 below the corrected average; 2 cases belonged to Wandsworth. The deaths from *diphtheria*, which had been 13, 12, and 17 in the preceding three weeks, further rose last week to 18, but were 21 below the corrected average. The deaths from *whooping-cough*, which had been 45, 52, and 55 in the preceding three weeks, fell again last week to 41, and were 14 below the corrected average; 7 cases belonged to Camberwell, and 4 each to Stepney, Southwark, Bermondsey, and Woolwich. The fatal cases of *enteric fever*, which had been 4, 8, and 2 in the preceding three weeks, rose again last week to 5, but were 6 below the corrected average; 2 cases belonged to Southwark. The deaths from *diarrhoea*, which had been 20, 13, and 16 in the preceding three weeks, further rose last week to 28, and were 16 above the corrected average. Of the 28 deaths from diarrhoea, 20 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the causes of 3 more deaths at this age. The deaths attributed directly to *influenza* numbered 11, having been 14, 12, and 25 in the preceding three weeks.

Different forms of *violence* caused 51 deaths, concerning all of which inquests were held. Of these 51 deaths, 6 were cases of suicide and 2 of homicide, while the remaining 43 were attributed to accident or negligence. One of these latter was referred to a vehicle in the streets, 6 to burns and scalds, 4 to drowning, and 13 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 31 cases of small-pox, 1587 of scarlet fever, 787 of diphtheria, and 125 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 5 cases, against 8, 3, and 9; of scarlet fever, 150 cases, against 169, 162, and 143; of diphtheria, 114 cases, against 110, 99, and 113; and of enteric fever, 18 cases, against 20, 12, and 8. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended February 20th, 1904.

GREATER LONDON.

In Greater London 3693 births and 2029 deaths were registered. Allowing for increase of population, these numbers are 341 and 668 below the respective averages in the corresponding weeks of the last ten years. In that portion of the Outer Ring which is outside the great towns, 5 deaths from measles, 3 from scarlet fever, 3 from diphtheria, 13 from whooping-cough, 3 from "fever," and 4 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.93 inches, and that of the Thermometer 38°.3, the latter being 1°.5 below the week's average in the 50 years 1841-90. The general direction of the wind was North Easterly, the horizontal movement of the air being 8 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 6.7 hours; the measured rainfall amounted to 0.03 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	Cols.	Week ended 27th Feb., 1904.				Week ended 27th Feb., 1904.				Deaths of Persons aged 60 Years and upwards.				Deaths from				Inquest Cases.				Deaths in Public Institutions.	Unidentified Causes of Death.	TOWNS.
		11-17.				11-17.				Infants under 1 Year of Age.				Deaths from				Inquest Cases.						
		6th Feb., 1904.	13th Feb., 1904.	20th Feb., 1904.	27th Feb., 1904.	6th Feb., 1904.	13th Feb., 1904.	20th Feb., 1904.	27th Feb., 1904.	BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping Cough.	Fever.	Diphtheria.	Violence.			
76 TOWNS	15,271,425	17'2	18'4	18'5	17'5	1'4	8526	5137	1212	1498	2	104	22	58	163	17	54	188	399	1111	78	76 TOWNS.		
LONDON -	-	4,649,088	17'4	17'7	17'8	16'5	2456	1467	326	438	1	32	5	18	41	5	28	51	126	497	2	LONDON.		
(CROYDON -	-	144,419	17'0	12'6	12'3	13'4	0'7	70	37	6	16	-	-	-	1	-	-	-	2	11	-	(CROYDON.		
WILLESDEN -	-	132,566	11'8	14'2	13'4	11'8	0'4	64	30	9	10	-	-	-	-	-	-	1	4	1	-	WILLESDEN.		
HORNSEY -	-	81,221	6'4	9'0	9'6	6'4	-	32	10	2	4	-	-	-	-	-	-	1	4	1	-	HORNSEY.		
TOTTENHAM -	-	112,981	7'4	16'6	8'3	14'8	0'9	62	32	10	13	-	-	-	1	-	-	1	6	3	-	TOTTENHAM.		
WEST HAM -	-	288,424	16'5	18'6	13'6	13'9	1'4	188	77	28	18	-	1	1	5	1	-	3	9	15	-	WEST HAM.		
EAST HAM -	-	116,902	10'7	10'7	11'6	8'5	1'8	79	19	6	3	-	1	1	1	-	1	2	4	2	1	EAST HAM.		
LEYTON -	-	110,844	10'8	15'1	12'2	13'2	1'4	56	28	5	14	-	-	-	3	-	-	1	1	1	1	LEYTON.		
(WALTHAMSTOW -	-	111,282	7'5	11'2	12'7	12'2	-	56	26	9	4	-	-	-	-	-	-	1	4	2	-	(WALTHAMSTOW.		
HASTINGS -	-	66,503	14'9	11'0	18'0	14'1	-	28	18	4	8	-	-	-	-	-	-	1	1	2	-	HASTINGS.		
BRIGHTON -	-	126,286	17'8	16'9	13'6	20'2	1'7	46	49	6	19	-	-	-	2	-	2	1	7	7	-	BRIGHTON.		
PORTSMOUTH -	-	198,038	16'6	20'0	16'9	20'0	0'5	105	76	18	26	-	-	-	1	-	1	6	7	18	3	PORTSMOUTH.		
BOURNEMOUTH -	-	64,645	16'1	15'3	13'7	17'7	-	31	22	6	6	-	-	-	-	-	-	1	4	-	-	BOURNEMOUTH.		
SOUTHAMPTON -	-	112,500	15'8	16'2	15'8	13'9	0'5	70	30	8	8	-	-	-	1	-	-	1	4	2	-	SOUTHAMPTON.		
READING -	-	76,373	15'7	17'1	17'1	13'0	-	35	19	4	9	-	-	-	-	-	-	1	4	3	-	READING.		
NORTHAMPTON -	-	91,146	16'0	6'3	12'0	10'9	0'6	42	19	5	4	-	-	1	-	-	-	1	1	2	1	NORTHAMPTON.		
IPSWICH -	-	69,805	12'0	18'7	15'7	15'7	-	35	21	3	10	-	-	-	-	-	-	1	-	4	-	IPSWICH.		
GREAT YARMOUTH -	-	52,099	19'0	18'0	16'0	24'0	3'0	28	24	5	10	-	2	-	1	-	-	1	2	2	-	GREAT YARMOUTH.		
NORWICH -	-	115,538	15'3	18'5	20'8	24'4	4'5	89	54	13	18	-	9	-	-	-	-	-	2	9	-	NORWICH.		
PLYMOUTH -	-	114,003	16'5	17'4	25'6	30'6	1'4	44	67	14	18	-	-	-	2	-	-	3	7	9	-	PLYMOUTH.		
DEVONPORT -	-	75,334	15'9	22'1	12'5	13'8	-	43	20	5	6	-	-	-	-	-	-	1	1	2	-	DEVONPORT.		
BRISTOL -	-	343,204	14'4	16'9	16'4	18'2	1'1	176	120	18	41	-	-	3	1	1	-	7	15	32	-	BRISTOL.		
HANLEY -	-	63,932	20'4	22'8	19'6	22'8	2'4	52	28	7	7	-	-	3	-	-	-	4	6	3	-	HANLEY.		
BURTON-ON-TRENT -	-	51,934	18'1	16'1	17'1	16'1	-	23	16	5	5	-	-	-	-	-	-	1	1	3	-	BURTON-ON-TRENT.		
WOLVERHAMPTON -	-	98,194	21'8	14'3	17'0	14'9	2'1	43	28	7	9	-	-	-	3	1	-	2	2	4	-	WOLVERHAMPTON.		
WALSALL -	-	91,432	13'1	22'2	17'1	17'1	2'3	62	30	9	8	-	-	-	1	1	-	3	4	4	-	WALSALL.		
HANDSWORTH -	-	56,634	17'5	12'2	11'4	9'6	-	21	11	-	5	-	-	-	-	-	-	-	-	-	-	HANDSWORTH.		
WEST BROMWICH -	-	67,186	18'6	15'5	18'6	16'3	1'6	54	21	4	5	-	-	-	1	-	1	-	-	1	-	WEST BROMWICH.		

† These towns are included within the area of Greater London.

* See note † on first page of this return.

TOWNS.	Population estimated to the middle of the year 1904.*	Week ended				11-17. Week ended 27th February, 1904.	Deaths of				Deaths from							Inquest Cases.		Deaths in Public Institutions.		Uncertified Causes of Death.		TOWNS
		1894.					Persons aged under 1 Year	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.									
		6th Feb., 1894.	13th Feb., 1894.	20th Feb., 1894.	27th Feb., 1894.											7.	8.	9.	10.	11.	12.	13.	14.	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.		
HUDDESFIELD	-	19'2	19'2	17'6	14'8	-	44	27	6	7	-	-	-	-	-	-	-	2	1	3	-	HUDDESFIELD.		
HALIFAX	-	17'9	16'0	16'0	24'2	1'0	50	25	4	25	-	-	-	-	1	-	1	1	4	3	-	HALIFAX.		
BRADFORD	-	14'6	17'7	21'9	14'4	1'1	132	79	16	25	-	1	1	3	1	-	-	3	7	9	1	BRADFORD.		
LEEDS	-	19'5	21'2	21'4	19'3	1'5	245	167	34	42	-	6	-	-	6	1	-	4	12	20	1	LEEDS.		
SHEFFIELD	-	17'3	18'3	17'8	17'3	0'6	289	144	45	40	-	1	3	-	1	-	-	10	13	24	5	SHEFFIELD.		
ROTHERHAM	-	16'9	23'2	17'8	16'9	-	29	19	4	6	-	-	-	-	-	-	-	-	-	3	2	ROTHERHAM.		
YORK	-	81,288	12'2	10'9	17'3	1'3	33	26	6	8	-	-	-	1	1	-	-	-	2	7	1	YORK.		
HULL	-	253,865	14'6	16'4	17'7	0'6	165	82	21	26	-	-	-	2	1	-	4	8	12	1	1	HULL.		
MIDDLESBROUGH	-	96,684	16'2	15'1	19'4	0'5	65	41	7	10	-	-	1	-	-	-	1	4	9	2	2	MIDDLESBROUGH.		
STOCKTON-ON-TEES	-	52,192	17'0	23'0	11'0	1'0	27	15	2	4	-	-	-	-	1	-	-	-	1	-	-	STOCKTON-ON-TEES.		
WEST HARTLEPOOL	-	69,251	13'6	17'3	23'3	3'0	37	30	5	5	-	-	-	1	3	-	1	4	2	-	-	WEST HARTLEPOOL.		
SUNDERLAND	-	151,157	19'0	18'3	23'5	0'3	126	45	12	10	-	1	-	-	-	-	2	5	5	4	4	SUNDERLAND.		
SOUTH SHIELDS	-	107,334	12'6	18'5	13'6	0'5	65	35	8	8	-	-	-	-	1	-	-	1	1	2	3	SOUTH SHIELDS.		
GATESHEAD	-	118,067	16'8	26'5	19'4	2'2	75	39	11	9	1	-	-	-	4	-	-	-	-	1	1	GATESHEAD.		
NEWCASTLE-ON-TYNE	-	225,362	20'6	17'4	17'1	1'4	118	83	17	22	-	1	-	-	5	-	-	2	3	15	1	NEWCASTLE-ON-TYNE.		
TYNEMOUTH	-	53,060	18'7	19'7	19'7	-	31	11	3	3	-	-	-	-	-	-	-	-	-	3	-	TYNEMOUTH.		
NEWPORT (MON.)	-	71,543	22'6	29'2	16'8	1'5	39	22	8	4	-	-	-	-	2	-	-	-	3	2	-	NEWPORT (MON.).		
CARDIFF	-	176,313	16'9	17'2	18'9	2'1	106	45	11	12	-	4	-	1	1	-	-	-	3	8	-	CARDIFF.		
RHONDDA	-	122,310	22'2	27'7	17'9	2'1	95	45	23	3	-	3	1	-	-	-	1	2	2	1	1	RHONDDA.		
MERTHYR TYDFIL	-	72,745	22'9	22'2	25'8	0'7	50	35	7	9	-	-	-	-	-	1	-	1	2	4	1	MERTHYR TYDFIL.		
SWANSEA	-	95,931	21'2	28'8	19'0	2'7	65	38	13	12	-	-	-	-	5	-	-	2	4	2	1	SWANSEA.		
GREATER LONDON	-	6,907,619	15'7	16'6	16'1	1'4	3693	2029	477	622	1	42	8	23	65	9	33	75	190	581	8	GREATER LONDON.		
OUTER RING	-	2,258,531	12'2	14'5	12'6	1'2	1237	562	151	184	-	10	3	5	24	4	5	24	64	84	6	OUTER RING.		
8 TOWNS IN OUTER RING	-	1,098,639	12'2	14'4	12'1	0'9	607	259	75	82	-	5	-	2	11	1	1	9	31	36	2	8 TOWNS IN OUTER RING.		
REMAINDER OF OUTER RING	-	1,159,892	12'2	14'5	13'1	1'4	630	303	76	102	-	5	3	3	13	3	4	15	33	48	4	REMAINDER OF OUTER RING.		
EDINBURGH	-	331,977	16'0	15'9	18'1	0'8	133	130	19	50	-	-	-	1	3	-	1	4	?	41	7	EDINBURGH.		
GLASGOW	-	798,357	17'4	19'9	23'5	2'4	463	314	83	65	2	19	2	1	5	3	5	6	?	77	23	GLASGOW.		
DUBLIN†	-	378,904	30'5	27'2	29'7	2'1	224	198	38	53	-	2	-	-	11	2	-	3	4	65	9	DUBLIN†.		
BELFAST†	-	368,680	21'8	29'5	26'9	1'9	268	186	44	43	-	2	-	1	5	2	3	6	16	44	?	BELFAST†.		

* See note on first page of this return.

TABLE 2. LONDON.—Births and Deaths Registered in the EIGHTH Week of each of the Eleven Years, 1894-1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894-1903.*
TOTAL Births -	2587	2787	2497	2727	2644	2752	2805	2673	2723	2449	2763·6
Males - -	1337	1412	1345	1376	1345	1470	1379	1329	1391	1224	1411·5
Females - -	1250	1375	1152	1351	1299	1282	1426	1344	1332	1225	1352·1
TOTAL Deaths -	1663	2863	1705	1627	1889	1875	1894	1853	2569	1444	2010·4
Males - -	853	1384	853	821	942	976	992	916	1214	733	1005·5
Females - -	805	1479	847	806	947	899	902	937	1355	711	1004·9

* The numbers in this column are the average weekly numbers in the eighth week of the ten years 1894-1903, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Dec. 5.	Dec. 12.	Dec. 19.	Dec. 26.	1904. Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	W
TOTAL Births -	2460	2443	2544	1802	2828	2862	2589	2515	2434	2748	2637	2737	2456	
TOTAL Deaths -	1578	1669	1486	1204	1866	1731	1677	1549	1734	1554	1574	1539	1467	
Ages at Death -														
Under 1 year -	401	379	347	262	408	384	357	313	333	349	316	345	326	
1-5 years -	165	162	156	128	209	176	160	150	189	164	183	206	158	
5-20 " -	71	73	61	60	82	84	82	77	82	63	70	72	65	
20-40 " -	166	190	176	140	235	194	208	194	211	181	191	180	167	
40-60 " -	317	375	312	260	380	323	349	332	355	297	307	299	313	
60 yrs. & upwds. -	458	490	434	354	552	570	521	483	564	495	507	487	438	
Deaths from—														
Small-pox† - -	-	-	-	1	-	-	-	-	-	-	-	1	1	
Measles - -	24	31	41	40	59	58	49	46	38	31	37	42	32	
Scarlet Fever - -	9	-	5	7	9	10	10	10	9	3	4	9	5	
Diphtheria - -	10	16	15	9	27	14	11	10	25	13	12	17	18	
Whooping-cough - -	20	24	22	21	35	28	37	29	43	45	52	55	41	
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Typhoid - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Enteric Fever - -	15	15	8	9	10	5	8	5	3	4	8	2	5	
Pyrexia (origin uncertain) - -	-	-	-	-	-	-	1	-	-	-	-	-	-	
Diarrhoea, Dysentery -	27	23	22	15	27	16	19	25	17	20	13	16	28	
All above Diseases -	105	109	113	102	167	131	135	125	135	116	126	142	130	
Dis. of Resp. System -	193	235	187	139	230	250	219	210	260	193	165	195	180	
Pneumonia - -	165	183	158	132	176	185	189	145	171	157	159	154	142	
Phthisis - -	178	167	142	142	183	150	180	180	178	160	139	146	147	
Dis. of Circ. System -	194	241	193	153	246	240	202	182	229	206	236	220	205	
Violence - -	48	65	60	49	77	73	65	50	57	59	78	53	51	
Inquest Cases - -	133	178	150	127	195	203	177	144	158	127	189	150	126	
Deaths in Institutions -	539	554	524	424	644	549	613	545	605	541	548	572	497	
TEMPERATURE OF THE AIR.														
Mean - -	35·2	41·5	42·0	40·2	32·6	39·8	42·1	35·7	40·9	40·6	42·1	38·3	38·3	
Mean of Highest - -	39·5	45·3	45·1	42·9	35·7	43·9	46·4	41·2	44·3	45·7	47·7	43·9	43·0	
Mean of Lowest - -	30·3	35·6	38·1	37·1	28·3	34·3	36·6	29·1	37·1	35·6	36·5	33·4	34·8	
Mean Humidity of the Air.	83	86	88	89	78	91	82	92	86	87	81	81	75	
Rain-fall (in inches) -	0·28	1·12	0·02	0·00	0·09	0·29	0·69	0·18	0·92	1·15	1·27	0·45	0·03	
Registered Sunshine (in hours).	2·5	1·8	9·3	0·3	8·7	2·9	9·2	4·3	8·7	15·0	14·2	10·3	6·7	
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox - -	35	32	26	27	26	26	24	21	25	24	29	31		
Scarlet Fever - -	1715	1717	1655	1617	1632	1659	1660	1679	1651	1657	1644	1620	1587	
Diphtheria - -	754	756	733	770	739	732	749	758	760	782	767	768	787	
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Enteric Fever - -	285	273	266	259	246	235	191	184	166	161	139	129	125	

* The Metropolitan Asylum and London Fever Hospitals.
† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsham Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; E. Simpson, Esq., Wrotesley Wolverhampton; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Bragg Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Preston; Prestwich, Manchester, H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth,

TABLE 4. LONDON.—DEATHS Registered in the EIGHTH Week of the Year 1904.

terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 8th week of the year 1903.	1904—Deaths of Persons of the Ages						CAUSES OF DEATH.	Deaths in the 8th week of the year 1904.	1904—Deaths of Persons of the Ages							
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.			60 years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
L CAUSES	1444	1467	326	158	65	167	313	438	Meningitis (not tuberc.)	12	8	2	4	-	1	1	
									Insanity, Gen. Par. of	22	13	-	-	-	2	4	
									Insane	6	7	-	-	-	1	2	
									Epilepsy	29	24	24	-	-	-	-	
									Convulsions	1	1	-	-	-	1	-	
									Locomotor Ataxy	4	6	-	-	1	-	5	
									Paraplegia, Dis. of Cord	26	20	2	-	3	6	9	
									Nervous Sys. (other dis.)								
									Valv. Dis., Endocarditis-	35	46	1	-	1	7	12	
									Cerebr. Hæm. Thromb.-	27	35	-	-	-	1	11	
									Apoplexy, Hemiplegia	17	22	-	-	-	1	5	
									Aneurysm	9	8	-	-	-	3	4	
									Embolism, Thrombosis	3	-	-	-	-	-	-	
									(not cerebral)								
									Heart & Blood Vessel Dis.	74	94	1	-	5	7	35	
									Croup (not Spasm: nor Memb.)	-	1	1	-	-	-	-	
									Bronchitis	136	160	30	15	1	1	26	
									Asthma, Emphysema	5	7	-	-	-	1	1	
									Pleurisy	3	4	-	1	-	1	1	
									Respiratory Dis. (other)	15	8	1	-	-	2	1	
									Tonsillitis, Quinsy	-	1	-	-	-	-	1	
									Enteritis (not Epid.)	5	8	5	-	-	1	2	
									Gastro-Enteritis	3	4	3	-	-	-	1	
									Fertionitis (not Puerp.)	1	-	-	-	-	-	-	
									Cirrhosis of Liver	16	13	-	-	-	1	8	
									Liver Dis. (other)	7	17	-	-	-	2	5	
									Digestive Dis., Other	34	43	11	1	2	5	11	
									Nephritis, Acute	10	6	1	-	1	-	1	
									Bright's Dis., Albumin-	42	43	-	-	-	8	17	
									uria	12	9	-	-	-	-	3	
									Urinary Sys., Other Dis.								
									Generative Organs Dis.	7	2	-	-	-	-	2	
									Childbirth (Accid. of)	2	3	-	-	-	2	1	
									Old Age	55	56	-	-	-	-	56	
									Other Diseases	103	88	63	9	4	3	6	
									ACCIDENT.								
									By Railways	2	1	-	-	-	1	-	
									By Vehicles and Horses	9	1	-	-	-	-	1	
									In Ships, Boats, Docks, (exclusive of Drown-	-	1	-	-	-	1	-	
									ing)	-	-	-	-	-	-	-	
									In Building Operations	-	1	-	-	-	-	1	
									In Conflagrations	-	-	-	-	-	-	-	
									By Burns, Scalds, Ex-	10	6	-	4	1	-	1	
									plosions	2	4	-	-	-	-	3	
									By Drowning	8	13	13	-	-	-	-	
									By Suffocation in Bed	-	-	-	-	-	-	-	
									By Poisons or Poisonous	2	1	-	-	-	1	-	
									Vapours	-	-	-	-	-	-	-	
									Other Deaths by Acci-	11	15	2	-	2	3	3	
									dent								
									VIOLENCE OTHER THAN ACCIDENTAL.								
									Homicide	2	2	2	-	-	-	-	
									Suicide	14	6	-	-	-	2	3	
									Execution	-	-	-	-	-	-	1	

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Formerly described as "Simple Continued Fever."

Population, Births, and Deaths in London Sub-Districts.

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 27th February, 1901.

				The DEATHS registered during the Week include														
REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of		Deaths from												Inquest Cases.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhoea.	Violence.			
LONDON - - -	4,536,541	2456	1467	326	438	1	32	5	18	41	-	5	-	28	51	126		
WEST DISTRICTS	805,311	356	272	51	80	-	9	-	1	1	-	-	-	6	18	24		
NORTH DISTRICTS	1,056,070	525	289	54	105	-	5	1	5	1	-	-	-	1	7	20		
CENTRAL DISTRICTS	209,465	120	69	14	10	-	1	-	1	1	-	1	-	1	5	10		
EAST DISTRICTS -	715,739	461	229	57	59	-	12	2	8	27	-	3	-	8	8	36		
SOUTH DISTRICTS	1,749,956	991	564	150	165	-	15	4	8	-	-	-	-	14	13	36		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	44	-	19	1	-	-	1	-	-	-	-	1	-	-		
WEST DISTRICTS.																		
St. Mary Paddington } G. & W.	93,178	53	33	9	13	-	2	-	-	-	-	-	-	-	-	1		
W, 2H																		
St. John Paddington H - - -	33,617	8	18	1	8	-	-	-	-	-	-	-	-	-	2	2		
North-West Paddington - - -	17,181	12	2	-	-	-	1	-	-	-	-	-	-	-	-	-		
Kensington Town 2W, w, 2H G., W. & C.	128,037	48	45	12	16	-	2	-	-	-	-	-	-	1	5	6		
Brompton 2H - - - W. & C.	48,591	9	11	1	7	-	-	-	-	-	-	-	-	-	1	1		
North Hammersmith W, w, H } W. & G.	49,192	28	17	4	2	-	-	-	-	-	-	-	-	1	-	1		
St. Mary Hammersmith w, 2H	63,047	30	21	5	6	-	-	-	-	-	-	-	-	-	1	2		
North-west Fulham W } W. & C.	45,180	31	22	2	5	-	1	-	-	1	1	-	-	1	1	3		
North-east Fulham F	46,405	20	16	4	4	-	-	-	-	-	-	-	-	-	-	-		
South Fulham W	45,704	31	8	2	2	-	1	-	-	-	-	-	-	-	-	-		
Chelsea North W, w, 3H - - - C.	42,514	17	32	6	12	-	2	-	-	-	-	-	-	2	1	3		
Chelsea South 2H - - - C.	31,328	18	4	1	1	-	-	-	-	-	-	-	-	-	1	1		
May Fair and Knightsbridge } C. & G.	28,743	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
H																		
Belgrave W, 2H - - - C.	55,815	15	18	1	1	-	-	-	-	-	-	-	-	1	2	2		
St. Margaret & St. John 4H - - C.	43,698	22	18	2	1	-	-	-	-	-	-	-	-	-	-	-		
St. James Westminster } N. & G.	21,588	4	4	1	1	-	-	-	-	-	-	-	-	-	1	1		
W, H																		
St. Anne Soho 5H - - - N.	11,493	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-		
NORTH DISTRICTS.																		
All Souls Marylebone 8H - - W.	35,391	7	11	-	-	-	1	-	-	-	-	-	-	-	-	-		
Rectorry Marylebone W G. & W.	19,849	3	4	1	3	-	-	-	-	-	-	-	-	-	-	-		
St. Mary Marylebone 4H G. & W.	18,089	32	7	1	2	-	-	-	-	-	-	-	-	-	1	1		
Christchurch Marylebone H - - W.	39,536	12	6	3	1	-	-	-	-	-	-	-	-	-	-	-		
St. John Marylebone 3H - - W.	20,426	8	2	-	1	-	-	-	-	-	-	-	-	1	-	-		
Hampstead W, F, 6H - - N. & W.	81,942	22	25	5	13	-	-	1	1	-	-	-	-	-	-	-		
West St. Pancras 2H - - - W.	60,562	26	10	2	3	-	-	-	-	-	-	-	-	-	-	1		
Tottenham-court w, 6H N. & W.	21,258	5	11	1	2	-	1	-	-	-	-	-	-	-	-	-		
Gray's Inn Lane 4H - - - N.	34,449	14	9	2	4	-	1	-	-	-	-	-	-	-	1	2		
East St. Pancras W, 2H - - - N.	60,320	29	18	4	11	-	-	-	-	-	-	-	-	-	-	2		
North St. Pancras 2W - - - N.	58,728	26	11	2	3	-	1	-	-	-	-	-	-	-	-	-		
Tufnell W - - - - - N.	31,995	14	16	-	7	-	-	-	-	-	-	-	-	-	-	-		
Upper Holloway 2W, w, 2H - - N.	33,978	22	28	2	8	-	-	-	-	1	-	-	-	-	-	-		
Tollington W - - - - - N.	33,922	15	13	1	7	-	-	-	-	-	-	-	-	-	-	-		
Lower Holloway - - - - - N.	41,424	29	4	-	1	-	-	-	-	-	-	-	-	-	-	2		
Barnsbury - - - - - N.	54,473	33	13	2	6	-	-	-	-	1	1	-	-	-	-	-		
Islington South-east F - - - N.	75,397	38	11	-	5	-	1	-	-	-	-	-	-	-	-	-		
Highbury 2H - - - - - N.	63,797	27	13	5	2	-	-	-	-	-	2	-	-	-	-	-		
Stoke Newington H - - - - N.	51,247	20	10	2	6	-	-	-	-	-	-	-	-	-	-	1		
North Hackney - - - - - E. & N.	50,560	20	8	2	4	-	-	-	-	-	-	-	-	-	-	-		
Central Hackney 2w, F - - E. & N.	50,536	22	17	7	3	-	-	-	-	2	-	-	-	-	1	4		
South-west Hackney 3H E. & N.	59,921	43	18	6	6	-	-	-	-	-	1	-	-	-	-	-		
South-east Hackney 2W, w, H E. & N.	58,255	53	24	6	7	-	-	-	-	-	-	-	-	-	5	7		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When district contains more than one institution of either kind, the number is indicated by a figure prefixed letter. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; D. Deptford; E. East London; and K. the Kent Company.

Population, Births, and Deaths in London Sub-Districts.

1

5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 27th February, 1904—continued.

The DEATHS registered during the Week include																		
REGISTRATION SUB-DISTRICTS,	Enu- me- rated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	Deaths of		Deaths from												Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.		
CENTRAL DISTRICTS.																		
St Giles and Bloomsbury W,2H N.	31,436	21	4	1	2	-	-	-	-	-	-	-	-	-	-	-	1	2
St Giles W,4H - - - N. & C.	21,874	4	9	1	1	-	-	-	-	-	-	-	-	-	1	-	-	8
St Giles Union Workhouse, Edmonton -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
St Giles W,6H - - - N.	29,612	14	17	2	1	-	1	-	1	1	-	-	-	-	-	1	1	9
St Giles Clerkenwell - - - N.	28,676	16	5	2	1	-	-	-	-	-	-	-	-	-	-	1	2	-
St Giles Clerkenwell H - - - N.	35,028	19	5	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
St Giles W,3H,L - - - N.	36,116	41	9	3	1	-	-	-	-	-	-	-	-	-	-	1	2	3
St Giles Union Workhouse, } St Giles - - - - - }	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3
St Giles W,4H - - - N. & E.	10,299	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
St Giles W,4H - - - N. & E.	16,824	1	13	-	-	-	-	-	-	-	-	1	-	-	-	2	2	11
St Giles W,4H - - - N. & E.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles W,4H - - - N. & E.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles W,4H - - - N. & E.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles W,4H - - - N. & E.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles W,4H - - - N. & E.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles W,4H - - - N. & E.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles W,4H - - - N. & E.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles W,4H - - - N. & E.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles W,4H - - - N. & E.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles W,4H - - - N. & E.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles W,4H - - - N. & E.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles W,4H - - - N. & E.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles W,4H - - - N. & E.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles W,4H - - - N. & E.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles W,4H - - - N. & E.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles W,4H - - - N. & E.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles W,4H - - - N. & E.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles W,4H - - - N. & E.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles W,4H - - - N. & E.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles W,4H - - - N. & E.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles W,4H - - - N. & E.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles W,4H - - - N. & E.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles W,4H - - - N. & E.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles W,4H - - - N. & E.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles W,4H - - - N. & E.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles W,4H - - - N. & E.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles W,4H - - - N. & E.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles W,4H - - - N. & E.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles W,4H - - - N. & E.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles W,4H - - - N. & E.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles W,4H - - - N. & E.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles W,4H - - - N. & E.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles W,4H - - - N. & E.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles W,4H - - - N. & E.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles W,4H - - - N. & E.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles W,4H - - - N. & E.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles W,4H - - - N. & E.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles W,4H - - - N. & E.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St Giles W,4H - - - N. & E.	-	-	-	-	-	-	-	-	-	-								

On 1st November, 1903, the Sub-districts of St. Sepulchre and Allhallows Barking were united and called St. Sepulchre Allhallows.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 27th February, 1904.—continued.

The DEATHS registered during the Week include																	
REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of		Deaths from											
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.	
SOUTH DISTRICTS.																	
Christchurch Southwark W, HL & S.	11,263	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark H - S.	12,056	4	15	2	3	-	-	1	-	-	1	-	-	1	-	1	2
Kent-road - S. & L.	21,904	16	9	3	5	-	-	-	-	-	-	-	-	-	1	2	3
St. George the Martyr West W, 2H, L	39,091	27	15	7	-	-	1	-	-	5	-	-	-	-	2	-	2
Trinity Newington - S. & L.	28,504	15	7	4	2	-	-	-	-	-	-	-	-	-	-	-	1
St. Peter Walworth W - S. & L.	61,767	40	23	4	7	-	-	-	-	-	-	1	-	-	-	-	1
St. Mary Newington - L. & S.	31,592	22	12	5	3	-	1	-	-	1	-	-	-	-	-	-	1
St. Olave 2W - - - S.	9,817	13	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-
St. Edmundsey W - - - S.	82,483	52	30	14	4	-	-	-	-	1	-	-	-	-	-	1	2
St. Peter's W, F - - S. & K.	38,460	15	19	3	6	-	-	-	-	3	-	-	-	-	-	1	1
Waterloo-road 2H - - L. & S.	27,440	28	4	-	1	-	-	-	-	-	-	-	-	-	-	1	1
St. Lambeth Church 1st H L. & S.	18,423	14	18	4	3	-	-	-	1	1	-	-	-	-	1	2	3
St. Lambeth Church 2nd 2W L. & S.	39,818	30	24	2	8	-	2	-	-	-	-	-	-	-	-	-	-
Kennington 1st H - S. & L.	53,198	31	11	4	7	-	-	-	-	-	-	-	-	-	-	-	-
Kennington 2nd H - S. & L.	42,896	20	8	2	3	-	1	-	-	-	-	-	-	-	-	1	2
Brixton F - - - L. & S.	84,232	41	28	5	10	-	-	-	1	-	-	-	-	-	-	1	-
Norwood W, H - - - L.	35,888	7	6	1	3	-	-	-	-	-	-	-	-	-	1	-	-
East Battersea - - - S.	72,203	48	22	10	5	-	-	-	1	1	-	-	-	-	3	-	1
North-west Battersea - - S.	49,656	26	10	5	1	-	-	-	-	-	-	-	-	-	1	-	2
South-west Battersea W, H - S.	47,048	21	18	2	6	-	-	-	-	-	-	-	-	-	-	-	3
Clapham 2H - - - L.	51,361	26	10	2	5	-	1	-	-	-	-	-	-	-	-	-	-
Streatham W, 2W, 2F, 2L - S.	88,131	54	22	2	8	-	-	2	2	1	-	-	-	-	-	-	1
Springfield 2W, L - - S.	27,959	25	9	5	2	-	-	-	-	-	-	-	-	-	-	-	-
Southfields H - - - S.	40,444	20	10	2	6	-	-	-	-	1	-	-	-	-	-	-	-
Putney - - - - S.	24,139	12	8	3	2	-	-	-	-	-	-	-	-	-	-	-	-
Oulwich - - - - L. & S.	10,247	4	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Camberwell 2W, 2L - S. & L.	90,465	46	47	11	21	-	-	-	-	-	-	-	-	-	-	-	-
Peckham 2W, W - S., L. & K.	93,038	52	30	11	8	-	4	-	-	2	-	-	-	-	2	-	2
St. George Camberwell - L. & S.	65,589	27	14	5	4	-	-	-	-	3	-	-	-	-	-	-	1
Deptford North - - - K.	37,613	27	8	2	3	-	-	-	-	-	-	-	-	-	1	-	-
Deptford Central F - - K.	45,481	36	8	1	-	-	-	-	-	-	-	-	-	-	-	1	1
Deptford South - - - K.	34,625	13	16	1	9	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West 2H - - K.	23,456	15	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich East 2W, H - K.	43,859	30	19	4	4	-	-	-	-	1	-	-	-	-	-	1	1
Eltham W, H - - - K.	7,226	4	6	1	2	-	-	-	-	2	-	-	-	-	-	-	-
Lee H - - - - K.	25,490	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham W W, F. - - K.	58,352	40	22	6	5	-	1	1	-	1	-	1	-	-	-	-	-
Sydenham H - - - L.	43,653	21	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Charlton F, 2H - - - K.	21,134	8	5	1	-	-	-	-	1	-	-	-	-	-	-	-	1
Woolwich 4H - - - K.	41,625	21	12	3	1	-	-	2	-	1	2	-	-	-	-	-	1
Plumstead West W - - K.	18,063	11	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East 2W, H - K.	50,264	22	19	6	3	-	-	-	-	1	1	-	-	-	1	-	2
London County Asy., Banstead -	-	-	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Horton Manor Asylum - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Epsom -	-	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Caterham -	-	-	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Cane Hill -	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. Hospitals, Dartford -	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Darent -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-
London County Asylum, Dartford Heath -	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Hanwell -	-	-	8	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asy., Hendon -	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Colney Hatch -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
M. A. B. North-Eastern Hospital -	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
M. A. B. Northern Hospital -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Leavesden -	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Claybury -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Area, Population, Births, and Deaths in Outer Ring.

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the week ended Saturday, 27th February, 1904.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu-merated Popu-lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
					Deaths of		Deaths from											
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarthra.	Violence.	Inquest Cases.	Deaths in Public		
LONDON—OUTER RING	368,580	2,044,861	1,237	562	151	184	-	10	3	5	24	4	5	24	64	8		
1 Carshalton <i>w,2F,2H</i>	12,228	32,997	13	7	1	2	-	-	-	-	-	-	-	1	2	-		
2 Epsom, <i>part of</i> * <i>W,w,2F,H</i>	10,423	15,548	9	-	-	-	-	-	-	-	-	-	-	-	-	-		
1 Godstone, <i>part of</i> * <i>W,F</i>	2,754	2,692	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
1 Coulsdon - - -	11,069	8,166	5	1	-	-	-	-	-	-	1	-	-	-	-	-		
2 South Croydon - - -	9,012	49,319	20	9	1	4	-	1	-	-	-	-	-	-	-	-		
3 West Croydon <i>3W,F,H</i>		42,888	29	23	5	10	-	-	-	-	1	-	-	-	-	2	1	
4 North Croydon <i>H</i>		41,698	21	6	-	3	-	-	-	-	-	-	-	-	-	-	-	
5 Penge <i>w</i> - - -	770	22,465	11	4	-	-	-	-	-	-	-	-	-	1	1	-		
6 Mitcham <i>w</i> - - -	11,689	29,903	23	8	1	2	-	-	-	-	1	-	-	-	-	-		
1 Wimbledon <i>F,3H</i>	3,221	41,662	25	9	3	3	-	1	-	-	2	-	-	-	-	-		
2 Kingston <i>W,H</i> - - -	6,224	42,068	25	19	3	11	-	-	-	-	-	-	-	1	1	-		
3 Surbiton <i>F,H</i> - - -	3,046	15,017	5	2	-	1	-	-	-	-	-	-	-	-	-	-		
4 Esher, <i>part of</i> * <i>H</i>	5,402	13,100	8	2	-	1	-	-	-	-	-	-	-	-	-	-		
5 Hampton <i>H,L</i> - - -	4,564	23,456	14	4	2	-	-	-	-	1	-	-	-	-	-	1	-	
1 Richmond <i>W,H</i> - - -	2,162	28,865	6	6	1	2	-	-	-	-	-	-	-	-	-	-		
2 Mortlake <i>F</i> - - -	2,847	20,628	18	8	1	2	-	-	-	-	-	1	-	1	3	-		
1 Bromley <i>F,2H</i> - - -	4,703	27,354	14	4	2	1	-	-	1	-	-	-	-	-	-	-		
2 Beckenham <i>H</i> - - -	7,825	28,497	18	6	2	2	-	-	-	-	1	-	-	-	-	-		
3 Orpington, <i>part of</i> * <i>W</i>	10,113	9,857	4	7	1	3	-	-	-	-	-	-	-	-	2	-		
4 Chislehurst <i>2H</i> - - -	7,333	16,446	12	6	1	3	-	-	-	-	-	-	-	-	-	-		
1 Bexley <i>F,H</i> - - -	8,678	21,151	9	5	-	3	-	-	-	-	-	-	-	1	1	-		
2 Erith <i>F,H</i> - - -	3,854	25,296	16	8	3	3	-	-	-	-	-	-	-	1	1	-		
3 Dartford <i>W,F, part of</i> *	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-		
1 Sunbury <i>w</i> - - -	11,054	18,683	13	7	2	2	-	-	-	-	-	-	-	1	1	-		
2 Staines <i>W,H</i> - - -	13,277	15,178	12	5	-	2	-	-	-	-	-	-	-	1	2	-		
1 Hillingdon <i>W,F,H</i> - -	6,035	13,661	5	4	-	4	-	-	-	-	-	-	-	-	-	-		
2 Uxbridge - - -	12,757	8,984	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
3 Hayes <i>w,F,H</i> - - -	8,066	16,358	14	2	1	-	-	-	-	-	-	-	-	-	-	-		
1 Isleworth <i>3W,2F,H</i>	6,859	30,863	12	13	4	2	-	-	-	-	1	-	-	2	2	-		
2 Twickenham <i>F,H</i> - -	2,421	20,991	4	6	3	1	-	1	-	-	1	-	-	-	-	-		
3 Brentford <i>2F,2H,L</i>	4,319	45,289	39	18	4	8	-	-	1	-	2	-	-	2	1	2	-	
4 Chiswick <i>H</i> - - -	1,249	29,809	14	11	5	4	-	-	-	-	1	-	-	1	-	-		
5 Acton <i>w,3H</i> - - -	6,132	48,914	43	12	5	3	-	-	-	-	-	-	-	-	1	-		
1 Harrow <i>F,H</i> - - -	13,809	25,523	10	8	4	2	-	-	-	-	-	-	-	1	-	-		
2 Edgware <i>F,2H</i> - - -	6,994	4,521	3	-	-	-	-	-	-	-	-	-	-	-	-	-		
3 Willesden <i>W,F,2H</i>	4,384	114,811	64	30	9	10	-	1	-	-	-	-	-	1	4	-		
4 Hendon <i>W,F</i> - - -	8,382	22,450	19	5	1	1	-	-	-	-	-	-	-	-	-	-		
1 South Mimms <i>2F,H</i> - -	17,755	7,308	-	1	-	1	-	-	-	-	-	-	-	-	-	-		
2 Barnet <i>W,3H</i> - - -	3,324	17,970	10	5	1	1	-	-	-	-	-	-	-	-	-	-		
3 Finchley <i>F,2H</i> - - -	4,688	33,692	20	11	1	2	-	1	-	1	-	-	-	1	1	-		
1 Hornsey <i>F,H</i> - - -	2,875	72,056	32	9	2	4	-	-	-	-	-	-	-	1	1	-		
2 Wood Green <i>H</i> - - -	1,625	34,233	18	5	-	1	-	1	-	-	-	-	-	-	-	-		
3 West Tottenham <i>F</i> - -	3,013	48,853	30	14	6	3	-	1	-	-	-	-	-	1	5	-		
4 East Tottenham <i>F,H</i>		53,688	32	18	5	8	-	-	-	-	1	-	-	-	1	3		
5 Edmonton <i>W,w,2F</i>		7,491	61,892	42	28	10	10	1	-	-	-	-	-	1	5	10		
6 Enfield <i>2W,F,H</i> - - -	12,601	42,738	32	10	3	3	-	-	-	-	-	-	-	-	-	-		
7 Waltham Abbey - - -	11,017	6,549	3	2	-	1	-	-	-	-	-	-	-	-	-	-		
8 Cheshunt <i>F,H</i> - - -	8,479	12,292	10	4	1	-	-	-	-	-	-	-	-	1	1	-		
1 Hatfield, <i>part of</i> * <i>W</i> -	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Bushey <i>H</i> - - -	9,333	9,173	1	3	-	2	-	-	-	-	-	-	-	-	-	-		
1 Watford <i>W,2F part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1 Stratford <i>H</i> - - -	1,072	44,827	25	9	3	2	-	-	-	1	1	-	-	-	-	1	1	
2 Plaistow <i>F,2H</i> - - -	1,249	90,921	72	26	12	4	-	1	-	-	1	-	-	3	4	2		
3 Canning Town <i>H</i> - -	1,558	70,718	60	21	8	5	-	-	-	-	-	-	-	-	1	-		
4 Forest Gate <i>w</i> - - -	806	80,892	31	9	5	2	-	-	-	-	1	-	-	-	2	-		
5 North East Ham <i>w</i> - -	3,326	58,676	41	6	2	1	-	-	-	-	-	-	-	-	1	-		
6 South East Ham <i>3F</i> - -		37,342	38	12	4	1	-	1	-	1	1	-	-	1	2	3	1	
7 Wanstead <i>F</i> - - -		9,179	4	3	1	2	-	-	-	-	-	-	-	-	1	-		
8 South Leyton <i>2W</i> - - -	631	50,467	29	20	2	9	-	-	-	-	2	-	-	-	-	-		
9 North Leyton <i>W,w,F</i> -	1,963	48,445	27	19	3	11	-	-	-	-	-	-	-	-	2	8		
10 Walthamstow <i>3H,L</i> - -	6,504	108,929	65	29	11	4	-	-	-	-	1	-	-	1	4	1		
1 Chigwell, <i>part of</i> * <i>2FAH</i>	11,778	16,397	6	8	1	3	-	-	-	-	1	-	-	-	-	-		
2 Epping <i>W,F, part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1 Romford, <i>part of</i> * <i>W,2F</i>	6,556	6,091	7	4	-	1	-	-	1	1	-	-	-	-	-	-		
2 Ilford <i>F,L</i> - - -	8,496	41,234	21	10	2	3	-	-	-	-	1	-	-	-	1	4		
3 Barking Town <i>F</i> - - -	3,803	21,547	20	7	3	1	-	-	-	-	1	-	-	-	1	-		
Middlesex County Asylum, Wandsworth.	-	-	-	3	-	2	-	-	-	-	-	-	1	-	-	-		

The parts of sub-districts included within that portion of the Metropolitan Police District which forms the

Births, Deaths, Meteorology, &c.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping- cough.	Fever.
CUTTACK (including Bhubaneswar)	847,796	January 16	-	458	28'0	-	4	-	-	-	133
BOMBAY	776,006	February 2	325	917	61'4	10	5	-	-	-	425†
MADRAS	509,340	January 22	335	427	43'5	-	5	?	?	?	139†
Calcutta	2,660,559	February 20	1292	970	20'0	3	18	2	8*	2	2
Bombay	575,896	" 20	234	157	14'2	-	-	-	1*	2	1
Madras	281,376	" 20	140	80	14'8	1	-	-	-	1	3
Amsterdam	542,073	" 13	328	172	16'4	-	12	-	5	2	1
Copenhagen	420,000	" 20	233	126	15'6	-	-	-	-	4	1
Stockholm	305,115	" 13	143	90	15'3	-	-	1	-	1	-
Christiania	225,709	" 20	112	53	12'2	-	-	-	-	-	-
Petersburg	1,248,643	" 20	949	570	23'8	1	14	8	15	11	16
St. Petersburg	1,093,410	" 13	-	520	24'8	2	1	11	5	1	4
Berlin	1,960,909	" 6	930	625	16'7	-	10	1	3*	10	1
Munich	751,842	" 20	-	228	15'8	-	1	4	1*	2	-
Breslau	445,403	" 13	-	177	20'7	-	-	-	2	?	2
Niich	520,000	" 20	-	197	19'7	-	4	-	2*	1	-
Vienna	1,779,669	" 20	984	632	18'5	-	19	-	5*	5	-
Warsaw	423,990	-	-	-	-	-	-	-	-	-	-
Prague	812,399	February 20	435	356	22'7	1	3	8	9	2	5
Pesth	187,251	" 20	143	116	32'2	-	2	-	1*	2	-
London	496,201	January 9	240	200	21'2	-	7	-	7	-	1
Nice	166,288	February 13	72	76	20'9	-	-	-	-	1	-
Pro	624,338	December 2	591	406	33'9	1	12	-	12*	?	10
Alexandria	349,300	" 2	314	170	25'4	-	-	-	-	?	3
New York	3,838,024	February 13	1507	1578	21'5	-	14	30	56*	5	4
Philadelphia	1,378,624	January 30	-	562	21'3	17	10	10	11	3	10
Boston	617,950	" 23	-	222	18'7	-	3	2	4*	-	2

* Including deaths from croup.

† Including 12 deaths from plague in Calcutta, 384 in Bombay, and one in Madras.

‡ Including 16 deaths from cholera in Calcutta, and 2 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 27th February, 1902.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
London (Greenwich)	54'2	29'2	38'9	0'03	Huddersfield	52'0	31'0	37'0	
Brighton	51'0	30'9	39'4	0'19	Bradford	50'5	32'0	38'6	
Portsmouth	50'6	32'0	40'3	0'08	Leeds	53'0	33'0	38'8	
Norwich	55'0	28'4	38'9	0'12	Hull	54'0	30'0	38'4	
Lymouth	50'6	33'3	42'3	0'45					
Bristol	52'2	29'0	39'3	0'59	Edinburgh	48'4	31'6	37'5	
Wolverhampton	-	-	-	-	Glasgow	52'8	33'8	39'9	
Birmingham	50'6	30'2	37'6	0'41					
Nottingham	51'8	31'0	38'8	0'07	Dublin { Phoenix Park.	54'0	30'5	42'8	
Liverpool	53'0	32'0	38'9	0'44	Dublin { Fitz- william Square.†	56'5	34'1	44'5	
Manchester	50'0	31'8	37'7	0'61					
Breton	50'5	32'0	39'0	0'40	Belfast	54'0	35'0	43'0	

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0'5 Fahrenheit.

[illegible]

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED IN THE ADMINISTRATIVE COUNTY OF LONDON during the Week ended 20th February, 1904.*

BOROUGHES.	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	
WEST.											
Paddington - - - -	146,975	-	15	2	-	-	-	-	3	-	
Kensington - - - -	179,236	-	1	4	-	-	-	-	2	-	
Hammersmith - - - -	117,412	-	4	55	-	1	-	-	2	-	
Fulham - - - -	152,482	-	4	8	-	-	-	-	1	-	
Chelsea - - - -	74,329	-	4	13	-	-	-	-	-	1	
City of Westminster - - - -	177,321	-	4	3	-	1	-	-	1	-	
NORTH.											
St. Marylebone - - - -	130,337	-	2	-	-	-	-	-	4	-	
Hampstead - - - -	86,663	-	1	2	-	-	-	-	2	-	
St. Pancras - - - -	235,936	-	10	6	-	1	-	-	3	-	
Islington - - - -	341,044	-	11	6	-	1	-	-	3	2	
Stoke Newington - - - -	52,445	-	1	1	-	-	-	-	-	-	
Hackney - - - -	226,266	2	7	7	-	1	-	-	5	-	
CENTRAL.											
Holborn - - - -	57,161	-	4	-	-	2	-	-	1	-	
Finsbury - - - -	98,958	-	5	1	-	-	-	-	1	-	
City of London - - - -	23,482	-	-	1	-	1	-	-	1	-	
EAST.											
Shoreditch - - - -	117,033	-	5	3	-	-	-	-	2	-	
Bethnal Green - - - -	130,207	-	6	6	-	1	-	-	1	-	
Stepney - - - -	303,791	-	18	13	-	-	-	-	7	-	
Poplar - - - -	169,905	1	11	6	-	-	-	-	8	-	
SOUTH.											
Southwark - - - -	207,937	1	5	7	-	5	-	-	2	-	
Bermondsey - - - -	129,397	-	3	2	-	1	-	-	1	-	
Lambeth - - - -	310,359	-	9	14	-	-	-	-	8	-	
Battersea - - - -	175,465	4	4	8	-	1	-	-	4	-	
Wandsworth - - - -	257,586	-	12	7	-	-	-	-	7	-	
Camberwell - - - -	268,384	-	9	4	-	-	-	-	6	-	
Deptford - - - -	113,509	-	2	3	-	1	-	-	5	-	
Greenwich - - - -	101,651	-	3	4	-	-	-	-	3	-	
Lewisham - - - -	140,401	-	3	2	-	-	-	-	1	-	
Woolwich - - - -	123,416	-	4	-	-	1	-	-	3	-	
Port of London - - - -	-	-	-	-	-	-	-	-	-	-	
ADMINISTRATIVE COUNTY OF LONDON. }		4,649,088	8	167	128	-	18	-	-	84	3
Ages 0-1 - - - -		-	-	2	2	-	-	-	-	5	-
" 1-5 - - - -		-	-	63	55	-	-	-	-	4	-
" 5- - - - -		-	1	68	36	-	6	-	-	1	-
" 10- - - - -		-	-	17	17	-	1	-	-	2	-
" 15- - - - -		-	2	9	3	-	2	-	-	2	1
" 20- - - - -		-	2	3	5	-	3	-	-	3	-
" 25- - - - -		-	1	4	6	-	3	-	-	12	1
" 35- - - - -		-	1	1	3	-	2	-	-	14	1
" 45- - - - -		-	-	-	-	-	-	-	-	19	-
" 55- - - - -		-	1	-	1	-	-	-	-	15	-
" 65 and upwards - - - -		-	-	-	-	-	-	-	-	7	-
Age not stated - - - -		-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1904.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 9. 1904. VOL. LXV.] WEEK ENDED SATURDAY, MAR. 5. [Price 1½d.

General Register Office, Somerset House,

March 7th, 1904.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 18·6 per 1000 of their aggregate population, which is estimated† at 15,271,425 persons in the middle of this year. In the preceding three weeks the rates had been 18·4, 18·5, and 17·5. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 22·0 in Stockport, in Bootle, and in Leeds, 22·2 in Rhondda, 22·3 in Liverpool, 23·0 in Great Yarmouth, 23·8 in Sunderland, 24·1 in Rotherham, 24·5 in Walsall, 25·7 in Wigan, 25·9 in St. Helens, and 29·8 in Norwich; from *measles*, 1·2 in St. Helens and in Leeds, 1·6 in Birmingham, 1·8 in Bury and in Rotherham, 2·1 in Rhondda, and 8·6 in Norwich; from *whooping-cough*, 1·4 in Leyton, in Plymouth, and in Coventry, 2·1 in Portsmouth, 2·7 in Wolverhampton, 3·0 in Stockton on Tees, 3·3 in Swansea, and 3·5 in Wallasey; and from *diarrhœa*, 1·9 in Oldham. One death from *small-pox* was registered in Nottingham, and 1 in Gateshead, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2364 BIRTHS and 1594 DEATHS were registered. Allowing for increase of population, the births were 328, and the deaths 419 below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 17·7, 17·8, and 16·5 in the preceding three weeks, rose again last week to 17·9. During the four weeks ended on Saturday last the death-rate averaged 17·5 per 1000, being 4·2 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, and in certain local Small-pox Hospitals, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the recent census, and on the increase in the last intercensal period.

The 1594 deaths included 43 from measles, 5 from scarlet fever, 23 from diphtheria, 52 from whooping-cough, 3 from enteric fever, and 20 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 146 deaths were referred to these diseases in the aggregate being 53 below the corrected average weekly number.

The deaths from *measles*, which had been 37, 42, and 32 in the preceding three weeks, rose again last week to 43, but were 16 below the corrected average; 6 cases belonged to the Borough of St. Pancras, 5 to Paddington, 5 to Hammersmith, and 5 to Southwark. The deaths from *scarlet fever*, which had been 4, 9, and 5 in the preceding three weeks, were again 5 last week, the corrected average being 10; 2 cases belonged to St. Pancras and 2 to Bethnal Green. The deaths from *diphtheria*, which had been 12, 17, and 18 in the preceding three weeks, further rose last week to 23, but were 15 below the corrected average; 4 cases belonged to Poplar, 3 to Bethnal Green, 3 to Stepney, and 3 to Lambeth. The deaths from *whooping-cough*, which had been 52, 55, and 41 in the preceding three weeks, rose again last week to 52, but were 6 below the corrected average; 5 cases belonged to Shoreditch, 5 to Stepney, 5 to Bermondsey, and 4 to Poplar. The fatal case of *enteric fever*, which had been 8, 2, and 5 in the preceding three weeks, fell again last week to 3, and were 7 below the corrected average. The deaths from *diarrhoea*, which had been 13, 16, and 28 in the preceding three weeks, fell again last week to 20, but were 6 above the corrected average. Of the 20 deaths from diarrhoea, 17 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the causes of more deaths at this age. The deaths attributed directly to *influenza* numbered 12, having been 12, 25, and 11 in the preceding three weeks.

Different forms of *violence* caused 57 deaths, concerning all but 1 of which inquests were held. Of these 57 deaths, 11 were cases of suicide, while the remaining 46 were attributed to accident or negligence. Three of these latter were referred to vehicles in the streets, 9 to burns and scalds, and 13 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 41 cases of small-pox, 1578 of scarlet fever, 764 of diphtheria, and 118 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, compared with those in the preceding three weeks, were as follows:—Of small-pox, 13 cases, against 3, 9, and 5; of scarlet fever, 153 cases, against 162, 143, and 150; of diphtheria, 79 cases, against 99, 113, and 114; and of enteric fever, 8 cases, against 12, 8, and 18. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended February 27th, 1904.

GREATER LONDON.

In Greater London 3480 births and 2208 deaths were registered. Allowings for increase of population, these numbers are 465 and 498 below the respective averages in the corresponding weeks of the last ten years. In the portion of the Outer Ring which is outside the great towns, 7 deaths from measles, 2 from scarlet fever, 2 from diphtheria, 6 from whooping-cough, 1 from "fever," and 5 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.83 inches, and that of the Thermometer 33.3, the latter being 7.1 below the week's average in the 50 years 1811-60. The general direction of the wind was North Easterly, the horizontal movement of the air being 0.6 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 6.4 hours; the measured rainfall amounted to 0.52 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

The Deaths registered in the Week include

Rate from 11-17.

POPULATION estimated to the middle of 1904.

TOWNS.

TOWNS.	Cols.	DEATH-RATES FROM ALL CAUSES.					Registered during the Week ended 5th Mar., 1904.		Deaths of Persons aged 60 Years and upwards.		Deaths from						Inquest Cases.		Deaths in Public Institutions.		Causes of Death.	
		Week ended					7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
		13th Feb., 1904.	20th Feb., 1904.	27th Feb., 1904.	5th Mar., 1904.	Week ended 5th March, 1904.																
76 TOWNS	15,271,425	18'4	18'5	17'5	18'6	1'7	8203	5436	1287	1587	2	139	33	71	176	22	60	192	427	1194	87	76 TOWNS.
LONDON	4,649,088	17'7	17'8	16'5	17'9	1'6	2364	1594	350	490	-	43	5	23	52	3	20	57	150	533	5	LONDON.
CROYDON	144,418	12'6	12'3	13'4	12'3	0'4	66	34	8	11	-	1	-	-	-	-	-	2	7	8	-	(CROYDON.
WILLESDEN	132,566	14'2	13'4	11'8	11'4	0'4	74	29	8	10	-	1	-	-	-	-	-	-	1	5	1	WILLESDEN.
HORNSEY	81,221	9'0	9'6	6'4	10'3	0'6	29	16	4	8	-	-	-	-	-	-	1	1	1	1	-	HORNSEY.
TOTTENHAM	112,981	16'6	8'3	14'8	18'9	0'5	62	41	6	11	-	1	-	-	-	-	2	2	4	14	-	TOTTENHAM.
WEST HAM	288,424	18'6	13'6	13'9	17'7	2'5	167	98	27	27	-	3	-	1	6	1	3	2	10	18	-	WEST HAM.
EAST HAM	116,902	10'7	11'6	8'5	13'4	1'3	59	30	14	6	-	-	-	1	2	-	-	1	4	7	-	EAST HAM.
LEYTON	110,844	15'1	12'2	13'2	15'5	1'4	46	33	14	11	-	-	-	1	3	-	-	1	5	-	1	LEYTON.
WALTHAMSTOW	111,282	11'2	12'7	12'2	11'7	1'4	56	25	6	6	-	2	-	-	1	-	-	2	4	3	-	(WALTHAMSTOW.
HASTINGS	86,503	11'0	18'0	14'1	15'7	-	12	20	1	9	-	-	-	-	-	-	-	-	2	3	-	HASTINGS.
BRIGHTON	128,286	16'9	13'6	20'2	18'2	1'2	60	44	11	19	-	1	-	-	1	-	1	1	2	8	-	BRIGHTON.
PORTSMOUTH	198,038	20'0	16'9	20'0	21'6	2'4	108	82	24	22	-	-	-	-	8	1	3	5	8	-	-	PORTSMOUTH.
BOURNEMOUTH	64,645	15'3	13'7	17'7	16'9	1'6	28	21	6	4	-	-	-	-	-	-	2	1	3	1	-	BOURNEMOUTH.
SOUTHAMPTON	112,500	16'2	15'8	13'9	17'6	1'4	52	38	8	15	-	-	-	2	1	-	-	2	2	5	-	SOUTHAMPTON.
READING	76,373	17'1	17'1	13'0	16'4	0'7	44	24	6	7	-	-	-	-	1	-	-	2	2	5	3	READING.
NORTHAMPTON	91,146	6'3	12'0	10'9	16'6	0'6	40	29	9	13	-	-	-	-	-	-	1	2	3	4	2	NORTHAMPTON.
IPSWICH	69,805	18'7	15'7	15'7	11'2	0'7	38	15	3	5	-	-	1	-	-	-	-	-	3	2	-	IPSWICH.
GREAT YARMOUTH	52,099	18'0	16'0	24'0	23'0	4'0	23	23	5	5	-	-	-	4	-	-	-	2	3	1	-	GREAT YARMOUTH.
NORWICH	115,538	18'5	20'8	24'4	29'8	8'6	82	66	13	19	-	19	-	-	-	-	-	-	4	6	1	NORWICH.
PLYMOUTH	114,003	17'4	25'6	30'6	20'1	2'3	54	44	11	14	-	-	1	-	3	1	-	2	3	2	-	PLYMOUTH.
DEVONPORT	76,334	22'1	12'5	13'8	14'5	0'7	47	21	3	8	-	-	-	-	-	-	1	-	-	5	-	DEVONPORT.
BRISTOL	343,204	16'9	16'4	18'2	17'6	1'1	174	116	27	40	-	1	1	3	1	-	1	3	9	22	1	BRISTOL.
HANLEY	63,932	22'8	19'6	22'8	14'7	0'8	42	18	6	3	-	-	-	-	-	-	1	3	2	2	1	HANLEY.
BURTON-ON-TRENT	61,934	16'1	17'1	16'1	11'0	-	28	11	5	2	-	-	-	-	-	-	-	-	2	1	1	BURTON-ON-TRENT.
WOLVERHAMPTON	98,194	14'3	17'0	14'9	15'9	2'7	52	30	4	8	-	-	-	-	5	-	-	-	2	0	-	WOLVERHAMPTON.
WALSALL	91,432	22'2	17'1	17'1	24'5	2'9	53	43	14	6	-	-	1	1	2	-	1	-	1	2	-	WALSALL.
HANDSWORTH	59,634	12'2	11'4	9'6	8'7	-	31	10	3	3	-	-	-	-	-	-	-	-	1	-	2	HANDSWORTH.
WEST BROMWICH	67,186	15'5	18'6	16'3	16'3	2'3	34	21	2	6	-	1	-	-	1	1	-	3	3	5	-	WEST BROMWICH.

* These towns are included within the area of Greater London.

* See note on first page of this return.

TABLE I (cont.).—70 GREAT TOWNS, and DEATH-RATES during the preceding three weeks, ended Saturday, 5th March, 1904, and

TOWNS.	POPULATION estimated to the middle of the Year 1904.*	DEATH-RATES from all Causes.					Rate from Diseases in Cols. 11-17.		Registered during the Week ended 5th Mar., 1904.		The DEATHS registered in the Week include										Deaths of		Deaths from										Inquest Cases.		Deaths in Public Institutions.		Unidentified Causes of Death.		TOWNS.														
		Week ended					11-17.		5th Mar., 1904.		Deaths of										Persons aged 60 Years and upwards.		Deaths from										Violence.		Deaths in Public Institutions.		Unidentified Causes of Death.																
		13th Feb., 1904.					20th Feb., 1904.		27th Feb., 1904.		20th Mar., 1904.										Infants under 1 Year of Age.		Deaths from										Small-pox.		Measles.		Scarlet Fever.			Diphtheria.		Whooping-cough.		Fever.		Diarrhoea.		Violence.		Deaths in Public Institutions.		Unidentified Causes of Death.	
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.																														
BIRMINGHAM	-	22.8	22.6	22.7	21.1	3.3	300	218	51	64	-	16	-	2	12	4	9	12	51	9	9	BIRMINGHAM.																															
KINGS NORTON	-	13.3	12.5	10.2	15.6	-	49	20	8	6	-	-	-	-	-	-	-	1	3	-	-	KINGS NORTON.																															
SMETHWICK	-	6.0	12.9	14.6	20.6	0.9	39	24	9	7	-	-	-	-	-	1	1	2	1	-	-	SMETHWICK.																															
ASTON MANOR	-	8.4	16.2	13.6	13.0	1.9	48	20	4	3	-	1	-	-	1	-	-	-	1	-	-	ASTON MANOR.																															
COVENTRY	-	14.1	18.3	19.0	16.2	1.4	43	23	8	6	-	-	-	-	2	-	1	1	3	1	1	COVENTRY.																															
LEICESTER	-	18.8	17.4	13.3	16.5	0.9	117	71	25	20	-	-	-	-	2	2	-	1	12	1	1	LEICESTER.																															
GRIMSBY	-	21.0	14.8	17.9	19.5	0.8	33	25	7	10	-	-	-	-	-	-	-	-	2	-	-	GRIMSBY.																															
NOTTINGHAM	-	19.1	23.9	19.7	20.3	1.7	129	97	22	27	1	-	1	-	6	-	3	7	24	-	-	NOTTINGHAM.																															
DERBY	-	15.6	22.9	12.1	20.3	0.4	77	47	13	11	-	-	-	-	-	1	2	5	8	-	-	DERBY.																															
STOCKPORT	-	21.5	16.1	23.7	22.0	-	45	41	10	14	-	-	-	-	-	-	-	2	8	-	-	STOCKPORT.																															
BIRKENHEAD	-	23.6	21.8	17.3	20.9	1.4	80	46	10	15	-	-	-	-	2	1	2	6	11	-	-	BIRKENHEAD.																															
WALLASEY	-	11.2	20.7	16.4	17.3	3.5	25	20	3	6	-	-	-	-	4	-	1	2	1	1	1	WALLASEY.																															
LIVERPOOL	-	20.9	23.9	21.4	22.3	2.4	464	309	72	68	-	3	5	4	18	1	10	21	81	11	11	LIVERPOOL.																															
BOOTLE	-	26.2	27.9	22.8	22.0	0.8	46	26	7	7	-	-	-	1	-	-	2	2	5	3	3	BOOTLE.																															
ST. HELENS	-	15.9	21.8	27.1	25.9	1.8	45	44	10	14	-	2	-	1	-	-	1	1	3	2	2	ST. HELENS.																															
WIGAN	-	19.9	17.4	23.2	25.7	-	47	31	6	9	-	-	-	-	-	-	1	1	2	1	1	WIGAN.																															
WARRINGTON	-	27.9	25.6	27.1	20.9	2.3	52	27	13	4	-	1	2	-	-	-	-	-	2	2	2	WARRINGTON.																															
BOLTON	-	21.7	23.1	16.0	13.4	1.2	83	45	11	11	-	-	1	1	2	-	1	2	7	1	1	BOLTON.																															
BURY	-	23.5	12.5	16.1	20.5	4.5	28	23	9	6	-	2	1	-	1	-	1	1	4	-	-	BURY.																															
MANCHESTER†	-	23.0	20.2	20.7	21.3	1.9	305	228	47	57	-	8	1	7	2	2	5	14	60	3	3	MANCHESTER.†																															
SALFORD	-	20.7	24.1	19.8	17.5	2.7	134	77	17	17	-	3	1	3	2	1	2	4	14	-	-	SALFORD.																															
OLDHAM	-	17.6	24.3	16.8	20.9	2.6	66	56	11	25	-	-	1	1	-	-	-	1	16	-	-	OLDHAM.																															
ROCHDALE	-	20.1	15.2	21.9	16.4	1.2	41	27	7	8	-	1	-	-	1	1	-	1	1	2	2	ROCHDALE.																															
BURNLEY	-	13.5	18.7	21.8	18.7	3.1	41	36	5	11	-	2	2	-	2	-	-	2	6	2	2	BURNLEY.																															
BLACKBURN	-	17.8	15.8	17.8	17.8	0.8	57	45	11	8	-	1	-	-	-	1	2	3	6	5	5	BLACKBURN.																															
PRESTON	-	23.1	24.9	19.9	20.8	0.9	67	46	11	19	-	1	-	-	-	-	-	-	2	1	1	PRESTON.																															
BARROW-IN-F.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	BARROW-IN-F.																															

Births, Deaths, and Rates of Mortality.

TOWNS.	POPULATION estimated middle of the Year 1904.*	DEATH-RATES from all Causes.				Registered during the year ended 5th Mar., 1904.		The DEATHS registered in the Week including												TOWNS.		
		Week ended				Rates from Diseases in Cols. 11-17.		Deaths of		Deaths from							Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.			
		Week ended				Week ended 5th Mar., 1904.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Dysentery.	Violence.						
		Week ended																				
		18th Feb., 1904.	27th Feb., 1904.	5th Mar., 1904.																	Births.	Deaths.
		2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDESFIELD	94,925	19'2	17'6	14'8	20'3	-	39	37	9	14	-	-	-	-	-	-	-	2	3	5	4	HUDDESFIELD.
HALIFAX	107,580	16'0	16'0	24'2	21'8	0'5	44	45	8	20	-	1	2	4	1	1	2	-	1	7	-	HALIFAX.
BRADFORD	285,059	17'7	21'9	14'4	18'8	1'8	113	103	16	42	-	1	2	4	-	1	2	2	9	20	-	BRADFORD.
LEEDS	450,142	21'2	21'4	19'3	22'0	3'0	217	190	38	59	-	10	1	4	11	8	8	20	29	23	1	LEEDS.
SHEFFIELD	432,940	18'3	17'3	17'3	16'5	1'1	274	137	35	41	-	1	1	4	2	2	2	7	8	25	4	SHEFFIELD.
ROTHERHAM	58,498	23'2	17'8	16'9	24'1	2'7	40	27	4	6	-	2	-	1	-	-	-	5	6	6	1	ROTHERHAM.
YORK	81,268	10'9	17'3	16'7	14'8	-	45	23	7	14	-	-	-	1	-	-	-	1	1	1	-	YORK.
HULL	263,865	16'4	17'7	16'8	16'8	0'4	137	82	14	34	-	-	-	1	-	1	-	6	11	16	-	HULL.
MIDDLESBROUGH	96,684	15'1	19'4	22'1	16'7	1'1	64	31	9	4	-	-	-	-	-	2	-	1	4	11	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	52,192	23'0	11'0	15'0	21'0	3'0	32	21	8	1	-	-	-	-	3	-	-	1	6	-	1	STOCKTON-ON-TEES.
WEST HARTLEPOOL	69,251	17'3	23'3	22'6	16'6	1'5	42	22	7	6	-	1	-	-	1	-	-	1	1	3	-	WEST HARTLEPOOL.
SUNDERLAND	151,157	18'3	23'5	15'5	23'8	1'4	109	69	15	23	-	2	-	1	1	-	-	1	3	14	7	SUNDERLAND.
SOUTH SHIELDS	107,334	18'5	13'6	17'0	17'5	-	44	36	7	10	-	-	-	-	-	-	-	1	2	3	-	SOUTH SHIELDS.
GATESHEAD	118,067	26'5	19'4	17'2	19'9	1'8	95	45	16	3	1	-	-	-	3	-	-	1	3	4	2	GATESHEAD.
NEWCASTLE-ON-TYNE	225,362	17'4	17'1	19'2	20'6	0'5	133	89	23	21	-	1	1	-	-	-	-	3	6	25	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH	53,060	19'7	19'7	10'8	16'7	-	35	17	3	6	-	-	-	-	-	-	-	-	-	1	-	TYNEMOUTH.
NEWPORT (MON.)	71,543	29'2	16'8	16'0	14'6	2'2	38	20	4	2	-	-	1	1	-	1	-	1	1	2	1	NEWPORT (MON.).
CARDIFF	176,313	17'2	18'9	13'3	18'9	2'4	107	64	14	14	-	2	1	1	3	-	1	6	9	7	-	CARDIFF.
RHONDDA	122,310	27'7	17'9	19'2	22'2	3'0	88	52	17	10	-	5	-	1	1	-	1	6	7	1	1	RHONDDA.
MERTHYR TYDFIL	72,745	23'2	25'8	25'1	19'4	2'9	56	27	11	6	-	-	-	1	-	1	2	4	3	2	-	MERTHYR TYDFIL.
SWANSEA	95,931	28'8	19'0	20'7	18'5	4'3	56	34	10	7	-	-	1	1	6	-	-	1	1	2	-	SWANSEA.
GREATER LONDON	6,907,619	16'6	16'1	15'3	16'7	1'5	3480	2208	515	697	-	58	7	27	70	5	29	77	207	638	10	GREATER LONDON.
OUTER RING	2,258,631	14'5	12'6	13'0	14'2	1'2	1116	614	165	207	-	15	2	4	18	2	9	20	57	105	5	OUTER RING.
8 TOWNS IN OUTER RING	1,098,639	14'4	12'1	12'3	14'5	1'3	559	30'.	87	90	-	8	-	2	12	1	4	11	36	56	2	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	1,159,882	14'5	13'1	13'6	13'8	1'0	557	308	78	117	-	7	2	2	6	1	5	9	21	49	3	REMAINDER OF OUTER RING.
EDINBURGH	331,677	15'9	18'1	20'4	16'8	1'6	134	107	17	31	-	-	-	1	6	-	3	4	?	36	3	EDINBURGH.
GLASGOW	798,357	19'9	23'5	22'5	22'5	2'1	481	344	69	82	1	10	1	2	6	1	11	10	?	73	13	GLASGOW.
DUBLIN	378,964	27'2	29'7	27'0	26'4	1'8	241	192	29	55	-	-	-	-	10	2	1	5	10	65	?	DUBLIN.
BELFAST	358,680	29'5	26'9	27'0	23'4	1'2	228	161	41	50	-	1	-	-	5	2	2	4	12	19	?	BELFAST.

TABLE 2. LONDON.—Births and Deaths Registered in the NINTH Week of each of the Eleven Years, 1894–1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894–1903.*
TOTAL Births -	2564	2671	2628	2511	2585	2676	2561	2681	2567	2512	2692.2
Males - -	1336	1349	1343	1279	1356	1409	1335	1351	1308	1278	1384.0
Females - -	1228	1322	1285	1232	1229	1267	1226	1330	1259	1234	1308.2
TOTAL Deaths -	1748	3246	1729	1493	1805	1925	1668	1865	2477	1450	2012.8
Males - -	865	1502	868	768	925	984	865	918	1203	741	1006.0
Females - -	883	1684	861	725	880	941	803	947	1274	709	1006.8

* The numbers in this column are the average weekly numbers in the ninth week of the ten years 1894–1903, raised by 3.723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Dec. 12.	Dec. 19.	Dec. 26.	1904. Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 5.	Week ending
TOTAL Births -	2448	2544	1802	2828	2862	2589	2515	2434	2748	2637	2737	2456	2364	35
TOTAL Deaths -	1669	1486	1204	1866	1731	1677	1549	1734	1554	1574	1539	1467	1594	20
Ages at Death { Under 1 year -	379	347	262	408	384	357	313	333	349	316	345	326	350	4
{ 1–5 years -	162	156	128	209	176	160	150	189	164	183	206	158	197	2
{ 5–20 " -	73	61	60	82	84	82	77	82	68	70	72	65	79	
{ 20–40 " -	190	176	140	235	194	208	194	211	181	191	180	167	172	
{ 40–60 " -	375	312	260	380	323	349	332	355	297	307	299	313	306	
{ 60 yrs. & upwds. -	490	434	354	552	570	521	483	564	495	507	487	438	490	
Deaths from—														
Small-pox† - -	-	-	1	-	-	-	-	-	-	-	1	1	-	
Measles - -	31	41	40	59	58	49	46	38	31	37	42	32	43	
Scarlet Fever - -	-	5	7	9	10	10	10	9	3	4	9	5	5	
Diphtheria - -	16	15	9	27	14	11	10	25	13	12	17	18	23	
Whooping-cough -	24	22	21	35	28	37	29	43	45	52	55	41	52	
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Enteric Fever - -	15	8	9	10	5	8	5	3	4	8	2	5	3	
Pyrexia (origin uncertain) -	-	-	-	-	-	1	-	-	-	-	-	-	-	
Diarrhoea, Dysentery	23	22	15	27	16	19	25	17	20	13	16	28	20	
All above Diseases -	109	113	102	167	131	135	125	135	116	126	142	130	146	
Dis. of Resp. System	235	187	139	230	250	219	210	260	193	165	195	180	202	
Pneumonia - -	183	158	132	176	185	189	145	171	157	159	154	142	169	
Phthisis - -	167	142	142	183	150	180	180	178	160	139	146	147	156	
Dis. of Circ. System -	241	193	153	246	240	202	182	229	206	236	220	205	197	
Violence - -	65	60	49	77	73	65	50	57	59	78	53	51	57	
Inquest Cases - -	178	150	127	195	203	177	144	158	127	189	150	126	150	
Deaths in Institutions	554	524	424	644	549	613	545	605	541	548	572	497	533	
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	
Mean - -	41.5	42.0	40.2	32.6	39.8	42.1	35.7	40.9	40.6	42.1	38.8	38.3	33.3	
Mean of Highest -	45.3	45.1	42.9	35.7	43.9	46.1	41.2	41.3	45.7	47.7	43.9	43.0	37.3	
Mean of Lowest -	35.6	38.1	37.1	28.8	34.3	36.6	29.1	37.1	35.6	36.5	33.4	31.8	29.8	
Mean Humidity of the Air.	86	88	89	78	91	82	92	86	87	81	81	75	82	
Rain-fall (in inches) -	1.12	0.02	0.00	0.09	0.29	0.69	0.18	0.92	1.15	1.27	0.45	0.03	0.52	
Registered Sunshine (in hours).	1.6	9.3	0.3	8.7	2.9	9.2	4.3	8.7	15.0	14.2	10.3	6.7	6.4	
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox - -	32	26	27	26	26	26	24	21	25	24	29	31	41	
Scarlet Fever - -	1717	1655	1617	1632	1659	1660	1679	1651	1657	1644	1620	1587	1578	
Diphtheria - -	756	733	770	739	732	749	758	760	782	767	768	787	764	
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	
Enteric Fever - -	273	266	259	246	235	191	184	166	161	139	129	125	118	

* The Metropolitan Asylum and London Fever Hospitals.
† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. Creswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brov Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; and H. B. Witty, Esq.,

TABLE 4. LONDON.—DEATHS Registered in the NINTH Week of the Year 1904.

Names printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

USES OF DEATH.	Deaths in the 9th week of the year 1903.	1904—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 9th week of the year 1903.	1904—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
CAUSES	1450	1594	350	197	79	172	306	490	Meningitis (not tuberc.)	14	26	9	12	2	1	2	-
									Insanity, Gen. Par. of	24	16	-	-	-	2	8	6
									Insane - - -	7	9	-	1	2	2	3	1
-pox*	2	-	-	-	-	-	-	-	Epilepsy - - -	29	24	22	2	-	-	-	-
-ox	-	-	-	-	-	-	-	-	Convulsions - - -	2	3	-	-	-	-	2	1
es (Morbilli)	68	43	12	29	2	-	-	-	Locomotor Ataxy -	6	5	1	-	-	1	2	1
st Fever	7	5	-	2	3	-	-	-	Paraplegia, Dis. of Cord	26	24	1	1	-	-	10	12
us	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	47	43	-	-	4	7	7	25
ie	-	-	-	-	-	-	-	-	Valv. Dis. Endocarditis-	27	33	-	-	-	1	8	24
enza -	31	12	-	-	1	1	3	7	Cerebr. Hæm. Thromb.	23	23	-	-	-	1	4	18
opping-cough	65	52	19	32	1	-	-	-	Apoplexy, Hemiplegia -	8	5	-	-	-	-	3	2
theria	17	23	3	15	4	1	-	-	Aneurysm - - -	-	1	-	-	-	1	-	-
ro Spinal Fever	-	-	-	-	-	-	-	-	Embolism, Thrombosis }	96	92	-	-	4	7	25	56
ia,† (Origin un- }	-	-	-	-	-	-	-	-	(not cerebral)	-	-	-	-	-	-	-	-
tain) - - - }	5	3	1	-	2	-	1	-	Heart & Blood Vessel Dis.	-	-	-	-	-	-	-	-
ic Fever - - - }	-	-	-	-	-	-	-	-	Croup (not Spasm: nor }	-	-	-	-	-	-	-	-
ic Cholera - - - }	-	-	-	-	-	-	-	-	Memb.) - - - }	120	179	27	19	2	4	25	102
emic Diarrhoea }	1	8	8	-	-	-	-	-	Bronchitis - - - }	9	7	-	-	-	1	6	-
fective Enteritis }	14	12	6	3	-	2	-	1	Asthma, Emphysema -	5	5	-	1	-	-	-	4
ha, Dysentery -	-	1	1	-	-	-	-	-	Pleurisy - - -	15	11	2	-	-	1	3	5
us	-	-	-	-	-	-	-	-	Respiratory Dis. (other)	2	-	-	-	-	-	-	-
es, Hydrophobia	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy -	9	7	3	-	1	-	2	1
ders - - -	-	-	-	-	-	-	-	-	Enteritis (not Epid.) -	4	2	2	-	-	-	-	-
rax (Splemic Fever)-	2	-	-	-	-	-	-	-	Gastro-Enteritis - -	1	3	-	-	-	1	-	2
real Dis. - - -	15	5	2	-	-	3	-	-	Peritonitis (not Puerp.)	7	12	-	-	-	1	7	4
peral Septicæmia	2	6	-	-	-	6	-	-	Cirrhosis of Liver -	3	7	-	-	-	2	1	4
peral Pyæmia - - -	-	-	-	-	-	-	-	-	Liver Dis. (other) -	28	32	5	1	5	6	8	7
peral Fever - - -	-	1	-	-	-	1	-	-	Digestive Dis., Other	9	6	-	1	3	1	1	-
ctive Endocarditis	4	3	-	-	1	2	-	-	Nephritis, Acute - -	42	35	-	1	-	3	11	20
Lobar - - -	12	6	1	-	-	1	3	1	Bright's Dis., Albumin- }	14	18	-	-	-	1	6	11
Broncho- - -	51	90	42	33	1	5	9	-	uria	5	1	-	-	-	1	-	-
Epidemic - - -	-	-	-	-	-	-	-	-	Urinary Sys., Other Dis.	4	2	-	-	-	2	-	-
Not defined	39	73	12	13	2	9	18	19	Generative Organs Dis.-	36	59	-	-	-	-	-	59
ipelas - - -	2	4	1	-	1	-	2	-	Childbirth (Accid. of)	87	109	82	5	7	3	5	7
icæmia (not Puer- }	-	2	-	-	-	1	1	-	Old Age - - - - -	-	-	-	-	-	-	-	-
al) - - - }	-	-	-	-	-	-	-	-	Other Diseases - - -	-	-	-	-	-	-	-	-
ia (not Puerperal)	2	-	-	-	-	-	-	-	ACCIDENT.								
r Infective Conditions	7	10	-	1	4	3	1	1	By Railways - - -	2	1	-	-	-	1	-	-
erculous Phthisis -	64	92	2	5	6	42	26	11	By Vehicles and Horses-	3	3	-	-	1	-	-	2
stis" - - -	77	64	-	1	5	26	27	5	In Ships, Boats, Docks, }	-	1	-	-	-	-	1	-
erculous Meningitis	15	14	4	6	3	-	1	-	(exclusive of Drown- }	-	-	-	-	-	-	-	-
erculous Peritonitis	9	5	3	1	-	-	1	-	ing)	-	1	-	-	-	-	1	-
s Mesenterica - - -	4	6	4	2	-	-	-	-	In Building Operations	-	-	-	-	-	-	-	-
erculous Dis. (other)-	20	14	2	4	4	2	1	1	In Conflagrations - -	8	9	1	5	-	1	-	2
fula - - -	-	-	-	-	-	-	-	-	By Burns, Scalds, Ex- }	3	2	-	-	-	1	1	-
holism - - -	17	12	-	-	-	1	7	4	plosions - - -	15	13	13	-	-	-	-	-
umatic Fever - - -	5	6	-	1	4	-	1	-	By Drowning - - -	3	3	-	-	-	1	1	1
t - - -	1	2	-	-	-	-	-	2	By Suffocation in Bed	-	-	-	-	-	-	-	-
cinoma - - -	36	60	-	-	-	7	27	26	By Poisons or Poisonous }	-	-	-	-	-	1	1	1
oma - - -	6	8	-	-	1	-	5	2	Vapours - - - }	7	13	2	-	2	3	5	1
er (undefined) - - -	35	30	-	-	-	3	12	15	Other Deaths by Acci- }	-	-	-	-	-	-	-	-
betes Mellitus - - -	10	9	-	-	-	2	4	3	dent - - - - - }	-	-	-	-	-	-	-	-
mature Birth - - -	49	57	57	-	-	-	-	-	VIOLENCE OTHER THAN								
									ACCIDENTAL.								
									Homicide - - - - -	5	11	-	-	3	3	3	2
									Suicide - - - - -	1	-	-	-	-	-	-	-
									Execution - - - - -	-	-	-	-	-	-	-	-

In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

40 *Population, Births, and Deaths in London Sub-Districts.*
TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 5th March, 1904.

The DEATHS registered during the Week include																
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of												
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from										
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmic (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.
LONDON - - -	4,536,541	2364	1594	350	490	-	43	5	23	52	-	3	-	20	57	150
WEST DISTRICTS	805,311	350	265	52	80	-	16	1	3	2	-	-	-	2	7	25
NORTH DISTRICTS - - -	1,056,070	509	335	64	111	-	9	2	5	6	-	-	-	4	5	29
CENTRAL DISTRICTS - - -	209,485	122	89	29	18	-	4	-	-	3	-	1	-	1	5	9
EAST DISTRICTS - - -	715,739	442	297	77	80	-	2	-	4	15	-	-	-	4	19	46
SOUTH DISTRICTS - - -	1,749,956	941	555	128	189	-	12	-	10	24	-	2	-	9	21	41
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	53	-	12	-	-	1	1	-	-	-	-	-	-	-
WEST DISTRICTS.																
St. Mary Paddington } G. & W. W,2H	93,178	48	29	5	12	-	1	-	-	-	-	-	-	-	-	2
St. John Paddington H - - G.	33,617	8	12	3	2	-	-	-	-	-	-	-	-	-	2	3
North-West Paddington - - C.	17,181	9	9	6	1	-	3	-	-	-	-	-	-	-	-	1
Kensington Town 2W,w,2H G,W.&C. Brompton 2H - - W. & C.	128,037 48,591	48 8	56 11	9 4	18	-	3	-	-	1	-	-	-	1	2	4
North Hammersmith W,w,H } W.&G. South Hammersmith w,2H } North-west Fulham W } North-east Fulham F } W. & C. South Fulham W }	49,192 63,047 45,180 46,405 45,704	25 29 40 31 26	13 25 20 15 6	5 3 3 4 1	1 9 5 3 1	-	2 3 - 1 -	-	-	-	-	-	-	-	-	2 4 1 2 -
Chelsea North W,w,3H - - C.	42,514	13	27	3	11	-	2	-	-	-	-	-	-	-	-	1
Chelsea South 2H - - C.	31,328	9	11	3	3	-	1	-	-	-	-	-	-	-	-	1
May Fair and Knightsbridge } C.&G. H	28,743	5	4	-	4	-	-	-	-	-	-	-	-	-	-	1
Belgrave W,2H - - C.	55,815	23	10	4	2	-	-	-	-	-	-	-	-	-	-	1
St. Margaret & St. John 4H - C.	43,698	15	14	2	3	-	-	-	-	-	-	-	-	1	-	1
St. James Westminster } N. & G. W,H	21,588	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-
St. Anne Soho 5H - - N.	11,493	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																
All Souls Marylebone 8H - W.	35,391	14	12	2	4	-	-	-	-	-	-	-	-	-	-	-
Rectory Marylebone W G. & W.	19,849	9	3	-	1	-	-	-	-	-	-	-	-	1	-	-
St. Mary Marylebone 4H G. & W.	18,099	26	5	1	1	-	-	-	-	-	-	-	-	-	-	1
Christchurch Marylebone H- W.	39,536	16	10	2	3	-	1	-	-	-	-	-	-	-	-	2
St. John Marylebone 3H - W.	20,426	3	9	-	6	-	-	-	-	-	-	-	-	-	-	-
Hampstead W,F,6H - N. & W.	81,942	30	20	2	8	-	1	-	-	-	-	-	-	-	-	1
West St. Pancras 2H - - W.	60,562	33	14	2	2	-	-	-	-	1	-	-	-	-	-	-
Tottenham-court w,6H - N. & W.	21,258	13	14	5	4	-	-	-	-	-	-	-	-	1	2	-
Gray's Inn Lane 4H - - N.	34,449	23	17	4	3	-	1	-	-	1	-	-	-	-	1	1
East St. Pancras W,2H - - N.	60,320	21	22	3	9	-	1	-	-	-	-	-	-	1	1	1
North St. Pancras 2W - - N.	58,728	34	20	5	6	-	4	-	-	-	-	-	-	-	-	2
Tufnell W- - - N.	31,995	15	24	4	10	-	-	-	-	-	-	-	-	-	-	2
Upper Holloway 2W,w,2H - N.	33,978	17	28	4	12	-	-	-	-	-	-	-	-	-	1	3
Tollington W - - N.	33,922	13	6	1	3	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway - - N.	41,424	14	7	1	2	-	-	-	-	-	-	-	-	-	-	1
Barnsbury - - - N.	54,478	33	11	4	2	-	-	-	-	-	-	-	-	1	-	-
Islington South-east F - - N.	75,397	48	22	5	7	-	-	-	1	1	-	-	-	-	1	3
Highbury 2H - - N.	63,797	27	7	1	3	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington H - - N.	51,247	16	14	2	6	-	-	-	-	-	-	-	-	-	-	-
North Hackney - - E. & N.	50,560	20	14	2	7	-	-	-	-	-	-	-	-	-	-	-
Central Hackney 2w,F - E. & N.	50,536	30	15	2	2	-	-	2	4	-	-	-	-	-	-	2
South-east Hackney 3H E. & N.	59,921	24	15	7	2	-	2	-	-	-	-	-	-	-	1	4
South-west Hackney 2W,w,H E. & N.	58,255	30	26	5	8	-	-	-	-	1	-	-	-	-	-	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Companies which supply the different Sub-districts:—*G*, the Grand Junction Company; *W*, West Middlesex; *C*, Chelsea; *S*, Southwark and Vauxhall; *L*, Lambeth; *N*, the New River; *E*, East London; and *K*, the Kent Company.
See note * on first page of this return. † Formerly described as "Simple Continued Fevers."

Population, Births, and Deaths in London Sub-Districts.

5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 5th March, 1904—continued.

REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total Births.	The DEATHS registered during the Week include														
			Total Deaths.	Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhoea.	Violence.		
CENTRAL DISTRICTS.																	
Isles and Bloomsbury W,2H N.	31,436	17	6	1	3	-	2	-	-	-	-	-	-	-	-	-	2
St. Martin W,4H - - - N. & O.	21,674	8	19	1	6	-	1	-	-	-	-	-	-	-	3	3	11
St. Martin Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Martin W,6H - - - - N.	29,612	15	19	10	2	-	-	-	-	3	-	-	-	-	-	-	13
St. Martin Clerkenwell - - - N.	28,676	18	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Martin Clerkenwell H - - - N.	35,028	26	15	7	2	-	-	-	-	2	-	-	-	-	-	3	-
St. Martin W,3H,L - - - - N.	36,116	29	13	5	3	-	1	-	-	-	-	-	-	1	2	2	-
St. Martin Union Workhouse, } St. Martin - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
St. Martin St. John's H - - - - N. & E.	10,299	5	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Martin Burial Ground and All Hallows } St. Martin H - - - - -	16,624	4	8	2	-	-	-	-	-	-	1	-	-	-	-	1	7
St. Martin St. John's London Asylum, Stone - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																	
St. Martin South H,L - E. & N.	16,369	7	3	2	-	-	-	-	-	-	-	-	-	-	1	1	1
St. Martin New Town W,H - - N.	29,761	16	24	5	13	-	-	-	-	3	-	-	-	-	1	3	10
St. Martin Old Town - - - N.	26,504	9	6	2	1	-	-	-	-	1	-	-	-	-	1	1	-
St. Martin St. John's W - - - N & E.	46,003	30	21	4	9	-	-	-	-	1	-	-	-	-	1	3	10
St. Martin St. John's Union Workhouse, Wood } St. Martin - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	1
St. Martin Green North 2H - E.	51,514	40	16	6	2	-	-	-	-	-	-	-	-	-	1	2	4
St. Martin Green South - - E.	33,472	28	9	4	2	-	-	-	-	1	-	-	-	-	2	2	-
St. Martin Green East 2W,H,L - E.	44,864	22	18	1	3	-	-	-	-	-	-	-	-	-	-	1	7
St. Martin St. John's Fields - - - E. & N.	27,969	13	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Martin St. John's End New Town W,H - E.	28,718	26	32	6	4	-	-	-	1	-	-	-	-	-	2	4	28
St. Martin St. John's St. John's Fields - E.	22,081	6	2	-	1	-	-	-	-	-	-	-	-	-	1	1	-
St. Martin St. John's George and St. John 2W E.	49,068	30	22	5	7	-	-	-	-	1	-	-	-	-	-	-	10
St. Martin St. John's St. John's and Ratcliff W,H E. & N.	25,568	20	14	7	2	-	-	-	-	2	-	-	-	-	2	2	3
St. Martin St. John's St. John's - - - E.	32,369	21	9	4	4	-	-	-	-	-	-	-	-	-	1	5	-
St. Martin St. John's End Old Town West H - E.	59,479	46	16	6	6	-	-	-	1	1	-	-	-	1	1	3	-
St. Martin St. John's End Old Town East } St. Martin - - - - -	53,348	23	14	3	3	-	-	-	-	1	-	-	-	-	-	1	6
St. Martin St. John's St. John's L - - - - E.	41,989	28	16	5	6	-	1	-	-	1	-	-	-	-	1	2	-
St. Martin St. John's St. John's W,H - - - E.	68,319	49	41	11	8	-	1	-	-	1	1	-	-	-	2	4	10
St. Martin St. John's St. John's W,W - - - E.	68,514	30	29	6	7	-	-	-	-	1	2	-	-	-	-	4	19

Population, Births, and Deaths in London Sub-Districts.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALLPOX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 5th March, 1904—continued.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include													
				Deaths of		Deaths from											
				Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhoea.	Violence.	Inquest Cases.	
SOUTH DISTRICTS.																	
St. Andrew Church Southwark W, H, L. & S.	11,263	2	4	1	1	-	-	-	-	-	-	-	-	-	-	4	5
Saviour Southwark H - S.	12,052	7	15	2	1	-	2	-	-	-	-	-	-	-	-	-	-
St. George - S. & L.	21,904	12	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr S. & L.	39,094	15	22	5	4	-	3	-	-	4	-	-	-	-	-	-	3
West W, H, L.	49,022	61	31	13	4	-	-	-	-	1	-	-	-	-	-	1	5
St. Martin North* W - S. & L.	72,841																
St. Martin South* W - S. & L.																	
St. Olave 2W - - - S.	9,817	4	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-
St. Olave 2W - - - S.	82,483	46	17	4	2	-	-	-	-	5	-	-	-	-	-	-	-
St. Olave 2W - - - S. & K.	38,460	25	16	5	4	-	-	-	-	-	-	1	-	-	-	1	1
St. Peter's Church 2H - L. & S.	27,440	27	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Peter's Church 1st H - L. & S.	18,423	9	19	4	3	-	1	-	1	-	-	1	-	-	1	2	3
St. Peter's Church 2nd 2W - L. & S.	39,818	31	17	-	11	-	-	-	-	-	-	-	-	-	-	-	-
St. Peter's Church 1st H - S. & L.	53,198	38	10	2	6	-	-	-	-	-	-	-	-	-	1	2	2
St. Peter's Church 2nd H - S. & L.	42,896	11	19	4	5	-	2	-	2	-	-	-	-	-	-	1	1
St. Peter's Church 1st F - L. & S.	84,232	47	26	6	10	-	-	-	-	-	-	-	-	-	-	-	-
St. Peter's Church 2nd W, H - L.	35,888	14	9	3	5	-	-	-	1	-	-	-	-	-	-	-	-
St. Peter's Church 1st - - - S.	72,203	41	24	10	6	-	1	-	1	2	-	-	-	-	2	1	3
St. Peter's Church 2nd - - - S.	49,656	39	12	7	3	-	-	-	-	-	-	-	-	-	-	1	1
St. Peter's Church 1st W, H - S.	47,048	19	21	3	7	-	-	-	-	-	-	-	-	-	-	-	-
St. Peter's Church 2nd - - - L.	51,861	31	16	4	5	-	-	-	-	-	-	-	-	-	-	-	-
St. Peter's Church 1st 2H - L.	88,131	38	31	5	15	-	-	-	1	1	-	-	-	-	-	-	-
St. Peter's Church 2nd W, 2W, 2F, 2L - S.	27,959	18	9	1	4	-	-	-	-	-	-	-	-	-	-	-	-
St. Peter's Church 1st 2W, L - - - S.	40,444	23	9	2	4	-	-	-	-	1	-	-	-	-	-	-	-
St. Peter's Church 2nd H - - - S.	24,139	10	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Peter's Church 1st - - - L. & S.	10,247	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Peter's Church 2nd W, 2L - S. & L.	90,465	38	52	5	25	-	-	-	-	-	-	-	-	-	-	3	3
St. Peter's Church 1st W, w - S., L. & K.	93,038	41	30	7	14	-	1	-	1	-	-	-	-	-	-	1	2
St. Peter's Church 2nd George Camberwell - L. & S.	65,589	50	12	4	6	-	-	-	-	1	-	-	-	-	-	2	-
St. Peter's Church 1st - - - K.	37,613	22	9	2	2	-	-	-	-	2	-	-	-	-	1	-	1
St. Peter's Church 2nd Central F - - K.	45,481	23	12	2	4	-	-	-	-	1	-	-	-	-	-	-	-
St. Peter's Church 1st South - - - K.	34,625	12	5	1	2	-	-	-	1	-	-	-	-	-	-	-	-
St. Peter's Church 2nd West 2H - - K.	23,456	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Peter's Church 1st East 2W, H - K.	43,859	25	30	5	11	-	-	-	-	1	-	-	-	-	-	2	3
St. Peter's Church 1st w, H - - - K.	7,226	-	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-
St. Peter's Church 2nd H - - - K.	25,490	8	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Peter's Church 1st w, w, F - - K.	58,352	42	18	3	6	-	1	-	1	-	-	-	-	-	-	1	2
St. Peter's Church 2nd H - - - L.	43,653	18	8	3	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Peter's Church 1st F, 2H - - - K.	21,134	11	5	1	1	-	-	-	-	3	-	-	-	-	-	-	-
St. Peter's Church 2nd H - - - K.	41,625	22	13	6	4	-	-	-	-	-	2	-	-	-	-	-	-
St. Peter's Church 1st West W - - K.	18,063	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Peter's Church 2nd East 2W, H - K.	50,264	39	12	1	4	-	-	-	-	-	-	-	-	-	-	-	1
London County Asy., Banstead - -	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Epsom - -	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Cane Hill - -	-	-	-	11	-	3	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Dartford - -	-	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Dartford - -	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Dartford - -	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Dartford - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Dartford - -	-	-	-	5	-	3	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Dartford - -	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Dartford - -	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Dartford - -	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-
London County Asy., Dartford - -	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Dartford - -	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Dartford - -	-	-	-	7	-	3	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Dartford - -	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

* On 1st March, 1904, the sub-districts of Trinity Newington, St. Peter Walworth, and St. Mary Newington were abolished, and divided into two new sub-districts entitled Newington North and Newington South respectively.

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSE HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 5th March, 1904.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include												
					Deaths of		Deaths from										
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	
LONDON—OUTER RING	368,580	2,044,861	1,116	614	165	207	-	15	2	4	18	2	9	20	57	106	
Carshalton <i>w,2F,2H</i>	12,228	32,997	16	7	2	3	-	-	-	-	-	-	-	-	-	-	
Epsom, <i>part of</i> * <i>W,w,2F,H</i>	10,423	15,548	5	7	-	4	-	-	-	-	-	-	-	-	-	2	
Godstone, <i>part of</i> * <i>W,F</i>	2,754	2,692	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
Coulsdon	11,069	8,166	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
South Croydon	4,200	49,309	23	9	2	3	-	-	-	-	-	-	-	-	1	-	
West Croydon <i>3W,F,H</i>	2,168	42,888	24	18	3	7	-	-	-	-	-	-	-	2	4	10	
North Croydon <i>H</i>	2,644	41,698	19	10	4	2	-	1	-	-	-	-	-	-	2	1	
Penge <i>w</i>	770	22,465	12	7	2	2	-	-	-	-	1	-	-	-	1	-	
Mitcham <i>w</i>	11,689	29,903	19	9	5	1	-	-	-	-	1	-	1	2	2	-	
Wimbledon <i>F,3H</i>	3,221	41,652	14	7	1	3	-	1	-	-	-	-	-	-	1	-	
Kingston <i>W,H</i>	6,224	42,068	19	11	5	4	-	-	-	-	-	-	-	-	1	2	
Surbiton <i>F,H</i>	3,046	15,017	6	4	-	2	-	1	-	-	-	-	-	-	-	-	
Essex, <i>part of</i> * <i>H</i>	5,402	13,100	7	4	3	-	-	-	-	-	1	-	-	-	1	-	
Hampton <i>H,L</i>	4,564	23,456	9	2	1	1	-	-	-	-	-	-	-	-	-	-	
Richmond <i>W,H</i>	2,162	28,865	15	14	3	7	-	-	-	-	-	-	-	1	1	5	
Mortlake <i>F</i>	2,847	20,628	14	4	1	-	-	-	-	-	-	-	-	-	1	-	
Bromley <i>F,2H</i>	4,703	27,354	8	2	-	2	-	-	-	-	-	-	-	-	-	-	
Beckenham <i>H</i>	7,825	28,497	16	10	2	4	-	-	-	-	-	-	-	-	-	-	
Orpington, <i>part of</i> * <i>W</i>	10,113	9,857	5	2	1	1	-	-	-	-	-	-	-	-	-	2	
Chislehurst <i>2H</i>	7,333	16,446	6	5	1	3	-	-	-	-	-	-	-	-	-	-	
Bexley <i>F,H</i>	8,678	21,151	9	4	1	2	-	-	-	-	-	-	-	-	-	-	
Erith <i>F,H</i>	3,354	25,206	16	10	3	3	-	1	-	1	1	1	-	-	1	2	
Dartford <i>W,F, part of</i> *	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	
Sunbury <i>w</i>	11,054	18,683	9	6	-	2	-	-	-	-	-	-	-	-	2	-	
Staines <i>W,H</i>	13,277	15,178	14	9	1	5	-	-	-	-	-	-	2	-	-	4	
Hillingdon <i>W,F,H</i>	6,035	13,661	6	5	-	4	-	-	-	-	-	-	-	-	-	-	
Uxbridge	12,757	8,984	5	1	-	-	-	-	-	-	-	-	-	-	-	-	
Hayes <i>w,F,H</i>	8,066	16,358	9	2	2	-	-	-	-	-	-	-	-	-	-	-	
Isleworth <i>3W,2F,H</i>	6,859	30,863	15	10	4	3	-	-	-	-	-	-	-	-	-	5	
Twickenham <i>F,H</i>	2,421	20,991	14	5	1	3	-	-	1	-	1	-	-	-	-	1	
Brentford <i>2F,2H,L</i>	4,319	48,289	22	16	5	3	-	-	-	-	-	-	-	-	-	2	
Chiswick <i>H</i>	1,249	29,809	15	4	-	2	-	1	-	-	-	-	-	-	1	-	
Acton <i>w,3H</i>	6,132	48,914	32	11	5	1	-	1	-	-	-	-	-	3	4	-	
Harrow <i>F,H</i>	13,809	25,523	10	6	-	3	-	-	-	-	1	-	-	-	-	1	
Edgware <i>F,2H</i>	6,994	4,521	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
Willesden <i>W,F,2H</i>	4,384	114,811	74	28	8	10	-	1	-	-	-	-	-	1	4	-	
Hendon <i>W,F</i>	8,382	22,450	10	13	4	4	-	-	-	-	-	-	1	-	-	1	
South Mimms <i>2F,H</i>	17,755	7,308	1	5	1	4	-	-	-	-	-	-	-	-	-	-	
Barnet <i>W,3H</i>	3,324	17,970	-	2	-	1	-	-	-	-	-	-	-	-	-	1	
Finchley <i>F,2H</i>	4,688	33,692	25	10	5	2	-	1	-	-	-	-	-	-	1	-	
Hornsey <i>F,H</i>	2,875	72,056	29	15	4	8	-	-	-	-	-	-	1	1	1	-	
Wood Green <i>H</i>	1,625	34,233	28	16	3	7	-	-	1	-	-	-	-	-	1	1	
West Tottenham <i>F</i>	996	48,853	29	8	-	2	-	1	-	-	-	-	-	-	-	-	
East Tottenham <i>F,H</i>	2,017	53,688	33	24	6	3	-	-	-	-	-	-	2	4	5	-	
Edmonton <i>W,w,2F</i>	7,491	61,892	42	27	2	12	-	1	-	-	-	-	1	1	1	12	
Enfield <i>2W,F,H</i>	12,601	42,738	25	12	3	5	-	-	-	-	1	-	-	1	1	3	
Waltham Abbey	11,017	6,549	-	2	-	2	-	-	-	-	-	-	-	-	-	-	
Cheshunt <i>F,H</i>	8,479	12,292	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
Hatfield, <i>part of</i> * <i>W</i>	3,305	864	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bushey <i>H</i>	9,333	9,173	7	4	2	2	-	-	-	-	-	-	-	-	-	-	
Watford <i>W,2F part of</i> *	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	
Stratford <i>H</i>	1,072	44,827	14	17	6	4	-	-	-	-	-	-	1	1	4	-	
Plaistow <i>F,2H</i>	1,249	90,921	63	26	9	7	-	-	1	-	2	-	2	-	2	2	
Canning Town <i>H</i>	1,556	70,718	59	21	7	2	-	2	-	-	3	-	-	-	-	-	
Forest Gate <i>w</i>	806	60,892	31	18	4	0	-	-	-	1	1	-	1	2	-	-	
North East Ham <i>w</i>	1,333	58,676	32	11	6	2	-	-	-	-	-	-	-	1	2	-	
South East Ham <i>3F</i>	1,993	37,342	27	13	7	2	-	-	-	1	1	-	-	-	1	1	
Wanstead <i>F</i>	1,679	9,179	1	3	-	1	-	-	-	-	-	-	-	-	-	-	
South Leyton <i>2W</i>	631	50,467	23	26	10	11	-	-	-	3	-	-	-	1	4	9	
North Leyton <i>W,w,F</i>	1,963	48,445	23	6	10	-	-	-	-	1	-	-	-	-	2	10	
Walthamstow <i>3H,L</i>	6,504	108,929	61	25	6	7	-	2	-	-	1	-	-	2	4	1	
Chigwell, <i>part of</i> * <i>2F,4H</i>	11,778	16,397	9	5	-	1	-	-	-	-	-	-	-	-	-	1	
Epping <i>W,F, part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Romford, <i>part of</i> * <i>W,2F</i>	6,556	6,091	5	3	-	3	-	-	-	-	-	-	-	-	-	3	
Ilford <i>F,L</i>	8,496	41,234	24	17	3	5	-	-	-	-	-	-	-	1	1	6	
Barking Town <i>F</i>	3,803	21,547	19	7	4	2	-	-	-	-	1	-	-	1	1	-	
Middlesex County Asylum, Wandsworth.	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-	5	

Parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring are as follows:—30: 2, excepting Ashstead parish; 37: 1, Warrington and Farley parishes; 39: 4, excepting Essex; 41: 3, excepting Chelsfield, Chidham and Knockholt parishes; 115: 1, Northaw parish; 137: 1, excepting Essex.

Births, Deaths, Meteorology, &c.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.
CUTTACK (including BURBES)	847,798	January 23	-	451	27·6	-	4	-	1	-	98
BOMBAY	776,006	February 9	299	938	62·9	8	9	-	-	-	468
BARAS	509,346	January 29	330	370	37·7	-	2	?	?	?	113
BRISTOL	2,680,559	February 27	1088	957	19·8	1	15	-	5*	2	6
BIRMINGHAM	575,896	" 27	221	163	14·7	1	-	-	1*	2	2
BIRMINGHAM	261,376	" 27	150	86	12·3	4	1	-	-	-	-
AMSTERDAM	542,073	" 20	310	165	15·7	1	11	-	2	4	2
COPENHAGEN	420,000	" 27	186	110	13·7	-	-	1	-	2	-
COPENHAGEN	305,115	" 20	129	94	16·0	-	-	-	2*	-	-
CHRISTIANIA	225,709	" 27	155	64	14·8	-	-	-	-	-	-
PETERSBURG	1,248,643	-	-	-	-	-	-	-	-	-	-
PRAGUE	1,093,410	February 20	-	503	24·0	1	6	3	5	4	1
BERLIN	1,960,909	" 13	969	636	16·9	-	17	4	6*	14	-
BREMEN	751,842	" 27	-	203	14·0	-	1	5	6*	3	-
BRUSSELS	445,403	" 20	-	205	24·0	-	-	-	4	?	2
BRUSSELS	520,000	" 27	-	198	19·8	-	1	-	1*	4	-
BUDAPEST	1,779,869	" 27	1016	628	18·3	-	16	-	8*	1	2
BUDAPEST	423,990	" 20	205	226	27·8	-	3	-	-	2	1
BUDAPEST	813,399	" 27	445	323	20·7	4	-	12	4*	2	2
BUDAPEST	187,251	" 27	125	139	38·6	-	-	-	2*	2	1
BRUSSELS	496,201	-	-	-	-	-	-	-	-	-	-
BRUSSELS	166,288	February 20	93	62	19·4	-	-	-	1*	-	-
CAIRO	624,338	December 9	574	412	34·4	4	7	-	7*	-	15
ALEXANDRIA	349,300	" 9	369	175	26·1	-	-	-	-	-	27
NEW YORK	3,838,024	February 20	2210	1682	22·9	1	25	25	44*	4	5
PHILADELPHIA	1,408,154	" 6	-	623	23·0	16	7	8	15*	4	13
STON	617,950	January 30	-	226	19·0	-	1	-	3*	2	3

* Including deaths from croup.

† Including 11 deaths from plague in Calcutta, 419 in Bombay, and 2 in Alexandria.

‡ Including 22 deaths from cholera.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 5th March, 1904.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	41·2	27·2	33·6	0·52	HUDDERSFIELD	37·3	21·8	31·5	
RIGHTON	42·4	26·9	34·7	0·52	BRADFORD	38·0	23·0	33·1	
PORTSMOUTH	42·5	27·5	34·9	0·34	LEEDS	40·0	27·0	34·6	
DERBY	41·0	26·2	33·9	0·56	HULL	40·0	29·0	35·0	
PLYMOUTH	41·8	28·9	35·7	0·25					
BRISTOL	40·0	20·4	33·0	0·66	EDINBURGH	39·3	23·1	33·1	
OLVERHAMPTON	-	-	-	-	GLASGOW	43·4	24·5	35·0	
BIRMINGHAM	38·5	23·8	32·4	0·34	GLASGOW	43·6	30·9	36·1	
NOTTINGHAM	39·9	27·2	33·8	0·33	DUBLIN	44·6	32·8	38·2	
VERPOOL	42·0	23·0	33·6	0·01					
OBSERVATORY.	40·3	21·9	32·5	0·06					
MANCHESTER	41·0	24·0	34·4	0·00					
PRESTON									

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0·7 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

1904.		Phases of the Moon.		Of the Air.				Of the Dew Point		Difference between the Air Temperature and Dew Point Temperature.				Degree of Humidity (Saturation 100).		Of Radiation.		Of the Earth's Surface.		Oiler's.				Pressure on the Square Foot.		Robinson's.		Rain or melted snow in a Gauge whose surface is above the ground.		Wind as deduced from Anemometers.					
MONTH AND DAY		High-est. Low-est.		Daily Range.		Mean daily value.		De-Parture from Average value, 50 years.		Mean daily value.		Mean daily value.		Greatest. Least.		Highest in Sun's Rays.		Lowest on the Grass.		A.M.		P.M.		Greatest. Least.		Mean hourly obs.		Horizontal Movement of the Air on each Day.		Vertical Movement of the Air on each Day.		Miles.		Miles.	
FEBRUARY.		in.		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°		°	
SUNDAY	- 28	30.066	35.9	27.7	8.2	31.1	- 9.1	21.6	9.5	11.2	2.0	67	84.5	19.0	41.63	NNE. & NE.	NNE. & ENE.	3.2	0.0	1.9	0.0	0.1	211	- 118	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
MONDAY	- 29	29.751	34.1	27.2	6.9	29.4	- 10.8	22.7	6.7	9.5	0.0	75	79.4	24.9	41.15	NNE. & NE.	ENE. & NE.	1.9	0.0	0.1	211	- 118	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
TUESDAY	- 1	29.795	36.9	28.3	8.6	31.6	- 8.6	22.9	8.7	11.2	4.5	69	79.0	21.2	40.74	NNE. & NE.	NNE. & ENE.	2.0	0.0	0.1	258	- 71	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
WEDNESDAY	- 2	29.797	37.5	28.5	9.0	33.9	- 6.5	32.8	1.1	2.8	0.6	95	46.2	21.5	40.41	NNW. N. & NNE.	NNW. & ENE.	7.0	0.0	0.8	448	+ 117	0.38	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
THURSDAY	- 3	29.825	36.8	28.2	7.6	32.8	- 6.7	31.0	2.8	4.7	0.3	90	43.0	19.1	40.16	E. & ENE.	NNE. & ENE.	3.8	0.0	0.1	249	- 84	0.12	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
FRIDAY	- 4	29.791	38.4	32.7	5.7	35.9	- 4.8	33.9	2.0	3.8	0.3	92	45.4	31.8	40.01	NNE. & NE.	ENE. & ENE.	3.6	0.0	0.3	319	+ 22	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
SATURDAY	- 5	29.756	41.2	34.9	6.3	37.7	- 3.2	34.4	3.3	7.0	2.9	88	65.0	34.4	39.92	NNE. & ENE.	ENE. & ENE.	5.3	0.0	0.7	466	+ 170	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
MEANS	-	29.826	37.3	29.8	7.5	33.3	- 7.1	28.5	4.9	7.2	1.5	82	63.2	24.6	40.57	NE.	NE.		
No. of Column	-	3	4	7	8	10	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a comparison of the photometer record with readings taken during the twenty years.

With the corrected mean reading of the dry bulb thermometer is deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers.

thermometers, with the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The

mean daily dew point temperature and degree of humidity by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations.

the air from a discussion of the anemometric records" for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and "lower," than the average. The values given in column 17 are not corrected for the index error of the thermometer.

The record of Electricity is derived from Thomson's self-registering Electrometer. The values given in column 11 are not corrected for the index error of the thermometer, which cannot be determined.

The symbols employed are:—P, positive; N, negative; w, weak; m, moderate; strong; and v, variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day. The reading of the barometer increased from 30.09 in. at the beginning of the week to

29.01 in. by 10h. A.M. on February 28th; decreased to 29.70 in. by 3h. A.M. on March 1st; increased to 29.87 in. by midnight on the same day; decreased to 29.76 in. by 3h. P.M. on March 2nd, and decreased to 29.66 in. by 5h. A.M. on March 3rd, and decreased to 29.70 in. by 3h. P.M. on March 4th.

GENERAL REMARKS

DATE.		ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Sunshine in hours.	GENERAL REMARKS.
SUNDAY	- 28	s. P. generally.	3·8	10·7	Overcast in early morning; fine and partially cloudy with occasional slight snow showers afterwards. Hoar frost in morning. Generally overcast; frequent snow.
MONDAY	- 29	s. P. generally.	1·2	10·8	
MARCH. TUESDAY	- 1	s. P. generally.	1·4	10·8	Fine but generally cloudy with occasional slight snow till evening; cloudless with hoar frost at night.
WEDNESDAY	- 2	v. P. till 11h. A.M.; v. N. and w. P. till 9h. P.M.; m. P. after- wards.	0·0	10·9	Generally overcast; slight snow in morning followed by slight rain and brisk wind till evening.
THURSDAY	- 3	m. P. till 6h. A.M.; s. P. generally till 5h. P.M.; s. N. till 8h. P.M.; m. P. after- wards.	0·0	10·9	Fine with hoar frost in morning; overcast afterwards; occasional slight rain between 10h. A.M. and 5h. P.M., afterwards changing to sleet and snow.
FRIDAY	- 4	m. P. generally.	0·0	11·0	Overcast; a little fine rain at times.
SATURDAY	- 5	m. P. till 4h. A.M.; s. P. till 11h. A.M.; m. P. afterwards.	0·0	11·1	Overcast generally; brisk wind in afternoon.
			Sum 6·4	Sum 76·2	

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 27th February, 1904.*

BOROUGHS.	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - -	146,975	-	1	4	-	1	-	-	3	1
Kensington - - - -	179,236	-	2	2	-	-	-	-	3	-
Hammersmith - - - -	117,412	-	1	1	-	3	-	-	4	-
Fulham - - - -	152,482	-	7	4	-	-	-	-	3	-
Chelsea - - - -	74,329	-	3	-	-	1	-	-	1	-
City of Westminster - - - -	177,321	-	2	6	-	3	-	-	3	1
NORTH.										
St. Marylebone - - - -	130,337	-	1	2	-	-	-	-	2	-
Hampstead - - - -	86,663	-	1	2	-	-	-	-	1	-
St. Pancras - - - -	235,936	-	6	7	-	3	-	-	5	-
Islington - - - -	341,044	1	10	7	-	1	-	-	3	-
Stoke Newington - - - -	52,445	-	4	-	-	-	-	-	1	-
Hackney - - - -	226,266	-	10	11	-	1	-	-	2	-
CENTRAL.										
Holborn - - - -	57,161	-	-	3	-	2	-	-	1	-
Finsbury - - - -	98,958	-	6	3	-	1	-	-	2	-
City of London - - - -	23,482	-	1	-	-	1	-	-	-	-
EAST.										
Shoreditch - - - -	117,033	1	-	5	-	-	-	-	-	-
Bethnal Green - - - -	130,207	-	14	10	-	-	-	-	1	-
Stepney - - - -	303,791	1	16	11	-	3	-	-	6	1
Poplar - - - -	169,905	-	6	9	-	1	-	-	5	-
SOUTH.										
Southwark - - - -	207,937	-	1	5	-	3	-	-	4	1
Bermondsey - - - -	129,297	-	7	4	-	1	-	-	5	-
Lambeth - - - -	310,359	-	13	5	-	5	-	-	2	-
Battersea - - - -	175,465	-	12	11	-	2	-	-	5	-
Wandsworth - - - -	257,586	-	6	12	-	3	-	-	6	-
Camberwell - - - -	268,384	-	13	4	-	-	-	-	6	-
Deptford - - - -	113,509	-	8	10	-	-	-	-	1	-
Greenwich - - - -	101,651	-	3	3	-	-	-	-	2	-
Lewisham - - - -	140,401	-	2	1	-	1	-	-	1	1
Woolwich - - - -	123,416	-	3	6	-	2	-	-	-	-
Port of London - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. }		4,649,088	3	159	148	-	37	-	76	5
AGES.										
Ages 0-1 - - - -	-	-	2	5	-	-	-	-	3	-
" 1-5 - - - -	-	-	51	73	-	1	-	-	4	-
" 5- - - - -	-	-	75	40	-	7	-	-	1	-
" 10- - - - -	-	-	20	13	-	6	-	-	6	-
" 15- - - - -	-	-	4	1	-	4	-	-	6	-
" 20- - - - -	-	-	5	4	-	2	-	-	5	2
" 25- - - - -	-	-	1	2	-	10	-	-	13	1
" 35- - - - -	-	-	-	4	-	4	-	-	21	2
" 45- - - - -	-	-	-	1	-	3	-	-	9	-
" 55- - - - -	-	-	-	-	-	-	-	-	3	-
" 65 and upwards - - - -	-	-	-	-	-	-	-	-	5	-
Age not stated - - - -	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING FEBRUARY, 1904.

*Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
4th March, 1904.*

SIR,

I HAVE to report to you the results of the chemical analysis and physical examination of the water supplied to the Metropolis, by the eight Water Companies, during the month of February.

Thirteen samples of each Company's water were examined, making a total of 104 samples for the month.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

COMPANIES.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Ni- trates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
THAMES.										
Chelsea - - -	Feb. 8th, Cab Rank, Fulham Rd., near Hospital for Women.	5·3	34·40	·214	·021	0	·315	·336	1·6	23·4
West Middlesex -	Feb. 8th, Cab Rank, Earl's Court Gardens.	3·0	33·32	·271	·026	0	·299	·325	1·6	22·5
Southwark - -	Feb. 8th, Cab Rank, Bricklayers Arms, Old Kent Rd.	6·8	34·08	·208	·021	0	·256	·277	1·55	23·0
Grand Junction -	Feb. 8th, Cab Rank, Pickering Place, Westbourne Grove	5·7	29·08	·376	·026	0	·242	·263	1·45	19·1
Lambeth - - -	Feb. 8th, Cab Rank, St. George's Rd., Southwark.	5·6	31·48	·339	·027	0	·309	·336	1·6	20·9
LEA, WELLS, & CO.										
New River - -	Feb. 8th, Cab Rank, Tottenham Court Rd.	5·6	34·14	·212	·014	0	·308	·322	1·75	23·4
East London - -	Feb. 8th, Police Station, Poplar.	5·0	39·76	·221	·017	0	·327	·344	1·9	26·8
DEEP WELL.										
Kent- - - -	Feb. 8th, Cab Rank, Amersham Rd., by New Cross Station.	11·0	39·22	·050	·005	0	·549	·554	2·0	27·5
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The Chelsea Company's water, collected on the 8th February at the cab-rank in Fulham Road, had a temperature of 5·3° C.; 100,000 lbs. of it contained 34·40 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained ·214 lb. of carbon and ·021 lb. of nitrogen. The above quantity of water also contained ·315 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was ·336 lb. The above weight of water also contained 1·6 lb. of chlorine and 23·4 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on the 8th February were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies was:—Kent 0·9, New River 3·8, Southwark 3·9, East London and Chelsea 4·0, West Middlesex 5·0, Lambeth 6·2, and Grand Junction 6·8.

The filtered supplies of the five Companies dealing with Thames water contained, on the average, more organic impurity than in the previous month; of the samples taken on the 8th February, those of the Southwark and Chelsea Companies were of good quality; the West Middlesex supply was fair, but the water drawn from the Grand Junction and Lambeth Companies' mains was of indifferent quality, owing to the presence of an excessive proportion of vegetable organic matter.

The water obtained chiefly from the River Lea and distributed by the New River and East London Companies contained somewhat more organic matter than in January, the actual proportion being practically the same as that found in the best of the Thames-derived waters; the samples taken on the 8th February were clear and of good quality.

The Kent Company's deep-well water contained, as usual, only a minute amount of organic impurity and was clear and of excellent quality.

Seen through a stratum two feet deep the Kent Company's water was colourless, and the remaining supplies exhibited the following tints:—Chelsea, Southwark, New River, and East London, very pale yellow; West Middlesex, pale yellow; Lambeth, yellow; and Grand Junction, pale brown.

In addition to the above analytical examination, the 104 samples collected during February at various places in the districts supplied by the several Companies have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded. The following results were obtained:—

PARTS PER 100,000.

COMPANIES.	“Oxygen consumed.”						Free Ammonia.			Albuminoid Ammonia.		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)								
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
Chelsea	·163	·098	·126	·174	·109	·135	0	0	0	·012	·0075	·00975
West Middlesex	·173	·125	·152	·191	·135	·165	0	0	0	·013	·010	·0115
Southwark ...	·193	·092	·139	·210	·095	·151	0	0	0	·013	·0075	·00975
Grand Junction	·210	·111	·164	·226	·116	·172	0	0	0	·0135	·008	·01075
Lambeth ...	·199	·106	·162	·217	·116	·176	0	0	0	·0135	·008	·01075
New River ...	·139	·036	·109	·151	·064	·118	0	0	0	·010	·0035	·00675
East London ...	·157	·081	·102	·182	·087	·111	0	0	0	·011	·008	·0095
Kent	·012	·009	·011	·015	·011	·012	0	0	0	·0015	·001	·00125

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

The heavy rains of February affected the rivers, and the mean proportions of organic impurities in the supplies of the five Thames Companies were higher than in the previous month. The amount of organic matter fluctuated to the least extent in the water delivered by the Chelsea and West Middlesex Companies, and the supplies of these Companies were of good quality during the first half and the last few days of the month, and of fair quality from the 19th to the 26th, the period when the proportion of organic impurity was somewhat higher. The supplies of the Southwark, Grand Junction, and Lambeth Companies were of good quality at the commencement and at the end of the month; but from the 8th to the 19th, on several occasions, the water distributed by these Companies was of indifferent quality, owing to marked colour and high organic impurity.

The average quality of the two supplies (New River and East London), obtained chiefly from the River Lea, was slightly superior to that of the best Thames-derived water. Of the two, the East London Company's supply contained the smaller mean amount of organic matter. I have noticed this several times recently, and the relative improvement in the East London water is evidently an effect of the large storage now possessed by that Company.

In my report for last December, I called attention to the high proportion of nitric nitrogen observed occasionally in certain samples collected in the East London Company's districts supplied from Sunbury and Hanworth, and during February I have again obtained several high figures, the highest being 1.04 parts per 100,000. The sample of water yielding this result, in all probability, contained a very much larger proportion of the Hanworth gravel water than was to be expected from the returns in the Water Examiner's recent reports.

All the samples of the Kent Company's deep-well water examined during the month were of uniform high organic purity and excellent quality.

All the samples of the Chelsea, West Middlesex, New River, and Kent Companies' supplies were clear, but in the cases of the other companies, on a few occasions, minute amounts of suspended matters were noted. The Southwark and Lambeth Companies' supplies were on several days, between the 12th and 22nd, faintly but distinctly opalescent; when this was observed the proportion of organic matter in the water was somewhat high and the turbidity was probably caused by neglecting to feed the filters with properly stored water.

I am, Sir,

Your obedient Servant.

The Registrar-General,

Somerset House, W.C.

T. E. THORPE.

RETURNS OF LONDON WATER COMPANIES.

The LONDON WATER COMPANIES have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of February, 1904. The supply was in the ratio of 200 gallons to one service.

COMPANIES.	Number of Services.		Daily Supply of Water in Gallons.	
	FEBRUARY, 1903.	FEBRUARY, 1904.	FEBRUARY, 1903.	FEBRUARY, 1904.
TOTAL SUPPLY - - -	960,655	981,323	202,511,546	195,792,114
From Thames - - - - -	455,712	465,825	108,675,611	103,444,749
From Lea and from other Sources -	504,913	515,498	93,835,935	92,347,365
THAMES.				
Chelsea - - - - -	39,459	39,700	11,246,071	11,088,276
West Middlesex - - - - -	89,309	90,421	21,428,954	21,827,164
Southwark and Vauxhall - -	127,644	128,994	31,403,967	27,561,894
Grand Junction - - - - -	72,400	75,435	17,015,941	15,680,757
Lambeth - - - - -	126,930	131,275	27,580,873	27,236,658
LEA AND OTHER SOURCES.				
New River - - - - -	177,002	179,357	37,787,381	36,687,494
East London - - - - -	222,005	227,003	38,757,000	37,962,000
Kent - - - - -	105,906	109,118	17,291,554	17,697,871

Note.—The Return for February, 1904, as compared with that for the corresponding month of 1903, shows an increase of 20,668 services and a decrease of 6,719,432 gallons of water supplied daily.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1904.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 10. 1904. VOL. LXV.] WEEK ENDED SATURDAY, MAR. 12. [Price 1½d.

*General Register Office, Somerset House,
March 14th, 1904.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 19·0 per 1000 of their aggregate population, which is estimated† at 15,271,425 persons in the middle of this year. In the preceding three weeks the rates had been 18·5, 17·5, and 18·6. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 22·0 in Birmingham, 23·0 in Manchester, 23·2 in Birkenhead, 23·4 in Swansea, 23·5 in Brighton, 23·9 in Norwich, 24·8 in West Hartlepool, 24·9 in Wigan, and 25·8 in Preston; from *measles*, 1·0 in Birmingham, 1·2 in Rochdale, 1·3 in Aston Manor, 1·6 in Stockport, 1·8 in Rotherham, 1·9 in Oldham, 2·4 in St. Helens, and 5·0 in Norwich; from *diphtheria*, 1·1 in Portsmouth and in Walsall; from *whooping-cough*, 1·1 in Wolverhampton and in Liverpool, 1·2 in St. Helens, 1·3 in Gateshead, 1·4 in Birkenhead, 1·5 in Warrington, 1·7 in Handsworth and in Bootle, 1·8 in Bolton and in Bury, 3·0 in West Hartlepool, and 5·4 in Swansea; and from *diarrhoea*, 1·6 in Middlesbrough. Three deaths from *small-pox* were registered in Nottingham, and 1 each in London, Warrington, and Gateshead, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2712 BIRTHS and 1796 DEATHS were registered. Allowing for increase of population, the births were 33, and the deaths 213 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 17·8, 16·5, and 17·9 in the preceding three weeks, further rose last week to 20·1. During the four weeks ended on Saturday last the death-rate averaged 18·1 per 1000, being 4·2 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, and in certain local Small-pox Hospitals, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the recent Census, and on the increase in the last intercensal period.

The 1796 deaths included 1 from small-pox, 66 from measles, 6 from scarlet fever, 17 from diphtheria, 54 from whooping-cough, 4 from enteric fever, and 18 from diarrhoea, but not one death from typhus or from ill-defined pyrexia; thus, 166 deaths were referred to these diseases in the aggregate, being 30 below the corrected average weekly number.

The death from *small-pox* was that of a female, aged one month, who had been removed from the Borough of Bethnal Green to the Metropolitan Asylums Hospital at Joyce Green. The deaths from *measles*, which had been 42, 32, and 43 in the preceding three weeks, further rose last week to 66 and were equal to the corrected average; 13 cases belonged to the Borough of Hammersmith, 7 to St. Pancras, 6 to Stepney, and 6 to Camberwell. The deaths from *scarlet fever*, which had been 9, 5, and 5 in the preceding three weeks, were 6 last week, the corrected average being 10; 2 cases belonged to Stepney. The deaths from *diphtheria*, which had been 17, 18, and 23 in the preceding three weeks, fell again last week to 17, and were 20 below the corrected average. The deaths from *whooping-cough* which had been 55, 41, and 52 in the preceding three weeks, further rose last week to 54, and were equal to the corrected average; 7 cases belonged to Battersea, 7 to Stepney, and 5 to Poplar. The fatal cases of *enteric fever* which had been 2, 5, and 3 in the preceding three weeks, were 4 last week, the corrected average being 8. The deaths from *diarrhoea*, which had been 16, 28, and 20 in the preceding three weeks, further fell last week to 13 but were 6 above the corrected average. Of the 18 deaths from diarrhoea 13 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the causes of 7 more deaths at this age. The death attributed directly to *influenza* numbered 24, having been 25, 11, and 12 in the preceding three weeks.

Different forms of *violence* caused 68 deaths, concerning all but 1 of which inquests were held. Of these 68 deaths, 7 were cases of suicide, and 1 of homicide, while the remaining 60 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, 7 to a conflagration, 10 others to burns and scalds, 1 to the effects of an anæsthetic administered for surgical purposes, and 18 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 54 cases of small-pox, 1601 of scarlet fever, 780 of diphtheria, 1 of typhus, and 102 of enteric fever under treatment in the hospitals on Saturday last (Table 3). The admissions during the week, compared with those in the preceding three weeks, were as follows:—small-pox, 21 cases, against 9, 5, and 13; of scarlet fever, 192 cases, against 143, 150, and 153; of diphtheria, 109 cases, against 113, 114, and 79; and enteric fever, 11 cases, against 8, 18, and 8. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended March 5th.

GREATER LONDON.

In Greater London 4086 births and 2400 deaths were registered. Allowings for increase of population, these numbers are 53 above and 315 below the respective averages in the corresponding weeks of the last ten years. In the portion of the Outer Ring which is outside the great towns, 9 deaths from measles, 1 from scarlet fever, 4 from diphtheria, 11 from whooping-cough and 4 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.80 inches, and that of the Thermometer 40°.5, the latter being 0°.3 below the week's average in the 50 years 1841–1900. The general direction of the wind was Easterly, the horizontal movement of the air being 21 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 26.3 hours; the measured rainfall amounted to 0.24 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious diseases, and are not intended to be taken as representing the actual number of persons who died of these diseases.

TOWNS.	POPULATION estimated to the middle of the Year 1904.*	Causes.				Diseases in Colic. 11-17.		Registered during the Week ended 12th Mar., 1904.		Deaths of Persons aged under 1 Year of Age.		Deaths from								Deaths in Public Institutions.		Causes of Death.		TOWNS.
		Week ended				11-17.		12th Mar., 1904.		Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unreported Causes of Death.		
		29th Feb., 1904.	27th Feb., 1904.	5th Mar., 1904.	12th Mar., 1904.	Week ended 12th Mar., 1904.	11-17.	12th Mar., 1904.	13th Mar., 1904.															
COLS.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	COLS.		
76 TOWNS	15,271,425	18'5	17'5	18'6	19'0	1'7	8908	5577	1291	1704	6	148	31	65	169	27	54	188	459	1296	67	76 TOWNS.		
LONDON -	-	17'8	16'5	17'9	20'1	1'9	2712	1796	397	594	1	66	6	17	54	4	18	68	190	603	6	LONDON.		
CROYDON -	-	12'3	13'4	12'3	15'9	1'8	64	44	7	17	-	2	1	2	-	-	-	1	2	13	-	CROYDON.		
WILLESDEN -	-	13'4	11'8	11'4	15'7	0'4	86	40	14	15	-	1	-	-	-	-	-	1	2	4	-	WILLESDEN.		
HORNSEY -	-	9'6	6'4	10'3	9'6	-	29	15	2	8	-	-	-	-	-	-	-	-	2	2	-	HORNSEY.		
TOTTENHAM -	-	8'3	14'8	18'9	6'9	0'5	74	15	6	4	-	1	-	-	-	-	-	-	-	2	-	TOTTENHAM.		
WEST HAM -	-	13'6	13'9	17'7	18'1	2'0	209	100	21	27	-	4	1	-	5	-	1	5	9	18	1	WEST HAM.		
EAST HAM -	-	11'6	8'5	13'4	13'8	0'4	70	31	12	10	-	-	-	-	1	-	1	1	3	1	-	EAST HAM.		
LEYTON -	-	12'2	13'2	15'5	11'8	0'9	65	25	9	7	-	-	-	-	2	-	-	2	2	3	-	LEYTON.		
WALTHAMSTOW -	-	12'7	12'2	11'7	10'3	2'3	80	22	5	4	-	2	1	1	1	-	-	-	1	4	1	WALTHAMSTOW.		
HASTINGS -	-	18'0	14'1	15'7	18'0	-	22	23	3	11	-	-	-	-	-	-	-	1	3	4	-	HASTINGS.		
BRIGHTON -	-	13'6	20'2	18'2	23'5	1'7	78	57	14	23	-	1	-	-	2	-	1	-	2	7	-	BRIGHTON.		
PORTSMOUTH -	-	16'9	20'0	21'6	21'6	2'4	108	82	10	33	-	-	1	4	3	-	1	2	8	13	4	PORTSMOUTH.		
BOURNEMOUTH -	-	13'7	17'7	16'9	18'6	0'8	21	23	5	7	-	-	-	-	-	-	1	2	3	5	-	BOURNEMOUTH.		
SOUTHAMPTON -	-	15'8	13'9	17'6	13'9	-	58	30	4	13	-	-	-	-	-	-	-	1	5	6	-	SOUTHAMPTON.		
READING -	-	17'1	13'0	16'4	12'3	-	36	18	1	10	-	-	-	-	-	-	-	-	1	3	-	READING.		
NORTHAMPTON -	-	12'0	10'9	16'6	14'9	1'1	51	26	4	11	-	-	1	-	-	-	1	-	1	3	-	NORTHAMPTON.		
IPSWICH -	-	15'7	15'7	11'2	14'9	0'7	44	20	7	5	-	-	-	-	-	-	1	-	4	2	-	IPSWICH.		
GREAT YARMOUTH -	-	16'0	24'0	23'0	18'0	-	29	18	2	11	-	-	-	-	-	-	-	-	1	-	-	GREAT YARMOUTH.		
NORWICH -	-	20'8	24'4	29'8	23'9	5'9	79	53	15	14	-	11	-	-	-	-	2	-	1	4	-	NORWICH.		
PLYMOUTH -	-	25'6	30'6	20'1	21'5	0'5	81	47	9	21	-	-	-	1	-	-	-	-	4	9	-	PLYMOUTH.		
DEVONPORT -	-	12'5	13'8	14'5	15'9	0'7	46	23	5	7	-	-	-	-	1	-	-	1	1	-	-	DEVONPORT.		
BRISTOL -	-	16'4	18'2	17'6	17'6	1'1	170	116	17	42	-	-	-	4	2	-	1	4	16	33	-	BRISTOL.		
HANLEY -	-	19'6	23'8	14'7	14'7	1'6	55	18	6	4	-	-	1	1	-	-	-	1	2	2	-	HANLEY.		
BURTON-ON-TRENT -	-	17'1	16'1	11'0	14'1	-	18	14	2	5	-	-	-	-	-	-	-	1	2	4	-	BURTON-ON-TRENT.		
WOLVERHAMPTON -	-	17'0	14'9	15'9	14'9	1'6	58	28	7	10	-	-	-	-	2	-	1	2	3	-	1	WOLVERHAMPTON.		
WALSALL -	-	17'1	17'1	24'5	17'7	1'7	65	31	11	10	-	-	1	2	-	-	-	-	-	1	1	1	WALSALL.	
HANDSWORTH -	-	11'4	9'6	8'7	15'7	2'6	43	18	3	4	-	1	-	-	2	-	-	-	1	2	-	1	HANDSWORTH.	
WEST BROMWICH -	-	18'6	16'3	16'3	21'0	0'8	58	27	8	8	-	-	-	-	-	1	-	1	2	5	-	1	WEST BROMWICH.	

* See note on first page of this return.

† These towns are included within the area of Greater London.

ended Saturday, 12th March, 1904, and

TOWNS.		POPULATION estimated to the middle of the Year 1904.*		DEATH-RATES from all Causes.				Rate from Diseases during the Week ended 12th Mar., 1904.		The DEATHS registered in the Week include										TOWNS.			
				Week ended				11-17.		Registered Diseases during the Week ended 12th Mar., 1904.		Deaths from								Deaths in Public Institutions.		Causes of Death.	
								Week ended 12th Mar., 1904.															

Births, Deaths, and Rates of Mortality.

TOWNS.	Cols.	POPULATION estimated to the middle of third year 1904.	DEATH-RATES from all Causes.					Rate from Diseases during the week ending 12th Mar., 1904.		The Deaths registered in the Week included.													
			Week ended					Rate from Diseases during the week ending 12th Mar., 1904.		Deaths of													
			Week ended					Rate from Diseases during the week ending 12th Mar., 1904.		Deaths of													
			Week ended					Rate from Diseases during the week ending 12th Mar., 1904.		Deaths of													
20th Feb. 1904.	27th Feb. 1904.	5th Mar. 1904.	12th Mar. 1904.	19th Mar. 1904.	Week ended 12th Mar. 1904.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.		
Huddersfield	-	94,925	17'6	14'8	20'3	17'0	0'5	40	31	4	10	-	1	-	-	-	-	1	2	4	-	Huddersfield.	
Halifax	-	107,580	16'0	24'2	21'8	16'5	0'5	30	34	11	11	-	1	-	-	-	-	1	1	5	-	Halifax.	
Bradford	-	285,089	21'9	14'4	18'8	16'6	0'9	112	91	16	30	-	2	-	1	-	-	1	6	11	2	Bradford.	
Leeds	-	450,142	21'4	19'3	22'0	17'6	0'8	252	152	36	42	-	4	-	-	3	-	6	13	26	-	Leeds.	
Sheffield	-	482,940	17'8	17'3	16'5	17'8	1'8	247	148	34	43	-	2	3	3	5	-	3	5	31	2	Sheffield.	
Rotherham	-	58,498	17'8	16'9	24'1	19'6	2'7	38	22	5	9	-	2	-	-	-	-	-	-	2	1	Rotherham.	
York	-	81,268	17'3	16'7	14'8	16'7	1'3	54	26	5	13	-	-	1	-	1	-	-	2	2	1	York.	
Hull	-	263,865	17'7	16'8	16'8	16'2	0'2	143	79	25	18	-	-	-	-	-	-	4	8	18	1	Hull.	
Middlesbrough	-	96,684	19'4	22'1	16'7	20'5	2'2	63	38	16	6	-	-	-	-	1	-	3	1	3	7	Middlesbrough.	
Stockton-on-Tees	-	52,192	11'0	15'0	21'0	21'0	2'0	31	16	2	4	-	-	-	1	1	-	-	-	5	-	Stockton-on-Tees.	
West Hartlepool	-	69,251	23'3	22'6	16'6	24'8	3'8	48	33	7	6	-	-	-	1	4	-	-	3	2	1	West Hartlepool.	
Sunderland	-	151,157	23'5	15'5	23'8	21'0	1'4	116	61	17	10	-	-	-	3	1	-	-	3	7	1	Sunderland.	
South Shields	-	107,334	13'6	17'0	17'5	20'4	0'5	71	42	7	10	-	-	-	1	-	-	-	-	6	2	South Shields.	
Gateshead	-	118,067	19'4	17'2	19'9	20'8	4'0	77	47	14	14	1	1	2	1	3	1	-	1	12	2	Gateshead.	
Newcastle-on-Tyne	-	225,362	17'1	19'2	20'6	20'8	1'2	126	90	15	31	-	1	-	-	3	1	-	4	9	21	Newcastle-on-Tyne.	
Tynemouth	-	53,080	19'7	10'8	16'7	11'8	2'0	49	12	5	2	-	-	-	-	-	1	-	-	2	-	Tynemouth.	
Newport (Mon.)	-	71,543	16'8	16'0	14'6	11'7	-	53	16	7	7	-	-	-	-	-	-	-	3	1	1	Newport (Mon.).	
Cardiff	-	176,913	18'9	13'3	18'9	18'6	1'5	105	63	13	13	-	-	1	2	1	-	1	3	8	5	Cardiff.	
Rhondda	-	122,310	17'9	19'2	22'2	17'5	3'0	107	41	18	6	-	2	1	-	2	-	2	1	1	1	-	Rhondda.
Merthyr Tydfil	-	72,745	25'8	25'1	19'4	21'5	1'4	61	30	12	9	-	-	-	-	-	1	1	3	4	2	-	Merthyr Tydfil.
Swansea	-	95,931	19'0	20'7	18'5	23'4	6'0	57	43	16	8	-	-	-	1	10	-	-	1	1	3	-	Swansea.
Greater London	-	6,907,619	16'1	15'3	16'7	18'1	1'7	4086	2400	547	806	1	85	10	24	74	4	23	85	287	692	13	Greater London.
Outer Ring	-	2,258,631	12'6	13'0	14'2	13'9	1'3	1374	604	150	212	-	19	4	7	20	-	5	17	47	89	7	Outer Ring.
8 Towns in Outer Ring	-	1,068,639	12'1	12'3	14'5	13'9	1'2	677	292	76	92	-	10	3	3	9	-	1	10	21	47	2	8 Towns in Outer Ring.
Remainder of Outer Ring	-	1,159,882	13'1	13'6	13'8	14'0	1'3	697	312	74	120	-	9	1	4	11	-	4	7	26	42	5	Remainder of Outer Ring.
Edinburgh	-	331,977	18'1	20'4	16'8	19'5	0'5	147	124	24	43	-	-	-	-	1	-	2	7	?	39	4	Edinburgh.
Glasgow	-	798,357	23'5	22'5	22'5	23'4	1'6	490	359	71	84	2	10	1	3	3	1	5	8	?	92	24	Glasgow.
Dublin	-	378,994	29'7	27'2	26'4	28'3	1'5	201	206	39	63	-	-	1	-	6	3	1	3	5	68	7	Dublin.
Belfast	-	258,890	29'0	27'0	27'0	28'4	0'5	207	154	38	33	-	9	-	2	0	9	-	6	6	33	-	Belfast.

TABLE 2. LONDON.—Births and Deaths Registered in the Tenth Week of each of the Eleven Years, 1894-1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894-1903.*	1904
TOTAL Births -	2636	2681	2534	2654	2736	2627	2841	2496	2680	2584	2745·4	27
Males - -	1358	1354	1241	1341	1362	1312	1458	1286	1382	1328	1392·1	13
Females - -	1278	1327	1293	1313	1374	1315	1383	1210	1298	1256	1353·3	13
TOTAL Deaths -	1700	3471	1846	1571	1854	1954	1652	1723	2159	1443	2009·4	17
Males - -	876	1600	948	808	946	943	884	893	1066	720	1004·5	8
Females - -	824	1871	898	763	908	1011	768	830	1093	723	1004·9	8

* The numbers in this column are the average weekly numbers in the tenth week of the ten years 1894-1903, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Dec. 19.	Dec. 26.	1904. Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 5.	Mar. 12.	1905. Jan. 2.
TOTAL Births -	2544	1802	2828	2862	2589	2515	2434	2748	2637	2737	2456	2364	2712	332
TOTAL Deaths -	1486	1204	1866	1731	1677	1549	1734	1554	1574	1539	1467	1594	1796	206
Deaths at														
Under 1 year -	347	262	408	384	357	313	333	349	316	345	326	350	397	44
1-5 years -	156	128	209	176	160	150	189	164	183	206	158	197	230	23
5-20 " -	61	60	82	84	82	77	82	68	70	72	65	79	88	23
20-40 " -	176	140	235	194	208	194	211	181	191	180	167	172	188	24
40-60 " -	312	260	380	323	349	332	355	297	307	299	313	306	299	41
60 yrs. & upwds.	434	354	552	570	521	483	564	495	507	487	438	490	594	64
Deaths from—														
Small-pox† - -	-	1	-	-	-	-	-	-	-	1	-	-	1	5
Measles - -	41	40	59	58	49	46	38	31	37	42	32	43	66	5
Scarlet Fever - -	5	7	9	10	10	10	9	3	4	9	5	5	6	2
Diphtheria - -	15	9	27	14	11	10	25	13	12	17	18	23	17	2
Whooping-cough - -	22	21	35	28	37	29	43	45	52	55	41	52	54	6
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	8	9	10	5	8	5	3	4	8	2	5	3	4	-
Pyæmia (origin uncertain). - -	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Diarrhœa, Dysentery - -	22	15	27	16	19	25	17	20	13	16	28	20	18	2
All above Diseases -	113	102	167	131	135	125	135	116	126	142	130	146	166	17
Dis. of Resp. System - -	167	139	280	250	219	210	260	193	165	195	180	202	235	26
Pneumonia - -	158	132	176	185	189	145	171	157	159	154	142	169	179	21
Phthisis - -	142	142	133	150	180	180	178	160	139	146	147	156	162	20
Dis. of Circ. System - -	193	153	246	240	202	182	229	206	236	220	205	197	221	27
Violence - -	60	49	77	73	65	50	57	59	78	53	51	57	68	10
Inquest Cases - -	150	127	195	203	177	144	158	127	189	150	126	150	190	20
Deaths in Institutions - -	524	424	644	549	613	545	605	541	548	572	497	533	603	71
TEMPERATURE OF THE AIR.														
Mean - -	42·0	40·2	32·6	39·8	42·1	35·7	40·9	40·6	42·1	38·8	38·3	33·3	40·5	3
Mean of Highest - -	45·1	42·9	35·7	43·9	46·4	41·2	44·3	45·7	47·7	43·9	43·0	37·3	48·0	4
Mean of Lowest - -	38·1	37·1	28·8	34·3	36·6	29·1	37·1	35·6	36·5	33·4	34·8	29·8	34·1	3
Mean Humidity of the Air.	88	89	78	91	82	92	86	87	81	81	75	82	84	
Rain-fall (in inches) -	0·02	0·00	0·09	0·29	0·69	0·18	0·92	1·15	1·27	0·45	0·03	0·52	0·24	5
Registered Sunshine (in hours).	9·3	0·3	8·7	2·9	9·2	4·3	8·7	15·0	14·2	10·3	6·7	6·4	26·3	12
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox - -	26	27	26	26	26	24	21	25	24	29	31	41	54	Mea
Scarlet Fever - -	1655	1617	1632	1659	1660	1679	1651	1657	1644	1620	1587	1578	1601	10
Diphtheria - -	733	770	739	732	749	758	760	782	767	768	787	764	780	10
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Enteric Fever - -	266	259	246	235	191	184	166	161	139	129	125	118	102	1

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholm Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; and H. B. Witty, Esq., Huddersfield.

TABLE 4. LONDON.—DEATHS Registered in the Tenth Week of the Year 1904.

Names printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 10th week of the year 1903.	1904—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 10th week of the year 1903.	1904—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
CAUSES	1443	1796	397	230	88	188	299	594	Meningitis (not tuberc.)	17	17	8	6	-	1	2	-
									Insanity, Gen. Par. of	25	24	-	-	-	9	8	7
									Insane -	8	11	-	1	2	1	5	2
Small-pox*	-	1	1	-	-	-	-	-	Epilepsy -	22	30	29	1	-	-	-	-
Scarlatina	-	-	-	-	-	-	-	-	Convulsions -	1	-	-	-	-	-	-	-
Measles (Morbilli)	63	66	14	48	4	-	-	-	Locomotor Ataxy -	8	6	-	-	-	1	1	4
Erythematous Fever	7	6	-	5	1	-	-	-	Paraplegia, Dis. of Cord	21	27	7	3	-	3	5	9
Scarlatina	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	35	48	-	1	-	9	12	28
Erythematous Fever	7	6	-	5	1	-	-	-	Valv. Dis., Endocarditis	46	44	-	-	-	1	10	33
Scarlatina	-	-	-	-	-	-	-	-	Cerebr. Hæm. Thromb.	21	18	-	-	-	-	2	16
Erythematous Fever	-	-	-	-	-	-	-	-	Apoplexy, Hemiplegia	3	3	-	-	-	-	3	-
Scarlatina	-	-	-	-	-	-	-	-	Aneurysm -	2	3	-	-	-	-	3	-
Erythematous Fever	20	24	2	-	-	1	2	19	Embolism, Thrombosis	85	105	-	-	6	8	27	64
Crouping-cough	55	54	22	28	4	-	-	-	(not cerebral)	1	1	-	1	-	-	-	-
Scarlatina	15	17	3	10	4	-	-	-	Heart & Blood Vessel Dis.	125	212	45	17	2	4	19	125
Erythematous Fever	-	-	-	-	-	-	-	-	Croup (not Spasm nor Memb.)	13	10	-	-	-	-	2	8
Scarlatina	-	-	-	-	-	-	-	-	Bronchitis -	4	1	-	-	-	-	-	-
Erythematous Fever	5	4	-	-	2	2	-	-	Asthma, Emphysema	12	11	4	2	-	1	1	3
Scarlatina	-	-	-	-	-	-	-	-	Pleurisy -	-	-	-	-	-	-	-	-
Erythematous Fever	-	-	-	-	-	-	-	-	Respiratory Dis. (other)	-	-	-	-	-	-	-	-
Scarlatina	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy -	4	5	2	1	-	1	-	1
Erythematous Fever	2	1	1	-	-	-	-	-	Enteritis (not Epid.)	1	9	6	1	-	1	1	-
Scarlatina	12	17	10	2	-	-	1	4	Gastro-Enteritis -	3	15	1	-	-	1	10	3
Erythematous Fever	3	1	-	-	-	1	-	-	Peritonitis (not Puerp.)	14	5	4	-	1	-	1	2
Scarlatina	-	-	-	-	-	-	-	-	Cirrhosis of Liver -	5	4	-	-	-	-	-	-
Erythematous Fever	-	-	-	-	-	-	-	-	Liver Dis. (other)	51	44	5	6	9	4	15	-
Scarlatina	-	-	-	-	-	-	-	-	Digestive Dis., Other	9	8	-	-	3	2	1	2
Erythematous Fever	7	9	5	-	-	1	2	1	Nephritis, Acute -	42	46	-	1	1	5	16	23
Scarlatina	2	4	-	-	-	4	-	-	Bright's Dis., Albuminuria	6	16	-	-	-	4	1	11
Erythematous Fever	-	-	-	-	-	-	-	-	Urinary Sys., Other Dis.	3	7	-	-	-	2	3	2
Scarlatina	-	-	-	-	-	-	-	-	Generative Organs Dis.	3	2	-	-	-	-	-	-
Erythematous Fever	2	1	-	-	1	-	-	-	Childbirth (Accid. of)	31	72	-	-	-	-	-	-
Scarlatina	9	7	1	1	1	2	1	1	Old Age -	89	118	78	18	4	5	4	72
Scarlatina	43	93	37	27	4	2	9	14	Other Diseases -	-	-	-	-	-	-	-	-
Epidemic	-	-	-	-	-	-	-	-	ACCIDENT.	-	-	-	-	-	-	-	-
Not defined	51	79	16	16	2	8	16	21	By Railways -	1	2	-	-	-	2	-	-
Scarlatina	1	4	1	-	-	-	3	-	By Vehicles and Horses -	7	6	-	-	-	-	3	3
Erythematous Fever	1	1	-	-	-	1	-	-	In Ships, Boats, Docks, (exclusive of Drowning)	2	-	-	-	-	-	-	-
Scarlatina	1	1	-	-	-	-	-	-	In Building Operations -	1	1	-	-	-	-	1	-
Erythematous Fever	6	18	4	3	2	4	-	5	In Conflagrations -	-	7	-	-	3	4	-	-
Scarlatina	77	86	1	3	11	36	26	9	By Burns, Scalds, Explosions -	7	10	-	6	3	-	1	-
Erythematous Fever	86	76	-	1	4	32	26	13	By Suffocation in Bed -	4	-	-	-	-	-	-	-
Scarlatina	30	24	6	11	7	-	-	-	By Drowning -	15	18	18	-	-	-	-	-
Erythematous Fever	4	7	3	2	1	-	-	1	By Poisons or Poisonous Vapours -	2	1	-	-	-	1	-	-
Scarlatina	7	3	1	2	-	-	-	-	Other Deaths by Accident -	10	15	3	2	-	1	4	5
Erythematous Fever	18	23	8	4	5	4	1	1	VIOLENCE OTHER THAN ACCIDENTAL.	-	-	-	-	-	-	-	-
Scarlatina	-	-	-	-	-	-	-	-	Homicide -	2	1	1	-	-	-	-	-
Erythematous Fever	9	13	-	-	-	2	8	3	Suicide -	14	7	-	-	-	-	2	5
Scarlatina	3	10	1	-	3	3	2	1	Execution -	-	-	-	-	-	-	-	-
Erythematous Fever	5	3	-	-	-	-	1	2									
Scarlatina	37	48	-	-	-	1	23	24									
Erythematous Fever	4	7	-	1	-	-	4	2									
Scarlatina	33	41	-	-	-	3	17	21									
Erythematous Fever	2	9	-	-	-	1	5	3									
Scarlatina	48	53	53	-	-	-	-	-									

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
 † Formerly described as "Simple Continued Fever."

Population, Births, and Deaths in London Sub-Districts.

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 12th March, 1904.

The DEATHS registered during the Week include																
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	Deaths of												
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from										
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmic (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.
LONDON - - -	4,536,541	2712	1796	397	594	1	66	6	17	54	-	4	-	18	68	190
WEST DISTRICTS	805,311	405	293	66	104	-	23	-	3	6	-	-	-	4	8	23
NORTH DISTRICTS	1,056,070	535	378	62	130	-	11	2	3	9	-	1	-	2	16	41
CENTRAL DISTRICTS	209,465	128	120	30	27	-	4	-	1	3	-	1	-	-	15	27
EAST DISTRICTS -	715,739	530	310	92	86	-	10	-	3	10	-	1	-	4	10	43
SOUTH DISTRICTS	1,749,956	1114	631	146	224	-	18	3	7	26	-	1	-	6	19	55
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	64	1	23	1	-	1	-	-	-	-	-	2	-	1
WEST DISTRICTS.																
St. Mary Paddington } G. & W.	93,178	53	30	4	9	-	2	-	-	2	-	-	-	-	-	1
St. John Paddington } H - - G.	33,617	5	17	4	7	-	-	-	-	-	-	-	-	-	-	1
North-West Paddington } - - C.	17,181	10	4	1	1	-	-	-	-	-	-	-	-	-	-	1
Paddington Town 2W, w, 2H } G., W. & C.	128,037	58	52	6	20	-	4	-	-	1	-	-	-	2	1	5
St.rompton 2H - - - W. & C.	48,591	13	9	2	5	-	-	-	-	-	-	-	-	1	1	1
North Hammersmith W, w, H } W. & G.	49,192	25	21	3	7	-	6	-	-	-	-	-	-	-	2	4
South Hammersmith w, 2H } - - -	63,047	29	30	9	9	-	7	-	-	-	-	-	-	-	1	1
North-west Fulham W } W. & C.	45,180	43	23	10	7	-	1	-	1	3	-	-	-	1	1	1
North-east Fulham F } - - -	46,405	30	9	4	2	-	-	-	1	1	-	-	-	-	-	1
South Fulham W } - - -	45,704	38	17	8	4	-	2	-	-	-	-	-	-	-	-	-
Chelsea North W, w, 3H - - C.	42,514	25	22	3	9	-	1	-	-	-	-	-	-	-	1	3
Chelsea South 2H - - - C.	31,328	16	10	2	3	-	-	-	-	-	-	-	-	-	1	2
May Fair and Knightsbridge } C. & G.	28,743	7	10	-	7	-	-	-	-	-	-	-	-	-	1	2
St. Elgrave W, 2H - - - C.	55,815	19	21	5	8	-	-	-	1	-	-	-	-	-	-	1
St. Margaret & St. John 4H - C.	43,698	24	16	5	6	-	-	-	-	-	-	-	-	1	-	-
St. James Westminster } N. & G.	21,588	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Anne Soho 5H - - - N.	11,493	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																
All Souls Marylebone 8H - W.	35,391	14	21	2	6	-	-	-	-	-	-	-	-	-	2	3
St. Mary Marylebone W } G. & W.	19,849	3	7	-	1	-	-	-	-	-	-	-	-	-	-	1
St. Mary Marylebone 4H } G. & W.	18,099	26	7	1	2	-	1	-	-	-	-	-	-	-	-	1
Christchurch Marylebone H- W.	39,536	26	10	3	1	-	1	-	-	-	-	-	-	-	1	1
St. John Marylebone 3H - W.	20,426	10	3	1	2	-	-	-	-	-	-	-	-	-	-	-
Hampstead W, F, 3H - N. & W.	81,042	27	18	2	5	-	-	1	2	-	-	-	-	-	1	1
Vest St. Pancras 2H - - W.	60,562	30	17	2	6	-	-	-	-	-	-	-	-	-	-	1
Tottenham-court w, 6H - N. & W.	21,258	6	18	3	2	-	1	-	-	-	-	-	-	-	-	2
Gray's Inn Lane 4H - - N.	34,449	18	16	5	5	-	1	-	-	1	-	-	-	-	-	1
East St. Pancras W, 2H - - N.	60,320	42	41	4	18	-	3	-	-	-	-	-	-	-	2	7
North St. Pancras 2W - - N.	58,728	27	30	6	6	-	2	-	-	1	-	-	-	1	-	-
Cufnell W- - - - N.	31,995	19	19	-	9	-	-	-	-	-	-	-	-	-	1	2
Upper Holloway 2W, w, 2H - N.	33,978	21	22	2	6	-	-	-	-	-	-	-	-	-	2	3
Collington W- - - N.	33,922	13	10	2	3	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway - - - N.	41,424	29	5	1	2	-	-	-	-	-	-	-	-	-	-	-
Barnsbury - - - N.	54,478	24	18	5	4	-	2	-	-	2	-	-	-	-	-	2
Elington South-east F- - N.	75,397	45	13	1	9	-	-	-	-	-	-	-	-	-	2	3
Highbury 2H - - - N.	63,797	32	11	1	8	-	-	-	-	-	-	-	-	-	-	-
Stoke Newington H - - N.	51,247	22	15	2	7	-	-	-	-	-	-	-	-	-	-	2
North Hackney - - - E. & N.	50,560	16	7	4	2	-	-	-	-	1	-	-	-	-	1	1
Central Hackney 2w, F - E. & N.	50,536	22	17	4	6	-	-	1	1	1	-	1	-	-	2	5
South-west Hackney 3H - E. & N.	59,921	24	23	6	8	-	-	-	-	-	-	-	-	-	2	2
South-east Hackney 2W, w, H E. & N.	58,255	39	30	5	12	-	-	-	-	3	-	-	-	-	1	4

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G, the Grand Junction Company; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, the New River; E, East London; and K, the Kent Company.

5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 12th March, 1904—continued.

The DEATHS registered during the Week include																			
REGISTRATION SUB-DISTRICTS,	Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of		Deaths from											Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhoea.	Violence.				
CENTRAL DISTRICTS.																			
St. Pancras and Bloomsbury W,2H N.	31,436	17	11	3	3	-	1	-	-	-	-	-	-	-	-	1	2		
St. Pancras W,4H - - - N. & C.	21,674	5	16	3	6	-	-	-	-	-	-	-	1	-	-	3	5		
St. Pancras Union Workhouse, Edmonton -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1		
St. Pancras W,6H - - - N.	29,612	11	25	8	2	-	2	-	-	-	2	-	-	-	-	1	14		
St. Pancras Clerkenwell - - - N.	28,676	17	5	2	2	-	-	-	-	-	-	-	-	-	-	1	-		
St. Pancras Clerkenwell H - - - N.	35,028	27	12	3	5	-	-	-	-	-	-	-	-	-	-	1	-		
St. Pancras Finsbury 3H,L - - - N.	36,116	38	15	6	2	-	1	-	1	1	-	-	-	-	-	1	2		
St. Pancras Finsbury Union Workhouse, } - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1		
St. Pancras Finsbury H - - - N. & E.	10,299	9	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-		
St. Pancras Finsbury and Allhallows } N.	16,624	4	30	3	4	-	-	-	-	-	-	-	-	-	9	14	19		
St. Pancras London Asylum, Stone - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
EAST DISTRICTS.																			
St. Giles South H,L - - E. & N.	16,369	6	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-		
St. Giles New Town w,H - - - N.	29,761	20	17	4	8	-	1	-	-	-	-	-	-	-	1	-	8		
St. Giles Old Town - - - N.	28,504	18	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-		
St. Giles Old Town W - - - N & E.	46,003	38	17	4	4	-	1	-	-	-	-	-	-	-	-	1	9		
St. Giles Old Town Union Workhouse, Wood } - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Giles Green North 2H - - E.	51,514	45	18	6	3	-	1	-	2	-	-	-	-	-	-	-	7		
St. Giles Green South - - - E.	33,472	21	6	3	-	-	-	-	-	-	-	-	-	-	2	3	-		
St. Giles Green East 2W,H,L - E.	44,694	34	31	5	15	-	-	-	-	-	-	-	-	-	-	3	19		
St. Giles Fields - - - E. & N.	27,969	18	5	3	1	-	-	-	-	-	-	-	-	-	1	1	-		
St. Giles New Town W,H - - E.	28,718	23	27	6	2	-	1	-	-	-	-	-	-	-	1	2	22		
St. Giles St. Paul's Fields - - - E.	22,081	12	4	2	-	-	-	-	-	1	-	-	-	-	1	1	-		
St. Giles St. George and St. John 2W E.	49,068	48	15	8	1	-	1	-	-	3	-	-	-	-	-	1	4		
St. Giles St. Paul and Ratcliff W,H E. & N.	25,568	18	18	6	2	-	1	-	-	2	-	1	-	-	-	3	6		
St. Giles St. Paul and Ratcliff - - - E.	32,369	24	12	4	3	-	-	-	-	-	-	-	-	-	-	2	-		
St. Giles St. Paul and Old Town West H - E.	59,479	54	15	7	1	-	-	-	-	-	-	-	-	-	2	4	-		
St. Giles St. Paul and Old Town East } - E.	53,348	35	23	4	9	-	3	-	-	-	-	-	-	-	-	-	11		
St. Giles St. Paul - - - E.	41,989	31	15	4	8	-	-	-	-	1	-	-	-	-	1	-	2		
St. Giles St. Paul W,w - - - E.	68,319	54	58	9	19	-	1	-	1	2	-	-	-	-	1	12	31		
St. Giles St. Paul W,w - - - E.	58,514	31	20	9	7	-	-	-	-	1	-	-	-	-	1	1	4		

Population, Births, and Deaths in London Sub-Districts.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALLPOX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 12th March, 1904—continued.

REGISTRATION SUB-DISTRICTS,	Enu- merated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include											
				Deaths of		Deaths from									
				Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pylæria (Origin uncertain).	Diarrhœa.	Violence.
SOUTH DISTRICTS.															
Christchurch Southwark W, HL. & S.	11,263	5	5	3	-	-	-	-	-	-	-	-	-	-	2
St. Saviour Southwark H - S.	12,056	7	25	4	5	-	-	-	-	-	-	-	-	-	5
Cent-road - - - S. & L.	21,904	17	7	2	1	-	-	-	-	-	-	-	-	-	3
St. George the Martyr } S. & L.	39,004	24	12	6	1	-	-	-	-	-	-	-	-	-	2
West W, 2H, L - } S. & L.	49,022	35	20	7	5	-	2	-	-	-	-	1	-	-	2
Newington North* - S. & L.	72,841	61	23	8	7	-	1	-	-	2	-	-	-	-	1
Newington South* W - S. & L.															
St. Olave 2W - - - S.	9,817	11	5	3	1	-	-	-	-	-	-	-	-	-	-
St. Saviour 2W - - - S.	82,483	64	21	2	7	-	-	-	-	2	-	-	-	-	1
St. Dunstons W, F - - S. & K.	38,460	32	13	3	1	-	4	-	-	-	-	-	-	-	-
Waterloo-road 2H - - L. & S.	27,440	34	7	1	3	-	-	-	-	-	-	-	-	-	-
St. Lambeth Church 1st H L. & S.	18,423	11	18	1	6	-	-	-	-	-	-	-	-	-	2
St. Lambeth Church 2nd 2W L. & S.	39,818	33	25	3	12	-	2	-	-	1	-	-	-	1	1
St. Ann's 1st H - - S. & L.	53,198	30	17	7	4	-	-	-	-	1	-	-	-	-	2
St. Ann's 2nd H - - S. & L.	42,896	21	7	1	3	-	2	-	-	-	-	-	-	-	-
St. Martin's F - - - L. & S.	84,232	36	21	7	9	-	-	-	1	1	-	-	-	1	1
St. George's W, H - - - L.	35,888	19	6	4	1	-	-	-	-	1	-	-	-	-	1
East Battersea - - - S.	72,203	42	22	10	4	-	1	-	-	4	-	-	-	-	2
North-west Battersea - - S.	49,656	30	11	4	-	-	-	-	-	3	-	-	-	-	-
South-west Battersea W, H - S.	47,048	25	34	6	11	-	-	-	-	-	-	-	-	2	1
St. Stephen's 2H - - - L.	51,361	39	23	5	12	-	-	-	-	-	-	-	-	-	1
St. Andrew's W, 2W, 2F, 2L - S.	88,131	37	30	4	15	-	-	1	1	-	-	-	-	-	1
St. George's 2W, L - - - S.	27,959	19	6	2	3	-	-	-	-	-	-	-	-	-	4
St. George's 2H - - - S.	40,444	29	14	-	4	-	-	-	-	-	-	-	-	-	-
St. George's 2H - - - S.	24,139	13	3	1	1	-	-	-	-	-	-	-	-	-	-
St. George's 2H - - - L. & S.	10,247	-	2	-	1	-	-	-	-	-	-	-	-	-	-
St. George's 2W, 2L - - S. & L.	90,465	51	46	5	26	-	4	-	1	-	-	-	-	3	3
St. George's 2W, W - - S., L. & K.	93,038	59	29	10	11	-	2	-	-	1	-	-	-	1	2
St. George's Camberwell - L. & S.	65,589	51	17	4	4	-	-	-	-	2	-	-	-	-	-
Deptford North - - - K.	37,613	31	14	4	3	-	-	-	-	2	-	-	-	1	2
Deptford Central F - - K.	45,481	35	13	7	4	-	-	-	-	-	-	-	-	-	2
Deptford South - - - K.	34,625	14	10	2	8	-	-	-	-	-	-	-	-	-	1
Deptford West 2H - - K.	23,456	9	12	2	5	-	-	-	-	2	-	-	-	-	-
Deptford East 2W, H - K.	43,859	28	27	4	12	-	-	-	-	2	-	-	-	-	1
Deptford 2H - - - K.	7,226	9	3	-	3	-	-	-	-	-	-	-	-	-	-
Deptford 4H - - - K.	25,490	13	8	-	5	-	-	-	-	1	-	-	-	-	1
Deptford W, F - - - K.	58,352	30	23	5	7	-	-	1	3	-	-	-	-	1	2
Deptford 2H - - - L.	43,653	15	9	-	6	-	-	-	-	-	-	-	-	-	-
Deptford 2H - - - K.	21,134	7	7	1	1	-	-	1	1	-	-	-	-	-	-
Deptford 4H - - - K.	41,625	32	8	2	2	-	-	-	-	-	-	-	-	-	3
Deptford West W - - K.	18,063	14	4	1	2	-	-	-	-	1	-	-	-	-	1
Deptford East 2W, H - K.	50,264	42	24	5	8	-	-	-	-	-	-	-	-	1	2
London County Asyl., Banstead - -	-	-	11	-	2	-	-	-	-	-	-	-	-	-	-
Horton Manor Asylum - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asyl., Epsom - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asyl. for Imbeciles, Caterham -	-	-	7	-	3	-	-	-	-	-	-	-	-	-	-
London County Asyl., Cane Hill -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
M.A.B. Hospitals, Dartford - -	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
Met. Asyl. for Imbeciles, Darenth -	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-
London County Asyl., Dartford } Heath - - -	-	-	6	-	1	-	-	-	-	-	-	-	-	-	-
London County Asyl., Hanwell - -	-	-	12	-	7	-	-	-	-	-	-	-	-	-	-
Central London Sick Asyl., Hendon -	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-
London County Asyl., Colney Hatch -	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-
M.A.B. North-Eastern Hospital - -	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
M.A.B. Northern Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asyl. for Imbeciles, Leavesden -	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-
London County Asyl., Claybury - -	-	-	5	-	3	-	-	-	-	-	-	-	-	2	-
London Co. Asyl. Epileptic Colony -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* On 1st March, 1904, the sub-districts of Trinity Newington, St. Peter Walworth, and St. Mary Newington were abolished, and divided into two new sub-districts entitled Newington North and Newington South respectively.

HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 12th March, 1904.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- mer- ated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include														
					Deaths of 1 Year of Age.	Persons aged 60 Years & upwards.	Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.					
LONDON—OUTER RING	368,580	2,044,861	1,374	604	150	212	-	19	4	7	20	-	5	17	47	89	-	-	-
Carshalton <i>w, 2F, 2H</i>	12,228	32,997	19	6	2	1	-	-	1	-	-	-	-	-	1	2	-	-	-
Epsom, <i>part of</i> * <i>W, w, 2F, H</i>	10,423	15,548	8	4	1	2	-	-	-	-	-	-	-	-	-	1	-	-	-
Godstone, <i>part of</i> * <i>W, F</i>	2,754	2,692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Coulsdon	11,069	21,166	3	2	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-
South Croydon	4,200	49,319	22	14	2	7	-	1	-	-	-	-	-	-	-	1	-	-	-
West Croydon <i>3W, F, H</i>	2,168	42,888	28	20	5	7	-	1	1	2	-	-	-	-	-	1	-	-	12
North Croydon <i>H</i>	2,611	41,638	14	9	-	3	-	1	-	-	-	-	-	-	-	1	-	-	-
Penge <i>w</i>	770	22,465	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Mitcham <i>w</i>	11,689	23,913	22	12	2	4	-	-	-	-	1	-	1	-	-	-	-	-	-
Wimbledon <i>F, 3H</i>	3,221	41,152	22	15	3	3	-	1	-	-	1	-	1	-	-	3	1	-	-
Kingston <i>W, H</i>	6,224	42,068	24	16	4	10	-	-	-	-	-	-	-	-	-	3	4	-	-
Surbiton <i>F, H</i>	3,046	15,017	10	1	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Esher, <i>part of</i> * <i>H</i>	5,402	13,100	9	3	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Hampton <i>H, L</i>	4,664	23,456	12	8	2	3	-	-	-	-	-	-	-	-	-	1	-	-	-
Richmond <i>W, H</i>	2,162	28,865	8	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Mortlake <i>F</i>	2,847	20,628	17	8	1	3	-	-	-	-	-	-	-	-	-	1	-	-	-
Bromley <i>F, 2H</i>	4,703	27,354	17	6	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Beckenham <i>H</i>	7,825	28,497	12	9	2	3	-	-	-	-	1	-	-	-	-	-	-	-	-
Orpington, <i>part of</i> * <i>W</i>	10,113	9,857	8	4	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
Chislehurst <i>2H</i>	7,333	16,446	11	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bexley <i>F, H</i>	8,678	21,151	18	7	1	5	-	-	-	-	2	-	-	-	-	-	1	-	-
Erith <i>F, H</i>	3,854	25,296	14	9	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Dartford <i>W, F, part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sunbury <i>w</i>	11,054	18,683	13	6	1	3	-	-	-	-	1	-	-	-	-	-	-	-	-
Staines <i>W, H</i>	13,277	15,178	11	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hillingdon <i>W, F, H</i>	6,035	13,661	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1
Uxbridge	12,757	8,984	16	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Hayes <i>w, F, H</i>	8,066	16,358	15	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Isleworth <i>3W, 2F, H</i>	6,859	30,863	15	18	2	9	-	-	-	-	-	-	-	-	-	-	-	-	10
Twickenham <i>F, H</i>	2,421	20,991	18	6	2	3	-	-	-	-	1	-	-	-	-	-	-	-	-
Brentford <i>2F, 2H, L</i>	4,319	48,289	28	17	4	6	-	-	-	-	-	-	-	-	2	1	-	-	1
Chiswick <i>H</i>	1,249	29,809	24	11	5	3	-	-	-	-	-	-	1	-	-	-	-	-	-
Acton <i>w, 3H</i>	6,132	48,914	32	14	4	5	-	3	-	-	-	-	-	-	-	1	-	-	-
Harrow <i>F, H</i>	13,809	25,523	15	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Edgware <i>F, 2H</i>	6,994	4,521	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Willesden <i>W, F, 2H</i>	4,384	114,811	86	40	14	15	-	1	-	-	-	-	-	-	1	2	4	-	-
Hendon <i>W, F</i>	8,382	22,450	20	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	2
South Mimms <i>2F, H</i>	17,755	7,308	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnet <i>W, 3H</i>	3,324	17,970	9	2	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-
Finchley <i>F, 2H</i>	4,688	33,692	20	9	3	2	-	3	-	-	-	-	-	-	-	-	-	-	-
Hornsey <i>F, H</i>	2,875	72,056	29	13	2	6	-	-	-	-	-	-	-	-	-	2	2	-	-
Wood Green <i>H</i>	1,625	34,233	20	15	1	7	-	1	-	-	-	-	-	-	-	-	-	-	1
West Tottenham <i>F</i>	996	48,853	41	8	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
East Tottenham <i>F, H</i>	2,017	53,888	33	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Edmonton <i>W, w, 2F</i>	7,491	61,892	60	21	4	9	-	-	-	-	-	-	-	-	-	4	9	-	-
Enfield <i>2W, F, H</i>	12,601	42,738	38	26	10	8	-	1	-	1	5	-	-	-	1	4	5	-	-
Waltham Abbey	11,017	6,549	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1
Cheshunt <i>F, H</i>	8,479	12,292	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hatfield, <i>part of</i> * <i>W</i>	3,305	664	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey <i>H</i>	9,333	9,173	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Watford <i>W, 2F part of</i> *	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford <i>H</i>	1,072	44,827	33	12	3	3	-	-	2	1	-	-	2	-	-	2	4	-	2
Plaistow <i>F, 2H</i>	1,249	90,921	83	47	11	11	-	-	1	-	-	-	2	-	-	1	3	-	1
Canning Town <i>H</i>	1,556	70,718	56	19	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-
Forest Gate <i>w</i>	806	60,392	37	8	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-
North East Ham <i>w</i>	1,333	58,676	48	22	8	8	-	-	-	-	1	-	-	-	-	1	-	-	-
South East Ham <i>3F</i>	1,993	37,342	22	8	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Wanstead <i>F</i>	1,679	9,179	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
South Leyton <i>2W</i>	631	50,467	31	10	4	4	-	-	-	-	-	-	-	-	-	1	1	4	-
North Leyton <i>W, w, F</i>	1,963	48,445	34	27	5	9	-	-	-	-	2	-	-	-	-	1	1	11	-
Walthamstow <i>3H, L</i>	6,504	108,929	86	20	5	6	-	2	-	-	1	-	-	-	-	1	1	-	2
Chigwell, <i>part of</i> * <i>2F, 4H</i>	11,778	16,397	8	8	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Epping <i>W, F, part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, <i>part of</i> * <i>W, 2F</i>	6,556	6,091	7	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Ilford <i>F, L</i>	8,496	41,234	32	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
Barking Town <i>F</i>	3,803	21,547	18	8	2	1	-	-	-	-	1	-	-	-	-	-	-	-	2
Middlesex County Asylum, Wandsworth.	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-

The parts of sub-districts included within that portion of the Metropolitan Police District ; which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4, excepting Epsom parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Epsom Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Hospitals, and Asylums, are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping- cough.	Fever.
ALCUTTA (including SUBURBS)	847,796	January 30	-	453	27·7	-	8	-	4	-	128
BOMBAY - -	776,006	February 16	263	1136	76·1	5	5	-	1	2	616
		" 23	376	1292	86·8	20	6	-	?	?	78
MADRAS - -	509,346	" 5	300	406	41·4	-	2	?	?	?	104
		" 12	361	444	45·3	-	2	-	-	-	126
PARIS - - -	2,660,559	March 5	1031	1103	22·8	2	21	-	10*	9	17
RUSSELS - -	575,896	" 5	227	171	15·4	1	1	-	2*	2	1
ANTWERP - -	281,376	" 5	150	80	14·8	3	-	-	-	1	-
AMSTERDAM -	547,370	February 27	317	158	15·1	-	5	-	-	2	-
COPENHAGEN -	420,000	March 5	256	139	17·3	-	-	-	1*	3	-
STOCKHOLM -	305,115	February 27	138	99	16·9	-	-	-	1*	-	-
CHRISTIANIA -	225,709	March 5	148	83	19·1	-	-	-	1*	-	-
ST. PETERSBURG	1,248,643	February 27	712	618	25·8	2	11	9	16	7	18
MOSCOW - - -	1,093,410	" 27	-	623	29·7	1	4	12	12*	2	4
BERLIN - - -	1,960,909	" 20	919	613	16·3	-	11	3	7*	9	1
HAMBURG - - -	751,842	March 5	-	243	16·8	-	-	1	4*	2	-
BRESLAU - - -	445,403	February 27	-	198	23·2	-	-	2	1*	?	1
		March 5	-	220	25·8	-	-	1	4*	?	-
MUNICH - - -	520,000	" 5	-	201	20·1	-	6	-	1*	2	-
VIENNA - - -	1,779,169	" 5	951	708	20·7	-	24	1	6*	4	-
PRAGUE - - -	423,990	February 27	171	192	23·6	-	3	-	4*	-	2
BUDA-PESTH -	813,399	-	-	-	-	-	-	-	-	-	-
TRIESTE - - -	187,251	-	-	-	-	-	-	-	-	-	-
ROME - - -	496,201	January 16	257	225	23·9	-	3	-	4	-	8
VENICE - - -	166,288	February 27	75	74	23·2	-	-	-	-	-	-
CAIRO - - -	624,338	December 16	616	384	32·1	-	10	-	12*	?	14
ALEXANDRIA -	349,300	" 16	321	180	26·9	-	-	-	-	?	7
NEW YORK - -	3,838,024	February 27	1653	1797	24·4	-	18	32	57*	2	10
PHILADELPHIA -	1,408,154	" 13	-	568	21·0	16	3	11	18*	3	12
BOSTON - - -	617,850	" 6	-	197	16·6	-	2	1	3*	1	1
		" 13	-	201	16·9	-	1	1	4*	-	1

* Including deaths from croup.

† Including 17 deaths from plague in Calcutta, and 550 and 718 in Bombay.

‡ Including 27 deaths from cholera in Calcutta, and 1 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 12th March, 1904

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			R.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	59·1	27·2	41·1	0·24	HUDDERSFIELD -	48·2	27·5	37·0	
BRIGHTON - -	61·4	31·7	43·5	0·09	BRADFORD - -	48·0	29·6	37·4	
PORSMOUTH - -	61·6	31·0	42·8	0·22	LEEDS - - -	48·0	31·0	38·5	
NOTWICH - - -	57·6	24·2	40·9	0·34	HULL - - -	50·0	27·0	39·0	
PLYMOUTH - -	58·9	30·1	43·5	0·85					
BRISTOL - - -	58·0	27·8	41·3	0·38	EDINBURGH - -	45·4	28·9	36·5	
WOLVERHAMPTON	-	-	-	-	GLASGOW - - -	49·2	24·2	36·7	
BIRMINGHAM -	52·9	26·1	39·6	0·48					
NOTTINGHAM -	52·3	25·7	40·2	0·50	DUBLIN { Phoenix Park.	50·8	22·4	38·0	
LIVERPOOL - -	52·0	27·0	39·2	0·51	{ Fitz- william Square.†	49·4	28·9	40·1	
MANCHESTER -	51·8	26·8	38·3	0·21					
BREXTON - - -	45·0	29·0	38·8	0·33	BELFAST - - -	50·8	25·3	37·6	

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0·9 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range, Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1904. MONTH AND DAY			Phases of the Moon.	BARO- METER.		TEMPERATURE.				TEMPERATURE.				TEMPERATURE.				Wind as deduced from Anemometers.				Rain collected in a Gauge whose surface is 5 inches above the ground.						
				Mean daily reading (cor- rected and re- duced to Fahren- heit).	in.	Of the Air.				Difference between the Air Temperature and Dew Point Temperature.		Of Radiation.		Of the Earth 3 feet below the Surface.		Oiler's.		Robinson's.										
						High- est.	Low- est.	Daily Range.	Mean daily value.	De- parture from Average of 50 years.	Mean daily value.	Great- est.	Least.	Highest Sun's Rays.	Lowest on the Grass.	General Direction.	Pressure on the Square Foot.		Horizontal Movement of the Air on each Day.	Depart- ure from Average of the 16 years.								
																	A.M.	P.M.			Great- est.			Least.	Mean of 24 hourly obs.			
MARCH																												
SUNDAY	-	6	..	29.604	38.2	34.1	4.1	35.7	- 5.4	34.9	0.8	2.9	0.0	97	43.1	32.8	39.99	NE. & ENE.	NE. & ENE.	NE. & ENE.	3.2	0.0	0.2	279	- 57	0.0	in. 0.12	
MONDAY	-	7	..	29.436	44.5	36.2	8.3	39.8	- 1.2	39.6	0.2	1.4	0.0	99	47.0	33.4	40.09	NE. & E.	NE. & E.	SSE.	1.3	0.0	0.1	226	- 107	0.0	0.0	
TUESDAY	-	8	..	29.519	57.7	39.3	18.4	48.3	+ 7.4	41.8	6.5	11.8	0.7	78	99.8	32.5	40.20	SSE. & SSW.	SSE. & SSW.	SE.	5.8	0.0	0.2	229	- 102	0.0	0.2	
WEDNESDAY	-	9	Last Quarter.	29.789	59.1	34.4	24.7	45.7	+ 4.9	41.2	4.5	11.6	1.8	84	93.0	26.8	40.54	Cal. & NE.	Cal. & NE.	SE. & NNE.	8.8	0.0	1.1	513	+ 184	0.0	0.8	
THURSDAY	-	10	Greatest Dec. S.	30.063	46.2	35.2	11.0	39.9	- 0.8	33.0	6.9	13.2	2.9	76	89.8	27.4	40.94	N. & NNE.	N. & NNE.	N.	1.1	0.0	0.1	187	- 139	0.0	0.0	
FRIDAY	-	11	..	30.173	47.4	32.0	15.4	39.2	- 1.4	31.6	7.6	14.3	1.8	74	88.0	22.5	41.27	N. & NE.	N. & NE.	E. & SE.	0.7	0.0	0.0	131	- 193	0.0	0.0	
SATURDAY	-	12	..	30.013	43.1	27.2	15.9	35.0	- 5.7	30.1	4.9	10.6	1.8	82	81.2	19.0	41.30	Cal. & E.	Cal. & E.	SE.	Sum 1835	Sum - 479	0.24	Sum 0.24	
MEANS				-															NE. & SE.	NE. & SE.	14	20	21	22	23	24	25	26

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 139 feet above the mean level of the sea ; no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer combined the corrected mean of the readings of the maximum and minimum thermometers forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1876. In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.
The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: -P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 23, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.
The reading of the barometer decreased from 30.20 in. at the beginning of the week to 29.36 in. by 9h. P.M. on the 7th; increased to 30.20 in. by 9h. A.M. on the 11th; and

GENERAL REMARKS.

DATE.	Registered Sunshine in hours.	Sun above Horizon in hours.	ELECTRICITY. (For explanation of symbols, see Note.)	GENERAL REMARKS.
MARCH				
SUNDAY - 6	0.0	11.1	W. P. till 6h. A.M.; W. N. till 9h. A.M.; W. P. till 6h. P.M.; m. P. afterwards.	Overcast; frequent slight rain with sleet and snow between 5h. and 11h. A.M.
MONDAY - 7	0.0	11.2	m. P. generally till 5h. P.M.; v. N. and v. P. afterwards.	Generally overcast; frequent slight rain after noon with heavy shower at 9h. 30m. P.M.
TUESDAY - 8	6.8	11.3	W. P. generally till 4h. P.M.; s. P. afterwards.	Cloudless till 3h. A.M.; very fine and partially cloudy afterwards.; slight shower at 9h. A.M. Very mild.
WEDNESDAY - 9	5.5	11.4	W. P. generally till 3h. P.M.; v. P. and s. N. till 8h. P.M.; w. P. afterwards.	Partially cloudy in morning with fog between 2h. and 10h. A.M.; very fine with little cloud till afternoon; overcast afterwards with gusty wind at night. Mild.
THURSDAY - 10	5.1	11.4	W. P. till 5h. A.M.; m. P. till 11h. A.M.; s. P. till 8h. P.M.; v. P. afterwards.	Overcast in morning; fine and partially cloudy till evening; cloudless at night; gusty wind till 6h. P.M.
FRIDAY - 11	6.6	11.5	W. P. generally till 9h. A.M.; s. P. till 10h. P.M.; w. P. afterwards.	Fine and partially cloudy till afternoon; cloudless afterwards. Hoar frost in morning and at night.
SATURDAY - 12	2.3	11.6	W. P. till 9h. A.M.; m. P. till 4h. P.M.; w. P. afterwards.	Fog prevalent in morning; generally overcast till afternoon; fine and partially cloudy till evening; cloudless with hoar frost at night.
Sum	Sum	Sum	Sum	

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 5th March, 1904.*

BOROUGHES.	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - -	146,975	-	10	4	-	2	-	-	2	-
Kensington - - - -	179,236	-	10	2	-	1	-	-	3	-
Hammersmith - - - -	117,412	-	2	2	-	-	-	-	3	-
Fulham - - - -	152,482	-	6	4	-	1	-	-	-	-
Chelsea - - - -	74,329	-	-	1	-	-	-	-	-	-
City of Westminster - - - -	177,321	-	6	2	-	2	-	-	2	-
NORTH.										
St. Marylebone - - - -	130,337	-	3	1	-	1	-	-	4	-
Hampstead - - - -	86,663	-	2	-	-	-	-	-	3	-
St. Pancras - - - -	235,936	-	15	4	-	2	-	-	-	-
Islington - - - -	341,044	-	4	5	-	1	-	-	2	-
Stoke Newington - - - -	52,445	-	1	-	-	-	-	-	-	-
Hackney - - - -	226,268	-	13	12	-	-	-	-	4	-
CENTRAL.										
Holborn - - - -	57,161	-	1	-	-	2	-	-	-	1
Finsbury - - - -	98,958	-	6	1	-	-	-	-	-	-
City of London - - - -	23,482	-	-	-	-	-	-	-	1	-
EAST.										
Shoreditch - - - -	117,033	-	3	1	-	-	-	-	-	-
Bethnal Green - - - -	130,207	4	5	16	-	2	-	-	3	-
Stepney - - - -	303,791	-	21	13	-	3	-	-	3	-
Poplar - - - -	169,905	1	3	11	-	1	-	-	2	-
SOUTH.										
Southwark - - - -	207,937	-	6	3	-	1	-	-	5	-
Bermondsey - - - -	129,397	-	1	6	-	2	-	-	1	-
Lambeth - - - -	310,359	-	9	5	-	2	-	-	2	1
Battersea - - - -	175,465	2	2	4	-	1	-	-	-	-
Wandsworth - - - -	257,586	-	16	6	-	1	-	-	3	1
Camberwell - - - -	268,384	-	17	4	-	1	-	-	2	-
Deptford - - - -	113,509	-	7	2	-	-	-	-	2	-
Greenwich - - - -	101,651	-	4	3	-	-	-	-	4	-
Lewisham - - - -	140,401	-	6	1	-	-	-	-	1	-
Woolwich - - - -	123,416	-	10	1	-	-	-	-	1	1
Port of London - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. }		4,649,088	7	189	114	-	26	-	55	5
Ages 0-1 - - - -		-	1	3	6	-	-	-	2	-
" 1-5 - - - -		-	-	61	45	-	1	-	3	-
" 5- - - - -		-	-	78	38	-	2	-	1	-
" 10- - - - -		-	-	28	16	-	2	-	4	-
" 15- - - - -		-	2	7	1	-	5	-	5	-
" 20- - - - -		-	1	10	4	-	4	-	6	3
" 25- - - - -		-	-	2	3	-	5	-	4	1
" 35- - - - -		-	1	-	-	-	2	-	8	1
" 45- - - - -		-	2	-	-	-	5	-	10	-
" 55- - - - -		-	-	-	1	-	-	-	5	-
" 65 and upwards - - - -		-	-	-	-	-	-	-	7	-
Age not stated - - - -		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1904.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 11. 1904. VOL. LXV.] WEEK ENDED SATURDAY, MAR. 19. [Price 1½d.

General Register Office, Somerset House,
March 21st, 1904.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 19·7 per 1000 of their aggregate population, which is estimated† at 15,271,425 persons in the middle of this year. In the preceding three weeks the rates had been 17·5, 18·6, and 19·0. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *all causes*, 24·6 in Birmingham, 24·8 in Norwich, 25·0 in Rotherham and in Stockton on Tees, 25·3 in St. Helens, 25·9 in Bury, 27·4 in Wigan and in Manchester, 29·4 in Hanley and in Derby, and 31·0 in Warrington; from *measles*, 1·4 in Salford, 1·5 in Warrington and in Leeds, 1·6 in Blackburn, 1·9 in Walthamstow, 2·0 in Great Yarmouth, 2·1 in Burnley, 2·4 in Rochdale, 2·7 in Bury, 3·5 in St. Helens, and 6·3 in Norwich; from *diphtheria*, 3·0 in Great Yarmouth; and from *whooping-cough*, 1·8 in Portsmouth and in Birmingham, 2·0 in Stockton on Tees, 2·1 in Bolton, 2·2 in Swansea, 2·3 in Warrington, 2·4 in St. Helens, 2·7 in Rotherham, 2·9 in Walsall, and 3·5 in Wallasey. Three deaths from *small-pox* were registered in Gateshead, 1 in London, and 1 in Leicester, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2577 BIRTHS and 1680 DEATHS were registered. Allowing for increase of population, the births were 160, and the deaths 225 below the average numbers in the corresponding weeks of the last ten years. The annual death-rate per 1000 from all causes, which had been 16·5, 17·9, and 20·1 in the preceding three weeks, fell again last week to 18·8. During the four weeks ended on Saturday last the death-rate averaged 18·3 per 1000, being 4·0 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, and in certain local Small-pox Hospitals, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.
† The provisional estimates of population for the several towns are based on the results of the recent Census, and on the increase in the last intercensal period.

The 1680 deaths included 1 from small-pox, 69 from measles, 2 from scarlet fever, 17 from diphtheria, 51 from whooping-cough, 2 from enteric fever, and 19 from diarrhœa, but not one death from typhus or from ill-defined pyrexia; thus, 161 deaths were referred to these diseases in the aggregate, being 43 below the corrected average weekly number.

The death from *small-pox* was that of a male, aged 37 years, who had been removed from the Borough of Bethnal Green to the South Wharf Shelter at Rotherhithe. The deaths from *measles*, which had been 32, 43, and 66 in the preceding three weeks, further rose last week to 69, and were above the corrected average; 11 cases belonged to the Borough of Hammer-smith, 7 to Lambeth, 6 to St. Pancras, 6 to Stepney, 6 to Southwark, 5 to Kensington, and 5 to Camberwell. The deaths from *scarlet fever*, which had been 5, 5, and 6 in the preceding three weeks, fell again last week to 2, and were 8 below the corrected average. The deaths from *diphtheria*, which had been 18, 23, and 17 in the preceding three weeks, were again 17 last week, the corrected average being 36; 3 cases belonged to Poplar. The deaths from *whooping-cough*, which had been 41, 52, and 54 in the preceding three weeks, fell again last week to 51, and were 9 below the corrected average; 8 cases belonged to Stepney, and 5 to Poplar. The fatal cases of *enteric fever*, which had been 5, 3, and 4 in the preceding three weeks, fell again last week to 2, and were 7 below the corrected average. The deaths from *diarrhœa*, which had been 28, 20, and 18 in the preceding three weeks, were 19 last week, the corrected average being 13. Of the 19 deaths from diarrhœa, 14 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the causes of 5 more deaths at this age. The deaths attributed directly to *influenza* numbered 20, having been 11, 12, and 24 in the preceding three weeks.

Different forms of *violence* caused 69 deaths, concerning all of which inquests were held. Of these 69 deaths, 10 were cases of suicide, and 1 of homicide, while the remaining 58 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, 1 to a conflagration, 7 others to burns and scalds, 3 to the effects of anæsthetics administered for surgical purposes, and 17 (including 16 of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 74 cases of small-pox, 1624 of scarlet fever, 807 of diphtheria, 1 of typhus, and 94 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 26 cases, against 5, 13, and 21; of scarlet fever, 176 cases, against 150, 153, and 192; of diphtheria, 91 cases, against 114, 79, and 109; and of enteric fever, 10 cases, against 18, 8, and 11. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended March 12th.

GREATER LONDON.

In Greater London 3909 births and 2281 deaths were registered. Allowing for increase of population, these numbers are 107 and 318 below the respective averages in the corresponding weeks of the last ten years. In that portion of the Outer Ring which is outside the great towns, 10 deaths from measles, 1 from scarlet fever, 2 from diphtheria, 10 from whooping-cough, 1 from "fever," and 2 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.78 inches, and that of the Thermometer 40.8, the latter being 0.6 below the week's average in the 50 years 1841-90. The general direction of the wind was variable, the horizontal movement of the air being 39 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 28.2 hours; the measured rainfall amounted to 0.06 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	Cols.	POPULATION estimated to the middle of the year 1904.*	DEATH-RATES FROM all Causes.					Registered during the week ended 19th Mar., 1904.		Deaths from Causes of Death.										TOWNS.			
			Week ended					Deaths of Persons aged under 1 year and upwards.	Infants under 1 year.	Deaths from													
			27th Feb., 1904.	5th Mar., 1904.	12th Mar., 1904.	19th Mar., 1904.	Week ended 11-17, 1904.			7.	8.	11.	12.	13.	14.	15.	16.	17.	18.		19.	20.	21.
76 TOWNS		15,271,425	17.5	18.6	19.0	19.7	1.8	8706	5781	1293	1710	5	180	37	53	138	21	55	196	424	1228	65	76 TOWNS, LONDON.
-	-	4,649,088	16.5	17.9	20.1	18.8	1.8	2577	1680	335	517	1	69	2	17	51	2	19	69	161	554	4	(CROYDON.
-	-	144,419	13.4	12.3	15.9	19.1	2.2	83	53	10	23	-	3	-	1	1	-	1	-	1	11	-	WILLESDEN.
-	-	132,566	11.8	11.4	15.7	13.8	0.8	99	35	10	10	-	1	1	-	-	-	1	3	9	-	-	HORNSEY.
-	-	81,221	6.4	10.3	9.6	8.3	-	25	13	2	9	-	-	-	-	-	-	-	-	-	-	-	(TOTTENHAM
-	-	112,981	14.8	18.9	6.9	18.0	1.4	75	39	8	15	-	-	1	-	1	-	1	2	9	-	-	WEST HAM.
-	-	288,424	13.9	17.7	18.1	14.5	1.6	165	80	22	15	-	5	-	-	3	-	1	5	18	-	-	EAST HAM.
-	-	116,902	8.5	13.4	13.8	12.5	1.3	75	28	2	11	-	-	2	-	-	1	-	2	4	7	-	LEYTON.
-	-	110,844	13.2	15.5	11.8	12.2	0.9	61	26	4	11	-	-	-	-	-	-	-	-	-	2	-	(WALTHAMSTOW,
-	-	111,282	12.2	11.7	10.3	14.1	2.3	74	30	4	5	-	4	1	-	-	-	-	-	3	4	-	HASTINGS,
-	-	66,503	14.1	15.7	18.0	11.8	-	21	15	1	12	-	-	-	-	-	-	-	-	1	-	-	BRIGHTON.
-	-	126,288	20.2	18.2	23.5	19.0	1.7	59	46	7	14	-	2	-	-	1	-	2	3	8	-	-	PORTSMOUTH.
-	-	198,038	20.0	21.6	21.6	17.6	2.1	102	67	18	22	-	-	1	-	7	-	-	2	8	15	1	BOURNEMOUTH.
-	-	64,645	17.7	16.9	18.6	16.1	0.8	26	20	4	7	-	-	-	-	1	-	-	-	-	2	-	SOUTHAMPTON.
-	-	112,500	13.9	17.6	13.9	14.4	0.5	76	31	4	10	-	-	-	1	-	-	1	3	6	-	-	READING.
-	-	73,373	13.0	16.4	12.3	13.7	1.4	49	20	8	6	-	-	-	-	-	-	2	1	1	1	1	NORTHAMPTON.
-	-	91,148	10.9	16.6	14.9	14.3	0.6	42	25	7	7	-	-	1	-	-	-	2	2	2	4	3	IPSWICH.
-	-	69,805	15.7	11.2	14.9	17.9	-	29	24	3	9	-	-	-	-	-	-	-	-	2	3	-	GREAT YARMOUTH.
-	-	52,089	24.0	23.0	18.0	22.0	6.0	33	22	6	7	-	2	-	3	1	-	2	3	1	-	-	NORWICH.
-	-	115,538	24.4	29.8	23.9	24.8	7.7	63	55	16	17	-	-	-	-	1	-	1	2	3	-	-	PLYMOUTH.
-	-	114,003	30.6	20.1	21.5	20.1	0.9	64	44	7	12	-	-	1	-	-	-	-	1	4	2	-	DEVONPORT.
-	-	75,334	13.8	14.5	15.9	12.5	0.7	43	18	4	6	-	-	-	1	-	-	-	-	-	3	-	BRISTOL.
-	-	343,204	18.2	17.6	17.6	21.9	1.2	164	144	25	58	-	-	1	1	4	1	2	12	31	-	-	HANLEY.
-	-	63,932	22.8	14.7	14.7	29.4	2.4	52	36	8	12	-	-	1	1	-	-	-	4	3	1	-	BURTON-ON-TRENT.
-	-	51,934	16.1	11.0	14.1	14.1	1.0	31	14	3	2	-	-	-	1	-	-	1	1	1	2	-	WOLVERHAMPTON.
-	-	98,194	14.9	15.9	14.9	18.1	1.6	64	34	7	8	-	-	-	-	1	-	1	1	3	9	-	WALSALL.
-	-	91,432	17.1	24.5	17.7	21.7	4.0	63	38	10	10	-	-	-	1	1	5	-	3	3	4	-	HANDSWORTH.
-	-	59,634	9.6	8.7	15.7	14.0	1.7	21	16	3	4	-	-	-	-	1	1	-	-	-	1	-	WEST BROMWICH.
-	-	67,188	16.3	16.3	21.0	19.4	1.6	38	25	3	11	-	-	-	-	-	-	-	1	1	5	-	

* These towns are included within the area of Greater London.

* See note on first page of this return.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON and FOUR SCOTLAND or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES during the Week ended Saturday, 19th March, 1904, and DEATH-RATES during the preceding three weeks.

TOWNS.	Cols.	POPULATION estimated to the middle of the Year 1904.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the Week ended 19th Mar., 1904.		The DEATHS registered in the Week include										Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.		
			Week ended				Week ended		BIRTHS.	DEATHS.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.						
			27th Feb., 1904.	5th Mar., 1904.	12th Mar., 1904.	19th Mar., 1904.	Persons aged under 1 Year of Age.	Infants under 1 Year of Age.																	
																				9.				10.	11.
BIRMINGHAM -	-	537,965	22.7	21.1	22.0	24.6	3.7	362	254	67	65	-	4	4	3	19	1	7	3	8	51	7	BIRMINGHAM.		
KINGS NORTON -	-	66,667	10.2	15.6	13.3	15.6	-	41	20	9	4	-	-	-	-	-	-	-	2	2	-	-	-	KINGS NORTON.	
SMETHWICK -	-	60,691	14.6	20.6	12.0	19.8	-	36	23	7	8	-	-	-	-	-	-	-	-	1	1	-	-	SMETHWICK.	
ASTON MANOR -	-	80,363	13.6	13.0	16.9	19.5	1.9	50	30	5	11	-	-	1	-	2	-	-	3	3	3	1	1	ASTON MANOR.	
COVENTRY -	-	73,904	19.0	16.2	16.2	23.3	1.4	45	33	4	12	-	-	-	1	1	-	-	3	3	1	1	1	COVENTRY.	
LEICESTER -	-	224,186	13.3	16.5	14.0	22.3	0.9	113	96	23	35	1	-	-	-	2	-	1	4	8	19	-	-	LEICESTER.	
GRIMSBY -	-	66,958	17.9	19.5	14.0	12.5	3.1	33	16	5	5	-	-	1	1	1	-	1	-	-	3	-	-	GRIMSBY.	
NOTTINGHAM -	-	248,811	19.7	20.3	21.6	19.9	0.8	118	95	24	34	-	-	-	1	1	-	2	1	4	15	1	1	NOTTINGHAM.	
DERBY -	-	120,449	12.1	20.3	19.9	29.4	-	76	68	12	28	-	-	-	-	-	-	-	1	3	13	-	-	DERBY.	
STOCKPORT -	-	97,008	23.7	22.0	21.0	23.7	1.6	45	44	5	17	-	-	2	-	1	-	-	2	2	10	-	-	STOCKPORT.	
BIRKENHEAD -	-	114,814	17.3	20.9	23.2	22.3	2.3	88	49	10	11	-	-	-	1	3	1	-	2	5	9	-	-	BIRKENHEAD.	
WALLASEY -	-	60,354	16.4	17.3	13.0	20.7	4.3	28	24	7	9	-	-	1	-	-	4	-	1	2	-	-	1	WALLASEY.	
LIVERPOOL -	-	723,430	21.4	22.3	21.9	23.2	2.0	472	322	86	86	-	2	2	2	14	3	5	13	23	93	13	-	LIVERPOOL.	
BOOTLE -	-	61,755	22.8	22.0	20.3	10.1	-	32	12	1	6	-	-	-	-	-	-	-	-	-	3	-	-	BOOTLE.	
ST. HELENS -	-	88,545	27.1	25.9	20.6	25.3	5.9	66	43	11	9	-	-	6	-	-	4	-	-	-	9	3	-	ST. HELENS.	
WIGAN -	-	62,800	23.2	25.7	24.9	27.4	-	35	33	12	6	-	-	-	-	-	-	-	1	1	2	-	-	WIGAN.	
WARRINGTON -	-	67,331	27.1	20.9	19.4	31.0	5.4	44	40	10	5	-	-	2	1	-	3	-	1	1	3	3	3	WARRINGTON.	
BOLTON -	-	175,744	16.0	13.4	16.3	20.5	3.6	98	69	18	19	-	-	-	2	1	7	1	2	5	6	-	-	BOLTON.	
BURY -	-	68,450	16.1	20.5	13.4	25.9	2.7	27	29	4	11	-	-	3	-	-	-	-	-	-	-	-	1	BURY.	
MANCHESTER† -	-	557,938	20.7	21.3	23.0	27.4	1.9	326	293	77	84	-	-	12	-	1	4	2	1	10	16	65	1	MANCHESTER.†	
SALFORD -	-	228,983	19.8	17.5	19.8	22.3	3.9	121	98	22	25	-	-	6	-	1	6	3	1	5	7	21	-	-	SALFORD.
OLDHAM -	-	139,497	16.8	20.9	20.6	20.2	2.2	68	54	14	15	-	2	1	1	1	1	-	1	3	2	1	1	1	OLDHAM.
ROCHDALE -	-	85,601	21.9	16.4	20.1	23.1	3.7	32	38	10	10	-	-	4	-	-	2	-	-	2	1	1	1	1	ROCHDALE.
BURNLEY -	-	100,569	21.8	18.7	17.6	17.6	2.6	47	34	3	11	-	-	4	-	-	1	-	3	3	2	1	1	1	BURNLEY.
BLACKBURN -	-	132,134	17.8	17.8	15.8	17.0	1.6	66	43	16	11	-	-	4	-	-	-	-	-	-	1	2	-	-	BLACKBURN.

TOWNS.	Colts.	Deaths of										Deaths from							TOWNS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
		Persons aged 60 Years and upwards.					Infants under 1 year of Age.					Small-pox.		Measles.		Scarlet Fever.		Diphtheria.		Whooping-cough.		Fever.		Dysentery.		Violence.		Inquest Cases.		Deaths in Public Institutions.		Unidentified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Colts.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Colts.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
POPULATION estimated in middle of the Year 1904.*		27th Feb., 1904.		5th Mar., 1904.		12th Mar., 1904.		19th Mar., 1904.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS.		DEATHS.		BIRTHS	

TABLE 2. LONDON.—Births and Deaths Registered in the ELEVENTH Week of each of the Eleven Years, 1894–1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894–1903.*	1904
TOTAL Births -	2558	2821	2806	2551	2576	2613	2628	2607	2628	2596	2736·6	2576
Males - -	1287	1451	1435	1288	1332	1326	1315	1290	1352	1324	1389·9	1287
Females - -	1271	1370	1371	1263	1244	1287	1313	1317	1276	1272	1346·7	1289
TOTAL Deaths -	1608	2817	1752	1531	1869	2099	1659	1571	1936	1521	1904·7	1608
Males - -	862	1310	898	806	934	1030	851	799	937	773	954·3	862
Females - -	746	1507	854	725	935	1069	808	772	999	748	950·4	746

* The numbers in this column are the average weekly numbers in the eleventh week of the ten years 1894–1903, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Dec. 26.	1904. Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	1905. Week
TOTAL Births -	1802	2828	2862	2589	2515	2434	2748	2637	2737	2456	2364	2712	2577	3352
TOTAL Deaths -	1204	1866	1731	1677	1549	1734	1554	1574	1539	1467	1594	1796	1680	2104
Ages at Death														
Under 1 year -	262	408	384	357	313	333	349	316	345	326	350	397	335	444
1–5 years -	128	209	176	160	150	189	164	183	206	158	197	230	216	256
5–20 " -	60	82	84	82	77	82	68	70	72	65	79	88	73	86
20–40 " -	140	235	194	208	194	211	181	191	180	167	172	188	212	244
40–60 " -	280	380	323	349	332	355	297	307	299	313	306	299	327	414
60 yrs. & upwds.	354	552	570	521	483	564	495	507	487	438	490	594	517	666
Deaths from—														
Small-pox† - -	1	-	-	-	-	-	-	-	1	1	-	1	1	6
Measles - -	40	59	58	49	46	38	31	37	42	32	43	66	69	104
Scarlet Fever - -	7	9	10	10	10	9	3	4	17	5	5	6	2	14
Diphtheria - -	9	27	14	11	10	25	13	12	17	18	23	17	17	24
Whooping-cough -	21	35	28	37	29	43	45	52	55	41	52	54	51	58
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	9	10	5	8	5	3	4	8	2	5	3	4	2	14
Pyæmia (Origin uncertain). -	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery	15	27	16	19	25	17	20	13	16	28	20	18	19	24
All above Diseases -	102	167	131	135	125	135	116	126	142	130	146	166	161	194
Dis. of Resp. System	139	230	250	219	210	260	193	165	195	180	202	235	205	264
Pneumonia - -	132	176	185	189	145	171	157	159	154	142	169	179	170	210
Phthisis - -	142	183	150	180	180	178	160	139	146	147	156	162	168	204
Dis. of Circ. System -	153	246	240	202	182	229	206	236	220	205	197	221	230	274
Violence - -	49	77	73	65	50	57	59	78	53	51	57	68	69	94
Inquest Cases -	127	195	203	177	144	158	127	189	150	125	150	190	161	194
Deaths in Institutions	424	644	549	613	545	605	541	548	572	497	533	603	554	714
TEMPERATURE OF THE AIR.														
Mean - -	40·2	32·6	39·8	42·1	35·7	40·9	40·6	42·1	38·8	38·3	37·3	40·5	40·8	50·1
Mean of Highest -	42·9	35·7	43·9	46·4	41·2	44·3	45·7	47·7	43·9	43·0	37·3	48·0	50·1	54·4
Mean of Lowest -	37·1	28·8	34·3	36·6	29·1	37·1	35·6	36·5	33·4	34·8	29·8	34·1	31·5	45·8
Mean Humidity of the Air.	89	78	91	82	92	86	87	81	81	75	82	84	77	84
Rain-fall (in inches) -	0·00	0·09	0·29	0·69	0·18	0·92	1·15	1·27	0·45	0·03	0·52	0·24	0·06	1·04
Registered Sunshine (in hours).	0·3	8·7	2·9	9·2	4·3	8·7	15·0	14·2	10·3	6·7	6·4	26·3	28·2	14·4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox - -	27	26	26	28	24	21	25	24	29	31	41	54	74	104
Scarlet Fever - -	1617	1632	1659	1660	1679	1651	1657	1644	1620	1587	1578	1601	1624	1614
Diphtheria - -	770	739	732	749	758	760	782	767	763	787	764	780	807	807
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	1	1	1
Enteric Fever - -	259	246	235	191	184	166	161	139	129	125	118	102	94	104

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholm Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; E. Simpson, Esq., Wrotham, Wrotham; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; and H. B. Witty, Esq., E.

TABLE 4. LONDON.—DEATHS Registered in the ELEVENTH Week of the Year 1904.

Forms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.		Deaths in the 11th week of the year 1903.	1904—Deaths of Persons of the Ages							Deaths in the 11th week of the year 1903.	1904—Deaths of Persons of the Ages							
			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.	
				0-1.	1-5.	5-20.						0-1.	1-5.	5-20.				
CAUSES		1903	1680	335	216	73	212	327	517		1903	14	5	5	2	1	-	1
				1	-	-	1	-	-		19	14	-	-	2	1	-	1
				1	1	-	-	-	-		22	14	-	-	3	8	3	4
				-	-	-	-	-	-		9	8	-	-	1	3	4	-
				-	-	-	-	-	-		25	19	18	1	-	-	-	-
				-	-	-	-	-	-		1	3	-	-	-	1	2	1
				-	-	-	-	-	-		4	4	-	-	-	3	1	-
				-	-	-	-	-	-		4	17	2	1	1	1	2	10
				-	-	-	-	-	-		20	-	-	-	-	-	-	-
				-	-	-	-	-	-		41	50	-	-	4	7	17	22
				-	-	-	-	-	-		35	35	-	-	4	5	26	34
				-	-	-	-	-	-		18	19	-	1	-	1	3	4
				-	-	-	-	-	-		4	5	-	-	2	2	1	-
				-	-	-	-	-	-		1	1	-	-	-	-	1	-
				-	-	-	-	-	-		88	120	-	-	2	6	40	72
				-	-	-	-	-	-		2	-	-	-	-	-	-	-
				-	-	-	-	-	-		124	184	27	13	1	7	37	100
				-	-	-	-	-	-		4	11	-	-	-	1	6	4
				-	-	-	-	-	-		4	1	-	-	-	1	-	-
				-	-	-	-	-	-		11	9	2	2	1	1	1	2
				-	-	-	-	-	-		1	-	-	-	-	-	-	-
				-	-	-	-	-	-		5	6	2	2	-	1	1	-
				-	-	-	-	-	-		7	5	4	1	-	-	-	-
				-	-	-	-	-	-		4	4	-	-	2	1	1	-
				-	-	-	-	-	-		14	20	-	-	-	4	11	5
				-	-	-	-	-	-		9	4	-	-	-	1	-	-
				-	-	-	-	-	-		40	42	10	-	7	7	11	15
				-	-	-	-	-	-		6	6	-	1	1	2	1	1
				-	-	-	-	-	-		49	51	-	-	1	4	16	30
				-	-	-	-	-	-		10	7	-	-	-	2	-	-
				-	-	-	-	-	-		5	2	1	-	-	-	1	-
				-	-	-	-	-	-		4	3	-	-	-	3	-	-
				-	-	-	-	-	-		54	58	-	-	-	-	-	58
				-	-	-	-	-	-		96	108	74	15	2	5	4	8
				-	-	-	-	-	-									
				-	-	-	-	-	-									
				-	-	-	-	-	-									
				-	-	-	-	-	-									
				-	-	-	-	-	-									
				-	-	-	-	-	-									
				-	-	-	-	-	-									
				-	-	-	-	-	-									
				-	-	-	-	-	-									
				-	-	-	-	-	-									
				-	-	-	-	-	-									
				-	-	-	-	-	-									
				-	-	-	-	-	-									
				-	-	-	-	-	-									
				-	-	-	-	-	-									
				-	-	-	-	-	-									
				-	-	-	-	-	-									
				-	-	-	-	-	-									
				-	-	-	-	-	-									
				-	-	-	-	-	-									
				-	-	-	-	-	-									
				-	-	-	-	-	-									
				-	-	-	-	-	-									
				-	-	-	-	-	-									
				-	-	-	-	-	-									
				-	-	-	-	-	-									
				-	-	-	-	-	-									
				-	-	-	-	-	-									
				-	-	-	-	-	-									
				-	-	-	-	-	-									
				-	-	-	-	-	-									
				-	-	-	-	-	-									
				-	-	-	-	-	-									
				-	-	-	-	-	-									
				-	-	-	-	-	-									
				-	-	-	-	-	-									
				-	-	-	-	-	-									

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

Population, Births, and Deaths in London Sub-Districts.

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 19th March, 1904.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include													
				Deaths of		Deaths from											
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia† (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths from other causes.
LONDON - - -	4,536,541	2577	1680	335	517	1	69	2	17	51	-	2	-	19	69	161	56
WEST DISTRICTS - - -	805,311	406	293	60	88	-	20	-	-	5	-	1	-	4	13	30	7
NORTH DISTRICTS - - -	1,056,070	523	372	65	128	-	11	2	3	8	-	1	-	1	6	23	10
CENTRAL DISTRICTS - - -	209,465	121	82	15	15	-	3	-	1	2	-	-	-	-	4	10	3
EAST DISTRICTS - - -	715,739	500	274	55	76	-	12	-	3	14	-	-	-	5	24	49	11
SOUTH DISTRICTS - - -	1,749,956	1027	617	140	198	1	23	-	10	22	-	-	-	7	22	49	17
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	42	-	12	-	-	-	-	-	-	-	-	2	-	-	4
WEST DISTRICTS.																	
Mary Paddington } G. & W.	93,178	50	26	4	7	-	-	-	-	-	-	-	-	-	1	2	-
John Paddington } H - - G.	33,617	7	12	2	5	-	-	-	-	-	-	-	-	-	2	3	-
North-West Paddington - - C.	17,181	7	6	2	2	-	1	-	-	-	-	-	-	-	-	-	-
Paddington Town 2W, w, 2H G., W. & C.	128,037	57	57	12	16	-	5	-	-	-	-	-	-	-	2	5	1
St. Martin-in-the-Fields 2H - - W. & C.	48,591	5	17	-	9	-	-	-	-	-	-	-	-	-	1	2	-
North Hammersmith W, w, 2H } W. & G.	49,192	40	21	7	5	-	7	-	-	-	-	-	-	1	1	2	-
North Hammersmith w, 2H } W. & G.	63,047	41	30	10	6	-	4	-	-	-	-	-	-	2	2	3	-
North-west Fulham W } W. & C.	45,180	36	20	4	6	-	-	-	1	-	1	-	-	1	-	2	1
North-east Fulham F } W. & C.	48,405	28	11	5	2	-	-	-	1	-	-	-	-	-	-	2	-
North Fulham W } W. & C.	45,704	38	12	5	3	-	-	-	1	-	-	-	-	-	-	-	-
Chelsea North W, w, 3H - - C.	42,514	25	28	3	11	-	-	-	-	2	-	-	-	-	2	4	-
Chelsea South 2H - - C.	31,328	17	8	1	4	-	1	-	-	-	-	-	-	-	-	2	-
St. James's Park and Knightsbridge } C. & G.	28,743	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. James's Park W, 2H - - C.	55,815	25	26	4	5	-	-	-	-	-	-	-	-	-	1	1	-
Margaret & St. John 4H - C.	43,698	12	8	-	3	-	-	-	-	-	-	-	-	-	1	2	-
St. James Westminster } N. & G.	21,588	10	4	-	2	-	1	-	-	-	-	-	-	-	-	-	-
St. James Soho 5H - - N.	11,493	4	4	1	1	-	1	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
Souls Marylebone 8H - W.	35,391	10	20	4	4	-	1	1	-	-	-	-	-	-	-	1	-
St. Mary Marylebone W G. & W.	19,849	7	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Mary Marylebone 4H G. & W.	18,099	45	6	3	2	-	1	-	-	-	-	-	-	-	-	1	-
St. Christopher Marylebone H- W.	39,536	18	10	1	3	-	1	-	-	-	-	-	-	-	-	-	-
St. John Marylebone 3H - W.	20,426	6	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-
St. Pancras W, F, 3H - N. & W.	81,942	29	25	3	9	-	-	1	1	1	-	-	-	-	1	2	-
St. Pancras 2H - - W.	60,562	31	20	3	5	-	1	-	-	-	-	-	-	-	-	-	-
St. Pancras Court w, 6H N. & W.	21,253	11	18	3	1	-	1	-	-	-	-	-	-	-	-	1	-
St. Pancras Inn Lane 4H - N.	34,449	16	17	2	6	-	1	-	1	1	-	-	-	-	-	3	-
St. Pancras W, 2H - - N.	60,320	34	22	1	6	-	1	-	-	-	-	-	-	-	1	2	-
St. Pancras 2W - - N.	58,728	28	26	5	9	-	2	-	-	2	-	-	-	-	-	-	-
St. Pancras W - - N.	31,995	9	23	4	12	-	-	-	1	-	-	-	-	1	-	-	-
St. Pancras Holloway 2W, w, 2H - N.	33,978	23	29	4	7	-	-	-	-	-	1	-	-	-	-	-	-
St. Pancras Holloway - - N.	33,922	12	9	-	4	-	-	-	-	-	-	-	-	-	1	2	-
St. Pancras Holloway - - N.	41,424	19	9	4	2	-	-	-	-	1	-	-	-	-	-	1	-
St. Pancras Holloway - - N.	54,478	23	18	5	4	-	1	-	-	-	-	-	-	-	1	2	-
St. Pancras Holloway South-east F - N.	75,397	35	21	2	10	-	1	-	-	-	-	-	-	-	-	-	-
St. Pancras Holloway 2H - - N.	63,797	20	8	2	4	-	-	-	-	-	-	-	-	-	-	-	-
St. Pancras Holloway H - - N.	51,247	22	16	2	10	-	-	-	-	1	-	-	-	-	-	1	-
St. Pancras Holloway H - E. & N.	50,560	22	12	4	5	-	-	-	-	1	-	-	-	-	1	2	-
St. Pancras Holloway 2w, F - E. & N.	50,536	30	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Pancras Holloway 3H - E. & N.	59,921	37	19	3	5	-	-	-	-	-	-	-	-	-	-	-	-
St. Pancras Holloway 2W, w, H E. & N.	58,255	36	30	6	15	-	-	-	-	1	-	-	-	-	1	4	-

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein:—W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts; H—Hospital; F—Fever Hospital; H—another Hospital; L—Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G, signifying the Grand Junction Company; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River; E, East London; and K, the Kent Company.

* See note * on first page of this return.

† Formerly described as "Simple Continued Fever."

5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered each SUB-DISTRICT during the Week ended Saturday, 19th March, 1904—continued.

The DEATHS registered during the Week include																		
POPULATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.			
CENTRAL DISTRICTS.																		
St. Pancras and Bloomsbury W, 2H N.	31,436	22	9	2	1	-	1	-	-	-	-	-	-	-	-	1	1	
St. Pancras W, 4H - - - N. & O.	21,674	2	12	3	1	-	1	-	-	-	-	-	-	-	-	1	8	
Union Workhouse, Edmonton -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	
St. Pancras W, 6H - - - N.	29,612	21	21	3	2	-	1	-	1	2	-	-	-	-	-	1	2	
Clerkenwell - - - N.	28,676	12	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Clerkenwell H - - - N.	35,028	18	10	4	3	-	-	-	-	-	-	-	-	-	-	1	1	
St. Pancras W, 3H, L - - - N.	36,116	30	8	2	2	-	-	-	-	-	-	-	-	-	-	-	2	
Union Workhouse, } St. Pancras - - -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	
St. Pancras H - - - N. & E.	10,299	7	4	1	1	-	-	-	-	-	-	-	-	-	-	1	-	
St. Pancras Clerkenwell and Allhallows } N.	16,624	9	14	-	2	-	-	-	-	-	-	-	-	-	-	2	4	
London Asylum, Stone - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EAST DISTRICTS.																		
St. Paul's South H, L - E. & N.	16,369	7	5	-	3	-	-	-	-	-	-	-	-	-	-	-	1	
St. Paul's New Town W, H - - N.	29,761	9	10	1	4	-	-	-	-	1	-	-	-	-	1	2	3	
St. Paul's Old Town - - - N.	26,504	17	4	3	1	-	-	-	-	-	-	-	-	-	-	2	2	
St. Paul's Easton W - - - N. & E.	46,003	30	16	1	7	-	2	-	-	-	-	-	-	-	-	-	7	
St. Paul's Union Workhouse, Wood } St. Paul's - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Paul's Green North 2H - - E.	51,514	31	15	7	-	-	1	-	-	-	-	-	-	-	-	1	5	
St. Paul's Green South - - - E.	33,472	23	9	2	3	-	-	-	-	-	-	-	-	-	-	3	2	
St. Paul's Green East 2W, H, L - E.	44,694	34	20	1	10	-	-	-	-	-	-	-	-	-	-	2	16	
St. Paul's Fields - - - E. & N.	27,969	19	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Paul's New Town W, H - - E.	28,718	23	40	3	10	-	-	-	1	3	-	-	-	-	-	6	11	
St. Paul's St. Paul's Fields - - - E.	22,081	9	8	4	1	-	-	-	-	1	-	-	-	-	1	1	2	
St. Paul's George and St. John 2W E.	49,068	54	17	3	5	-	3	-	-	3	-	-	-	-	-	2	6	
St. Paul's Bell and Ratcliff W, H E. & N.	25,568	15	20	8	3	-	-	-	1	-	-	-	-	-	-	1	1	
St. Paul's House - - - - - E.	32,369	21	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. Paul's Old Town West H - E.	59,479	51	20	7	2	-	2	-	-	-	-	-	-	-	1	-	3	
St. Paul's Old Town East } - E.	53,348	25	16	3	5	-	1	-	-	1	-	-	-	-	1	1	2	
St. Paul's Ley - - - - - E.	41,989	24	17	4	7	-	3	-	1	1	-	-	-	-	1	-	-	
St. Paul's W, 3W, H - - - - E.	68,319	56	40	2	10	-	-	-	-	1	-	-	-	-	-	7	11	
St. Paul's W, w - - - - - E.	58,514	52	13	4	4	-	-	-	-	3	-	-	-	-	-	1	2	

Population, Births, and Deaths in London Sub-Districts.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 19th March, 1904—continued.

REGISTRATION SUB-DISTRICTS.			Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include												Inquest Cases.		
						Deaths of		Deaths from												
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.			
SOUTH DISTRICTS.																				
Christchurch Southwark W, H, & S.			11,263	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	6
Saviour Southwark H - S.			12,056	5	21	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-
ent-road - S. & L.			21,904	12	5	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
George the Martyr } S. & L.			39,094	36	11	3	3	-	1	-	-	1	-	-	-	-	-	-	-	3
West W, 2H, L - }			49,022	27	15	3	1	-	2	-	-	1	-	-	-	-	-	-	-	1
ewington North* - S. & L.			72,841	43	18	9	3	-	1	-	-	1	-	-	-	-	-	1	-	1
ewington South* W - S. & L.																				
Olave 2W - - - S.			9,817	6	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
rmondsey W - - - S.			82,483	48	14	6	1	-	-	-	-	-	-	-	-	-	-	2	-	4
therhithe W, F - - S. & K.			38,460	15	23	3	9	1	1	-	-	1	-	-	-	-	1	-	-	-
Waterloo-road 2H - - L. & S.			27,440	16	7	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-
umbeth Church 1st H - L. & S.			18,423	17	20	4	5	-	2	-	-	-	-	-	-	-	1	-	-	-
umbeth Church 2nd 2W - L. & S.			39,818	27	38	5	15	-	1	-	-	1	-	-	-	-	-	-	-	2
ennington 1st H - - S. & L.			53,198	50	13	3	5	-	-	-	-	1	-	-	-	-	1	-	-	-
ennington 2nd H - - S. & L.			42,896	26	19	6	9	-	1	-	-	-	-	-	-	-	-	1	-	1
ixton F - - - L. & S.			84,232	45	32	8	8	-	-	-	-	1	-	-	-	-	-	-	-	-
orwood W, H - - - L.			35,888	14	9	1	6	-	-	-	-	-	-	-	-	-	-	-	-	-
ast Battersea - - - S.			72,203	55	20	8	3	-	-	-	-	-	1	-	-	-	-	-	-	2
orth-west Battersea - - S.			49,656	24	15	3	6	-	-	-	-	3	-	-	-	-	-	-	-	-
uth-west Battersea W, H - S.			47,048	15	31	3	10	-	1	-	-	-	-	-	-	-	-	1	-	1
apham 2H - - - S.			51,361	23	13	3	6	-	-	-	-	-	-	-	-	-	1	-	-	-
reatham W, 2w, 2F, 2L - L.			88,131	58	31	7	14	-	-	-	-	1	-	-	-	-	2	1	-	3
pringfield 2W, L - - S.			27,959	24	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1
uthfields H - - - S.			40,444	27	9	3	3	-	-	-	1	1	-	-	-	-	-	-	-	-
utney - - - - S.			24,139	10	7	2	4	-	-	-	-	-	-	-	-	-	-	1	-	1
ulwich - - - L. & S.			10,247	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
umberwell 2W w, 2L - S. & L.			90,465	48	44	3	20	-	1	-	-	1	-	-	-	-	-	1	-	1
ckham 2W, w - S., L. & K.			93,038	47	25	6	9	-	2	-	-	1	-	-	-	-	-	2	-	3
George Camberwell - L. & S.			65,589	44	19	8	4	-	2	-	-	1	-	-	-	-	-	-	-	1
eptford North - - - K.			37,613	26	15	5	2	-	1	-	-	1	-	4	-	-	-	-	-	1
eptford Central F - - K.			45,481	31	8	2	4	-	-	-	-	-	-	-	-	-	-	-	-	2
eptford South - - - K.			34,625	16	8	1	4	-	-	-	-	1	-	-	-	-	-	-	-	1
reenwich West 2H - - K.			23,456	11	4	2	1	-	-	-	-	-	-	-	-	-	-	1	-	1
reenwich East 2W, H - K.			43,859	28	33	6	6	-	-	-	-	1	-	-	-	-	-	3	-	4
ltham w, H - - - K.			7,226	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ee H - - - K.			25,490	12	8	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
ewisham W, w, F - - K.			58,352	40	27	3	10	-	1	-	-	1	-	1	-	-	-	1	-	2
edenham H - - - L.			43,653	26	8	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-
harlton F, 2H - - - K.			21,134	8	6	-	3	-	-	-	-	3	-	-	-	-	-	-	-	1
oolwich 4H - - - K.			41,625	23	8	3	3	-	-	-	-	-	-	-	-	-	-	1	-	-
umstead West W - - K.			18,063	9	4	1	2	-	-	-	-	-	-	-	-	-	-	1	-	3
umstead East 2W, H - K.			50,264	26	19	4	5	-	1	-	-	1	-	1	-	-	-	1	-	2
ondon County Asy., Banstead - -			-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
orton Manor Asylum - - -			-	-	7	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
ondon County Asy., Epsom - -			-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-
et. Asy. for Imbeciles, Caterham -			-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
ondon County Asy., Cane Hill - -			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A.B. Hospitals, Dartford - - -			-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
et. Asy. for Imbeciles, Darenth -			-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ondon County Asylum, Dartford } Heath - - - - -			-	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
ondon County Asylum, Hanwell -			-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
entral London Sick Asy., Hendon -			-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ondon County Asy., Colney Hatch -			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
A.B. North-Eastern Hospital - -			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
A.B. Northern Hospital - - -			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
et. Asy. for Imbeciles, Leavesden -			-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ondon County Asylum, Claybury -			-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
ondon Co. Asy. Epileptic Colony -			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* On 1st March, 1904, the sub-districts of Trinity Newington, St. Peter Walworth, and St. Mary Newington abolished, and divided into two new sub-districts entitled Newington North and Newington South respectively.

Area, Population, Births, and Deaths in Outer Ring.

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 19th March, 1904.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
					Deaths of			Deaths from										
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	
LONDON—OUTER RING	368,580	2,044,861	1,332	601	131	201	-	24	4	5	17	2	4	17	39	104		
Carshalton <i>w,2F,2H</i> -	12,228	32,997	15	5	-	-	-	-	-	-	1	-	-	-	-	-	1	
Epsom, <i>part of</i> * <i>W,w,2F,H</i> -	10,423	15,548	3	4	1	3	-	-	-	-	-	-	-	-	-	-	2	
Godstone, <i>part of</i> * <i>W,F</i> -	2,754	2,692	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Coulsdon -	-	11,069	8,166	2	2	1	-	-	-	-	-	-	-	-	1	1	-	
South Croydon -	-	4,200	49,309	22	16	22	10	-	3	-	-	1	-	-	-	-	-	
West Croydon <i>3W,F,H</i> -	-	2,168	42,888	29	25	22	13	-	-	-	1	-	-	-	-	1	14	
North Croydon <i>H</i> -	-	2,644	41,698	32	15	6	2	-	-	-	-	-	-	1	-	-	-	
Penge <i>w</i> -	-	770	22,465	12	5	-	2	-	-	-	-	2	-	-	-	-	-	
Mitcham <i>w</i> -	-	11,689	29,903	11	9	4	3	-	-	-	-	-	-	-	1	1	-	
Wimbledon <i>F,3H</i> -	-	3,221	41,652	21	13	4	4	-	-	-	-	-	-	-	-	-	1	
Kingston <i>W,H</i> -	-	6,224	42,068	29	20	2	8	-	1	1	1	-	-	-	2	2	4	
Surbiton <i>F,H</i> -	-	3,046	15,017	8	5	-	2	-	-	-	-	-	-	-	1	1	1	
Esher, <i>part of</i> * <i>H</i> -	-	5,402	13,100	8	4	3	1	-	-	-	-	-	-	-	-	-	-	
Hampton <i>H,L</i> -	-	4,564	23,456	16	7	2	2	-	2	-	-	1	-	-	-	2	-	
Richmond <i>W,H</i> -	-	2,162	28,865	7	3	1	2	-	-	-	-	-	-	-	-	-	-	
Mortlake <i>F</i> -	-	2,847	20,628	11	3	-	1	-	-	-	-	-	-	-	-	-	-	
Bromley <i>F,2H</i> -	-	4,703	27,354	17	3	-	3	-	-	-	-	-	-	-	-	-	1	
Beckenham <i>H</i> -	-	7,825	28,497	17	7	2	1	-	-	-	-	-	-	-	-	-	1	
Orpington, <i>part of</i> * <i>W</i> -	-	10,113	9,857	3	2	-	2	-	-	-	-	-	-	-	-	-	1	
Chislehurst <i>2H</i> -	-	7,333	16,446	9	5	1	1	-	-	-	-	-	-	-	-	-	1	
Bexley <i>F,H</i> -	-	8,678	21,151	10	8	3	1	-	-	-	-	-	-	-	1	1	-	
Erith <i>F,H</i> -	-	3,854	25,296	24	6	2	1	-	-	-	-	-	-	-	-	-	1	
Dartford <i>W,F</i> , <i>part of</i> * -	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Sunbury <i>w</i> -	-	11,054	18,683	12	2	1	1	-	-	-	-	-	-	-	-	1	2	
Staines <i>W,H</i> -	-	13,277	15,178	5	5	2	3	-	-	-	-	-	-	-	-	-	-	
Hillingdon <i>W,F,H</i> -	-	6,035	13,661	8	6	-	2	-	-	-	-	-	-	-	1	1	4	
Uxbridge -	-	12,757	8,984	7	1	1	-	-	-	-	-	-	-	-	-	-	-	
Hayes <i>w,F,H</i> -	-	8,066	16,358	13	2	-	1	-	-	-	-	-	-	-	-	-	-	
Isleworth <i>3W,2F,H</i> -	-	6,859	30,863	24	15	3	7	-	1	-	-	-	-	-	-	-	2	
Twickenham <i>F,H</i> -	-	2,421	20,991	16	9	1	5	-	-	-	-	-	-	-	-	-	-	
Brentford <i>2F,2H,L</i> -	-	4,319	48,289	35	21	2	11	-	-	-	-	-	-	1	2	2	1	
Chiswick <i>H</i> -	-	1,249	29,809	18	12	2	3	-	1	-	-	-	-	-	1	1	-	
Acton <i>w,3H</i> -	-	6,132	48,914	52	16	8	4	-	1	-	-	-	-	-	-	-	-	
Harrow <i>F,H</i> -	-	13,809	25,523	9	4	-	2	-	-	-	-	-	-	-	-	-	-	
Edgware <i>F,2H</i> -	-	6,994	4,521	1	1	1	-	-	-	-	-	-	-	-	-	-	-	
Willesden <i>W,F,2H</i> -	-	4,384	114,811	99	35	10	10	-	1	1	-	-	-	1	1	3	9	
Hendon <i>W,F</i> -	-	8,382	22,450	8	5	1	1	-	-	-	-	-	-	-	-	-	2	
South Mimms <i>2F,H</i> -	-	17,755	7,308	3	1	-	-	-	-	-	-	-	-	-	1	1	5	
Barnet <i>W,3H</i> -	-	3,324	17,970	6	8	-	3	-	-	-	-	-	-	-	-	1	-	
Finchley <i>F,2H</i> -	-	4,688	33,692	18	3	-	2	-	-	-	-	-	-	-	-	-	-	
Hornsey <i>F,H</i> -	-	2,875	72,056	25	13	2	9	-	-	-	-	-	-	-	-	-	-	
Wood Green <i>H</i> -	-	1,625	34,233	28	8	3	2	-	1	-	-	1	-	-	-	-	-	
West Tottenham <i>F</i> -	-	996	48,853	36	15	2	6	-	-	-	-	-	-	-	-	-	1	
East Tottenham <i>F,H</i> -	-	2,017	53,688	39	17	6	5	-	1	-	-	-	-	-	-	1	2	
Edmonton <i>W,w,2F</i> -	-	7,491	61,892	51	21	7	5	-	2	-	-	-	-	-	1	1	1	
Enfield <i>2W,F,H</i> -	-	12,601	42,738	34	7	-	2	-	-	-	-	-	1	-	-	-	-	
Waltham Abbey -	-	11,017	6,549	4	2	1	-	-	-	-	-	2	-	-	-	-	-	
Cheshunt <i>F,H</i> -	-	8,479	12,292	13	8	3	1	-	-	-	-	-	-	-	-	-	-	
Hatfield, <i>part of</i> * <i>W</i> -	-	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bushey <i>H</i> -	-	9,333	9,173	6	-	-	-	-	-	-	-	-	-	-	-	-	-	
Watford <i>W,2F</i> , <i>part of</i> * -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Stratford <i>H</i> -	-	1,072	44,827	26	8	2	1	-	-	-	-	2	-	-	1	2	1	
Plaistow <i>F,2H</i> -	-	1,249	90,921	68	34	11	4	-	4	-	-	-	-	1	-	-	-	
Canning Town <i>H</i> -	-	1,556	70,718	49	11	4	2	-	-	-	-	-	-	-	-	-	-	
Forest Gate <i>w</i> -	-	806	60,892	22	12	5	1	-	1	-	-	-	-	-	-	-	-	
North East Ham <i>w</i> -	-	1,333	58,676	39	16	1	8	-	-	-	-	-	-	-	-	-	-	
South East Ham <i>3F</i> -	-	1,993	37,342	36	7	1	1	-	-	-	2	-	-	-	-	-	-	
Wanstead <i>F</i> -	-	1,579	51,179	3	2	-	2	-	-	-	-	-	-	-	-	-	-	
South Leyton <i>2W</i> -	-	651	50,467	28	20	3	11	-	-	-	-	1	-	-	-	-	-	
North Leyton <i>W,w,F</i> -	-	1,963	48,445	33	26	1	-	-	-	-	-	2	1	-	-	-	-	
Walthamstow <i>3H,L</i> -	-	6,504	108,929	77	27	4	6	-	4	-	-	-	-	-	-	3	1	
Chigwell, <i>part of</i> * <i>2FAH</i> -	-	11,778	16,397	9	3	-	-	-	-	1	-	-	-	-	-	-	-	
Epping <i>W,F</i> , <i>part of</i> * -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Romford, <i>part of</i> * <i>W,2F</i> -	-	6,556	6,091	10	5	-	3	-	-	-	-	-	-	-	-	-	-	
Ilford <i>F,L</i> -	-	8,496	41,234	33	12	2	5	-	-	-	-	-	-	-	1	1	3	
Barking Town <i>F</i> -	-	3,803	21,547	21	8	5	-	-	-	-	-	2	-	-	-	1	-	
Middlesex County Asylum, Wandsworth.	-	-	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	
N. E. Hospital, Tottenham -	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

Births, Deaths, Meteorology, &c.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.
CUTTACK (including BURBS)	847,798	February 6	-	501	30·7	2	5	-	1	-	180†
BOMBAY - -	776,008	March 1	323	1420	85·2	14	6	-	-	1	883†
BARCELONA - -	509,348	-	-	-	-	-	-	-	-	-	-
BOMBAY - -	2,660,559	March 12	1069	1140	23·5	3	12	-	12*	10	14
BRUSSELS - -	575,896	-	-	-	-	-	-	-	-	-	-
BERLIN - -	281,378	-	-	-	-	-	-	-	-	-	-
AMSTERDAM -	547,370	March 5	298	146	13·9	1	9	-	2*	-	-
COPENHAGEN -	420,000	" 12	236	139	17·3	-	-	2	-	8	-
STOCKHOLM -	305,115	" 5	114	92	15·7	-	-	1	-	-	-
CHRISTIANIA -	225,709	" 12	105	75	17·3	-	-	-	-	-	-
PETERSBURG -	1,248,643	" 5	607	616	25·7	1	14	11	5*	5	7
PARIS - -	1,093,410	" 5	-	577	27·5	3	1	16	8*	1	3
LONDON - -	1,960,909	February 27	938	589	15·7	-	6	6	6*	10	1
BRUSSELS - -	751,842	March 12	-	222	15·4	-	-	2	2*	3	-
PRAGUE - -	445,403	" 12	-	196	22·9	-	-	-	2*	?	2
VIENNA - -	520,000	" 12	-	211	21·1	-	4	-	3*	5	-
VIENNA - -	1,779,869	" 12	1080	692	20·2	-	31	-	10*	4	-
PARIS - -	423,990	" 5	206	215	26·4	-	3	-	4*	1	1
PARIS-PESTH -	812,399	" 5	480	322	20·5	-	6	3	7*	3	-
PARIS - -	187,251	-	-	-	-	-	-	-	-	-	-
PARIS - -	496,201	{ January 23	270	219	23·3	-	3	-	-	2	9§
PARIS - -	166,288	{ " 30	268	226	24·0	-	3	-	2*	-	4
PARIS - -	166,288	March 5	80	72	22·5	-	-	-	-	-	2
PARIS - -	624,338	December 31	670	468	39·1	-	12	-	9*	?	24
ALEXANDRIA -	349,300	" 31	391	216	32·2	3	-	-	2*	-	2
NEW YORK - -	3,838,024	March 5	1843	1800	24·5	-	30	27	41*	3	8
PHILADELPHIA -	1,408,154	February 20	-	605	22·3	13	6	13	11*	-	12
PARIS - -	617,950	{ " 20	-	224	18·9	-	6	-	4*	-	-
PARIS - -	617,950	{ " 27	-	216	18·2	-	2	-	3*	-	1

* Including deaths from croup.

† Including 50 deaths from plague in Calcutta, and 832 in Bombay.

‡ Including 14 deaths from cholera.

§ Including 1 death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 19th March, 1904.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	55·5	26·4	40·8	0·06	HUDDERSFIELD -	54·0	26·0	38·7	0·0
GLASGOW - -	49·8	29·5	41·3	0·04	BRADFORD - -	53·6	27·6	40·2	0·0
GLASGOW - -	52·0	31·5	41·6	0·02	LEEDS - - -	56·0	30·0	39·9	0·0
GLASGOW - -	60·0	27·4	40·2	0·09	HULL - - -	58·0	26·0	40·1	0·0
GLASGOW - -	52·0	33·9	44·0	0·16					
GLASGOW - -	53·3	31·0	41·8	0·17	EDINBURGH - -	?	?	?	?
GLASGOW - -	-	-	-	-	GLASGOW - -	55·2	29·0	42·2	0·0
GLASGOW - -	51·7	29·4	40·6	0·12	GLASGOW - -	58·2	25·9	42·6	0·0
GLASGOW - -	53·0	27·2	39·6	0·27	DUBLIN { Phoenix Park.	60·8	30·0	44·7	0·0
GLASGOW - -	54·0	30·0	41·4	0·66	DUBLIN { Fitzwilliam Square.†				
GLASGOW - -	52·6	26·7	40·1	0·78	BELFAST - -	55·0	26·3	40·8	0·0
GLASGOW - -	52·5	29·0	40·7	0·65					

These figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of the report) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher's returns up to the 31st March, 1902, for the corresponding period to the above was 1·0° Fahrenheit being subtracted. See Table V. of Glaisher's Diurnal Range Tables.

1904. MONTH AND DAY		Phases of the Moon.	BARO- METER. Mean daily reading (cor- rected and re- duced to 32° Fahren- heit).	TEMPERATURE.					Difference between the Air Temperature and Dew Point Temperature.				Degrees of Hu- midity (Satu- ration equals 100).	TEMPERATURE.		Wind as deduced from Anemometers.				Rain collected in a Gauge whose receiving surface is 5 inches above the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
				Of the Air.			Of the Dew point	Of Radiation.			Of the Earth 3 feet below the Surface.	Oiler's.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
				High- est.	Low- est.	Daily Range.		Mean daily value.	De- parture from Average of 50 years.	Mean daily value.		Mean from Average value.		A.M.	P.M.	Great- est.	Least.	Mean hourly obs.	Horizontal Movement of the Average on each Day.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 159 feet above the mean level of the sea ; no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M. ; noon ; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1888 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1880, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875. In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.
The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.
The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: - P. positive ; N. negative ; w. weak ; m. moderate ; s. strong ; and v. variable.
The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.
The reading of the barometer decreased from 29.88 in. at the beginning of the week to 29.50 in. by 3h. P.M. on the 14th ; increased to 29.93 in. by 9h. M. on the 16th ; decreased

GENERAL REMARKS.

DATE.	REGISTERED SUNSHINE in hours.	SUNSHINE Horizon, in hours.	GENERAL REMARKS.
MARCH			
SUNDAY - 13	21	11.6	Overcast in morning ; fine and partially cloudy till evening ; cloudless at night. Solar halo in forenoon.
MONDAY - 14	09	11.7	Fine in early morning ; generally cloudy afterwards.
TUESDAY - 15	48	11.8	Overcast with slight sleet in early morning ; fine and partially cloudy afterwards. Hoar frost at night.
WEDNESDAY - 16	78	11.8	Very fine generally ; partially cloudy. Hoar frost in morning.
THURSDAY - 17	83	11.9	A very fine day and generally cloudless. Hoar frost in morning and at night.
FRIDAY - 18	38	12.0	Fine with small amounts of thin cloud generally till noon ; increasing amounts of cloud till evening ; overcast at night. Hoar frost in morning.
SATURDAY - 19	0.5	12.0	Generally overcast ; occasional slight showers. A very mild day.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 12th March, 1904.*

BOROUGHES.	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - - -	146,975	-	3	2	-	-	-	-	-	1
Kensington - - - - -	179,236	-	6	1	-	3	-	-	2	-
Hammersmith - - - - -	117,412	-	4	-	-	-	-	-	-	-
Fulham - - - - -	152,482	-	6	9	-	-	-	-	1	-
Chelsea - - - - -	74,329	-	6	4	-	-	-	-	1	-
City of Westminster - - -	177,321	-	4	-	-	1	-	-	2	-
NORTH.										
St. Marylebone - - - - -	130,337	-	4	2	-	-	-	-	2	1
Hampstead - - - - -	88,663	-	3	1	-	-	-	-	1	-
St. Pancras - - - - -	235,936	-	14	12	-	2	-	-	7	-
Islington - - - - -	341,044	-	9	7	-	1	-	-	1	1
Stoke Newington - - - - -	52,445	-	1	-	-	-	-	-	2	-
Hackney - - - - -	226,266	-	14	13	-	1	-	-	9	-
CENTRAL.										
Holborn - - - - -	57,161	1	3	2	-	-	-	-	1	-
Finsbury - - - - -	98,958	-	7	4	-	2	-	-	2	-
City of London - - - - -	23,482	-	-	-	-	-	-	-	-	-
EAST.										
Shoreditch - - - - -	117,033	-	8	1	-	1	-	-	2	-
Bethnal Green - - - - -	130,207	6	6	6	-	2	-	-	5	-
Stepney - - - - -	303,791	7	12	13	-	3	-	-	3	2
Poplar - - - - -	169,905	8	11	11	-	1	-	-	4	-
SOUTH.										
Southwark - - - - -	207,937	2	14	6	-	1	-	-	4	-
Bermondsey - - - - -	129,397	-	10	4	-	-	-	-	2	-
Lambeth - - - - -	310,359	-	9	4	-	-	-	-	8	-
Battersea - - - - -	175,465	-	3	3	-	2	-	-	4	-
Wandsworth - - - - -	257,586	-	12	3	-	1	-	-	4	-
Camberwell - - - - -	268,384	-	16	7	-	-	-	-	5	-
Deptford - - - - -	113,509	-	6	3	-	2	-	-	2	-
Greenwich - - - - -	101,651	-	2	2	-	-	-	-	-	-
Lewisham - - - - -	140,401	-	8	5	-	1	-	-	3	-
Woolwich - - - - -	123,416	-	12	2	-	-	-	-	-	1
Port of London - - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.		4,649,088	24	213	127	-	25	-	79	6
Ages										
0-1 - - - - -	-	-	3	3	-	-	-	-	5	-
" 1-5 - - - - -	-	1	67	53	-	-	-	-	6	-
" 5- - - - -	-	-	101	34	-	5	-	-	4	-
" 10- - - - -	-	1	25	13	-	8	-	-	-	-
" 15- - - - -	-	6	5	10	-	1	-	-	6	-
" 20- - - - -	-	3	5	4	-	5	-	-	6	1
" 25- - - - -	-	4	7	6	-	5	-	-	13	4
" 35- - - - -	-	3	-	2	-	1	-	-	7	1
" 45- - - - -	-	4	-	1	-	-	-	-	10	-
" 55- - - - -	-	2	-	1	-	-	-	-	11	-
" 65 and upwards - - - -	-	-	-	-	-	-	-	-	11	-
Age not stated - - - - -	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1904.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

~~~~~

By Authority of the Registrar General.

~~~~~

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 12. 1904. VOL. LXV.] WEEK ENDED SATURDAY, MAR. 26. [Price 1½d.

General Register Office, Somerset House,
March 28th, 1904.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 18·7 per 1000 of their aggregate population, which is estimated† at 15,271,425 persons in the middle of this year. In the preceding three weeks the rates had been 18·6, 19·0, and 19·7. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *all causes*, 23·2 in Oldham, 23·3 in Birmingham and in Burnley, 23·5 in Salford, 24·2 in Plymouth, 24·3 in Manchester, 24·5 in Birkenhead, 24·8 in Warrington, 28·7 in West Bromwich, and 30·0 in Stockton on Tees; from *measles*, 1·3 in Rhondda, 1·4 in Salford, 1·5 in Oldham and in Leeds, 1·6 in Manchester, 1·7 in Brighton, 2·1 in Sunderland, 2·2 in Stockport, 2·6 in Burnley, 4·1 in Norwich, and 5·3 in St. Helens; and from *whooping-cough*, 1·6 in Burnley, 1·9 in Birmingham, 2·0 in Salford, 2·6 in Aston Manor, 2·9 in Walsall, 3·0 in West Hartlepool, and 3·7 in Wolverhampton. One death from *small-pox* was registered in London, 1 in West Ham, 1 in Nottingham, 1 in Birkenhead, 1 in South Shields, and 1 in Tynemouth, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2423 BIRTHS and 1645 DEATHS were registered. Allowing for increase of population, the births were 274, and the deaths 325 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 17·9, 20·1 and 18·8 in the preceding three weeks, further fell last week to 18·4. During the four weeks ended on Saturday last the death-rate averaged 18·8 per 1000, being 2·9 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, and in certain local Small-pox Hospitals, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the recent Census, and on the increase in the last intercensal period.

The 1645 deaths included 1 from small-pox, 67 from measles, 4 from scarlet fever, 13 from diphtheria, 48 from whooping-cough, 3 from enteric fever, and 19 from diarrhœa, but not one death from typhus or from ill-defined pyrexia; thus, 155 deaths were referred to these diseases in the aggregate, being 49 below the corrected average weekly number.

The death from *small-pox* was that of a female aged 32 years, who had been removed from the Borough of Bethnal Green to the Metropolitan Asylums Hospital at Joyce Green. The deaths from *measles*, which had been 43, 66, and 69 in the preceding three weeks, fell again last week to 67, the corrected average being 68; 8 cases belonged to the Borough of Hammer-smith, 8 to Southwark, 7 to St. Pancras, 6 to Stepney, and 5 to Islington. The deaths from *scarlet fever*, which had been 5, 6, and 2 in the preceding three weeks, were 4 last week, the corrected average being 11; 2 cases belonged to Bermondsey. The deaths from *diphtheria*, which had been 23, 17, and 17 in the preceding three weeks, fell last week to 13, and were 25 below the corrected average; 5 cases belonged to Hackney. The deaths from *whooping-cough*, which had been 52, 54, and 51 in the preceding three weeks, further fell last week to 48, and were 14 below the corrected average; 4 cases belonged to Islington, 4 to Shoreditch, 4 to Stepney, 4 to Poplar, 4 to Bermondsey, and 4 to Battersea. The fatal cases of *enteric fever*, which had been 3, 4, and 2 in the preceding three weeks, were 3 last week, the corrected average being 6. The deaths from *diarrhœa*, which had been 20, 18, and 19 in the preceding three weeks, were again 19 last week, the corrected average being 14. Of the 19 deaths from diarrhœa, 14 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the causes of 4 more deaths at this age. The deaths attributed directly to *influenza* numbered 18, having been 12, 24, and 20 in the preceding three weeks.

Different forms of *violence* caused 58 deaths, concerning all but 1 of which inquests were held. Of these 58 deaths, 14 were cases of suicide, and 1 of homicide, while the remaining 43 were attributed to accident or negligence. One of these latter was referred to a vehicle in the street, 1 to a conflagration, 8 others to burns and scalds, 2 to the effects of anæsthetics administered for surgical purposes, and 11 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 110 cases of small-pox, 1585 of scarlet fever, 776 of diphtheria, 1 of typhus, and 83 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 54 cases, against 13, 21, and 26; of scarlet fever, 145 cases, against 153, 192, and 176; of diphtheria, 94 cases, against 79, 109, and 91; and of enteric fever, 8 cases, against 8, 11, and 10. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended March 19th.

GREATER LONDON.

In Greater London 3616 births and 2188 deaths were registered. Allowing for increase of population, these numbers are 322 and 444 below the respective averages in the corresponding weeks of the last ten years. In that portion of the Outer Ring which is outside the great towns, 24 deaths from measles, 4 from diphtheria, 6 from whooping-cough, 2 from "fever," and 2 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.96 inches, and that of the Thermometer 43°.3, the latter being 1°.4 above the week's average in the 50 years 1841-90. The general direction of the wind was variable, the horizontal movement of the air being 11 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 13.7 hours; the measured rainfall amounted to 0.13 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	POPULATION estimated in the middle of the Year 1904.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the Week ended 26th Mar., 1904.		The DEATHS registered in the Week include												TOWNS.
		Week ended				Week ended		BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Deaths from						Deaths in Public Institutions.	Uncertified Causes of Death.				
		5th Mar., 1904.	12th Mar., 1904.	19th Mar., 1904.	26th Mar., 1904.	5th Mar., 1904.	12th Mar., 1904.				19th Mar., 1904.	26th Mar., 1904.	Deaths from									
													Small-pox.	Measles.	Scarlet Fever.	Diphtheria.			Whooping-cough.	Fever.	Dysentery.	
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
76 TOWNS	15,271,425	18'6	19'0	19'7	18'7	1'8	8521	5469	1234	1616	6	176	32	46	200	21	51	183	424	1204	52	76 TOWNS.
LONDON -	4,649,088	17'9	20'1	18'8	18'4	1'7	2423	1645	336	508	1	67	4	13	48	3	19	58	161	555	1	LONDON.
CROYDON -	144,419	12'3	15'9	19'1	11'9	1'1	80	33	10	9	-	2	-	-	-	-	1	3	3	7	-	(CROYDON.
WILLESDEN -	132,566	11'4	15'7	13'8	8'7	1'2	84	22	4	5	-	1	-	-	-	-	1	2	3	3	2	WILLESDEN.
HORNSEY -	81,221	10'3	9'6	8'3	9'6	-	31	15	3	8	-	-	-	-	-	-	1	1	1	-	-	HORNSEY.
TOTTENHAM -	112,981	18'9	6'9	18'0	12'9	0'5	74	28	5	11	-	-	1	-	-	-	3	6	6	6	-	TOTTENHAM.
WEST HAM -	238,424	17'7	18'1	14'5	15'2	2'4	168	84	19	21	1	4	-	2	4	1	3	11	3	27	-	WEST HAM.
EAST HAM -	116,602	13'4	13'8	12'5	12'0	1'3	55	27	8	7	-	-	1	1	1	-	1	3	3	3	-	EAST HAM.
LEYTON -	110,844	15'5	11'8	12'2	9'9	-	50	21	5	8	-	-	-	-	-	-	-	1	4	-	-	LEYTON.
WALTHAMSTOW -	111,282	11'7	10'3	14'1	9'4	0'9	59	20	3	6	-	1	-	-	-	-	2	4	6	-	-	(WALTHAMSTOW.
HASTINGS -	66,503	15'7	18'0	11'8	12'5	-	25	16	2	6	-	-	-	-	-	-	-	-	-	-	-	HASTINGS.
BRIGHTON -	126,286	18'2	23'5	19'0	20'6	2'1	57	50	7	17	-	4	-	1	-	-	3	6	12	-	-	BRIGHTON.
PORTSMOUTH -	198,038	21'6	21'6	17'6	18'7	1'3	89	71	18	24	-	-	-	1	3	1	2	7	9	1	1	PORTSMOUTH.
BOURNEMOUTH -	64,645	16'9	18'6	16'1	17'7	-	18	22	1	7	-	-	-	-	-	-	-	-	2	-	-	BOURNEMOUTH.
SOUTHAMPTON -	112,500	17'6	13'9	14'4	19'5	0'9	38	42	8	14	-	-	-	-	1	-	-	2	7	-	-	SOUTHAMPTON.
READING -	73,373	16'4	12'3	13'7	13'7	0'7	35	20	3	5	-	-	-	-	-	1	1	1	4	1	1	READING.
NORTHAMPTON -	91,146	16'6	14'9	14'3	14'9	0'6	37	26	3	7	-	-	1	-	-	-	2	3	7	-	-	NORTHAMPTON.
IPSWICH -	69,805	11'2	14'9	17'9	17'2	-	38	23	3	12	-	-	-	-	-	-	1	2	5	-	-	IPSWICH.
GREAT YARMOUTH -	52,089	23'0	18'0	22'0	17'0	3'0	26	17	5	7	-	-	-	2	1	-	-	-	2	-	-	GREAT YARMOUTH.
NORWICH -	115,538	29'8	23'9	24'8	20'3	5'4	54	45	9	18	-	9	-	-	-	1	1	1	1	9	-	NORWICH.
PLYMOUTH -	114,003	20'1	21'5	20'1	24'2	1'4	56	53	13	18	-	-	1	-	1	1	2	8	7	-	-	PLYMOUTH.
DEVONPORT -	75,334	14'5	15'9	12'5	15'9	1'4	34	23	6	5	-	-	-	-	-	-	2	4	-	-	-	DEVONPORT.
BRISTOL -	343,204	17'6	17'6	21'9	15'0	1'8	194	99	19	37	-	-	2	4	3	2	1	4	13	16	1	BRISTOL.
HANLEY -	63,932	14'7	14'7	29'4	21'2	0'8	33	26	4	10	-	-	-	-	-	1	-	-	1	7	-	HANLEY.
BURTON-ON-TRENT -	51,934	11'0	14'1	14'1	18'1	-	24	18	-	7	-	-	-	-	-	-	-	-	5	-	-	BURTON-ON-TRENT.
WOLVERHAMPTON -	98,194	15'9	14'9	18'1	18'6	4'2	53	35	11	8	-	-	-	-	7	-	1	1	3	5	-	WOLVERHAMPTON.
WALSALL -	91,432	24'5	17'7	21'7	21'7	2'9	69	38	17	5	-	-	-	-	5	-	2	2	4	1	1	WALSALL.
HANDSWORTH -	53,634	8'7	15'7	14'0	16'6	1'7	29	19	7	2	-	-	-	-	1	1	-	-	-	1	-	HANDSWORTH.
WEST BROMWICH -	67,186	16'3	21'0	19'4	23'7	0'8	74	37	6	11	-	-	-	-	-	-	1	-	3	-	-	WEST BROMWICH.

TOWNS.	COLS.	POPULATION estimated to the middle of the Year 1904.*	DEATH-RATES from all Causes.				Rate from Influenza 11-17.		Registered Deaths during the week ended 26th Mar., 1904.		The DEATHS registered in the Week include												
			Week ended			5.	6.	7.	8.	Deaths of		Deaths from							Deaths in Public Institutions.	Unidentified Causes of Death.			
			5th Mar., 1904.	12th Mar., 1904.	19th Mar., 1904.					26th Mar., 1904.	Infants under 1 Year of Age.	Persons aged and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.			Diarrhoea.	Violence.	
BIRMINGHAM -	-	537,965	21.1	22.0	24.6	23.3	2.4	390	240	70	61	-	2	1	-	20	2	5	6	55	8	COLS.	
KINGS NORTON -	-	66,667	15.6	13.3	15.6	18.8	0.8	37	24	6	7	-	-	-	-	1	-	3	3	2	1	BIRMINGHAM.	
SMETHWICK -	-	60,691	20.6	12.0	19.8	18.9	0.9	37	22	6	7	-	-	-	-	-	-	-	-	1	2	KINGS NORTON.	
ASTON MANOR -	-	80,363	13.0	16.9	19.5	18.2	2.6	28	28	9	9	-	-	-	-	4	-	-	1	-	-	SMETHWICK.	
COVENTRY -	-	73,904	16.2	16.2	23.3	15.5	1.4	47	22	7	8	-	-	-	-	2	-	1	1	4	-	ASTON MANOR.	
LEICESTER -	-	224,186	16.5	14.0	22.3	14.7	0.9	111	63	17	21	-	-	-	-	4	-	5	8	12	1	COVENTRY.	
GRIMSBY -	-	66,958	19.5	14.0	12.5	21.8	0.8	31	28	8	9	-	-	-	-	-	1	3	1	2	-	LEICESTER.	
NOTTINGHAM -	-	248,811	20.3	21.6	19.9	19.3	1.5	118	92	22	36	1	-	-	2	2	2	1	5	22	-	GRIMSBY.	
DERBY -	-	120,449	20.3	19.9	23.4	16.5	0.9	56	38	7	14	-	-	-	-	2	-	3	4	5	-	NOTTINGHAM.	
STOCKPORT -	-	97,008	22.0	21.0	23.7	16.7	2.2	48	31	6	10	-	4	-	-	-	-	2	3	5	-	DERBY.	
BIRKENHEAD -	-	114,814	20.9	23.2	22.3	24.5	2.7	66	54	15	14	1	-	1	1	2	-	1	3	5	10	STOCKPORT.	
WALLASEY -	-	60,354	17.3	13.0	20.7	17.3	1.7	35	20	4	6	-	1	-	-	1	-	-	-	2	-	BIRKENHEAD.	
LIVERPOOL -	-	723,430	22.3	21.9	23.2	19.8	1.5	447	275	64	70	1	1	1	3	14	1	1	11	15	70	WALLASEY.	
BOOTLE -	-	61,755	23.0	20.3	10.1	11.8	-	37	14	2	4	-	-	-	-	-	-	1	1	2	9	LIVERPOOL.	
ST. HELENS -	-	88,545	25.9	20.6	25.3	20.6	6.5	59	35	11	8	-	9	1	-	1	-	-	-	4	-	BOOTLE.	
WIGAN -	-	62,800	25.7	24.9	27.4	16.6	-	36	20	2	7	-	-	-	-	-	-	-	1	-	-	ST. HELENS.	
WARRINGTON -	-	67,331	19.9	19.4	31.0	24.8	1.5	58	32	9	3	-	-	-	-	2	-	2	2	4	1	WIGAN.	
BOLTON -	-	175,744	19.4	16.3	20.5	20.5	1.5	111	69	18	18	-	-	-	-	4	1	1	2	6	-	WARRINGTON.	
BURY -	-	58,450	20.5	13.4	25.9	23.3	1.8	23	25	3	10	-	1	-	-	1	-	-	-	3	2	BOLTON.	
MANCHESTER†	-	557,938	21.3	23.0	27.4	24.3	3.3	324	280	65	70	-	17	4	-	10	-	4	11	17	51	1	BURY.
SALFORD -	-	228,983	17.5	19.8	22.3	23.5	4.6	149	103	24	20	-	6	1	2	9	-	2	3	10	19	1	MANCHESTER.†
OLDHAM -	-	139,497	20.9	20.6	20.2	23.2	2.6	86	62	10	22	-	4	1	-	1	-	1	1	5	12	-	SALFORD.
ROCHDALE -	-	55,601	16.4	20.1	23.1	18.9	1.8	45	31	1	12	-	2	-	-	-	-	1	2	3	6	-	OLDHAM.
BURNLEY -	-	100,569	18.7	17.6	17.6	23.3	4.7	62	45	9	10	-	5	-	-	3	1	1	2	1	9	1	ROCHDALE.
BLACKBURN -	-	132,134	17.8	15.8	17.0	17.8	0.4	62	45	12	16	-	-	-	-	-	1	-	1	1	9	1	BURNLEY.
PRESTON -	-	115,055	20.8	25.8	22.2	22.7	0.5	74	50	18	13	-	1	-	-	-	-	-	-	2	5	-	BLACKBURN.
BARROW-IN-FURNESS	-	59,454	14.9	20.1	20.1	13.1	0.9	36	15	3	6	-	-	-	-	1	-	-	2	3	-	-	PRESTON.

Births, Deaths, and Rates of Mortality.

TOWNS.	COLS.	DEATH-RATES FROM all Causes.				Rate from Diseases in COLS. 11-17.		Registered Deaths in COLS. 26th Mar., 1904.		The Deaths registered in the Week include										TOWNS.		
		Week ended				Week ended 26th Mar., 1904.		Deaths of Persons aged 60 Years and upwards.	Deaths from						Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.					
		19th Mar., 1904.				26th Mar., 1904.	Measles.		Scarlet Fever.	Diphtheria.	Whooping-cough.	Rever.	Diarrhoea.	Violence.								
		5th Mar., 1904.	12th Mar., 1904.	19th Mar., 1904.	26th Mar., 1904.																	
POPULATION estimated middle of the Year 1904.*		2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	COLS.
HUDDESFIELD	-	20.3	17.0	13.7	19.8	0.5	32	36	7	14	-	1	-	-	-	-	-	-	3	7	-	HUDDESFIELD.
HALIFAX	-	21.8	16.5	17.0	13.6	1.4	44	28	2	12	-	-	1	1	-	-	-	-	2	5	-	HALIFAX.
BRADFORD	-	18.8	16.6	18.1	19.8	1.3	140	108	24	35	-	3	1	1	-	1	1	4	13	13	-	BRADFORD.
LEEDS	-	22.0	17.6	19.3	19.9	3.1	238	172	39	47	-	13	2	2	8	1	1	-	10	21	2	LEEDS.
SHEFFIELD	-	16.5	17.8	15.9	15.9	1.3	290	132	35	31	-	3	4	-	2	-	2	5	8	25	3	SHEFFIELD.
ROTHERHAM	-	24.1	19.6	25.0	17.8	1.8	46	21	7	7	-	1	-	-	-	1	-	2	2	-	-	ROTHERHAM.
YORK	-	14.8	16.7	16.0	21.2	1.9	46	33	5	16	-	-	-	1	2	-	-	-	1	9	-	YORK.
HULL	-	263.865	16.8	16.2	16.8	0.4	165	82	18	29	-	2	-	-	-	-	-	2	3	14	1	HULL.
MIDDLESBROUGH	-	16.7	20.5	21.0	22.7	1.1	65	42	7	13	-	-	-	1	1	-	-	3	4	9	1	MIDDLESBROUGH.
STOCKTON-ON-TEES	-	21.0	16.0	25.0	30.0	1.0	36	30	8	7	-	-	-	1	-	-	-	1	2	4	1	STOCKTON-ON-TEES.
WEST HARTLEPOOL	-	16.6	24.8	18.1	18.8	3.0	34	25	13	3	-	-	-	-	4	-	-	1	1	5	-	WEST HARTLEPOOL.
SUNDERLAND	-	23.8	21.0	23.8	19.0	2.8	95	55	9	11	-	6	-	-	2	-	-	-	4	10	1	SUNDERLAND.
SOUTH SHIELDS	-	17.5	20.4	18.9	17.5	0.5	78	36	12	9	1	-	-	-	-	-	-	2	2	4	2	SOUTH SHIELDS.
GATESHEAD	-	19.9	20.8	22.5	22.5	4.4	85	51	12	7	-	2	2	1	3	-	2	-	-	1	2	GATESHEAD.
NEWCASTLE-ON-TYNE	-	20.6	20.8	20.6	22.2	2.5	131	96	17	26	-	1	1	1	6	-	2	2	6	22	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH	-	16.7	11.8	22.6	14.7	1.0	31	15	1	5	1	-	-	-	-	-	-	1	1	2	-	TYNEMOUTH.
NEWPORT (MON.)	-	14.6	11.7	22.6	18.9	0.7	43	26	8	6	-	-	-	-	-	-	1	1	1	1	-	NEWPORT (MON.).
CARDIFF	-	18.9	18.6	18.3	16.9	2.4	102	57	20	13	-	-	-	2	5	-	1	1	5	7	-	CARDIFF.
RHONDDA	-	22.2	17.5	23.0	21.3	1.7	95	50	13	10	-	3	-	1	-	-	-	2	4	3	-	RHONDDA.
MERTHYR TYDFIL	-	19.4	21.5	22.9	12.2	2.2	55	17	7	5	-	-	1	-	1	1	-	1	1	-	-	MERTHYR TYDFIL.
SWANSEA	-	18.5	23.4	22.3	21.7	1.1	50	40	7	16	-	-	-	-	2	-	-	1	4	6	-	SWANSEA.
GREATER LONDON	-	16.7	18.1	17.2	16.5	1.6	3616	2188	465	684	2	92	6	21	60	6	24	78	219	646	7	GREATER LONDON.
OUTER RING	-	14.2	13.9	13.9	12.5	1.3	1193	543	129	176	1	25	2	8	12	3	5	20	55	91	6	OUTER RING.
8 TOWNS IN OUTER RING	-	14.5	13.9	14.4	11.9	1.2	601	250	57	75	1	8	2	4	6	1	3	13	32	56	2	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	-	13.8	14.0	13.4	13.2	1.4	592	293	72	101	-	17	-	4	6	2	2	7	23	35	4	REMAINDER OF OUTER RING.
EDINBURGH	-	16.8	19.5	18.5	20.6	1.3	155	131	19	52	-	-	-	1	7	-	-	3	?	?	6	EDINBURGH.
GLASGOW	-	22.5	23.4	24.4	21.2	2.4	530	324	63	70	2	15	2	3	4	2	8	7	?	?	70	GLASGOW.
DUBLIN	-	26.4	28.3	27.7	30.4	1.9	917	221	49	59	-	-	-	3	-	-	-	-	-	-	-	DUBLIN.

TABLE 2. LONDON.—Births and Deaths Registered in the TWELFTH Week of each of the Eleven Years, 1894-1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894-1903.*	1904
TOTAL Births -	2496	2650	2483	2707	2218	2480	2675	2424	2556	2585	2697.1	2423
Males - -	1289	1340	1258	1393	1123	1249	1378	1233	1271	1276	1367.4	1243
Females - -	1207	1310	1225	1314	1095	1231	1297	1191	1285	1309	1329.7	1180
TOTAL Deaths -	1689	2190	1603	1534	1731	2025	1817	1588	1649	1461	1970.2	1645
Males - -	840	1099	825	802	873	981	973	813	838	714	1000.3	857
Females - -	840	1091	778	732	858	1044	844	775	811	747	969.9	788

* The numbers in this column are the average weekly numbers in the twelfth week of the ten years 1894-1903, raised by 3.723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	1904. Jan. 2.	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	13 Weeks.	
TOTAL Births -	2828	2862	2589	2515	2434	2748	2637	2737	2456	2364	2712	2577	2423	33882	
TOTAL Deaths -	1866	1731	1677	1549	1734	1554	1574	1539	1467	1594	1796	1680	1645	21456	
Ages at Death {	Under 1 year -	408	384	357	313	333	349	316	345	326	350	397	335	336	4549
	1-5 years -	209	176	160	150	189	164	183	206	158	197	230	216	214	2452
	5-20 " -	82	84	82	77	82	68	70	72	65	79	88	73	71	999
	20-40 " -	235	194	208	194	211	181	191	180	167	172	188	212	190	2523
	40-60 " -	380	323	349	332	355	297	307	299	313	306	299	327	326	4213
	(60 yrs.& upwds.	552	570	521	483	564	495	507	487	438	490	594	517	508	6726
Deaths from—															
Small-pox†	-	-	-	-	-	-	-	1	1	-	1	1	1	5	
Measles - -	59	58	49	46	38	31	37	42	32	43	66	69	67	637	
Scarlet Fever - -	9	10	10	10	9	3	4	9	5	6	6	2	4	86	
Diphtheria - -	27	14	11	10	25	13	12	17	18	23	17	17	13	217	
Whooping-cough - -	35	28	37	29	43	45	52	55	41	52	54	51	48	570	
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Enteric Fever - -	10	5	8	5	3	4	8	2	5	3	4	2	3	62	
Pyrexia (origin un- certain).	-	-	1	-	-	-	-	-	-	-	-	-	-	1	
Diarrhoea, Dysentery	27	16	19	25	17	20	13	16	28	20	18	19	19	257	
All above Diseases -	167	131	135	125	135	116	126	142	130	146	166	161	155	1835	
Dis. of Resp. System	230	250	219	210	260	193	165	195	180	202	235	205	195	2739	
Pneumonia - -	176	185	139	145	171	157	159	164	142	169	179	170	188	2184	
Phthisis - -	183	150	180	180	178	160	139	146	147	156	162	168	168	2117	
Dis. of Circ. System -	246	240	202	182	229	206	236	220	205	197	221	230	223	2837	
Violence - -	77	73	65	50	57	59	78	53	51	57	68	69	58	815	
Inquest Cases - -	195	203	177	144	158	127	189	150	125	150	190	161	164	2134	
Deaths in Institutions	644	549	613	545	605	541	548	572	497	533	603	554	555	7359	
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	
Mean- - -	32.6	39.8	42.1	35.7	40.9	40.6	42.1	38.8	38.3	33.3	40.5	40.8	43.3	39.1	
Mean of Highest - -	35.7	43.9	46.4	41.2	44.3	45.7	47.7	43.9	43.0	37.3	48.0	50.1	49.3	44.3	
Mean of Lowest - -	28.8	34.3	36.6	29.1	37.1	35.6	36.5	33.4	34.8	29.8	34.1	31.5	37.6	33.8	
Mean Humidity of the Air.	78	91	82	92	86	87	81	81	75	82	84	77	80	83	
Rain-fall (in inches) -	0.09	0.29	0.69	0.18	0.92	1.15	1.27	0.45	0.03	0.52	0.24	0.06	0.13	6.02	
Registered Sunshine (in hours).	8.7	2.9	9.2	4.3	8.7	15.0	14.2	10.3	6.7	6.4	26.3	28.2	13.7	154.6	
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.	
Small-pox - -	26	26	26	24	21	25	24	29	31	41	54	74	110	39	
Scarlet Fever - -	1632	1659	1660	1679	1651	1657	1644	1620	1587	1578	1601	1624	1585	1629	
Diphtheria - -	739	732	749	758	760	782	767	768	787	764	780	807	776	767	
Typhus - -	-	-	-	-	-	-	-	-	-	-	1	1	1	0	
Enteric Fever - -	246	235	191	184	166	161	139	129	125	118	102	94	83	152	

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; A. Creswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; and H. B. Witty, Esq., Hull.

TABLE 4. LONDON.—DEATHS Registered in the TWELFTH Week of the Year 1904.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectional should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 12th week of the year 1903.	1904—Deaths of Persons of the Ages						CAUSES OF DEATH.	Deaths in the 12th week of the year 1903.	1904—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.			60 years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.		
ALL CAUSES	1461	1645	336	214	71	190	326	508	14	16	7	8	-	-	1	
Small-pox*	-	1	-	-	-	1	-	-	16	16	-	-	1	5	-	
Cowpox	-	-	-	-	-	-	-	-	9	1	-	-	-	1	-	
Measles (Morbilli)	74	67	15	47	5	-	-	-	23	25	23	2	-	-	2	
Scarlet Fever	5	4	-	2	2	-	-	-	-	3	-	-	-	-	1	
Typhus	-	-	-	-	-	-	-	-	5	5	-	-	2	-	-	
Plague	-	-	-	-	-	-	-	-	15	25	2	3	-	1	6	
Influenza	24	18	1	-	1	2	5	9	38	44	-	-	6	9	11	
Whooping-cough	46	48	17	29	2	-	-	-	27	45	-	-	1	1	13	
Diphtheria	27	13	1	10	2	-	-	-	14	21	-	-	-	1	3	
Cerebro Spinal Fever	-	1	-	1	-	-	-	-	7	7	-	-	-	2	5	
Pyrexia,† (Origin un- certain)	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	
Enteric Fever	7	3	-	-	1	1	-	1	-	-	-	-	-	-	-	
Asiatic Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Epidemic Diarrhoea (Infective Enteritis)	6	7	7	-	-	-	-	-	108	163	26	9	-	4	29	
Diarrhoea, Dysentery	18	12	7	-	-	1	1	3	5	9	-	-	-	-	4	
Tetanus	-	-	-	-	-	-	-	-	4	1	-	-	-	-	-	
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	13	20	5	2	1	1	2	
Glanders	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-	6	6	2	-	-	2	2	
Venereal Dis.	9	7	4	-	-	1	1	1	8	4	3	1	-	-	-	
Puerperal Septicæmia	3	7	-	-	-	5	2	-	2	2	-	1	-	-	-	
Puerperal Pyæmia	-	1	-	-	-	1	-	-	12	11	-	-	-	1	5	
Puerperal Fever	-	2	-	-	-	2	-	-	12	11	-	-	-	1	5	
Infective Endocarditis	5	1	-	-	1	-	-	-	6	8	-	-	1	1	3	
Lobar	16	15	1	1	1	3	4	5	31	42	8	2	2	3	6	
Broncho-	48	97	40	36	1	1	3	16	9	9	1	-	-	2	2	
Pneumonia	-	-	-	-	-	-	-	-	49	39	-	-	1	3	12	
Epidemic	-	-	-	-	-	-	-	-	12	8	-	-	-	-	1	
Not defined	58	76	14	15	4	10	17	16	6	4	-	-	-	-	2	
Erysipelas	4	5	2	1	-	1	-	1	5	3	-	-	-	3	-	
Septicæmia (not Puer- peral)	-	1	1	-	-	-	-	-	52	53	-	-	-	-	-	
Pyæmia (not Puerperal)	1	1	-	-	-	-	-	-	105	95	65	9	2	4	7	
Other Infective Conditions	7	14	2	2	3	2	3	2	ACCIDENT.							
Tuberculous Phthisis	71	92	2	4	7	35	38	6	3	-	-	-	-	-	-	
"Phthisis"	78	76	-	1	6	36	28	5	4	1	-	-	-	-	-	
Tuberculous Meningitis	25	21	4	13	4	-	-	-	By Railways	-	-	-	-	-	-	
Tuberculous Peritonitis	7	7	1	4	1	-	-	-	By Vehicles and Horses	-	-	-	1	-	-	
Tabes Mesenterica	3	5	3	1	1	-	-	-	In Ships, Boats, Docks, (exclusive of Drown- ing)	-	1	-	-	-	-	
Tuberculous Dis. (other)	21	18	2	5	4	4	2	1	In Building Operations	1	-	-	-	-	-	
Scrofula	-	-	-	-	-	-	-	-	In Conflagrations	-	1	1	-	-	-	
Alcoholism	13	14	-	-	-	4	9	1	By Burns, Scalds, Ex- plosions	3	8	3	1	-	-	
Rheumatic Fever	2	5	-	-	4	1	-	-	By Drowning	4	4	-	-	-	3	
Gout	1	2	-	-	-	-	1	1	By Suffocation in Bed	11	11	11	-	-	-	
Carcinoma	43	50	-	-	-	4	21	25	By Poisons or Poisonous Vapours	2	5	-	-	1	2	
Sarcoma	5	5	-	-	-	2	3	-	Other Deaths by Acci- dent	14	12	1	2	1	-	
Cancer (undefined)	33	26	-	-	-	5	11	10	VIOLENCE OTHER THAN ACCIDENTAL.							
Diabetes Mellitus	4	14	-	-	1	1	6	6	Homicide	-	1	1	-	-	-	
Premature Birth	59	52	52	-	-	-	-	-	Suicide	16	14	-	-	-	6	
									Execution	-	-	-	-	-	-	

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

5. LONDON.*—POPULATION; BIRTHS; DEATHS, from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 26th March, 1904.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include															Deaths in Public Institutions.	
				Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from														
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.				
LONDON - - -	1,536,541	2423	1645	336	508	1	67	4	13	48	-	3	-	19	58	164	555			
EAST DISTRICTS - - -	805,311	351	285	57	97	-	17	-	-	5	-	-	-	3	11	37	94			
NORTH DISTRICTS - - -	1,056,070	497	346	55	125	-	15	-	8	7	-	-	-	3	10	28	94			
CENTRAL DISTRICTS - - -	209,465	113	90	12	27	-	2	-	-	1	-	-	-	2	5	7	42			
EAST DISTRICTS - - -	715,739	489	289	79	77	-	10	-	1	14	-	3	-	2	9	43	104			
SOUTH DISTRICTS - - -	1,749,956	973	590	133	168	-	23	4	4	20	-	-	-	8	23	49	176			
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	45	-	14	1	-	-	-	1	-	-	-	2	-	-	45			
WEST DISTRICTS.																				
St. Mary Paddington } G. & W.	93,178	49	40	11	16	-	1	-	-	1	-	-	-	-	1	5	10			
St. John Paddington } H - - G.	33,617	9	9	-	5	-	1	-	-	-	-	-	-	-	2	3	4			
St. Andrew West Paddington - - C.	17,181	4	4	3	-	-	1	-	-	-	-	-	-	-	-	-	-			
St. Martin Town 2W, w, 2H G., W. & C.	128,037	73	60	9	21	-	2	-	-	-	-	-	-	1	1	7	28			
St. Martin Town 2H - - W. & C.	48,591	7	15	2	11	-	-	-	-	-	-	-	-	-	-	2	1			
St. James Hammersmith W, w, H } W. & G.	49,192	27	14	5	3	-	5	-	-	-	-	-	-	-	1	2	1			
St. James Hammersmith w, 2H } W. & G.	63,047	23	15	1	6	-	2	-	-	-	-	-	-	-	1	2	1			
St. James West Fulham W } W. & C.	45,180	28	21	9	4	-	2	-	-	1	-	-	-	2	1	2	9			
St. James East Fulham F } W. & C.	46,405	27	11	5	3	-	-	-	-	-	-	-	-	-	2	4	-			
St. James Fulham W } W. & C.	45,704	26	12	1	3	-	1	-	-	1	-	-	-	-	-	1	-			
St. Andrew North W, w, 3H - - C.	42,514	17	32	4	9	-	2	-	-	1	-	-	-	-	-	1	23			
St. Andrew South 2H - - - C.	31,328	16	13	1	7	-	-	-	-	-	-	-	-	-	-	4	1			
St. Andrew Fair and Knightsbridge } C. & G.	28,743	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
St. Andrew Ave W, 2H - - - C.	55,815	18	11	2	2	-	-	-	-	-	-	-	-	-	-	-	5			
St. Andrew Margaret & St. John 4H - - C.	43,698	14	19	3	3	-	-	-	-	-	-	-	-	-	1	3	9			
St. James Westminster } N. & G.	21,588	3	7	-	3	-	-	-	-	1	-	-	-	-	1	1	2			
St. James St. John Soho 5H - - - N.	11,493	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
NORTH DISTRICTS.																				
St. Andrew Marylebone 8H - W.	35,391	8	9	-	2	-	-	-	-	-	-	-	-	-	1	1	5			
St. Andrew Marylebone W G. & W.	19,349	5	6	-	2	-	1	-	-	-	-	-	-	-	-	-	-			
St. Andrew Marylebone 4H G. & W.	18,099	33	9	5	3	-	-	-	-	-	-	-	-	1	-	-	3			
St. Andrew Church Marylebone H- W.	39,536	14	10	3	1	-	1	-	-	-	-	-	-	-	-	-	-			
St. Andrew St. John Marylebone 3H - W.	20,426	7	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-			
St. Andrew St. John W, F, 3H - N. & W.	81,942	26	18	5	6	-	-	-	1	-	-	-	-	-	1	2	3			
St. Andrew St. Pancras 2H - - W.	60,562	32	25	6	7	-	4	-	-	1	-	-	-	-	-	3	2			
St. Andrew St. Pancras W, 6H N. & W.	21,258	7	20	2	12	-	-	-	-	-	-	-	-	-	-	3	11			
St. Andrew St. Pancras Inn Lane 4H - - N.	34,449	19	14	2	5	-	-	-	-	-	-	-	-	1	1	1	4			
St. Andrew St. Pancras W, 3H - - N.	60,320	29	25	4	10	-	1	-	-	1	-	-	-	-	3	4	8			
St. Andrew St. Pancras 2W - - N.	68,728	30	23	3	10	-	2	-	-	-	-	-	-	-	2	9	-			
St. Andrew St. John W - - - N.	31,995	11	25	-	12	-	-	-	-	-	-	-	-	-	-	-	18			
St. Andrew St. John Holloway 2W, w, 2H - N.	33,978	19	19	-	6	-	1	-	-	1	-	-	-	-	-	-	8			
St. Andrew St. John Holloway W - - N.	33,922	11	7	1	1	-	1	-	-	-	-	-	-	-	-	-	-			
St. Andrew St. John Holloway - - - N.	41,424	20	8	2	1	-	1	-	-	1	-	-	-	-	-	1	-			
St. Andrew St. Johnbury - - - N.	54,478	25	20	4	6	-	-	-	-	1	-	-	-	-	2	4	-			
St. Andrew St. Johnbury South-east F - - N.	75,397	45	19	2	10	-	2	-	-	-	-	-	-	-	-	2	-			
St. Andrew St. Johnbury 2H - - - N.	63,797	22	14	1	4	-	-	-	-	-	-	-	-	-	-	-	-			
St. Andrew St. Johnbury Newington H - - N.	51,247	21	10	3	4	-	-	-	-	-	-	-	-	-	-	-	-			
St. Andrew St. Johnbury Hackney - - E. & N.	50,560	18	8	1	4	-	-	-	-	1	-	-	-	-	1	1	-			
St. Andrew St. Johnbury Hackney 2w, F - E. & N.	50,538	37	12	2	3	-	-	-	7	-	-	-	-	-	-	-	7			
St. Andrew St. Johnbury Hackney 3H E. & N.	59,921	39	17	3	6	-	1	-	-	1	-	-	-	-	-	1	4			
St. Andrew St. Johnbury Hackney 2W, w, H E. & N.	58,255	19	24	5	9	-	-	-	-	-	-	-	-	-	1	3	12			

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein: *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts; *H*—Hospital; *F*—Fever Hospital; *L*—Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Companies which supply the different Sub-districts:—*G*, signifying the Grand Junction Company; *W*, West Middlesex; *C*, Chelsea; *S*, Southwark and Vauxhall; *L*, Lambeth; *N*, New River; *E*, East London; and *K*, the Kent Company.

† Formerly described as "Simple Continued Fever."

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 26th March, 1904.—*continued.*

REGISTRATION SUB-DISTRICTS,	Enumerated Popu- lation, 1901.	Total Deaths.	The DEATHS registered during the Week include														
			Deaths of	Deaths from												Inquest Cases.	
				Infants under 1 Year of Age.	Persons aged 40 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.		
CENTRAL DISTRICTS.																	
St. Giles and Bloomsbury W,2H N.	31,436	17	8	-	5	-	1	-	-	-	-	-	-	-	1	-	1
Strand W,4H - - - N. & C.	21,874	3	12	-	3	-	1	-	-	-	-	-	-	-	-	-	-
Strand Union Workhouse, Edmonton -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	1	-	-
Colborn W,6H - - - N.	29,612	8	17	5	-	-	-	-	-	-	-	-	-	-	-	2	2
South Clerkenwell - - - N.	28,876	26	8	2	1	-	-	-	-	1	-	-	-	-	-	1	1
North Clerkenwell H - - - N.	35,028	21	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Insbury 3H,L - - - N.	36,116	31	13	4	7	-	-	-	-	-	-	-	-	-	-	1	1
Colborn Union Workhouse, } Mitcham - - - - - }	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph H - - - N. & E.	10,299	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Sepulchre and Allhallows } W,H - - - - - }	16,824	2	20	-	4	-	-	-	-	-	-	-	-	-	-	1	2
City of London Asylum, Stone - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																	
Shoreditch South H,L - E. & N.	16,369	10	5	1	1	-	-	-	-	1	-	-	-	-	-	1	1
Roxton New Town w,H - - N.	29,761	23	19	4	7	-	1	-	-	2	-	-	-	-	-	-	3
Roxton Old Town - - - N.	26,504	20	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-
Laggerston W - - - N & E.	46,003	35	19	4	6	-	-	-	-	1	-	-	-	-	1	-	2
Shoreditch Union Workhouse, Wood } Green - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North 2H - E.	51,514	43	25	14	3	-	-	-	1	1	-	-	-	-	-	2	6
Bethnal Green South - - E.	33,472	26	8	4	2	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green East 2W,H,L - E.	44,694	26	22	5	9	-	-	-	-	1	-	-	-	-	-	-	4
Spitalfields - - - E. & N.	27,969	21	6	3	2	-	-	-	-	1	-	-	-	-	-	1	1
File End New Town W,H - E.	28,718	14	32	7	2	-	3	-	-	-	-	-	-	-	1	1	4
Woodman's Fields - - - E.	22,081	9	3	-	2	-	-	-	-	-	-	-	-	-	-	-	1
St. George and St. John 2W E.	49,068	47	16	4	3	-	-	-	-	1	-	-	-	-	-	-	2
Shadwell and Ratcliff W,H E. & N.	25,568	15	14	7	2	-	-	-	-	-	-	-	-	-	-	1	3
Timehouse - - - - E.	32,369	21	8	3	3	-	-	-	-	-	-	-	-	-	-	1	2
File End Old Town West H - E.	59,479	45	14	3	6	-	3	-	-	-	-	-	-	-	-	-	-
File End Old Town East } W,w - - - - - }	53,348	35	13	3	2	-	-	-	-	2	-	-	-	-	-	-	1
Low L - - - - E.	41,980	30	12	2	4	-	-	-	-	2	-	-	-	-	-	-	1
Romley 3w,H - - - E.	68,319	38	44	6	17	-	2	-	-	2	-	-	-	-	-	1	5
Opalpar W,w - - - E.	58,514	31	23	6	4	-	1	-	-	-	-	-	-	-	-	1	5

5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS; and from SMALL-POX, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered each SUB-DISTRICT during the Week ended Saturday, 26th March, 1904—continued.

ADMINISTRATION SUB-DISTRICTS.	Enumerated Population, 1901.	Total Births.	The DEATHS registered during the Week include													Deaths in Public Institutions.	
			Total Deaths.	Deaths of		Deaths from									Inquest Cases.		
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhoea.			Violence.
SOUTH DISTRICTS.																	
Church Southwark W, HL & S.	11,263	9	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-
viour Southwark H - S.	12,056	10	15	6	-	-	2	-	-	-	-	-	-	-	1	-	-
road - S. & L.	21,904	18	10	5	-	-	1	-	-	-	2	-	-	-	-	-	-
George the Martyr } S. & L.	39,094	22	20	5	2	-	4	-	-	-	-	-	-	-	1	1	5
st W2H, L. - }	49,022	29	13	3	1	-	1	-	1	-	-	-	-	-	-	-	-
ington North* - S. & L.	72,841	37	15	6	4	-	1	-	-	1	-	-	-	-	1	2	-
ington South* W - S. & L.																	
ave 2W - - - S.	9,817	4	4	1	2	-	-	-	-	1	-	-	-	-	-	-	1
ondsey W - - - S.	82,483	50	14	4	2	-	-	-	-	2	-	-	-	-	2	2	-
erhithe W, F - - S. & K.	38,460	23	24	6	8	-	2	-	-	-	1	-	-	-	1	1	11
rlow-road 2H - - L. & S.	27,440	18	6	1	3	-	-	-	-	-	-	-	-	-	-	1	-
eth Church 1st H L. & S.	18,423	7	27	1	3	-	1	-	-	-	-	1	-	-	4	5	20
eth Church 2nd 2W L. & S.	39,818	31	22	2	10	-	-	-	-	-	1	-	-	-	-	4	16
ington 1st H - S. & L.	53,198	40	15	9	5	-	-	-	-	-	-	-	-	-	-	1	3
ington 2nd H - S. & L.	42,896	23	16	4	3	-	-	-	-	-	-	-	-	-	-	-	-
on F - - - L. & S.	84,232	33	24	8	10	-	-	-	-	-	-	-	-	-	1	4	-
ood W, H - - - L.	35,888	23	10	2	5	-	-	-	-	-	-	-	-	-	-	-	1
Battersea - - - S.	72,203	53	19	7	1	-	2	-	-	-	2	-	-	-	1	2	-
n-west Battersea - - S.	49,856	32	12	4	1	-	1	-	-	-	2	-	-	-	1	-	-
n-west Battersea W, H - S.	47,048	27	27	2	9	-	-	-	-	-	1	-	-	-	1	2	17
ham 2H - - - S.	51,361	23	14	2	7	-	-	-	-	-	1	-	-	-	-	1	11
tham W, 2w, 2F, 2L - L.	88,131	39	29	5	13	-	-	-	-	-	1	-	1	-	1	1	-
gfield 2W, L - - - S.	27,959	20	8	1	3	-	-	-	-	-	-	-	-	-	-	2	-
fields H - - - S.	40,444	29	10	1	5	-	1	-	-	-	-	-	-	-	-	-	-
ey - - - S.	24,139	2	8	2	4	-	-	-	-	-	-	-	-	-	1	2	-
rich - - - L. & S.	10,247	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
erwell 2W w, 2L - S. & L.	90,465	36	58	10	22	-	2	-	-	1	-	-	-	-	2	3	34
ham 2W, w - S. & K.	93,038	51	21	6	5	-	1	-	-	1	-	1	-	-	2	3	3
George Camberwell - L. & S.	65,589	38	22	7	2	-	-	-	-	1	1	-	-	-	1	4	-
ford North - - - K.	37,613	23	15	1	4	-	3	-	-	-	1	-	-	-	-	-	-
ford Central F - - K.	45,481	31	7	-	3	-	-	-	-	-	-	-	-	-	-	-	-
ford South - - - K.	34,625	15	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
nwich West 2H - - K.	23,456	9	5	1	3	-	-	-	-	-	-	-	-	-	-	1	-
nwich East 2W, H - K.	43,859	18	19	3	3	-	-	-	-	-	-	-	-	-	-	2	12
am w, H - - - K.	7,226	8	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
H - - - K.	25,490	10	8	1	2	-	1	-	-	-	-	-	-	-	-	-	12
isham W w, F - - K.	58,352	30	21	3	6	-	-	1	1	-	-	-	-	-	-	-	-
nham H - - - L.	43,653	20	6	2	3	-	-	-	-	-	-	-	-	-	-	-	-
lton F2H - - - K.	21,134	7	6	2	-	-	-	-	3	1	1	-	-	-	-	-	4
lwich 4H - - - K.	41,625	25	12	7	2	-	-	-	-	-	-	-	-	-	-	1	-
astead West W - - K.	18,063	7	5	1	2	-	-	-	-	-	-	-	-	-	-	-	9
astead East 2W, H - K.	50,264	41	12	1	6	-	-	-	-	-	-	-	-	-	-	-	-
on County Asy., Banstead -	-	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	4
on Manor Asylum - -	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
on County Asy., Epsom -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
Asy. for Imbeciles, Caterham -	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	6
on County Asy., Cane Hill -	-	-	-	6	-	4	-	-	-	-	-	-	-	-	-	-	1
B. Hospitals, Dartford -	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1
Asy. for Imbeciles, Darenth -	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
on County Asylum, Dartford } path -	-	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	4
on County Asylum, Hanwell -	-	-	-	2	-	1	-	-	-	-	-	-	-	-	1	-	2
ral London Sick Asy., Hendon -	-	-	-	6	-	2	-	-	-	-	-	-	-	-	-	-	6
on County Asy., Colney Hatch -	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	5
B. North-Eastern Hospital -	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	2
B. Northern Hospital -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asy. for Imbeciles, Leavesden -	-	-	-	5	-	1	-	-	-	-	-	-	-	-	1	-	5
on County Asylum, Claybury -	-	-	-	6	-	2	-	-	-	-	-	-	-	-	-	-	6
on Co. Asy. Epileptic Colony -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

On 1st March, 1904, the sub-districts of Trinity Newington, St. Peter Walworth, and St. Mary Newington. v. dished, and divided into two new sub-districts entitled Newington North and Newington South respectively.

The DEATHS registered in the Week include														
REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths of									
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Deaths from							
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.
LONDON—OUTER RING	368,580	2,044,861	1,193	543	129	176	1	25	2	8	12	3	5	20
Carshalton <i>w,2F,2H</i>	12,228	32,997	10	3	-	1	-	1	-	-	-	-	-	-
Epsom, <i>part of</i> * <i>W,w,2F,H</i>	10,423	15,548	6	3	1	-	-	-	-	-	-	-	-	-
Godstone, <i>part of</i> * <i>W,F</i>	2,754	2,692	1	1	-	-	-	-	-	-	-	-	-	-
Coulsdon	11,069	41,162	2	1	1	-	-	-	-	-	-	-	1	-
South Croydon	4,200	49,319	23	11	1	4	-	1	-	1	1	1	1	2
West Croydon <i>3W,F,H</i>	2,168	42,888	39	17	5	6	-	-	-	-	-	-	-	-
North Croydon <i>H</i>	2,644	41,668	18	6	4	-	-	1	-	-	-	-	-	1
Penge <i>w</i>	770	22,465	7	7	1	4	-	-	-	-	-	-	-	1
Mitcham <i>w</i>	11,689	23,913	14	8	3	1	-	-	-	1	-	-	-	1
Wimbledon <i>F,3H</i>	3,221	41,152	21	14	5	4	-	2	-	1	1	1	-	-
Kingston <i>W,H</i>	6,224	42,118	29	13	-	5	-	-	-	-	1	-	-	1
Surbiton <i>F,H</i>	3,046	15,017	10	9	4	2	-	-	-	1	1	-	-	-
Esher, <i>part of</i> * <i>H</i>	5,402	13,100	7	3	1	-	-	-	-	-	-	-	-	2
Hampton <i>H,L</i>	4,504	23,456	13	6	2	3	-	-	-	-	-	-	-	-
Richmond <i>W,H</i>	2,162	28,865	9	5	2	3	-	-	-	-	1	-	-	-
Mortlake <i>F</i>	2,847	20,628	15	8	1	3	-	2	-	-	-	-	-	-
Bromley <i>F,2H</i>	4,703	27,354	10	2	-	1	-	-	-	-	-	-	-	-
Beckenham <i>H</i>	7,825	28,497	12	8	4	2	-	-	-	-	-	-	1	1
Orpington, <i>part of</i> * <i>W</i>	10,113	9,857	2	1	1	-	-	-	-	-	-	-	-	-
Chislehurst <i>2H</i>	7,333	16,446	12	4	-	2	-	-	-	-	-	-	-	1
Bexley <i>F,H</i>	8,678	21,151	9	3	1	-	-	-	-	-	-	-	-	-
Erith <i>F,H</i>	3,854	25,296	18	1	-	1	-	-	-	-	-	-	-	-
Dartford <i>W,F, part of</i> *	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Sunbury <i>w</i>	11,054	18,633	10	4	2	2	-	-	-	-	-	-	-	-
Staines <i>W,H</i>	13,277	15,178	6	1	1	-	-	-	-	-	-	-	-	1
Hillingdon <i>W,F,H</i>	6,035	13,661	9	4	1	2	-	-	-	-	-	-	-	-
Uxbridge	12,757	8,984	3	-	-	-	-	-	-	-	-	-	-	-
Hayes <i>w,F,H</i>	8,066	16,358	13	3	-	2	-	-	-	-	-	-	-	-
Isleworth <i>3W,2F,H</i>	6,859	30,863	13	7	-	5	-	-	-	-	-	-	-	-
Twickenham <i>F,H</i>	2,421	20,991	19	11	3	4	-	-	-	-	-	-	1	2
Brentford <i>2F,2H,L</i>	4,319	48,289	32	11	1	5	-	-	-	1	-	-	1	1
Chiswick <i>H</i>	1,249	29,809	22	11	3	1	-	-	-	-	-	-	1	2
Acton <i>w,3H</i>	6,132	48,914	32	10	3	2	-	1	-	-	-	-	-	-
Harrow <i>F,H</i>	13,809	25,523	10	4	-	1	-	-	-	-	-	-	-	-
Edgware <i>F,2H</i>	6,994	4,521	3	1	-	-	-	-	-	-	-	-	-	-
Willesden <i>W,F,2H</i>	4,384	114,811	84	21	4	5	-	1	-	1	-	-	1	2
Hendon <i>W,F</i>	8,382	22,450	5	3	1	1	-	-	-	-	-	-	-	-
South Mimms <i>2F,H</i>	17,755	7,308	1	2	-	2	-	-	-	-	-	-	-	-
Barnet <i>W,3H</i>	3,324	17,970	7	7	1	3	-	-	-	-	-	-	-	-
Finchley <i>F,2H</i>	4,688	33,682	14	8	1	2	-	1	-	-	-	-	-	-
Hornsey <i>F,H</i>	2,375	72,056	31	15	3	8	-	-	-	-	-	-	1	1
Wood Green <i>H</i>	1,625	34,213	21	12	4	4	-	5	-	-	-	-	1	1
West Tottenham <i>F</i>	996	48,853	42	9	3	3	-	-	-	-	-	-	-	1
East Tottenham <i>F,H</i>	2,017	53,688	32	16	2	7	-	-	-	-	-	-	3	5
Edmonton <i>W,w,2F</i>	7,491	61,392	44	25	7	7	-	3	-	-	1	-	1	6
Enfield <i>2W,F,H</i>	12,601	42,738	33	13	5	4	-	-	-	-	1	-	-	-
Waltham Abbey	11,017	6,549	2	2	-	1	-	-	-	-	-	-	-	-
Cheshunt <i>F,H</i>	8,479	12,292	12	5	1	2	-	-	-	-	1	-	-	-
Hatfield, <i>part of</i> * <i>W</i>	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-
Bushey <i>H</i>	9,333	9,173	1	2	-	1	-	-	-	-	-	-	-	-
Watford <i>W,2F part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford <i>H</i>	1,072	44,827	24	8	2	1	-	-	-	-	1	-	-	2
Plaistow <i>F,2H</i>	1,249	90,921	54	27	7	8	-	3	-	2	-	-	1	4
Canning Town <i>H</i>	1,556	70,718	59	21	9	3	-	1	-	-	3	-	1	2
Forest Gate <i>w</i>	896	60,892	31	5	1	1	-	-	-	-	-	-	-	2
North East Ham <i>w</i>	1,333	58,676	33	9	4	3	-	-	-	-	-	-	1	1
South East Ham <i>3F</i>	1,993	37,342	22	17	4	4	-	-	1	1	1	-	-	1
Wanstead <i>F</i>	1,679	9,179	-	-	-	-	-	-	-	-	-	-	-	-
South Leyton <i>2W</i>	631	50,467	23	14	2	7	-	-	-	-	-	-	-	2
North Leyton <i>W,w,F</i>	1,963	48,445	27	28	3	9	-	-	-	-	1	-	-	-
Walthamstow <i>3H,L</i>	6,504	108,929	70	18	4	3	-	1	-	-	1	-	2	4
Chigwell, <i>part of</i> * <i>2F,4H</i>	11,778	16,397	7	3	-	2	-	-	-	-	-	-	-	-
Epping <i>W,F, part of</i> *	-	-	-	1	-	1	-	-	-	-	-	-	-	-
Romford, <i>part of</i> * <i>W,2F</i>	6,556	6,091	6	3	1	-	-	-	-	-	1	-	-	-
Ilford <i>F,L</i>	8,496	41,234	27	22	4	9	-	1	-	-	1	-	-	1
Barking Town <i>F</i>	3,803	21,547	22	16	6	3	-	-	2	-	-	-	2	-
Middlesex County Asylum, Streatham.	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Middlesex County Asylum, Wandsworth.	-	-	-	-	5	-	3	-	-	-	-	-	-	-
London County Asylum, Finchley.	-	-	-	-	1	-	1	-	-	-	-	-	-	-
N. E. Hospital, Tottenham	-	-	-	-	1	-	-	-	1	-	-	-	-	-

*The parts of sub-districts included within that portion of the Metropolitan Police District; which forms the City of London are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Epping parish; 41: 3, excepting Chelsfield, Oudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Heydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Dysentery.
CUTTACK (including BURBS)	847,796	February 13	-	438	26·8	-	4	-	-	-	142†	-
CALCUTTA	776,008	March 8	257	1574	105·5	19	11	-	-	1	1027†	-
MADRAS	509,346	February 19	308	448	45·7	-	1	?	?	?	133	-
BOMBAY	2,660,559	March 19	1057	1159	23·9	1	15	1	8*	6	15	-
CHENNAI	575,896	" 19	220	179	16·1	-	1	-	1*	3	-	-
COCHIN	281,376	" 19	146	76	14·0	4	1	1	-	1	-	-
COLOMBO	547,370	" 12	300	195	18·6	3	14	-	-	2	1	-
COPENHAGEN	420,000	" 19	249	163	20·2	-	-	-	2*	4	-	-
COPENHAGEN	305,115	" 12	135	91	15·5	-	-	1	-	-	-	-
COPENHAGEN	225,709	" 19	136	52	12·0	-	-	-	-	-	-	-
PETERSBURG	1,248,643	" 12	815	661	27·6	1	14	4	11	3	12	-
PETERSBURG	1,003,410	" 12	-	597	23·5	1	10	11	8*	5	3	-
PARIS	1,960,909	" 5	873	619	16·5	-	7	5	10*	9	-	-
PARIS	751,842	" 19	-	210	14·5	-	-	3	1*	1	-	-
PARIS	445,403	" 19	-	-	-	-	-	-	-	-	-	-
PARIS	520,000	" 19	-	222	22·2	-	5	-	1*	2	-	-
PARIS	1,779,869	" 19	999	734	21·4	-	44	2	8*	5	1	-
PARIS	423,990	" 19	209	169	20·8	-	4	1	-	3	1	-
PARIS	813,399	" 12	498	318	20·3	1	9	2	5	1	2	-
PARIS	187,251	" 12	120	125	34·7	-	-	2	-	4	1	-
PARIS	-	" 19	146	119	33·0	-	1	1	-	-	2	-
PARIS	496,201	February 6	310	255	27·1	-	7	-	3*	-	4	-
PARIS	166,288	March 12	97	64	20·0	-	-	-	1*	1	-	-
PARIS	624,338	January 7	532	423	35·3	-	9	-	11*	-	9	-
PARIS	349,300	" 7	322	199	29·7	-	-	-	1*	-	3	-
PARIS	3,838,024	March 12	1952	1779	24·2	-	23	21	44*	7	9	-
PHILADELPHIA	1,408,154	February 27	-	693	25·6	12	11	7	11	2	23	-
PHILADELPHIA	617,950	March 5	-	241	20·3	-	14	-	3*	-	5	-

* Including deaths from croup.

† Including 45 deaths from plague in Calcutta, and 983 in Bombay.

‡ Including 19 deaths from cholera in Calcutta, one in Bombay, and one in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 26th March, 1904.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
DON (Greenwich)	54·0	31·8	42·9	0·13	HUDDERSFIELD	57·5	33·0	41·9	0·1
BRIGHTON	50·8	35·1	43·8	0·03	BRADFORD	56·2	34·2	43·2	0·0
SMITH	52·0	34·5	44·5	0·05	LEEDS	53·0	34·0	42·4	0·1
SWITCH	55·0	31·4	44·4	0·31	HULL	59·0	35·0	43·3	0·2
MOUTH	56·7	33·9	44·6	0·04					
STOL	55·3	32·7	43·5	0·10	EDINBURGH	51·9	31·2	40·6	0·2
LIVERHAMPTON	-	-	-	-	GLASGOW	53·2	29·5	42·6	0·6
MINGHAM	57·2	32·8	42·7	0·15		55·6	30·1	43·6	0·2
TINGHAM	58·2	31·4	43·2	0·11	DUBLIN	56·0	37·9	45·9	0·1
FRPOOL	54·0	34·0	42·5	0·10					
OBSERVATORY.	57·3	31·8	41·7	0·39					
CHESTER	53·5	34·0	42·7	0·61					
ESTON	-	-	-	-	BELFAST	53·0	35·0	45·5	0·6

Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of the report) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1·2 Fahrenheit degrees subtracted. See Table V. of Glaisher's Diurnal Range Tables.

Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 19th March, 1904.*

BOROUGHS.	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - - -	146,975	-	5	1	-	-	-	-	-	-
Ken-sington - - - - -	179,238	-	3	3	-	-	-	-	3	-
Hammersmith - - - - -	117,412	-	3	1	-	2	-	-	4	-
Fulham - - - - -	152,482	-	2	4	-	1	-	-	1	1
Chelsea - - - - -	74,329	-	2	1	-	-	-	-	-	-
City of Westminster - - - -	177,321	-	3	2	-	1	-	-	1	-
NORTH.										
St. Marylebone - - - - -	130,337	-	7	-	-	-	-	-	4	-
Hampstead - - - - -	86,663	-	2	1	-	-	-	-	3	-
St. Pancras - - - - -	235,936	-	12	10	-	-	-	-	-	1
Islington - - - - -	341,044	1	20	9	-	1	-	-	3	-
Stoke Newington - - - - -	52,445	-	2	1	-	-	-	-	1	-
Hackney - - - - -	226,266	1	13	21	-	3	-	-	5	1
CENTRAL.										
Holborn - - - - -	57,161	-	1	-	-	2	-	-	3	-
Finsbury - - - - -	98,958	1	4	-	-	-	-	-	-	-
City of London - - - - -	23,482	-	-	-	-	-	-	-	-	-
EAST.										
Shoreditch - - - - -	117,033	-	2	2	-	2	-	-	3	-
Bethnal Green - - - - -	130,207	7	7	5	-	1	-	-	1	-
Stepney - - - - -	303,791	7	19	8	-	1	-	-	4	1
Poplar - - - - -	169,905	2	7	8	-	1	-	-	5	-
SOUTH.										
Southwark - - - - -	207,937	-	7	2	-	1	-	-	5	1
Bermondsey - - - - -	129,397	-	7	6	-	-	-	-	10	-
Lambeth - - - - -	310,359	2	13	9	-	1	-	-	6	-
Battersea - - - - -	175,465	-	7	1	-	-	-	-	5	1
Wandsworth - - - - -	257,586	-	10	6	-	1	-	-	5	-
Camberwell - - - - -	268,384	2	20	5	-	1	-	-	5	1
Deptford - - - - -	113,509	-	7	1	-	-	-	-	1	1
Greenwich - - - - -	101,651	-	4	5	-	-	-	-	2	-
Lewisham - - - - -	140,401	-	3	4	-	-	-	-	-	-
Woolwich - - - - -	123,416	-	5	5	-	2	-	-	-	-
Port of London - - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. }		4,649,083	23	196	121	-	21	-	80	8
Ages										
0-1 - - - - -			1	1	2	-	-	-	5	-
" 1-5 - - - - -			-	63	52	-	-	-	7	-
" 5- - - - -			3	77	37	-	2	-	4	-
" 10- - - - -			1	34	8	-	3	-	3	-
" 15- - - - -			1	6	6	-	3	-	4	-
" 20- - - - -			4	7	5	-	3	-	5	2
" 25- - - - -			5	7	6	-	7	-	11	6
" 35- - - - -			6	1	4	-	-	-	11	-
" 45- - - - -			2	-	1	-	2	-	12	-
" 55- - - - -			-	-	-	-	1	-	10	-
" 65 and upwards			-	-	-	-	-	-	8	-
Age not stated - - - - -			-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1904.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

~~~~~

**By Authority of the Registrar General**

~~~~~

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 13. 1904. VOL. LXV.] WEEK ENDED SATURDAY, APRIL 2. [Price 1½d.

General Register Office, Somerset House,
April 5th, 1904.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 18·7 per 1000 of their aggregate population, which is estimated† at 15,271,425 persons in the middle of this year. In the preceding three weeks the rates had been 19·0, 19·7, and 18·7. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *all causes*, 22·6 in Liverpool, 22·8 in Walsall, 22·9 in Merthyr Tydfil, 23·6 in Birkenhead, 23·9 in Swansea, 24·5 in Birmingham and in Manchester, 24·6 in Tynemouth, 24·8 in Warrington, 25·0 in Bury, 25·3 in St. Helens, and 28·6 in Rochdale; from *measles*, 1·4 in Salford and in Leeds, 1·6 in Hanley, 1·8 in Norwich and in Bury, 2·6 in Wallasey, in Manchester, and in Burnley, and 2·9 in St. Helens; from *diphtheria*, 1·3 in East Ham and 1·6 in Hanley; and from *whooping-cough*, 2·1 in Wolverhampton, 2·4 in St. Helens, 2·6 in Gateshead, 3·0 in Bolton and in West Hartlepool, 4·2 in Coventry, 4·9 in Swansea, and 6·2 in Warrington. Three deaths from *small-pox* were registered in London, 2 in Tynemouth, and 1 each in Nottingham, Oldham, and Gateshead, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2240 BIRTHS and 1672 DEATHS were registered. Allowing for increase of population, the births were 447, and the deaths 69, below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 20·1, 18·8, and 18·4 in the preceding three weeks, rose again last week to 18·8. During the four weeks ended on Saturday last the death-rate averaged 19·0 per 1000, being 1·9 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, and in certain local Small-pox Hospitals, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the recent Census, and on the increase in the last intercensal period.

The 1672 deaths included 3 from small-pox, 92 from measles, 4 from scarlet fever, 17 from diphtheria, 68 from whooping-cough, 3 from enteric fever, and 16 from diarrhoea, but not one death from typhus or from ill-defined pyrexia; thus, 203 deaths were referred to these diseases in the aggregate, being 6 below the corrected average weekly number.

Of 3 fatal cases of *small-pox*, 1 belonged to the Borough of Holborn, 1 to Bethnal Green, and 1 to Poplar. The deaths from *measles*, which had been 66, 69, and 67 in the preceding three weeks, rose last week to 92, and were 19 above the corrected average; 19 cases belonged to the Borough of Southwark, 8 to Stepney, 6 each to Hammersmith, St. Pancras, Islington, and Camberwell, and 5 each to Fulham, Poplar, and Bermondsey. The deaths from *scarlet fever*, which had been 6, 2, and 4 in the preceding three weeks, were again 4 last week, the corrected average being 13. The deaths from *diphtheria*, which had been 17, 17, and 13 in the preceding three weeks, rose again last week to 17, but were 19 below the corrected average; 4 cases belonged to Poplar and 3 to Southwark. The deaths from *whooping-cough*, which had been 54, 51, and 48 in the preceding three weeks, rose again last week to 68, and were 6 above the corrected average; 14 cases belonged to Stepney and 6 to Shoreditch. The fatal cases of *enteric fever*, which had been 4, 2, and 3 in the preceding three weeks, were again 3 last week, the corrected average being 7. The deaths from *diarrhoea*, which had been 18, 19, and 19 in the preceding three weeks, fell last week to 16, but were 4 above the corrected average. Of the 16 deaths from diarrhoea, 11 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the causes of 4 more deaths at this age. The deaths attributed directly to *influenza* numbered 17, having been 24, 20, and 18 in the preceding three weeks.

Different forms of *violence* caused 58 deaths, concerning all of which inquests were held. Of these 58 deaths, 9 were cases of suicide, while the remaining 49 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, 8 to burns and scalds, 2 to the effects of anaesthetics administered for surgical purposes, and 14 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 126 cases of small-pox, 1570 of scarlet fever, 787 of diphtheria, 1 of typhus, and 86 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 42 cases, against 21, 26, and 54; of scarlet fever, 153 cases, against 192, 176, and 145; of diphtheria, 99 cases, against 109, 91, and 94; and of enteric fever, 16 cases, against 11, 10, and 8. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended March 26th.

GREATER LONDON.

In Greater London 3341 births and 2211 deaths were registered. Allowing for increase of population, these numbers are 583 and 160 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 11 deaths from measles, 2 from scarlet fever, 4 from diphtheria, 4 from whooping-cough, 1 from "fever," and 2 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·67 inches, and that of the Thermometer 42°·0, the latter being 2°·6 below the week's average in the 50 years 1841-90. The general direction of the wind was variable, the horizontal movement of the air being 22 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 29·5 hours; the measured rainfall amounted to 0·45 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	POPULATION estimated to the middle of the Year the Year 1904.*	DEATH-RATES from all Causes.				Rate from Diseases in Coll. 11-17.		Registered Deaths during the Week ended 2nd April, 1904.		The Deaths registered in the Week include											Deaths of Persons aged 60 Years and upwards.		Deaths from						Deaths in Public Institutions.		Uncertified Causes of Death.		TOWNS.																											
		Week ended				11-17.		BIRTHS. DEATHS.		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.																													
		12th Mar. 1904.				12th Mar. 1904.		19th Mar. 1904.																								26th April, 1904.																												
		12th Mar. 1904.	19th Mar. 1904.	26th April, 1904.	2nd April, 1904.	12th Mar. 1904.	19th Mar. 1904.	26th April, 1904.	2nd April, 1904.																							12th Mar. 1904.		19th Mar. 1904.																										
		1.	2.	3.	4.	5.	6.	7.	8.																							9.		10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.															
76 TOWNS	15,271,425	19'0	19'7	18'7	18'7	2'2	8076	5464	1239	1494	8	211	32	71	234	26	58	180	385	1258	57	76 TOWNS.																																						
LONDON -	4,649,088	20'1	18'8	18'4	18'8	2'3	2240	1672	375	494	3	92	4	17	68	3	16	58	133	585	1	LONDON.																																						
CROYDON -	144,419	15'9	13'1	11'9	13'7	1'1	73	38	3	15	-	2	-	-	-	-	1	1	5	6	-	CROYDON.																																						
WILLESDEN -	132,566	15'7	13'8	8'7	11'0	1'6	65	28	8	7	-	2	-	-	2	-	2	2	6	1	-	WILLESDEN.																																						
HORNSEY -	81,221	9'6	8'3	9'6	9'0	1'9	37	14	5	4	-	1	-	-	2	-	-	-	-	1	-	HORNSEY.																																						
TOTTENHAM -	112,981	6'9	18'0	12'9	20'8	2'3	69	45	12	10	-	2	1	1	1	-	-	-	6	11	-	TOTTENHAM.																																						
WEST HAM -	288,424	18'1	14'5	15'2	16'3	2'7	150	90	25	17	-	5	1	3	4	-	2	6	10	17	-	WEST HAM.																																						
EAST HAM -	116,902	13'8	12'5	12'0	12'5	1'8	59	28	5	6	-	1	-	3	-	-	1	1	2	7	-	EAST HAM.																																						
LEYTON -	110,844	11'8	12'2	9'9	9'4	0'5	56	20	7	7	-	1	-	-	-	-	-	-	-	4	-	LEYTON.																																						
WALTHAMSTOW -	111,282	10'3	14'1	9'4	8'4	1'4	65	18	6	5	-	1	-	1	-	1	1	1	3	4	1	WALTHAMSTOW.																																						
HASTINGS -	66,503	18'0	11'8	12'5	12'5	-	17	16	2	6	-	-	-	-	-	-	-	-	-	3	-	HASTINGS.																																						
BRIGHTON -	126,286	23'5	19'0	20'6	19'8	2'5	52	48	10	16	-	3	-	1	2	-	-	2	5	8	-	BRIGHTON.																																						
PORTSMOUTH -	198,038	21'6	17'6	18'7	18'2	2'1	92	69	16	18	-	-	-	3	4	-	1	1	1	11	-	PORTSMOUTH.																																						
BOURNEMOUTH -	64,645	18'6	16'1	17'7	15'3	-	15	19	2	8	-	-	-	-	-	-	-	-	-	3	-	BOURNEMOUTH.																																						
SOUTHAMPTON -	112,500	13'9	14'4	19'5	15'3	-	50	33	9	11	-	-	-	-	-	-	1	1	3	9	-	SOUTHAMPTON.																																						
READING -	73,373	12'3	13'7	13'7	12'3	1'4	29	18	5	7	-	-	-	-	-	-	-	-	1	1	-	READING.																																						
NORTHAMPTON -	91,146	14'9	14'3	14'9	14'3	-	46	25	5	11	-	-	-	-	-	-	-	-	1	4	-	NORTHAMPTON.																																						
IPSWICH -	69,805	14'9	17'9	17'2	11'2	-	38	15	3	7	-	-	-	-	-	-	-	-	1	1	-	IPSWICH.																																						
GREAT YARMOUTH -	52,089	18'0	22'0	17'0	19'0	1'0	36	19	2	8	-	-	-	1	-	-	-	-	2	6	-	GREAT YARMOUTH.																																						
NORWICH -	115,538	23'9	24'8	20'3	18'1	2'7	61	40	11	16	-	4	-	-	2	-	-	2	2	7	1	NORWICH.																																						
PLYMOUTH -	114,003	21'5	20'1	24'2	20'1	2'3	39	44	6	11	-	-	-	2	3	-	2	2	2	7	-	PLYMOUTH.																																						
DEVONPORT -	75,334	15'9	12'5	15'9	11'8	0'7	33	17	3	5	-	-	-	1	-	-	-	-	1	1	-	DEVONPORT.																																						
BRISTOL -	343,204	17'6	21'9	15'0	18'4	1'7	184	121	16	43	-	3	2	2	2	-	2	3	12	28	-	BRISTOL.																																						
HANLEY -	63,932	14'7	29'4	21'2	22'0	4'1	37	27	9	8	-	2	1	2	-	-	2	2	2	2	-	HANLEY.																																						
BURTON-ON-TRENT -	51,934	14'1	14'1	18'1	14'1	-	28	14	4	4	-	-	-	-	-	-	-	-	2	1	-	BURTON-ON-TRENT.																																						
WOLVERHAMPTON -	98,194	14'9	18'1	18'6	16'5	2'7	58	31	9	10	-	-	-	-	-	-	-	-	4	1	-	WOLVERHAMPTON.																																						
WALSALL -	91,432	17'7	21'7	21'7	22'8	3'4	48	40	9	10	-	-	-	1	1	-	1	1	4	3	-	WALSALL.																																						
HANDSWORTH -	59,634	15'7	14'0	16'6	14'9	-	22	17	2	7	-	-	-	-	-	-	-	-	1	1	-	HANDSWORTH.																																						
WEST BROMWICH -	67,186	21'0	19'4	28'7	21'7	2'3	50	28	8	5	-	-	-	1	-	-	-	-	1	1	-	WEST BROMWICH.																																						

TOWNS.	Cols.	POPULATION estimated to the middle of the year 1904.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the week ended 2nd April, 1904.		The DEATHS registered in the Week include										TOWNS.
			Week ended				11-17.		Week ended 2nd April, 1904.												
			12th Mar., 1904.	19th Mar., 1904.	26th Mar., 1904.	2nd April, 1904.			BIRTHS. DEATHS.												
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM -	557,965	22'0	24'6	23'3	24'5	3'9	294	253	49	-	8	4	3	20	1	4	16	16	50	8	BIRMINGHAM.
KINGS NORTON -	61,667	13'3	15'6	15'6	14'1	-	17	18	5	-	-	-	-	-	-	-	2	2	2	-	KINGS NORTON.
SMETHWICK -	60,691	12'0	19'8	18'9	16'3	1'7	32	19	3	4	-	1	-	-	1	-	-	-	4	-	SMETHWICK.
ASTON MANOR -	80,363	16'9	19'5	18'2	19'5	2'6	49	30	8	7	2	-	-	2	-	-	-	-	2	-	ASTON MANOR.
COVENTRY -	73,904	16'2	23'3	15'5	19'0	4'9	61	27	13	-	-	-	1	6	-	-	2	2	2	-	COVENTRY.
LEICESTER -	224,186	14'0	22'3	14'7	13'5	1'6	136	58	17	-	-	-	-	6	-	1	-	4	8	-	LEICESTER.
GRIMSBY -	66,958	14'0	12'5	21'8	13'2	0'8	34	17	4	-	-	-	1	-	-	-	-	2	5	-	GRIMSBY.
NOTTINGHAM -	248,811	21'6	19'9	19'3	18'4	1'3	147	88	30	1	-	1	1	1	1	1	4	7	17	-	NOTTINGHAM.
DERBY -	120,419	19'9	29'4	16'5	18'2	0'9	55	42	14	-	-	-	-	2	-	-	1	1	10	-	DERBY.
STOCKPORT -	97,008	21'0	23'7	16'7	15'1	1'6	45	28	9	-	1	1	1	-	-	-	-	1	7	-	STOCKPORT.
BIRKENHEAD -	114,814	23'2	22'3	24'5	23'6	2'3	67	52	19	-	-	-	-	4	-	1	1	3	8	-	BIRKENHEAD.
WALLASEY -	60,354	13'0	20'7	17'3	18'1	3'5	24	21	3	-	3	-	-	1	-	-	-	1	-	-	WALLASEY.
LIVERPOOL -	723,430	21'9	23'2	19'8	22'6	2'3	467	313	74	-	3	2	4	14	3	6	8	12	84	8	LIVERPOOL.
BOOTLE -	61,755	20'3	10'1	11'8	17'7	0'8	31	21	5	-	-	-	-	1	-	-	1	1	4	1	BOOTLE.
ST. HELENS -	88,445	20'6	25'3	20'6	25'3	6'5	63	43	12	7	5	-	2	4	-	-	1	1	5	2	ST. HELENS.
WIGAN -	62,800	24'9	27'4	16'6	19'1	-	32	23	7	-	-	-	-	-	-	-	3	4	4	1	WIGAN.
WARRINGTON -	67,331	19'4	31'0	24'8	24'8	8'5	48	32	4	-	1	1	-	8	-	1	1	1	4	3	WARRINGTON.
BOLTON -	175,744	16'3	20'5	20'5	19'6	3'6	72	66	17	-	-	1	1	10	-	-	1	4	7	-	BOLTON.
BURY -	58,450	13'4	25'9	22'3	25'0	3'6	27	28	8	-	2	-	-	2	-	-	2	2	3	1	BURY.
MANCHESTER†	557,938	23'0	27'4	24'3	24'5	3'9	285	262	53	-	23	-	1	9	2	2	7	17	49	6	MANCHESTER.†
SALFORD -	228,983	19'8	22'3	23'5	21'9	3'4	136	96	21	-	6	1	-	7	-	1	3	7	24	-	SALFORD.
OLDHAM -	130,497	20'6	20'2	23'2	17'2	0'7	58	46	11	1	-	-	1	1	-	-	1	4	11	-	OLDHAM.
ROCHDALE -	85,601	20'1	23'1	18'9	28'6	3'0	41	47	16	-	1	1	1	2	-	-	1	1	8	1	ROCHDALE.
BURNLEY -	100,569	17'6	17'6	23'3	19'7	3'1	31	38	9	-	5	-	-	-	-	1	1	1	2	2	BURNLEY.
BLACKBURN -	132,134	15'8	17'0	17'8	14'2	2'0	54	36	9	-	1	-	1	1	2	-	-	2	5	1	BLACKBURN.
PRESTON -	115,055	25'8	22'2	22'7	19'5	2'7	55	43	13	-	-	-	1	1	2	1	-	-	3	2	PRESTON.
BARROW-IN-FORMS -	59,454	20'1	20'1	13'1	20'1	-	38	23	6	-	-	-	-	-	-	-	2	2	1	1	BARROW-IN-FORMS.

TOWNS.	DEATH-RATES from all Causes.				Rate from Diseases in 1904.		Registered Deaths during the week ended 2nd April, 1904.		The DEATHS registered in the Week include												TOWNS.	
	Week ended				11-17.		Week ended April, 1904.	BIRTHS.	DEATHS.	Deaths from										Cols.		
															Cols.							
	12th Mar., 1904.	19th Mar., 1904.	26th Mar., 1904.	2nd April, 1904.						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-Pox.	Measles.	Scarlet Fever.		Diphtheria.	Whooping-Cough.	Fever.	Diarrhoea.	Violence.		Inquest Cases.
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.		
Colts.																						
HUDDESFIELD.	-	17.6	13.7	19.8	18.7	1.1	47	34	8	-	-	-	-	1	1	-	2	2	6	1	HUDDESFIELD.	
HALIFAX.	-	16.5	17.0	13.6	18.9	-	45	39	7	-	-	-	-	-	-	-	2	3	8	1	HALIFAX.	
BRADFORD.	-	16.6	18.1	19.8	18.5	1.8	137	101	23	-	4	-	3	1	-	2	3	5	22	-	BRADFORD.	
LEEDS.	-	17.6	19.3	19.9	20.7	2.4	296	179	37	-	12	-	3	1	2	3	4	12	24	1	LEEDS.	
SHEFFIELD.	-	432,940	17.8	15.9	15.9	1.1	291	146	43	-	-	2	3	3	1	-	10	12	35	8	SHEFFIELD.	
ROTHERHAM.	-	58,498	19.6	25.0	17.8	-	39	17	3	-	-	-	-	-	-	-	1	1	2	-	ROTHERHAM.	
YORK.	-	81,268	16.7	16.0	21.2	0.6	44	20	6	-	-	-	1	-	-	-	2	2	3	-	YORK.	
HULL.	-	253,865	16.2	16.6	16.8	1.0	156	68	16	-	1	1	-	1	1	1	2	4	12	1	HULL.	
MIDDLESBROUGH.	-	96,684	20.5	21.0	22.7	3.2	74	35	9	-	-	1	-	2	1	2	1	1	7	-	MIDDLESBROUGH.	
STOCKTON-ON-TEES.	-	52,192	16.0	25.0	30.0	-	41	21	5	-	-	-	-	-	-	-	-	1	1	-	STOCKTON-ON-TEES.	
WEST HARTLEPOOL.	-	69,251	21.8	18.1	18.8	3.8	51	29	9	-	1	-	-	4	-	-	2	2	3	-	WEST HARTLEPOOL.	
SUNDERLAND.	-	151,157	24.0	23.8	19.0	2.1	83	50	16	-	3	-	1	-	1	1	1	3	8	1	SUNDERLAND.	
SOUTH SHIELDS.	-	107,334	20.4	18.9	17.5	0.5	75	27	8	-	-	-	-	-	1	-	1	1	5	1	SOUTH SHIELDS.	
GATESHEAD.	-	118,067	20.8	22.5	22.5	3.5	77	43	16	1	1	-	-	6	-	-	-	2	5	1	GATESHEAD.	
NEWCASTLE-ON-TYNE.	-	225,362	20.8	20.6	22.2	1.4	153	70	19	-	-	-	-	6	-	-	-	2	8	-	NEWCASTLE-ON-TYNE.	
TYNEMOUTH.	-	53,060	11.8	22.6	14.7	2.9	41	25	10	2	-	1	-	-	-	-	-	-	7	-	TYNEMOUTH.	
NEWPORT (MON.).	-	71,543	11.7	22.6	18.9	0.7	51	27	3	-	-	-	-	-	1	-	-	-	9	-	NEWPORT (MON.).	
CARDIFF.	-	176,313	18.6	18.3	16.9	1.5	98	55	10	-	2	-	1	-	-	2	1	2	7	-	CARDIFF.	
RHONDDA.	-	122,310	17.5	23.0	21.3	2.6	90	38	12	-	2	1	2	-	-	1	1	2	5	1	RHONDDA.	
MERTHYR TYDFIL.	-	72,745	21.5	22.9	12.2	2.2	56	32	10	-	-	1	-	2	-	-	2	3	5	-	MERTHYR TYDFIL.	
SWANSEA.	-	95,931	23.4	22.3	21.7	4.9	43	14	8	-	-	-	-	9	-	-	1	2	5	-	SWANSEA.	
GREATER LONDON.	-	6,907,619	18.1	17.2	16.5	16.7	2211	499	660	3	118	8	29	79	4	24	77	199	690	2	GREATER LONDON.	
OUTER RING.	-	2,258,531	13.9	13.9	12.5	1.4	1101	124	106	-	26	4	12	11	1	8	19	46	105	1	OUTER RING.	
8 TOWNS IN OUTER RING.	-	1,096,639	13.9	14.4	11.9	1.8	281	71	71	-	15	2	8	7	-	6	11	32	51	1	8 TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING.	-	1,159,892	14.0	13.4	13.2	1.1	527	53	95	-	11	2	4	4	1	2	8	14	54	-	REMAINDER OF OUTER RING.	
EDINBURGH.	-	331,977	19.5	18.5	20.6	0.6	150	20	52	-	1	-	-	3	-	-	1	?	39	9	EDINBURGH.	
GLASGOW.	-	798,357	23.4	24.4	21.2	2.5	423	49	72	5	12	3	1	8	3	7	12	?	85	16	GLASGOW.	
DUBLIN.	-	378,994	28.3	27.7	30.4	2.8	202	36	59	-	4	1	-	11	2	2	5	7	84	9	DUBLIN.	

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTEENTH Week of each of the Eleven Years, 1894–1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894–1903.*	1904
TOTAL Births -	2437	2466	2780	2533	2830	2609	2736	2634	2383	2465	2386·7	2240
Males - -	1244	1227	1401	1320	1458	1338	1407	1349	1234	1287	1375·8	1134
Females - -	1193	1239	1379	1213	1402	1271	1329	1285	1149	1178	1310·9	1106
TOTAL Deaths -	1736	1781	1526	1505	1883	1922	1785	1645	1614	1336	1740·8	1672
Males - -	863	927	778	778	948	936	933	846	836	763	892·9	828
Females - -	873	854	748	727	935	983	852	799	778	623	847·9	841

* The numbers in this column are the average weekly numbers in the thirteenth week of the ten years 1894–1903, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Jan. 9.	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	13 Weeks.
TOTAL Births -	2862	2589	2515	2434	2748	2637	2737	2456	2364	2712	2577	2423	2240	33294
TOTAL Deaths -	1731	1677	1549	1734	1554	1574	1539	1467	1594	1796	1680	1645	1672	21262
Deaths from—														
Under 1 year -	384	357	313	333	349	316	345	326	350	297	335	330	375	4516
1–5 years -	176	160	150	189	164	183	206	158	197	230	216	214	214	2457
5–20 " -	84	82	77	82	68	70	72	65	79	88	73	71	79	990
20–40 " -	194	208	194	211	181	191	180	167	172	188	212	190	202	2490
40–60 " -	323	349	332	355	297	307	299	313	306	299	327	326	308	4141
60 yrs. & upwds.	570	521	483	564	495	507	487	438	490	594	517	508	494	6668
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	1	1	-	1	1	1	3	8
Measles - -	58	49	46	38	31	37	42	32	43	66	69	67	92	670
Scarlet Fever - -	10	10	10	9	3	4	9	5	5	6	2	4	4	81
Diphtheria - -	14	11	10	25	13	12	17	18	23	17	17	13	17	207
Whooping-cough -	28	37	29	43	45	52	55	41	52	54	51	48	63	603
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	5	8	5	3	4	8	2	5	3	4	2	3	3	55
Pyrexia (origin uncertain). -	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Diarrhoea, Dysentery	16	19	25	17	20	13	16	28	20	18	19	19	16	246
All above Diseases -	131	135	125	135	116	126	142	130	146	166	161	155	203	1871
Dis. of Resp. System														
Pneumonia - -	250	219	210	260	193	165	195	180	202	235	205	195	212	2721
Phthisis - -	185	189	145	171	157	159	154	142	169	179	170	183	158	2166
Dis. of Circ. System -	150	180	180	178	160	139	146	147	156	162	168	168	168	2102
Violence - -	240	202	182	229	206	236	220	205	197	221	230	223	207	2798
Inquest Cases - -	73	65	50	57	59	78	53	51	57	68	69	58	58	796
Deaths in Institutions	203	177	144	158	127	189	150	126	150	190	161	164	153	2092
TEMPERATURE OF THE AIR.														
Mean - -	39·8	42·1	35·7	40·9	40·6	42·1	38·8	38·3	33·3	40·5	40·8	43·3	42·0	39·9
Mean of Highest - -	43·9	46·1	41·2	44·3	45·7	47·7	43·9	43·0	37·3	48·0	50·1	49·3	50·5	45·6
Mean of Lowest - -	34·3	36·6	29·1	37·1	35·6	36·5	33·4	31·8	29·8	34·1	31·5	37·6	35·3	34·3
Mean Humidity of the Air.	91	82	92	86	87	81	81	75	82	84	77	80	79	83
Rain-fall (in inches) -	0·29	0·69	0·18	0·92	1·15	1·27	0·45	0·03	0·52	0·24	0·06	0·11	0·45	6·36
Registered Sunshine (in hours).	2·9	9·2	4·3	8·7	15·0	14·2	10·3	6·7	6·4	26·3	28·2	13·7	29·5	175·4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	26	26	24	21	25	24	29	31	41	54	74	110	126	47
Scarlet Fever - -	1659	1660	1759	1651	1657	1644	1620	1587	1578	1601	1624	1585	1570	1621
Diphtheria - -	732	749	768	760	782	767	768	787	764	780	807	776	787	771
Typhus - -	-	-	-	-	-	-	-	-	-	1	1	1	1	1
Enteric Fever - -	235	191	184	166	161	139	129	125	118	102	94	83	86	139

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; E. Simpson, Esq., Wrotesley, Wolverhampton; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; and H. B. Witty, Esq., Hull.

TABLE 4. LONDON.—DEATHS Registered in the THIRTEENTH Week of the Year 1904

terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 13th week of the year 1903.	1904—Deaths of Persons of the Ages								Deaths in the 13th week of the year 1903.	1904—Deaths of Persons of the Ages							
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.	ALL AGES.		Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.		
			0-1.	1-5.	5-20.						0-1.	1-5.	5-20.					
ALL CAUSES	1386	1672	375	214	79	202	308	494	Meningitis (not tuberc.)	10	20	12	5	1	1	-	-	Meningitis (not tuberc.)
									Insanity, Gen. Par. of	11	14	-	-	-	5	1	-	Insanity, Gen. Par. of
									Insane -	12	13	-	-	1	1	4	4	Insane -
									Epilepsy -	21	32	30	2	-	-	-	-	Epilepsy -
									Convulsions -	-	-	-	-	-	-	-	-	Convulsions -
									Locomotor Ataxy -	-	-	-	-	2	1	3	3	Locomotor Ataxy -
									Paraplegia, Dis. of Cord	9	8	-	-	-	-	-	-	Paraplegia, Dis. of Cord
									Nervous Sys. (other dis.)	17	26	2	1	-	2	6	6	Nervous Sys. (other dis.)
									Valv. Dis., Endocarditis-	38	42	-	1	3	6	10	7	Valv. Dis., Endocarditis-
									Cerebr. Hæm. Thromb.	35	41	-	-	1	3	7	10	Cerebr. Hæm. Thromb.
									Apoplexy, Hemiplegia -	10	21	-	-	-	-	6	-	Apoplexy, Hemiplegia -
									Aneurysm -	7	4	-	-	-	-	2	-	Aneurysm -
									Embolism, Thrombosis }	1	2	-	-	-	1	-	-	Embolism, Thrombosis }
									(not cerebral)	1	2	-	-	-	-	-	-	(not cerebral)
									Heart & Blood Vessel Dis.	74	94	1	-	2	7	29	-	Heart & Blood Vessel Dis.
									Croup (not Spasm nor	-	2	-	2	-	-	-	-	Croup (not Spasm nor
									Memb.) -	-	-	-	-	-	-	-	-	Memb.) -
									Bronchitis -	100	185	40	17	-	5	24	2	Bronchitis -
									Asthma, Emphysema -	6	5	-	-	-	1	2	-	Asthma, Emphysema -
									Pleurisy -	1	4	-	-	-	-	1	-	Pleurisy -
									Respiratory Dis. (other)	10	16	1	2	2	3	5	-	Respiratory Dis. (other)
									Tonsillitis, Quinsy -	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy -
									Enteritis (not Epid.) -	4	7	2	2	-	2	-	-	Enteritis (not Epid.) -
									Gastro-Enteritis -	4	6	4	-	1	-	1	-	Gastro-Enteritis -
									Fertionitis (not Puerp.) -	2	5	-	-	2	1	2	-	Fertionitis (not Puerp.) -
									Cirrhosis of Liver -	10	17	-	-	-	5	7	-	Cirrhosis of Liver -
									Liver Dis. (other) -	10	7	-	-	-	2	2	-	Liver Dis. (other) -
									Digestive Dis., Other -	41	39	7	1	5	9	4	-	Digestive Dis., Other -
									Nephritis, Acute -	4	13	-	2	-	1	4	-	Nephritis, Acute -
									Bright's Dis., Albumin-	28	33	-	-	-	5	15	-	Bright's Dis., Albumin-
									uria	8	12	1	-	1	1	2	-	uria
									Urinary Sys., Other Dis.	2	5	-	-	-	1	2	-	Urinary Sys., Other Dis.
									Generative Organs Dis.-	3	2	-	-	-	-	-	-	Generative Organs Dis.-
									Childbirth (Accid. of)	52	63	-	-	-	-	-	-	Childbirth (Accid. of)
									Old Age -	97	97	70	3	4	7	6	-	Old Age -
									Other Diseases -	-	-	-	-	-	-	-	-	Other Diseases -
									ACCIDENT.	-	-	-	-	-	-	-	-	ACCIDENT.
									By Railways -	3	4	-	-	-	4	1	-	By Railways -
									By Vehicles and Horses-	7	7	-	-	-	2	3	-	By Vehicles and Horses-
									In Ships, Boats, Docks,	1	-	-	-	-	-	-	-	In Ships, Boats, Docks,
									(exclusive of Drown-	-	3	-	-	-	-	-	-	(exclusive of Drown-
									ing) -	-	-	-	-	-	-	-	-	ing) -
									In Building Operations -	-	-	-	-	-	-	-	-	In Building Operations -
									In Conflagrations -	-	-	-	-	-	-	-	-	In Conflagrations -
									By Burns, Scalds, Ex-	6	8	1	4	2	-	-	-	By Burns, Scalds, Ex-
									plosions -	3	2	-	-	-	-	2	-	plosions -
									By Drowning -	11	14	14	-	-	-	-	-	By Drowning -
									By Suffocation in Bed	-	3	-	1	-	2	-	-	By Suffocation in Bed
									By Poisons or Poisonous	-	-	-	-	-	-	-	-	By Poisons or Poisonous
									Vapours -	15	8	-	1	1	3	-	-	Vapours -
									Other Deaths by Acci-	-	-	-	-	-	-	-	-	Other Deaths by Acci-
									dent -	-	-	-	-	-	-	-	-	dent -
									VIOLENCE OTHER THAN	-	-	-	-	-	-	-	-	VIOLENCE OTHER THAN
									ACCIDENTAL.	-	-	-	-	-	-	-	-	ACCIDENTAL.
									Homicide -	1	-	-	-	-	-	-	-	Homicide -
									Suicide -	15	9	-	-	-	-	1	-	Suicide -
									Execution -	-	-	-	-	-	-	-	-	Execution -

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 2nd April, 1904.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														Inquest Cases.	Deaths in Public Institutions.
				Deaths of		Deaths from													
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia† (Origin un- certain).	Diarrhœa.	Violence.				
LONDON - - -	4,536,541	2240	1672	375	494	3	92	4	17	68	-	3	-	16	58	153	585		
EAST DISTRICTS - - -	805,311	346	286	61	89	-	18	-	28	6	-	-	-	4	11	27	105		
NORTH DISTRICTS - - -	1,056,070	499	352	66	107	-	13	1	5	13	-	1	-	3	11	27	114		
CENTRAL DISTRICTS - - -	209,465	83	75	18	15	-	2	-	-	2	-	-	-	-	6	13	28		
EAST DISTRICTS - - -	715,739	440	302	83	73	-	19	-	3	23	-	1	-	2	12	47	126		
SOUTH DISTRICTS - - -	1,749,956	872	609	144	190	-	40	3	6	24	-	1	-	5	18	39	164		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	48	-	20	3	-	-	1	-	-	-	-	2	-	-	48		
WEST DISTRICTS.																			
Mary Paddington } G. & W.	93,178	51	33	10	10	-	3	-	1	1	-	-	-	1	3	7	8		
John Paddington H - - G.	33,617	5	16	3	3	-	-	-	-	-	-	-	-	-	4	4	12		
St. West Paddington - - C.	17,181	3	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-		
St. Town 2W, w, 2H G., W. & C.	128,037	61	63	9	21	-	3	-	1	-	-	-	-	1	1	2	27		
St. Town 2H - - W. & C.	48,591	6	8	-	4	-	-	-	-	-	-	-	-	-	-	-	2		
St. Hammersmith W, w, H } W. & G.	49,192	23	10	2	3	-	1	-	-	-	-	-	-	-	-	1	-		
St. Hammersmith w, 2H } W. & G.	63,047	26	29	6	6	-	5	-	-	-	-	-	-	-	1	5	6		
St. Fulham W } W. & C.	45,180	29	15	3	6	-	-	-	-	-	-	-	-	-	-	2	10		
St. Fulham F } W. & C.	46,405	27	17	7	4	-	1	-	-	1	-	-	-	-	-	1	1		
St. Fulham W } W. & C.	45,704	28	11	6	4	-	3	-	-	2	-	-	-	-	1	1	-		
St. North W, w, 3H - - C.	42,514	18	25	3	14	-	-	-	-	-	-	-	-	1	-	1	21		
St. South 2H - - C.	31,328	11	13	2	3	-	-	-	-	1	-	-	-	-	1	2	1		
St. Fair and Knightsbridge } C. & G.	28,743	6	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-		
St. Ave W, 2H - - C.	55,815	22	16	5	4	-	1	-	-	1	-	-	-	-	-	-	11		
St. Margaret & St. John 4H - C.	43,698	15	10	3	1	-	-	-	-	-	-	-	-	-	-	-	5		
St. James Westminster } N. & G.	21,588	4	7	-	2	-	-	-	-	-	-	-	-	-	-	-	1		
St. St. Soho 5H - - N.	11,493	6	6	1	2	-	1	-	-	-	-	-	-	-	-	-	-		
NORTH DISTRICTS.																			
St. Marylebone 8H - W.	35,391	11	14	2	3	-	-	-	-	-	-	-	-	-	1	1	8		
St. Marylebone W G. & W.	19,849	4	3	2	1	-	-	-	-	-	-	-	-	-	-	-	1		
St. Marylebone 4H G. & W.	18,099	36	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-		
St. Church Marylebone H- W.	39,536	16	9	2	4	-	-	-	-	-	-	-	-	1	1	-	-		
St. Marylebone 3H - W.	20,426	5	9	-	5	-	-	-	-	-	-	-	-	-	-	-	-		
St. West W, F, 3H - N. & W.	81,942	24	24	2	8	-	2	1	-	-	-	-	-	1	1	3	7		
St. Pancras 2H - - W.	60,562	38	14	2	5	-	3	-	-	-	-	-	-	-	-	1	-		
St. Pancras w, 6H - N. & W.	21,258	3	9	1	2	-	-	-	-	-	-	-	-	1	1	9	-		
St. Inn Lane 4H - - N.	34,449	15	9	2	-	-	1	-	-	-	-	-	-	-	-	1	4		
St. Pancras W, 2H - - N.	60,320	23	22	7	9	-	-	-	-	1	-	-	-	1	1	8	-		
St. Pancras 2W - - N.	58,728	31	25	8	3	-	1	-	-	2	-	-	-	-	1	8	-		
St. W - - - N.	31,995	11	27	1	10	-	-	-	-	1	-	-	-	1	-	1	19		
St. Holloway 2W, w, 2H - N.	33,978	21	36	6	6	-	3	-	-	1	-	-	-	3	3	24	-		
St. Holloway W - - - N.	33,922	19	5	2	-	-	1	-	-	-	-	-	-	-	-	-	-		
St. Holloway - - - N.	41,424	22	7	-	2	-	-	-	-	-	-	-	-	-	-	-	-		
St. W - - - N.	54,478	20	11	2	1	-	-	-	-	-	-	-	-	-	-	-	-		
St. South-east F - - N.	75,397	38	22	7	6	-	1	-	-	2	-	-	-	-	2	-	-		
St. W 2H - - - N.	83,797	25	15	2	4	-	1	-	-	-	-	-	-	-	1	-	-		
St. Newington H - - N.	51,247	15	6	2	2	-	-	-	-	1	-	-	-	-	-	1	-		
St. Hackney - - E. & N.	50,560	13	9	4	4	-	-	-	-	3	-	-	-	-	-	2	-		
St. Hackney 2w, F - E. & N.	50,536	25	16	3	7	-	-	-	4	-	-	-	-	1	-	4	4		
St. West Hackney 3H E. & N.	59,921	46	14	2	1	-	-	-	1	2	-	1	-	-	2	4	4		
St. East Hackney 2W, w, H E. & N.	58,255	33	40	6	21	-	-	-	-	-	-	1	-	-	1	3	18		

RE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein; W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts; that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the name of the institution. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies the Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River Company; E. East London; and K. the Kent Company.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., reg- in each SUB-DISTRICT during the Week ended Saturday, 2nd April, 1904—continued.

REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include												Inquest Cases.	
				Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from								Violence.			
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).		Diarrhoea.		
CENTRAL DISTRICTS.																	
St. Giles and Bloomsbury W, 2H N.	31,436	15	8	2	3	-	1	-	-	-	-	-	-	-	-	-	3
Strand W, 4H - - - N. & C.	21,674	6	7	-	3	-	-	-	-	-	-	-	-	-	-	-	2
Strand Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Isle of Dogs W, 8H - - - N.	29,612	9	19	3	2	-	1	-	-	1	-	-	-	-	-	1	2
South Clerkenwell - - - N.	28,676	13	9	4	2	-	-	-	-	-	-	-	-	-	-	-	-
North Clerkenwell H - - - N.	35,038	17	7	4	1	-	-	-	-	-	-	-	-	-	-	1	1
Isle of Dogs 3H, L - - - N.	36,116	21	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-
Isle of Dogs Union Workhouse, } Mitcham - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Botolph H - - - N. & E.	10,299	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1
St. Sepulchre and Allhallows } W, H - - - - - }	16,624	1	13	2	1	-	-	-	-	1	-	-	-	-	-	4	4
City of London Asylum, Stone - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																	
Shoreditch South H, L - E. & N.	16,369	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Doxton New Town w, H - - N.	29,761	28	14	4	5	-	3	-	1	1	-	-	-	-	-	-	2
Doxton Old Town - - - N.	26,504	14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Haggerston W - - - N & E.	46,003	27	29	7	8	-	2	-	-	5	-	-	-	-	-	3	9
Shoreditch Union Workhouse, Wood } Green - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green North 2H - E.	51,514	43	17	9	-	-	-	-	1	-	-	-	-	-	-	-	1
Bethnal Green South - - E.	33,472	23	7	2	3	-	-	-	-	-	-	-	-	-	-	-	-
Bethnal Green East 2W, H, L - E.	44,694	26	13	2	4	-	-	-	-	1	-	1	-	-	-	2	2
Spitalfields - - - E. & N.	27,969	14	5	-	1	-	-	-	-	1	-	-	-	-	-	-	1
Mile End New Town W, H - E.	28,718	20	50	10	10	-	1	-	-	-	-	-	-	-	-	4	9
Woodman's Fields - - - E.	22,081	4	6	3	2	-	-	-	-	-	-	-	-	-	-	-	1
St. George and St. John 2W E.	49,068	43	27	13	3	-	4	-	-	4	-	-	-	-	-	1	5
Shadwell and Ratcliff W, H E. & N.	25,568	9	11	2	1	-	-	-	-	-	-	-	-	-	-	-	1
Timehouse - - - - - E.	32,369	9	7	2	1	-	1	-	-	1	-	-	-	-	-	-	3
Mile End Old Town West H - E.	59,479	46	19	9	2	-	2	-	-	4	-	-	-	-	1	-	2
Mile End Old Town East } W, w - - - - - }	53,348	31	27	6	12	-	1	-	-	2	-	-	-	-	-	-	1
Bow L - - - - - E.	41,989	30	18	5	3	-	-	-	1	-	-	-	-	-	-	1	5
Bromley 3w, H - - - E.	68,319	32	32	5	16	-	3	-	-	2	-	-	-	-	1	-	2
Poplar W, w - - - - E.	68,514	37	17	6	1	-	2	-	-	2	-	-	-	-	-	1	3

(contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 2nd April, 1904—continued.

POPULATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include													Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of		Deaths from													
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhœa.	Violence.				
SOUTH DISTRICTS.																			
Church Southwark W, H, L. & S.	11,263	3	5	1	1	-	-	-	-	-	1	-	-	-	-	-	2	-	
Our Southwark H - S.	12,056	3	24	7	5	-	-	4	-	-	1	-	-	-	-	-	-	-	
ad - S. & L.	21,904	16	8	1	-	-	-	6	-	-	-	-	-	-	-	-	-	-	
Large the Martyr } S. & L.	39,094	22	20	9	3	-	-	6	-	-	-	-	-	-	1	-	-	-	
W, 2H, L - S. & L.	49,022	25	13	2	3	-	-	1	-	-	-	-	-	-	-	-	-	-	
ton North* - S. & L.	72,841	33	24	4	6	-	-	3	-	-	1	-	-	-	-	3	3	1	
ton South* W - S. & L.																			
e 2W - - - S.	9,817	9	8	5	1	-	-	1	-	-	-	-	-	-	-	-	-	2	
day W - - - S.	82,483	56	16	7	2	-	-	1	-	-	3	-	-	-	-	-	-	-	
ithe W, F - - S. & K.	38,460	16	31	5	12	-	-	1	-	-	1	-	-	-	2	1	1	14	
o-road 2H - - L. & S.	27,440	24	6	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	
h Church 1st H L. & S.	18,423	7	19	3	1	-	-	-	-	1	-	-	-	-	-	3	3	13	
h Church 2nd 2W L. & S.	39,818	17	29	7	7	-	-	-	-	-	-	-	-	-	-	1	1	18	
ton 1st H - S. & L.	53,198	31	13	6	1	-	-	-	-	-	3	-	-	-	-	-	-	1	
ton 2nd H - S. & L.	42,896	15	16	2	8	-	-	-	-	-	-	-	-	-	-	-	1	4	
F - - - L. & S.	84,232	31	19	3	4	-	-	-	2	-	-	-	-	-	-	-	-	2	
d. W, H - - - L.	35,888	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
attersea - - - S.	72,203	37	15	7	4	-	2	-	-	-	-	-	-	-	-	1	1	-	
vest Battersea - - S.	49,656	21	15	3	5	-	-	-	-	-	2	-	-	-	-	1	2	-	
vest Battersea W, H - S.	47,048	19	23	3	12	-	-	-	-	-	-	-	-	-	-	-	-	15	
n 2H - - - S.	51,361	33	16	4	7	-	-	-	-	1	-	-	-	-	-	-	1	1	
am W, 2w, 2F, 3L - L.	88,131	45	30	6	16	-	2	-	1	-	-	-	-	-	-	1	3	8	
eld 2W, L - - - S.	27,959	12	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
lds H - - - S.	40,444	25	10	2	5	-	-	-	-	-	-	-	-	-	-	1	2	-	
- - - S.	24,139	16	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
a - - - L. & S.	10,247	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
well 2W w, 2L - S. & L.	90,465	36	57	6	22	-	2	-	-	2	-	-	-	-	1	1	3	32	
m 2W, w - S., L. & K.	93,038	52	19	3	8	-	2	-	-	-	-	-	-	-	-	-	-	1	
ge Camberwell - L. & S.	65,580	37	17	8	6	-	1	-	-	1	-	-	-	-	-	-	-	-	
d North - - - K.	37,613	21	14	4	2	-	-	3	-	-	1	-	-	-	-	-	1	-	
d Central F - - K.	45,481	33	13	3	3	-	-	1	-	-	-	-	-	-	-	-	1	-	
d South - - - K.	34,625	7	11	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-	
ich West 2H - - K.	23,456	9	5	-	2	-	-	-	-	-	-	1	-	-	-	-	2	-	
ich East 2W, H - K.	43,859	21	25	6	8	-	-	-	-	-	2	-	-	-	-	2	3	15	
w, H - - - K.	7,226	8	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
- - - K.	25,490	7	5	2	2	-	-	-	-	-	1	-	-	-	-	-	-	2	
am W w, F - - K.	58,352	34	23	6	7	-	1	1	2	3	-	-	-	-	-	-	-	9	
am H - - - L.	43,653	24	5	2	2	-	-	-	-	-	-	-	-	-	-	-	1	-	
n F, 2H - - - K.	21,134	4	7	2	1	-	-	1	-	1	1	-	-	-	-	-	1	2	
ch 4H - - - K.	41,625	18	9	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
ead West W - - K.	18,063	7	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
ead East 2W, H - K.	50,264	25	19	2	8	-	-	-	-	-	-	-	-	-	-	1	1	6	
County Asy., Banstead -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Manor Asylum - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	
County Asy., Epsom -	-	-	8	-	3	-	-	-	-	-	-	-	-	-	1	-	-	8	
Co. Asy. Epileptic Colony -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
y, for Imbeciles, Caterham -	-	-	7	-	4	-	-	-	-	-	-	-	-	-	-	-	-	7	
County Asy., Cane Hill -	-	-	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	4	
Hospitals, Dartford -	-	-	3	-	1	3	-	-	-	-	-	-	-	-	-	-	-	3	
y, for Imbeciles, Darenth -	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	
County Asylum, Dartford -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	
County Asylum, Hanwell -	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	3	
London Sick Asy., Hendon -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	
County Asy., Colney Hatch -	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	5	
North-Eastern Hospital -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Northern Hospital -	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	
y, for Imbeciles, Leavesden -	-	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	5	
County Asylum, Claybury -	-	-	3	-	2	-	-	-	-	-	-	-	-	-	1	-	-	3	

1st March, 1904, the sub-districts of Trinity Newington, St. Peter Walworth, and St. Mary Newington, were divided, and divided into two new sub-districts entitled Newington North and Newington South respectively.

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the week ended Saturday, 2nd April, 1904.

					The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.					Area in Acres.	Enu-merated Popu-lation, 1901.	BIRTHS.	DEATHS.	Deaths of		Deaths from										Inquest Cases.	Deaths in Public
								Infants under 1 Year of Age.	Persons aged 60 Years & upwds.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence.					
LONDON—OUTER RING					368,580	2,044,861	1,101	539	124	163	-	26	4	12	11	1	8	19	46	10		
0:1	Carshalton	w, 2 F, 2 H	-	-	12,228	32,997	15	4	2	1	-	-	-	-	-	-	-	-	-	-		
2	Epsdm, part of*	W, w, 2 F, H	-	-	10,423	15,548	7	5	-	1	-	-	-	-	-	-	-	-	-	-		
1	Godstone, part of*	W, F	-	-	2,754	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
3:1	Coulsdon	-	-	-	11,069	8,166	5	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	South Croydon	-	-	-	4,200	49,379	12	8	2	3	-	-	-	-	-	-	1	-	-	1		
3	West Croydon	3 W, F, H	-	-	2,168	42,888	29	19	1	7	-	1	-	-	-	-	-	1	-	2		
4	North Croydon	H	-	-	2,644	41,658	32	13	-	5	-	1	-	-	-	-	-	-	-	-		
5	Penge	w	-	-	770	22,465	6	5	-	4	-	-	-	-	-	-	-	-	-	-		
6	Mitcham	w	-	-	11,689	23,953	21	8	3	1	-	1	-	-	-	-	-	1	-	1		
9:1	Wimbledon	F, 3 H	-	-	3,221	41,652	11	17	7	5	-	1	-	-	-	-	-	1	-	2		
2	Kingston	W, H	-	-	6,224	42,068	19	16	5	7	-	-	-	-	-	-	-	-	-	-		
3	Surbiton	F, H	-	-	3,046	15,017	8	-	-	-	-	-	-	-	-	-	-	-	-	-		
4	Esher, part of*	H	-	-	5,402	13,100	6	2	-	1	-	-	-	-	-	-	-	-	-	-		
5	Hampton	H, L	-	-	4,564	23,456	9	4	-	1	-	-	-	-	-	-	-	-	-	-		
0:1	Richmond	W, H	-	-	2,162	28,865	11	5	1	3	-	-	-	-	-	-	-	-	-	-		
2	Mortlake	F	-	-	2,847	20,628	6	4	1	1	-	1	-	-	-	-	-	-	-	-		
1:1	Bromley	F, 2 H	-	-	4,703	27,354	8	1	-	-	-	-	-	-	-	-	-	-	-	-		
2	Beckenham	H	-	-	7,825	28,497	7	6	-	4	-	-	-	-	1	-	-	-	-	1		
3	Orpington, part of*	W	-	-	10,113	9,857	4	4	-	2	-	-	-	-	-	-	-	-	-	-		
4	Chislehurst	2 H	-	-	7,333	16,446	4	-	-	-	-	-	-	-	-	-	-	-	-	-		
2:1	Bexley	F, H	-	-	8,678	21,151	14	4	-	3	-	1	-	-	-	-	-	-	-	-		
2	Erith	F, H	-	-	3,854	25,296	19	3	2	-	-	-	-	-	-	-	-	-	-	-		
3	Dartford	W, F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
4:1	Sunbury	w	-	-	11,054	18,683	10	8	1	3	-	-	-	1	-	-	-	-	-	-		
2	Staines	W, H	-	-	13,277	15,178	2	7	-	4	-	-	-	-	-	1	-	-	-	-		
5:1	Hillingdon	W, F, H	-	-	6,035	13,661	3	3	-	1	-	-	-	-	-	-	-	-	-	-		
2	Uxbridge	-	-	-	12,757	8,984	3	-	-	-	-	-	-	-	-	-	-	-	-	-		
3	Hayes	w, F, H	-	-	8,066	16,358	9	5	2	2	-	-	-	-	-	-	-	-	-	-		
6:1	Isleworth	3 W, 2 F, H	-	-	6,859	30,863	26	19	1	9	-	-	-	-	2	1	-	-	-	-		
2	Twickenham	F, H	-	-	2,421	20,991	9	6	2	-	-	-	-	-	-	-	-	-	-	-		
3	Brentford	2 F, 2 H, L	-	-	4,319	48,289	27	8	2	3	-	1	-	1	-	-	-	-	-	-		
4	Chiswick	H	-	-	1,249	29,809	17	7	-	4	-	-	-	-	-	-	-	1	-	1		
5	Acton	w, 3 H	-	-	6,132	48,914	29	11	3	2	-	2	-	-	-	-	-	2	-	3		
7:1	Harrow	F, H	-	-	13,809	25,523	8	6	2	3	-	-	-	-	-	-	-	-	-	-		
2	Edgware	F, 2 H	-	-	6,994	4,521	3	1	-	-	-	-	-	-	-	-	-	-	-	-		
3	Willesden	W, F, 2 H	-	-	4,384	114,811	65	27	8	7	-	2	-	-	-	-	2	-	6	6		
4	Hendon	W, F	-	-	8,362	22,450	16	4	-	1	-	-	-	-	-	-	-	-	-	-		
8:1	South Mimms	2 F, H	-	-	17,755	7,308	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Barnet	W, 3 H	-	-	3,324	17,970	10	1	-	1	-	-	-	-	-	-	-	-	-	-		
3	Finchley	F, 2 H	-	-	4,688	33,692	19	19	5	8	-	1	-	-	-	-	-	-	-	-		
9:1	Hornsey	F, H	-	-	2,875	72,056	37	13	5	3	-	1	-	-	2	-	-	-	-	-		
2	Wood Green	H	-	-	1,625	34,233	25	10	4	1	-	1	-	-	-	-	-	-	-	1		
3	West Tottenham	F	-	-	996	48,553	31	13	4	4	-	1	-	-	-	-	-	-	-	1		
4	East Tottenham	F, H	-	-	2,017	53,688	33	30	8	7	-	1	-	-	-	-	-	-	-	4		
5	Edmonton	W, w, 2 F	-	-	7,491	61,892	45	20	1	6	-	-	-	-	-	-	-	-	-	3		
6	Enfield	2 W, F, H	-	-	12,601	42,738	14	6	2	2	-	-	1	1	-	-	-	-	-	-		
7	Waltham Abbey	-	-	-	11,017	6,549	1	2	-	2	-	-	-	-	-	-	-	-	-	-		
8	Cheshunt	F, H	-	-	8,479	12,292	7	3	1	1	-	-	-	-	-	-	-	-	-	-		
35:1	Hatfield, part of*	W	-	-	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
37:1	Bushey	H	-	-	9,333	9,173	3	2	1	-	-	-	-	-	-	-	-	-	-	-		
2	Watford	W, 2 F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
36:1	Stratford	H	-	-	1,072	44,827	19	13	5	1	-	-	-	-	-	-	-	3	-	3		
2	Plaistow	F, 2 H	-	-	1,249	90,921	61	37	12	6	-	-	-	-	-	-	-	1	1	1		
3	Canning Town	H	-	-	1,556	70,718	44	16	5	-	-	1	-	-	-	-	-	1	1	5		
4	Forest Gate	w	-	-	806	60,892	26	12	3	2	-	-	-	-	-	-	-	-	-	-		
5	North East Ham	w	-	-	1,333	58,676	36	13	4	2	-	-	-	-	-	-	-	-	-	2		
6	South East Ham	3 F	-	-	1,993	37,342	23	11	1	1	-	1	-	-	-	-	-	-	-	-		
7	Wanstead	F	-	-	1,679	9,179	2	1	-	-	-	-	-	-	-	-	-	-	-	-		
8	South Leyton	2 W	-	-	631	50,467	27	16	4	9	-	1	-	-	-	-	-	-	-	-		
9	North Leyton	W, w, F	-	-	1,963	48,445	29	16	3	6	-	-	-	-	-	-	-	-	-	-		
10	Walthamstow	3 H, L	-	-	6,504	108,929	70	16	5	4	-	1	-	-	-	-	-	-	-	-		
37:1	Chigwell, part of*	2 F, A, H	-	-	11,778	16,397	9	3	2	1	-	-	-	-	-	-	-	-	-	-		
2	Epping	W, F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
39:1	Romford, part of*	W, 2 F	-	-	6,556	6,091	3	4	-	2	-	-	-	1	-	-	-	-	-	1		
2	Ilford	F, L	-	-	8,496	41,234	25	13	3	7	-	1	-	-	-	-	-	-	-	-		
3	Barking Town	F	-	-	3,803	21,547	16	2	1	1	-	1	-	-	-	-	-	-	-	-		
	Eastern Hospital, Hackney				-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-		
	Middlesex County Asylum, Wandsworth.				-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	City of London Lunatic Asylum, Stone.				-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
	North-Eastern Hospital, Tottenham.				-	-	-	2	-	-	-	-	1	1	-	-	-	-	-	-		

*The parts of sub-districts included within that portion of the Metropolitan Police District; which forms the ring are as follows:—30: 2, excepting Astead parish; 37: 1, Warringham and Farley parishes, 39: 4, excepting (1), 2, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea
ATTA adding TRBS)	847,796	February 20	-	546	33'4	-	3	-	-	-	183†	-
Y - -	776,006	March 15	322	1491	99'9	27	11	-	-	1	961†	-
AS - -	509,346	February 26	344	439	44'8	-	3	?	?	?	124	-
- - -	2,660,559	March 26	1115	1114	23'0	1	18	2	7*	3	24	-
ELS - -	575,896	" 26	252	186	16'9	1	-	-	3*	2	1	-
ERP - -	281,376	" 26	134	91	16'8	8	1	-	-	4	1	-
RDAM -	547,370	" 19	299	181	17'2	-	16	-	1*	3	1	-
HAGEN -	420,000	" 26	235	168	20'9	-	1	-	1*	5	-	-
HOLM -	305,115	" 19	140	75	12'8	-	-	-	-	-	-	-
IANIA -	225,709	" 26	137	70	16'1	-	-	-	1*	-	-	-
ERSBURG	1,248,643	" 19	615	633	26'4	5	14	13	6*	6	14	-
W - -	1,093,410	" 19	-	563	26'9	2	4	7	8*	3	3	-
N - -	1,960,909	" 12	851	621	16'5	-	14	5	5*	18	-	-
URG - -	751,842	" 26	-	249	17'2	-	2	-	3*	1	2	-
AU - -	445,403	" 19	-	200	23'4	-	1	-	1*	-	-	-
CH - -	520,000	" 26	-	211	21'1	-	3	-	2*	2	-	-
A - -	1,779,669	" 26	1023	661	19'3	-	40	3	10*	2	1	-
FE - -	423,990	" 26	224	211	25'9	-	5	1	2*	1	6	-
PESTH -	81,399	" 19	463	323	21'0	1	10	7	9*	1	1	-
FE - -	187,251	" 26	133	102	28'3	-	1	-	-	4	-	-
- - -	496,201	February 13	-	-	-	-	-	-	-	-	-	-
E - -	166,288	March 19	57	79	24'7	-	-	-	1*	1	-	-
- - -	624,338	January 14	-	-	-	-	-	-	-	-	-	-
NDRIA -	349,300	" 14	-	-	-	-	-	-	-	-	-	-
YORK -	3,838,024	March 10	1868	1707	23'2	1	35	23	40*	5	9	-
DELPHIA -	1,408,154	" 5	-	628	23'2	6	10	8	13*	2	19	-
N - -	617,950	" 12	-	-	-	-	-	-	-	-	-	-

* Including deaths from croup.

† Including 75 deaths from plague in Calcutta, and 904 in Bombay.

‡ Including 34 deaths from cholera in Calcutta, and 3 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 2nd April, 1904.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
ON (Greenwich)	55'7	31'4	42'9	0'45	HUDDERSFIELD -	50'2	31'0	41'1	1'17
TON - -	52'2	33'5	43'2	0'37	BRADFORD - -	50'0	30'0	41'1	0'88
MOUTH - -	51'6	31'0	44'0	0'49	LEEDS - - -	52'0	33'0	42'6	0'46
ICH - - -	55'0	27'4	42'9	0'83	HULL - - -	52'0	30'0	42'4	0'41
OUTH - - -	52'0	33'4	43'9	1'07					
OL - - -	51'2	31'2	43'2	0'55	EDINBURGH - -	47'9	31'1	40'4	0'57
ERHAMPTON	-	-	-	-	GLASGOW - - -	52'0	29'0	41'3	1'26
NGHAM - -	49'2	31'4	41'1	0'52		53'7	29'8	42'1	0'76
NGHAM - -	51'0	31'0	41'8	0'39	DUBLIN { Phoenix Park.	56'0	33'0	43'9	0'60
POOL	52'0	33'0	42'6	0'67	DUBLIN { Fitz- william Square.†	-	-	-	-
SERVATORY.	49'7	30'7	40'5	1'09					
CHESTER	50'0	31'0	40'7	1'41	BELFAST - - -	-	-	-	-
CON - - -	-	-	-	-					

These figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this issue) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1'3 Fahrenheit subtracted. See Table V. of Glaisher's Diurnal Range Tables.
Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 26th March, 1904.*

BOROUGHs,				Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.													
Paddington -	-	-	-	146,975	-	4	1	-	-	-	-	3	1
Kensington -	-	-	-	179,236	-	2	3	-	1	-	-	3	2
Hammersmith -	-	-	-	117,412	-	4	2	-	1	-	-	3	-
Fulham -	-	-	-	152,482	-	3	6	-	1	-	-	2	1
Chelsea -	-	-	-	74,329	-	3	-	-	-	-	-	-	-
City of Westminster -	-	-	-	177,321	-	4	2	-	1	-	-	1	-
NORTH.													
St. Marylebone -	-	-	-	130,337	2	4	2	-	-	-	-	3	-
Hampstead -	-	-	-	86,663	-	1	-	-	-	-	-	-	1
St. Pancras -	-	-	-	235,936	-	15	8	-	-	-	-	4	-
Islington -	-	-	-	341,044	-	4	5	-	1	-	-	6	-
Stoke Newington -	-	-	-	52,445	-	2	-	-	-	-	-	-	-
Hackney -	-	-	-	226,266	1	7	18	-	-	-	-	7	1
CENTRAL.													
Holborn -	-	-	-	57,161	1	1	-	-	1	-	-	1	-
Finsbury -	-	-	-	98,958	-	9	2	-	-	-	-	-	-
City of London -	-	-	-	23,482	1	-	2	-	-	-	-	1	-
EAST.													
Shoreditch -	-	-	-	117,033	-	3	2	-	2	-	-	2	-
Bethnal Green -	-	-	-	130,207	14	9	2	-	1	-	-	-	-
Stepney -	-	-	-	303,791	16	18	5	-	-	-	-	6	-
Poplar -	-	-	-	169,905	1	8	11	-	1	-	-	2	2
SOUTH.													
Southwark -	-	-	-	207,937	5	7	5	-	1	-	-	4	-
Bermondsey -	-	-	-	129,397	-	7	5	-	-	-	-	1	1
Lambeth -	-	-	-	310,359	2	5	7	-	2	-	-	5	-
Battersea -	-	-	-	175,465	1	4	2	-	-	-	-	6	-
Wandsworth -	-	-	-	257,586	-	13	7	-	1	-	-	6	-
Camberwell -	-	-	-	268,384	-	15	4	-	1	-	-	7	-
Deptford -	-	-	-	113,509	-	7	1	-	-	-	-	2	1
Greenwich -	-	-	-	101,651	-	2	5	-	6	-	-	3	-
Lewisham -	-	-	-	140,401	-	6	3	-	-	-	-	3	1
Woolwich -	-	-	-	123,416	-	10	3	-	1	-	-	6	-
Port of London -	-	-	-	-	-	-	-	-	-	-	-	1	-
ADMINISTRATIVE COUNTY OF LONDON.				4,649,088	54	177	113	-	22	-	-	92	11
Ages 0-1 -				-	-	1	5	-	-	-	-	2	-
" 1-5 -				-	4	59	41	-	1	-	-	1	-
" 5- -				-	6	72	39	-	3	-	-	5	-
" 10- -				-	7	18	14	-	3	-	-	4	-
" 15- -				-	4	11	3	-	5	-	-	1	-
" 20- -				-	8	8	4	-	1	-	-	2	2
" 25- -				-	11	8	4	-	5	-	-	19	7
" 35- -				-	8	-	-	-	-	-	-	20	2
" 45- -				-	2	-	2	-	1	-	-	15	-
" 55- -				-	2	-	1	-	2	-	-	9	-
" 65 and upwards -				-	2	-	-	-	1	-	-	13	-
Age not stated -				-	-	-	-	-	-	-	-	1	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1904.

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 14. 1904. VOL. LXV.] WEEK ENDED SATURDAY, APRIL 9. [Price 1½d.

*General Register Office, Somerset House,**April 11th, 1904.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 18·4 per 1000 of their aggregate population, which is estimated† at 15,271,287 persons in the middle of this year. In the preceding three weeks the rates had been 19·7, 18·7, and 18·7. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *all causes*, 21·1 in West Hartlepool and in Newcastle on Tyne, 21·3 in Burnley, 21·4 in Bolton, 21·5 in Manchester, 21·7 in Swansea, 22·8 in Leeds, 23·4 in Wolverhampton, 24·8 in Birmingham, 26·2 in Bootle, 27·7 in Hanley, and 29·3 in Norwich; from *measles*, 1·1 in Croydon, 1·4 in Salford, 1·6 in Hanley, in Stockport, and in Burnley, 1·8 in Rochdale and in Rotherham, 2·9 in Brighton, 4·5 in Norwich, and 4·7 in St. Helens; from *diphtheria*, 1·1 in Bradford and 1·5 in West Hartlepool; and from *whooping-cough*, 2·2 in Swansea, 2·3 in Walsall and in Birmingham, 2·6 in Wallasey, 3·1 in Warrington, 3·2 in Wolverhampton, and 3·6 in Bolton. Three deaths from *small-pox* were registered in London, 2 in Hull, and 1 each in Stockport, South Shields, Gateshead, and Newcastle upon Tyne, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2539 BIRTHS and 1659 DEATHS were registered. Allowing for increase of population, the births were 133, and the deaths 15, below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 18·8, 18·4, and 18·8 in the preceding three weeks, fell again last week to 18·6. During the four weeks ended on Saturday last the death-rate averaged 18·7 per 1000, being 1·3 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, and in certain local Small-pox Hospitals, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the recent Census, and on the increase in the last intercensal period.

The 1659 deaths included 3 from small-pox, 86 from measles, 8 from scarlet fever, 17 from diphtheria, 64 from whooping-cough, 4 from enteric fever, 1 from ill-defined pyrexia, and 21 from diarrhœa, but not one death from typhus; thus, 204 deaths were referred to these diseases in the aggregate, being 6 above the corrected average weekly number.

Of 3 fatal cases of *small-pox*, 1 belonged to the Borough of Bethnal Green, 1 to Stepney, and 1 to Poplar. The deaths from *measles*, which had been 69, 67, and 92 in the preceding three weeks, fell again last week to 86, but were 18 above the corrected average; 10 cases belonged to the Borough of Southwark, 8 each to Islington and Camberwell, 6 each to Stepney and Poplar, and 5 each to Hammersmith and Bermondsey. The deaths from *scarlet fever*, which had been 2, 4, and 4 in the preceding three weeks, were 8 last week, the corrected average being 13. The deaths from *diphtheria*, which had been 17, 13, and 17 in the preceding three weeks, were again 17 last week, and were 14 below the corrected average. The deaths from *whooping-cough*, which had been 51, 48, and 68 in the preceding three weeks, fell again last week to 64, but were 4 above the corrected average; 11 cases belonged to Stepney, 9 to Southwark, and 4 each to Fulham, St. Pancras, and Hackney. The fatal cases of *enteric fever*, which had been 2, 3, and 3 in the preceding three weeks, were 4 last week, the corrected average being 8. The deaths from *diarrhœa*, which had been 19, 19, and 16 in the preceding three weeks, rose again last week to 21, and were 8 above the corrected average. Of the 21 deaths from diarrhœa, 18 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the causes of 4 more deaths at this age. The deaths attributed directly to *influenza* numbered 20, having been 20, 18, and 17 in the preceding three weeks. The death of a child aged 3 years was certified after inquest as caused by *ptomaine poisoning*, due to eating ice cream. Two deaths of house-painters were certified, one after inquest, as resulting from *lead poisoning*.

Different forms of *violence* caused 65 deaths, concerning all of which inquests were held. Of these 65 deaths, 8 were cases of suicide, and 1 of homicide, while the remaining 56 were attributed to accident or negligence. Four of these latter were referred to vehicles in the streets, 5 to burns and scalds, 1 to the effects of an anæsthetic administered for surgical purposes, and 22 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 134 cases of small-pox, 1505 of scarlet fever, 749 of diphtheria, 1 of typhus, and 80 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 25 cases, against 26, 54, and 42; of scarlet fever, 141 cases, against 176, 145, and 153; of diphtheria, 90 cases, against 91, 94, and 99; and of enteric fever, 11 cases, against 10, 8, and 16. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended April 2nd.

GREATER LONDON.

In Greater London 3839 births and 2212 deaths were registered. Allowing for increase of population, these numbers are 76 and 74 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 1 death from small-pox, 19 deaths from measles, 3 from diphtheria, 6 from whooping-cough, and 5 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·79 inches, and that of the Thermometer 48·0, the latter being 1°·9 above the week's average in the 50 years 1841-90. The general direction of the wind was Westerly, the horizontal movement of the air being 77 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 33·5 hours; the measured rainfall amounted to 0·37 inch. 4

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS	The Deaths registered in the Week include										Deaths from										Registered during the week ended 9th April, 1964.		Rate from Diseases in Cols. 11-17.		DEATH-RATES from all Causes.					COLS.
POPULATION estimated to the middle of 1964.*		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	Persons aged under 1 Year of Age.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.						
76 TOWNS		15,271,287	19'7	18'7	18'7	18'4	2'0	8553	5379	1257	1472	9	183	35	57	223	25	52	192	425	1197	68	76 TOWNS.							
LONDON†		4,648,950	18'8	18'4	18'8	18'6	2'3	2539	1659	386	470	3	86	8	17	64	5	21	65	178	540	3	LONDON†							
(CROYDON		144,419	19'1	11'9	13'7	17'7	1'8	78	49	11	17	-	3	-	1	1	-	-	4	8	10	-	(CROYDON.							
WILLESDEN		132,566	13'8	8'7	11'0	7'5	0'8	82	19	4	8	-	2	-	-	-	-	-	1	2	1	-	WILLESDEN.							
HORNSEY		81,221	8'3	9'6	9'0	7'1	0'6	34	11	3	4	-	-	-	-	-	-	-	1	2	1	-	HORNSEY.							
(TOTTENHAM		112,681	18'0	12'9	20'8	14'8	0'9	77	32	12	9	-	2	-	-	-	-	-	3	5	3	-	(TOTTENHAM							
WEST HAM		288,424	14'5	15'2	16'3	16'5	2'2	185	91	22	19	-	5	1	1	3	-	2	4	6	19	-	WEST HAM.							
EAST HAM		116,502	12'5	12'0	12'5	7'6	0'4	78	17	5	2	-	1	-	-	-	-	-	1	1	-	-	EAST HAM.							
LEYTON		110,844	12'2	9'9	9'4	10'3	0'9	76	22	6	7	-	-	1	-	1	-	-	1	2	3	-	LEYTON.							
(WALTHAMSTOW		111,282	14'1	9'4	8'4	7'0	0'9	70	15	6	6	-	1	-	1	-	-	-	1	1	4	-	(WALTHAMSTOW.							
HASTINGS		66,503	11'8	12'5	12'5	19'6	-	20	25	1	13	-	-	-	-	-	-	-	3	2	5	-	HASTINGS.							
BRIGHTON		126,286	19'0	20'6	19'8	18'2	3'7	46	44	7	17	-	7	-	-	2	-	-	2	3	11	-	BRIGHTON.							
PORTSMOUTH		198,038	17'6	18'7	18'2	19'5	1'3	126	74	18	23	-	-	1	1	2	1	-	2	5	14	1	PORTSMOUTH.							
BOURNEMOUTH		64,945	16'1	17'7	15'3	13'7	0'8	20	17	2	9	-	-	-	-	1	-	-	1	2	1	-	BOURNEMOUTH.							
SOUTHAMPTON		112,500	14'4	19'5	15'3	13'4	-	60	29	5	9	-	-	-	-	-	-	-	1	3	1	-	SOUTHAMPTON.							
READING		76,373	13'7	13'7	12'3	12'3	-	31	18	1	7	-	-	-	-	-	-	-	1	2	6	1	READING.							
NORTHAMPTON		91,146	14'3	14'9	14'3	10'3	-	47	18	5	10	-	-	-	-	-	-	-	-	1	3	1	1	NORTHAMPTON.						
IPSWICH		69,855	17'9	17'2	11'2	16'4	0'7	40	22	5	12	-	-	-	-	-	-	1	-	-	5	1	IPSWICH.							
GREAT YARMOUTH		52,099	22'0	17'0	19'0	17'0	1'0	20	17	7	5	-	-	-	1	-	-	-	-	2	1	-	GREAT YARMOUTH.							
NORWICH		115,538	24'8	20'3	18'1	29'3	5'4	56	65	21	14	-	10	-	-	-	1	1	1	2	11	-	NORWICH.							
PLYMOUTH		114,003	20'1	24'2	20'1	19'7	1'4	57	43	7	19	-	-	1	-	1	-	1	1	4	7	-	PLYMOUTH.							
DEVONPORT		75,354	12'5	15'9	11'8	13'8	0'7	44	20	7	4	-	-	1	-	-	-	-	1	1	3	-	DEVONPORT.							
BRISTOL		343,204	21'9	15'0	18'4	19'1	1'5	199	126	30	41	-	-	-	1	8	-	-	1	5	14	25	BRISTOL.							
HANLEY		63,932	29'4	21'2	22'0	27'7	4'1	52	34	11	7	-	2	1	2	-	-	-	2	4	5	1	HANLEY.							
BURTON-ON-TRENT		51,934	14'1	18'1	14'1	14'1	-	25	14	2	10	-	-	-	-	-	-	-	-	-	5	1	BURTON-ON-TRENT.							
WOLVERHAMPTON		88,194	13'1	18'6	16'5	23'4	3'7	61	44	10	10	-	-	-	-	-	6	-	1	3	8	-	WOLVERHAMPTON.							
WALSALL		91,432	21'7	21'7	22'8	20'5	2'9	60	36	9	11	-	1	-	-	-	4	-	1	1	3	6	1	WALSALL.						
HANDSWORTH		59,634	14'0	16'6	14'9	15'7	3'5	25	18	4	9	-	-	-	-	1	2	-	1	1	1	-	1	HANDSWORTH.						
WEST BROMWICH		67,186	19'4	28'7	21'7	18'6	0'8	34	24	7	7	-	-	-	-	-	-	1	-	-	4	1	1	WEST BROMWICH.						

TOWNS.	COLS.	POPULATION estimated to the middle of the Year 1904.*	DEATH-RATES FROM ALL CAUSES.				Registered Deaths in 1904.		Rate from Diseases in 1904.		The DEATHS registered in the Week include											TOWNS.		
			Week ended				9th April, 1904.		9th April, 1904.		Deaths from								Deaths in Public Institutions.	Causes of Death.				
			26th Mar., 1904.				BIRTHS.		DEATHS.		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping cough.	Fever.	Diarrhoea.	Violence.						
			19th Mar., 1904.	2nd April, 1904.	9th April, 1904.	Week ended 9th April, 1904.	7.	8.	9.	10.											11.		12.	13.
BIRMINGHAM	-	537,965	24.6	23.3	24.5	24.8	346	256	59	57	-	9	1	4	24	-	4	10	12	52	6	COLS.	BIRMINGHAM.	
KINGS NORTON	-	66,667	15.6	15.6	14.1	16.4	48	21	3	11	-	-	1	-	-	-	1	-	-	6	-	COLS.	KINGS NORTON.	
SMETHWICK	-	60,691	19.8	18.9	16.3	11.2	45	13	6	3	-	-	-	-	1	-	1	-	-	2	-	COLS.	SMETHWICK.	
ASTON MANOR	-	80,363	19.5	18.2	19.5	20.8	48	32	11	10	-	-	-	-	3	-	1	1	1	4	-	COLS.	ASTON MANOR.	
COVENTRY	-	73,904	23.3	15.5	19.0	20.5	34	29	2	15	-	-	-	-	-	-	-	-	1	3	1	COLS.	COVENTRY.	
LEICESTER	-	224,186	22.3	14.7	13.5	13.7	104	59	18	16	-	-	-	-	5	-	1	2	6	9	-	COLS.	LEICESTER.	
GRIMSBY	-	66,968	12.5	21.8	13.2	16.4	41	21	5	8	-	-	1	-	-	-	-	3	4	6	-	COLS.	GRIMSBY.	
NOTTINGHAM	-	248,811	19.9	19.3	18.4	17.8	139	85	14	31	-	-	-	1	3	3	-	4	4	18	-	COLS.	NOTTINGHAM.	
DERBY	-	120,449	23.4	16.5	18.2	17.7	59	41	8	13	-	-	-	-	-	-	-	2	4	10	-	COLS.	DERBY.	
STOCKPORT	-	97,008	23.7	16.7	15.1	18.8	60	35	9	6	1	3	-	-	-	-	-	3	3	5	1	COLS.	STOCKPORT.	
BIRKENHEAD	-	114,814	22.3	24.5	23.6	18.6	75	41	8	10	-	-	-	2	1	1	1	1	2	9	-	COLS.	BIRKENHEAD.	
WALLASEY	-	60,354	20.7	17.3	18.1	19.9	37	23	4	5	-	1	-	-	3	-	-	-	-	3	1	COLS.	WALLASEY.	
LIVERPOOL	-	723,430	23.2	19.8	22.6	19.2	446	267	64	56	-	-	5	2	12	2	4	12	19	75	12	COLS.	LIVERPOOL.	
BOOTLE	-	61,755	10.1	11.8	17.7	26.2	37	31	8	5	-	-	1	-	2	-	-	-	2	2	9	1	COLS.	BOOTLE.
ST. HELENS	-	88,545	25.3	20.6	25.3	20.0	62	34	9	5	-	8	-	-	-	-	-	1	1	2	-	COLS.	ST. HELENS.	
WIGAN	-	62,800	27.4	16.6	19.1	15.8	36	19	7	1	-	-	-	-	-	1	-	2	2	3	-	COLS.	WIGAN.	
WARRINGTON	-	67,331	31.0	24.8	24.8	17.8	42	23	6	6	-	1	2	-	4	-	-	1	1	2	1	COLS.	WARRINGTON.	
BOLTON	-	175,744	20.5	20.5	19.6	21.4	106	72	23	21	-	1	-	-	12	-	-	1	5	13	-	COLS.	BOLTON.	
BURY	-	58,450	25.9	22.3	25.0	20.5	20	23	6	7	-	-	-	-	2	-	-	-	-	2	1	COLS.	BURY.	
MANCHESTER†	-	537,988	27.4	24.3	24.5	21.5	320	230	63	62	-	9	-	-	6	2	3	5	11	61	6	COLS.	MANCHESTER.†	
SALFORD	-	228,983	22.3	23.5	21.9	20.7	132	91	22	28	-	6	-	-	8	-	-	2	10	15	-	COLS.	SALFORD.	
OLDHAM	-	139,497	20.2	23.2	17.2	16.1	71	43	10	6	-	-	-	1	-	-	1	1	1	13	1	COLS.	OLDHAM.	
ROCHDALE	-	85,601	23.1	18.9	23.6	19.5	41	32	4	13	-	3	-	-	-	-	-	-	-	2	-	COLS.	ROCHDALE.	
BURNLEY	-	100,569	17.6	23.3	19.7	21.3	42	41	7	5	-	3	1	-	-	2	-	3	4	5	2	COLS.	BURNLEY.	
BLACKBURN	-	132,134	17.0	17.8	14.2	18.2	62	46	6	17	-	1	-	-	1	1	2	1	1	9	1	COLS.	BLACKBURN.	
PRESTON	-	115,055	22.2	22.7	19.5	15.9	53	35	5	15	-	-	-	-	-	-	2	-	-	3	1	COLS.	PRESTON.	
BARROW-IN-FURNESS	-	59,654	20.1	13.1	20.1	13.1	26	15	1	3	-	-	-	-	-	1	-	-	-	1	-	COLS.	BARROW-IN-FURNESS.	

TABLE 2. LONDON.—Births and Deaths Registered in the FOURTEENTH Week of each of the Eleven Years, 1894–1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894–1903.*	1904
TOTAL Births -	2682	2731	2629	2577	2415	2554	2580	2538	2611	2439	2671·5	2539
Males - -	1324	1390	1322	1259	1230	1269	1289	1307	1334	1240	1346·7	1304
Females - -	1358	1341	1307	1318	1185	1265	1291	1231	1277	1199	1324·8	1235
TOTAL Deaths -	1587	1597	1522	1501	1691	1816	1932	1573	1571	1345	1673·6	1699
Males - -	836	868	767	787	881	908	1006	836	852	710	876·6	845
Females - -	751	729	755	714	810	908	926	737	719	635	797·0	814

* The numbers in this column are the average weekly numbers in the fourteenth week of the ten years 1894–1903, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Jan. 16.	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	13 Weeks
TOTAL Births -	2589	2515	2434	2748	2637	2737	2456	2364	2712	2577	2423	2240	2539	32971
TOTAL Deaths -	1677	1549	1734	1554	1574	1589	1467	1594	1796	1680	1645	1672	1659	21190
Ages at Death {														
Under 1 year -	357	313	333	349	316	345	326	350	397	335	336	375	366	4198
1–5 years -	160	150	189	164	183	206	158	197	230	216	214	214	256	2537
5–20 " -	82	77	82	63	70	72	65	79	88	73	71	79	76	182
20–40 " -	208	194	211	181	191	180	167	172	188	212	190	202	157	2453
40–60 " -	349	332	355	287	307	299	313	306	299	327	326	308	334	4152
60 yrs. & upwds.	521	483	564	495	507	437	438	490	594	517	508	494	470	6568
Deaths from—														
Small-pox† -	-	-	-	-	-	1	1	-	1	1	1	3	3	11
Measles - -	49	46	38	31	37	42	32	43	66	69	67	92	86	698
Scarlet Fever -	10	10	9	3	4	9	5	5	6	2	4	4	8	79
Diphtheria - -	11	10	25	13	12	17	18	23	17	17	13	17	17	210
Whooping-cough -	37	29	43	45	52	55	41	52	51	51	48	68	64	639
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	8	5	3	4	8	2	5	3	4	2	3	3	4	54
Pyrexia (origin uncertain).	1	-	-	-	-	-	-	-	-	-	-	-	1	2
Diarrhoea, Dysentery	19	25	17	20	13	16	28	20	18	19	19	16	21	251
All above Diseases -	135	125	135	116	126	142	130	146	166	161	155	203	204	1944
Dis. of Resp. System														
Pneumonia - -	219	210	260	193	165	195	180	202	235	205	195	212	167	2638
Bronchitis - -	189	145	171	157	159	154	142	169	179	170	183	158	166	2147
Phthisis - -	180	160	173	160	139	146	147	156	162	168	168	168	136	2088
Dis. of Circ. System														
Violence - -	202	182	229	206	236	220	205	197	221	230	223	207	203	2761
Inquest Cases -	65	50	57	59	78	53	51	57	68	69	58	58	65	758
Deaths in Institutions	177	144	158	127	189	150	126	150	190	161	164	153	178	2067
	613	545	605	541	548	572	497	533	603	554	555	585	540	7291
TEMPERATURE OF THE AIR.														
Mean - -	42·1	35·7	40·0	40·6	42·1	38·8	38·3	33·3	40·5	40·8	43·3	42·0	48·0	40·5
Mean of Highest -	46·4	41·2	44·3	45·7	47·7	43·9	43·0	37·3	48·0	50·1	49·3	50·5	55·8	46·4
Mean of Lowest -	36·6	29·1	37·1	35·6	36·5	33·4	34·8	29·8	34·1	31·5	37·6	35·3	40·9	34·8
Mean Humidity of the Air.	82	92	86	87	81	81	75	82	84	77	80	79	71	81
Rain-fall (in inches) -	0·69	0·18	0·92	1·15	1·27	0·45	0·03	0·52	0·24	0·06	0·11	0·45	0·37	6·44
Registered Sunshine (in hours).	9·2	4·3	8·7	15·0	14·2	10·3	6·7	6·4	26·3	28·2	13·7	29·5	33·5	206·0
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	23	24	21	25	24	23	31	41	54	74	110	126	134	55
Scarlet Fever -	1660	1679	1651	1657	1644	1620	1587	1578	1601	1624	1585	1570	1505	1612
Diphtheria - -	749	758	760	782	767	768	787	764	780	807	776	787	749	772
Typhus - -	-	-	-	-	-	-	-	-	1	1	1	1	1	0
Enteric Fever -	191	184	166	161	139	129	125	118	102	94	83	86	80	128

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; E. Simpson, Esq., Wrottesley, Wolverhampton; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson Esq., M.Inst. C.E. Bradford; H. Crowther, Esq., Leeds; and H. B. Witty, Esq., Hull.

TABLE 4. LONDON.—DEATHS Registered in the FOURTEENTH Week of the Year 1904.

The terms printed in *italics* being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 14th week of the year 1903.	1904—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 14th week of the year 1903.	1904—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES - - -	1345	1659	366	256	76	157	334	470	Meningitis (not tuberc.)	14	20	4	9	4	1		
									Insanity, Gen. Par. of	11	22	-	-	2	4		
									Insane - - -	4	11	-	-	1	2		
Small-pox* - - -	-	3	-	-	1	-	2	-	Epilepsy - - -	27	25	21	4	-	-	-	-
Cowpox - - -	-	-	-	-	-	-	-	-	Convulsions - - -	-	3	-	-	-	-	-	-
Measles (Morbilli) -	48	86	24	59	3	-	-	-	Locomotor Ataxy - -	3	3	-	-	1	-	-	-
Scarlet Fever - - -	3	8	-	4	4	-	-	-	Paraplegia, Dis. of Cord	24	19	2	-	-	2	-	-
Typhus - - -	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	30	42	-	-	3	8		
Plague - - -	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis-	28	43	-	-	-	12		
Influenza - - -	17	20	2	-	1	-	6	11	Cerebr. Hem. Thromb.-	18	15	-	-	-	-	-	-
Whooping-cough - -	47	64	28	35	1	-	-	-	Apoplexy, Hemiplegia -	3	7	-	-	-	1	-	-
Diphtheria - - -	11	17	2	14	1	-	-	-	Aneurysm - - -	-	3	-	-	-	-	-	-
Cerebro Spinal Fever	-	-	-	-	-	-	-	-	Embolism, Thrombosis }	67	93	-	1	3	9		
Pyæmia,† (Origin un- }	-	1	-	1	-	-	-	-	(not cerebral) - - -								
certain) - - -	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.								
Enteric Fever - - -	6	4	-	-	1	1	2	-	Croup (not Spasm nor }	-	-	-	-	-	-	-	-
Asiatic Cholera - -	-	-	-	-	-	-	-	-	Membr.) - - -	95	155	26	11	-	2		
Epidemic Diarrhœa }	6	5	3	2	-	-	-	-	Bronchitis - - -	3	4	-	-	-	1	-	-
(Infected Enteritis) }	-	-	-	-	-	-	-	-	Asthma, Emphysema -	1	1	-	-	-	-	-	-
Diarrhœa, Dysentery -	13	16	10	3	-	2	1	-	Pleurisy - - -	10	7	3	1	1	-	-	-
Tetanus - - -	2	1	-	-	-	-	1	-	Respiratory Dis. (other)								
Rabies, Hydrophobia -	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy -	-	-	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	Enteritis (not Epid.) -	4	10	4	2	-	-	-	-
Anthrax (Splemic Fever)-	-	-	-	-	-	-	-	-	Gastro-Enteritis - -	3	6	4	-	-	-	-	-
Venereal Dis. - - -	6	6	5	-	-	-	1	-	Peritonitis (not Puerp.)	1	4	2	-	-	-	-	-
Puerperal Septicæmia -	1	3	-	-	-	3	-	-	Cirrhosis of Liver - -	13	13	-	-	-	2		
Puerperal Pyæmia - -	-	-	-	-	-	-	-	-	Liver Dis. (other) - -	5	7	-	-	-	-	-	-
Puerperal Fever - - -	1	1	-	-	1	-	-	-	Digestive Dis., Other -	42	39	10	3	8	4		
Infective Endocarditis	5	6	-	-	-	1	5	-	Nephritis, Acute - - -	11	6	-	-	1	3		
Lobar - - -	14	18	-	1	-	5	3	9	Bright's Dis., Albumin-	32	35	-	1	-	4		
Broncho- - -	61	75	29	25	3	1	6	11	uria - - -	12	5	-	-	-	-	-	-
Pneumonia { Epidemic	-	-	-	-	-	-	-	-	Urinary Sys., Other Dis.								
Not defined - - -	53	73	10	14	4	15	14	16	Generative Organs Dis.-	4	4	1	-	-	1	-	-
Erysipelas - - -	-	4	-	-	-	-	4	-	Childbirth (Accid. of) -	2	3	-	-	-	3	-	-
Septicæmia (not Puer- }	-	2	1	-	-	1	-	-	Old Age - - -	49	54	-	-	-	-	-	-
peral) - - -	-	-	-	-	-	-	-	-	Other Diseases - - -	106	113	75	19	2	3		
Pyæmia (not Puerperal)	1	1	-	-	-	1	-	-									
Other Infective Conditions	12	11	3	3	1	2	1	1	ACCIDENT.								
Tuberculous Phthisis -	70	68	2	4	3	21	25	10	By Railways - - -	2	1	-	-	-	-	-	-
"Phthisis" - - -	68	68	1	1	7	29	24	6	By Vehicles and Horses-	4	4	-	1	1	1		
Tuberculous Meningitis	13	35	8	19	7	1	-	-	In Ships, Boats, Docks,	1	2	-	-	-	2		
Tuberculous Peritonitis	6	8	-	3	3	1	1	-	(exclusive of Drown-								
Tabes Mesenterica - -	4	5	2	3	-	-	-	-	ing) - - -	3	1	-	-	1	-	-	-
Tuberculous Dis. (other)-	28	18	7	7	3	-	1	-	In Building Operations -	1	-	-	-	-	-	-	-
Scrophula - - -	2	-	-	-	-	-	-	-	In Conflagrations - -	4	5	-	4	-	-	-	-
Alcoholism - - -	6	14	-	-	-	4	10	-	By Burns, Scalds, Ex-	1	4	-	-	1	2		
Rheumatic Fever - -	3	3	-	-	1	1	1	-	plosions - - -	17	22	22	-	-	-	-	-
Gout - - -	1	4	-	-	-	-	1	3	By Suffocation in Bed -	2	2	-	1	-	-	-	-
Carcinoma - - -	55	60	-	-	-	2	30	28	By Poisons or Poisonous								
Sarcoma - - -	4	8	-	-	1	1	3	3	Vapours - - -	16	15	3	1	-	1	-	-
Cancer (undefined) -	18	46	-	-	1	-	22	23	Other Deaths by Acci-								
Diabetes Mellitus - -	6	9	-	-	-	3	4	2	dent - - -								
Premature Birth - - -	68	51	51	-	-	-	-	-									
									VIOLENCE OTHER THAN								
									ACCIDENTAL.								
									Homicide - - -	-	1	1	-	-	-	-	-
									Suicide - - -	12	8	-	-	-	1	2	
									Execution - - -	1	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

Population, Births, and Deaths in London, and in the Sub-Districts of London, during the Week ended Saturday, 9th April, 1904.

The DEATHS registered during the Week include																				
POPULATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of		Deaths from													Deaths in Public Institutions.	Unrecorded Causes of Death.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhoea.	Violence.	Inquest Cases.				
LONDON - - -	4,536,541	2539	1659	366	470	3	86	8	17	64	-	4	1	21	65	178	540	3		
DISTRICTS - - -	805,311	352	266	57	84	-	11	-	3	8	-	3	-	5	7	26	80	-		
W DISTRICTS - - -	1,056,070	520	325	61	109	-	17	4	4	11	-	3	-	3	13	35	100	-		
RAL DISTRICTS - - -	209,465	109	90	21	19	-	3	-	-	-	-	-	-	3	7	15	40	-		
DISTRICTS - - -	715,739	516	297	78	62	-	17	-	4	17	-	1	-	2	12	46	112	-		
H DISTRICTS - - -	1,749,956	1042	625	149	174	-	38	3	6	25	-	-	6	26	55	152	3	-		
OPOLITAN HOSPITALS } ASYLUMS OUTSIDE }	-	-	56	-	22	3	-	1	-	-	-	-	3	-	-	1	56	-		
ISTRATION LONDON* }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
WEST DISTRICTS.																				
Paddington } G. & W.	93,178	51	17	4	5	-	-	-	-	-	-	-	2	1	2	5	-	-		
Paddington H - - G.	33,617	9	12	1	1	-	-	-	1	-	-	1	-	-	-	-	8	-		
est Paddington - - C.	17,181	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
onTown 2W,w 2H G.,W.&C.	128,037	62	59	12	17	-	4	-	-	2	-	-	-	2	-	5	18	-		
n 2H - - W. & C.	48,591	8	16	3	6	-	-	-	-	-	-	-	-	-	-	2	1	-		
mmersmith W,w H } W.&G.	49,192	28	11	2	5	-	2	-	-	1	-	-	-	-	-	3	-	-		
mmersmith w 2H } W.&G.	63,047	36	21	3	5	-	3	-	-	-	-	-	-	-	1	1	5	-		
est Fulham W } W. & C.	45,180	35	28	9	9	-	-	-	-	3	-	1	-	-	1	3	15	-		
est Fulham F } W. & C.	46,405	25	12	1	6	-	-	-	2	-	-	-	-	-	1	1	2	-		
lham W } W. & C.	45,704	24	14	6	3	-	2	-	-	1	-	-	-	-	1	2	-	-		
North W,w 3H - - C.	42,514	19	25	5	8	-	-	-	-	-	-	-	-	-	1	4	14	-		
South 2H - - C.	31,328	13	8	3	3	-	-	-	-	-	-	-	-	-	-	1	-	-		
and Knightsbridge } C.&G.	28,743	6	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-		
W 2H - - C.	55,815	14	19	4	8	-	-	-	-	1	-	1	-	1	1	1	5	-		
aret & St. John 4H - C.	43,698	11	11	3	2	-	-	-	-	-	-	-	-	-	-	1	5	-		
es Westminster } N. & G.	21,588	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-		
Soho 5H - - N.	11,493	2	4	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-		
NORTH DISTRICTS.																				
Marylebone 8H - - W.	35,391	11	18	2	4	-	2	-	-	1	-	-	-	-	-	1	8	-		
Marylebone W G. & W.	19,849	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Marylebone 4H G. & W.	18,099	28	5	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-		
urch Marylebone H- W.	39,536	21	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Marylebone 3H - - W.	20,426	7	2	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-		
ad W,F 8H - N. & W.	81,942	27	25	3	10	-	1	3	1	-	-	-	-	-	1	1	8	-		
Pancras 2H - - W.	60,582	30	12	4	3	-	1	-	-	-	-	-	-	-	1	2	2	-		
m-court w 6H - N. & W.	21,258	9	10	3	3	-	-	-	-	1	-	-	-	-	-	1	9	-		
n Lane 4H - - N.	34,449	13	13	1	4	-	-	-	-	1	-	-	-	-	2	3	2	-		
Pancras W 2H - - N.	60,320	55	21	2	8	-	1	-	-	1	-	-	-	-	1	4	10	-		
Pancras 2W - - N.	58,728	17	17	1	5	-	2	-	-	2	-	-	-	-	1	1	7	-		
W- - - N.	31,905	11	24	4	14	-	-	-	-	-	-	-	-	-	1	2	11	-		
olloway 2W,w 2H - N.	33,978	17	27	3	7	-	4	-	-	-	-	-	-	-	-	1	16	-		
n W - - N.	33,922	22	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
olloway - - N.	41,424	22	5	3	1	-	1	-	-	-	-	-	-	1	-	1	-	-		
ry - - N.	54,478	23	6	2	3	-	1	-	-	-	-	-	-	-	1	2	-	-		
South-east F - - N.	75,397	40	26	8	8	-	1	-	-	-	-	-	-	-	1	5	-	-		
y 2H - - N.	63,797	23	11	1	4	-	1	-	1	-	-	-	-	-	1	1	1	-		
swington H - - N.	51,247	17	13	1	6	-	1	-	-	-	-	-	-	-	1	1	-	-		
ackney - - E. & N.	50,560	17	12	1	7	-	-	-	-	1	-	-	-	-	1	1	-	-		
ackney 2w,F - E. & N.	50,536	29	18	5	6	-	-	1	2	2	-	-	-	-	-	1	3	-		
est Hackney 3H E. & N.	59,921	32	23	9	4	-	-	-	-	-	-	-	-	-	-	1	8	-		
st Hackney 2W,w,H E. & N.	58,255	43	29	5	10	-	-	-	-	-	-	-	-	1	-	5	12	-		

The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein. W-Workhouse belonging to the District or Union; w-Workhouse belonging wholly or partly to other Districts at in which it stands; F-a Fever Hospital; H-another Hospital; L-a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the name. The Roman capitals signify the Water Companies which supply the different Sub-districts:-G. signifies the City of London; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New Northgate. * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALLPOX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 9th April, 1904—continued.

The DEATHS registered during the Week include																	
REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	Deaths of		Deaths from											Inquest Cases.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhœa.	Violence.		
CENTRAL DISTRICTS.																	
St. Giles and Bloomsbury W,2H N.	31,436	25	11	2	3	-	-	-	-	-	-	-	-	-	1	1	
Strand W,4H - - - N. & C.	21,674	4	17	4	4	-	1	-	-	-	-	-	-	-	2	2	
Strand Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Holborn W,6H - - - N.	29,612	13	25	7	4	-	1	-	-	2	-	-	-	-	2	4	
South Clerkenwell - - - N.	28,676	14	6	1	1	-	1	-	-	-	-	-	-	-	-	-	
North Clerkenwell H - - - N.	35,028	15	6	4	1	-	-	-	-	1	-	-	-	-	1	1	
Finsbury 3H,L - - - N.	36,116	33	6	3	1	-	-	-	-	-	-	-	-	-	-	1	
Holborn Union Workhouse, } Mitcham - - - - - }	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
St. Botolph H - - - N. & E.	10,299	4	5	-	1	-	-	-	-	-	-	-	-	-	-	2	
St. Sepulchre and Allhallows } W,H - - - - - }	16,624	1	12	-	3	-	-	-	-	-	-	-	-	-	1	2	
City of London Asylum, Stone - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EAST DISTRICTS.																	
Shoreditch South H,L - E. & N.	16,369	7	4	1	3	-	-	-	-	-	-	-	-	-	-	-	
Hoxton New Town w,H - - N.	29,761	19	18	3	7	-	-	-	-	-	-	-	-	-	1	4	
Hoxton Old Town - - - N.	26,504	16	9	2	3	-	-	-	-	-	-	-	-	-	-	2	
Haggerston W - - - N & E.	46,003	25	21	7	6	-	2	-	-	2	-	-	-	-	-	-	
Shoreditch Union Workhouse, Wood } Green - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bethnal Green North 2H - E.	51,514	38	15	4	2	-	-	-	-	2	-	-	-	-	2	4	
Bethnal Green South - - E.	33,472	23	6	3	-	-	1	-	-	-	-	-	-	-	2	3	
Bethnal Green East 2W,H,L - E.	44,694	26	33	2	10	-	1	-	-	-	-	-	1	-	-	-	
Spitalfields - - - E. & N.	27,969	17	7	4	-	-	2	-	-	-	-	-	-	-	1	3	
Mile End New Town W,H - E.	28,718	30	37	6	3	-	1	-	2	1	-	-	-	-	2	6	
Goodman's Fields - - - E.	22,081	8	2	1	1	-	-	-	-	1	-	-	-	-	-	-	
St. George and St. John 2W E.	49,068	49	18	7	1	-	1	-	-	2	-	-	-	-	2	1	
Shadwell and Ratcliff W,H E. & N.	25,568	12	12	5	1	-	-	-	1	3	-	-	-	-	1	3	
Limehouse - - - - - E.	32,369	19	8	1	-	-	-	-	-	2	-	-	-	-	-	-	
Mile End Old Town West H - E.	59,479	50	16	3	5	-	2	-	-	1	-	-	-	1	-	3	
Mile End Old Town East } W,w - - - - - }	53,348	37	23	7	5	-	1	-	-	1	-	-	-	-	-	-	
Bow L - - - - - E.	41,989	36	15	7	3	-	2	-	-	1	-	-	-	-	1	1	
Bromley 3w,H - - - E.	68,319	62	40	10	10	-	3	-	-	1	-	-	-	1	-	-	
Poplar W,w - - - - - E.	65,514	42	13	5	2	-	1	-	1	-	-	-	-	-	-	-	

(contd.) LONDON.—POPULATION, BIRTHS, DEATHS from ALL CAUSES, and from SMALL-POX, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 9th April, 1904—continued.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include													Deaths in Public Institutions.	
				Deaths of		Deaths from												
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.		
SOUTH DISTRICTS.																		
Church Southwark W, H, L. & S.	11,263	5	4	1	1	-	1	-	-	-	-	-	-	-	-	-	-	
Four Southwark H - S.	12,056	8	22	4	2	-	2	-	-	1	1	-	-	-	3	5	18	
Mad - S. & L.	21,904	8	5	1	-	-	1	-	-	-	-	-	-	-	1	1	-	
Large the Martyr } S. & L.	39,094	19	19	8	2	-	5	-	-	2	-	-	-	-	1	1	6	
W 2H, L - - -	49,022	38	17	10	2	-	1	-	-	2	-	-	-	-	2	2	-	
ton North* - S. & L.	72,841	43	35	4	6	-	1	-	-	4	-	-	-	-	1	1	1	
ton South* W - S. & L.																		
e 2W - - - S.	9,817	7	3	-	1	-	-	-	-	-	-	-	-	-	-	1	1	
dey W - - - S.	82,483	50	21	6	4	-	4	-	-	-	-	-	-	-	-	-	-	
ithe W, F - - S. & K.	38,460	20	18	4	9	-	-	-	-	1	-	-	-	-	2	3	7	
o-road 2H - - L. & S.	27,440	21	12	5	1	-	-	-	-	-	-	-	-	-	-	-	-	
h Church 1st H - L. & S.	18,423	16	25	6	2	-	2	-	-	1	-	-	-	-	1	3	16	
h Church 2nd 2W - L. & S.	39,818	43	18	5	4	-	1	-	-	1	-	-	-	-	-	1	8	
ton 1st H - - S. & L.	53,198	24	15	3	3	-	-	-	-	-	-	-	-	-	-	1	-	
ton 2nd H - - S. & L.	42,896	17	14	4	3	-	1	-	1	-	-	-	-	-	-	1	2	
F - - - L. & S.	84,232	27	19	2	9	-	-	1	1	-	-	-	-	-	1	3	12	
d W, H - - - L.	35,888	23	7	-	4	-	-	-	-	-	-	-	-	-	-	-	-	
attersea - - - S.	72,203	58	15	5	4	-	2	-	-	-	-	-	-	-	-	2	-	
rest Battersea - - S.	49,656	29	9	3	1	-	1	-	-	-	-	-	-	-	-	3	-	
rest Battersea W, H - S.	47,048	18	25	8	4	-	1	-	-	-	-	-	-	1	1	2	11	
n 2H - - - S.	51,361	33	12	1	6	-	-	-	-	-	-	-	-	-	-	-	1	
m W 2w 2F, 2L - - L.	88,131	55	35	5	20	-	1	-	1	1	-	-	-	1	1	3	13	
eld 2W, L - - - S.	27,959	22	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-	
lds H - - - S.	40,444	22	12	3	2	-	-	-	-	-	-	-	-	-	-	1	-	
- - - S.	24,139	13	5	-	-	-	-	-	-	-	-	-	-	-	1	2	-	
nt - - - L. & S.	13,359	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
well South† W, w S. & L.	40,206	12	29	1	15	-	2	-	-	-	-	-	-	-	-	1	22	
well North† W, 2L S. & L.	65,584	35	29	7	9	-	1	-	-	-	-	-	-	-	1	2	12	
get - - - L. & S.	47,331	37	13	4	2	-	2	-	-	-	-	-	-	-	-	-	-	
nt 2W, w - - S., L. & K.	92,859	51	24	6	5	-	3	-	-	2	-	-	-	-	3	3	-	
1 North - - - K.	37,613	19	10	7	2	-	2	-	-	1	-	-	-	-	1	1	-	
1 Central F - - K.	45,481	32	14	6	2	-	1	-	-	1	-	-	-	-	1	1	-	
1 South - - - K.	34,625	24	10	2	3	-	-	-	-	-	-	-	-	-	-	-	-	
ch West 2H - - K.	23,456	20	11	4	3	-	-	-	-	1	-	-	-	1	1	1	2	
ch East 2W, H - - K.	43,859	32	22	6	10	-	-	-	-	1	-	-	-	2	3	4	8	
w, H - - - K.	7,226	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
m W, w, F - - K.	25,490	13	5	-	3	-	-	-	-	-	-	-	-	-	1	1	-	
m H - - - L.	58,352	50	30	9	2	-	-	1	2	2	-	1	-	-	1	1	12	
- - - L.	43,553	16	8	-	4	-	-	-	-	-	-	-	-	-	1	1	-	
F 2H - - - K.	21,134	19	9	2	2	-	-	1	-	2	-	-	-	-	-	-	3	
h 4H - - - K.	41,625	15	11	1	5	-	1	-	-	1	-	-	-	-	-	1	-	
ad West W - - K.	18,063	7	7	-	2	-	2	-	-	-	-	-	-	-	-	-	-	
ad East 2W, H - - K.	50,264	33	20	5	5	-	-	-	-	1	-	-	-	-	-	1	8	
County Asy., Banstead - -	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	5	
Manor Asylum - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
County Asy., Epsom - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Co. Asy. Epileptic Colony -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
for Imbeciles, Caterham -	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	
County Asy., Cane Hill -	-	-	9	-	5	-	-	-	-	-	-	-	-	-	-	-	9	
Hospitals, Dartford - -	-	-	3	-	-	3	-	-	-	-	-	-	-	-	-	-	3	
for Imbeciles, Darenth -	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	
County Asylum, Dartford }	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3	
County Asylum, Hanwell -	-	-	7	-	2	-	-	-	-	-	-	-	-	-	-	-	7	
London Sick Asy., Hendon -	-	-	5	-	3	-	-	-	-	-	-	-	-	-	-	-	5	
County Asy., Colney Hatch -	-	-	7	-	5	-	-	-	-	-	-	-	-	-	1	1	7	
North-Eastern Hospital -	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	
Northern Hospital - -	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	5	
for Imbeciles, Leavesden -	-	-	5	-	2	-	-	-	-	-	-	-	-	2	-	-	5	
County Asylum, Claybury -	-	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5	

1st March, 1904, the sub-districts of Trinity Newington, St. Peter Walworth, and St. Mary Newington, were abolished, and divided into two new sub-districts entitled Newington North and Newington South respectively. On 1st April, 1904, the four sub-districts of Camberwell registration district were abolished, and divided into five sub-districts as above.

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the week ended Saturday, 9th April, 1904.

					The DEATHS registered in the Week include													
REGISTRATION SUB-DISTRICTS.		Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths of		Deaths from										
						1 Infants under Year of Age.	60 Persons aged Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public	
LONDON—OUTER RING		368,580	2,044,861	1300	553	136	166	1	33	2	6	11	-	8	24	45	97	
1	Carshalton <i>w, 2F, 3H</i>	12,228	32,997	15	11	-	3	-	-	-	-	-	-	-	-	-	-	
2	Epsom, <i>part of</i> * <i>W, w, 2F, H</i>	10,423	15,548	6	2	-	1	-	-	-	-	-	-	-	-	-	-	
1	Godstone, <i>part of</i> * <i>W, F</i>	2,754	2,692	-	1	1	-	-	-	-	-	-	-	-	-	-	-	
1	Coulsdon	11,069	21,166	3	2	-	2	-	-	-	-	-	-	-	1	1	-	
2	South Croydon	4,200	49,309	25	11	1	4	-	-	-	-	-	-	-	2	2	-	
3	West Croydon <i>3W, F, H</i>	2,168	42,888	27	23	5	3	-	-	-	1	1	-	-	2	2	-	
4	North Croydon <i>H</i>	2,644	41,868	26	15	5	5	-	3	-	-	-	-	-	4	4	-	
5	Penge <i>w</i>	770	22,465	19	9	2	2	-	-	-	-	1	-	-	1	1	-	
6	Mitcham <i>w</i>	11,689	24,903	28	8	4	1	-	1	-	-	-	-	1	-	-	-	
1	Wimbledon <i>F, 3H</i>	3,221	41,452	19	9	2	-	-	3	-	1	-	-	-	-	-	-	
2	Kingston <i>W, H</i>	6,224	42,468	27	18	5	9	-	-	-	-	-	-	-	3	3	-	
3	Surbiton <i>F, H</i>	3,046	15,017	5	4	1	-	-	-	-	-	-	-	-	-	-	-	
4	Esher, <i>part of</i> * <i>H</i>	5,402	13,100	18	2	1	-	-	-	-	-	-	-	-	-	-	-	
5	Hampton <i>H, L</i>	4,564	23,456	16	3	1	1	-	-	-	-	-	-	-	-	-	-	
1	Richmond <i>W, H</i>	2,162	28,865	9	7	3	-	-	-	-	-	1	-	-	-	-	-	
2	Mortlake <i>F</i>	2,847	20,628	15	2	1	-	-	-	-	-	-	-	-	-	-	-	
1	Bromley <i>F, 2H</i>	4,703	27,354	15	8	3	3	-	-	-	-	-	-	-	-	-	-	
2	Beckenham <i>H</i>	7,825	28,497	17	6	1	1	-	-	-	1	-	-	-	1	1	-	
3	Orpington, <i>part of</i> * <i>W</i>	10,113	9,857	6	1	-	1	-	-	-	-	-	-	-	-	-	-	
4	Chislehurst <i>2H</i>	7,333	16,446	10	5	2	3	-	-	-	-	-	-	-	-	-	-	
1	Bexley <i>F, H</i>	8,678	21,151	10	5	3	2	-	1	-	-	-	-	-	-	-	-	
2	Erith <i>F, H</i>	3,854	25,296	9	11	2	2	-	-	-	-	1	-	1	-	-	-	
3	Dartford <i>W, F, part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	Sunbury <i>w</i>	11,054	18,683	17	5	1	2	-	-	-	1	-	-	-	-	-	-	
2	Staines <i>W, H</i>	13,277	15,178	6	6	-	3	-	-	-	-	-	-	-	-	-	-	
1	Hillingdon <i>W, F, H</i>	6,035	13,661	7	5	2	1	-	-	-	-	-	-	-	1	-	-	
2	Uxbridge	12,757	8,984	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes <i>w, F, H</i>	8,066	16,358	11	3	2	-	-	-	-	-	-	-	-	-	-	-	
1	Isleworth <i>3W, 2F, H</i>	6,859	30,863	14	21	1	9	-	-	-	-	-	-	3	5	11	-	
2	Twickenham <i>F, H</i>	2,421	20,991	15	8	2	2	-	-	-	-	-	-	-	-	-	-	
3	Brentford <i>2F, 2H, L</i>	4,319	48,289	29	12	1	9	-	-	-	-	-	-	-	1	1	-	
4	Chiswick <i>H</i>	1,249	29,809	11	14	2	1	-	5	-	1	-	-	1	1	1	-	
5	Acton <i>w, 3H</i>	6,132	48,914	36	16	4	6	-	3	-	-	-	-	-	2	2	-	
1	Harrow <i>F, H</i>	13,809	25,523	23	3	-	1	-	-	-	-	-	-	-	-	-	-	
2	Edgware <i>F, 2H</i>	6,994	4,521	2	1	1	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden <i>W, F, 2H</i>	4,384	114,311	82	19	4	8	-	2	-	-	-	-	-	-	-	-	
4	Hendon <i>W, F</i>	8,382	22,450	12	7	-	2	-	-	-	-	-	-	-	-	-	-	
1	South Mimms <i>2F, H</i>	17,755	7,308	4	1	-	1	-	-	-	-	-	-	-	-	-	-	
2	Barnet <i>W, 3H</i>	3,324	17,970	10	7	-	5	-	-	-	-	-	-	1	-	-	-	
3	Finchley <i>F, 2H</i>	4,688	33,692	19	7	2	4	-	1	-	-	-	-	-	-	-	-	
1	Hornsey <i>F, H</i>	2,875	72,056	34	10	3	3	-	-	-	-	-	-	1	1	2	-	
2	Wood Green <i>H</i>	1,625	34,233	16	17	2	4	-	4	-	-	-	-	1	1	1	-	
3	West Tottenham <i>F</i>	996	48,353	36	9	1	6	-	-	-	-	-	-	-	1	2	-	
4	East Tottenham <i>F, H</i>	2,017	53,688	41	22	11	2	-	2	-	-	-	-	-	2	3	-	
5	Edmonton <i>W, w, 2F</i>	7,491	61,892	43	19	7	5	-	-	-	-	-	-	1	1	6	-	
6	Enfield <i>2W, F, H</i>	12,801	42,738	30	8	3	2	-	-	-	-	-	-	1	-	1	-	
7	Waltham Abbey	11,017	6,549	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	Cheshunt <i>F, H</i>	8,479	12,292	4	3	-	1	-	-	-	-	-	-	-	-	-	-	
1	Hatfield, <i>part of</i> * <i>W</i>	3,305	864	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	Bushey <i>H</i>	9,333	9,173	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Watford <i>W, 2F part of</i> *	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
1	Stratford <i>H</i>	1,072	44,827	32	12	4	3	-	-	-	-	-	-	-	-	-	-	
2	Plaistow <i>F, 2H</i>	1,249	90,921	72	34	10	4	-	3	-	1	2	-	2	3	3	-	
3	Canning Town <i>H</i>	1,556	70,718	51	18	4	-	-	2	-	-	-	-	-	-	1	-	
4	Forest Gate <i>w</i>	806	60,892	30	13	3	6	-	-	-	-	-	-	-	-	-	-	
5	North East Ham <i>w</i>	1,333	58,676	45	11	5	2	-	-	-	-	-	-	-	-	1	-	
6	South East Ham <i>3F</i>	1,993	37,342	33	6	-	-	-	1	-	-	-	-	-	-	-	-	
7	Wanstead <i>F</i>	1,679	9,179	3	1	-	1	-	-	-	-	-	-	-	-	-	-	
8	South Leyton <i>2W</i>	631	50,467	46	15	4	6	-	-	-	-	-	-	-	1	2	-	
9	North Leyton <i>W, w, F</i>	1,963	48,445	30	19	3	7	-	-	-	1	-	1	-	-	-	-	
10	Walthamstow <i>3H, L</i>	6,504	108,929	78	15	6	5	-	1	-	1	-	-	-	1	1	-	
1	Chigwell, <i>part of</i> * <i>2F, 4H</i>	11,778	16,397	4	1	-	-	-	-	-	-	-	-	-	-	-	-	
2	Epping <i>W, F, part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	Romford, <i>part of</i> * <i>W, 2F</i>	6,556	6,091	5	1	-	-	-	-	-	1	-	-	-	-	-	-	
2	Ilford <i>F, L</i>	8,496	41,234	21	9	2	5	-	-	-	-	-	-	-	-	-	-	
3	Barking Town <i>F</i>	3,803	21,547	13	8	3	-	-	1	-	-	1	-	-	1	1	-	
Eastern Hospital, Hackney		-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	
Joyce Green Hospital, Dartford.		-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	
City of London Lunatic Asylum, Stone.		-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	

The parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes, 39: 4, excepting Epsom parish; 41: 3, excepting Chislehurst, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.
CUTTACK (including BURBES)	847,798	February 27	-	581	35·6	5	4	-	2	-	223†
BOMBAY - -	778,008	March 22	315	1389	93·1	14	10	-	-	-	884†
MADRAS - -	509,346	" 4	331	474	48·3	-	4	-	-	-	128†
COCHIN - -	2,680,559	April 2	1010	1116	23·4	-	18	-	10*	13	16
CHENNAI - -	575,896	" 2	241	207	18·7	-	-	-	-	1	1
AMSTERDAM -	261,376	" 2	139	88	16·3	3	3	-	-	1	-
ROTTERDAM -	547,370	March 26	298	209	19·9	-	19	1	5*	4	3
AMSTERDAM -	420,000	April 2	201	130	16·1	-	-	-	1*	10	-
STOCKHOLM -	305,115	March 26	140	98	16·7	-	-	-	-	1	-
CHRISTIANIA -	225,709	April 2	134	57	13·1	-	-	-	3*	-	-
PETERSBURG -	1,248,643	March 26	738	643	26·8	-	18	12	16*	4	14
NEW YORK - -	1,093,410	" 26	-	542	25·9	2	6	4	14*	2	-
BERLIN - -	1,960,909	" 19	874	636	16·9	-	8	5	9*	15	-
ST. PETERSBURG -	751,842	April 2	-	247	17·1	-	1	1	5*	-	-
PRAGUE - -	445,403	March 26	-	166	19·4	-	-	-	2*	?	1
BRISBANE - -	520,000	April 2	-	227	22·7	-	4	-	1*	-	-
PARIS - -	1,779,869	" 2	801	687	20·1	-	39	1	5*	4	-
LYON - -	423,990	" 2	174	204	25·1	-	2	1	2*	3	5
VIENNA - -	813,399	March 26	533	332	21·2	1	6	5	4*	6	1
BRISTOL - -	187,251	April 2	109	102	27·9	-	-	-	-	-	1
GLASGOW - -	496,201	February 13	256	217	23·0	-	6	-	2*	1	1
MANCHESTER -	166,288	March 26	77	69	21·6	-	-	-	1*	-	-
EDINBURGH - -	624,338	January 14	513	496	41·4	2	20	1	10*	?	13
ALEXANDRIA -	349,300	" 14	371	203	30·3	-	-	-	3*	?	1
NEW YORK - -	3,838,024	March 26	1873	1803	24·5	-	29	25	44*	6	9
PHILADELPHIA -	1,408,154	" 12	-	709	26·2	6	16	4	13*	2	25
BOSTON - -	617,950	" 19	-	-	-	-	-	-	-	-	-

* Including deaths from croup.

† Including 120 deaths from plague in Calcutta, 823 in Bombay and one in Madras.

‡ Including 34 deaths from cholera in Calcutta, and 6 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 9th April, 1904.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	64·0	37·3	48·4	0·37	HUDDERSFIELD -	57·5	36·5	44·7	0
NOTTINGHAM -	55·8	38·7	43·5	0·23	BRADFORD - -	57·6	37·0	45·8	0
GLASGOW - -	62·0	40·5	50·1	0·37	LEEDS - - -	60·0	38·0	47·8	0
BRISTOL - -	58·0	40·0	48·6	0·11	HULL - - -	59·0	36·0	47·4	0
GLASGOW - -	57·7	43·0	49·2	0·22					
GLASGOW - -	55·2	38·0	47·4	0·67	EDINBURGH - -	56·7	33·3	43·0	1
GLASGOW - -	-	-	-	-	GLASGOW - -	57·2	34·5	45·1	1
BIRMINGHAM -	61·7	36·3	47·2	0·20					
GLASGOW - -	60·2	36·5	47·5	0·23					
GLASGOW - -	57·0	37·0	45·6	0·47	DUBLIN { Phoenix Park.	58·2	34·2	45·9	0
OBSERVATORY. }	57·4	36·8	45·7	0·73	DUBLIN { Fitz- william	60 0	37·0	47·7	0
MANCHESTER -	57·4	36·8	45·7	0·73					
BIRMINGHAM -	53·5	39·5	45·6	0·72	BELFAST - - -	-	-	-	-

Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of the report) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the observations of Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1·4 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

* Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 2nd April, 1904.*

BOROUGHS.	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Unoperated Fever.
WEST.										
Paddington - - - -	146,975	1	2	4	-	-	-	-	4	-
Kensington - - - -	179,236	-	9	7	-	-	-	-	5	-
Hammersmith - - - -	117,412	-	3	5	-	-	-	-	1	-
Fulham - - - -	152,482	-	1	3	-	-	-	-	1	-
Chelsea - - - -	74,329	-	-	-	-	2	-	-	2	-
City of Westminster - - - -	177,321	-	3	4	-	-	-	-	12	-
NORTH.										
St. Marylebone - - - -	130,337	-	1	-	-	-	-	-	1	-
Hampstead - - - -	86,663	-	1	1	-	2	-	-	1	-
St. Pancras - - - -	235,936	-	22	9	-	1	-	-	6	1
Islington - - - -	341,044	2	11	5	-	2	-	-	1	-
Stoke Newington - - - -	52,445	-	2	-	-	-	-	-	-	-
Hackney - - - -	226,266	2	9	16	-	1	-	-	4	-
CENTRAL.										
Holborn - - - -	57,161	-	2	2	-	-	-	-	-	1
Finsbury - - - -	98,958	-	1	2	-	-	-	-	1	-
City of London - - - -	23,482	-	-	-	-	1	-	-	-	-
EAST.										
Shoreditch - - - -	117,033	-	5	1	-	3	-	-	2	-
Bethnal Green - - - -	130,207	14	3	6	-	-	-	-	2	-
Stepney - - - -	303,791	13	12	6	-	-	-	-	11	-
Poplar - - - -	169,905	2	7	14	-	-	-	-	3	-
SOUTH.										
Southwark - - - -	207,937	1	7	6	-	2	-	-	2	1
Bermondsey - - - -	129,397	1	7	4	-	1	-	-	2	-
Lambeth - - - -	310,359	1	6	6	-	1	-	-	2	-
Battersea - - - -	175,465	-	6	5	-	2	-	-	2	-
Wandsworth - - - -	257,586	-	10	1	-	2	-	-	4	1
Camberwell - - - -	268,384	-	9	4	-	-	-	-	4	-
Deptford - - - -	113,509	-	6	1	-	-	-	-	2	1
Greenwich - - - -	101,651	-	1	1	-	1	-	-	-	-
Lewisham - - - -	140,401	-	2	1	-	-	-	-	2	-
Woolwich - - - -	123,416	-	4	-	-	1	-	-	-	-
Port of London - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. }		4,649,088	37	152	114	-	22	-	67	5
Ages										
0-1 - - - -	-	-	3	5	-	-	-	-	1	-
" 1-5 - - - -	-	-	49	41	-	1	-	-	6	-
" 5- - - - -	-	3	58	43	-	1	-	-	2	-
" 10- - - - -	-	2	18	8	-	2	-	-	2	-
" 15- - - - -	-	3	9	5	-	3	-	-	4	1
" 20- - - - -	-	3	9	5	-	7	-	-	4	-
" 25- - - - -	-	12	5	3	-	6	-	-	11	3
" 35- - - - -	-	7	1	2	-	1	-	-	8	1
" 45- - - - -	-	1	-	1	-	-	-	-	13	-
" 55- - - - -	-	3	-	-	-	1	-	-	6	-
" 65 and upwards - - - -	-	3	-	1	-	-	-	-	10	-
Age not stated - - - -	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

TABLE 11.—DEATHS of PERSONS BELONGING to the COUNTY of LONDON and the METROPOLITAN BOROUGHs, REGISTERED in the 13 WEEKS ENDED 2nd APRIL, 1904.

BOROUGHs.	Deaths from										Deaths of Infants under 1 Year of Age.	Deaths under 1 Year to 1000 Births registered.	
	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping cough.	Typhus.	Enteric Fever.	<i>Pyæmia</i> *(origin uncertain).	Diarrhoea.			Phthisis.
COUNTY OF LONDON -	20,604	8	670	81	204	595	-	54	1	239	2,055	4,438	133
West.													
PADDINGTON - - -	602	-	36	4	5	6	-	-	-	2	42	125	145
KENSINGTON - - -	748	-	47	-	5	6	-	1	-	12	70	119	128
HAMMERSMITH - - -	557	-	76	-	2	3	-	1	-	7	49	116	145
FULHAM - - -	596	-	29	-	10	12	-	1	-	9	66	178	142
CHELSEA - - -	358	-	19	4	1	7	-	-	-	4	41	64	151
CITY OF WESTMINSTER -	722	-	14	2	-	4	-	4	1	8	85	97	125
North.													
ST. MARYLEBONE - - -	637	-	25	2	4	5	-	2	-	12	68	86	88
HAMPSTEAD - - -	260	-	9	1	1	3	-	-	-	3	16	51	148
ST. PANCRAS - - -	1,143	-	45	10	14	24	-	4	-	7	117	227	146
ISLINGTON - - -	1,436	1	20	5	9	37	-	2	-	11	157	237	104
STOKE NEWINGTON - - -	189	-	-	2	2	5	-	-	-	-	25	31	108
HACKNEY - - -	902	-	12	4	16	20	-	4	-	4	86	183	119
Central.													
HOLBORN - - -	287	1	17	-	1	1	-	-	-	1	37	44	103
FINSBURY - - -	530	-	5	3	5	11	-	-	-	5	78	111	120
CITY OF LONDON - - -	121	-	-	-	1	2	-	-	-	-	9	11	124
East.													
SHOREDITCH - - -	604	-	17	3	5	29	-	-	-	6	47	167	166
BETHNAL GREEN - - -	653	4	10	3	13	17	-	1	-	8	82	182	139
STEPNEY - - -	1,537	-	45	5	22	55	-	6	-	21	154	408	142
POPLAR - - -	901	1	20	3	23	43	-	2	-	9	82	211	144
South.													
SOUTHWARK - - -	1,169	1	51	1	9	45	-	5	-	16	117	303	177
BERMONDSEY - - -	694	-	22	5	2	36	-	2	-	12	64	175	157
LAMBETH - - -	1,358	-	44	5	10	25	-	5	-	21	122	282	122
BATTERSEA - - -	714	-	19	2	6	39	-	5	-	20	80	191	150
WANDSWORTH - - -	990	-	27	6	10	22	-	3	-	9	97	198	114
CAMBERWELL - - -	1,079	-	33	1	6	38	-	4	-	9	95	239	129
DEPTFORD - - -	498	-	11	5	8	27	-	-	-	2	42	104	125
GREENWICH - - -	411	-	4	1	6	31	-	1	-	5	39	98	147
LEWISHAM - - -	445	-	4	1	4	19	-	-	-	8	30	111	123
WOOLWICH - - -	463	-	4	3	4	23	-	1	-	8	58	109	120

In the above Table all deaths of persons in, or on the way to, Hospitals and other Public Institutions, as well as those of persons under treatment in surgical homes, or dying by accident or otherwise in the street, have been distributed, as far as practicable, to the Boroughs in which the deceased had previously resided. The deaths of 632 London residents who died outside London in the Strand Union Workhouse at Edmonton, the Holborn Union Workhouse at Mitcham, the City of London Lunatic Asylum at Stone, the Shoreditch Workhouse at Wood Green, the Central London Sick Asylum at Hendon, and the Metropolitan Hospitals and Asylums, have been similarly distributed. In 653 cases the previous residence was outside London and these have been excluded from the Table.

^a Formerly described as "Simple Continued Fever."

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING MARCH, 1904.

Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
6th April, 1904.

SIR,

I HAVE to report to you the results of the chemical analysis and physical examination of the water supplied to the Metropolis, by the eight Water Companies, during the month of March.

Thirteen samples of each Company's water were examined, making a total of 104 samples for the month.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

COMPANIES.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Ni- trates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
THAMES.										
Chelsea - - -	{ Mar. 21st, Cab Rank, Horse Guards, Whitehall. }	6·6	31·66	·196	·018	0	·316	·334	1·5	22·7
West Middlesex -	{ Mar. 21st, Cab Rank, Albert Road, N.W. }	6·0	30·54	·219	·021	0	·280	·301	1·45	21·8
Southwark - -	{ Mar. 21st, Cab Rank, Stockwell, near the "Swan" P.H. }	—	32·74	·152	·015	0	·338	·353	1·5	23·3
Grand Junction -	{ Mar. 21st, Cab Rank, Haymarket, near Charles Street. }	7·6	31·10	·149	·013	0	·332	·345	1·55	22·0
Lambeth - - -	{ Mar. 21st, Cab Rank, Westminster Bridge Road. }	7·3	33·58	·179	·015	0	·452	·467	1·65	23·3
LEA, WELLS, & CO.										
New River - -	{ Mar. 21st, Cab Rank, by Canon- bury Station. }	7·6	32·78	·120	·010	0	·324	·334	1·75	22·7
THAMES AND HAN- WORTH GRAVEL WELLS.										
East London - -	{ Mar. 21st, Cab Rank, High Street, Shoreditch. }	7·5	39·84	·166	·016	0	·767	·783	2·05	26·0
DEEP WELL.										
Kent- - - -	{ Mar. 21st, Cab Rank, by Woolwich Arsenal Station. }	11·0	49·12	·056	·007	0	·714	·721	3·85	30·0
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The Chelsea Company's water, collected on the 21st March at the cab-rank in Whitehall, had a temperature of 6·6° C.; 100,000 lbs. of it contained 31·66 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained ·196 lb. of carbon and ·018 lb. of nitrogen. The above quantity of water also contained ·316 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was ·334 lb. The above weight of water also contained 1·5 lbs. of chlorine and 22·7 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on the 21st March were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies was:—Kent 1·1, New River 2·2, Grand Junction 2·7, Southwark 2·8, East London 3·1, Lambeth 3·3, Chelsea 3·6, and West Middlesex 4·1.

The filtered water delivered by the five Thames Companies contained less organic matter than was found in the corresponding examination of the February samples, and all the supplies were clear and of good quality.

The New River Company's water, obtained from the Lea and wells, contained only about half the proportion of organic impurity observed in February, and the Company's supply was clear and of very good quality.

The East London Company's water, collected on the 21st March, was taken in a district supplied with water partly derived from the Thames at Sunbury, and the general quality of the water was similar to that delivered by the Thames Companies, but the high proportion of nitrogen as nitrates showed that a very considerable proportion of Hanworth gravel water was present in the supply.

The Kent Company's deep-well water, collected near the Plumstead pumping station, was of high organic purity, but, as usual with all samples drawn in this district, the hardness was found to be somewhat excessive.

Seen through a stratum two feet deep the Kent Company's water was colourless, and the supplies of all the other Companies exhibited a very pale yellow tint.

In addition to the above analytical examination, the 104 samples of water collected during March at various places in the districts supplied by the several Companies have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded. The following results were obtained :—

PARTS PER 100,000.

COMPANIES.	"Oxygen consumed."						Free Ammonia.			Albuminoid Ammonia.		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)								
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
Chelsea	·124	·079	·101	·137	·082	·107	0	0	0	·009	·0075	·008
West Middlesex	·146	·085	·109	·157	·096	·117	0	0	0	·010	·007	·008
Southwark	·109	·047	·076	·116	·050	·083	0	0	0	·008	·0055	·006
Grand Junction	·109	·061	·082	·116	·070	·090	0	0	0	·0085	·0055	·007
Lambeth	·142	·066	·105	·152	·072	·111	0	0	0	·011	·0065	·008
New River	·082	·035	·056	·091	·040	·061	0	0	0	·0055	·004	·005
East London	·084	·055	·072	·089	·063	·077	0	0	0	·007	·006	·006
Kent	·014	·007	·010	·014	·009	·012	0	0	0	·0015	·0015	·001

The amounts of "oxygen consumed" from acid solutions of permanganate of potash as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

A consideration of the above results, and comparison with the data obtained for many months past, shows that last month was a favourable one for the operations of the Companies dealing with Thames water. The monthly average amounts of organic matter were in all cases lower than they had been during the winter, and the qualities of the supplies were good.

With reference to the two supplies chiefly obtained from the River Lea, that of the New River Company contained, on the average, considerably less organic matter than the Thames waters, and its quality was very good. The East London Company's supply was, in regard to organic purity slightly superior to the best of the Thames-derived waters.

The Kent Company's deep-well supply maintained its usual high degree of organic purity throughout the month.

A few samples of the West Middlesex and Southwark Companies' supplies contained minute traces of suspended matter, but all the other samples examined were clear and bright.

I am, Sir,

Your obedient Servant,

The Registrar-General,

Somerset House, W.C.

T. E. THORPE.

RETURNS OF LONDON WATER COMPANIES.

The LONDON WATER COMPANIES have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of March, 1904. The supply was in the ratio of 202 gallons to one service.

COMPANIES.	Number of Services.		Daily Supply of Water in Gallons.	
	MARCH, 1903.	MARCH, 1904.	MARCH, 1903.	MARCH, 1904.
TOTAL SUPPLY - - -	963,032	983,219	200,191,434	198,223,009
From Thames - - - - -	457,067	466,916	107,043,329	104,203,953
From Lea and from other Sources -	505,965	516,303	93,148,105	94,019,056
THAMES.				
Chelsea - - - - -	39,485	39,726	11,413,549	11,146,451
West Middlesex - - - - -	89,589	90,690	21,558,918	21,881,900
Southwark and Vauxhall - - -	127,798	129,135	30,538,220	28,255,859
Grand Junction - - - - -	72,709	75,709	16,776,810	15,879,120
Lambeth - - - - -	127,486	131,656	26,755,832	27,040,623
LEA AND OTHER SOURCES.				
New River - - - - -	177,248	179,499	37,656,767	37,084,374
East London - - - - -	222,690	227,545	38,159,000	38,955,000
Kent - - - - -	106,027	109,259	17,332,338	17,979,632

Note.—The Return for March, 1904, as compared with that for the corresponding month of 1903, shows an increase of 20,187 services, and a decrease of 1,968,425 gallons of water supplied daily.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General

Printed under the Superintendence of His Majesty's Stationery Office

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 15. 1904. VOL. LXV.] WEEK ENDED SATURDAY, APRIL 16. [Price 1½d.

General Register Office, Somerset House,

April 18th, 1904.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 17·6 per 1000 of their aggregate population, which is estimated† at 15,271,287 persons in the middle of this year. In the preceding three weeks the rates had been 18·7, 18·7, and 18·4. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *all causes*, 22·0 in Stockton on Tees, 22·1 in Birmingham, 22·3 in Smethwick, 22·9 in Newcastle on Tyne, 23·2 in Wigan, 23·9 in Norwich, 24·0 in Great Yarmouth, 24·7 in Aston Manor, and 25·2 in Halifax; from *measles*, 1·6 in Hull, 1·9 in Leeds, 2·1 in Burnley, 2·3 in Tottenham, 2·9 in St. Helens, and 5·0 in Norwich; and from *whooping-cough*, 2·1 in Newcastle on Tyne, 2·3 in Walsall, 2·4 in Birmingham, 2·6 in Handsworth (Staffs.), 3·2 in Aston Manor, 3·4 in Bootle, and 4·2 in Wolverhampton. Three deaths from *small-pox* were registered in Gateshead, and 1 each in Bristol, Leicester, and Tynemouth, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2676 BIRTHS and 1490 DEATHS were registered. Allowing for increase of population, the births were 67 above, and the deaths 177 below, the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 18·4, 18·8, and 18·6 in the preceding three weeks, further fell last week to 16·7. During the four weeks ended on Saturday last the death-rate averaged 18·1 per 1000, being 1·2 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, and in certain local Small-pox Hospitals, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the recent Census, and on the increase in the last intercensal period.

The 1490 deaths included 75 from measles, 4 from scarlet fever, 8 from diphtheria, 64 from whooping-cough, 3 from enteric fever, and 12 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 166 deaths were referred to these diseases in the aggregate, being 37 below the corrected average weekly number.

The deaths from *measles*, which had been 67, 92, and 86 in the preceding three weeks, further fell last week to 75, and were equal to the corrected average; 9 cases belonged to the Borough of Stepney, 7 each to St. Pancras, Islington, and Camberwell, and 5 each to Hammersmith, Poplar, and Lambeth. The deaths from *scarlet fever*, which had been 4, 4, and 8 in the preceding three weeks, were 4 last week, the corrected average being 11. The deaths from *diphtheria*, which had been 13, 17, and 17 in the preceding three weeks, fell last week to 8, and were 22 below the corrected average. The deaths from *whooping-cough*, which had been 48, 68, and 64 in the preceding three weeks, were again 64 last week, and were 4 above the corrected average; 11 cases belonged to Camberwell, 6 each to Stepney and Lambeth, and 5 each to Islington and Hackney. The fatal cases of *enteric fever*, which had been 3, 3, and 4 in the preceding three weeks, were 3 last week, the corrected average being 7. The deaths from *diarrhoea*, which had been 19, 16, and 21 in the preceding three weeks, fell again last week to 12, and were equal to the corrected average. Of the 12 deaths from diarrhoea, 9 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 5 more deaths at this age. The deaths attributed directly to *influenza* numbered 17, having been 18, 17, and 20 in the preceding three weeks. Two deaths were certified as from *ptomaine poisoning*, one of a male aged 36 years, and the other of a male aged 69 years; the latter case was certified after inquest as due to eating oysters.

Different forms of *violence* caused 56 deaths, concerning all of which inquests were held. Of these 56 deaths, 19 were cases of suicide, while the remaining 37 were attributed to accident or negligence. Four of these latter were referred to vehicles in the streets, 6 to burns and scalds, 3 to drowning, 2 to the effects of anæsthetics administered for surgical purposes, and 5 (all of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 144 cases of small-pox, 1523 of scarlet fever, 737 of diphtheria, 1 of typhus, and 68 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 37 cases, against 54, 42, and 25; of scarlet fever, 172 cases, against 145, 153, and 141; of diphtheria, 92 cases, against 94, 99, and 90; and of enteric fever, 7 cases, against 8, 16, and 11. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended April 9th.

GREATER LONDON.

In Greater London 4111 births and 2043 deaths were registered. Allowing for increase of population the births are 300 above and the deaths 220 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 13 deaths from measles, 3 from diphtheria, 8 from whooping-cough, and 1 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·56 inches, and that of the Thermometer 49°·6, the latter being 3°·4 above the week's average in the 50 years 1841–90. The general direction of the wind was variable, the horizontal movement of the air being 2 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 36·9 hours; the measured rainfall amounted to 0·32 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

ended Saturday, 16th April, 1904, and Deaths during the preceding three weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1904.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the week ended 16th April, 1904.		The DEATHS registered in the Week include											TOWNS.	
		Week ended				Week ended 16th April, 1904.		Deaths of		Deaths from							Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.			
		26th Mar., 1904.	9th April, 1904.	16th April, 1904.	Week ended 16th April, 1904.	Persons aged under 1 Year of Age.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.								
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM -	537,965	23.3	24.5	24.8	22.1	3.3	354	228	52	62	-	1	1	3	25	2	2	5	5	59	6	BIRMINGHAM.
KINGS NORTON -	60,667	15.6	14.1	16.4	11.7	1.6	27	15	5	4	-	-	-	-	1	-	1	-	2	-	1	KINGS NORTON.
SMETHWICK -	60,691	18.9	16.3	11.2	22.3	-	32	26	4	8	-	-	-	-	-	-	-	-	-	2	1	SMETHWICK.
ASTON MANOR -	80,363	18.2	19.5	20.8	24.7	5.8	50	38	8	7	-	2	1	-	5	1	-	1	1	2	-	ASTON MANOR.
COVENTRY -	73,904	15.5	19.0	20.5	18.3	1.4	48	26	9	8	-	-	-	-	2	-	-	1	1	2	1	COVENTRY.
LEICESTER -	224,186	14.7	13.5	13.7	17.7	1.6	110	76	20	27	1	-	-	-	6	-	-	1	3	11	1	LEICESTER.
GRIMSBY -	66,958	21.8	13.2	16.4	12.5	-	44	16	5	1	-	-	-	-	-	-	-	1	1	1	-	GRIMSBY.
NOTTINGHAM -	248,811	19.3	18.4	17.8	19.7	0.8	138	94	24	31	-	-	-	-	3	-	1	7	10	17	1	NOTTINGHAM.
DERBY -	120,449	16.5	18.2	17.7	13.9	0.9	63	32	7	12	-	-	-	-	-	2	-	1	6	6	-	DERBY.
STOCKPORT -	97,008	16.7	15.1	18.8	12.9	1.6	51	24	7	4	-	2	-	1	-	-	-	-	2	2	-	STOCKPORT.
BIRKENHEAD -	114,814	24.5	23.6	18.6	20.0	2.3	65	44	13	11	-	-	-	-	2	1	2	2	6	5	-	BIRKENHEAD.
WALLASEY -	60,354	17.3	18.1	19.9	17.3	2.6	30	20	6	6	-	-	1	-	2	-	-	-	1	3	-	WALLASEY.
LIVERPOOL -	723,430	19.8	22.6	19.2	20.0	1.9	507	278	52	66	-	4	4	3	15	-	1	7	17	102	8	LIVERPOOL.
BOOTLE -	61,755	11.8	17.7	26.2	18.6	4.2	45	22	7	2	-	-	-	1	4	-	-	-	-	4	-	BOOTLE.
ST. HELENS -	88,545	20.6	25.3	20.0	20.6	4.1	60	35	8	2	-	5	-	1	1	-	-	1	1	3	1	ST. HELENS.
WIGAN -	62,800	16.6	19.1	15.8	23.2	0.8	40	28	9	2	-	-	-	-	-	1	-	2	2	5	-	WIGAN.
WARRINGTON -	67,331	24.8	24.8	17.8	16.3	1.5	36	21	7	5	-	-	-	-	2	-	-	1	1	3	-	WARRINGTON.
BOLTON -	175,744	20.5	19.6	21.4	13.1	0.6	97	44	11	12	-	-	-	-	-	-	-	-	3	7	-	BOLTON.
BURY -	58,450	22.3	25.0	20.5	15.2	0.9	30	17	4	4	-	-	-	-	1	-	-	1	1	3	1	BURY.
MANCHESTER†	557,938	24.3	24.5	21.5	21.5	3.1	393	280	60	46	-	13	2	3	11	-	4	4	12	57	4	MANCHESTER.†
SALFORD -	228,983	23.5	21.9	20.7	21.4	3.4	144	94	29	15	-	6	1	1	5	2	-	3	8	25	-	SALFORD.
OLDHAM -	139,497	23.2	17.2	16.1	15.7	2.2	64	42	8	10	-	2	-	1	1	2	-	-	-	8	-	OLDHAM.
ROCHDALE -	85,601	18.9	28.6	19.5	21.3	2.4	45	35	4	12	-	1	-	1	1	-	1	1	2	5	-	ROCHDALE.
BURNLEY -	100,569	23.3	19.7	21.3	19.7	2.1	69	38	8	9	-	4	-	-	-	-	-	1	4	9	1	BURNLEY.
BLACKBURN -	132,134	17.8	14.2	18.2	17.4	2.0	66	44	16	6	-	1	-	1	3	-	-	2	3	4	2	BLACKBURN.
PRESTON -	115,055	22.7	19.5	15.9	15.4	0.5	65	34	9	7	-	-	-	1	-	-	-	1	1	8	1	PRESTON.
BARROW-IN-FURNESS	58,654	13.1	20.1	13.1	15.7	-	47	18	6	3	-	-	-	-	-	-	-	1	1	1	-	BARROW-IN-FURNESS.

TOWNS.	POPULATION estimated middle of the Year 1904.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the week ended 16th April, 1904.		The DEATHS registered in the week include										TOWNS,			
		Week ended				Week ended 16th April, 1904.		BIRTHS.	DEATHS.	Deaths of			Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
		26th Mar., 1904.	2nd April, 1904.	9th April, 1904.	16th April, 1904.	2nd April, 1904.	16th April, 1904.			Infants under 1 year of age.	Persons aged 60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Dysentery.	Violence.				
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
HUDDESFIELD	94,925	19.8	18.7	15.4	13.2	0.5	50	24	4	10	-	-	-	1	-	-	-	1	1	5	1	HUDDESFIELD.	
HALIFAX	107,580	13.6	18.9	16.0	25.2	1.0	46	52	7	16	-	-	-	1	1	-	-	1	3	11	2	HALIFAX.	
BRADFORD	285,089	19.8	18.5	19.4	21.9	1.8	121	120	18	50	-	7	-	-	2	1	1	2	4	20	-	BRADFORD.	
LEEDS	450,142	19.9	20.7	22.8	19.6	3.0	271	169	41	45	-	16	2	1	6	1	-	6	13	28	-	LEEDS.	
SHEFFIELD	432,940	15.9	17.6	14.7	15.2	0.4	268	126	26	31	-	2	-	-	-	1	-	5	9	19	3	SHEFFIELD.	
ROTHERHAM	58,498	17.8	15.2	16.0	16.0	0.9	31	18	3	4	-	1	-	-	-	-	-	-	2	2	1	ROTHERHAM.	
YORK	81,268	21.2	12.8	19.9	11.5	-	37	18	5	9	-	-	-	-	-	-	-	-	4	4	-	YORK.	
HULL	253,865	16.8	14.0	16.6	17.7	2.1	149	86	22	29	-	8	-	1	1	-	-	1	6	10	3	HULL.	
MIDDLESBROUGH	96,684	22.7	18.9	18.3	18.3	0.5	87	34	10	9	-	-	1	-	-	-	-	1	5	3	-	MIDDLESBROUGH.	
STOCKTON-ON-TEES	52,192	30.0	21.0	16.0	22.0	3.0	34	22	3	9	-	1	-	1	-	1	-	4	4	7	-	STOCKTON-ON-TEES.	
WEST HARTLEPOOL	69,251	18.8	21.8	21.1	17.3	-	36	23	5	6	-	-	-	-	1	-	-	-	2	2	-	WEST HARTLEPOOL.	
SUNDERLAND	151,157	19.0	17.2	20.4	16.9	0.7	115	49	13	15	-	1	-	-	-	-	-	2	7	7	-	SUNDERLAND.	
SOUTH SHIELDS	107,334	17.5	13.1	16.5	17.0	-	80	35	13	5	-	-	-	-	-	-	-	1	1	6	3	SOUTH SHIELDS.	
GATESHEAD	118,067	22.5	19.0	20.8	21.6	3.5	99	49	11	10	3	-	-	2	3	1	-	2	8	8	3	GATESHEAD.	
NEWCASTLE-ON-TYNE	225,362	22.2	16.2	21.1	22.9	2.8	167	99	30	16	-	1	-	1	9	1	-	4	10	25	-	NEWCASTLE-ON-TYNE.	
TYNEMOUTH	53,060	14.7	24.6	17.7	9.8	1.0	39	10	2	3	1	-	-	-	-	-	-	2	2	4	-	TYNEMOUTH.	
NEWPORT (MON.)	71,543	18.9	19.7	16.0	18.2	-	58	25	9	1	-	-	-	-	-	-	-	-	1	2	-	NEWPORT (MON.).	
CARDIFF	176,313	16.9	16.3	13.3	18.3	0.9	123	62	19	16	-	-	2	-	1	-	-	2	7	15	-	CARDIFF.	
RHONDDA	122,310	21.3	16.2	18.3	18.8	0.9	93	44	16	7	-	1	-	-	-	-	1	3	4	4	1	RHONDDA.	
MERTHYR TYDFIL	72,745	12.2	22.9	17.9	18.6	2.2	58	26	6	3	-	-	-	1	1	-	1	4	4	4	-	MERTHYR TYDFIL.	
SWANSEA	95,931	21.7	23.9	21.7	21.2	1.1	56	39	15	9	-	-	-	-	2	-	-	1	2	6	1	SWANSEA.	
GREATER LONDON	6,907,619	16.5	16.7	16.7	15.4	1.7	4111	2043	465	587	-	108	5	14	84	3	16	77	170	544	7	GREATER LONDON.	
OUTER RING	2,268,531	12.5	12.4	12.8	12.8	1.5	1435	553	147	153	-	33	1	6	20	-	4	21	43	71	5	OUTER RING.	
8 TOWNS IN OUTER RING	1,008,639	11.9	13.3	12.2	13.5	1.9	750	285	83	67	-	20	1	3	12	-	3	3	14	39	2	8 TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING	1,159,892	13.2	11.6	13.4	12.0	1.1	685	268	64	86	-	13	-	3	8	-	1	18	29	32	3	REMAINDER OF OUTER RING.	
EDINBURGH	331,977	20.6	21.0	17.9	18.7	1.4	158	119	21	47	-	1	-	-	5	-	3	4	?	21	8	EDINBURGH.	
GLASGOW	798,357	21.2	21.5	20.4	22.1	2.0	539	339	66	81	3	12	-	-	7	1	7	11	?	75	15	GLASGOW.	
DUBLIN†	375,994	30.4	28.5	19.7	24.4	2.3	254	177	38	42	-	4	-	1	11	1	-	5	4	35	7	DUBLIN†	

TABLE 2. LONDON.—Births and Deaths Registered in the FIFTEENTH Week of each of the Eleven Years, 1894-1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894-1903.*	1904
TOTAL Births -	2600	2380	2682	2250	2623	2875	2292	2358	2624	2468	2608·8	2676
Males - -	1338	1233	1414	1144	1336	1526	1131	1223	1322	1252	1340·0	1408
Females - -	1262	1147	1268	1106	1287	1349	1161	1135	1302	1216	1268·8	1277
TOTAL Deaths -	1609	1622	1727	1418	1648	1624	1844	1633	1523	1422	1666·8	1490
Males - -	815	817	888	752	863	865	932	847	782	749	861·9	744
Females - -	794	805	839	666	785	759	912	786	741	673	804·9	746

* The numbers in this column are the average weekly numbers in the fifteenth week of the ten years 1894-1903, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Jan. 23.	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	13 Weeks
TOTAL Births -	2515	2434	2748	2637	2737	2456	2364	2712	2577	2423	2240	2539	2676	3305
TOTAL Deaths -	1549	1734	1554	1574	1539	1467	1594	1796	1680	1645	1672	1659	1490	2100
Ages at Death -														
Under 1 year -	313	333	349	316	345	326	350	297	335	336	375	366	318	445
1-5 years -	150	189	164	183	206	158	197	230	216	214	214	255	214	259
5-20 " -	77	82	68	70	72	65	79	83	73	71	79	76	68	96
20-40 " -	194	211	181	191	180	167	172	188	212	190	202	157	192	243
40-60 " -	332	355	297	307	299	313	306	299	327	336	308	334	264	406
60 yrs. & upwards -	483	564	495	507	487	438	480	594	517	508	494	470	434	648
Deaths from—														
Small-pox† - -	-	-	-	-	1	1	-	1	1	1	3	3	-	1
Measles - -	46	38	31	37	42	32	43	66	69	67	92	86	75	72
Scarlet Fever - -	10	9	3	4	9	5	5	6	2	4	4	8	4	7
Diphtheria - -	10	25	13	12	17	18	23	17	17	13	17	17	8	207
Whooping-cough -	29	43	45	52	55	41	52	54	51	48	68	64	64	666
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	5	3	4	8	2	5	3	4	2	3	3	4	3	4
Pyrexia (origin uncertain). -	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Diarrhoea, Dysentery -	25	17	20	13	16	28	20	18	19	19	16	21	12	24
All above Diseases -	125	135	116	126	142	130	146	166	161	155	203	204	166	197
Dis. of Resp. System	210	260	193	165	195	180	202	235	205	195	212	167	156	257
Pneumonia - -	145	171	157	159	154	142	169	179	170	188	158	166	139	2097
Phthisis - -	180	173	160	139	146	147	156	162	168	168	168	136	169	2077
Dis. of Circ. System -	182	229	206	236	220	205	197	221	230	223	207	203	168	2727
Violence - -	50	57	59	78	53	51	57	68	69	58	58	65	56	779
Inquest Cases -	144	158	127	189	150	126	150	190	161	164	153	178	127	2017
Deaths in Institutions	545	606	541	548	572	497	533	603	554	555	585	540	473	7152
TEMPERATURE OF THE AIR.														
Mean - -	35·7	40·9	40·6	42·1	38·8	38·3	33·3	40·5	40·8	43·3	42·0	48·0	49·6	41·1
Mean of Highest -	41·2	44·3	45·7	47·7	43·9	43·0	37·3	48·0	50·1	49·3	50·5	55·8	59·1	47·4
Mean of Lowest -	29·1	37·1	35·6	36·5	33·4	34·8	29·8	34·1	31·5	37·6	35·3	40·9	40·6	35·1
Mean Humidity of the Air.	92	86	87	81	81	75	82	84	77	80	79	71	71	80
Rain-fall (in inches) -	0·18	0·92	1·15	1·27	0·45	0·03	0·52	0·24	0·06	0·11	0·45	0·37	0·32	6·07
Registered Sunshine (in hours).	4·3	8·7	15·0	14·2	10·3	6·7	6·4	26·3	28·2	13·7	29·5	33·5	36·9	233·7
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox - -	24	21	25	24	29	31	41	54	74	110	126	134	144	64
Scarlet Fever - -	1679	1651	1657	1644	1620	1587	1578	1801	1624	1585	1570	1505	1523	1602
Diphtheria - -	758	760	782	767	768	787	784	780	807	776	787	749	737	771
Typhus - -	-	-	-	-	-	-	-	1	1	1	1	1	1	0
Enteric Fever - -	184	166	161	139	129	125	118	102	94	83	86	80	68	118

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., for the Meteorological Council, Tynemouth.

TABLE 4. LONDON.—DEATHS Registered in the FIFTEENTH Week of the Year 1904.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 15th week of the year 1903.	1904—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 15th week of the year 1903.	1904—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES - - -	1422	1490	318	214	68	102	264	434	Meningitis (not tuberc.)	16	8	3	5	-	-	-	-
									Insanity, Gen. Par. of	17	15	-	-	-	-	4	-
									Insane - - - - -	6	7	-	1	-	3	-	-
Small-pox* - - -	-	-	-	-	-	-	-	-	Epilepsy - - - - -	18	24	22	2	-	-	-	-
Cowpox - - - - -	-	-	-	-	-	-	-	-	Convulsions - - - -	2	1	-	-	-	-	-	-
Measles (Morbilli) - -	74	75	23	46	6	-	-	-	Locomotor Ataxy - -	4	7	1	-	-	1	1	-
Scarlet Fever - - -	4	4	1	3	-	-	-	-	Paraplegia, Dis. of Cord	21	14	1	-	1	1	-	-
Typhus - - - - -	2	-	-	-	-	-	-	-	Nervous Sys. (other dis.)								
Plague - - - - -	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis-	35	34	-	-	2	4	-	-
Influenza - - - - -	8	17	2	-	-	3	5	7	Cerebr. Hæm. Thromb.-	32	38	-	-	1	2	-	-
Whooping-cough - - -	33	64	23	37	4	-	-	-	Apoplexy, Hemiplegia -	15	12	-	-	-	-	-	-
Diphtheria - - - -	18	8	1	3	4	-	-	-	Aneurysm - - - - -	8	4	-	-	-	1	-	-
Cerebro Spinal Fever	-	-	-	-	-	-	-	-	Embolism, Thrombosis }	1	-	-	-	-	-	-	-
Pyæmia,† (Origin un-}	-	-	-	-	-	-	-	-	(not cerebral) - - -	103	80	-	1	2	5	-	-
certain) - - - - -	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.								
Enteric Fever - - -	8	3	-	-	-	3	-	-	Croup (not Spasm : nor }	-	1	-	1	-	-	-	-
Asiatic Cholera - - -	-	-	-	-	-	-	-	-	Memb.) - - - - -	119	133	27	15	-	5	-	-
Epidemic Diarrhœa }	2	4	3	1	-	-	-	-	Bronchitis - - - - -	3	4	-	-	-	1	-	-
(Infected Enteritis) }	-	-	-	-	-	-	-	-	Asthma, Emphysema - -	12	4	-	1	-	1	-	-
Diarrhœa, Dysentery }	12	8	5	-	1	1	-	1	Pleurisy - - - - -	13	14	-	3	1	-	-	-
Tetanus - - - - -	-	-	1	1	-	-	-	-	Respiratory Dis. (other)								
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy - -	1	-	-	-	-	-	-	-
Glanders - - - - -	-	-	-	-	-	-	-	-	Enteritis (not Epid.) -	8	7	2	2	-	2	-	-
Anthrax (Splenic Fever)-	-	-	-	-	-	-	-	-	Gastro-Enteritis - - -	3	5	4	1	-	-	-	-
Venereal Dis. - - -	5	8	7	1	-	-	-	-	Peritonitis (not Puerp.) -	3	1	-	-	-	1	-	-
Puerperal Septicæmia -	3	2	-	-	-	2	-	-	Cirrrosis of Liver - -	14	16	-	-	-	-	-	-
Puerperal Pyæmia - -	-	-	-	-	-	-	-	-	Liver Dis. (other) - -	4	5	-	-	-	-	-	-
Puerperal Fever - - -	2	-	-	-	-	-	-	-	Digestive Dis., Other -	32	32	3	2	5	9	-	-
Infective Endocarditis -	2	4	-	-	1	3	-	-	Nephritis, Acute - - -	8	4	-	1	-	1	-	-
Lobar - - - - -	14	10	-	2	-	2	-	6	Bright's Dis., Albumin-}	33	39	-	-	-	1	6	-
Broncho- - - - -	57	62	27	25	1	2	2	5	uria - - - - -	8	3	-	-	-	-	-	-
Pneumonia {	-	-	-	-	-	-	-	-	Urinary Sys., Other Dis.								
Epidemic - - - - -	-	-	-	-	-	-	-	-	Generative Organs Dis.-	2	8	1	-	-	2	-	-
Not defined - - -	56	67	5	19	5	6	15	17	Childbirth (Accid. of) -	-	2	-	-	-	2	-	-
Erysipelas - - - -	1	1	-	-	-	-	1	-	Old Age - - - - -	45	70	-	-	-	-	-	-
Septicæmia (not Puer-}	2	1	-	-	1	-	-	-	Other Diseases - - -	108	112	69	12	7	6	-	-
peral) - - - - -	4	-	-	-	-	-	-	-									
Pyæmia (not Puerperal)	-	-	-	-	-	-	-	-	ACCIDENT.								
Other Infective Conditions	17	11	-	-	1	5	2	3	By Railways - - - -	2	1	-	-	-	-	-	-
Tuberculous Phthisis -	58	101	1	4	8	49	29	10	By Vehicles and Horses-}	9	4	-	1	1	-	-	-
"Phthisis" - - - -	71	68	-	2	3	27	23	13	In Ships, Boats, Docks, }	-	1	-	-	-	-	1	-
Tuberculous Meningitis -	19	19	5	9	4	1	-	-	(exclusive of Drown-}	-	-	-	-	-	-	-	-
Tuberculous Peritonitis -	10	5	3	1	1	-	-	-	In Building Operations -	-	1	-	-	-	-	-	-
Tabs Mesenterica - - -	3	5	5	-	-	-	-	-	In Conflagrations - -	2	1	-	-	-	-	-	-
Tuberculous Dis. (other)-	19	27	7	8	4	6	1	1	By Burns, Scalds, Ex-}	7	6	-	3	-	1	-	-
Scrofula - - - - -	-	-	-	-	-	-	-	-	plosions - - - - -	3	3	-	-	-	-	-	-
Alcoholism - - - - -	13	12	-	-	-	2	7	3	By Drowning - - - -	12	5	5	-	-	-	-	-
Rheumatic Fever - - -	5	3	-	-	-	1	1	1	By Suffocation in Bed -	2	2	1	-	-	-	-	-
Gout - - - - -	3	1	-	-	-	-	-	1	By Poisons or Poisonous }	-	-	-	-	-	-	-	-
Carcinoma - - - - -	62	35	-	-	-	2	22	11	Vapours - - - - -	11	13	1	2	1	1	-	-
Sarcoma - - - - -	7	7	-	-	1	3	2	1	Other Deaths by Acci-								
Cancer (undefined) - -	30	31	-	-	-	-	12	19	dent - - - - -								
Diabetes Mellitus - - -	4	7	-	-	-	1	4	2	VIOLENCE OTHER THAN								
Premature Birth - - -	52	59	59	-	-	-	-	-	ACCIDENTAL.								
									Homicide - - - - -	2	-	-	-	-	-	-	-
									Suicide - - - - -	8	19	-	-	-	1	1	-
									Execution - - - - -	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 16th April, 1904.

REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include																
				Deaths of Infants under 1 Year of Age. Persons aged 10 Years and upwards.	Deaths from													Inquest Cases.	Deaths in Public Institutions.	Estimated Causes of Death.
					Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhœa.	Violence.						
LONDON - - -	4,536,541	2676	1490	318	434	-	75	4	8	64	-	3	-	12	56	127	473			
ST DISTRICTS - - -	805,311	383	236	42	77	-	9	1	1	7	-	1	-	3	10	20	89			
TH DISTRICTS - - -	1,056,070	560	336	62	103	-	22	1	1	14	-	-	-	3	12	27	99			
TRAL DISTRICTS - - -	209,465	106	71	17	18	-	2	-	-	-	-	-	-	2	4	8	28			
TR DISTRICTS - - -	715,739	567	247	65	58	-	20	-	3	12	-	-	-	11	30	81				
TH DISTRICTS - - -	1,749,956	1060	558	132	164	-	22	2	-	31	-	-	-	3	19	41	132			
ROPOLITAN HOSPITALS } D ASYLUMS OUTSIDE } REGISTRATION LONDON* }	-	-	44	1	14	-	-	-	1	-	-	2	-	1	-	1	44			
WEST DISTRICTS.																				
y Paddington } G. & W.	93,178	50	21	4	6	-	-	-	-	-	-	-	-	-	4	5	6			
y Paddington H - - G.	33,617	7	7	1	3	-	-	-	-	-	-	-	-	-	-	-	4			
West Paddington - - C.	17,181	7	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
ington Town 2W, w, 2H G, W, & C.	128,037	60	38	7	14	-	3	-	-	1	-	-	-	-	1	2	15			
on 2H - - W. & C.	48,591	10	11	2	5	-	-	-	-	-	-	-	-	-	1	2	1			
ammersmith W, w, H } W. & G.	49,192	25	11	4	-	-	1	-	-	-	-	-	-	-	-	1	-			
ammersmith w, 2H } W. & G.	63,047	33	25	6	8	-	4	-	-	1	-	-	-	-	-	-	7			
est Fulham W } W. & C.	45,180	50	23	6	12	-	-	-	-	-	-	-	-	3	1	1	17			
est Fulham F } W. & C.	46,405	25	14	3	4	-	1	1	-	-	-	-	-	-	2	2	2			
ulham W } W. & C.	45,704	29	11	3	2	-	-	-	-	1	-	1	-	-	1	1	-			
North W, w, 3H - - C.	42,514	15	23	3	9	-	1	-	-	1	-	-	-	-	-	1	18			
South 2H - - C.	31,328	16	11	1	3	-	-	-	-	2	-	-	-	-	2	2	2			
ir and Knightsbridge } C. & G.	28,743	6	4	1	1	-	-	-	-	-	-	-	-	-	-	1	-			
e W, 2H - - C.	55,815	16	19	1	4	-	-	-	-	1	-	-	-	-	-	-	12			
aret & St. John 4H - C.	43,698	22	11	1	3	-	-	-	-	-	-	-	-	-	-	2	3			
es Westminster } N. & G.	21,588	7	3	-	2	-	-	-	-	-	-	-	-	-	-	-	1			
Boho 5H - - N.	11,493	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1			
NORTH DISTRICTS.																				
s Marylebone 8H - W.	35,391	15	11	1	3	-	-	-	-	-	-	-	-	-	1	2	6			
y Marylebone W G. & W.	19,849	7	3	-	1	-	-	-	-	-	-	-	-	-	-	-	1			
y Marylebone 4H G. & W.	18,099	35	4	-	-	-	4	-	-	-	-	-	-	-	-	-	-			
urch Marylebone H- W.	39,536	23	9	3	2	-	-	-	-	-	-	-	-	-	-	-	1			
Marylebone 3H - W.	20,426	13	5	-	1	-	-	-	-	-	-	-	-	-	-	-	2			
ead W, P, 3H - N. & W.	81,942	25	22	3	6	-	2	1	-	-	-	-	-	-	-	-	8			
Pancras 2H - - W.	60,562	26	11	3	4	-	1	-	-	-	-	-	-	1	1	2	-			
am-court w, 3H N. & W.	21,258	8	10	1	2	-	1	-	-	-	-	-	-	-	2	3	7			
nn Lane 4H - - N.	34,449	10	12	2	2	-	-	-	-	-	-	-	-	-	2	2	3			
Pancras W, 2H - - N.	60,320	38	21	6	6	-	2	-	-	1	-	-	-	-	-	-	7			
t. Pancras 2W - - N.	68,728	46	29	7	8	-	3	-	-	2	-	-	-	-	-	1	11			
W - - N.	31,995	14	18	3	9	-	-	-	-	-	-	-	-	-	-	-	10			
olloway 2W, w, 2H - N.	33,978	11	28	1	11	-	2	-	-	-	-	-	-	-	1	1	21			
on W - - N.	33,922	18	10	1	4	-	1	-	-	-	-	-	-	-	1	1	-			
olloway - - N.	41,424	27	10	3	2	-	1	-	-	2	-	-	-	-	-	1	-			
ary - - N.	54,478	41	16	1	3	-	1	-	-	1	-	-	-	-	1	1	-			
n South-east F - - N.	75,397	36	18	3	6	-	1	-	-	1	-	-	-	-	1	1	-			
ry 2H - - N.	63,797	30	15	3	7	-	1	-	-	-	-	-	-	-	-	1	-			
ewington H - - N.	51,247	23	13	1	3	-	-	-	-	1	-	-	-	-	-	2	-			
Hackney - - E. & N.	50,560	13	9	-	5	-	-	-	-	-	-	-	-	-	-	1	-			
Hackney 2w, F - E. & N.	50,536	24	8	3	2	-	-	-	1	2	-	-	-	1	-	-	1			
est Hackney 3H - E. & N.	59,921	27	22	11	2	-	2	-	-	1	-	-	-	1	2	3	5			
ast Hackney 2W, w, H E. & N.	58,255	50	32	6	14	-	-	-	-	2	-	-	-	-	-	3	17			

E.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein.
W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the name.
The Roman capitals signify the Water Companies which supply the different Sub-districts:—G, signifies the Grand Junction Company; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New London; and K, the Kent Company.
* note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALLPOX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 16th April, 1904—continued.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include													
				Deaths of		Deaths from										Inquest Cases.	
				Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.		
CENTRAL DISTRICTS.																	
St. Giles and Bloomsbury W,2H N.	31,436	20	9	3	3	-	-	-	-	-	-	-	-	-	-	1	
Strand W,4H - - - N. & C.	21,674	5	7	1	2	-	-	-	-	-	-	-	-	-	1	2	
Strand Union Workhouse, Edmonton-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
St. Pancras W,8H - - - N.	29,612	10	18	4	5	-	2	-	-	-	-	-	-	-	-	1	
St. Pancras South Clerkenwell - - - N.	28,676	16	5	1	-	-	-	-	-	-	-	-	-	-	1	1	
St. Pancras North Clerkenwell H - - - N.	35,028	15	11	2	4	-	-	-	-	-	-	-	-	-	-	1	
St. Pancras Finsbury 3H,L - - - N.	36,116	32	5	2	-	-	-	-	-	-	-	-	-	1	-	1	
St. Pancras Finsbury Union Workhouse, } Mitcham - - - - - }	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Botolph H - - - N. & E.	10,299	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre and Allhallows } W,H - - - - - }	16,624	2	13	2	2	-	-	-	-	-	-	-	-	-	1	1	
City of London Asylum, Stone - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
EAST DISTRICTS.																	
St. Giles and Bloomsbury W,2H N.	31,436	20	9	3	3	-	-	-	-	-	-	-	-	-	-	1	
Strand W,4H - - - N. & C.	21,674	5	7	1	2	-	-	-	-	-	-	-	-	-	1	2	
Strand Union Workhouse, Edmonton-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
St. Pancras W,8H - - - N.	29,612	10	18	4	5	-	2	-	-	-	-	-	-	-	-	1	
St. Pancras South Clerkenwell - - - N.	28,676	16	5	1	-	-	-	-	-	-	-	-	-	-	-	1	
St. Pancras North Clerkenwell H - - - N.	35,028	15	11	2	4	-	-	-	-	-	-	-	-	-	-	1	
St. Pancras Finsbury 3H,L - - - N.	36,116	32	5	2	-	-	-	-	-	-	-	-	-	-	1	1	
St. Pancras Finsbury Union Workhouse, } Mitcham - - - - - }	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Botolph H - - - N. & E.	10,299	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre and Allhallows } W,H - - - - - }	16,624	2	13	2	2	-	-	-	-	-	-	-	-	-	1	1	
City of London Asylum, Stone - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
EAST DISTRICTS.																	
St. Giles and Bloomsbury W,2H N.	31,436	20	9	3	3	-	-	-	-	-	-	-	-	-	-	1	
Strand W,4H - - - N. & C.	21,674	5	7	1	2	-	-	-	-	-	-	-	-	-	1	2	
Strand Union Workhouse, Edmonton-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
St. Pancras W,8H - - - N.	29,612	10	18	4	5	-	2	-	-	-	-	-	-	-	-	1	
St. Pancras South Clerkenwell - - - N.	28,676	16	5	1	-	-	-	-	-	-	-	-	-	-	-	1	
St. Pancras North Clerkenwell H - - - N.	35,028	15	11	2	4	-	-	-	-	-	-	-	-	-	-	1	
St. Pancras Finsbury 3H,L - - - N.	36,116	32	5	2	-	-	-	-	-	-	-	-	-	-	1	1	
St. Pancras Finsbury Union Workhouse, } Mitcham - - - - - }	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Botolph H - - - N. & E.	10,299	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre and Allhallows } W,H - - - - - }	16,624	2	13	2	2	-	-	-	-	-	-	-	-	-	1	1	
City of London Asylum, Stone - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
EAST DISTRICTS.																	
St. Giles and Bloomsbury W,2H N.	31,436	20	9	3	3	-	-	-	-	-	-	-	-	-	-	1	
Strand W,4H - - - N. & C.	21,674	5	7	1	2	-	-	-	-	-	-	-	-	-	1	2	
Strand Union Workhouse, Edmonton-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
St. Pancras W,8H - - - N.	29,612	10	18	4	5	-	2	-	-	-	-	-	-	-	-	1	
St. Pancras South Clerkenwell - - - N.	28,676	16	5	1	-	-	-	-	-	-	-	-	-	-	-	1	
St. Pancras North Clerkenwell H - - - N.	35,028	15	11	2	4	-	-	-	-	-	-	-	-	-	-	1	
St. Pancras Finsbury 3H,L - - - N.	36,116	32	5	2	-	-	-	-	-	-	-	-	-	-	1	1	
St. Pancras Finsbury Union Workhouse, } Mitcham - - - - - }	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Botolph H - - - N. & E.	10,299	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre and Allhallows } W,H - - - - - }	16,624	2	13	2	2	-	-	-	-	-	-	-	-	-	1	1	
City of London Asylum, Stone - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
EAST DISTRICTS.																	
St. Giles and Bloomsbury W,2H N.	31,436	20	9	3	3	-	-	-	-	-	-	-	-	-	-	1	
Strand W,4H - - - N. & C.	21,674	5	7	1	2	-	-	-	-	-	-	-	-	-	1	2	
Strand Union Workhouse, Edmonton-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
St. Pancras W,8H - - - N.	29,612	10	18	4	5	-	2	-	-	-	-	-	-	-	-	1	
St. Pancras South Clerkenwell - - - N.	28,676	16	5	1	-	-	-	-	-	-	-	-	-	-	-	1	
St. Pancras North Clerkenwell H - - - N.	35,028	15	11	2	4	-	-	-	-	-	-	-	-	-	-	1	
St. Pancras Finsbury 3H,L - - - N.	36,116	32	5	2	-	-	-	-	-	-	-	-	-	-	1	1	
St. Pancras Finsbury Union Workhouse, } Mitcham - - - - - }	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Botolph H - - - N. & E.	10,299	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre and Allhallows } W,H - - - - - }	16,624	2	13	2	2	-	-	-	-	-	-	-	-	-	1	1	
City of London Asylum, Stone - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
EAST DISTRICTS.																	
St. Giles and Bloomsbury W,2H N.	31,436	20	9	3	3	-	-	-	-	-	-	-	-	-	-	1	
Strand W,4H - - - N. & C.	21,674	5	7	1	2	-	-	-	-	-	-	-	-	-	1	2	
Strand Union Workhouse, Edmonton-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
St. Pancras W,8H - - - N.	29,612	10	18	4	5	-	2	-	-	-	-	-	-	-	-	1	
St. Pancras South Clerkenwell - - - N.	28,676	16	5	1	-	-	-	-	-	-	-	-	-	-	-	1	
St. Pancras North Clerkenwell H - - - N.	35,028	15	11	2	4	-	-	-	-	-	-	-	-	-	-	1	
St. Pancras Finsbury 3H,L - - - N.	36,116	32	5	2	-	-	-	-	-	-	-	-	-	-	1	1	
St. Pancras Finsbury Union Workhouse, } Mitcham - - - - - }	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Botolph H - - - N. & E.	10,299	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre and Allhallows } W,H - - - - - }	16,624	2	13	2	2	-	-	-	-	-	-	-	-	-	1	1	
City of London Asylum, Stone - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
EAST DISTRICTS.																	
St. Giles and Bloomsbury W,2H N.	31,436	20	9	3	3	-	-	-	-	-	-	-	-	-	-	1	
Strand W,4H - - - N. & C.	21,674	5	7	1	2	-	-	-	-	-	-	-	-	-	1	2	
Strand Union Workhouse, Edmonton-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
St. Pancras W,8H - - - N.	29,612	10	18	4	5	-	2	-	-	-	-	-	-	-	-	1	
St. Pancras South Clerkenwell - - - N.	28,676	16	5	1	-	-	-	-	-	-	-	-	-	-	-	1	
St. Pancras North Clerkenwell H - - - N.	35,028	15	11	2	4	-	-	-	-	-	-	-	-	-	-	1	
St. Pancras Finsbury 3H,L - - - N.	36,116	32	5	2	-	-	-	-	-	-	-	-	-	-	1	1	
St. Pancras Finsbury Union Workhouse, } Mitcham - - - - - }	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Botolph H - - - N. & E.	10,299	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre and Allhallows } W,H - - - - - }	16,624	2	13	2	2	-	-	-	-	-	-	-	-	-	1	1	
City of London Asylum, Stone - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
EAST DISTRICTS.																	
St. Giles and Bloomsbury W,2H N.	31,436	20	9	3	3	-	-	-	-	-	-	-	-	-	-	1	
Strand W,4H - - - N. & C.	21,674	5	7	1	2	-	-	-	-	-	-	-	-	-	1	2	
Strand Union Workhouse, Edmonton-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
St. Pancras W,8H - - - N.	29,612	10	18	4	5	-	2	-	-	-	-	-	-	-	-	1	
St. Pancras South Clerkenwell - - - N.	28,676	16	5	1	-	-	-	-	-	-	-	-	-	-	-	1	
St. Pancras North Clerkenwell H - - - N.	35,028	15	11	2	4	-	-	-	-	-	-	-	-	-	-	1	
St. Pancras Finsbury 3H,L - - - N.	36,116	32	5	2	-	-	-	-	-	-	-	-	-	-	1	1	
St. Pancras Finsbury Union Workhouse, } Mitcham - - - - - }	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Botolph H - - - N. & E.	10,299	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre and Allhallows } W,H - - - - - }	16,624	2	13	2	2	-	-	-	-	-	-	-	-	-	1	1	
City of London Asylum, Stone - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
EAST DISTRICTS.																	
St. Giles and Bloomsbury W,2H N.	31,436	20	9	3	3	-	-	-	-	-	-	-	-	-	-	1	
Strand W,4H - - - N. & C.	21,674	5	7	1	2	-	-	-	-	-	-	-	-	-	1	2	
Strand Union Workhouse, Edmonton-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
St. Pancras W,8H - - - N.	29,612	10	18	4	5	-	2	-	-	-	-	-	-	-	-	1	
St. Pancras South Clerkenwell - - - N.	28,676	16	5	1	-	-	-	-	-	-	-	-	-	-	-	1	
St. Pancras North Clerkenwell H - - - N.	35,028	15	11	2	4	-	-	-	-	-	-	-	-	-	-	1	
St. Pancras Finsbury 3H,L - - - N.	36,116	32	5	2	-	-	-	-	-	-	-	-	-	-	1	1	
St. Pancras Finsbury Union Workhouse, } Mitcham - - - - - }	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Botolph H - - - N. & E.	10,299	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre and Allhallows } W,H - - - - - }	16,624	2	13	2	2	-	-	-	-	-	-	-	-	-	1	1	
City of London Asylum, Stone - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
EAST DISTRICTS.																	
St. Giles and Bloomsbury W,2H N.	31,436	20	9	3	3	-	-	-	-	-	-	-	-	-	-	1	
Strand W,4H - - - N. & C.	21,674	5	7	1	2	-	-	-	-	-	-	-	-	-	1	2	
Strand Union Workhouse, Edmonton-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
St. Pancras W,8H - - - N.	29,612	10	18	4	5	-	2	-	-	-	-	-	-	-	-	1	
St. Pancras South Clerkenwell - - - N.	28,676	16	5	1	-	-	-	-	-	-	-	-	-	-	-	1	
St. Pancras North Clerkenwell H - - - N.	35,028	15	11	2	4	-	-	-	-	-	-	-	-	-	-	1	
St. Pancras Finsbury 3H,L - - - N.	36,116	32	5	2	-	-											

Population, Births, and Deaths in London Sub-Districts.
TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALLPOX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 16th April, 1904—continued.

The DEATHS registered during the Week include																
REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of												Inquest Cases.
				Deaths of Age.	Persons aged 60 Years and upwards.	Deaths from										
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	
SOUTH DISTRICTS.																
Christchurch Southwark W, HL. & S.	11,283	6	5	2	-	-	-	-	-	-	-	-	-	-	-	
Saviour Southwark H - S.	12,056	9	13	1	-	-	1	-	-	-	-	-	-	3	3	
ent-road - S. & L.	21,904	15	7	3	1	-	1	-	-	-	-	-	-	-	2	
George the Martyr } S. & L.	39,091	25	15	4	2	-	2	-	-	1	-	-	-	-	-	
West W, 2H, L. } S. & L.	49,022	26	12	4	2	-	-	-	-	-	-	-	-	-	1	
ewington North* - S. & L.	72,841	37	23	6	4	-	-	-	-	1	-	-	-	3	4	
ewington South* W - S. & L.																
Olave 2W - - - S.	9,817	10	4	2	2	-	-	-	-	-	-	-	-	-	-	
ermondsey W - - S.	82,483	63	16	3	6	-	-	-	-	1	-	-	-	1	1	
otherhithe W, F - - S. & K.	38,460	13	15	3	4	-	1	-	-	2	-	-	-	-	-	
Waterloo-road 2H - L. & S.	27,440	26	5	3	-	-	-	-	-	-	-	-	-	-	-	
ambeth Church 1st H - L. & S.	18,423	20	21	2	4	-	1	-	-	-	-	-	-	-	-	
ambeth Church 2nd 2W - L. & S.	39,818	44	31	4	11	-	2	-	-	3	-	-	-	-	-	
ennington 1st H - S. & L.	53,198	39	17	4	6	-	-	-	-	2	-	-	-	-	-	
ennington 2nd H - S. & L.	42,896	18	9	2	3	-	1	-	-	-	-	-	-	-	-	
rixton F - - - L. & S.	84,232	40	12	1	4	-	-	-	-	1	-	-	-	-	-	
orwood W, H - - - L.	35,888	16	7	-	3	-	1	-	-	-	-	-	-	-	-	
ast Battersea - - - S.	72,203	46	18	7	3	-	1	-	-	2	-	-	-	-	-	
orth-west Battersea - - S.	49,656	31	16	6	4	-	1	-	-	-	-	-	-	1	4	
outh-west Battersea W, H - S.	47,048	12	15	1	4	-	-	-	-	1	-	-	-	1	2	
lapham 2H - - - S.	51,361	38	9	2	5	-	-	-	-	-	-	-	-	1	2	
reatham W, 2w, 2F, 2L - L.	88,131	63	24	7	9	-	1	-	2	-	-	-	-	3	5	
pringfield 2W, L - - S.	27,959	15	7	3	1	-	-	-	-	-	-	-	-	-	-	
outhfields H - - - S.	40,444	36	16	5	3	-	-	-	-	1	-	-	-	1	1	
utney - - - S.	24,139	10	8	-	2	-	-	-	-	-	-	-	-	1	1	
ulwich† - - - L. & S.	13,359	5	2	1	1	-	-	-	-	-	-	-	-	1	1	
amberwell South† W, w S. & L.	40,206	19	24	3	12	-	1	-	-	-	-	-	-	-	-	
amberwell North† W, 2L S. & L.	65,584	36	30	5	11	-	2	-	-	5	-	-	-	1	2	
George† - - - L. & S.	47,331	33	13	6	2	-	2	-	-	2	-	-	-	-	-	
ackham† 2W, w - S., L. & K.	92,859	53	26	9	7	-	2	-	-	4	-	-	-	-	2	
eptford North - - - K.	37,613	18	11	4	-	-	-	-	-	1	-	-	-	2	1	
eptford Central F - - K.	45,481	38	8	2	-	-	1	-	-	-	-	-	-	-	1	
eptford South - - - K.	34,625	17	11	1	5	-	-	-	-	1	-	-	-	-	-	
reenwich West 2H - - K.	23,456	10	5	3	1	-	-	-	-	-	-	-	-	-	-	
reenwich East 2W, H - K.	43,859	23	17	3	6	-	-	-	-	2	-	-	-	-	-	
ltham w, H - - - K.	7,226	4	4	1	3	-	-	-	-	-	-	-	-	-	-	
ee H - - - K.	25,490	10	6	-	2	-	-	-	-	1	-	-	-	-	-	
ewisham W, w, F - - K.	58,352	42	19	9	7	-	-	-	-	-	-	-	-	1	2	
ydenham H - - - L.	43,653	22	16	3	2	-	-	-	-	-	-	-	-	-	1	
harlton F, 2H - - - K.	21,134	6	9	1	2	-	-	2	-	-	-	-	-	-	-	
oolwich 4H - - - K.	41,625	24	14	5	3	-	-	-	-	1	-	-	-	-	1	
umstead West W - - K.	18,083	13	6	-	4	-	-	-	-	-	-	-	-	-	2	
umstead East 2W, H - K.	50,264	29	15	1	7	-	1	-	-	-	-	-	-	2	2	
ondon County Asy., Banstead -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
orton Manor Asylum - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
ondon County Asy., Epsom -	-	-	7	-	2	-	-	-	-	-	-	-	-	-	1	
ondon Co. Asy. Epileptic Colony -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
et. Asy. for Imbeciles, Caterham -	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	
ondon County Asy., Cane Hill -	-	-	5	-	2	-	-	-	-	-	-	-	-	-	-	
A.B. Hospitals, Dartford - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
et. Asy. for Imbeciles, Darenth -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
ondon County Asylum, Dartford } Heath -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	
ondon County Asylum, Hanwell -	-	-	6	-	1	-	-	-	-	-	-	-	-	-	-	
entral London Sick Asy., Hendon -	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	
ondon County Asy., Colney Hatch -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
A.B. North-Eastern Hospital -	-	-	3	-	-	-	-	-	1	-	-	-	-	-	-	
A.B. Northern Hospital - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
et. Asy. for Imbeciles, Leavesden -	-	-	5	-	1	-	-	-	-	-	-	-	-	1	-	
ondon County Asylum, Claybury -	-	-	4	-	3	-	-	-	-	-	-	-	-	-	-	

* On 1st March, 1904, the sub-districts of Trinity Newington, St. Peter Walworth, and St. Mary Newington were abolished, and divided into two new sub-districts entitled Newington North and Newington South respectively.
† On 1st April, 1904, the four sub-districts of Camberwell registration district were abolished, and divided into sub-districts as above.

Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include											
						Deaths of		Deaths from									
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	
	LONDON—OUTER RING	368,580	2,044,861	1435	553	147	153	-	33	1	6	20	-	4	21	43	
30: 1	Carshalton <i>w,2F,2H</i> - -	12,228	32,997	19	11	-	3	-	-	-	-	-	-	-	-	1	-
2	Epsom, <i>part of</i> * <i>W,w,2F,H</i> -	10,423	15,548	4	3	1	2	-	-	-	-	-	-	-	-	-	-
37: 1	Godstone, <i>part of</i> * <i>W,F</i> -	2,754	2,692	3	2	-	-	-	-	-	1	-	-	-	-	-	-
38: 1	Coulsdon - - - -	11,069	8,166	3	1	1	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon - - -	4,200	49,309	22	13	3	5	-	-	-	-	-	-	-	-	-	-
3	West Croydon <i>3W,F,H</i> -	2,168	42,888	28	21	9	4	-	3	-	-	-	-	-	1	3	-
4	North Croydon <i>H</i> - -	2,644	41,688	29	12	3	5	-	-	-	-	-	-	-	1	1	-
5	Penge <i>w</i> - - - -	770	22,465	16	2	-	1	-	-	-	-	-	-	-	-	-	-
6	Mitcham <i>w</i> - - - -	11,689	29,903	29	10	3	4	-	-	-	-	-	-	-	1	1	-
39: 1	Wimbledon <i>F,3H</i> - -	3,221	41,652	25	7	1	2	-	1	-	-	1	-	-	-	1	-
2	Kingston <i>W,H</i> - - -	6,224	42,068	32	12	2	9	-	-	-	-	-	-	-	1	1	-
3	Surbiton <i>F,H</i> - - -	3,046	15,017	9	1	-	-	-	-	-	-	-	-	-	-	-	-
4	Esher, <i>part of</i> * <i>H</i> - -	5,402	13,100	3	5	1	3	-	-	-	-	-	-	-	-	-	-
5	Hampton <i>H,L</i> - - -	4,564	23,456	15	3	1	1	-	-	-	-	-	-	-	-	-	-
40: 1	Richmond <i>W,H</i> - -	2,162	28,865	7	7	2	2	-	-	-	-	-	-	-	-	-	-
2	Mortlake <i>F</i> - - - -	2,847	20,628	20	1	-	-	-	-	-	-	-	-	-	1	1	-
41: 1	Bromley <i>F,2H</i> - - -	4,703	27,354	14	3	1	1	-	-	-	-	1	-	-	-	-	-
2	Beckenham <i>H</i> - - -	7,825	28,497	17	5	2	-	-	-	-	-	-	-	-	2	2	-
3	Orpington, <i>part of</i> * <i>W</i> -	10,113	9,857	7	7	1	1	-	-	-	-	-	-	-	1	1	-
4	Chislehurst <i>2H</i> - - -	7,333	16,446	4	1	-	1	-	-	-	-	-	-	-	-	-	-
42: 1	Bexley <i>F,H</i> - - - -	8,678	21,151	14	8	2	5	-	-	-	-	-	-	-	-	-	-
2	Erith <i>F,H</i> - - - -	3,854	25,296	19	9	2	2	-	-	-	-	1	-	-	3	3	-
3	Dartford <i>W,F, part of</i> * -	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
124: 1	Sunbury <i>w</i> - - - -	11,054	18,683	12	5	1	2	-	-	-	1	-	-	-	-	-	-
2	Staines <i>W,H</i> - - - -	13,277	15,178	4	5	1	1	-	-	-	-	-	-	-	-	-	-
125: 1	Hillingdon <i>W,F,H</i> - -	6,035	13,661	10	3	-	1	-	-	-	-	-	-	-	-	-	-
2	Uxbridge - - - -	12,757	8,984	14	2	-	2	-	-	-	-	-	-	-	-	-	-
3	Hayes <i>w,F,H</i> - - -	8,066	16,358	8	-	-	-	-	-	-	-	-	-	-	-	-	-
126: 1	Isleworth <i>3W,2F,H</i> - -	6,859	30,863	35	12	2	4	-	2	-	-	-	-	-	1	1	-
2	Twickenham <i>F,H</i> - -	2,421	20,991	16	6	1	2	-	-	-	-	-	-	-	-	-	-
3	Brentford <i>2F,2H,L</i> -	4,319	43,289	31	12	4	1	-	-	-	-	-	-	-	-	-	-
4	Chiswick <i>H</i> - - - -	1,249	29,809	18	12	2	1	-	4	-	1	-	-	-	1	2	-
5	Acton <i>w,3H</i> - - - -	6,132	48,914	29	15	6	5	-	1	-	1	-	-	-	-	-	-
127: 1	Harrow <i>F,H</i> - - - -	13,809	25,523	14	9	2	5	-	-	-	-	-	-	-	-	-	-
2	Edgware <i>F,2H</i> - - -	6,994	4,521	3	1	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden <i>W,F,2H</i> - -	4,334	114,511	87	30	10	7	-	3	-	1	-	-	-	-	-	-
4	Hendon <i>W,F</i> - - - -	8,382	22,450	7	3	1	-	-	-	-	-	-	-	-	-	1	-
128: 1	South Mimms <i>2F,H</i> - -	17,755	7,308	4	1	1	-	-	-	-	-	-	-	-	-	-	-
2	Barnet <i>W,3H</i> - - -	3,324	17,970	11	6	2	1	-	-	-	-	-	-	-	2	3	-
3	Finchley <i>F,2H</i> - - -	4,688	33,692	18	6	3	1	-	2	-	-	-	-	-	-	-	-
129: 1	Hornsey <i>F,H</i> - - - -	2,875	72,056	41	16	5	7	-	1	-	-	3	-	-	-	-	-
2	Wood Green <i>H</i> - - -	1,625	34,233	27	12	4	5	-	-	-	-	-	-	-	1	-	-
3	West Tottenham <i>F</i> - -	996	48,853	37	10	2	3	-	1	-	2	-	-	-	-	-	-
4	East Tottenham <i>F,H</i> -	2,017	53,688	33	19	6	3	-	4	-	-	-	-	-	1	3	-
5	Edmonton <i>W,w,2F</i> - -	7,491	61,892	48	12	1	5	-	2	-	-	-	-	-	1	3	-
6	Enfield <i>2W,F,H</i> - - -	12,601	42,738	32	14	6	4	-	-	-	1	-	-	-	2	3	-
7	Waltham Abbey - - -	11,017	6,549	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt <i>F,H</i> - - -	8,479	12,292	4	1	-	-	-	-	-	-	-	-	-	-	-	-
135: 1	Hatfield, <i>part of</i> * <i>W</i> - -	3,305	864	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137: 1	Bushey <i>H</i> - - - -	9,333	9,173	6	2	-	1	-	-	-	-	-	-	-	-	-	-
2	Watford <i>W,2F part of</i> * -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
186: 1	Stratford <i>H</i> - - - -	1,072	44,827	30	7	1	1	-	-	-	1	-	-	-	-	-	-
2	Plaistow <i>F,2H</i> - - -	1,249	90,921	91	30	7	3	-	2	1	-	-	-	1	-	2	-
3	Canning Town <i>H</i> - -	1,556	70,718	63	19	5	2	-	1	-	1	-	-	1	1	-	-
4	Forest Gate <i>w</i> - - -	806	60,892	49	13	7	1	-	1	-	1	-	-	-	-	-	-
5	North East Ham <i>w</i> - -	1,333	58,676	63	18	5	7	-	-	-	-	-	-	-	1	1	-
6	South East Ham <i>3F</i> - -	1,993	37,342	27	16	5	3	-	2	-	1	1	-	-	1	3	-
7	Wanstead <i>F</i> - - - -	1,679	61,179	5	1	-	1	-	-	-	-	-	-	-	-	-	-
8	South Leyton <i>2W</i> - - -	631	50,467	37	17	3	4	-	-	-	-	-	-	-	1	3	-
9	North Leyton <i>W,w,F</i> - -	1,963	48,445	40	19	6	6	-	1	-	-	3	-	1	-	-	-
10	Walthamstow <i>3H,L</i> - -	6,504	108,929	88	22	6	4	-	-	-	1	-	-	-	-	2	-
187: 1	Chigwell, <i>part of</i> * <i>2F,4H</i> -	11,778	16,397	7	5	2	1	-	-	-	-	-	-	-	-	-	-
2	Epping <i>W,F, part of</i> * - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
189: 1	Romford, <i>part of</i> * <i>W,2F</i> -	6,556	6,091	6	5	1	1	-	-	-	-	1	-	-	-	-	-
2	Ilford <i>F,L</i> - - - -	8,496	41,234	32	13	3	4	-	-	-	-	-	-	-	-	1	-
3	Barking Town <i>F</i> - - -	3,803	21,547	19	5	1	1	-	1	-	-	2	-	-	-	-	-
	Middlesex County Asylum, Streatham.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Middlesex County Asylum, Wandsworth.	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-

*The parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting parish; 41: 3, excepting Cheshfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 137: 1, ex Theydou Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended		BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM							
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoeal Diseases.	
ATA ding RBS)	847,798	March	5	-	631	38'7	2	3	-	-	-	275†	98	
Y - -	776,008	"	29	300	1531	102'6	23	13	-	-	-	1017†	43	
S - -	509,346	"	11	347	473	48'2	-	4	?	?	?	135	110	
- -	2,680,559	April	9	1159	1037	20'0	1	15	1	4*	7	14	31	
LS - -	575,896	"	9	239	167	15'1	2	-	-	-	1	1	10	
RP - -	281,376	"	9	142	87	16'1	11	2	-	-	1	-	5	
DAM -	547,370	"	2	293	197	18'4	-	15	-	3*	5	-	3	
HAGEN -	420,000	"	9	249	160	19'9	-	1	-	-	4	-	8	
OLM -	305,115	"	2	114	87	14'6	-	2	-	3*	-	-	3	
ANIA -	225,709	"	9	127	75	17'3	-	-	-	1*	-	-	4	
ERSBURG	1,248,643	"	2	568	749	31'3	-	17	9	11*	7	14	65	
V - -	1,093,410	-	-	-	-	-	-	-	-	-	-	-	-	
- -	1,960,909	March	26	891	673	17'9	-	11	7	9*	11	-	27	
RG - -	751,842	April	9	-	258	17'8	-	-	1	6*	5	-	1	
U - -	445,403	"	2	284	166	19'4	-	-	-	2*	?	1	10	
- -	-	"	9	-	203	23'8	-	2	1	3*	?	-	14	
I - -	520,000	"	9	-	222	22'2	-	2	-	2*	-	-	24	
- -	1,779,869	"	9	1100	716	20'7	-	33	1	8*	2	1	42	
- -	423,990	"	9	192	205	25'2	-	1	-	1*	3	6	18	
ESTH -	813,399	"	2	412	323	20'6	-	6	6	9*	3	2	11	
- -	187,251	"	9	-	-	-	-	-	-	-	-	-	-	
- -	496,201	February	20	281	240	25'5	-	4	-	1*	2	2	3	
- -	166,288	April	2	81	69	21'6	-	-	-	2*	-	-	3	
- -	624,338	January	21	506	462	38'6	-	13	-	9*	?	17	65	
DRIA -	349,300	"	21	321	207	30'9	2	-	-	-	-	5†	33	
ORE -	3,838,024	April	2	1338	1668	22'7	-	28	30	39*	5	12	42	
ELPHIA -	1,408,154	March	19	-	634	23'4	7	17	4	11*	1	21	19	
- -	617,950	"	19	-	253	21'3	-	9	-	7*	1	3	2	

* Including deaths from croup.

† Including 174 deaths from plague in Calcutta, 972 in Bombay and one in Alexandra.

‡ Including 43 deaths from cholera in Calcutta, and 2 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 16th April, 1904.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
Greenwich)	66'9	36'5	49'8	0'32	BRADFORD - -	57'0	36'4	47'1	0'95
ON - -	62'2	38'7	51'2	0'53	LEEDS - - -	62'0	37'0	49'1	0'80
DOUTH - -	60'2	37'5	49'8	0'79	HULL - - -	60'0	34'0	47'7	0'63
H - -	68'6	36'2	50'4	0'21	TYNEMOUTH - -	57'0	38'0	46'5	0'54
TH - -	56'3	34'0	47'5	0'64					
- -	61'2	34'8	48'1	0'85	EDINBURGH - -	55'4	32'6	45'6	0'11
SHAM - -	60'0	35'3	47'7	0'74	GLASGOW - - -	58'2	37'8	47'0	0'24
SHAM - -	59'6	37'0	48'8	0'63					
POOL - -	59'0	37'0	47'8	0'19	Phoenix Park.	57'8	34'9	47'3	0'04
RVATORY. }	58'0	36'8	46'6	0'52	DUBLIN { Fitz-	60'1	37'8	49'1	0'07
ESTER - -	56'5	28'0	47'3	0'32	william Square.†				
N - -	56'8	32'0	45'2	0'63	BELFAST - - -	56'5	33'0	45'9	0'59

The figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was ° Fahrenheit, subtracted. See Table V. of Glaisher's Diurnal Range Tables.

ly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1904.			TEMPERATURE.				Difference between the Air Temperature and Dew Point Temperature.				TEMPERATURE.				Wind as deduced from Anemometers.				Rain collected in a Gauge whose receiving surface is 5 inches above the ground.	Ozone.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
Phases of the Moon.	BARO-METER.	Mean daily reading (corrected and reduced to 32° Fahrenheit).	Of the Air.				Of the Dew point	Degree of Humidity (Saturation equals 100).	Of Radiation.		Of the Earth 3 feet below the Surface.	Osler's.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
			High-est.	Low-est.	Daily Range.	Mean daily value.			De-parture from Average value. 50 years.	Mean daily value.		Greatest.	Least.	Mean of 24 hourly obs.	Greatest.	Least.	Horizontal Direction of the Air on each Day.	Departure from Average of the Air on each Day.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
																					A.M.	P.M.	lbs. est.	lbs. obs.	Miles.	Miles.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
APRIL.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 139 feet above the mean level of the sea; no correction has been applied to the readings to sea level.

Observations are usually taken at 8h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1876.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 9th April, 1904.*

BOROUGHS.	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Chicken-pox.
WEST.											
Paddington- - - -	146,975	-	7	2	-	-	-	-	4	-	2
Kensington - - - -	179,236	-	1	5	-	1	-	-	3	-	2
Hammersmith - - -	117,412	-	5	1	-	1	-	-	7	-	2
Fulham - - - - -	152,482	-	3	7	-	1	-	-	-	-	1
Chelsea - - - - -	74,329	-	2	2	-	-	-	-	-	-	-
City of Westminster-	177,321	-	4	4	-	2	-	-	1	-	2
NORTH.											
St. Marylebone - - -	130,337	-	3	3	-	2	-	-	2	-	2
Hampstead - - - -	86,663	-	1	1	-	-	-	-	-	-	3
St. Pancras - - - -	235,936	-	15	12	-	-	-	-	1	-	13
Islington - - - - -	341,044	2	8	8	-	1	-	-	2	1	24
Stoke Newington - -	52,445	-	-	-	-	-	-	-	-	-	7
Hackney - - - - -	226,266	-	6	7	-	3	-	-	2	-	11
CENTRAL.											
Holborn - - - - -	57,161	-	4	1	-	1	-	-	1	-	4
Finsbury - - - - -	98,958	1	5	1	-	-	-	-	-	-	3
City of London - - -	23,482	-	-	-	-	-	-	-	1	-	-
EAST.											
Shoreditch - - - -	117,033	1	15	4	-	1	-	-	2	-	8
Bethnal Green - - -	130,207	8	5	13	-	-	-	-	3	-	35
Stepney - - - - -	303,791	5	17	7	-	-	-	-	4	-	4
Poplar - - - - -	169,905	5	9	16	-	1	-	-	2	-	1
SOUTH.											
Southwark - - - -	207,937	-	3	1	-	2	-	-	1	-	11
Bermondsey - - - -	129,397	-	6	2	-	1	-	-	3	-	6
Lambeth - - - - -	310,359	1	10	5	-	1	-	-	6	-	6
Battersea - - - - -	175,465	-	6	4	-	-	-	-	3	-	15
Wandsworth - - - -	257,588	1	6	7	-	3	-	-	6	-	2
Camberwell - - - -	288,384	-	13	7	-	2	-	-	5	1	-
Deptford - - - - -	113,509	1	6	-	-	-	-	-	2	-	-
Greenwich - - - - -	101,651	-	4	4	-	1	-	-	2	-	15
Lewisham - - - - -	140,401	-	4	3	-	-	-	-	2	1	17
Woolwich - - - - -	123,416	-	7	1	-	-	-	-	4	-	1
Port of London - - -	-	-	-	-	-	1	-	-	-	-	3
ADMINISTRATIVE COUNTY OF LONDON.											
4,649,083		25	175	128	-	26	-	-	64	3	200
Ages											
0-1 - - - - -	-	-	3	2	-	-	-	-	2	-	19
" 1-5 - - - - -	1	55	62	-	1	-	-	-	2	-	93
" 5- - - - -	3	70	39	-	2	-	-	-	2	-	72
" 10- - - - -	3	28	7	-	2	-	-	-	5	-	8
" 15- - - - -	4	6	5	-	7	-	-	-	2	-	4
" 20- - - - -	3	6	7	-	5	-	-	-	6	1	1
" 25- - - - -	7	3	3	-	6	-	-	-	8	1	1
" 35- - - - -	4	3	1	-	1	-	-	-	9	1	-
" 45- - - - -	-	1	1	-	2	-	-	-	8	-	-
" 55- - - - -	-	-	1	-	-	-	-	-	11	-	-
" 65 and upwards -	-	-	-	-	-	-	-	-	9	-	-
Age not stated - -	-	-	-	-	-	-	-	-	-	-	2

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1904.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

~~~~~

By Authority of the Registrar General.

~~~~~

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETER LANE, E.C.

No. 16. 1904. VOL. LXV.] WEEK ENDED SATURDAY, APRIL 23. [Price 1½d.

General Register Office, Somerset House,
April 25th, 1904.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 16·0 per 1000 of their aggregate population, which is estimated† at 15,271,287 persons in the middle of this year. In the preceding three weeks the rates had been 18·7, 18·4, and 17·6. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *all causes*, 20·6 in Oldham, 20·7 in Sunderland, 20·9 in Birkenhead, 21·8 in Burnley, 22·0 in Manchester, 22·4 in Birmingham and in St. Helens, and 25·6 in Warrington; from *measles*, 1·4 in West Ham and in Walthamstow, 1·6 in Huddersfield, 2·3 in Norwich, 2·5 in Brighton, 2·6 in Hornsey and in Wallasey, 3·1 in Burnley, 3·8 in Rhondda, and 6·5 in St. Helens; and from *whooping-cough*, 1·6 in Kings Norton, in Liverpool, and in Huddersfield, 1·7 in Walsall and in Wallasey, 1·9 in Leicester, 2·2 in Swansea, 2·3 in Birkenhead, 2·5 in Bootle, 3·0 in West Hartlepool, 3·1 in Birmingham, and 3·9 in Warrington. Two deaths from *small-pox* were registered in Manchester, and 1 each in London, Nottingham, Gateshead, and Tynemouth, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2489 BIRTHS and 1429 DEATHS were registered. Allowing for increase of population, the births were 286, and the deaths 203, below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 18·8, 18·6, and 16·7 in the preceding three weeks, further fell last week to 16·0. During the four weeks ended on Saturday last the death-rate averaged 17·5 per 1000, being 1·4 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, and in certain local Small-pox Hospitals, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the recent Census, and on the increase in the last intercensal period.

The 1429 deaths included 1 from small-pox, 81 from measles, 9 from scarlet fever, 15 from diphtheria, 43 from whooping-cough, 3 from enteric fever, and 12 from diarrhoea, but not one death from typhus or from ill-defined pyrexia; thus, 164 deaths were referred to these diseases in the aggregate, being 35 below the corrected average weekly number.

The death from *small-pox* was that of a male aged 63 years, who had been removed from the Borough of Paddington to the Metropolitan Asylums Hospital at Joyce Green. The deaths from *measles*, which had been 92, 86, and 75 in the preceding three weeks, rose again last week to 81, and were 4 above the corrected average; 13 cases belonged to the Borough of Southwark, 9 to Bermondsey, 9 to Islington, 7 to Stepney, 6 to Hackney, 6 to Deptford, and 5 to Poplar. The deaths from *scarlet fever*, which had been 4, 8, and 4 in the preceding three weeks, rose again last week to 9, the corrected average being 10; 3 cases belonged to Finsbury, 2 to Islington, and 2 to Lambeth. The deaths from *diphtheria*, which had been 17, 17, and 8 in the preceding three weeks, rose again last week to 15, but still were 16 below the corrected average. The deaths from *whooping-cough*, which had been 68, 64, and 64 in the preceding three weeks, fell last week to 43, and were 15 below the corrected average; 8 cases belonged to Southwark, 5 to St. Pancras, and 5 to Deptford. The fatal cases of *enteric fever*, which had been 3, 4, and 3 in the preceding three weeks, were again 3 last week, the corrected average being 5. The deaths from *diarrhoea*, which had been 16, 21, and 12 in the preceding three weeks, were again 12 last week, and were equal to the corrected average. The deaths attributed directly to *influenza* numbered 8, having been 17, 20, and 17 in the preceding three weeks.

Different forms of *violence* caused 49 deaths, concerning all but 1 of which inquests were held. Of these 49 deaths, 11 were cases of suicide, while the remaining 38 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, 4 to burns and scalds, 7 to drowning, 1 to the effects of an anæsthetic administered for surgical purposes, and 3 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 123 cases of small-pox, 1543 of scarlet fever, 719 of diphtheria, 1 of typhus, and 73 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 23 cases, against 42, 25, and 37; of scarlet fever, 210 cases, against 153, 141, and 172; of diphtheria, 100 cases, against 99, 90, and 92; and of enteric fever, 11 cases, against 16, 11, and 7. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended April 16th.

GREATER LONDON.

In Greater London 3747 births and 1911 deaths were registered. Allowing for increase of population these numbers are 359 and 325 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 8 deaths from measles, 1 from scarlet fever, 6 from diphtheria, 3 from whooping-cough, 1 from "fever," and 1 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·82 inches, and that of the Thermometer 49°·1, the latter being 0°·8 above the week's average in the 50 years 1841–90. The general direction of the wind was variable, the horizontal movement of the air being 5 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 38·9 hours; the measured rainfall amounted to 0·24 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1.—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES during the Week ended Saturday, 23rd April, 1904, and DEATH-RATES during the preceding three Weeks.

TOWNS.	Cols.	POPULATION estimated to the middle of the year 1904.*	DEATH-RATES from all Causes.					Rate from Diseases in Cols. 11-17.		Registered during the week ended 23rd April, 1904.		The DEATHS registered in the Week include										TOWNS.			
			Week ended					11-17.		BIRTHS.	DEATHS.	Deaths of		Deaths from									Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
			Week ended					11-17.				Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.						
			2nd April, 1904.	9th April, 1904.	16th April, 1904.	23rd April, 1904.	Week ended 23rd April, 1904.	9.	10.	11.	12.									13.	14.		15.	16.	17.
76 TOWNS		15,271,287	18'7	18'4	17'6	16'0	1'9	8789	4697	1127	1273	6	199	34	42	215	16	44	159	358	1052	47			
LONDON -	-	4,648,950	18'8	18'6	16'7	16'0	1'8	2489	1429	281	421	1	21	9	15	43	3	12	49	134	491	1	76 TOWNS.		
(CROYDON -	-	144,419	13'7	17'7	16'2	10'1	0'4	57	28	3	11	-	1	-	-	-	-	-	1	4	7	-	LONDON.		
WILLESDEN -	-	132,566	11'0	7'5	11'8	5'1	0'4	70	13	7	2	-	4	-	-	1	-	-	-	-	-	-	(CROYDON.		
HORNEY -	-	81,221	9'0	7'1	10'9	7'7	2'6	28	12	1	4	-	4	-	-	-	-	-	-	-	-	-	WILLESDEN.		
TOTTENHAM -	-	112,981	20'8	14'8	12'9	9'7	0'5	64	21	4	5	-	1	-	-	-	-	-	1	1	1	-	HORNEY.		
WEST HAM -	-	288,424	16'3	16'5	14'6	13'9	2'4	172	77	21	16	-	8	-	-	3	1	1	7	8	19	2	TOTTENHAM		
EAST HAM -	-	116,402	12'5	7'6	16'1	12'9	1'3	57	29	8	11	-	2	-	-	1	-	1	1	3	3	-	WEST HAM.		
LEYTON -	-	110,844	9'4	10'3	12'2	8'5	0'9	51	18	5	5	-	-	-	-	1	-	1	1	1	1	-	EAST HAM.		
(WALTHAMSTOW -	-	111,282	8'4	7'0	10'3	15'5	3'7	81	33	12	6	-	3	1	1	3	-	-	1	3	5	1	LEYTON.		
HASTINGS -	-	66,503	12'5	19'6	11'0	7'1	-	16	9	-	6	-	-	-	-	-	-	-	-	-	-	-	(WALTHAMSTOW.		
BRIGHTON -	-	126,286	19'8	18'2	21'9	16'5	2'5	45	40	9	11	-	6	-	-	-	-	1	4	10	-	-	HASTINGS.		
PORTSMOUTH -	-	198,038	18'2	19'5	16'1	14'2	0'3	99	54	7	21	-	-	-	-	1	-	2	4	6	1	-	BRIGHTON.		
BOURNEMOUTH -	-	64,645	15'3	13'7	13'7	16'1	-	29	27	1	8	-	-	-	-	-	-	-	-	4	-	-	PORTSMOUTH.		
SOUTHAMPTON -	-	112,500	15'3	13'4	9'7	13'9	-	58	39	12	8	-	-	-	-	-	-	-	1	3	-	-	BOURNEMOUTH.		
READING -	-	76,373	12'3	12'3	8'2	11'6	1'4	38	17	5	6	-	-	-	-	-	2	-	2	1	-	-	SOUTHAMPTON.		
NORTHAMPTON -	-	91,146	14'3	10'3	18'9	16'0	-	39	28	5	13	-	-	-	-	-	-	-	-	6	1	-	READING.		
IPSWICH -	-	69,805	11'2	16'4	20'2	11'2	-	38	15	5	4	-	-	-	-	-	-	-	1	-	-	-	NORTHAMPTON.		
GREAT YARMOUTH -	-	52,099	19'0	17'0	24'0	17'0	3'0	28	17	7	5	-	-	-	1	1	-	1	2	2	2	-	IPSWICH.		
NORWICH -	-	115,538	18'1	29'3	23'9	16'7	2'3	52	37	8	11	-	5	-	-	-	-	-	3	6	-	-	GREAT YARMOUTH.		
PLYMOUTH -	-	114,003	20'1	19'7	18'8	16'5	2'3	48	36	6	13	-	1	2	-	-	1	2	2	5	-	-	NORWICH.		
DEVONPORT -	-	75,334	11'8	13'8	13'2	9'7	-	33	14	3	3	-	-	-	-	-	-	-	4	1	-	-	PLYMOUTH.		
BRISTOL -	-	343,204	18'4	19'1	16'1	15'2	1'8	184	100	18	40	-	-	1	6	3	1	1	1	3	31	-	DEVONPORT.		
HANLEY -	-	63,932	22'0	27'7	10'6	19'6	2'4	46	24	8	6	-	1	1	1	-	-	-	1	8	1	-	BRISTOL.		
BURTON-ON-TRENT -	-	51,934	14'1	14'1	16'1	16'1	-	35	16	5	4	-	-	-	-	-	-	-	-	6	-	-	HANLEY.		
WOLVERHAMPTON -	-	98,194	16'5	23'4	18'6	11'7	1'1	62	22	7	3	-	-	-	-	1	-	-	1	4	-	-	BURTON-ON-TRENT		
WALSALL -	-	91,432	22'8	20'5	17'7	12'0	1'7	67	21	8	-	-	-	-	-	3	-	2	2	3	-	-	WOLVERHAMPTON.		

TOWNS.	POPULATION estimated to the middle of the Year 1904.*	DEATH-RATES from all Causes.					Rate from Diseases in Cols. 11-17.		Registered during the week ended 23rd April, 1904.		Deaths of										Deaths from						The DEATHS registered in the week include						TOWNS.
		Week ended					Week ended 23rd April, 1904.		BIRTHS.	DEATHS.	Persons aged under 1 Year		Infs. 60 Years and upwards.		Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.								
		2nd April, 1904.	9th April, 1904.	16th April, 1904.	23rd April, 1904.																												
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.										
BIRMINGHAM -	537,965	24'5	24'8	22'1	22'4	4'3	4'3	354	231	67	49	-	-	2	2	32	-	3	9	12	51	5	BIRMINGHAM.										
KINGS NORTON -	66,667	14'1	16'4	11'7	10'2	1'6	1'6	46	13	5	2	-	-	-	-	-	-	-	1	1	1	-	KINGS NORTON.										
SMETHWICK -	60,691	16'3	11'2	22'3	13'7	-	-	42	16	5	6	-	-	-	-	-	2	3	3	3	1	1	SMETHWICK.										
ASTON MANOR -	80,363	19'5	20'8	24'7	13'6	2'6	2'6	52	21	6	5	-	-	2	-	2	-	-	-	-	-	1	ASTON MANOR.										
COVENTRY -	73,904	19'0	20'5	18'3	13'4	2'1	2'1	38	19	3	8	-	-	-	-	2	1	1	1	1	2	-	COVENTRY.										
LEICESTER -	224,186	13'5	13'7	17'7	12'6	2'1	2'1	121	54	15	9	-	-	-	-	8	1	3	5	3	5	-	LEICESTER.										
GRIMSBY -	86,958	13'2	16'4	12'5	10'9	0'8	0'8	44	14	2	3	-	-	-	1	-	-	2	3	2	3	-	GRIMSBY.										
NOTTINGHAM -	248,811	18'4	17'8	19'7	13'0	0'6	0'6	149	62	18	24	1	-	-	1	1	-	2	10	1	10	1	NOTTINGHAM.										
DERBY -	129,449	18'2	17'7	13'9	10'0	0'9	0'9	74	23	9	5	-	-	1	1	1	-	2	4	-	4	-	DERBY.										
STOCKPORT -	97,008	15'1	18'8	12'9	12'9	0'5	0'5	60	24	6	6	-	-	-	-	-	1	3	4	-	4	-	STOCKPORT.										
BIRKENHEAD -	114,814	23'6	18'6	20'0	20'9	2'7	2'7	84	46	10	17	-	-	-	-	5	-	1	2	5	12	1	BIRKENHEAD.										
WALLASEY -	60,354	18'1	19'9	17'3	19'0	4'3	4'3	28	22	3	4	-	3	-	-	2	-	-	1	1	2	-	WALLASEY.										
LIVERPOOL -	723,430	22'6	19'2	20'0	19'8	2'5	2'5	540	275	77	65	-	4	5	1	22	1	2	8	17	72	7	LIVERPOOL.										
BOOTLE -	61,755	17'7	26'2	18'6	16'9	3'4	3'4	31	20	7	3	-	-	-	-	3	1	-	1	2	3	-	BOOTLE.										
ST. HELENS -	88,545	25'3	20'0	20'6	22'4	7'1	7'1	65	38	11	5	-	11	-	-	1	-	3	3	1	1	1	ST. HELENS.										
WIGAN -	62,800	19'1	15'8	23'2	17'4	-	-	43	21	6	2	-	-	-	-	-	-	2	1	-	1	-	WIGAN.										
WARRINGTON -	67,331	24'8	17'8	16'3	25'6	5'4	5'4	39	33	9	8	-	-	-	-	5	-	3	3	3	6	1	WARRINGTON.										
BOLTON -	173,744	19'6	21'4	13'1	13'1	1'5	1'5	97	44	10	9	-	-	-	1	3	1	-	8	1	8	-	BOLTON.										
BURY -	58,450	25'0	20'5	15'2	15'2	0'9	0'9	25	17	2	9	-	-	-	-	-	-	1	1	1	1	-	BURY.										
MANCHESTER† -	537,938	24'5	21'5	21'5	22'0	3'5	3'5	369	235	69	42	2	13	3	-	-	4	8	15	44	11	6	MANCHESTER.†										
SALFORD -	228,983	21'9	20'7	21'4	19'4	3'2	3'2	143	85	27	16	-	2	2	3	4	-	3	9	11	1	1	SALFORD.										
OLDHAM -	139,497	17'2	16'1	15'7	20'6	2'6	2'6	77	55	14	22	-	2	-	-	2	-	4	10	-	1	-	OLDHAM.										
ROCHDALE -	85,691	28'6	19'5	21'3	13'4	2'4	2'4	44	22	7	6	-	2	-	-	-	-	3	4	1	1	-	ROCHDALE.										
BURNLEY -	100,569	19'7	21'3	19'7	21'8	4'1	4'1	55	42	8	9	-	6	-	1	1	-	2	2	2	10	1	BURNLEY.										
BLACKBURN -	132,134	14'2	18'2	17'4	18'2	2'8	2'8	76	46	8	14	-	3	-	-	3	1	-	5	2	5	2	BLACKBURN.										
PRESTON -	115,055	19'5	15'9	15'4	15'4	0'9	0'9	65	34	6	8	-	-	-	-	1	-	1	1	1	6	-	PRESTON.										
BARROW-IN-FURNESS	59,654	20'1	13'1	15'7	17'5	0'9	0'9	37	20	4	6	-	-	-	-	1	-	1	2	5	-	-	BARROW-IN-FURNESS.										

The DEATHS registered in the Week include										Deaths from										Deaths of			Deaths in Public			Uncertified			TOWNS.		
TOWNS.	Cols.	DEATH-RATES from all Causes.					Rate from Diseases in COLS.		Registered during the Week ended 23rd April, 1904.	Deaths from					Deaths of					Deaths in Public			Uncertified			TOWNS.					
		Week ended					11-17.			BIRTHS.	Deaths from					Deaths of					Deaths in Public			Uncertified			TOWNS.				
		2nd April, 1904.	9th April, 1904.	16th April, 1904.	23rd April, 1904.	Week ended 23rd April, 1904.	11-17.	BIRTHS.	DEATHS.		Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.							
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.								
HUDDESFIELD	-	94,925	18'7	15'4	13'2	15'4	3'3	44	28	6	12	-	3	-	-	3	-	3	4	3	-	-	HUDDESFIELD.								
HALIFAX	-	107,580	18'9	16'0	25'2	15'5	0'5	54	32	5	10	-	-	1	-	-	-	-	2	7	-	-	HALIFAX.								
BRADFORD	-	285,059	18'5	16'4	21'9	16'3	1'1	129	89	22	23	-	3	1	-	1	1	4	8	16	-	-	BRADFORD.								
LEEDS	-	460,142	20'7	22'8	19'6	16'2	1'4	249	140	33	42	-	8	1	2	1	1	4	13	17	-	-	LEEDS.								
SHEFFIELD	-	432,940	17'6	14'7	15'2	14'6	1'4	262	121	34	28	-	2	2	2	6	-	-	1	22	4	-	SHEFFIELD.								
ROTHERHAM	-	58,498	15'2	16'0	16'0	11'6	0'9	32	13	3	4	-	1	-	-	-	-	-	-	1	2	-	ROTHERHAM.								
YORK	-	81,268	12'8	19'9	11'5	18'0	1'3	56	28	9	3	-	-	-	-	2	-	1	4	6	-	-	YORK.								
HULL	-	253,865	14'0	16'6	17'7	17'3	1'6	124	84	16	26	-	4	-	-	4	-	3	8	13	-	-	HULL.								
MIDDLESBROUGH	-	96,684	18'9	18'3	18'3	17'3	1'1	64	32	6	11	-	-	-	-	-	2	1	2	10	-	-	MIDDLESBROUGH.								
STOCKTON-ON-TEES	-	52,162	21'0	16'0	22'0	17'0	1'0	30	17	5	2	-	-	-	1	-	-	-	-	-	-	-	STOCKTON-ON-TEES.								
WEST HARTLEPOOL	-	69,251	21'8	21'1	17'3	15'1	3'0	53	20	6	2	-	-	-	-	4	-	-	-	1	1	-	WEST HARTLEPOOL.								
SUNDERLAND	-	151,157	17'2	20'4	16'9	20'7	1'7	87	60	16	14	-	-	-	-	4	1	6	7	15	-	-	SUNDERLAND.								
SOUTH SHIELDS	-	107,334	13'1	16'5	17'0	14'1	-	85	29	8	8	-	-	-	-	-	-	1	1	3	2	-	SOUTH SHIELDS.								
GATESHEAD	-	118,067	19'0	20'8	21'6	18'5	1'3	84	42	14	5	1	-	-	-	1	1	1	1	2	1	-	GATESHEAD.								
NEWCASTLE-ON-TYNE	-	225,362	16'9	21'1	22'9	17'1	1'4	147	74	17	22	-	-	-	2	3	1	-	5	15	-	-	NEWCASTLE-ON-TYNE.								
TYNEMOUTH	-	53,060	24'6	17'7	9'8	14'7	1'0	46	15	7	3	1	-	-	-	-	-	1	1	1	-	-	TYNEMOUTH.								
NEWPORT (MON.)	-	71,543	19'7	16'0	18'2	7'3	-	39	10	3	3	-	-	-	-	-	-	-	-	2	1	-	NEWPORT (MON.).								
CARDIFF	-	176,313	16'3	13'3	18'3	13'9	2'1	109	47	13	9	-	2	1	-	3	1	4	5	7	-	-	CARDIFF.								
RHONDDA	-	122,310	16'2	18'3	18'8	17'5	4'3	92	41	14	8	-	9	-	1	-	-	3	5	1	-	-	RHONDDA.								
MERTHYR TYDFIL	-	72,745	23'9	17'9	18'6	17'9	0'7	54	25	5	4	-	-	-	-	1	-	-	3	1	-	-	MERTHYR TYDFIL.								
SWANSEA	-	96,931	23'9	21'7	21'2	17'4	2'2	56	32	5	9	-	-	-	-	4	-	1	5	6	-	-	SWANSEA.								
GREATER LONDON	-	6,907,619	16'7	16'7	15'4	14'4	1'6	3747	1911	422	555	1	108	11	22	55	5	15	175	558	4	-	GREATER LONDON.								
OUTER RING	-	2,258,669	12'4	12'8	12'8	11'1	1'2	1268	482	141	134	-	27	2	7	12	2	3	41	67	3	-	OUTER RING.								
8 TOWNS IN OUTER RING	-	1,068,639	13'3	12'2	13'5	11'0	1'6	610	231	61	60	-	19	1	1	9	1	2	20	36	3	-	8 TOWNS IN OUTER RING.								
REMAINDER OF OUTER RING	-	1,160,030	11'6	13'4	12'0	11'3	0'9	648	251	80	74	-	8	1	6	3	1	1	21	31	-	-	REMAINDER OF OUTER RING.								
EDINBURGH	-	331,977	21'0	17'9	18'7	17'7	1'7	157	113	24	30	-	3	1	-	6	1	4	?	38	6	-	EDINBURGH.								
GLASGOW	-	798,357	21'5	20'4	22'1	22'1	2'7	509	339	60	60	2	19	3	1	7	3	6	?	84	10	-	GLASGOW.								
DUBLIN†	-																			67	7	-	DUBLIN†.								

TABLE 2. LONDON.—Births and Deaths Registered in the SIXTEENTH Week of each of the Eleven Years, 1894-1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894-1903.*	1904
TOTAL Births -	2457	2677	2836	2499	2769	2759	2610	2835	2557	2753	2774.8	2489
Males - -	1249	1355	1430	1255	1425	1388	1298	1415	1277	1425	1402.0	1229
Females - -	1208	1322	1406	1244	1344	1371	1312	1420	1280	1328	1372.8	1260
TOTAL Deaths -	1509	1585	1653	1500	1546	1499	1811	1564	1587	1483	1632.3	1429
Males - -	787	854	909	790	805	789	985	812	841	766	863.9	752
Females - -	722	731	753	710	741	710	826	752	746	717	768.4	677

* The numbers in this column are the average weekly numbers in the sixteenth week of the ten years 1894-1903, raised by 3.723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Jan. 30.	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	13 Weeks.
TOTAL Births -	2434	2748	2637	2737	2456	2364	2712	2577	2423	2240	2539	2676	2489	33032
TOTAL Deaths -	1734	1554	1574	1539	1467	1594	1796	1680	1645	1672	1659	1490	1429	20883
Under 1 year -	333	349	316	345	326	350	297	335	336	375	366	318	231	4427
1-5 years -	189	164	183	206	158	197	230	216	214	214	256	214	202	2643
5-20 " -	82	68	70	72	65	79	85	73	71	79	76	68	78	969
20-40 " -	211	181	191	180	167	172	188	212	190	202	157	192	175	2418
40-60 " -	355	297	307	299	313	306	299	327	326	308	334	264	272	4007
60 yrs. & upwards.	564	495	507	487	438	490	594	517	508	494	470	434	421	6419
Deaths from—														
Small-pox - - -	-	-	-	1	1	-	1	1	1	3	3	-	1	12
Measles - - -	38	31	37	42	32	43	66	69	67	92	86	75	81	759
Scarlet Fever - -	9	3	4	9	5	5	6	2	4	4	8	4	9	72
Diphtheria - - -	25	13	12	17	18	23	17	17	13	17	17	8	15	212
Whooping-cough -	43	45	52	55	41	52	54	51	48	68	64	64	43	680
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	3	4	8	2	5	3	4	2	3	3	4	3	3	47
Pyrexia (origin uncertain) -	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Diarrhoea, Dysentery	17	20	13	16	28	20	78	19	19	16	21	12	12	231
All above Diseases -	135	116	126	142	130	146	166	161	155	203	204	166	164	2014
Dis. of Resp. System -	260	193	165	195	180	202	235	205	195	212	167	156	127	2492
Pneumonia - - -	171	157	159	154	142	169	179	170	183	158	166	139	127	2079
Phthisis - - -	178	160	139	146	147	156	162	168	168	168	136	169	153	2050
Dis. of Circ. System -	229	206	236	220	205	197	221	230	223	207	203	168	176	2721
Violence - - -	57	59	78	53	51	67	68	69	58	58	65	56	49	778
quest Cases - - -	158	127	189	150	125	150	190	161	164	153	178	127	134	2007
Deaths in Institutions	606	541	548	572	497	533	603	554	555	585	540	473	401	7098
TEMPERATURE OF THE AIR.														
Mean - - -	40.9	40.6	42.1	38.8	38.3	33.3	40.5	40.8	43.3	42.0	48.0	49.6	49.1	42.1
Mean of Highest -	44.3	45.7	47.7	43.9	43.0	37.3	48.0	50.1	49.3	50.5	55.8	59.1	59.7	48.8
Mean of Lowest -	37.1	35.6	36.5	33.4	34.8	29.8	34.1	31.5	37.6	35.3	40.9	40.6	38.2	35.8
Mean Humidity of the Air.	86	87	81	81	75	82	84	77	80	79	71	71	71	79
Min-fall (in inches) -	0.92	1.15	1.27	0.45	0.03	0.52	0.24	0.06	0.11	0.45	0.37	0.32	0.24	6.13
Registered Sunshine (in hours).	8.7	15.0	14.2	10.3	6.7	6.4	26.3	28.2	13.7	29.5	33.5	36.9	38.9	268.3
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - - -	21	25	21	29	31	41	54	74	110	126	134	144	123	72
Scarlet Fever - -	1651	1657	1644	1620	1587	1578	1601	1624	1585	1570	1505	1523	1543	1591
Diphtheria - - -	760	782	767	768	787	764	780	807	776	767	749	737	719	768
Typhus - - -	-	-	-	-	-	-	1	1	1	1	1	1	1	1
Enteric Fever - -	166	161	139	129	125	118	102	94	83	86	80	68	73	110

* The Metropolitan Asylum and London Fever Hospitals.
† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newnolme, C. M.D., Brighton; A. Maurus Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; C. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgemoor, Birmingham; W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; C. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the SIXTEENTH Week of the Year 1904.

the terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectional should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 16th week of the year 1903.	1904—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 16th week of the year 1903.	1904—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES	1483	1429	281	202	78	175	272	421	Meningitis (not tuberc.)	8	12	8	2	1	-	1	
									Insanity, Gen. Par. of } Insane - - - - -	16	20	-	-	1	4	10	
									Epilepsy - - - - -	5	14	-	-	2	4	2	
									Convulsions - - - -	23	23	21	2	-	-	-	
Small-pox*	-	1	-	-	-	-	-	1	Locomotor Ataxy - -	-	-	-	-	-	-	-	
Cowpox	-	-	-	-	-	-	-	-	Paraplegia, Dis. of Cord	7	4	-	-	-	1	2	
Measles (Morbilli)	80	81	23	57	1	-	-	-	Nervous Sys. (other dis.)	21	17	-	-	1	1	4	
Scarlet Fever	7	9	-	5	4	-	-	-	Valv. Dis., Endocarditis-	32	44	-	-	2	5	12	
Typhus	-	-	-	-	-	-	-	-	Cerebr. Hæm. Thromb.-	29	32	-	-	1	3	11	
Plague	-	-	-	-	-	-	-	-	Apoplexy, Hemiplegia	21	16	-	-	-	-	5	
Influenza	12	8	-	3	-	-	4	1	Aneurysm - - - - -	10	2	-	-	-	-	1	
Whooping-cough	38	43	18	23	2	-	-	-	Embolism, Thrombosis }	1	-	-	-	-	-	-	
Diphtheria	22	15	1	9	5	-	-	-	(not cerebral) - - -	91	82	-	-	2	8	17	
Cerebro Spinal Fever	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.	1	-	-	-	-	-	-	
Pyrexia,† (Origin un-	1	-	-	-	-	-	-	-	Croup (not Spasm: nor	1	-	-	-	-	-	-	
certain) - - - - -	-	-	-	-	-	-	-	-	Memb.) - - - - -	118	109	20	9	1	2	17	
Enteric Fever	-	3	-	-	2	1	-	-	Bronchitis - - - - -	3	4	-	-	-	-	-	
Asiatic Cholera	-	-	-	-	-	-	-	-	Asthma, Emphysema -	6	5	-	1	-	2	-	
Epidemic Diarrhœa }	1	3	3	-	-	-	-	-	Pleurisy - - - - -	14	9	2	1	-	-	-	
(Infective Enteritis) }	16	9	3	1	-	1	1	3	Respiratory Dis. (other)	-	-	-	-	-	-	-	
Diarrhœa, Dysentery	-	2	1	-	-	1	-	-	Tonsillitis, Quinsy -	-	-	4	3	-	-	-	
Tetanus	-	-	-	-	-	-	-	-	Enteritis (not Epid.) -	5	1	1	-	-	-	-	
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Gastro-Enteritis - -	4	1	1	-	-	-	-	
Glanders	-	-	-	-	-	-	-	-	Feritonitis (not Puerp.)	2	5	-	-	3	-	-	
Anthrax (Splenic Fever)-	-	-	-	-	-	-	-	-	Cirrhosis of Liver -	13	10	-	-	-	1	-	
Venereal Dis. - - -	9	5	3	-	-	2	-	-	Liver Dis. (other) -	4	3	-	-	-	-	-	
Puerperal Septicæmia	-	2	-	-	-	2	-	-	Digestive Dis., Other -	33	38	7	2	5	8	-	
Puerperal Pyæmia	-	1	-	-	-	1	-	-	Nephritis, Acute - -	12	4	-	-	1	-	-	
Puerperal Fever	1	-	-	-	-	-	-	-	Bright's Dis., Albumin- }	37	45	-	-	-	6	1	
Infective Endocarditis	2	5	-	-	-	5	-	-	uria - - - - -	8	18	-	-	-	3	-	
Lobar - - - - -	12	11	-	-	-	4	5	2	Urinary Sys., Other Dis.	3	3	-	-	-	2	-	
Broncho- - - - -	61	53	20	25	1	-	1	6	Generative Organs Dis.-	2	6	-	-	-	1	4	
Epidemic - - - - -	-	-	-	-	-	-	-	-	Childbirth (Accid. of)	48	50	-	-	-	-	3	
Not defined - - -	68	63	12	10	2	8	18	13	<i>Old Age</i> - - - - -	97	97	65	10	5	-	-	
Erysipelas	5	2	1	-	-	-	-	1	Other Diseases - - -	-	-	-	-	-	-	-	
Septicæmia (not Puer- }	-	2	-	-	-	2	-	-	ACCIDENT.								
<i>peral)</i> - - - - -	2	-	-	-	-	-	-	-	By Railways - - - -	4	2	-	-	-	-	2	
Pyæmia (not Puerperal)	2	-	-	-	-	-	-	-	By Vehicles and Horses-	5	6	-	1	1	-	1	
Other Infective Conditions	17	7	1	2	2	1	1	-	In Ships, Boats, Docks, }	1	-	-	-	-	-	-	
Tuberculous Phthisis -	84	85	3	4	9	33	31	5	(exclusive of Drown-	3	-	-	-	-	-	-	
" <i>Phthisis</i> " - - - -	82	68	-	3	5	23	32	5	ing) - - - - -	-	-	-	-	-	-	-	
Tuberculous Meningitis-	30	34	9	20	5	-	-	-	In Building Operations -	5	4	-	3	-	-	-	
Tuberculous Peritonitis-	6	6	3	2	-	1	-	-	In Conflagrations - -	5	7	-	1	1	3	-	
<i>Tabes Mesenterica</i> - -	3	1	1	-	-	-	-	-	By Burns, Scalds, Ex-	12	3	3	-	-	-	-	
Tuberculous Dis. (other)-	16	20	2	4	7	4	2	1	plosions - - - - -	1	3	1	-	-	-	2	
<i>Scrofula</i> - - - - -	-	-	-	-	-	-	-	-	By Drowning - - - -	14	13	4	2	-	-	1	
Alcoholism - - - - -	12	12	-	-	1	3	6	2	By Suffocation in Bed -	-	-	-	-	-	-	-	
Rheumatic Fever - -	6	3	-	-	2	1	-	-	By Poisons or Poisonous	-	-	-	-	-	-	-	
Gout - - - - -	3	3	-	-	-	-	2	1	Vapours - - - - -	-	-	-	-	-	-	-	
Carcinoma - - - - -	41	61	-	-	-	7	25	29	Other Deaths by Acci-	-	-	-	-	-	-	-	
Sarcoma - - - - -	6	7	1	-	2	2	-	2	<i>dent</i> - - - - -	-	-	-	-	-	-	-	
Cancer (undefined) -	40	26	-	-	-	1	12	13	VIOLENCE OTHER THAN								
Diabetes Mellitus - -	9	12	-	-	-	1	5	6	ACCIDENTAL.								
Premature Birth - - -	52	41	41	-	-	-	-	-	Homicide - - - - -	2	-	-	-	-	-	-	
									Suicide - - - - -	13	11	-	-	-	-	4	
									Execution - - - - -	-	-	-	-	-	-	-	

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Formerly described as "Simple Continued Fever."

5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, CARLETON FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered each SUB-DISTRICT during the Week ended Saturday, 23rd April, 1904.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	The DEATHS registered during the Week include															Inquest Cases.	Deaths in Public Institutions.	
			Total Deaths.	Deaths of		Deaths from														
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.					
LONDON - - -	4,536,541	2489	1429	281	421	1	81	9	15	43	-	3	-	12	49	134	491			
EAST DISTRICTS - - -	805,311	363	227	43	75	-	9	-	1	4	-	-	-	3	7	13	71			
ORTH DISTRICTS - - -	1,056,070	554	308	47	96	-	18	4	4	10	-	1	-	-	2	28	97			
CENTRAL DISTRICTS - - -	209,465	95	79	13	14	-	1	-	1	-	-	-	-	1	2	9	41			
EAST DISTRICTS - - -	715,739	540	268	70	57	-	17	-	2	7	-	-	-	-	17	46	100			
OUTH DISTRICTS - - -	1,749,956	937	508	108	165	-	36	3	7	22	-	2	-	3	15	38	140			
ETROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	39	-	14	1	-	2	-	-	-	-	-	2	1	-	39			
WEST DISTRICTS.																				
ary Paddington } G. & W.	93,178	51	22	5	9	-	1	-	-	-	-	-	-	-	-	-	6			
hn Paddington H - - G.	33,617	7	11	2	3	-	-	-	-	-	-	-	-	-	-	-	5			
-West Paddington - - C.	17,181	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
ngton Town 2W, w, 2H G. & W. & C.	128,037	67	48	12	14	-	4	-	-	1	-	-	-	-	1	4	18			
ption 2H - - W. & C.	48,591	8	8	-	6	-	-	-	-	-	-	-	-	-	-	-	-			
Hammersmith W, w, H } W. & G.	49,192	29	7	2	1	-	-	-	-	-	-	-	-	1	-	2	-			
Hammersmith w, 2H } W. & G.	63,047	30	20	4	7	-	2	-	1	-	-	-	-	-	1	2	4			
-west Fulham W } W. & C.	45,180	36	20	6	3	-	-	-	-	1	-	-	-	1	1	1	13			
-east Fulham F } W. & C.	46,405	29	7	3	1	-	-	-	-	-	-	-	-	-	-	-	1			
Fulham W } W. & C.	45,704	32	10	3	4	-	2	-	-	-	-	-	-	-	-	-	-			
ea North W, w, 3H - - C.	42,514	13	21	3	11	-	-	-	-	1	-	-	-	-	-	-	12			
ea South W, 2H - - C.	31,328	14	8	-	3	-	-	-	-	1	-	-	-	-	-	-	2			
air and Knightsbridge } C. & G.	28,743	6	2	-	1	-	-	-	-	-	-	-	-	-	1	1	-			
ave W, 2H - - C.	55,815	19	23	3	5	-	-	-	-	-	-	-	-	-	3	3	8			
argaret & St. John 4H - C.	43,698	15	9	-	5	-	-	-	-	-	-	-	-	-	-	-	2			
mes Westminster } N. & G.	21,588	4	6	-	2	-	-	-	-	-	-	-	-	-	-	-	1			
ne Soho 5H - - N.	11,493	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2			
NORTH DISTRICTS.																				
uls Marylebone 8H - W.	35,391	10	21	-	6	-	1	-	-	-	-	-	-	-	1	2	10			
ry Marylebone W - G. & W.	19,849	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1			
ry Marylebone 4H G. & W.	18,099	45	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
church Marylebone H- W.	39,536	20	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-			
n Marylebone 3H - W.	20,426	5	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-			
stead W, w, 3H - N. & W.	81,942	29	15	1	3	-	-	3	2	-	-	-	-	-	-	-	9			
St. Pancras 2H - - W.	60,562	24	14	3	4	-	1	-	-	1	-	-	-	-	-	-	3			
ham-court w, 6H - N. & W.	21,268	9	11	1	4	-	-	-	-	-	-	-	-	-	1	2	7			
inn Lane 4H - - N.	34,449	12	10	3	-	-	-	-	-	1	-	-	-	-	2	3	3			
St. Pancras W, 2H - - N.	60,320	27	18	2	8	-	-	-	-	1	-	1	-	-	-	4	5			
St. Pancras 2W - - N.	58,728	27	21	2	7	-	1	-	-	2	-	-	-	-	-	1	7			
ll W- - - N.	31,995	18	27	2	16	-	-	-	-	-	1	-	-	-	-	-	20			
Holloway 2W, w, 2H - N.	33,978	17	16	-	7	-	1	-	-	-	-	-	-	-	-	-	14			
ngton W- - - N.	33,922	22	7	-	2	-	1	-	-	-	-	-	-	-	-	-	-			
Holloway - - - N.	41,424	27	5	1	1	-	1	-	-	-	-	-	-	-	-	-	-			
bury - - - N.	54,478	35	17	3	5	-	3	-	-	1	-	-	-	-	-	-	-			
on South-east F- - N.	75,397	37	21	6	4	-	3	1	-	-	-	-	-	-	-	2	-			
ury 2H - - N.	63,797	28	16	4	3	-	-	-	-	-	-	-	-	-	1	1	-			
Newington H - - N.	51,247	29	11	1	6	-	-	-	-	2	-	-	-	-	-	-	-			
Hackney - - E. & N.	50,560	24	14	3	5	-	-	-	-	-	-	-	-	-	-	-	-			
al Hackney 2w, F- E. & N.	50,536	25	7	1	1	-	-	-	2	-	-	-	-	-	-	2	-			
-west Hackney 3H E. & N.	59,921	36	25	7	6	-	5	-	-	-	-	-	-	-	-	4	5			
-east Hackney 2W, w, H E. & N.	58,255	42	15	2	5	-	1	-	-	-	-	-	-	-	2	3	11			

RE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein.
 ly: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts
 that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-
 district contains more than one institution of either kind, the number is indicated by a figure prefixed to the
 The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies
 the London Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New
 E. East London; and K. the Kent Company.
 The note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALLPOX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 23rd April, 1904.—continued.

REGISTRATION SUB-DISTRICTS,		Enu- me- rated Popu- lation, 1901.	Total Births.	The DEATHS registered during the Week include														Total Deaths.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from										Inquest Cases.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
				Deaths of	Deaths from																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
					Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
CENTRAL DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												

5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 23rd April, 1904—continued.

REGISTRATION SUB-DISTRICTS	Enumerated Population, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include												Deaths in Public Institutions.	
				Deaths of		Deaths from											
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhoea.	Violence.		Inquest Cases.
SOUTH DISTRICTS.																	
Church Southwark W, HL & S.	11,263	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Four Southwark H - S.	12,056	9	15	3	1	-	-	1	-	-	-	-	-	-	-	2	12
Road - - - S. & L.	21,904	11	8	3	-	-	-	5	-	-	-	-	-	-	-	1	-
Large the Martyr } W, 2H, L	39,094	20	17	4	3	-	-	4	-	-	2	-	-	-	-	1	4
Wotton North* - - S. & L.	49,022	27	12	3	1	-	-	-	-	-	1	-	-	-	-	2	-
Wotton South* W - S. & L.	72,841	47	24	9	4	-	-	3	-	-	5	-	-	-	-	-	-
Deve 2W - - - S.	9,817	1	4	1	2	-	-	1	-	-	-	-	-	-	-	-	1
Wandsey W - - - S.	82,483	52	19	7	1	-	-	3	-	-	2	-	-	-	-	1	-
Whitthe W, F - - S. & K.	38,460	30	27	5	8	-	-	5	-	1	-	-	-	-	-	1	10
Wool-road 2H - - L. & S.	27,440	24	4	1	2	-	-	-	-	-	-	-	-	-	-	2	-
St. Andrew's Church 1st H - L. & S.	18,423	13	21	3	5	-	-	-	-	1	-	-	-	-	1	1	18
St. Andrew's Church 2nd 2W - L. & S.	39,818	33	15	1	3	-	-	-	-	-	-	-	-	-	-	-	10
Wotton 1st H - - S. & L.	53,198	21	9	2	5	-	-	-	-	-	-	-	-	-	-	-	2
Wotton 2nd H - - S. & L.	42,896	11	8	2	6	-	-	-	-	-	-	-	-	-	-	1	1
Wotton 1st F - - L. & S.	84,232	54	17	2	10	3	-	-	1	1	-	-	-	-	-	-	2
Wotton 2nd W, H - - L.	35,888	15	7	2	3	-	-	1	-	-	-	-	-	-	-	1	-
Battersea - - - S.	72,203	39	11	4	3	-	-	-	-	-	1	-	-	-	-	-	-
West Battersea - - S.	49,656	18	7	2	4	-	-	1	-	-	-	-	-	-	-	-	-
West Battersea W, H - S.	47,048	16	20	1	8	-	-	-	-	-	-	-	-	-	2	3	12
Wotton 2H - - - S.	51,361	18	10	2	4	-	-	1	-	-	-	-	-	1	-	-	-
Wotton 2W, 2F, 2L - L.	88,131	43	29	1	17	-	-	1	-	2	-	-	-	-	-	-	12
Wotton 2W, L - - S.	27,959	20	5	3	-	-	-	-	-	-	-	-	-	-	-	-	1
Wotton 2H - - - S.	40,444	33	12	5	5	-	-	-	-	-	-	-	-	-	1	2	1
Wotton 2H - - - S.	24,139	9	4	-	1	-	-	-	-	-	-	1	-	-	-	-	-
Wotton 2H - - - L. & S.	13,359	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Wotton 2H - - - S. & L.	40,206	22	25	3	15	-	-	-	-	-	-	-	-	-	-	-	17
Wotton 2H - - - S. & L.	65,584	37	18	3	8	-	-	1	-	-	1	-	-	-	2	2	8
Wotton 2H - - - L. & S.	47,331	25	6	3	1	-	-	-	-	-	-	-	-	-	-	1	-
Wotton 2W, W - - S., L. & K.	92,859	49	20	7	5	-	-	2	-	-	1	-	-	-	-	1	-
Wotton 2H - - - K.	37,613	29	21	6	4	-	-	4	-	-	3	-	-	-	-	1	2
Wotton 2H - - - K.	45,481	27	14	4	-	-	-	2	-	-	3	-	-	-	-	-	-
Wotton 2H - - - K.	34,625	16	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Wotton 2H - - - K.	23,466	13	9	4	1	-	-	1	-	-	-	-	-	-	-	-	-
Wotton 2W, H - - K.	43,859	14	21	-	6	-	-	-	-	-	1	-	-	-	1	3	16
Wotton 2H - - - K.	7,226	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Wotton 2H - - - K.	25,490	10	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Wotton 2H, F - - K.	58,352	37	20	5	5	-	-	-	1	1	2	-	1	-	-	1	5
Wotton 2H - - - L.	43,653	18	10	-	6	-	-	-	-	-	-	-	-	-	-	-	-
Wotton 2H - - - K.	21,134	7	3	-	1	-	-	-	1	1	-	-	-	-	-	-	2
Wotton 2H - - - K.	41,625	18	8	3	2	-	-	-	-	-	-	-	-	-	-	1	-
Wotton 2H - - - K.	18,063	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Wotton 2W, H - - K.	50,264	32	16	4	4	-	-	-	-	-	-	-	-	-	1	2	4
County Asy., Banstead -	-	-	6	-	4	-	-	-	-	-	-	-	-	-	-	-	6
County Asylum - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
County Asy., Epsom -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Co. Asy. Epileptic Colony -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Asy. for Imbeciles, Caterham -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
County Asy., Cane Hill -	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4
Hospitals, Dartford -	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	1
Asy. for Imbeciles, Darenth -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
County Asylum, Dartford -	-	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6
County Asylum, Hanwell -	-	-	6	-	2	-	-	-	-	-	-	-	-	-	1	-	6
London Sick Asy., Hendon -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
County Asy., Colney Hatch -	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
North-Eastern Hospital -	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1
Northern Hospital -	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1
Asy. for Imbeciles, Leavesden -	-	-	3	-	3	-	-	-	-	-	-	-	-	1	-	-	3
County Asylum, Claybury -	-	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-	3

1st March, 1904, the sub-districts of Trinity Newington, St. Peter Walworth, and St. Mary Newington. were abolished, and divided into two new sub-districts entitled Newington North and Newington South respectively.
1st April, 1904, the four sub-districts of Camberwell registration district were abolished, and divided into five sub-districts as above.

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSE HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 23rd April, 1904.

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths of												Deaths in Public
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.		
LONDON—OUTER RING	368,580	2,044,861	1253	482	141	134	-	27	2	7	12	2	3	24	41	67	
1 Carshalton <i>w, 2F, 2H</i>	12,228	32,997	15	8	1	4	-	-	-	-	-	-	-	-	1	-	
2 Epsom, <i>part of</i> * <i>W, w, 2F, H</i>	10,423	15,548	8	6	1	2	-	-	-	-	-	-	-	-	-	-	
1 Godstone, <i>part of</i> * <i>W, F</i>	2,754	2,692	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
1 Coulsdon	11,069	8,166	5	2	1	1	-	-	-	-	-	-	-	-	1	-	
2 South Croydon	4,200	49,309	19	7	1	3	-	-	-	-	-	-	-	-	1	3	
3 West Croydon <i>3W, F, H</i>	2,168	42,888	20	13	1	6	-	-	-	-	-	-	-	-	1	3	
4 North Croydon <i>H</i>	2,644	41,698	18	8	2	2	-	1	-	-	-	-	-	-	-	-	
5 Penge <i>w</i>	770	22,465	10	5	2	2	-	-	-	-	-	-	-	-	1	1	
6 Mitcham <i>w</i>	11,689	29,903	17	11	3	2	-	1	-	-	-	-	-	-	-	-	
1 Wimbledon <i>F, 3H</i>	3,221	41,652	22	10	5	1	-	-	-	-	-	-	-	-	1	-	
2 Kingston <i>W, H</i>	6,224	42,068	26	19	5	9	-	-	-	-	-	-	-	-	-	8	
3 Surbiton <i>F, H</i>	3,046	15,017	9	3	1	2	-	-	-	-	-	-	-	-	-	1	
4 Esher, <i>part of</i> * <i>H</i>	5,402	13,100	8	3	1	2	-	-	-	-	-	-	-	-	1	-	
5 Hampton <i>H, L</i>	4,564	23,456	16	8	2	5	-	-	-	-	-	-	-	-	-	-	
1 Richmond <i>W, H</i>	2,162	28,865	10	6	-	2	-	-	-	-	-	-	-	-	1	2	
2 Mortlake <i>F</i>	2,847	20,628	7	3	3	-	-	-	-	-	-	-	-	-	-	-	
1 Bromley <i>F, 2H</i>	4,703	27,354	9	4	2	2	-	-	-	-	-	-	-	-	-	-	
2 Beckenham <i>H</i>	7,825	28,497	10	10	5	1	-	-	-	-	2	-	-	3	3	2	
3 Orpington, <i>part of</i> * <i>W</i>	10,113	9,857	2	3	-	2	-	-	-	-	-	-	-	-	-	-	
4 Chislehurst <i>2H</i>	7,333	16,446	7	-	-	-	-	-	-	-	-	-	-	-	-	-	
1 Bexley <i>F, H</i>	8,678	21,151	10	1	-	-	-	-	-	-	-	-	-	1	1	-	
2 Erith <i>F, H</i>	3,854	25,296	22	9	2	3	-	-	-	-	-	-	-	-	-	-	
3 Dartford <i>W, F, part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1 Sunbury <i>w</i>	11,054	18,683	13	4	1	1	-	-	-	1	-	1	-	-	-	-	
2 Staines <i>W, H</i>	13,277	15,178	8	1	-	1	-	-	-	-	-	-	-	-	-	-	
1 Hillingdon <i>W, F, H</i>	6,035	13,661	12	2	-	2	-	-	-	-	-	-	-	-	-	-	
2 Uxbridge	12,757	8,984	5	3	3	-	-	-	-	-	-	-	-	-	-	-	
3 Hayes <i>w, F, H</i>	8,066	16,358	15	1	-	-	-	-	-	-	-	-	-	-	-	-	
1 Isleworth <i>3W, 2F, H</i>	6,859	30,863	18	7	3	-	-	-	-	-	1	-	-	-	-	-	
2 Twickenham <i>F, H</i>	2,421	20,991	20	1	-	1	-	-	-	-	-	-	-	-	-	-	
3 Brentford <i>2F, 2H, L</i>	4,310	48,289	33	10	2	4	-	1	-	-	-	-	-	-	-	-	
4 Chiswick <i>H</i>	1,249	29,809	24	11	5	4	-	3	-	-	-	-	-	1	1	-	
5 Acton <i>w, 3H</i>	6,132	48,914	44	17	10	1	-	2	-	1	-	-	1	-	-	-	
1 Harrow <i>F, H</i>	13,809	25,523	16	6	1	1	-	-	-	-	-	-	-	-	-	-	
2 Edgware <i>F, 2H</i>	6,994	4,521	7	-	-	-	-	-	-	-	-	-	-	-	-	-	
3 Willesden <i>W, F, 2H</i>	4,384	114,811	70	13	7	2	-	-	-	1	-	-	-	-	-	-	
4 Hendon <i>W, F</i>	8,382	22,450	8	8	1	2	-	-	-	-	-	-	-	2	2	-	
1 South Mimms <i>2F, H</i>	17,755	7,308	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
2 Barnet <i>W, 3H</i>	3,324	17,970	7	4	1	2	-	-	-	-	-	-	-	-	-	-	
3 Finchley <i>F, 2H</i>	4,688	33,692	21	4	2	1	-	1	-	-	-	-	-	-	-	-	
1 Hornsey <i>F, H</i>	2,875	72,056	28	12	1	4	-	4	-	-	-	-	-	-	-	-	
2 Wood Green <i>H</i>	1,625	34,233	32	5	3	-	-	-	-	1	-	-	-	-	-	-	
3 West Tottenham <i>F</i>	996	48,853	33	12	2	4	-	-	-	-	-	-	-	-	-	-	
4 East Tottenham <i>F, H</i>	2,017	53,688	31	10	2	2	-	1	-	-	-	-	-	-	-	-	
5 Edmonton <i>W, w, 2F</i>	7,491	61,892	36	22	4	5	-	-	1	1	-	-	-	2	5	2	
6 Enfield <i>2W, F, H</i>	12,601	42,738	30	9	3	3	-	-	-	-	-	-	-	-	1	-	
7 Waltham Abbey	11,017	6,549	30	9	3	3	-	-	-	-	-	-	-	-	-	-	
8 Cheshunt <i>F, H</i>	8,479	12,292	7	2	1	1	-	-	-	-	-	-	-	-	-	-	
1 Hatfield, <i>part of</i> * <i>W</i>	3,305	864	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1 Bushey <i>H</i>	9,333	9,173	5	1	-	-	-	-	-	-	-	-	-	-	-	-	
2 Watford <i>W, 2F part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1 Stratford <i>H</i>	1,072	44,827	29	7	2	2	-	-	1	-	-	-	-	-	1	2	
2 Plaistow <i>F, 2H</i>	1,249	90,921	70	23	9	1	-	6	-	-	2	-	-	-	1	1	
3 Canning Town <i>H</i>	1,556	70,718	47	18	6	4	-	-	-	-	1	-	-	3	3	3	
4 Forest Gate <i>w</i>	806	60,892	26	8	4	2	-	-	-	-	-	-	-	-	1	1	
5 North East Ham <i>w</i>	1,333	58,676	49	16	5	7	-	2	-	-	-	-	-	1	3	3	
6 South East Ham <i>3F</i>	1,993	37,342	38	10	2	2	-	-	-	-	-	-	-	-	-	-	
7 Wanstead <i>F</i>	1,679	9,179	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
8 South Leyton <i>2W</i>	631	50,467	22	7	3	1	-	-	-	-	-	-	-	-	-	-	
9 North Leyton <i>W, w, F</i>	1,963	48,445	29	28	3	10	-	-	-	-	1	1	-	1	2	10	
10 Walthamstow <i>3H, L</i>	6,504	108,929	88	35	13	6	-	3	1	1	3	-	-	2	3	3	
1 Chigwell, <i>part of</i> * <i>2F, 4H</i>	11,778	16,397	7	1	-	-	-	-	-	-	-	-	-	-	-	-	
2 Epping <i>W, F, part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1 Romford, <i>part of</i> * <i>W, 2F</i>	6,556	6,091	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
2 Ilford <i>F, L</i>	8,496	41,234	29	11	4	4	-	-	-	-	1	-	-	-	-	-	
3 Barking Town <i>F</i>	3,803	21,547	27	5	1	1	-	-	-	-	-	-	-	-	-	-	
Middlesex County Asylum, Wandsworth.	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	

*The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4, excepting Epsom parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Epsom parish. Deaths in Workhouses and Infirmarys.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended		BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping- cough.	Fever.
UTTARA PRADESH (including MURRES)	847,796	March	12	-	673	41·2	4	1	-	-	-	317†
RAY - -	770,008	April	5	298	1785	119·6	24	13	-	-	-	1198†
RAS - -	509,346	March	18	338	441	45·0	-	4	?	?	?	119
- - -	2,660,559	April	16	1060	1059	20·6	1	21	1	7*	11	10
SELS - -	575,896	"	16	266	166	15·0	1	-	-	-	4	1
ERP - -	281,376	"	16	144	88	16·3	9	3	-	-	-	-
ERDAM -	547,370	"	9	278	187	17·8	-	28	1	-	-	-
NHAGEN -	420,000	"	16	244	171	21·2	-	-	-	-	11	-
KHOLM -	305,115	"	9	127	105	17·6	-	-	3	-	1	1
STANIA -	225,709	"	16	134	49	11·3	-	-	-	-	-	-
TERSBERG	1,248,643	"	9	501	813	33·9	2	17	14	11*	8	10
OW - -	1,093,410	April	2	-	577	27·5	1	3	4	10*	3	2
IN - -	1,960,909	"	2	875	728	19·4	-	5	6	7*	11	1
BURG - -	751,842	"	16	-	230	15·9	-	-	-	2*	2	-
LAU - -	445,403	"	16	-	180	21·0	-	-	-	2*	-	1
COH - -	520,000	"	16	-	234	23·4	-	6	-	3*	7	1
NA - -	1,779,869	"	16	952	757	21·9	-	45	3	11*	2	-
UE - -	423,990	"	16	-	-	-	-	-	-	-	-	-
-PESTH -	813,399	"	9	443	368	23·5	-	9	7	11*	2	1
TE - -	187,251	"	16	116	95	26·0	-	-	-	-	-	-
- - -	496,201	February	27	294	233	24·5	-	6	-	2*	1	1
CE - -	186,288	April	9	76	69	21·6	-	-	-	1*	-	1
- - -	-	"	16	71	74	23·2	-	-	-	-	-	1
O - -	624,338	January	28	548	542	45·3	-	52	-	9*	-	21
ANDRIA -	349,300	"	28	318	206	30·7	-	-	-	4*	-	1†
YORK - -	3,838,024	April	9	2133	1895	25·8	-	49	30	70*	5	8
ADELPHIA -	1,408,154	March	26	-	585	21·6	8	16	5	12*	1	17
ON - -	617,950	"	26	-	237	19·9	-	2	2	5*	1	-

* Including deaths from croup.

† Including 230 deaths from plague in Calcutta, 1135 in Bombay and one in Alexandria.

‡ Including 45 deaths from cholera in Calcutta, and 14 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 23rd April, 1904.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
ON (Greenwich)	64·0	33·2	48·9	0·24	BRADFORD - -	61·0	38·8	49·4	0·00
HTON - -	66·8	36·1	50·5	0·29	LEEDS - - -	69·0	40·0	51·7	0·16
SMOUTH - -	64·7	41·0	50·9	0·04	HULL - - -	60·0	34·0	47·1	0·00
WICH - - -	63·4	32·8	48·8	0·37	TYNEMOUTH - -	56·0	39·0	48·0	0·20
OUTH - - -	63·9	38·0	50·5	0·10					
TOL - - -	63·9	32·1	49·1	0·15	EDINBURGH - -	62·5	37·0	47·7	0·00
INGHAM - -	61·5	39·3	48·2	0·11	GLASGOW - - -	66·5	34·0	48·6	0·34
INGHAM - -	62·6	36·1	49·0	0·22					
POOL - - -	61·0	42·0	48·5	0·09	Phoenix Park.	56·7	32·1	46·0	0·00
SERVATORY.	60·3	39·6	48·3	0·26	DUBLIN } Fitz- William Square.†	59·8	35·7	48·6	0·00
CHESTER - -	60·0	40·0	48·9	0·36					
TON - - -	58·7	35·2	47·9	0·21	BELFAST - - -	59·1	31·5	47·1	0·45

These figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this issue) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1·26 Fahrenheit subtracted. See Table V. of Glaisher's Diurnal Range Tables.
Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1904.

MONTH AND

MOON.	DAY	Moon. due to 33° Fahr-heit.	High- est.	Low- est.	Mean Daily Range.	Mean daily value.	Mean daily value.	Great- est.	Least.	100, in Sun's Rays.	Lowest on the Grass.	Site of the Surface.	A.M.	P.M.	Great- est.	Least.	of 24 hourly obs.	Miles. of the Air on each Day.	Average of 16 years.	in.		
																					°	°
	APRIL.																					
	SUNDAY	17	63.6	37.5	26.1	50.7	40.7	10.0	0.2	69	29.0	46.87	WSW. & SE.	W. WSW. & SW.	1.0	0.0	0.0	154	Miles. - 138	0.0	in.	
	MONDAY	18	63.1	34.5	28.6	50.2	38.9	11.3	1.1	65	25.8	46.91	WSW. & E. N.E.	WSW. & E. N.E.	3.7	0.0	0.1	197	- 95	0.0	0.0	
	TUESDAY	19	63.9	40.9	23.0	52.1	30.2	12.9	3.0	61	31.9	47.11	N.E. N.N.E. & E.N.E.	E.N.E. & N.N.E.	4.7	0.0	0.3	323	+ 35	0.0	0.0	
	WEDNESDAY	20	64.0	41.1	22.9	52.1	41.4	10.7	2.0	67	36.0	47.20	N.N.E.	N.N.E.	4.1	0.0	0.3	293	0	0.0	0.0	
	THURSDAY	21	51.9	36.1	15.8	41.0	37.0	7.0	3.2	76	29.0	47.34	N. & N.N.E.	N.N.E. & N.N.E.	5.9	0.0	1.0	386	+ 94	0.0	0.0	
	FRIDAY	22	54.7	33.2	21.5	44.7	38.6	6.1	2.7	79	25.5	47.52	WSW. & SW.	WSW. & N.W.	5.1	0.0	0.4	350	+ 60	0.16	1.0	
	SATURDAY	23	56.9	44.4	12.5	49.7	43.9	5.3	2.5	80	41.5	47.41	Variable	Variable & N.	2.5	0.0	0.1	239	- 48	0.08	7.0	
	MEANS	-	59.7	38.2	21.5	49.1	40.0	9.1	2.1	71	31.4	47.19	Variable	Variable	Sum 1947	Sum - 12	Sum 0.24	Sum	
	No. of Column	3	5	6	7	8	9	10	11	14	15	16	17	18	19	20	21	22	23	24	25	26

GENERAL REMARKS.

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 159 feet above the mean of the sea level. The height of the cistern of the barometer is 159 feet above the mean of the sea level. The height of the cistern of the barometer is 159 feet above the mean of the sea level.

Very fine generally; partially cloudy.

Fine and partially cloudy till afternoon :
cloudless with slight exceptions afterwards.

Very fine with small amounts of cloud generally till evening; cloudless at night. Solar halo and brisk wind in forenoon.

Cloudy in morning; very fine with small amounts of cloud generally afterwards. Partial solar halo with brightly coloured contact arch and parhelia observed at 2h. P.M.

Generally overcast till evening; cloudless at night; brisk wind till afternoon.
Generally overcast; frequent rain after 2h. P.M.

Overcast with frequent rain in morning; fine and partially cloudy till evening; overcast at night.

DATE.	ELECTRICITY.	Registered	Sunabove
APRIL.	(For explanation of symbols, see Note.)	Sunshine in hours.	Sunshine in hours.
SUNDAY - 17	m. P. till 11h. A.M.; w. P. till 7h. P.M.; s. P. generally afterwards.	8.3	13.9
MONDAY - 18	s. P. generally till 11h. A.M.; m. P. after- wards.	6.0	14.0
TUESDAY - 19	m. P. generally till 7h. A.M.; s. P. after- wards.	9.5	14.0
WEDNESDAY 20	m. P. generally; s. P. in evening.	10.2	14.1
THURSDAY- 21	m. P. till 6h. A.M.; s. P. afterwards.	1.5	14.2
FRIDAY - 22	m. P. generally till 6h. P.M.; s. N. till 9h. P.M.; s. P. afterwards.	0.0	14.2
SATURDAY- 23	s. P. generally till noon with s. N. be- tween 4h. and 6h.	3.4	14.3

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 16th April, 1904.*

BOROUGHS.	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Chicken-pox.
WEST.											
Paddington- - - -	146,975	1	3	2	-	-	-	-	1	-	16
Kensington - - - -	179,236	-	2	3	-	1	-	-	3	1	23
Hammersmith - - -	117,412	-	2	4	-	1	1	-	3	-	3
Fulham - - - - -	152,482	-	9	2	-	1	-	-	1	-	14
Chelsea - - - - -	74,320	-	2	1	-	-	-	-	1	-	4
City of Westminster-	177,321	1	3	4	-	-	-	-	1	-	9
NORTH.											
St. Marylebone - - -	130,337	3	4	1	-	-	-	-	3	-	11
Hampstead - - - -	86,663	-	-	1	-	1	-	-	-	1	20
St. Pancras - - - -	235,936	-	16	10	-	-	-	-	1	-	27
Islington - - - - -	341,044	1	16	6	-	4	-	-	3	-	72
Stoke Newington - -	52,445	-	-	1	-	-	-	-	1	-	23
Hackney - - - - -	226,266	1	10	12	-	1	-	-	3	-	46
CENTRAL.											
Holborn - - - - -	57,161	-	1	-	-	1	-	-	-	1	3
Finsbury - - - - -	98,958	-	6	3	-	-	-	-	-	-	13
City of London - - -	23,482	1	-	-	-	-	-	-	3	-	4
EAST.											
Shoreditch - - - -	117,033	1	11	1	-	1	-	-	5	-	29
Bethnal Green - - -	130,207	7	13	8	-	-	-	-	-	-	31
Stepney - - - - -	303,791	12	19	11	-	-	-	-	6	-	68
Poplar - - - - -	169,905	3	5	7	-	-	-	-	2	-	22
SOUTH.											
Southwark- - - - -	207,937	-	8	7	-	2	-	-	8	-	22
Bermondsey - - - -	129,397	3	6	2	-	-	-	-	2	-	14
Lambeth - - - - -	310,359	2	9	9	-	1	-	-	3	1	32
Battersea - - - - -	175,465	-	4	8	-	2	-	-	4	-	43
Wandsworth - - - -	257,448	-	7	5	-	1	-	-	1	-	46
Camberwell - - - -	268,384	1	10	5	-	-	-	-	6	1	26
Deptford - - - - -	113,509	-	5	2	-	-	-	-	3	-	23
Greenwich - - - - -	101,651	-	-	4	-	-	-	-	2	-	29
Lewisham - - - - -	140,401	-	6	8	-	1	-	-	2	1	19
Woolwich - - - - -	123,416	-	3	2	-	-	-	-	1	-	9
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.		4,648,950	37	180	129	-	18	1	-	68	704
AGES.											
Ages 0-1 - - - - -	-	-	1	1	-	-	-	-	5	-	65
" 1-5 - - - - -	-	3	62	63	-	1	1	-	2	-	298
" 5- - - - -	-	6	67	32	-	1	-	-	4	-	259
" 10- - - - -	-	1	27	13	-	5	-	-	2	-	58
" 15- - - - -	-	3	10	6	-	8	-	-	2	-	14
" 20- - - - -	-	5	6	7	-	-	-	-	3	1	4
" 25- - - - -	-	7	6	1	-	2	-	-	6	5	4
" 35- - - - -	-	3	-	2	-	1	-	-	9	-	-
" 45- - - - -	-	7	-	2	-	2	-	-	14	-	2
" 55- - - - -	-	2	1	2	-	-	-	-	13	-	-
" 65 and upwards -	-	-	-	-	-	-	-	-	8	-	-
Age not stated - - -	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1904,

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 17. 1904. VOL. LXV.] WEEK ENDED SATURDAY, APRIL 30. [Price 1½d.

General Register Office, Somerset House,
May 2nd, 1904.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 16·3 per 1000 of their aggregate population, which is estimated† at 15,271,287 persons in the middle of this year. In the preceding three weeks the rates had been 18·4, 17·6, and 16·0. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 20·7 in Bradford, 20·8 in Wigan, 20·9 in Warrington and in Manchester, 21·0 in Plymouth, 21·8 in Liverpool, 21·9 in Coventry, 22·0 in Stockton on Tees, 22·7 in Middlesbrough, and 25·9 in Wallasey; from *measles*, 1·6 in Burnley, 1·7 in Rhondda, 1·8 in Rotherham, 2·1 in Brighton, 2·3 in Norwich, 2·6 in Wallasey, and 3·2 in Hornsey; from *scarlet fever*, 1·1 in Wolverhampton and 2·3 in Warrington; from *diphtheria*, 1·7 in Barrow in Furness and 2·4 in Hanley; and from *whooping-cough*, 2·0 in Blackburn, 2·1 in Bolton, 3·0 in Great Yarmouth and in Stockton on Tees, 3·2 in Salford, 3·3 in Birmingham, 4·0 in Walsall, and 7·0 in Warrington. Three deaths from *small-pox* were registered in London, 2 in Halifax, 1 in Manchester, 1 in Newcastle on Tyne, and 1 in Tynemouth, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2733 BIRTHS and 1392 DEATHS were registered. Allowing for increase of population, the births were 13 above, and the deaths 209 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 18·6, 16·7 and 16·0, in the preceding three weeks, fell again last week to 15·6. During the four weeks ended on Saturday last the death-rate averaged 16·7 per 1000, being 1·8 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, and in certain local Small-pox Hospitals, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the recent Census, and on the increase in the last intercensal period.

The 1392 deaths included 3 from small-pox, 66 from measles, 10 from scarlet fever, 14 from diphtheria, 42 from whooping-cough, 3 from enteric fever, and 15 from diarrhoea, but not one death from typhus or from ill-defined pyrexia; thus, 153 deaths were referred to these diseases in the aggregate, being 56 below the corrected average weekly number.

Of 3 fatal cases of *small-pox*, 1 belonged to the Borough of Holborn, 1 to Stepney, and 1 to Poplar. The deaths from *measles*, which had been 86, 75, and 81 in the preceding three weeks, fell again last week to 66, and were 11 below the corrected average; 4 cases belonged to the Borough of St. Pancras, 4 to Hackney, 4 to Shoreditch, 4 to Lambeth, 4 to Deptford, 5 to Poplar, 5 to Bermondsey, 7 to Stepney, and 10 to Southwark. The deaths from *scarlet fever*, which had been 8, 4, and 9 in the preceding three weeks, were 10 last week, the corrected average being 12. The deaths from *diphtheria*, which had been 17, 8, and 15 in the preceding three weeks, were 14 last week, and were 18 below the corrected average. The deaths from *whooping-cough*, which had been 64, 64, and 43 in the preceding three weeks, were 42 last week, and were 21 below the corrected average; 4 cases belonged to Bermondsey, 5 to Camberwell, and 7 to Lambeth. The fatal cases of *enteric fever*, which had been 4, 3, and 3 in the preceding three weeks, were again 3 last week, the corrected average being 6. The deaths from *diarrhoea*, which had been 21, 12, and 12 in the preceding three weeks, were 15 last week, the corrected average being 13. Of the 15 deaths from diarrhoea, 12 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 4 more deaths at this age. The deaths attributed directly to *influenza* numbered 14, having been 20, 17, and 8 in the preceding three weeks. The death of a painter, aged 51 years, was certified as due to *plumbism*.

Different forms of *violence* caused 63 deaths, concerning all of which inquests were held. Of these 63 deaths, 16 were cases of suicide, 1 of murder, and 1 of manslaughter, while the remaining 45 were attributed to accident or negligence. Twelve of these latter were referred to vehicles in the streets, 7 to burns and scalds, 2 to drowning, 2 to the effects of anæsthetics administered for surgical purposes, and 8 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 104 cases of small-pox, 1541 of scarlet fever, 720 of diphtheria, 1 of typhus, and 63 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 12 cases, against 25, 37, and 23; of scarlet fever, 185 cases, against 141, 172, and 210; of diphtheria, 106 cases, against 90, 92, and 100; and of enteric fever, 9 cases, against 11, 7, and 11. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended April 23rd.

GREATER LONDON.

In Greater London 4113 births and 1896 deaths were registered. Allowing for increase of population these numbers are 116 above and 290 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 6 deaths from measles, 1 from scarlet fever, 4 from diphtheria, 5 from whooping-cough, 1 from "fever," and 2 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.90 inches, and that of the Thermometer 49.6, the latter being 1.1 above the week's average in the 50 years 1841-90. The general direction of the wind was variable, the horizontal movement of the air being 14 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 21.9 hours; the measured rainfall amounted to 0.05 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS		DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the Week ending 30th April, 1904.		Deaths from										Deaths in Public Institutions.				TOWNS.
		Week ended				Rate from Diseases in Cols. 11-17.		Registered during the Week ending 30th April, 1904.		Deaths from										Deaths in Public Institutions.				
		9th April, 1904.	16th April, 1904.	23rd April, 1904.	30th April, 1904.	Week ended 30th April, 1904.	11-17.	11-17.	30th April, 1904.	Births.	Deaths.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.			
Colo.	Colo.	Colo.	Colo.	Colo.	Colo.	Colo.	Colo.	Colo.	Colo.	Colo.	Colo.	Colo.	Colo.	Colo.	Colo.	Colo.	Colo.	Colo.	Colo.	Colo.	Colo.			
76 TOWNS	15,271,287	18'4	17'6	16'0	16'3	1'8	8844	4785	1109	1202	8	155	40	49	213	41	183	373	1158	65	76 TOWNS.			
LONDON	4,648,950	18'6	16'7	16'0	15'6	1'7	2733	1392	280	368	3	66	10	14	42	15	63	155	532	8	LONDON.			
CROYDON	144,419	17'7	16'2	10'1	11'6	0'7	75	32	6	12	-	1	-	-	1	-	2	5	13	-	CROYDON.			
WILLESDEN	132,566	7'5	11'8	5'1	8'3	0'4	85	21	10	5	-	-	-	-	-	-	-	2	2	-	WILLESDEN.			
HORNSEY	81,221	7'1	10'9	7'7	10'9	3'9	31	17	2	2	-	5	-	-	1	-	-	1	1	-	HORNSEY.			
TOTTENHAM	112,981	14'8	12'9	9'7	15'7	1'4	79	34	10	12	-	1	-	1	1	2	5	9	17	-	TOTTENHAM.			
WEST HAM	288,424	16'5	14'6	13'9	15'2	1'8	200	84	21	14	-	4	1	-	2	1	1	3	5	-	WEST HAM.			
EAST HAM	116,902	7'6	16'1	12'9	10'3	0'9	78	23	5	5	-	2	-	-	-	-	-	1	1	-	EAST HAM.			
LEYTON	110,844	10'3	12'2	8'5	9'9	1'4	67	21	4	8	-	1	1	-	1	-	-	1	1	1	LEYTON.			
WALTHAMSTOW	111,282	7'0	10'3	15'5	9'8	2'3	67	21	4	3	-	1	2	2	-	-	-	1	2	-	WALTHAMSTOW.			
HASTINGS	66,503	19'6	11'0	7'1	9'4	-	17	12	2	5	-	-	-	-	-	-	1	1	2	-	HASTINGS.			
BRIGHTON	126,286	18'2	21'9	16'5	19'0	3'3	55	46	9	15	-	5	-	2	-	1	1	3	8	-	BRIGHTON.			
PORTSMOUTH	108,038	19'5	16'1	14'2	18'2	0'8	108	69	10	17	-	-	-	2	-	1	3	6	14	1	PORTSMOUTH.			
BOURNEMOUTH	64,645	13'7	13'7	16'1	20'2	0'8	23	25	5	13	-	-	-	1	-	2	2	3	1	-	BOURNEMOUTH.			
SOUTHAMPTON	112,500	13'4	9'7	13'9	13'4	0'5	51	29	5	13	-	-	-	1	-	3	4	6	-	-	SOUTHAMPTON.			
READING	76,373	12'3	8'2	11'6	7'5	-	41	11	3	2	-	-	-	-	-	-	1	1	1	-	READING.			
NORTHAMPTON	91,146	10'3	18'9	16'0	13'2	-	45	23	7	5	-	-	-	-	-	-	1	1	1	-	NORTHAMPTON.			
IPSWICH	69,805	16'4	20'2	11'2	9'7	0'7	43	13	6	2	-	-	-	1	3	1	1	1	4	-	IPSWICH.			
GREAT YARMOUTH	52,089	17'0	24'0	17'0	14'0	5'0	25	14	3	5	-	1	1	1	2	-	-	1	-	-	GREAT YARMOUTH.			
NORWICH	115,538	29'3	23'9	16'7	15'8	3'2	67	35	11	15	-	5	-	2	2	-	-	1	3	-	NORWICH.			
PLYMOUTH	114,003	19'7	18'8	16'5	21'0	2'3	67	46	10	15	-	-	2	1	1	-	-	2	8	-	PLYMOUTH.			
DEVONPORT	75,354	13'8	13'2	9'7	15'2	1'4	49	22	7	5	-	-	-	1	-	1	2	2	2	-	DEVONPORT.			
BRISTOL	343,204	19'1	16'1	15'2	16'0	0'8	180	105	20	34	-	-	-	2	1	2	2	6	23	-	BRISTOL.			
HANLEY	63,932	27'7	10'6	19'6	18'8	2'4	37	23	6	7	-	-	-	3	-	-	1	2	8	-	HANLEY.			
BURTON-ON-TRENT	61,994	14'1	16'1	16'1	14'1	1'0	19	14	3	3	-	-	1	-	-	-	-	-	3	-	BURTON-ON-TRENT.			
WOLVERHAMPTON	88,194	23'4	18'6	11'7	20'2	1'6	53	33	11	7	-	-	2	-	-	-	3	4	13	-	WOLVERHAMPTON.			
WALSALL	91,432	20'5	17'7	12'0	18'8	5'1	60	30	7	7	-	-	1	-	7	1	-	2	2	-	WALSALL.			
HANDSWORTH	59,634	15'7	15'7	7'0	8'7	0'9	25	19	5	3	-	-	-	-	1	-	-	1	-	-	HANDSWORTH.			
WEST BROMWICH	67,185	18'6	18'6	14'0	16'3	-	37	21	4	2	-	-	-	-	-	-	-	2	4	-	WEST BROMWICH.			

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS, and DEATH-RATES during the week ended Saturday, 30th April, 1904, and DEATH-RATES during the preceding three weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1904.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the Week ended 30th April, 1904.		The DEATHS registered in the Week include										TOWNS.		
		Week ended				Week ended 30th April, 1904.		BIRTHS.	DEATHS.	Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from						Inquest Cases.	Deaths in Public Institutions.		Uncertified Causes of Death.	
		9th April, 1904.	16th April, 1904.	23rd April, 1904.	30th April, 1904.	Rate from Diseases in Cols. 11-17.						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.					Diarrhoea.
		2.	3.	4.	5.	6.	7.	8.	9.													
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM -	537,965	24.8	22.1	22.4	19.4	4.3	330	200	63	31	-	4	1	-	34	2	3	5	8	33	2	BIRMINGHAM.
KINGS NORTON -	66,667	16.4	11.7	10.2	11.0	3.1	27	14	4	6	-	1	1	-	2	-	-	1	1	2	-	KINGS NORTON.
SMETHWICK -	60,691	11.2	22.3	13.7	16.3	-	40	19	7	5	-	-	-	-	-	-	-	1	1	4	1	SMETHWICK.
ASTON MANOR -	80,363	20.8	24.7	13.6	20.1	2.6	45	31	8	9	-	-	-	1	3	-	-	-	-	-	1	ASTON MANOR.
COVENTRY -	73,904	20.5	18.3	13.4	21.9	2.1	42	31	6	8	-	-	-	1	2	-	-	1	2	-	-	COVENTRY.
LEICESTER -	224,186	13.7	17.7	12.6	12.1	0.5	132	52	15	16	-	-	-	-	1	-	1	-	2	9	2	LEICESTER.
GRIMSBY -	66,958	16.4	12.5	10.9	11.7	-	37	15	5	2	-	-	-	-	-	-	3	6	3	-	-	GRIMSBY.
NOTTINGHAM -	248,811	17.8	19.7	13.0	15.7	0.8	108	75	18	21	-	-	-	2	1	1	-	1	5	18	1	NOTTINGHAM.
DERBY -	120,449	17.7	13.9	10.0	12.1	0.4	80	28	8	12	-	-	-	-	-	-	1	2	3	6	1	DERBY.
STOCKPORT -	97,008	18.8	12.9	12.9	16.7	0.5	61	31	6	6	-	-	-	1	-	-	-	1	2	6	-	STOCKPORT.
BIRKENHEAD -	114,814	18.6	20.0	20.9	15.9	1.8	73	35	4	12	-	-	-	1	3	1	-	2	3	12	-	BIRKENHEAD.
WALLASEY -	60,354	19.9	17.3	19.0	25.9	6.0	33	30	9	6	-	3	1	1	2	-	-	1	1	3	-	WALLASEY.
LIVERPOOL -	723,430	19.2	20.0	19.8	21.8	1.3	495	303	65	79	-	1	1	1	11	2	2	14	28	97	10	LIVERPOOL.
BOOTLE -	61,755	26.2	18.6	16.9	15.2	0.8	34	18	2	4	-	-	1	-	-	-	-	-	-	8	-	BOOTLE.
ST. HELENS -	83,545	20.0	20.6	22.4	17.7	2.4	54	30	6	5	-	2	-	-	1	-	1	-	-	3	2	ST. HELENS.
WIGAN -	62,800	15.8	23.2	17.4	20.8	0.8	60	25	6	7	-	-	-	-	1	-	-	1	2	5	-	WIGAN.
WARRINGTON -	67,331	17.8	16.3	25.6	20.9	9.3	47	27	7	4	-	-	3	-	9	-	-	2	2	8	1	WARRINGTON.
BOLTON -	175,744	21.4	13.1	13.1	17.8	3.0	84	60	17	19	-	1	1	-	7	1	-	1	3	7	-	BOLTON.
BURY -	58,450	20.5	15.2	15.2	16.1	3.7	32	18	3	3	-	-	1	-	2	-	-	1	1	1	1	BURY.
MANCHESTER† -	557,938	21.5	21.5	22.0	20.9	3.5	335	224	62	36	1	15	3	-	12	2	4	5	10	48	9	MANCHESTER.†
SALFORD -	228,983	20.7	21.4	19.4	18.2	4.6	141	80	23	18	-	4	-	2	14	-	-	1	2	15	-	SALFORD.
OLDHAM -	139,497	16.1	15.7	20.6	13.5	0.4	63	36	5	8	-	1	-	-	-	-	-	1	2	3	1	OLDHAM.
ROCHDALE -	85,601	19.5	21.3	13.4	18.3	1.8	40	30	10	7	-	1	-	1	1	-	-	-	2	6	2	ROCHDALE.
BURNLEY -	100,569	21.3	19.7	21.8	15.6	2.1	35	30	13	3	-	3	-	-	-	1	-	2	-	4	2	BURNLEY.
BLACKBURN -	132,134	18.2	17.4	18.2	19.3	2.8	65	49	12	10	-	1	-	-	5	-	1	1	1	4	1	BLACKBURN.
PRESTON -	115,055	15.9	15.4	15.4	14.0	-	54	31	3	9	-	-	-	-	-	-	-	3	5	6	1	PRESTON.

The DEATHS registered in the Week include

TOWNS.	POPULATION estimated to the middle of the Year 1904.*	DEATH-RATES from all Causes.				Registered during the Week ended 30th April, 1904.		Deaths from										Deaths in Public Institutions.		TOWNS.		
		Week ended				Rate from Diseases 11-17.		Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from							Inquest Cases.	Uncertified Causes of Death.				
		Week ended				Small-pox.	Measles.			Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.							
		9th April, 1904.	16th April, 1904.	23rd April, 1904.	30th April, 1904.											7.			8.		9.	10.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDESFIELD	-	94,925	15.4	13.2	15.4	20.3	1.6	58	37	9	10	-	2	-	-	1	-	1	1	-	2	HUDDESFIELD.
HALIFAX	-	107,580	16.0	25.2	15.5	9.7	1.0	36	20	2	7	2	-	-	-	-	-	2	3	7	2	HALIFAX.
BRADFORD	-	285,088	19.4	21.9	16.3	20.7	1.1	122	113	16	35	-	4	-	2	-	-	3	6	20	1	BRADFORD.
LEEDS	-	450,142	22.8	19.6	16.2	17.0	2.2	238	147	39	36	-	10	2	1	5	1	4	12	18	-	LEEDS.
SHEFFIELD	-	432,940	14.7	15.2	14.6	14.9	1.2	235	124	35	24	-	2	2	4	-	2	3	4	25	3	SHEFFIELD.
ROTHERHAM	-	58,498	16.0	16.0	11.6	10.7	1.8	33	12	5	3	-	2	-	-	-	-	1	-	1	-	ROTHERHAM.
YORK	-	81,268	19.9	11.5	18.0	13.5	-	44	21	3	9	-	-	-	-	-	-	1	2	5	-	YORK.
HULL	-	253,895	16.6	17.7	17.3	17.0	1.2	159	83	18	21	-	3	-	1	-	1	4	5	14	-	HULL.
MIDDLESBROUGH	-	96,684	18.3	18.3	17.3	22.7	1.6	61	42	13	6	-	-	-	2	1	-	2	3	6	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	-	52,192	16.0	22.0	17.0	22.0	4.0	33	22	8	4	-	-	1	3	-	-	-	1	1	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	-	69,251	21.1	17.3	15.1	12.8	0.8	40	17	2	6	-	-	1	-	-	-	1	2	4	-	WEST HARTLEPOOL.
SUNDERLAND	-	151,157	20.4	16.9	20.7	16.9	1.4	117	49	10	16	-	-	1	1	1	1	1	1	4	4	SUNDERLAND.
SOUTH SHIELDS	-	107,334	16.5	17.0	14.1	18.9	0.5	62	39	8	5	-	1	-	-	-	-	3	3	5	-	SOUTH SHIELDS.
GATESHEAD	-	118,067	20.8	21.6	18.5	20.3	1.3	76	46	8	14	-	-	1	1	-	-	-	-	8	2	GATESHEAD.
NEWCASTLE-ON-TYNE	-	225,362	21.1	22.9	17.1	16.4	1.4	131	71	16	20	1	-	-	5	-	-	3	10	18	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH	-	53,060	17.7	9.8	14.7	16.7	2.0	33	17	5	4	1	-	-	-	1	-	2	2	5	2	TYNEMOUTH.
NEWPORT (MON.)	-	71,543	16.0	18.2	7.3	14.6	1.5	45	20	5	6	-	1	-	1	-	-	3	3	6	-	NEWPORT (MON.).
CARDIFF	-	176,313	13.3	18.3	13.9	13.3	1.5	101	45	10	10	-	2	2	1	-	-	1	4	11	-	CARDIFF.
RHONDDA	-	122,310	18.3	18.8	17.5	16.6	2.1	105	39	15	6	-	4	-	1	-	-	-	-	1	-	RHONDDA.
MERTHYR TYDFIL	-	72,745	17.9	18.6	17.9	12.9	0.7	50	18	4	4	-	-	-	1	-	-	3	2	2	-	MERTHYR TYDFIL.
SWANSEA	-	95,931	21.7	21.2	17.4	15.8	2.2	59	29	7	6	-	-	-	3	-	-	1	1	2	-	SWANSEA.
GREATER LONDON -	-	6,907,756	16.7	15.4	14.4	14.3	1.5	4113	1896	404	513	3	87	13	21	5	19	83	196	613	12	GREATER LONDON.
OUTER RING -	-	2,258,806	12.8	12.8	11.1	11.6	1.2	1380	504	124	145	-	21	3	7	2	4	20	41	81	4	OUTER RING.
8 TOWNS IN OUTER RING	-	1,098,639	12.2	13.5	11.0	12.0	1.5	682	253	62	61	-	15	2	3	9	1	10	22	47	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	-	1,160,167	13.4	12.0	11.3	11.3	0.9	698	251	62	84	-	6	1	4	5	2	10	19	34	3	REMAINDER OF OUTER RING.
EDINBURGH	-	331,977	17.9	18.7	17.7	19.3	1.4	159	123	20	36	-	1	-	1	-	1	6	?	?	10	EDINBURGH.
GLASGOW	-	795,357	20.4,	22.1	22.1	19.7	2.3	528	302	73	47	3	10	2	5	2	8	11	?	?	13	GLASGOW.
DUBLIN†	-	378,994	29.7	24.4	23.3	20.8	1.1	207	151	27	40	-	2	1	3	1	1	2	3	51	2	DUBLIN.†
BELFAST†	-	-	-	-	-	-	-	94	141	29	22	-	3	1	13	-	3	2	7	?	?	BELFAST.†

TABLE 2. LONDON.—Births and Deaths Registered in the SEVENTEENTH Week of each of the Eleven Years, 1894-1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894-1903.*	1904
TOTAL Births -	2485	2691	2743	2750	2522	2693	2697	2585	2443	2611	2719.6	2733
Males - -	1274	1380	1374	1379	1260	1402	1361	1320	1273	1312	1383.1	1341
Females - -	1211	1311	1369	1371	1262	1291	1336	1265	1170	1299	1336.5	1392
TOTAL Deaths -	1543	1508	1641	1442	1485	1478	1721	1552	1528	1533	1600.5	1313
Males - -	788	802	831	766	778	733	927	788	809	807	832.7	754
Females - -	755	706	810	676	707	745	794	764	719	726	767.8	638

* The numbers in this column are the average weekly numbers in the seventeenth week of the ten years 1894-1903, raised by 3.723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Feb. 6.	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	13 Weeks
TOTAL Births -	2748	2637	2737	2456	2364	2712	2577	2423	2240	2539	2676	2489	2733	33331
TOTAL Deaths -	1554	1574	1539	1467	1594	1796	1680	1645	1672	1659	1490	1429	1392	20541
Ages at Death {														
Under 1 year -	349	316	345	326	350	297	335	340	375	366	318	231	282	4374
1-5 years -	164	183	206	158	197	230	216	214	214	255	214	202	194	2619
5-20 " -	68	70	72	65	79	83	73	71	79	76	68	78	80	967
20-40 " -	181	191	180	167	172	183	212	190	202	157	192	175	158	2365
40-60 " -	297	307	299	313	306	299	327	346	308	334	294	272	312	3964
60 yrs. & upwds.	495	507	487	438	490	594	517	508	494	470	434	421	368	6223
Deaths from—														
Small-pox - -	-	-	1	1	-	1	1	1	3	3	-	1	3	15
Measles - -	31	37	42	32	43	66	69	67	92	86	75	81	66	787
Scarlet Fever - -	3	4	9	5	5	6	2	4	4	8	4	9	10	73
Diphtheria - -	13	12	17	18	23	17	17	13	17	17	8	15	14	201
Whooping-cough -	45	52	55	41	52	54	51	48	68	64	64	43	42	679
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	4	8	2	5	3	4	2	3	3	4	3	3	3	47
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Diarrhoea, Dysentery	20	13	16	28	20	18	19	19	16	21	12	12	15	229
All above Diseases -	116	126	142	130	146	166	161	155	203	204	166	164	153	2032
Dis. of Resp. System	193	165	195	180	202	235	205	195	212	167	156	127	100	2332
Pneumonia - -	157	159	154	142	169	179	170	183	158	166	139	127	124	2032
Phthisis - -	160	139	146	147	156	162	168	168	168	136	169	153	160	2032
Dis. of Circ. System -	206	236	220	205	197	221	230	223	207	203	168	176	178	2670
Violence - -	59	78	53	51	57	63	69	58	58	65	56	49	63	761
Inquest Cases - -	127	189	150	123	150	190	161	164	153	178	127	134	155	2004
Deaths in Institutions	541	548	572	497	533	603	554	555	585	540	473	491	532	7024
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - -	40.6	42.1	38.8	38.3	33.3	40.5	40.8	43.3	42.0	48.0	49.6	49.1	49.6	42.8
Mean of Highest -	45.7	47.7	43.9	43.0	37.3	48.0	50.1	49.3	50.5	55.8	59.1	59.7	57.1	49.8
Mean of Lowest -	35.6	38.5	33.4	34.8	29.8	34.1	31.5	37.6	35.3	40.9	40.6	38.2	43.3	36.3
Mean Humidity of the Air.	87	81	81	75	82	84	77	80	79	71	71	71	72	78
Rain-fall (in inches) -	1.15	1.27	0.45	0.03	0.52	0.24	0.06	0.11	0.45	0.37	0.32	0.24	0.05	5.26
Registered Sunshine (in hours).	15.0	14.2	10.3	6.7	6.4	26.3	28.2	13.7	29.5	33.5	36.9	38.9	21.9	281.5
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox - -	25	24	29	31	41	54	74	110	126	134	144	123	104	77
Scarlet Fever - -	1657	1644	1620	1587	1578	1601	1624	1585	1570	1505	1523	1543	1541	1533
Diphtheria - -	782	767	768	787	784	780	807	776	787	749	737	719	720	765
Typhus - -	-	-	-	-	-	1	1	1	1	1	1	1	1	1
Enteric Fever - -	161	139	129	125	118	102	94	83	83	80	68	73	63	102

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgwaaton, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E. and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Cluana, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S. Preston; J. Firth, Esq., Huddersfield; H. A. Johnson Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the SEVENTEENTH Week of the Year 1904.
The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

should be used in Medical Certificates only

CAUSES OF DEATH.	Deaths in the 17th week of the year 1903.	1904—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 17th week of the year 1903.	1904—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and upwards.	
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES - - -	1533	1392	280	194	80	158	312	368	Meningitis (not tuberc.)	13	23	14	5	3	-	-	-
									Insanity, Gen. Par. of }	23	18	-	-	-	-	3	-
									Insane - - -	10	14	1	-	2	6	-	-
									Epilepsy - - -	29	23	25	3	-	-	-	-
									Convulsions - - -	1	3	-	-	-	-	-	-
Small-pox* - - -	-	3	-	-	-	2	1	-	Locomotor Ataxy -	3	2	1	-	-	-	-	-
Cowpox - - -	-	-	-	-	-	-	-	-	Paraplegia, Dis. of Cord	3	2	1	-	-	-	-	-
Measles (Morbilli) - -	68	66	23	39	4	-	-	-	Nervous Sys. (other dis.)	33	18	1	-	2	3	-	-
Scarlet Fever - - -	9	10	-	6	4	-	-	-	Valv. Dis., Endocarditis-	37	39	-	-	6	3	-	-
Typhus - - -	-	-	-	-	-	-	-	-	Cerebr. Hæm. Thromb.	47	31	-	-	1	-	-	-
Plague - - -	-	-	-	-	-	-	-	-	Apoplexy, Hemiplegia -	23	17	-	-	-	1	-	-
Influenza - - -	10	14	-	-	1	2	3	8	Aneurysm - - -	6	5	-	-	-	-	-	-
Whooping-cough - -	52	42	14	25	3	-	-	-	Embolism, Thrombosis }	3	2	-	-	-	1	-	-
Diphtheria - - -	15	14	2	10	2	-	-	-	(not cerebral) - - -	79	84	-	1	3	6	-	-
Cerebro Spinal Fever	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.	1	1	-	1	-	-	-	-
Pyrexia,† (Origin un- }	-	-	-	-	-	-	-	-	Croup (not Spasm : nor }	134	88	15	12	1	3	-	-
certain) - - -	-	-	-	-	-	-	-	-	Memb.) - - -	2	3	-	-	-	-	-	-
Enteric Fever - - -	3	3	-	-	2	-	1	-	Bronchitis - - -	2	8	4	2	-	1	-	-
Asiatic Cholera - - -	-	-	-	-	-	-	-	-	Asthma, Emphysema -	16	8	-	-	-	-	-	-
Epidemic Diarrhoea }	4	2	2	-	-	-	-	-	Pleurisy - - -	-	-	-	-	-	-	-	-
(Infective Enteritis) }	-	-	-	-	-	-	-	-	Respiratory Dis. (other)	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery -	23	13	8	2	1	1	1	-	Tonsillitis, Quinsy -	10	10	4	1	1	2	-	-
Tetanus - - -	-	1	-	-	1	-	-	-	Enteritis (not Epid.) -	4	5	3	1	-	-	-	-
Rabies, Hydrophobia -	-	-	-	-	-	-	-	-	Gastro-Enteritis - -	1	2	-	1	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	Peritonitis (not Puerp.) -	11	5	-	-	-	2	-	-
Anthrax (Splenic Fever)-	-	-	-	-	-	-	-	-	Cirrhosis of Liver - -	2	4	-	-	-	-	-	-
Venereal Dis. - - -	7	3	3	-	-	-	-	-	Liver Dis. (other) - -	43	33	4	1	7	9	-	-
Puerperal Septicæmia -	2	1	-	-	-	1	-	-	Digestive Dis., Other -	5	7	-	-	-	2	-	-
Puerperal Pyæmia - - -	1	-	-	-	-	-	-	-	Nephritis, Acute - - -	34	31	-	-	-	5	-	-
Puerperal Fever - - -	-	1	-	-	-	1	-	-	Bright's Dis., Albumin- }	10	16	-	-	1	-	-	-
Infective Endocarditis -	3	1	-	-	1	-	-	-	uria - - -	6	5	-	-	-	2	-	-
Lobar - - -	15	16	-	-	2	5	4	5	Urinary Sys., Other Dis.	2	2	-	-	-	2	-	-
Broncho- - -	54	49	17	23	-	-	4	5	Generative Organs Dis.-	47	47	-	-	-	2	-	-
Epidemic - - -	-	-	-	-	-	-	-	-	Childbirth (Accid. of) -	122	90	62	12	2	2	-	-
Not defined - - -	60	59	5	12	1	5	19	17	Old Age - - -	-	-	-	-	-	-	-	-
Erysipelas - - -	5	2	1	-	-	-	-	1	Other Diseases - - -	-	-	-	-	-	-	-	-
Septicæmia (not Puer- }	1	-	-	-	-	-	-	-	ACCIDENT.								
peral) - - -	1	1	-	-	1	-	-	-	By Railways - - -	1	1	-	-	-	-	-	-
Pyæmia (not Puerperal)	1	1	-	-	-	-	-	-	By Vehicles and Horses -	6	12	-	-	2	1	-	-
Other Infective Conditions	13	11	1	2	1	1	2	4	In Ships, Boats, Docks, }	1	-	-	-	-	-	-	-
Tuberculous Phthisis -	77	83	3	2	8	28	38	10	(exclusive of Drown- }	1	1	-	-	-	-	-	-
" Phthisis" - - -	79	71	-	10	28	27	6	-	In Building Operations -	4	7	-	6	-	-	-	-
Tuberculous Meningitis -	29	16	5	9	2	-	-	-	In Conflagrations - -	5	2	-	-	-	-	-	-
Tuberculous Peritonitis -	5	7	2	4	1	-	-	-	By Burns, Scalds, Ex- }	11	8	8	-	-	-	-	-
Tabes Mesenterica - -	4	4	1	3	-	-	-	-	plosions - - -	2	4	1	-	1	-	-	-
Tuberculous Dis. (other)-	18	18	3	7	1	2	4	1	By Drowning - - -	10	10	-	1	-	-	-	-
Scrofula - - -	-	-	-	-	-	-	-	-	By Suffocation in Bed -	-	-	-	-	-	-	-	-
Alcoholism - - -	12	10	-	-	-	4	4	2	By Poisons or Poisonous }	-	-	-	-	-	-	-	-
Rheumatic Fever - - -	3	9	-	-	3	3	2	1	Vapours - - -	-	-	-	-	-	-	-	-
Gout - - -	1	4	-	-	-	-	1	3	Other Deaths by Acci- }	-	-	-	-	-	-	-	-
Carcinoma - - -	62	52	-	-	-	4	29	19	dent - - -	-	-	-	-	-	-	-	-
Sarcoma - - -	2	6	-	1	-	2	2	1	VIOLENCE OTHER THAN								
Cancer (undefined) - -	33	37	-	-	-	1	23	13	ACCIDENTAL.								
Diabetes Mellitus - -	15	7	-	-	-	3	3	1	Homicide - - -	1	2	1	-	-	-	-	-
Premature Birth - - -	34	46	46	-	-	-	-	-	Suicide - - -	12	16	-	-	-	-	-	-
									Execution - - -	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
 † Formerly described as "Simple Continued Fever."

5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, ARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered each SUB-DISTRICT during the Week ended Saturday, 30th April, 1904.

The DEATHS registered during the Week include																			
ADMINISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of														Inquest Cases.	Deaths in Public Institutions.
				Deaths of	Deaths from														
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.			
LONDON - - -	4,536,429	2733	1392	280	368	3	66	10	14	42	-	3	-	15	63	155	532		
EAST DISTRICTS - - -	805,311	409	235	38	72	-	7	1	3	3	-	-	-	3	13	27	102		
WEST DISTRICTS - - -	1,056,070	600	265	55	75	-	12	3	3	4	-	-	-	3	9	34	86		
CENTRAL DISTRICTS - - -	209,465	136	80	13	17	-	1	-	2	-	-	-	-	2	12	16	34		
SOUTH DISTRICTS - - -	715,739	527	266	61	52	-	18	-	9	9	-	3	-	6	21	37	105		
NORTH DISTRICTS - - -	1,749,844	1061	501	108	139	-	28	4	5	26	-	-	-	8	21	41	160		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	45	-	13	3	-	2	1	-	-	-	-	1	-	-	45		
WEST DISTRICTS.																			
St. Mary Paddington } G. & W.	93,178	57	37	8	11	-	2	-	-	-	-	-	-	-	3	4	17		
St. Mary Paddington H - - G.	33,617	8	12	-	2	-	-	-	-	-	-	-	-	-	1	1	11		
St. Mary West Paddington - - C.	17,181	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Mary Abchurch Lane 2W, w, 2H G, W, & C.	128,037	62	39	3	19	-	-	-	-	-	-	-	-	-	-	2	21		
St. Mary Abchurch Lane 2H - - W. & C.	48,591	8	5	-	2	-	1	-	-	-	-	-	-	-	-	-	1		
St. Mary Hammersmith W, w, H } W. & G.	40,192	30	9	3	2	-	-	-	-	-	-	-	-	1	2	4	5		
St. Mary Hammersmith w, 2H } W. & G.	63,047	28	19	2	6	-	1	-	-	-	-	-	-	-	3	4	13		
St. Mary West Fulham W } W. & C.	45,180	44	20	3	7	-	-	-	2	1	-	-	-	1	1	3	2		
St. Mary East Fulham F } W. & C.	46,405	24	17	3	2	-	1	1	1	1	-	-	-	-	-	1	-		
St. Mary Fulham W } W. & C.	45,704	33	9	2	2	-	2	-	-	-	-	-	-	-	-	-	-		
St. Mary Abchurch Lane North W, w, 3H - - C.	42,514	16	21	1	9	-	-	-	-	-	-	-	-	-	1	1	15		
St. Mary Abchurch Lane South W, 2H - - C.	31,328	14	11	2	4	-	-	-	-	-	-	-	-	1	1	2	1		
St. Mary Fair and Knightsbridge } C. & G.	28,743	5	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-		
St. Mary Ave W, 2H - - - C.	55,815	28	12	-	3	-	-	-	-	-	-	-	-	-	1	1	5		
St. Mary Margaret & St. John 4H - C.	43,698	34	15	5	3	-	-	-	-	-	-	-	-	-	-	2	5		
St. Mary James Westminster } N. & G.	21,588	6	3	-	-	-	-	-	-	1	-	-	-	-	-	-	2		
St. Mary St. John Soho 5H - - - N.	11,493	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2		
NORTH DISTRICTS.																			
St. Mary Marylebone 8H - W.	35,391	13	12	1	3	-	1	-	-	-	-	-	-	1	-	-	3		
St. Mary Marylebone W G. & W.	19,849	8	7	-	7	-	-	-	-	-	-	-	-	-	-	2	2		
St. Mary Marylebone 4H G. & W.	18,099	35	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-		
St. Mary Church Marylebone H- W.	39,536	17	5	1	1	-	1	-	-	1	-	-	-	-	1	1	1		
St. Mary Ann Marylebone 3H - W.	20,426	7	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-		
St. Mary West End W, F, 9H - N. & W.	81,942	27	25	2	6	-	-	1	2	-	-	-	-	-	-	3	12		
St. Mary St. Pancras 2H - - W.	60,592	43	17	5	3	-	1	-	-	-	-	-	-	-	2	3	2		
St. Mary St. Pancras w, 6H N. & W.	21,258	11	12	1	2	-	-	-	-	-	-	-	-	-	2	2	9		
St. Mary St. Pancras Inn Lane 4H - N.	34,449	18	17	2	4	-	1	-	1	-	-	-	-	-	1	2	8		
St. Mary St. Pancras W, 2H - - N.	60,320	37	12	6	4	-	-	-	-	-	-	-	-	-	-	2	8		
St. Mary St. Pancras 2W - - N.	58,728	35	16	6	5	-	2	-	-	-	-	-	-	-	-	-	-		
St. Mary St. Pancras W - - N.	31,995	12	12	3	2	-	-	-	-	-	-	-	-	-	-	1	5		
St. Mary St. Pancras Holloway 2W, w, 2H - N.	33,978	14	18	3	3	-	-	-	-	-	-	-	-	-	1	1	9		
St. Mary St. Pancras Holloway W - - N.	33,922	14	4	3	1	-	-	-	-	-	-	-	-	-	-	1	-		
St. Mary St. Pancras Holloway - - N.	41,424	23	12	4	5	-	-	-	-	1	-	-	-	-	-	1	-		
St. Mary St. Pancrasbury - - N.	54,478	35	14	5	1	-	1	-	-	1	-	-	-	1	-	2	-		
St. Mary St. Pancrasbury South-east F - - N.	75,397	48	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
St. Mary St. Pancrasbury 2H - - N.	63,797	34	14	6	4	-	-	-	-	-	-	-	-	-	1	3	-		
St. Mary St. Pancrasbury Holloway H - - N.	51,247	22	8	4	1	-	-	-	-	-	-	-	-	-	-	1	-		
St. Mary St. Pancrasbury Hackney - - E. & N.	50,560	20	5	-	3	-	1	-	-	-	-	-	-	-	-	1	-		
St. Mary St. Pancrasbury Hackney 2w, F - E. & N.	50,536	36	9	2	2	-	-	1	2	-	-	-	-	-	-	2	3		
St. Mary St. Pancrasbury Hackney 3H E. & N.	59,921	49	15	2	4	-	1	-	-	-	-	-	-	-	-	1	3		
St. Mary St. Pancrasbury Hackney 2W, w, H E. & N.	58,255	39	20	3	9	-	1	-	-	1	-	-	-	-	1	2	12		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein:—W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District; that in which it stands; F—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the name. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies the Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. Newington; E. East London; and K. the Kent Company.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

EASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 30th April, 1904—continued.

REGISTRATION SUB-DISTRICTS,	Enu- me- rated Popu- lation, 1901.	Total Births.	The DEATHS registered during the Week include															Inquest Cases.	Deaths in Public Institutions.	
			Total Deaths.	Deaths of		Deaths from														
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhoea.	Violence.					
CENTRAL DISTRICTS.																				
Giles and Bloomsbury W,2H N.	31,436	14	4	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
and W,4H - - - N. & C. and Union Workhouse, Edmonton -	21,674	7	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	8		
born W,6H - - - - N.	29,612	11	16	4	3	-	-	-	-	-	-	-	-	-	-	1	2	12		
th Clerkenwell - - - N.	28,676	23	6	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-		
th Clerkenwell H - - - N.	35,023	39	14	6	5	-	-	-	-	-	-	-	-	-	-	1	4	-		
sbury 3H,L - - - - N.	36,116	38	11	4	3	-	-	-	-	-	-	-	-	-	-	1	2	1		
born Union Workhouse, } Micham - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Botolph H - - - - N. & E.	10,299	3	4	1	2	-	-	-	-	-	-	-	-	-	-	1	2	-		
Sepulchre and Allhallows } H - - - - - }	16,924	1	16	-	1	-	-	-	2	-	-	-	-	-	-	4	5	12		
of London Asylum, Stone - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
EAST DISTRICTS.																				
reditch South H,L - E. & N.	16,369	9	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	2		
ston New Town w,H - - N.	29,761	22	16	1	8	-	1	-	-	-	-	-	-	-	-	-	2	11		
ston Old Town - - - N.	26,504	16	6	1	4	-	-	-	-	-	-	-	-	-	-	1	1	13		
ggerston W - - - N. & E.	46,003	27	21	4	5	-	3	-	-	1	-	-	-	-	-	-	-	-		
reditch Union Workhouse, Wood } reen - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
hnal Green North 2H - - E.	51,514	42	15	5	-	-	2	-	-	-	-	-	-	-	1	-	1	3		
hnal Green South - - - E.	33,472	20	4	2	-	-	-	-	-	2	-	-	-	-	-	-	-	8		
hnal Green East 2W,H,L - E.	44,694	39	15	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-		
talfields - - - - E. & N.	27,969	21	4	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-		
e End New Town W,H - - E.	28,718	27	35	8	2	-	-	-	-	-	-	-	-	-	-	2	5	27		
odman's Fields - - - E.	22,081	13	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-		
George and St. John 2W E.	40,068	40	13	3	4	-	1	-	-	1	-	-	-	-	-	1	2	3		
adwell and Ratcliff W,H E. & N.	25,568	15	17	3	-	-	3	-	-	1	-	-	-	-	-	2	3	7		
ehouse - - - - - E.	32,369	33	8	3	1	-	1	-	-	-	-	-	-	-	-	-	1	-		
le End Old Town West H - E.	59,479	64	17	4	4	-	1	-	-	1	-	-	-	-	-	-	2	-		
le End Old Town East } W,w - - - - - }	53,348	34	22	6	5	-	1	-	-	-	-	-	-	-	-	2	3	11		
w L - - - - - E.	41,989	33	12	6	1	-	-	-	-	-	-	-	-	-	1	2	3	-		
omley 3w,H - - - - E.	68,319	44	35	4	7	-	1	-	-	2	-	-	-	-	-	2	8	17		
plar W,w - - - - E.	58,514	38	17	5	3	-	3	-	-	1	-	-	-	-	-	-	2	-		

On 1st March, 1904, the sub-districts of Trinity Newington, St. Peter Walworth, and St. Mary Newington, were abolished, and divided into two new sub-districts entitled Newington North and Newington South respectively.

On 1st April, 1904, the four sub-districts of Camberwell registration district were abolished, and divided into two sub-districts as above.

On 1st April, 1904, by Local Government Board Order P. 1814, confirmed by Local Government Board's Provisional Confirmation (No. 16) Act, 1903, a part of the civil parish of Tooting Graveney was transferred to the civil parish of Mitcham, and a part of the civil parish of Mitcham was transferred to the civil parish of Tooting Graveney (Wandsworth Borough). The births and deaths registered in these areas and the populations are treated as if the pending registration changes had been carried into effect.

The DEATHS registered in the Week included																		
Regis- tration District and Sub- district Num- bers.	REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths of		Deaths from										
						1 Infants under Year of Age.	60 Persons aged Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.		
	LONDON—OUTER RING	368,580	2,044,973	1380	504	124	145	-	21	3	7	14	2	4	20	41		
30: 1	Carshalton <i>w2F2H</i>	12,223	32,997	19	9	1	2	-	-	-	2	-	-	-	-	1		
2	Epsom, <i>part of</i> * <i>W,w2F,H-</i>	10,423	15,548	9	2	-	-	-	-	-	-	-	-	-	-	-		
37: 1	Godstone, <i>part of</i> * <i>W,F</i>	2,754	2,692	2	1	-	1	-	-	-	-	-	-	-	-	-		
38: 1	Coulsdon	11,069	8,166	4	2	1	1	-	-	-	-	-	-	-	-	-		
2	South Croydon	4,200	49,309	20	2	-	1	-	-	-	-	-	-	-	-	1		
3	West Croydon <i>3W,F,H</i>	2,168	42,888	31	22	3	12	-	-	-	1	-	-	-	2	3		
4	North Croydon <i>H</i>	2,644	41,668	24	7	3	1	-	1	-	-	-	-	-	-	1		
5	Penge <i>w</i>	770	22,465	12	4	1	3	-	-	-	-	-	-	-	-	-		
6	Mitcham <i>w</i>	11,689	30,015	24	3	-	-	-	-	-	-	-	-	-	-	-		
39: 1	Wimbledon <i>F3H</i>	3,221	41,652	23	12	4	3	-	2	-	-	-	-	-	1	1		
2	Kingston <i>W,H</i>	6,224	42,168	26	12	4	4	-	-	-	-	-	-	-	1	1		
3	Surbiton <i>F,H</i>	3,046	15,017	10	2	-	1	-	-	-	-	-	-	-	1	1		
4	Esher, <i>part of</i> * <i>H</i>	5,402	13,100	15	5	1	1	-	-	-	-	-	-	-	-	2		
5	Hampton <i>H,L</i>	4,564	23,456	13	4	1	2	-	-	-	-	-	-	-	-	-		
40: 1	Richmond <i>W,H</i>	2,162	28,865	13	11	2	4	-	-	-	-	-	-	-	2	3		
2	Mortlake <i>F</i>	2,847	20,628	12	5	2	2	-	-	-	-	-	-	-	-	-		
41: 1	Bromley <i>F2H</i>	4,703	27,354	16	6	3	1	-	-	-	-	-	-	-	-	-		
2	Beckenham <i>H</i>	7,825	28,497	16	4	1	2	-	-	-	-	-	-	-	-	-		
3	Orpington, <i>part of</i> * <i>W</i>	10,113	9,857	4	3	-	1	-	-	-	-	-	-	-	1	1		
4	Chislehurst <i>2H</i>	7,333	16,446	9	3	-	1	-	-	-	-	-	-	-	-	1		
42: 1	Bexley <i>F,H</i>	8,678	21,151	12	4	1	1	-	-	-	-	-	-	-	-	-		
2	Erith <i>F,H</i>	3,854	25,296	15	7	1	1	-	-	-	-	-	-	-	2	3		
3	Dartford <i>W,F, part of</i> *	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-		
124: 1	Sunbury <i>w</i>	11,054	18,683	11	7	3	2	-	1	-	1	-	-	-	-	-		
2	Staines <i>W,H</i>	13,277	15,178	11	7	2	3	-	-	-	-	-	-	-	-	-		
125: 1	Hillingdon <i>W,F,H</i>	6,035	13,661	13	2	-	1	-	-	-	-	-	-	-	1	1		
2	Uxbridge	12,767	8,984	5	2	-	2	-	-	-	-	-	-	-	-	-		
3	Hayes <i>w,F,H</i>	8,066	16,358	15	4	2	1	-	-	-	-	-	-	1	-	-		
126: 1	Isleworth <i>3W2F,H</i>	6,859	30,863	19	17	2	7	-	-	-	-	-	-	-	-	-		
2	Twickenham <i>F,H</i>	2,421	20,991	14	7	3	1	-	-	-	-	-	-	-	-	-		
3	Brentford <i>2F2H,L</i>	4,319	48,289	27	10	1	3	-	-	-	-	-	-	-	-	-		
4	Chiswick <i>H-</i>	1,249	29,809	11	7	2	1	-	2	-	-	-	-	-	-	-		
5	Acton <i>w3H</i>	6,132	48,914	30	12	2	6	-	-	-	-	-	-	-	-	1		
127: 1	Harrow <i>F,H</i>	13,809	25,523	10	2	1	-	-	-	-	-	-	-	-	-	-		
2	Edgware <i>F2H</i>	6,994	4,521	2	1	-	-	-	-	-	-	-	-	-	-	-		
3	Willesden <i>W,F2H</i>	4,334	114,811	85	21	10	5	-	-	-	-	-	-	-	-	-		
4	Hendon <i>W,F</i>	8,382	22,450	12	7	1	2	-	-	-	-	-	-	-	-	1		
128: 1	South Mimms <i>2F,H</i>	17,755	7,308	4	3	-	-	-	-	1	-	-	-	-	-	-		
2	Barnet <i>W3H</i>	3,324	17,970	18	3	1	-	-	-	-	-	-	-	-	-	-		
3	Finchley <i>F2H</i>	4,688	33,692	31	8	2	6	-	-	-	-	-	-	-	-	1		
129: 1	Hornsey <i>F,H</i>	2,875	72,056	31	16	2	2	-	5	-	-	-	-	-	-	-		
2	Wood Green <i>H</i>	1,625	34,233	35	8	4	3	-	-	-	-	-	-	-	-	-		
3	West Tottenham <i>F</i>	996	48,853	37	18	7	6	-	-	-	-	-	-	-	-	2		
4	East Tottenham <i>F,H-</i>	2,017	53,688	42	17	3	5	-	1	-	-	-	-	-	-	1		
5	Edmonton <i>W,w2F</i>	7,491	61,892	50	13	2	4	-	1	-	-	-	-	-	-	1		
6	Enfield <i>2W,F,H</i>	12,601	42,738	22	5	2	2	-	-	-	-	-	-	-	-	-		
7	Waltham Abbey	11,017	6,549	7	2	-	-	-	-	-	-	-	-	-	-	-		
8	Cheshunt <i>F,H</i>	8,479	12,292	9	2	1	-	-	-	-	-	-	-	-	-	-		
135: 1	Hatfield, <i>part of</i> * <i>W</i>	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-		
137: 1	Bushey <i>H</i>	9,333	9,173	5	2	-	1	-	-	-	-	-	-	-	-	-		
2	Watford <i>W2F part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
138: 1	Stratford <i>H</i>	1,072	44,827	31	15	5	3	-	-	-	-	-	-	-	1	2		
2	Plaistow <i>F2H</i>	1,249	90,921	90	32	11	-	-	2	1	-	-	-	-	1	2		
3	Canning Town <i>H</i>	1,555	70,718	51	13	5	2	-	-	-	-	-	-	-	-	4		
4	Forest Gate <i>w</i>	806	60,892	25	12	-	4	-	-	-	-	-	-	-	-	-		
5	North East Ham <i>w</i>	1,333	58,676	50	8	1	2	-	1	-	-	-	-	-	-	-		
6	South East Ham <i>3F</i>	1,993	37,342	28	11	4	1	-	1	-	-	-	-	-	1	2		
7	Wanstead <i>F</i>	1,679	9,179	5	2	-	1	-	-	-	-	-	-	-	-	-		
8	South Leyton <i>2W</i>	631	50,467	36	14	2	7	-	1	-	-	-	-	-	-	-		
9	North Leyton <i>W,w,F</i>	1,963	48,445	31	22	2	7	-	-	1	-	-	1	1	-	-		
10	Walthamstow <i>3H,L</i>	6,504	108,929	78	24	5	5	-	1	-	2	-	-	-	-	1		
137: 1	Chigwell, <i>part of</i> * <i>2FAH</i>	11,778	16,397	7	1	1	-	-	-	-	-	-	-	-	-	-		
2	Epping <i>W,F, part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
139: 1	Romford, <i>part of</i> * <i>W2F</i>	6,556	6,091	3	1	1	-	-	-	-	-	1	-	-	-	-		
2	Ilford <i>F,L</i>	8,496	41,234	33	6	1	1	-	-	-	-	-	-	-	-	-		
3	Barking Town <i>F</i>	3,803	21,547	24	9	4	1	-	-	-	-	-	-	-	-	-		
	London County Asylum, Colney Hatch.	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-		
	N. E. Hospital, Tottenham	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-		

*The parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4, excepting parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 137: 1, ex-
Theydon Bois parish, and part of Epping parish; 139: 1, Dagenham parish. Deaths in Workhouses and in
Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 137: 2 are also included.
+ See note on page 274

7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended		BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping- cough.	Fever.	Diarrhoeal Diseases.
A ing ES)	847,796	March	19	-	679	41·6	4	3	-	-	-	368†	102‡
-	776,006	April	12	299	1346	90·2	12	6	-	-	1	887‡	45
-	509,346	March	25	324	479	48·9	-	3	?	?	?	119	107‡
-	2,660,559	April	23	995	1000	19·5	1	19	2	3*	5	5	34
S -	575,896	"	23	205	146	13·2	-	-	-	1*	2	1	7
P -	281,376	"	23	137	75	13·9	6	2	-	-	3	-	8
AM -	547,370	"	16	317	177	16·8	-	31	-	-	3	1	5
AGEN -	420,000	"	23	222	163	20·2	-	3	-	2*	12	-	4
OLM -	305,115	"	16	110	81	13·9	-	-	-	-	-	-	3
ANIA -	225,709	"	23	115	64	14·8	-	-	-	2*	-	-	-
RSBURG	1,248,643	"	16	862	848	35·4	1	18	10	13*	7	7	81
-	1,093,410	{	9	-	522	24·9	2	5	2	6*	2	2	54
-		"	16	-	639	30·5	6	9	7	10*	3	5	59
-	1,960,909	"	9	851	622	16·6	-	9	7	5*	6	-	30
G -	751,842	"	23	-	226	15·6	-	-	2	3*	2	-	4
-	445,403	"	23	-	191	22·4	-	-	-	1*	?	-	10
-	520,000	"	23	-	243	24·3	-	7	-	-	3	-	27
-	1,779,669	"	23	1055	720	21·1	-	53	-	3*	5	-	34
-	423,990	"	16	208	207	25·2	-	4	1	-	5	5	11
ESTH -	813,399	{	16	544	343	21·9	-	11	7	5*	1	-	12
-		"	23	461	325	20·7	-	11	5	5*	3	-	14
-	187,251	"	23	98	79	21·6	-	-	-	-	-	1	1
-	496,201	March	5	259	232	24·4	-	3	-	2*	1	1	15
-	166,288	April	23	74	48	15·1	-	-	-	-	-	-	3
-	624,338	February	4	496	539	45·0	1	34	-	14*	?	15	68
DRIA -	349,300	"	4	339	183	27·3	-	-	1	1*	?	-	27
ORK -	3,838,024	April	16	1940	1785	24·3	-	34	28	56*	8	6	52
ALPHIA -	1,408,154	"	2	-	588	21·8	7	13	7	9*	5	24	15
-	617,950	"	2	-	226	19·0	-	1	1	3*	1	-	2

* Including deaths from croup.

† Including 295 deaths from plague in Calcutta, 811 in Bombay, and 1 in Madras.

‡ Including 58 deaths from cholera in Calcutta, and 9 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 30th April, 1904.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
Greenwich)	60·9	33·8	50·2	0·05	BRADFORD -	60·6	38·6	50·2	0·02
ON -	58·4	38·1	49·6	0·16	LEEDS -	68·0	40·0	51·9	0·05
OUTH -	60·0	40·0	50·7	0·10	HULL -	63·0	36·0	50·3	0·15
H -	65·0	34·4	50·6	0·10	TYNEMOUTH -	62·0	39·0	50·7	0·15
TH -	56·9	36·0	49·6	0·27					
-	59·8	35·7	49·0	0·29	EDINBURGH -	55·4	36·0	46·9	0·06
HAM -	63·0	36·5	49·4	0·03	GLASGOW -	55·7	37·0	47·4	0·47
HAM -	61·9	36·3	50·1	0·06					
OL	56·0	41·0	49·1	0·17	Phoenix Park.	60·7	36·0	48·9	0·15
SVATORY.	58·3	37·3	48·3	0·51	DUBLIN { Fitz- william Square.†	62·0	39·8	51·1	0·12
STER -	55·8	39·5	48·8	0·60					
-	59·6	37·2	48·1	0·28	BELFAST -	56·0	38·0	47·8	0·41

The figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this issue) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1·26 Fahrenheit, subtracted. See Table V. of Glaisher's Diurnal Range Tables.

Originally furnished by Sir J. W. Moore, B.A., M.D., Dublin.

TABLE 9.—METEOROLOGICAL OBSERVATIONS taken at the ROYAL OBSERVATORY, GREENWICH, during the Week ended Saturday, 30th April, 1904.
[Under the Superintendence of the Astronomer Royal.]

1904. MONTH AND DAY		Phases of the Moon.	TEMPERATURE.				TEMPERATURE.				TEMPERATURE.				Wind as deduced from Anemometers.				Rain collected in a Gauge whose receiving surface is 5 inches above the level of Ground.					
			BARO-METER.		Of the Air.		Of the Dew point		Difference between the Air and Dew Point Temperature.		Of Radiation.		Osler's.		Robinson's.									
			Mean daily reading (corrected and reduced to 32° Fahrenheit).	High-est.	Low-est.	Daily Range.	Mean daily value.	De- parture from daily Average value.	Mean daily value.	Least.	Mean daily value.	Greatest.	Least.	Of the Earth, 3 feet below the Surface.	General Direction.	Pressure on the Square Foot.		Horizontal Movement of the Air at 50 fathoms of the day.		Departure from Average of 15 years.				
																Greatest.	Least.							
APRIL.			in.	°	°	°	°	°	°	°	°	°	°	°	lbs.	lbs.	lbs.	Miles.	Miles.					
SUNDAY	- 24	..	29.930	60.9	46.2	14.7	51.7	+ 3.3	44.4	7.3	13.7	25	76	35.0	47.44	°	WNW. & NNW.	1.8 0.0	231	- 52	0.00	in.		
MONDAY	- 25	..	29.985	54.4	41.3	13.1	47.1	- 1.3	31.8	15.3	19.4	8.4	55	32.5	47.54	°	N. & NNW.	4.6 0.0	361	+ 82	0.00	0.00		
TUESDAY	- 26	Perigee	29.983	51.8	33.8	18.0	44.1	- 4.3	31.9	12.2	17.4	3.9	62	31.0	47.68	°	NNW. & WNW.	2.1 0.0	250	- 25	0.00	0.00		
WEDNESDAY	- 27	In Equator.	29.929	56.9	39.2	17.7	48.0	- 0.5	36.2	11.8	17.9	0.9	64	30.2	47.84	°	NNW. & WSW.	2.4 0.0	286	+ 14	0.00	0.00		
THURSDAY	- 28	..	29.907	58.9	45.1	13.8	50.9	+ 2.3	44.6	6.3	12.2	4.2	79	34.2	47.60	°	WSW. & WSW.	2.7 0.0	338	+ 69	0.00	2.00		
FRIDAY	- 29	Full	29.800	56.3	48.5	7.8	51.9	+ 3.1	48.7	3.2	6.4	0.8	89	45.0	47.73	°	WSW. & SW.	3.3 0.0	407	+ 141	0.02	10.8		
SATURDAY	- 30	..	29.781	60.6	49.3	11.3	53.8	+ 4.8	48.3	5.5	12.2	1.6	82	42.7	48.00	°	SW. & WSW.	3.1 0.0	306	+ 44	0.03	7.2		
MEANS	-		29.902	57.1	43.3	13.8	49.6	+ 1.1	40.8	8.8	14.2	3.2	72	34.9	47.66	°	NW. & WSW.	..	Sum 2179	Sum +273	Sum 0.05	4.3		
																			21	22	23	24	25	26

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 139 feet above the mean level of the sea; no correction has been applied to the readings to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 5). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—F, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.


The numbers in column 23, derived from the Campbell-Stokes Sunshine Instrument

GENERAL REMARKS.									
DATE.	ELECTRICITY.	Registered Sunshine in hours.	Sunshine Horizon, in hours.	Low-est.	High-est.	Mean value.	De-ference Average value.	Mean daily value.	Mean daily value.
APRIL.	(For explanation of symbols, see Note.)								
SUNDAY - 24	m. P. generally.	23	14.3						
MONDAY - 25	m. P. till 6h. A.M.; s. P. afterwards.	10.6	14.4						
TUESDAY - 26	s. P. throughout.	21	14.5						
WEDNESDAY - 27	s. P. throughout.	50	14.5						
THURSDAY - 28	m. P. generally.	1.8	14.6						
FRIDAY - 29	w. P. generally till 5h. P.M.; m. P. afterwards.	0.0	14.6						

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 23rd April, 1904.*

BOROUGHS.	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Chicken-pox.
WEST.											
Paddington - - -	146,975	1	1	2	-	-	-	-	2	-	25
Kensington - - -	179,236	1	3	2	-	-	-	-	1	-	16
Hammersmith - - -	117,412	-	7	5	-	-	-	-	3	-	14
Fulham - - -	152,482	-	2	3	-	-	-	-	1	-	6
Chelsea - - -	74,329	-	4	1	-	-	-	-	1	-	3
City of Westminster - -	177,321	1	5	2	-	1	-	-	3	-	8
NORTH.											
St. Marylebone - - -	130,337	2	9	3	-	1	-	-	1	-	19
Hampstead - - -	86,663	1	2	-	-	-	-	-	-	-	15
St. Pancras - - -	235,936	-	15	6	-	2	-	-	2	-	15
Islington - - -	341,044	1	19	8	-	-	-	-	3	-	54
Stoke Newington - - -	52,445	4	2	-	-	-	-	-	-	-	16
Hackney - - -	226,266	1	10	9	-	3	-	-	4	1	35
CENTRAL.											
Holborn - - -	57,161	1	2	3	-	-	-	-	1	-	4
Finsbury - - -	98,958	-	12	6	-	-	-	-	-	-	4
City of London - - -	23,482	-	-	1	-	-	-	-	-	-	3
EAST.											
Shoreditch - - -	117,033	1	9	4	-	-	-	-	-	-	19
Bethnal Green - - -	130,207	-	15	6	-	-	-	-	5	-	35
Stepney - - -	303,791	5	22	7	-	-	-	-	11	-	33
Poplar - - -	169,905	5	10	13	-	-	-	-	2	1	25
SOUTH.											
Southwark - - -	207,937	-	10	11	-	-	-	-	6	-	19
Bermondsey - - -	129,397	-	9	1	-	-	-	-	2	-	5
Lambeth - - -	310,359	1	10	5	-	2	-	-	4	1	29
Battersea - - -	175,465	-	16	-	-	1	-	-	2	1	33
Wandsworth - - -	257,448	-	10	9	-	4	-	-	6	-	46
Camberwell - - -	268,384	-	17	2	-	-	-	-	2	-	34
Deptford - - -	113,509	-	7	2	-	-	-	-	3	-	20
Greenwich - - -	101,651	-	2	7	-	1	-	-	1	-	20
Lewisham - - -	140,401	-	5	2	-	1	-	-	4	-	11
Woolwich - - -	123,416	1	5	1	-	-	-	-	-	-	8
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. }											
	4,648,950	26	240	121	-	16	-	-	70	4	574
Ages											
0-1 - - -	-	1	2	4	-	-	-	-	2	-	71
" 1-5 - - -	-	3	81	55	-	1	-	-	5	-	260
" 5- - - -	-	2	89	31	-	4	-	-	2	-	179
" 10- - - -	-	3	42	11	-	1	-	-	3	-	44
" 15- - - -	-	7	12	2	-	5	-	-	2	-	7
" 20- - - -	-	2	4	4	-	3	-	-	2	1	6
" 25- - - -	-	4	8	10	-	1	-	-	9	2	5
" 35- - - -	-	3	-	3	-	-	-	-	12	1	1
" 45- - - -	-	1	2	-	-	1	-	-	12	-	-
" 55- - - -	-	-	-	-	-	-	-	-	13	-	-
" 65 and upwards - - -	-	-	-	-	-	-	-	-	8	-	-
Age not stated - - -	-	-	-	1	-	-	-	-	-	-	1

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.



LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1904.

WEEKLY RETURN OF BIRTHS AND DEATHS IN LONDON AND IN SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 18. 1904. VOL. LXV.] WEEK ENDED SATURDAY, MAY 7. [Price 1½d.

*General Register Office, Somerset House,
May 9th, 1904.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 14·9 per 1000 of their aggregate population, which is estimated† at 15,271,287 persons in the middle of this year. In the preceding three weeks the rates had been 17·6, 16·0, and 16·3. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 18·6 in Liverpool, 19·1 in Wigan, 20·0 in Salford, 21·3 in Blackburn, 21·5 in Plymouth, 23·1 in Manchester, 23·7 in Merthyr Tydfil, and 26·5 in St. Helens; from *measles*, 1·6 in Huddersfield, 1·7 in Wallasey, in Manchester, and in Rhondda, 2·1 in Brighton, 2·9 in St. Helens, and 3·1 in Burnley; from *whooping-cough*, 1·7 in Walsall, 1·8 in Bury, 1·9 in Birmingham, 2·3 in Salford, 3·2 in Aston Manor, and 3·6 in Blackburn. One death from *small-pox* was registered in London, and 1 each in Stockport, Manchester, Newcastle on Tyne, and Tynemouth, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2403 BIRTHS and 1325 DEATHS were registered. Allowing for increase of population, the births were 300 and the deaths 176 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 16·7, 16·0, and 15·6 in the preceding three weeks, further fell last week to 14·9. During the four weeks ended on Saturday last the death-rate averaged 15·8 per 1000, being 2·2 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, and in certain local Small-pox Hospitals, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.
† The provisional estimates of population for the several towns are based on the results of the recent Census, and on the increase in the last intercensal period.

The 1325 deaths included 1 from small-pox, 62 from measles, 3 from scarlet fever, 19 from diphtheria, 48 from whooping-cough, 4 from enteric fever, 1 from ill-defined pyrexia, and 23 from diarrhœa, but not one death from typhus; thus, 161 deaths were referred to these diseases in the aggregate, being 31 below the corrected average weekly number.

The fatal case of *small-pox* belonged to the Borough of Paddington. The deaths from *measles*, which had been 75, 81, and 66 in the preceding three weeks, further fell last week to 62, and were 9 below the corrected average; 9 fatal cases belonged to the Borough of Stepney, 9 to Southwark, 6 to Bermondsey, 5 each to Hammersmith and Wandsworth, and 4 to Fulham. The deaths from *scarlet fever*, which had been 4, 9, and 10 in the preceding three weeks, fell last week to 3, the corrected average being 12. The deaths from *diphtheria*, which had been 8, 15, and 14 in the preceding three weeks, rose again last week to 19, but were 10 below the corrected average; 4 deaths belonged to Poplar. The deaths from *whooping-cough*, which had been 64, 43, and 42 in the preceding three weeks, rose again last week to 48, but were 8 below the corrected average; 8 deaths belonged to Lambeth, and 4 each to Stepney, Wandsworth, Deptford, and Woolwich. The fatal cases of *enteric fever*, which had been 3, 3, and 3 in the preceding three weeks, were 4 last week, the corrected average being 6. The deaths from *diarrhœa*, which had been 12, 12, and 15 in the preceding three weeks, further rose last week to 23, and were 9 above the corrected average. Of the 23 deaths from diarrhœa, 16 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 5 additional deaths at this age. The deaths attributed directly to *influenza* numbered 9, having been 17, 8, and 14 in the preceding three weeks.

Different forms of *violence* caused 62 deaths, concerning all of which inquests were held. Of these 62 deaths, 21 were cases of suicide, and 1 of homicide while the remaining 40 were attributed to accident or negligence. Four of these latter were referred to vehicles in the streets, 5 to burns and scalds, 6 to drowning, 2 to the effects of anæsthetics administered for surgical purposes, and 7 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 88 cases of small-pox, 1590 of scarlet fever, 750 of diphtheria, and 57 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 14 cases, against 37, 23, and 12; of scarlet fever, 242 cases, against 172, 210, and 185; of diphtheria, 129 cases, against 90, 100, and 106; and of enteric fever, 6 cases, against 7, 11, and 9. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended April 30th.

GREATER LONDON.

In Greater London 3641 births and 1760 deaths were registered. Allowing for increase of population these numbers are 333 and 272 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 5 deaths from measles, 1 from scarlet fever, 3 from diphtheria, 2 from whooping-cough, and 1 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.69 inches, and that of the Thermometer 49.0, the latter being 1.0 below the week's average in the 50 years 1841-90. The general direction of the wind was South-westerly, the horizontal movement of the air being 24 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 37.0 hours; the measured rainfall amounted to 0.55 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

DEATH-RATES from all Causes.										Rate from Diseases in Cols. 11-17.		Registered during the Week ended 7th May, 1904.		Deaths of Persons aged under 1 Year of Age.		Deaths from								Deaths in Public Institutions.		Causes of Death.		TOWNS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
Week ended				Week ended		11-17.	18-24.	25-31.	32-38.	39-45.	46-52.	53-59.	60-66.	67-73.	74-80.	81-87.	88-94.	95-101.	102-108.	109-115.	116-122.	123-129.	130-136.	137-143.	144-150.	151-157.	158-164.	165-171.	172-178.	179-185.	186-192.	193-199.	200-206.	207-213.	214-220.	221-227.	228-234.	235-241.	242-248.	249-255.	256-262.	263-269.	270-276.	277-283.	284-290.	291-297.	298-304.	305-311.	312-318.	319-325.	326-332.	333-339.	340-346.	347-353.	354-360.	361-367.	368-374.	375-381.	382-388.	389-395.	396-402.	403-409.	410-416.	417-423.	424-430.	431-437.	438-444.	445-451.	452-458.	459-465.	466-472.	473-479.	480-486.	487-493.	494-500.	501-507.	508-514.	515-521.	522-528.	529-535.	536-542.	543-549.	550-556.	557-563.	564-570.	571-577.	578-584.	585-591.	592-598.	599-605.	606-612.	613-619.	620-626.	627-633.	634-640.	641-647.	648-654.	655-661.	662-668.	669-675.	676-682.	683-689.	690-696.	697-703.	704-710.	711-717.	718-724.	725-731.	732-738.	739-745.	746-752.	753-759.	760-766.	767-773.	774-780.	781-787.	788-794.	795-801.	802-808.	809-815.	816-822.	823-829.	830-836.	837-843.	844-850.	851-857.	858-864.	865-871.	872-878.	879-885.	886-892.	893-899.	900-906.	907-913.	914-920.	921-927.	928-934.	935-941.	942-948.	949-955.	956-962.	963-969.	970-976.	977-983.	984-990.	991-997.	998-1004.	1005-1011.	1012-1018.	1019-1025.	1026-1032.	1033-1039.	1040-1046.	1047-1053.	1054-1060.	1061-1067.	1068-1074.	1075-1081.	1082-1088.	1089-1095.	1096-1102.	1103-1109.	1110-1116.	1117-1123.	1124-1130.	1131-1137.	1138-1144.	1145-1151.	1152-1158.	1159-1165.	1166-1172.	1173-1179.	1180-1186.	1187-1193.	1194-1200.	1201-1207.	1208-1214.	1215-1221.	1222-1228.	1229-1235.	1236-1242.	1243-1249.	1250-1256.	1257-1263.	1264-1270.	1271-1277.	1278-1284.	1285-1291.	1292-1298.	1299-1305.	1306-1312.	1313-1319.	1320-1326.	1327-1333.	1334-1340.	1341-1347.	1348-1354.	1355-1361.	1362-1368.	1369-1375.	1376-1382.	1383-1389.	1390-1396.	1397-1403.	1404-1410.	1411-1417.	1418-1424.	1425-1431.	1432-1438.	1439-1445.	1446-1452.	1453-1459.	1460-1466.	1467-1473.	1474-1480.	1481-1487.	1488-1494.	1495-1501.	1502-1508.	1509-1515.	1516-1522.	1523-1529.	1530-1536.	1537-1543.	1544-1550.	1551-1557.	1558-1564.	1565-1571.	1572-1578.	1579-1585.	1586-1592.	1593-1599.	1600-1606.	1607-1613.	1614-1620.	1621-1627.	1628-1634.	1635-1641.	1642-1648.	1649-1655.	1656-1662.	1663-1669.	1670-1676.	1677-1683.	1684-1690.	1691-1697.	1698-1704.	1705-1711.	1712-1718.	1719-1725.	1726-1732.	1733-1739.	1740-1746.	1747-1753.	1754-1760.	1761-1767.	1768-1774.	1775-1781.	1782-1788.	1789-1795.	1796-1802.	1803-1809.	1810-1816.	1817-1823.	1824-1830.	1831-1837.	1838-1844.	1845-1851.	1852-1858.	1859-1865.	1866-1872.	1873-1879.	1880-1886.	1887-1893.	1894-1900.	1901-1907.	1908-1914.	1915-1921.	1922-1928.	1929-1935.	1936-1942.	1943-1949.	1950-1956.	1957-1963.	1964-1970.	1971-1977.	1978-1984.	1985-1991.	1992-1998.	1999-2005.	2006-2012.	2013-2019.	2020-2026.	2027-2033.	2034-2040.	2041-2047.	2048-2054.	2055-2061.	2062-2068.	2069-2075.	2076-2082.	2083-2089.	2090-2096.	2097-2103.	2104-2110.	2111-2117.	2118-2124.	2125-2131.	2132-2138.	2139-2145.	2146-2152.	2153-2159.	2160-2166.	2167-2173.	2174-2180.	2181-2187.	2188-2194.	2195-2201.	2202-2208.	2209-2215.	2216-2222.	2223-2229.	2230-2236.	2237-2243.	2244-2250.	2251-2257.	2258-2264.	2265-2271.	2272-2278.	2279-2285.	2286-2292.	2293-2299.	2300-2306.	2307-2313.	2314-2320.	2321-2327.	2328-2334.	2335-2341.	2342-2348.	2349-2355.	2356-2362.	2363-2369.	2370-2376.	2377-2383.	2384-2390.	2391-2397.	2398-2404.	2405-2411.	2412-2418.	2419-2425.	2426-2432.	2433-2439.	2440-2446.	2447-2453.	2454-2460.	2461-2467.	2468-2474.	2475-2481.	2482-2488.	2489-2495.	2496-2502.	2503-2509.	2510-2516.	2517-2523.	2524-2530.	2531-2537.	2538-2544.	2545-2551.	2552-2558.	2559-2565.	2566-2572.	2573-2579.	2580-2586.	2587-2593.	2594-2600.	2601-2607.	2608-2614.	2615-2621.	2622-2628.	2629-2635.	2636-2642.	2643-2649.	2650-2656.	2657-2663.	2664-2670.	2671-2677.	2678-2684.	2685-2691.	2692-2698.	2699-2705.	2706-2712.	2713-2719.	2720-2726.	2727-2733.	2734-2740.	2741-2747.	2748-2754.	2755-2761.	2762-2768.	2769-2775.	2776-2782.	2783-2789.	2790-2796.	2797-2803.	2804-2810.	2811-2817.	2818-2824.	2825-2831.	2832-2838.	2839-2845.	2846-2852.	2853-2859.	2860-2866.	2867-2873.	2874-2880.	2881-2887.	2888-2894.	2895-2901.	2902-2908.	2909-2915.	2916-2922.	2923-2929.	2930-2936.	2937-2943.	2944-2950.	2951-2957.	2958-2964.	2965-2971.	2972-2978.	2979-2985.	2986-2992.	2993-2999.	3000-3006.	3007-3013.	3014-3020.	3021-3027.	3028-3034.	3035-3041.	3042-3048.	3049-3055.	3056-3062.	3063-3069.	3070-3076.	3077-3083.	3084-3090.	3091-3097.	3098-3104.	3105-3111.	3112-3118.	3119-3125.	3126-3132.	3133-3139.	3140-3146.	3147-3153.	3154-3160.	3161-3167.	3168-3174.	3175-3181.	3182-3188.	3189-3195.	3196-3202.	3203-3209.	3210-3216.	3217-3223.	3224-3230.	3231-3237.	3238-3244.	3245-3251.	3252-3258.	3259-3265.	3266-3272.	3273-3279.	3280-3286.	3287-3293.	3294-3300.	3301-3307.	3308-3314.	3315-3321.	3322-3328.	3329-3335.	3336-3342.	3343-3349.	3350-3356.	3357-3363.	3364-3370.	3371-3377.	3378-3384.	3385-3391.	3392-3398.	3399-3405.	3406-3412.	3413-3419.	3420-3426.	3427-3433.	3434-3440.	3441-3447.	3448-3454.	3455-3461.	3462-3468.	3469-3475.	3476-3482.	3483-3489.	3490-3496.	3497-3503.	3504-3510.	3511-3517.	3518-3524.	3525-3531.	3532-3538.	3539-3545.	3546-3552.	3553-3559.	3560-3566.	3567-3573.	3574-3580.	3581-3587.	3588-3594.	3595-3601.	3602-3608.	3609-3615.	3616-3622.	3623-3629.	3630-3636.	3637-3643.	3644-3650.	3651-3657.	3658-3664.	3665-3671.	3672-3678.	3679-3685.	3686-3692.	3693-3699.	3700-3706.	3707-3713.	3714-3720.	3721-3727.	3728-3734.	3735-3741.	3742-3748.	3749-3755.	3756-3762.	3763-3769.	3770-3776.	3777-3783.	3784-3790.	3791-3797.	3798-3804.	3805-3811.	3812-3818.	3819-3825.	3826-3832.	3833-3839.	3840-3846.	3847-3853.	3854-3860.	3861-3867.	3868-3874.	3875-3881.	3882-3888.	3889-3895.	3896-3902.	3903-3909.	3910-3916.	3917-3923.	3924-3930.	3931-3937.	3938-3944.	3945-3951.	3952-3958.	3959-3965.	3966-3972.	3973-3979.	3980-3986.	3987-3993.	3994-4000.	4001-4007.	4008-4014.	4015-4021.	4022-4028.	4029-4035.	4036-4042.	4043-4049.	4050-4056.	4057-4063.	4064-4070.	4071-4077.	4078-4084.	4085-4091.	4092-4098.	4099-4105.	4106-4112.	4113-4119.	4120-4126.	4127-4133.	4134-4140.	4141-4147.	4148-4154.	4155-4161.	4162-4168.	4169-4175.	4176-4182.	4183-4189.	4190-4196.	4197-4203.	4204-4210.	4211-4217.	4218-4224.	4225-4231.	4232-4238.	4239-4245.	4246-4252.	4253-4259.	4260-4266.	4267-4273.	4274-4280.	4281-4287.	4288-4294.	4295-4301.	4302-4308.	4309-4315.	4316-4322.	4323-4329.	4330-4336.	4337-4343.	4344-4350.	4351-4357.	4358-4364.	4365-4371.	4372-4378.	4379-4385.	4386-4392.	4393-4399.	4400-4406.	4407-4413.	4414-4420.	4421-4427.	4428-4434.	4435-4441.	4442-4448.	4449-4455.	4456-4462.	4463-4469.	4470-4476.	4477-4483.	4484-4490.	4491-4497.	4498-4504.	4505-4511.	4512-4518.	4519-4525.	4526-4532.	4533-4539.	4540-4546.	4547-4553.	4554-4560.	4561-4567.	4568-4574.	4575-4581.	4582-4588.	4589-4595.	4596-4602.	4603-4609.	4610-4616.	4617-4623.	4624-4630.	4631-4637.	4638-4644.	4645-4651.	4652-4658.	4659-4665.	4666-4672.	4673-4679.	4680-4686.	4687-4693.	4694-4700.	4701-4707.	4708-4714.	4715-4721.	4722-4728.	4729-4735.	4736-4742.	4743-4749.	4750-4756.	4757-4763.	4764-4770.	4771-4777.	4778-4784.	4785-4791.	4792-4798.	4799-4805.	4806-4812.	4813-4819.	4820-4826.	4827-4833.	4834-4840.	4841-4847.	4848-4854.	4855-4861.	4862-4868.	4869-4875.	4876-4882.	4883-4889.	4890-4896.	4897-4903.	4904-4910.	4911-4917.	4918-4924.	4925-4931.	4932-4938.	4939-4945.	4946-4952.	4953-4959.	4960-4966.	4967-4973.	4974-4980.	4981-4987.	4988-4994.	4995-5001.	5002-5008.	5009-5015.	5016-5022.	5023-5029.	5030-5036.	5037-5043.	5044-5050.	5051-5057.	5058-5064.	5065-5071.	5072-5078.	5079-5085.	5086-5092.	5093-5099.	5100-5106.	5107-5113.	5114-5120.	5121-5127.	5128-5134.	5135-5141.	5142-5148.	5149-5155.	5156-5162.	5163-5169.	5170-51

TOWNS.	COLS.	The DEATHS registered in the Week include										TOWNS.																																											
		Registered during the Week ended 7th May, 1904.		Deaths from																																																			
		BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 1 and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.		Diarrhoea.	Violence.																																									
															Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.																																						
DEATH-RATES FROM all CAUSES.														Rate from Diseases in Colls. 11-17.																																									
POPULATION estimated at the middle of the Year 1904.*														Week ended																																									
18th April, 1904.														23rd April, 1904.		30th April, 1904.																																							
7th May, 1904.														11-17.																																									
1.														2.		3.		4.		5.		6.		7.		8.		9.		10.		11.		12.		13.		14.		15.		16.		17.		18.		19.		20.		21.		COLS.	
BIRMINGHAM -	-	537,965	22.1	22.4	19.4	17.0	333	175	55	38	-	5	1	2	20	-	5	2	3	43	4	BIRMINGHAM.																																	
KINGS NORTON -	-	60,667	11.7	10.2	11.0	7.8	53	10	1	2	-	-	-	-	2	-	-	-	-	1	-	KINGS NORTON.																																	
SMETHWICK -	-	60,691	22.3	13.7	16.3	4.3	40	5	3	-	-	-	-	-	-	-	-	-	-	-	1	SMETHWICK.																																	
ASTON MANOR -	-	80,363	24.7	13.6	20.1	14.3	51	22	8	4	-	2	-	-	5	-	-	-	2	1	-	ASTON MANOR.																																	
COVENTRY -	-	73,904	18.3	13.4	21.9	11.3	45	16	3	3	-	-	-	-	1	-	-	-	1	3	-	COVENTRY.																																	
LEICESTER -	-	224,186	17.7	12.6	12.1	11.9	120	51	14	13	-	-	-	-	5	-	-	3	4	5	-	LEICESTER.																																	
GRIMSBY -	-	60,958	12.5	10.9	11.7	12.5	41	16	5	5	-	-	-	2	-	-	-	2	1	-	-	GRIMSBY.																																	
NOTTINGHAM -	-	248,811	19.7	13.0	15.7	9.6	127	46	8	11	-	-	1	1	-	-	-	1	6	-	-	NOTTINGHAM.																																	
DERBY -	-	120,449	13.9	10.0	12.1	13.0	68	30	8	11	-	-	-	-	2	-	-	2	3	7	-	DERBY.																																	
STOCKPORT -	-	97,008	12.9	12.9	16.7	13.4	47	25	8	3	1	-	-	-	-	-	-	1	2	3	-	STOCKPORT.																																	
BIRKENHEAD -	-	114,814	20.0	20.9	15.9	17.3	67	38	6	11	-	-	-	1	-	-	1	2	5	4	-	BIRKENHEAD.																																	
WALLASEY -	-	60,354	17.3	19.0	25.9	12.1	26	14	2	7	-	2	-	-	-	-	-	1	3	-	-	WALLASEY.																																	
LIVERPOOL -	-	723,430	20.0	19.8	21.8	18.6	461	258	70	54	-	3	4	5	10	-	2	5	11	81	-	LIVERPOOL.																																	
BOOTLE -	-	61,755	18.6	16.9	15.2	17.7	25	21	6	5	-	-	1	-	1	-	-	2	3	4	-	BOOTLE.																																	
ST. HELENS -	-	88,545	20.6	22.4	17.7	26.5	63	45	13	8	-	5	1	1	2	-	-	-	-	7	-	ST. HELENS.																																	
WIGAN -	-	62,800	23.2	17.4	20.8	19.1	38	23	3	5	-	-	-	-	1	1	-	4	4	4	-	WIGAN.																																	
WARRINGTON -	-	67,331	18.3	25.6	20.9	13.2	40	17	1	2	-	2	-	-	2	-	2	3	5	1	-	WARRINGTON.																																	
BOLTON -	-	175,744	13.1	13.1	17.8	13.9	110	47	11	13	-	-	1	-	-	1	1	2	6	1	-	BOLTON.																																	
BURY -	-	58,450	15.2	15.2	16.1	13.4	35	15	3	3	-	-	1	-	2	-	-	-	-	-	-	BURY.																																	
MANCHESTER†	-	557,938	21.5	22.0	20.9	23.1	353	247	78	43	1	18	1	2	17	-	5	5	11	60	-	MANCHESTER.†																																	
SALFORD -	-	228,983	21.4	19.4	18.2	20.0	147	88	27	20	-	2	-	-	10	1	1	4	15	-	-	SALFORD.																																	
OLDHAM -	-	139,497	15.7	20.6	13.5	13.5	61	36	5	6	-	-	1	-	-	-	-	-	-	1	-	OLDHAM.																																	
ROCHDALE -	-	15,601	21.3	13.4	18.3	14.0	40	23	3	11	-	-	-	-	1	-	-	1	1	-	-	ROCHDALE.																																	
BURNLEY -	-	100,569	19.7	21.8	15.6	17.6	52	34	8	5	-	6	1	-	-	-	-	-	7	-	-	BURNLEY.																																	
BLACKBURN -	-	132,134	17.4	18.2	19.3	21.3	50	54	17	11	-	1	-	-	9	1	1	1	3	6	-	BLACKBURN.																																	
PRESTON -	-	115,055	15.4	15.4	14.0	13.6	63	30	5	7	-	-	2	1	-	-	-	1	1	3	-	PRESTON.																																	
BARROW-IN-FURNESS.	-	59,654	15.7	17.5	15.7	10.5	33	12	3	2	-	-	-	-	-	-	-	1	1	1	-	BARROW-IN-FURNESS.																																	

TOWNS.		POPULATION estimated to the middle of the Year 1904.*	DEATH-RATES from all Causes.				Rate from Diseases in 1904.		Registered during the week ended 7th May, 1904.		The Deaths registered in the Week include										TOWNS.							
			Week ended				11-17.		7th May, 1904.		Deaths of		Deaths from						Inquest Cases.	Deaths in Public Institutions.		Uncertified Causes of Death.						
			Week ended				Week ended		BIRTHS.		Infants under 1 Year of Age.		Measles.										Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence.
			16th April, 1904.	23rd April, 1904.	30th April, 1904.	7th May, 1904.	16th April, 1904.	23rd April, 1904.	7th May, 1904.	7th May, 1904.	9.	10.	11.	12.	13.	14.	15.	16.										
Cols.		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.					
HUDDESFIELD.		-	94,925	13.2	15.4	20.3	14.3	2.2	26	7	6	-	3	-	-	1	-	-	-	1	1	-	HUDDESFIELD.					
HALIFAX.		-	107,580	23.2	15.5	9.7	14.1	-	40	15	7	-	-	-	-	-	-	1	1	7	1	-	HALIFAX.					
BRADFORD.		-	285,069	21.9	16.3	20.7	16.3	1.5	100	45	30	-	2	-	4	1	1	4	9	11	1	-	BRADFORD.					
LEEDS.		-	450,142	19.6	16.2	17.0	17.5	2.1	235	32	34	-	13	1	-	4	-	6	10	24	-	-	LEEDS.					
SHEFFIELD.		-	432,940	15.2	14.6	14.9	16.0	1.0	265	41	25	-	-	-	2	5	-	1	3	23	2	-	SHEFFIELD.					
ROTHERHAM.		-	58,498	16.0	11.6	10.7	13.4	1.8	15	5	2	-	1	-	-	-	1	-	6	1	-	-	ROTHERHAM.					
YORK.		-	81,268	11.5	18.0	13.5	15.4	1.9	56	24	5	-	-	1	-	1	-	-	2	3	-	-	YORK.					
HULL.		-	253,865	17.7	17.3	17.0	17.7	1.4	143	86	20	-	4	-	-	2	-	1	5	9	15	1	HULL.					
MIDDLESBROUGH.		-	96,084	18.3	17.3	22.7	17.3	1.1	68	32	5	-	-	-	-	1	-	-	-	-	7	1	MIDDLESBROUGH.					
STOCKTON-ON-TEES.		-	52,162	22.0	17.0	22.0	12.0	1.0	25	12	3	-	-	-	-	1	-	1	1	1	1	-	STOCKTON-ON-TEES.					
WEST HARTLEPOOL.		-	69,251	17.3	15.1	12.8	16.6	0.8	52	22	3	-	-	-	1	-	-	1	1	2	-	-	WEST HARTLEPOOL.					
SUNDERLAND.		-	151,167	16.9	20.7	16.9	17.2	2.1	98	50	14	-	-	-	1	1	2	2	5	11	-	-	SUNDERLAND.					
SOUTH SHIELDS.		-	107,334	17.0	14.1	18.9	14.6	1.0	64	30	8	-	-	1	-	-	-	-	-	2	1	-	SOUTH SHIELDS.					
GATESHEAD.		-	118,067	21.6	18.5	20.3	15.0	1.8	80	34	11	-	1	1	-	2	2	-	3	2	1	-	GATESHEAD.					
NEWCASTLE-ON-TYNE.		-	225,362	22.9	17.1	16.4	17.4	2.1	126	75	15	1	-	-	-	7	1	1	5	8	11	-	NEWCASTLE-ON-TYNE.					
TYNEMOUTH.		-	53,090	9.8	14.7	16.7	9.8	2.0	37	10	4	3	-	-	-	-	-	1	-	-	1	-	TYNEMOUTH.					
NEWPORT (MON.).		-	71,543	18.2	7.3	14.6	12.4	0.7	50	17	3	-	-	1	-	-	-	-	3	4	-	-	NEWPORT (MON.).					
CARDIFF.		-	176,313	18.3	13.9	13.3	10.4	0.9	90	35	5	-	2	1	-	-	-	2	3	4	-	-	CARDIFF.					
RHONDDA.		-	122,310	18.8	17.5	16.6	13.6	2.1	81	32	6	-	4	-	-	1	-	2	3	1	-	-	RHONDDA.					
MERTHYR TYDFIL.		-	72,745	18.6	17.9	12.9	23.7	0.7	49	33	11	-	-	-	-	-	-	-	3	3	1	-	MERTHYR TYDFIL.					
SWANSEA.		-	95,931	21.2	17.4	13.8	16.8	1.6	60	31	11	-	-	-	-	3	-	2	3	3	-	-	SWANSEA.					
GREATER LONDON.		-	6,907,763	15.4	14.4	14.3	13.3	1.5	3641	379	462	1	60	7	24	58	5	27	75	153	553	4	GREATER LONDON.					
OUTER RING.		-	2,268,803	12.8	11.1	11.6	10.0	0.9	1,238	105	114	-	18	4	5	10	-	4	13	31	71	1	OUTER RING.					
8 TOWNS IN OUTER RING.		-	1,083,639	13.5	11.0	12.0	9.6	1.4	615	54	48	-	13	3	2	8	-	3	7	15	46	-	8 TOWNS IN OUTER RING.					
REMAINDER OF OUTER RING.		-	1,160,167	12.0	11.3	11.3	10.5	0.5	623	51	66	-	5	1	3	2	-	1	6	16	25	1	REMAINDER OF OUTER RING.					
EDINBURGH.		-	331,977	18.7	17.7	19.3	14.8	1.1	154	15	25	-	-	-	-	6	-	1	5	?	?	5	EDINBURGH.					
GLASGOW.		-	793,357	22.1	22.1	19.7	20.1	2.5	463	54	58	1	12	3	2	11	2	5	13	?	67	16	GLASGOW.					
DUBLIN.		-	-	-	-	-	-	-	87	23	23	-	4	-	-	-	-	1	5	8	5	5	DUBLIN.					

TABLE 2. LONDON.—Births and Deaths Registered in the EIGHTEENTH Week of each of the Eleven Years, 1894–1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894–1903.*	1904
TOTAL Births -	2637	2837	2565	2638	2449	2623	2737	2562	2474	2537	2702·9	2400
Males -	1288	1421	1322	1365	1232	1314	1364	1278	1271	1332	1367·8	1170
Females -	1349	1416	1243	1273	1217	1309	1373	1284	1203	1205	1335·1	1230
TOTAL Deaths -	1428	1395	1570	1323	1464	1397	1675	1454	1381	1388	1501·4	1320
Males -	756	729	815	720	761	705	889	777	738	708	788·1	680
Females -	672	666	755	603	703	692	786	677	643	680	713·3	640

* The numbers in this column are the average weekly numbers in the eighteenth week of the ten years 1894–1903, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Feb. 13.	Feb. 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	13 Week
TOTAL Births -	2637	2737	2456	2364	2712	2577	2423	2240	2539	2676	2489	2733	2403	3296
TOTAL Deaths -	1574	1589	1467	1594	1796	1680	1645	1672	1659	1490	1429	1392	1325	2031
Ages at Death														
Under 1 year -	316	345	326	350	397	335	336	375	366	318	281	280	274	426
1–5 years -	183	206	158	197	230	216	214	214	256	214	202	194	215	266
5–20 " -	70	72	65	79	88	73	71	79	76	68	78	80	64	96
20–40 " -	191	180	167	172	188	212	190	202	157	192	175	158	152	233
40–60 " -	307	299	313	306	299	327	326	308	334	264	272	312	272	395
(60 yrs.& upwds.	507	487	438	490	594	517	508	494	470	434	421	368	348	607
Deaths from—														
Small-pox -	-	1	1	-	1	1	1	3	3	-	1	3	1	1
Measles -	37	42	32	43	66	69	67	92	86	75	81	66	62	81
Scarlet Fever -	4	9	5	5	6	2	4	4	8	4	9	10	3	7
Diphtheria -	12	17	18	23	17	17	13	17	17	8	15	14	19	20
Whooping-cough -	52	55	41	52	54	51	48	68	64	64	43	42	48	68
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	8	2	5	3	4	2	3	3	4	3	3	3	4	4
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	1	-	-	-	1	-
Diarrhoea, Dysentery	13	16	28	20	18	19	19	16	21	12	12	15	23	23
All above Diseases -	126	142	130	146	166	161	155	203	204	166	164	153	161	207
Dis. of Resp. System	165	195	180	202	235	205	195	212	167	156	127	100	83	225
Pneumonia -	159	154	142	169	179	170	188	158	166	139	127	124	110	198
Phthisis -	139	146	147	156	162	168	168	168	136	169	153	180	155	202
Dis. of Circ. System	236	220	205	197	221	230	223	207	203	168	176	178	167	263
Violence -	78	53	51	57	68	69	58	58	65	56	49	63	62	78
Inquest Cases -	189	150	126	150	190	161	164	153	178	127	134	155	125	200
Deaths in Institutions	548	572	497	533	603	554	555	585	540	473	491	532	485	696
TEMPERATURE OF THE AIR.														
Mean -	42·1	38·8	38·3	33·3	40·5	40·8	43·3	42·0	43·0	49·6	49·1	49·6	49·0	43
Mean of Highest	47·7	43·9	43·0	37·3	48·0	50·1	49·3	50·5	55·8	59·1	59·7	57·1	58·1	50
Mean of Lowest	36·5	35·4	34·8	29·8	34·1	31·5	37·6	35·3	40·9	40·6	38·2	43·3	42·4	36
Mean Humidity of the Air.	81	81	75	82	84	77	80	79	71	71	71	72	70	7
Rain-fall (in inches) -	1·27	0·45	0·03	0·52	0·24	0·06	0·11	0·45	0·37	0·32	0·24	0·05	0·55	4
Registered Sunshine (in hours).	14·2	10·3	6·7	6·4	26·3	28·2	13·7	29·5	33·5	36·9	38·9	21·9	37·0	303

CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.

	24	29	31	41	54	74	110	126	134	144	123	104	88	Mean
Small-pox -	1644	1620	1587	1578	1601	1624	1585	1570	1505	1523	1543	1541	1590	157
Scarlet Fever -	767	768	787	764	780	807	776	787	749	737	719	720	750	76
Diphtheria -	-	-	-	-	1	1	1	1	1	1	1	1	1	-
Typhus -	139	129	125	118	102	94	83	86	80	68	73	63	57	9
Enteric Fever -	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E. and P. Boobyer, Esq., M.D. Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Olun, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S. Preston; J. Firth, Esq., Huddersfield; H. A. Johnson Esq., M.Inst. C.E. Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the EIGHTEENTH Week of the Year 1904.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 18th week of the year 1904.	1904—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 18th week of the year 1904.	1904—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
CAUSES	1387	1325	274	215	64	152	272	348	Meningitis (not tuberc.)	21	19	3	9	3	3	1	-
									Insanity, Gen. Par. of }	16	8	-	-	-	2	3	-
									Insane - - - - - }	9	7	-	1	-	2	4	-
									Epilepsy - - - - -	21	29	28	1	-	-	-	-
									Convulsions - - - - -	3	2	-	-	-	1	1	3
									Locomotor Ataxy - -	4	4	-	-	-	1	-	-
									Paraplegia, Dis. of Cord	21	21	-	-	-	6	5	10
									Nervous Sys. (other dis.)								
									Valv. Dis., Endocarditis-	41	36	-	-	4	6	12	14
									Cerebr. Hæm. Thromb.	23	31	-	-	-	2	9	20
									Apoplexy, Hemiplegia	24	18	-	1	-	-	2	15
									Aneurysm - - - - -	7	2	-	-	-	-	-	-
									Embolism, Thrombosis }	2	-	-	-	-	-	-	-
									(not cerebral) - - - }								
									Heart & Blood Vessel Dis.	81	80	1	-	4	6	19	50
									Croup (not Spasm: nor	-	-	-	-	-	-	-	-
									Membr.) - - - - - }	-	-	-	-	-	-	-	-
									Bronchitis - - - - -	92	65	14	7	-	-	6	38
									Asthma, Emphysema -	5	6	-	1	-	-	3	3
									Pleurisy - - - - -	2	4	-	-	-	2	-	-
									Respiratory Dis. (other)	18	8	3	-	2	-	1	1
									Tonsillitis, Quinsy -	-	-	-	-	-	-	-	-
									Enteritis (not Epid.) -	11	9	4	1	1	1	1	-
									Gastro-Enteritis - -	3	5	6	-	-	-	-	-
									Peritonitis (not Puerp.)	-	4	-	-	2	2	-	-
									Cirrhosis of Liver -	16	17	-	-	-	-	14	3
									Liver Dis. (other) -	10	5	-	-	-	2	2	5
									Digestive Dis., Other -	40	28	8	3	1	6	6	-
									Nephritis, Acute - -	6	3	-	-	-	-	2	-
									Bright's Dis., Albumin-	34	41	-	-	2	3	15	2
									uria - - - - - }								
									Urinary Sys., Other Dis.	9	8	-	-	1	-	1	-
									Generative Organs Dis.	9	4	-	-	-	-	4	-
									Childbirth (Accid. of) -	1	4	-	-	1	1	2	-
									Old Age - - - - -	52	44	-	-	-	-	-	4
									Other Diseases - - -	71	87	53	20	3	3	2	-
									ACCIDENT.								
									By Railways - - - -	1	2	-	-	-	-	1	-
									By Vehicles and Horses-	6	4	-	-	-	-	-	1
									In Ships, Boats, Docks,	-	-	-	-	-	-	-	-
									(exclusive of Drown-	-	-	-	-	-	-	-	-
									ing) - - - - - }	-	2	-	-	-	-	2	-
									In Building Operations	-	-	-	-	-	-	-	-
									In Conflagrations -	-	-	-	-	-	-	-	-
									By Burns, Scalds, Ex-	5	5	2	1	2	-	-	-
									plosions - - - - - }	7	6	-	-	-	1	2	2
									By Drowning - - - -	8	7	7	-	-	-	-	-
									By Suffocation in Bed	-	-	-	-	-	-	-	-
									By Poisons or Poisonous	3	3	1	-	-	1	1	-
									Vapours - - - - - }								
									Other Deaths by Acci-	12	11	1	4	-	4	1	-
									dent - - - - - }								
									VIOLENCE OTHER THAN								
									ACCIDENTAL.								
									Homicide - - - - -	2	1	-	-	-	-	1	-
									Suicide - - - - -	12	21	-	-	-	-	8	8
									Execution - - - - -	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

LE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 7th May, 1904.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include													
				Deaths of		Deaths from											
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Public Institutions.
LONDON - - -	4,530,429	2403	1325	274	348	1	62	3	19	48	-	4	1	23	62	125	48
WEST DISTRICTS - - -	805,311	346	209	25	66	-	12	1	2	2	-	-	-	3	10	20	8
NORTH DISTRICTS - - -	1,056,070	496	280	53	71	-	10	-	5	3	-	2	-	1	18	34	11
CENTRAL DISTRICTS - - -	209,465	83	79	17	17	-	1	-	2	1	-	1	-	2	3	4	4
EAST DISTRICTS - - -	715,739	474	215	53	51	-	10	-	6	10	-	1	-	1	10	24	8
SOUTH DISTRICTS - - -	1,749,844	1004	509	126	132	-	29	2	6	32	-	1	1	13	21	43	13
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	33	-	11	1	-	-	2	-	-	-	-	3	-	-	3
WEST DISTRICTS.																	
Mary Paddington } G. & W.	93,178	34	19	3	6	-	-	-	-	-	-	-	-	-	-	1	-
St. Mary's } W.2H	33,617	7	8	-	3	-	-	-	-	-	-	-	-	-	1	2	-
St. John's } H. - - G.	17,181	7	4	-	3	-	1	-	-	-	-	-	-	-	-	-	-
St. John's West } - - C.																	
St. James's Town } W.2H G. & W. & C.	128,037	55	38	3	15	-	2	-	-	-	-	-	-	1	2	5	2
St. James's Town } - - W. & C.	48,591	15	5	-	4	-	-	-	-	-	-	-	-	-	-	-	-
St. James's Town } W. & G.	49,192	28	7	3	2	-	-	-	-	-	-	-	-	-	-	2	-
St. James's Town } W. & G.	63,047	30	22	4	5	-	5	-	1	-	-	-	-	-	2	3	-
St. James's Town } W. & C.	45,180	35	16	5	2	-	1	-	-	12	-	-	-	1	-	-	-
St. James's Town } W. & C.	46,406	23	11	-	4	-	-	1	1	-	-	-	-	-	-	-	-
St. James's Town } W. & C.	45,704	30	15	4	3	-	3	-	-	-	-	-	-	1	-	1	-
St. James's Town } W. & C.	42,514	16	25	1	10	-	-	-	-	-	-	-	-	-	-	-	-
St. James's Town } W.2H - - C.	51,328	17	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-
St. James's Town } C. & G.	28,743	3	6	-	2	-	-	-	-	-	-	-	-	-	2	3	-
St. James's Town } W.2H - - C.	55,815	15	12	1	3	-	-	-	-	-	-	-	-	-	2	2	-
St. James's Town } 4H - C.	43,698	19	13	-	2	-	-	-	-	-	-	-	-	-	1	1	-
St. James's Town } N. & G.	21,588	10	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. James's Town } N.	11,493	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS																	
St. Mary's } 8H - W.	35,391	8	18	1	3	-	1	-	-	-	-	-	-	-	2	2	1
St. Mary's } W. G. & W.	19,849	13	5	1	2	-	-	-	-	-	-	-	-	-	-	1	-
St. Mary's } 4H G. & W.	18,099	31	6	4	-	-	1	-	-	-	-	-	-	-	-	-	-
St. Mary's } H- W.	39,536	26	6	3	1	-	-	-	-	-	-	-	-	-	1	2	-
St. Mary's } 3H - W.	20,426	15	6	-	2	-	-	-	-	-	-	-	-	-	1	1	-
St. Mary's } N. & W.	81,942	25	18	1	4	-	1	-	-	-	-	-	-	-	1	2	-
St. Mary's } W.2H - - W.	60,562	31	9	3	1	-	-	-	-	-	-	-	-	-	1	2	-
St. Mary's } W.6H N. & W.	21,258	6	15	4	3	-	-	-	-	-	-	-	-	-	2	-	1
St. Mary's } 4H - N.	34,449	15	8	2	-	-	-	-	-	-	-	-	-	-	-	2	-
St. Mary's } W.2H - - N.	60,320	26	15	1	7	-	-	-	-	-	-	-	-	-	1	1	-
St. Mary's } 2W - - N.	68,728	24	15	2	6	-	1	-	-	-	-	-	-	-	-	1	-
St. Mary's } N.	31,995	19	22	5	5	-	-	-	-	-	-	1	-	-	-	-	1
St. Mary's } 2W, W.2H - N.	33,978	29	24	4	4	-	1	-	-	1	-	-	-	-	1	1	-
St. Mary's } W. - N.	33,922	16	9	1	2	-	1	-	-	-	-	1	-	-	-	-	-
St. Mary's } W. - N.	41,424	23	13	5	3	-	-	-	-	-	-	-	-	-	1	2	-
St. Mary's } W. - N.	54,478	28	5	2	2	-	-	-	-	-	-	-	-	-	1	1	-
St. Mary's } F - N.	75,397	26	9	2	2	-	-	-	-	-	-	-	-	-	-	1	-
St. Mary's } 2H - - N.	63,797	22	10	3	3	-	1	-	-	-	-	-	-	-	1	1	-
St. Mary's } N.	51,247	15	7	-	3	-	-	-	-	-	-	-	-	-	-	1	-
St. Mary's } E. & N.	50,560	23	7	-	4	-	1	-	-	1	-	-	-	-	-	-	-
St. Mary's } 2W, F. E. & N.	50,536	17	9	-	2	-	1	-	3	-	-	-	-	-	-	-	-
St. Mary's } 3H E. & N.	59,921	31	17	4	3	-	-	-	2	1	-	-	-	-	3	7	-
St. Mary's } 2W, W, H E. & N.	58,255	27	27	5	9	-	1	-	-	-	-	-	-	1	2	4	1

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts; H—Hospital; F—Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifying the Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 7th May, 1904—continued.

The DEATHS registered during the Week include																	
REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1901.	Total Births.	Total DEATHS.	Deaths of													Deaths in Public Institutions.
				Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from											
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Ptyphosis (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.	
CENTRAL DISTRICTS.																	
Giles and Bloomsbury W, 2H N.	31,436	16	8	-	5	-	-	-	-	-	-	-	-	-	-	1	
Grand W, 4H - - - N. & C.	21,674	4	11	1	1	-	-	-	-	-	-	-	-	-	1	1	
Grand Union Workhouse, Edmonton-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Colborn W, 6H - - - N.	29,612	12	15	5	3	-	-	-	1	-	-	-	-	-	-	1	
South Clerkenwell - - - N.	28,676	12	7	3	1	-	-	-	-	1	-	-	-	-	-	-	
North Clerkenwell H - - - N.	35,023	11	5	1	1	-	-	-	-	-	-	-	-	-	-	-	
Islebury 3H, L - - - N.	36,116	20	11	2	3	-	1	-	-	-	-	-	-	1	1	1	
Colborn Union Workhouse, } Mitcham - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Botolph H - - - N. & E.	10,299	2	4	1	1	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre and Allhallows } W, H - - - - - }	16,624	6	18	4	2	-	-	-	1	-	-	1	-	1	1	1	
City of London Asylum, Stone - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EAST DISTRICTS.																	
Shoreditch South H, L - - E. & N.	16,369	6	2	-	-	-	-	-	-	-	-	-	-	-	1	1	
Hoxton New Town w, H - - N.	29,761	12	10	1	6	-	-	-	-	-	-	-	-	-	1	2	
Hoxton Old Town - - - N.	26,504	18	5	1	1	-	-	-	-	-	-	-	-	-	-	-	
Haggerston W - - - N & E.	46,003	28	16	2	4	-	-	-	-	3	-	-	-	-	-	1	
Shoreditch Union Workhouse, Wood } Green - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bethnal Green North 2H - - E.	51,514	46	15	6	2	-	-	-	-	2	-	-	-	-	2	4	
Bethnal Green South - - - E.	33,472	11	8	4	4	-	-	-	-	1	-	-	-	-	2	2	
Bethnal Green East 2W, H, L - E.	44,694	21	14	1	5	-	-	-	-	-	1	-	-	-	1	1	
Spitalfields - - - E. & N.	27,969	20	5	2	-	-	1	-	-	1	-	-	-	-	-	-	
Mile End New Town W, H - - E.	28,718	33	36	7	5	-	1	-	-	-	-	-	-	-	1	2	
Goodman's Fields - - - E.	22,081	10	5	3	1	-	-	-	-	-	-	-	-	-	-	1	
St. George and St. John 2W E.	49,068	63	14	4	4	-	1	-	-	2	-	-	-	-	-	3	
Shadwell and Ratchiff W, H E. & N.	25,568	17	12	5	1	-	1	-	1	-	-	-	-	-	-	1	
Limehouse - - - - - E.	32,369	24	5	1	1	-	-	-	-	-	-	-	-	-	2	2	
Mile End Old Town South- } Western* H - - - }	63,698	51	18	6	3	-	2	-	-	-	-	-	-	-	-	-	
Mile End Old Town North- } Eastern* W, w - - - }	49,129	24	9	2	3	-	1	-	-	1	-	-	-	-	-	-	
Bow L - - - - - E.	41,989	24	4	1	1	-	-	-	-	-	-	-	-	-	-	-	
Bromley 3w, H - - - E.	68,319	34	26	7	6	-	1	-	-	-	-	-	-	-	-	3	
Poplar W, w - - - E.	68,514	32	11	-	4	-	-	2	-	1	-	-	-	-	-	1	

* On 1st May, 1904, the sub-districts of Mile End Old Town West and Mile End Old Town East were dissolved into two new sub-districts as above.

(contd.) LONDON.—POPULATION; BIRTHS; DEATHS FROM ALL CAUSES; and FROM SCARLET FEVER, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered each SUB-DISTRICT during the Week ended Saturday, 7th May, 1904—continued.

REGISTRATION SUB-DISTRICTS	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include														Inquest Cases.	Deaths in Public Institutions.
				Deaths of		Deaths from													
				Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.				
SOUTH DISTRICTS.																			
Church Southwark W, HL & S.	11,263	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Stour Southwark H - S.	12,056	7	22	6	4	-	-	-	-	-	-	-	-	-	-	5	5	17	-
Road - S. & L.	21,904	22	10	1	1	-	4	-	-	2	-	-	-	-	-	-	-	-	-
George the Martyr } W 2H, L	39,094	26	17	7	1	-	1	-	-	2	-	-	-	-	1	-	1	8	-
ington 1st H - S. & L.	49,022	27	11	4	3	-	1	-	-	-	-	-	-	-	-	-	1	-	-
ington North* W - S. & L.	72,841	55	12	3	3	-	3	-	-	1	-	-	-	-	1	-	-	2	-
ive 2W - - - S.	9,817	8	6	-	4	-	-	-	-	2	-	-	-	-	-	-	-	1	-
ndishe W - - - S.	82,483	44	17	6	1	-	5	-	-	1	-	-	-	1	-	-	1	-	-
ndishe W, F - - S. & K.	38,480	17	18	1	4	-	1	-	-	-	-	-	-	-	1	2	16	-	-
oo-road 2H - L. & S.	27,440	21	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
th Church 1st H - L. & S.	18,423	7	11	-	1	-	1	-	-	1	-	-	-	-	-	2	2	8	-
th Church 2nd 2W - L. & S.	39,818	27	20	3	6	-	2	-	-	3	-	-	-	-	-	-	2	12	-
ington 1st H - S. & L.	53,198	43	10	2	4	-	-	-	-	1	-	-	-	-	-	-	2	1	-
ington 2nd H - S. & L.	42,896	27	11	1	2	-	1	-	-	1	-	1	-	-	2	1	1	2	-
n F - - - L. & S.	84,232	37	18	5	4	-	1	1	2	1	-	-	-	-	1	1	3	5	-
od W, H - - - L.	35,888	13	5	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Battersea - - - S.	72,203	44	16	10	2	-	-	-	-	1	-	-	-	-	3	1	3	-	-
West Battersea - - S.	49,656	24	12	4	3	-	-	-	-	2	-	-	-	-	-	-	2	-	-
West Battersea W, H - S.	47,048	28	24	6	6	-	1	-	-	-	-	-	-	-	1	2	3	17	-
am 2H - - - S.	51,361	26	10	4	3	-	-	-	-	1	-	-	-	-	1	2	2	1	-
am† W 2W, 2F, 2L - L.	88,019	49	33	3	13	-	2	-	2	2	-	-	-	-	-	-	1	2	4
field 2W, L - - - S.	27,959	13	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
ields H - - - S.	40,444	23	9	2	3	-	-	-	-	1	-	-	-	-	-	1	2	-	-
- - - - S.	24,139	9	6	3	3	-	-	-	-	-	-	-	-	-	2	-	-	-	-
ht - - - L. & S.	13,359	5	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
rwell South† W, w - S. & L.	40,206	18	25	5	8	-	-	-	-	-	-	-	-	-	-	-	-	13	-
rwell North† W, 2L - S. & L.	65,584	37	13	4	4	-	-	-	-	-	-	-	-	-	-	-	1	3	-
rget - - - L. & S.	47,331	30	10	4	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-
am† 2W, w - S., L. & K.	92,859	45	15	4	4	-	-	-	-	1	-	-	-	-	-	-	1	-	-
rd North - - - K.	37,613	16	8	3	-	-	1	-	-	1	3	-	-	-	-	-	-	-	-
rd Central F - - K.	45,481	29	18	5	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
rd South - - - K.	34,625	25	8	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
rich West 2H - - K.	23,456	7	4	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
rich East 2W, H - K.	43,859	24	10	1	3	-	-	-	-	-	-	-	-	-	-	-	-	5	-
n W, H - - - K.	7,226	3	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
- - - - K.	25,490	16	10	4	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
am W, w, F - - K.	58,352	33	20	5	7	-	1	1	-	-	-	-	-	-	-	1	1	9	-
am H - - - L.	43,653	27	9	2	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-
on F 2H - - - K.	21,134	9	7	1	1	-	-	-	-	1	-	-	-	-	-	-	-	3	-
rich 4H - - - K.	41,625	22	14	4	2	-	-	-	-	-	2	-	-	-	-	-	1	-	-
ead West W - - K.	18,063	10	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-
ead East 2W, H - K.	50,264	46	24	6	8	-	-	-	-	-	2	-	-	-	-	1	2	8	-
n County Asy., Banstead -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
n Asylum, Epsom - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
n Asylum, Epsom - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
n. Asy., Epilep. Colony, Epsom -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
sy., for Imbeciles, Caterham -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
n County Asy., Cane Hill -	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	4	-
Hospitals, Dartford - -	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
sy., for Imbeciles, Darenth -	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-
n County Asylum, Dartford }	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-
n County Asylum, Hanwell -	-	-	4	-	2	-	-	-	-	-	-	-	-	-	1	-	-	4	-
n London Sick Asy., Hendon -	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	3	-
n County Asy., Colney Hatch -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
North-Eastern Hospital -	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	2	-
Northern Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
sy., for Imbeciles, Leavesden -	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	2	-	4	-
n County Asylum, Claybury -	-	-	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3

1st March, 1904, the sub-districts of Trinity Newington, St. Peter Walworth, and St. Mary Newington. were abolished, and divided into two new sub-districts entitled Newington North and Newington South respectively.

1st April, 1904, the four sub-districts of Camberwell registration district were abolished, and divided into five districts as above.

1st April, 1904, by the Local Government Board Order P. 1814, confirmed by Local Government Board's Provisional Confirmation (No. 16) Act, 1903, a part of the civil parish of Tooting Graveney was transferred to the civil parish of Mitcham, and a part of the civil parish of Mitcham was transferred to the civil parish of Tooting Graveney (Wandsworth Borough). The births and deaths registered in these areas and the populations are treated as

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the week ended Saturday, 7th May, 1904.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu-merated Popu-lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
					Deaths of		Deaths from											
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.		
LONDON—OUTER RING	368,580	2,044,973	1238	435	105	114	-	18	4	5	10	-	4	13	31	71		
1 Carshalton <i>w, 2F, 3H</i>	12,228	32,997	15	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-
2 Epsom, <i>part of* W, w, 2F, H</i>	10,423	15,548	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Godstone, <i>part of* W, F</i>	2,754	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Coulsdon	11,069	41,166	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 South Croydon	4,200	49,309	20	6	2	1	-	13	-	-	1	-	-	-	-	-	-	-
3 West Croydon <i>3W, F, H</i>	2,168	42,888	20	15	4	5	-	-	-	-	-	-	-	-	-	-	-	-
4 North Croydon <i>H</i>	2,641	41,898	24	13	6	2	-	-	-	-	-	-	-	-	-	-	-	-
5 Penge <i>w</i>	770	22,465	8	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6 Mitcham† <i>w</i>	11,689	30,015	20	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-
1 Wimbledon <i>F, 3H</i>	3,221	41,652	29	7	1	4	-	-	-	-	-	-	-	-	-	-	-	-
2 Kingston <i>W, H</i>	6,224	42,068	11	14	1	3	-	-	-	-	-	-	-	-	-	-	-	-
3 Surbiton <i>F, H</i>	3,046	15,017	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4 Esher, <i>part of* H</i>	5,402	13,100	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5 Hampton <i>H, L</i>	4,564	23,456	20	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-
1 Richmond <i>W, H</i>	2,162	28,865	11	12	2	4	-	-	-	-	-	-	-	-	-	-	-	-
2 Mortlake <i>F</i>	2,847	20,628	12	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
1 Bromley <i>F, 2H</i>	4,703	27,354	12	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2 Beckenham <i>H</i>	7,825	28,497	12	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
3 Orpington, <i>part of* W</i>	10,113	9,857	8	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
4 Chislehurst <i>2H</i>	7,333	16,446	9	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Bexley <i>F, H</i>	8,678	21,151	15	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-
2 Erith <i>F, H</i>	3,854	25,296	22	10	4	2	-	-	-	-	1	1	-	-	-	-	-	-
3 Dartford <i>W, F, part of*</i>	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
1 Sunbury <i>w</i>	11,054	18,683	17	4	-	1	-	-	-	-	1	-	-	-	-	-	-	-
2 Staines <i>W, H</i>	13,277	15,178	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
1 Hillingdon <i>W, F, H</i>	6,035	13,661	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
2 Uxbridge	12,757	8,984	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
3 Hayes <i>w, F, H</i>	8,066	16,358	12	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Isleworth <i>3W, 2F, H</i>	6,859	30,863	14	13	3	3	-	1	-	-	-	-	-	-	-	-	-	-
2 Twickenham <i>F, H</i>	2,421	20,991	13	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-
3 Brentford <i>2F, 2H, L</i>	4,319	48,289	28	14	4	2	-	2	-	-	-	-	-	-	-	-	-	-
4 Chiswick <i>H</i>	1,249	29,809	15	7	2	-	-	1	-	-	-	-	-	-	-	-	-	-
5 Acton <i>w, 3H</i>	6,132	48,914	45	10	1	3	-	-	-	-	-	-	-	-	-	-	-	-
1 Harrow <i>F, H</i>	13,809	25,523	16	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
2 Edgware <i>F, 2H</i>	6,994	4,521	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
3 Willesden <i>W, F, 2H</i>	4,384	114,811	82	17	8	4	-	-	-	-	1	-	-	-	-	-	-	-
4 Hendon <i>W, F</i>	8,382	22,450	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 South Mimms <i>2F, H</i>	17,755	7,308	7	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2 Barnet <i>W, 3H</i>	3,324	17,070	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3 Finchley <i>F, 2H</i>	4,688	33,692	21	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-
1 Hornsey <i>F, H</i>	2,875	72,056	21	12	3	4	-	-	-	-	-	-	-	-	-	-	-	-
2 Wood Green <i>H</i>	1,625	34,233	18	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
3 West Tottenham <i>F</i>	996	48,853	32	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
4 East Tottenham <i>F, H</i>	2,017	53,688	39	12	3	2	-	1	-	-	-	-	-	-	-	-	-	-
5 Edmonton <i>W, w, 2F</i>	7,491	61,892	43	17	4	3	-	-	-	-	-	-	-	-	-	-	-	-
6 Enfield <i>2W, F, H</i>	12,601	42,738	25	17	6	3	-	-	1	-	-	-	-	-	-	-	-	-
7 Waltham Abbey	11,017	6,549	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
8 Cheshunt <i>F, H</i>	8,479	12,292	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5:1 Hatfield, <i>part of* W</i>	3,305	664	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7:1 Bushey <i>H</i>	9,333	9,173	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
2 Watford <i>W, 2F part of*</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6:1 Stratford <i>H</i>	1,072	44,827	28	15	2	1	-	-	-	-	-	1	-	-	-	-	-	-
2 Plaistow <i>F, 2H</i>	1,249	90,921	65	24	8	3	-	-	5	2	-	3	-	-	-	-	-	-
3 Canning Town <i>H</i>	1,556	70,718	48	17	4	5	-	-	1	-	-	-	-	-	-	-	-	-
4 Forest Gate <i>w</i>	806	60,892	28	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-
5 North East Ham <i>w</i>	1,333	58,676	48	8	4	1	-	2	-	-	-	-	-	-	-	-	-	-
6 South East Ham <i>3F</i>	1,993	37,342	34	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-
7 Wanstead <i>F</i>	1,679	9,179	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
8 South Leyton <i>2W</i>	631	50,467	25	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-
9 North Leyton <i>W, w, F</i>	1,963	48,445	37	17	1	5	-	-	-	-	-	-	-	-	-	-	-	-
10 Walthamstow <i>3H, L</i>	6,504	108,929	71	19	6	6	-	1	-	-	1	2	-	-	-	-	-	-
37:1 Chigwell, <i>part of* 2F, 4H</i>	11,778	16,397	8	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-
2 Epping <i>W, F, part of*</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39:1 Romford, <i>part of* W, 2F</i>	6,556	6,091	8	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
2 Ilford <i>F, L</i>	8,496	41,234	30	13	2	4	-	-	-	-	-	-	-	-	-	-	-	-
3 Barking Town <i>F</i>	3,803	21,547	15	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
S.W. Hospitals, Erixton	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
Middlesex County Asylum, Wandsworth.	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-

*The parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4, excepting parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 136: 1, Northaw parish; 187: 1, excepting Thevdon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infirmary also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended		BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoeal Dysentery.
ATTA (including RBS)	847,796	March	26	-	943	57·8	1	4	-	1	-	580†	11
Y - -	776,006	April	19	304	1197	80·2	22	9	-	-	-	669†	6
LS - -	509,346	"	1	332	415	42·3	-	2	?	?	?	112	8
- -	2,660,559	"	30	983	945	18·4	1	13	2	4*	12	6	2
LS - -	575,896	"	30	216	144	13·0	-	1	-	2*	-	1	
RP - -	281,376	"	30	129	79	14·6	8	3	-	1*	1	1	1
RDAM -	547,370	"	23	285	187	17·8	-	21	-	1*	2	2	
HAGEN -	420,000	"	30	240	152	18·9	-	-	1	-	8	-	
HOLM -	305,115	"	23	163	88	14·8	-	1	-	1*	2	1	
ANIA -	225,709	"	30	121	69	16·0	-	-	1	-	-	-	
ERSBURG	1,248,643	"	23	582	824	34·4	3	17	12	12*	4	17	8
W - -	1,093,410	"	23	-	622	29·7	4	11	3	12*	5	4	4
- -	1,960,909	"	16	859	645	17·2	-	4	4	7*	10	1	4
RG - -	751,842	"	30	-	239	16·5	-	3	-	2*	3	-	
AU - -	445,403	"	30	-	178	20·8	-	-	1	1*	?	1	1
H - -	520,000	"	30	-	208	20·8	-	6	1	1*	2	-	1
A - -	1,779,869	"	30	1049	670	19·4	-	38	-	4*	3	2	4
E - -	423,990	"	23	232	213	26·0	-	-	1	-	2	3	1
PESTH -	813,399	"	30	484	312	19·9	-	7	10	1*	4	2	1
E - -	187,251	"	30	-	-	-	-	-	-	-	-	-	-
- -	496,201	March	12	253	206	21·6	-	3	-	5*	-	-	
I - -	166,288	April	30	86	54	16·9	-	-	-	1*	-	-	
- -	624,338	February	11	559	438	36·6	3	25	-	5*	?	19	4
NDRIA -	349,300	"	11	317	193	28·8	1	-	-	-	?	1	3
YORK -	3,838,024	April	23	1766	1831	24·9	-	37	32	53*	5	5	5
DELPHIA -	1,408,154	"	9	-	597	22·1	5	9	4	13*	1	30	2
N - -	617,950	"	9	-	223	18·8	-	1	1	4*	-	1	

* Including deaths from croup.

† Including 471 deaths from plague in Calcutta, and 633 in Bombay.

‡ Including 61 deaths from cholera in Calcutta, and 3 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 7th May, 1904.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
N Greenwich)	63·9	39·2	50·2	0·55	BRADFORD - -	58·6	40·2	48·0	0·38
TON - -	60·0	39·3	49·5	0·87	LEEDS - - -	61·0	41·0	49·9	0·81
MOUTH - -	-	-	-	-	HULL - - -	62·0	39·0	49·2	0·90
ICH - -	-	-	-	-	TYNEMOUTH - -	60·0	40·0	48·7	1·06
UTH - -	54·7	38·0	48·1	0·76					
L - -	60·2	38·0	48·2	0·76	EDINBURGH - -	55·7	36·6	45·2	0·96
NGHAM - -	60·4	37·9	48·0	0·41	GLASGOW - -	60·3	35·0	46·7	1·66
NGHAM - -	59·9	37·1	48·4	0·28					
POOL	59·0	41·0	48·7	0·29	DUBLIN { Phoenix Park.	57·8	34·9	46·7	0·71
ERVATORY, }	58·7	38·8	48·0	0·47	DUBLIN { Fitz- william Square.†	61·3	39·6	49·0	1·09
HESTER -	56·5	41·0	48·4	0·65					
ON - -	58·0	38·0	47·2	0·71	BELFAST - -	57·0	36·5	47·7	0·66

These figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this issue) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1·7 Fahrenheit subtracted. See Table V. of Glaisher's Diurnal Range Tables.
Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1904. MONTH AND DAY		Phases of the Moon.	BARO-METER. Mean daily reading (corrected and reduced to Fahren-heit).	TEMPERATURE.					Difference between the Air, Temperature and Dew Point.			TEMPERATURE.			Wind as deduced from Anemometers.				Rain collected in a Gauge receiving surfaces above the ground.	Ozone.						
				Of the Air.					Of the Dew point	Degree of saturation (Sat. equals 100).		Of Radiation.		Of the Earth 3 feet below the Surface.	Oaler's.		Robinson's.									
				High-est.	Low-est.	Daily Range, value.	Mean daily value.	De-parture from Average value, 50 years.		Mean daily value.	Greatest.	Least.	Highest Sun's Rays.		Lowest on the Grass.	General Direction.		Pressures on the Square Foot.			Horizontal Movement of the Air on each Day.	Depar-ture from Average of the Air on each 16 years.				
																A.M.	P.M.	Greatest.					Least.	Mean hourly obs.		
MAY.		1	in.	63.0	45.6	17.4	51.7	+ 2.5	37.3	14.4	18.5	7.3	58	101.0	41.1	48.31	°	W. & WSW.	WSW. & Variable	lbs. 2.5	0.0	0.3	Miles. 269	+ 10	0.00	in. 4.0
		2	Last Quarter.	29.564	54.6	44.3	47.3	- 2.1	43.7	3.6	7.3	1.7	87	78.0	38.0	48.65	°	WSW. & W.	WSW. & W.	lbs. 15.0	0.0	0.9	494	+ 237	0.39	6.0
		3	Greatest Dec. S.	29.853	57.6	39.2	48.4	- 1.3	36.5	11.9	18.7	2.8	64	122.8	32.0	48.70	°	WSW. & W.	WSW. & W.	lbs. 3.0	0.0	0.3	335	+ 80	0.00	4.0
		4	..	29.981	60.1	40.8	50.2	+ 0.2	38.5	11.7	18.6	2.4	64	127.1	32.6	48.72	°	WNW. & N.	NNE, SE. & SSE.	lbs. 1.2	0.0	0.1	192	- 62	0.00	4.0
		5	..	29.792	63.9	42.8	53.6	+ 3.3	40.5	13.1	18.9	1.8	61	139.0	33.1	48.77	°	SSW. & SW.	SSW. & SW.	lbs. 3.0	0.0	0.3	309	+ 56	0.00	2.0
		6	..	29.477	58.5	43.5	47.3	- 3.3	40.3	7.0	18.7	2.2	76	121.0	40.0	48.90	°	W. & WNW.	WSW.	lbs. 4.5	0.0	0.4	344	+ 92	0.11	1.5
		7	..	29.366	49.2	40.4	44.2	- 6.6	38.1	6.1	8.8	4.4	79	81.0	33.0	49.10	°	WSW. & W.	NNW. & N.	lbs. 1.9	0.0	0.2	272	+ 20	0.05	4.5
MEANS		-	29.631	58.1	42.4	15.8	49.0	- 1.0	39.3	9.7	15.4	3.2	70	110.0	35.7	48.72	°	WSW.		lbs.	Sum 2215	+ 433	Sum 0.55	37
No. of Columns		-	4	5	8	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 159 feet above the sea; if no correction has been applied to the readings to reduce to sea level, the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 60 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1876.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The numbers in column 29, derived from the barometer decreased from 29.85 in. at the beginning of the week to

GENERAL REMARKS.

Overcast in morning; fine and partially cloudy afterwards. Solar halo observed in forenoon.

Overcast with rain and gusty wind till afternoon; fine and partially cloudy afterwards.*

Generally cloudless in early morning; very fine generally with variable amounts of cloud afterwards. Solar halo in forenoon.

Overcast in morning with slight shower at 2.30 p.m.; very fine and partially cloudy afterwards.

Overcast in morning; fine with variable amounts of light cloud afterwards. Solar halo observed at times throughout the day.

Overcast in morning with rain till 2.30 A.M.; variable with occasional showers till evening; generally overcast with frequent slight showers at night. Solar halo in forenoon. Distant thunder with shower of hail in afternoon.

Generally overcast; fine at night; frequent slight rain between 9h. A.M. and 1h. P.M.

DATE.	ELECTROGRAPHY. (For explanation of symbols, see Note.)		Registered Sunshine in hour.	Registered Sun above Horizon, in hour.
MAY.				
SUNDAY - 1	m. P. till 11h. A.M. ; w. P. till 6h. P.M. ; m. P. afterwards.	7-1	148	
MONDAY - 2	w. P. till 4h. A.M. ; w. P. and v. N. till 2h. P.M. ; s. P. afterwards. s. P. generally.	0-1	148	
TUESDAY - 3		7-5	149	
WEDNESDAY - 4 ¹	s. P. till 7h. P.M. ; w. P. afterwards.	9-3	149	
THURSDAY - 5	w. P. generally till 5h. P.M. ; m. P. after- wards.	7-1	150	
FRIDAY - 6	v. P. with occasional v. N.	5-9	151	
SATURDAY - 7	w. P. generally till 10h. A.M. ; v. N. and	0-0	151	

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 30th April, 1904.*

BOROUGHS.	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Chicken-pox.
WEST.											
Paddington- - - -	146,975	-	6	-	-	-	-	-	5	-	12
Kensington - - - -	179,256	-	-	3	-	-	-	-	1	-	17
Hammersmith - - - -	117,412	-	3	5	-	-	-	-	2	-	13
Fulham - - - -	152,482	-	6	2	-	1	-	-	2	-	18
Chelsea - - - -	74,329	-	1	2	-	-	-	-	2	-	1
City of Westminster- -	177,321	-	5	12	-	-	1	-	4	-	6
NORTH.											
St. Marylebone - - - -	130,337	-	5	-	-	-	-	-	6	-	15
Hampstead - - - -	86,663	-	2	2	-	-	-	-	3	-	2
St. Pancras - - - -	235,936	-	17	4	-	-	-	-	3	-	18
Islington - - - -	341,044	-	11	8	-	3	-	-	3	-	38
Stoke Newington - - - -	52,445	-	6	2	-	-	-	-	-	-	7
Hackney - - - -	226,266	-	5	9	-	1	-	-	1	-	24
CENTRAL.											
Holborn - - - -	57,161	-	1	1	-	1	-	-	1	-	7
Finsbury - - - -	98,958	-	8	-	-	3	-	-	1	-	5
City of London - - - -	23,482	-	1	-	-	1	-	-	2	-	3
EAST.											
Shoreditch - - - -	117,033	2	7	3	-	-	-	-	3	-	11
Bethnal Green - - - -	130,207	3	15	16	-	-	-	-	2	-	17
Stepney - - - -	303,791	2	19	12	-	1	-	-	7	1	43
Poplar- - - -	169,905	-	11	15	-	3	-	-	4	-	28
SOUTH.											
Southwark- - - -	207,937	-	14	7	-	-	-	-	5	-	25
Bermondsey - - - -	129,397	3	10	3	-	1	-	-	5	-	9
Lambeth - - - -	310,359	1	14	9	-	2	-	-	9	-	33
Battersea - - - -	175,465	-	5	2	-	-	-	-	1	-	35
Wandsworth - - - -	257,448	-	13	15	-	-	-	-	2	-	44
Camberwell - - - -	268,384	1	19	5	-	1	-	-	3	1	20
Deptford - - - -	113,509	-	9	5	-	-	-	-	2	-	12
Greenwich - - - -	101,651	-	2	4	-	-	-	-	1	-	32
Lewisham - - - -	140,401	-	3	2	-	1	-	-	1	-	10
Woolwich - - - -	123,416	-	-	-	-	-	-	-	3	-	17
Port of London - - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.											
4,648,950		12	216	140	-	19	1	-	81	2	522
AGES.											
Ages 0-1 - - - -	-	-	5	4	-	-	-	-	3	-	59
" 1-5 - - - -	-	-	79	53	-	3	1	-	2	-	233
" 5- - - - -	-	1	97	49	-	3	-	-	5	-	164
" 10- - - - -	-	-	18	21	-	2	-	-	2	-	44
" 15- - - - -	-	-	4	4	-	1	-	-	4	-	9
" 20- - - - -	-	1	-	4	-	1	-	-	4	1	8
" 25- - - - -	-	5	8	4	-	3	-	-	16	1	4
" 35- - - - -	-	2	1	-	-	3	-	-	15	-	1
" 45- - - - -	-	2	-	1	-	2	-	-	17	-	-
" 55- - - - -	-	1	-	-	-	1	-	-	9	-	-
" 65 and upwards - - - -	-	-	-	-	-	-	-	-	4	-	-
Age not stated - - - -	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING APRIL, 1904.

*Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
5th May, 1904.*

SIR,

I HAVE to report to you the results of the chemical analysis and physical examination of the water supplied to the Metropolis, by the eight Water Companies, during the month of April.

Eleven samples of each Company's supply were examined, making a total of 88 samples for the month.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

COMPANIES.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Ni- trates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
THAMES.										
Chelsea - - -	{ April 18th, Cab Rank, Victoria Street, near Christ Church. }	10·3	28·68	·145	·014	0	·298	·312	1·55	20·7
West Middlesex -	{ April 18th, Cab Rank, Great Portland Street. }	10·7	27·52	·140	·015	0	·277	·292	1·55	19·9
Southwark - - -	{ April 18th, Cab Rank, High Street, Peckham. }	11·6	29·32	·123	·012	0	·233	·245	1·55	21·2
Grand Junction -	{ April 18th, Cab Rank, Kensington Park Road. }	11·4	27·92	·129	·011	0	·292	·303	1·55	20·0
Lambeth - - -	{ April 18th, Cab Rank, Station Road, Brixton. }	11·1	28·22	·170	·015	0	·267	·282	1·55	20·7
LEA, WELLS, & CO.										
New River - - -	{ April 18th, Cab Rank, Grays Inn Road, by King's Cross Station. }	10·7	31·26	·084	·008	0	·287	·295	1·75	21·8
East London - -	{ April 18th, Tap on main at Lea Bridge Works. }	11·5	30·66	·129	·012	0	·276	·288	1·85	21·5
DEEP WELLS.										
Kent- - - - -	{ April 18th, Cab Rank, New Cross Station, opposite Jerningham Road. }	11·9	37·48	·041	·005	0	·543	·548	1·95	27·2
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The Chelsea Company's water, collected on the 18th April at the cab-rank in Victoria Street, had a temperature of 10·3° C.; 100,000 lbs. of it contained 28·68 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained ·145 lb. of carbon and ·014 lb. of nitrogen. The above quantity of water also contained ·298 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was ·312 lb. The above weight of water also contained 1·55 lbs. of chlorine and 20·7 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on the 18th April were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies was:—Kent, 0·8, New River, 1·6, Southwark, 2·3, Grand Junction and East London, 2·4, West Middlesex, 2·6, Chelsea, 2·7, and Lambeth, 3·1.

The supplies of the five Companies delivering filtered Thames water maintained the improvement in quality observed in March. In all cases the proportions of organic matter in the April samples were distinctly lower than in the previous month, and the average amount of organic impurity in the Thames-derived waters was the smallest found during the past 16 months. All the samples collected on the 18th April were clear and of good quality.

Of the supplies obtained chiefly from the River Lea and wells, that of the New River Company was clear and of very good quality; the East London Company's water was also clear and, in chemical quality, ranked with the best of the Thames-derived waters.

The Kent Company's deep-well water was, as usual, of high organic purity and excellent quality.

Seen through a stratum two feet deep the Kent Company's water was colourless, and that of the New River Company nearly colourless; the supplies of the remaining Companies had a very pale yellow tint.

In addition to the above analytical examination, the 88 samples of water collected during April at various places in the districts supplied by the several Companies have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded. The following results were obtained:—

PARTS PER 100,000.

COMPANIES.	"Oxygen consumed."						Free Ammonia.			"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)								
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
Chelsea ...	·068	·058	·062	·080	·067	·071	0	0	0	·007	·0055	·006
West Middlesex	·076	·061	·068	·085	·068	·076	0	0	0	·008	·006	·0065
Southwark ...	·102	·059	·075	·108	·062	·082	0	0	0	·0075	·006	·0065
Grand Junction	·068	·057	·063	·084	·066	·072	0	0	0	·0065	·005	·006
Lambeth ...	·087	·073	·080	·099	·081	·088	0	0	0	·0075	·0065	·007
New River ...	·041	·028	·034	·042	·032	·037	0	0	0	·0035	·003	·003
East London ...	·063	·051	·056	·073	·054	·063	0	0	0	·0065	·0055	·006
Kent ...	·010	·006	·008	·013	·008	·011	0	0	0	·0015	·001	·0015

The amounts of "oxygen consumed" from acid solutions of permanganate of potash as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

The above results show that the amounts of organic matter in the five Thames-derived supplies were in all cases moderate, and that the proportions of organic impurity varied only within narrow limits during the month. The organic purity of the Thames water has improved during the past three months, and the average quality of the filtered Thames supplies in April was good, being in fact the best observed so far this year, and distinctly better than in any month during 1903.

The New River Company's supply, obtained chiefly from the River Lea and wells, contained, on the average, only a small quantity of organic impurity and maintained a very uniform good quality during the month. The East London Company's water, obtained mainly from the Lea, was of good quality, the average proportion of organic matter present being slightly less than that found in the Thames supplies.

All the samples of the Kent Company's water examined during the month were of high organic purity and excellent quality.

All the samples of the Chelsea, West Middlesex, Grand Junction, New River, and Kent Companies' supplies were clear, and all the samples drawn from the Lambeth and East London Companies' mains were clear, with one exception in each case, but on several occasions the Southwark Company's supply contained minute amounts of suspended matter.

I am, Sir,

Your obedient Servant,

T. E. THORPE.

The Registrar-General,

Somerset House, W.C.

RETURNS OF LONDON WATER COMPANIES.

The LONDON WATER COMPANIES have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of April, 1904. The supply was in the ratio of 208 gallons to one service.

COMPANIES.	Number of Services.		Daily Supply of Water in Gallons.	
	APRIL, 1903.	APRIL, 1904.	APRIL, 1903.	APRIL, 1904.
TOTAL SUPPLY - - -	964,762	985,250	201,502,102	205,365,063
From Thames - - - - -	457,970	467,686	107,342,432	108,265,211
From Lea and from other Sources -	506,792	517,564	94,159,670	97,099,852
THAMES.				
Chelsea - - - - -	39,504	39,754	11,372,667	11,611,000
West Middlesex - - - - -	89,688	90,808	21,915,685	22,560,824
Southwark and Vauxhall - - -	127,920	129,224	29,642,985	28,814,202
Grand Junction - - - - -	72,931	75,965	16,551,408	16,706,035
Lambeth - - - - -	127,927	131,935	27,859,687	28,573,150
LEA AND OTHER SOURCES.				
New River - - - - -	177,424	179,863	38,227,612	38,722,584
East London - - - - -	223,137	228,276	38,133,000	40,344,000
Kent - - - - -	106,231	109,425	17,799,058	18,033,268

Note.—The Return for April, 1904, as compared with that for the corresponding month of 1903, shows an increase of 20,488 services, and of 3,862,961 gallons of water supplied daily.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1904.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 19. 1904. VOL. LXV.] WEEK ENDED SATURDAY, MAY 14. [Price 1½d.

*General Register Office, Somerset House,
May 16th, 1904.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 16·1 per 1000 of their aggregate population, which is estimated† at 15,271,287 persons in the middle of this year. In the preceding three weeks the rates had been 16·0, 16·3, and 14·9. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 21·3 in Manchester, 22·0 in Birmingham and in Newcastle on Tyne, 22·3 in Rotherham, 23·8 in Burnley, and 24·0 in Warrington; from *measles*, 1·2 in Brighton, in Rochdale, and in Leeds, 1·3 in Hornsey, in West Ham, and in Rhondda, 1·4 in Hull, 1·7 in Manchester, and 2·7 in Huddersfield; from *scarlet fever*, 1·7 in Northampton; from *diphtheria*, 1·2 in Bristol and 1·6 in Hanley; from *whooping-cough*, 2·0 in Burton on Trent and in Blackburn, 2·1 in Bolton, 2·6 in Wallasey, 2·9 in Birmingham, 3·0 in Stockton on Tees, and 5·4 in Warrington. One death from *small-pox* was registered in each of the following Towns, Leicester, Nottingham, Derby, Sheffield, South Shields, and Gateshead, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2551 BIRTHS and 1454 DEATHS were registered. Allowing for increase of population, the births were 96 and the deaths 12 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 16·0, 15·6 and 14·9, in the preceding three weeks, rose again last week to 16·3. During the four weeks ended on Saturday last the death-rate averaged 15·7 per 1000, being 1·7 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, and in certain local Small-pox Hospitals, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the recent Census, and on the increase in the last intercensal period.

The 1454 deaths included 86 from measles, 7 from scarlet fever, 20 from diphtheria, 44 from whooping-cough, 1 from enteric fever, and 16 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 174 deaths were referred to these diseases in the aggregate, being 15 below the corrected average weekly number.

The deaths from *measles*, which had been 81, 66, and 62 in the preceding three weeks, rose again last week to 86, and were 17 above the corrected average; 18 deaths belonged to the Borough of Southwark, 12 to Bermondsey, 8 to Lambeth, 7 to Camberwell, 6 to Stepney, and 5 each to Islington, Battersea, and Deptford. The deaths from *scarlet fever*, which had been 9, 10, and 3 in the preceding three weeks, rose again last week to 7, but were 5 below the corrected average. The deaths from *diphtheria*, which had been 15, 14, and 19 in the preceding three weeks, were 20 last week, but were 14 below the corrected average; 9 deaths belonged to Poplar. The deaths from *whooping-cough*, which had been 43, 42, and 48 in the preceding three weeks, fell again last week to 44, and were 4 below the corrected average; 6 deaths belonged to Camberwell, 5 to Stepney, and 4 each to Lambeth and Woolwich. The fatal cases of *enteric fever*, which had been 3, 3, and 4 in the preceding three weeks, fell last week to 1, the corrected average being 6. The deaths from *diarrhoea*, which had been 12, 15, and 23 in the preceding three weeks, fell again last week to 16, but were 2 above the corrected average. Of the 16 deaths from diarrhoea, 13 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 3 more deaths at this age. The deaths attributed directly to *influenza* numbered 12, having been 8, 14, and 9 in the preceding three weeks.

Different forms of *violence* caused 61 deaths, concerning all but 1 of which inquests were held. Of these 61 deaths, 10 were cases of suicide, while the remaining 51 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, 3 to burns and scalds, 1 to the effects of an anæsthetic administered for surgical purposes, and 12 (including 11 of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 99 cases of small-pox, 1600 of scarlet fever, 777 of diphtheria, 2 of typhus, and 53 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 26 cases, against 23, 12, and 14; of scarlet fever, 239 cases, against 210, 185, and 242; of diphtheria, 128 cases, against 100, 106, and 129; and of enteric fever, 7 cases, against 11, 8, and 6. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended May 7th.

GREATER LONDON.

In Greater London 3754 births and 1930 deaths were registered. Allowing for increase of population these numbers are 146 and 62 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 8 deaths from measles, 1 from scarlet fever, 3 from diphtheria, 6 from whooping-cough, and 3 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·79 inches, and that of the Thermometer 49·7, the latter being 2·0 below the week's average in the 50 years 1841–90. The direction of the wind was variable, the horizontal movement of the air being 21 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 14·0 hours; the measured rainfall amounted to 0·29 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TABLE 1.--76 GREAT TOWNS, GREAT LAKES, 1904, and DEATH-RATES during the preceding three weeks.
ended Saturday, 14th May,

TOWNS	POPULATION estimated to the middle of the Year 1904.	DEATH-RATES from all Causes.			Rate from Diseases in Colas. 11-17.		Registered during the week ended 14th May, 1904.		The DEATHS registered in the Week include											TOWNS.		
		Week ended			Week ended 14th May, 1904.		BIRTHS.	DEATHS.	Deaths from													
		23rd April, 1904.	30th April, 1904.	7th May, 1904.	14th May, 1904.	Small-pox.			Measles.	Scarlet Fever.	Diphtheria.	Whooping cough.	Fever.	Diarrhoea.	Violence.							
																Deaths of Persons aged under 1 Year of Age.	Deaths of Persons aged 60 Years and upwards.					
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	15,271,287	16'0	16'3	14'9	16'1	1'8	8689	4705	1028	1291	6	181	30	58	193	18	39	168	359	1156	47	76 TOWNS.
LONDON -	4,648,950	16'0	15'6	14'9	16'3	2'0	2551	1454	289	441	-	86	7	20	44	1	16	61	143	569	2	LONDON.
CROYDON -	144,419	10'1	11'6	12'3	13'0	1'8	63	36	9	10	-	2	-	1	2	-	-	5	5	8	-	CROYDON.
WILLESDEN -	132,566	5'1	8'3	6'7	10'2	0'8	68	26	4	8	-	1	-	-	1	-	-	3	4	4	-	WILLESDEN.
HORNSEY -	81,221	7'7	10'9	9'6	9'6	3'2	35	15	3	8	-	2	1	-	2	-	-	2	2	3	-	HORNSEY.
TOTTENHAM -	112,881	9'7	15'7	7'8	12'0	0'9	63	26	7	7	-	1	-	-	1	-	1	1	5	3	-	TOTTENHAM.
WEST HAM -	258,424	13'9	15'2	13'7	14'5	2'4	176	80	20	15	-	7	1	-	5	-	4	4	7	17	-	WEST HAM.
EAST HAM -	116,902	12'9	10'3	6'7	10'3	0'9	82	23	9	4	-	2	-	-	-	-	-	-	3	3	-	EAST HAM.
LEYTON -	110,844	8'5	9'9	5'2	11'8	-	74	25	9	5	-	2	-	-	-	-	-	-	3	3	-	LEYTON.
WALTHAMSTOW -	111,282	15'5	9'8	8'0	12'2	2'3	54	26	5	2	-	2	-	-	2	1	-	2	5	2	-	WALTHAMSTOW.
HASTINGS -	86,503	7'1	9'4	9'4	10'2	-	19	13	1	5	-	-	-	-	-	-	-	-	2	-	-	HASTINGS.
BRIGHTON -	126,286	16'5	16'0	12'4	14'9	1'7	58	36	5	16	-	3	-	-	1	-	1	3	6	8	1	BRIGHTON.
PORTSMOUTH -	188,038	14'2	18'2	12'4	14'2	0'8	102	54	7	22	-	-	-	1	-	-	-	-	3	3	-	PORTSMOUTH.
BOURNEMOUTH -	64,645	16'1	20'2	16'9	11'3	0'8	30	14	2	3	-	-	-	1	-	-	-	-	6	6	-	BOURNEMOUTH.
SOUTHAMPTON -	112,500	13'9	13'4	16'7	14'4	-	67	31	5	12	-	-	-	-	-	1	-	-	1	5	-	SOUTHAMPTON.
READING -	76,373	11'6	7'5	15'7	15'0	0'7	39	22	2	2	-	-	-	-	-	-	-	-	2	8	-	READING.
NORTHAMPTON -	91,146	16'0	13'2	8'6	13'7	1'7	36	24	4	5	-	-	3	-	-	-	-	-	2	2	-	NORTHAMPTON.
IPSWICH -	69,805	11'2	9'7	10'5	14'9	0'7	33	20	4	6	-	-	-	-	1	-	1	2	2	-	-	IPSWICH.
GREAT YARMOUTH -	52,069	17'0	14'0	9'0	11'0	-	32	11	3	3	-	-	-	-	-	-	-	-	-	2	-	GREAT YARMOUTH.
NORWICH -	115,538	16'7	15'8	12'2	14'4	0'5	60	32	3	16	-	1	-	-	-	-	-	-	2	4	-	NORWICH.
PLYMOUTH -	114,003	16'5	21'0	21'5	13'7	0'5	57	30	2	12	-	1	-	-	-	-	-	-	1	5	-	PLYMOUTH.
DEVONPORT -	75,334	9'7	15'2	6'2	12'5	-	38	18	3	8	-	-	-	-	-	-	-	-	2	1	-	DEVONPORT.
BRISTOL -	343,204	15'2	16'0	13'1	14'0	1'8	183	92	16	29	-	-	-	8	3	-	1	3	11	20	1	BRISTOL.
HANLEY -	63,932	19'6	18'8	11'4	15'5	1'6	36	13	2	7	-	-	-	2	-	-	-	-	2	2	-	HANLEY.
BURTON-ON-TRENT -	51,934	16'1	14'1	6'0	14'1	2'0	25	14	2	3	-	-	-	-	2	-	-	4	5	4	-	BURTON-ON-TRENT.
WOLVERHAMPTON -	98,194	11'7	20'2	8'5	11'2	1'6	59	21	3	6	-	-	-	1	2	-	-	-	4	4	-	WOLVERHAMPTON.
WALSALL -	91,432	12'0	18'8	14'3	15'4	0'6	50	27	10	5	-	-	-	-	1	-	1	-	4	4	-	WALSALL.
HANDSWORTH -	59,634	7'0	8'7	8'7	10'5	1'7	28	12	3	3	-	-	-	-	2	-	-	-	-	-	-	HANDSWORTH.

TOWNS.	Cols.	1.	DEATH-RATES from all Causes.				Rate from Diseases in 1917.		Registered during the week ending 14th May, 1904.		The DEATHS registered in the Week include										TOWNS.			
			Week ended				11-17.	Week ended 14th May, 1904.	7th May, 1904.	14th May, 1904.	Deaths of						Deaths from					Deaths in Public Institutions.	Unidentified Causes of Death.	
			23rd April, 1904.	30th April, 1904.	7th May, 1904.	14th May, 1904.					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.				
																								2.
BIRMINGHAM -	-	537,965	22.4	19.4	17.0	22.0	4.3	342	227	55	56	-	8	2	1	30	1	2	8	11	56	6	BIRMINGHAM.	
KINGS NORTON -	-	66,867	10.2	11.0	7.8	11.0	-	30	14	2	4	-	-	-	-	-	-	-	-	1	3	-	KINGS NORTON.	
SMETHWICK -	-	60,691	13.7	16.3	4.3	6.0	1.7	45	7	4	2	-	-	-	-	1	1	-	-	-	2	1	SMETHWICK.	
ASTON MANOR -	-	80,383	13.6	20.1	14.3	16.9	1.9	47	26	9	5	-	1	-	-	1	1	-	-	1	1	-	ASTON MANOR.	
COVENTRY -	-	73,904	13.4	21.9	11.3	19.8	2.1	43	23	5	13	-	-	1	-	2	-	-	-	-	3	-	COVENTRY.	
LEICESTER -	-	224,186	12.6	12.1	11.9	12.1	0.7	122	52	9	19	1	-	-	-	-	-	2	6	9	14	1	LEICESTER.	
GRIMSBY -	-	66,958	10.9	11.7	12.5	14.8	-	41	19	4	7	-	-	-	-	-	-	-	1	1	1	-	GRIMSBY.	
NOTTINGHAM -	-	248,811	13.0	15.7	9.6	14.7	0.4	150	70	13	29	1	-	-	1	-	-	-	1	1	16	1	NOTTINGHAM.	
DERBY -	-	120,449	10.0	12.1	13.0	19.5	0.9	70	45	15	9	1	1	-	-	-	-	-	3	5	7	-	DERBY.	
STOCKPORT -	-	97,008	12.9	16.7	13.4	13.4	1.1	60	25	5	8	-	-	-	-	1	-	-	-	1	5	-	STOCKPORT.	
BIRKENHEAD -	-	114,814	20.9	15.9	17.3	19.1	0.9	68	42	8	13	-	-	-	1	1	-	-	-	1	7	-	BIRKENHEAD.	
WALLASEY -	-	60,354	19.0	25.9	12.1	17.3	3.5	34	20	6	5	-	1	-	-	3	-	-	-	-	-	1	WALLASEY.	
LIVERPOOL -	-	723,430	19.8	21.8	18.6	17.2	1.5	441	239	55	67	-	3	2	1	11	2	2	7	14	69	11	LIVERPOOL.	
BOOTLE -	-	61,755	16.9	15.2	17.7	12.7	1.7	33	15	6	4	-	-	-	1	1	-	-	-	1	1	-	BOOTLE.	
ST. HELENS -	-	88,545	22.4	17.7	26.5	13.0	0.6	70	22	6	3	-	1	-	-	-	-	-	1	2	1	-	ST. HELENS.	
WIGAN -	-	62,800	17.4	20.8	19.1	17.4	1.7	36	21	6	3	-	-	-	-	2	-	-	1	1	2	-	WIGAN.	
WARRINGTON -	-	67,331	25.6	20.9	13.2	24.0	7.7	59	31	6	9	-	2	1	-	7	-	-	-	-	8	1	WARRINGTON.	
BOLTON -	-	175,744	13.1	17.8	13.9	17.8	2.4	102	60	9	10	-	-	1	-	7	-	-	3	6	9	-	BOLTON.	
BURY -	-	58,450	15.2	16.1	13.4	18.7	2.7	24	21	4	4	-	-	1	-	2	-	-	1	1	5	-	BURY.	
MANCHESTER†	-	557,938	22.0	20.9	23.1	21.3	3.5	357	228	66	43	-	18	-	-	11	-	3	2	7	52	4	MANCHESTER.†	
SALFORD -	-	228,983	19.4	18.2	20.0	17.8	2.7	154	78	21	13	-	2	1	1	5	1	1	2	-	13	-	SALFORD.	
OLDHAM -	-	139,497	20.6	13.5	13.5	14.2	1.5	66	38	8	9	-	-	1	-	-	1	1	1	3	10	-	OLDHAM.	
ROCHDALE -	-	85,601	13.4	18.3	14.0	16.4	1.8	32	27	4	6	-	-	-	-	1	-	-	-	-	5	-	ROCHDALE.	
BURNLEY -	-	100,569	21.8	15.8	17.6	23.8	1.0	56	46	11	10	-	2	-	2	-	-	-	2	-	3	5	-	BURNLEY.
BLACKBURN -	-	132,134	18.2	19.3	21.3	15.8	2.8	66	40	6	13	-	2	-	2	-	-	-	1	1	3	1	BLACKBURN.	
PRESTON -	-	115,055	15.4	14.0	13.6	14.5	0.9	57	32	10	10	-	-	-	-	-	-	-	2	-	2	2	PRESTON.	
BARROW-IN-FURNESS	-	59,654	17.5	15.7	10.5	7.9	-	34	9	2	4	-	-	-	-	-	-	-	-	-	1	1	BARROW-IN-FURNESS.	

The DEATHS registered in the Week include										TOWNS.																			
TOWNS.	POPULATION estimated to the end of the year 1904.*	DEATH-RATES from all Causes.				Rate from the week ended 11-17.		Registered during the week ended 14th May, 1904.		Deaths from										TOWNS.									
		Week ended				Week ended		BIRTHS.		DEATHS.		Deaths of																	
		30th April, 1904.				7th May, 1904.				14th May, 1904.				11-17.		14th May, 1904.		Persons aged under 1 Year of Age.											
		23rd April, 1904.	30th April, 1904.	7th May, 1904.	14th May, 1904.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.							
HUDDESFIELD.	94,925	15'4	20'3	14'3	17'6	3'3	40	32	11	-	5	-	-	-	-	1	1	1	1	2	HUDDESFIELD.								
HALIFAX.	107,580	15'5	9'7	14'1	14'5	1'0	34	30	8	-	-	-	-	-	-	-	-	1	8	-	HALIFAX.								
BRADFORD.	265,089	16'3	20'7	16'3	17'9	2'0	147	98	20	-	4	2	2	1	2	-	3	5	16	-	BRADFORD.								
LEEDS.	450,142	16'2	17'0	17'5	16'6	2'4	219	143	34	-	10	1	-	8	2	-	4	7	20	-	LEEDS.								
SHEFFIELD.	482,940	14'6	14'9	16'0	13'6	0'8	273	113	32	1	-	-	3	3	-	-	1	1	23	3	SHEFFIELD.								
ROTHERHAM.	58,498	11'6	10'7	13'4	22'3	0'9	47	25	8	-	-	-	-	1	-	-	-	1	-	2	ROTHERHAM.								
YORK.	81,268	18'0	13'5	15'4	14'1	1'3	41	22	6	-	-	-	-	2	-	-	-	1	6	-	YORK.								
HULL.	253,865	17'3	17'0	17'7	17'5	2'7	167	85	22	-	7	-	2	3	1	-	5	9	14	-	HULL.								
MIDDLESBROUGH.	86,684	17'3	22'7	17'3	15'1	1'6	64	28	9	-	-	-	-	1	-	2	-	-	5	-	MIDDLESBROUGH.								
STOCKTON-ON-TEES.	52,192	17'0	22'0	12'0	19'0	4'0	40	19	6	-	-	-	-	3	-	1	-	1	2	-	STOCKTON-ON-TEES.								
WEST HARTLEPOOL.	69,251	15'1	12'8	16'6	13'6	0'8	34	18	2	-	-	-	-	1	-	1	-	1	-	-	WEST HARTLEPOOL.								
SUNDERLAND.	151,157	20'7	16'9	17'2	16'9	0'3	90	49	10	-	-	-	-	-	-	-	3	4	11	3	SUNDERLAND.								
SOUTH SHIELDS.	107,334	14'1	18'9	14'6	19'4	1'9	62	40	11	6	1	-	1	1	1	-	4	4	8	-	SOUTH SHIELDS.								
GATESHEAD.	118,067	18'5	20'3	15'0	15'0	0'9	101	34	9	5	1	-	-	-	-	-	-	-	3	1	GATESHEAD.								
NEWCASTLE-ON-TYNE.	225,362	17'1	16'4	17'4	22'0	1'4	143	95	18	29	-	-	3	3	-	-	5	8	22	2	NEWCASTLE-ON-TYNE.								
TYNEMOUTH.	53,060	14'7	16'7	9'8	14'7	-	42	15	2	-	-	-	-	-	-	-	-	1	1	-	TYNEMOUTH.								
NEWPORT (MON.).	71,543	7'3	14'6	12'4	15'3	1'5	43	21	5	-	-	-	-	2	-	-	2	2	1	-	NEWPORT (MON.).								
CARDIFF.	176,313	13'9	19'3	10'4	17'4	0'6	109	59	8	18	-	-	-	1	-	-	3	8	8	-	CARDIFF.								
RHONDDA.	122,310	17'5	16'6	13'6	17'1	3'0	80	40	12	6	-	3	-	1	1	-	1	1	1	-	RHONDDA.								
MERTHYR TYDFIL.	72,745	17'9	12'9	23'7	10'8	1'4	52	15	4	2	-	-	-	2	-	1	2	2	2	-	MERTHYR TYDFIL.								
SWANSEA.	95,431	17'4	15'8	16'8	13'0	1'1	59	24	6	5	-	-	-	1	-	-	2	2	7	-	SWANSEA.								
GREATER LONDON.	6,907,756	14'4	14'3	13'3	14'6	1'7	3754	1930	410	572	-	111	10	63	2	19	83	190	633	2	GREATER LONDON.								
OUTER RING.	2,258,806	11'1	11'6	10'0	11'0	1'3	1203	476	121	131	-	25	3	4	19	3	22	47	64	-	OUTER RING.								
8 TOWNS IN OUTER RING.	1,098,639	11'0	12'0	9'6	12'2	1'6	615	257	66	59	-	17	2	1	13	-	15	31	39	-	8 TOWNS IN OUTER RING.								
REMAINDER OF OUTER RING.	1,160,167	11'3	11'3	10'5	9'8	0'9	588	219	55	72	-	8	1	3	6	3	7	16	25	-	REMAINDER OF OUTER RING.								
EDINBURGH.	331,977	17'7	19'3	14'8	17'3	1'3	170	110	14	35	-	2	-	3	2	1	2	?	38	7	EDINBURGH.								
GLASGOW.	798,357	22'1	19'7	20'1	18'4	2'6	485	282	49	64	-	9	4	3	11	9	14	?	76	11	GLASGOW.								
DUBLIN†	-	-	-	-	-	0'2	243	157	26	47	-	2	1	1	10	-	1	-	53	8	DUBLIN†								

TABLE 2. LONDON.—Births and Deaths Registered in the NINETEENTH Week of each of the Eleven Years, 1894–1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894–1903.*	1904
TOTAL Births -	2589	2549	2690	2430	2425	2574	2581	2510	2560	2615	2647·3	2551
Males - -	1322	1271	1376	1235	1252	1320	1318	1284	1308	1316	1348·6	1288
Females - -	1267	1278	1314	1195	1173	1254	1263	1226	1252	1299	1298·7	1263
TOTAL Deaths -	1531	1398	1523	1334	1356	1428	1446	1386	1453	1278	1466·2	145
Males - -	784	717	816	709	730	772	767	715	785	663	773·5	762
Females - -	747	681	707	625	626	656	679	671	671	615	692·7	692

* The numbers in this column are the average weekly numbers in the nineteenth week of the ten years 1894–1903, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Feb. 20.	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	13 Weeks.
TOTAL Births -	2737	2456	2364	2712	2577	2423	2240	2539	2676	2489	2733	2403	2551	32900
TOTAL Deaths -	1539	1467	1594	1796	1680	1645	1672	1659	1490	1429	1392	1325	1454	20192
Under 1 year -	345	326	350	397	335	346	375	366	318	281	280	274	289	4272
1–5 years -	206	158	197	230	216	214	214	253	214	202	194	215	203	2719
5–20 " -	72	65	79	88	73	71	79	76	68	78	80	64	77	970
20–40 " -	180	167	172	188	212	190	202	157	192	175	158	152	163	2308
40–60 " -	299	313	306	299	337	326	308	334	264	272	312	272	281	3913
60 yrs. & upwds.	487	438	490	594	517	508	494	470	434	421	368	348	441	6010
Deaths from—														
Small-pox† - -	1	1	-	1	1	3	3	-	-	1	3	1	-	16
Measles - -	42	32	43	66	69	67	92	86	75	81	66	62	86	867
Scarlet Fever - -	9	5	5	6	2	4	4	8	4	9	10	3	7	76
Diphtheria - -	17	18	23	17	17	13	17	17	8	15	14	19	20	215
Whooping-cough -	55	41	52	54	51	48	68	64	64	43	42	48	44	674
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	2	5	3	4	2	3	3	4	3	3	3	4	1	40
Pyæmia (origin uncertain).	-	-	-	-	-	-	-	1	-	-	-	1	-	2
Diarrhoea, Dysentery	16	28	20	18	19	19	16	21	12	12	15	23	16	235
All above Diseases -	142	130	146	166	161	155	203	204	166	164	153	161	174	2125
Dis. of Resp. System	195	180	202	235	205	195	212	167	156	127	100	83	116	2173
Pneumonia - -	154	142	169	179	170	183	158	166	139	127	124	110	115	1941
Phthisis - -	146	147	156	162	168	168	168	136	169	137	124	110	115	1941
Dis. of Circ. System -	220	205	197	221	230	223	207	203	168	176	178	167	206	2601
Violence - -	53	51	57	68	69	58	58	65	56	49	63	62	61	770
Inquest Cases - -	150	126	150	199	161	164	153	178	127	134	155	125	143	1956
Deaths in Institutions	572	497	533	603	554	555	585	540	473	491	532	485	569	6989
TEMPERATURE OF THE AIR.														
Mean - -	38·8	38·3	33·3	40·5	40·8	43·3	42·0	48·0	49·6	49·1	49·6	49·0	49·7	44·0
Mean of Highest - -	43·9	43·0	37·3	48·0	50·1	49·3	50·5	55·8	59·1	59·7	57·1	58·1	58·8	51·6
Mean of Lowest - -	33·4	34·8	29·8	34·1	31·5	37·6	35·3	40·9	40·6	38·2	43·3	42·4	41·5	37·2
Mean Humidity of the Air.	81	75	82	84	77	80	79	71	71	71	72	70	81	76
Rain-fall (in inches) -	0·45	0·03	0·52	0·24	0·06	0·11	0·45	0·37	0·32	0·24	0·05	0·55	0·29	3·68
Registered Sunshine (in hours).	10·3	6·7	6·4	26·3	28·2	13·7	29·5	33·5	36·9	38·9	21·9	37·0	14·0	303·3
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox - -	29	31	41	54	74	110	126	134	144	123	104	88	99	89
Scarlet Fever - -	1620	1587	1578	1601	1634	1585	1570	1505	1523	1543	1541	1590	1600	1574
Diphtheria - -	768	787	764	780	807	776	787	749	737	719	720	750	777	763
Typhus - -	-	-	-	1	1	1	1	1	1	1	2	2	2	1
Enteric Fever - -	129	125	118	102	94	83	86	80	68	73	62	56	53	87

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S. Preston; J. Firth, Esq., Huddersfield; H. A. Johnson Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the NINETEENTH Week of the Year 1904.
*terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable
should be used in Medical Certificates only when precise information is wanting.*

should be used in Medical Certificates only

CAUSES OF DEATH.	Deaths in the 19th week of the year 1903.	1904—Deaths of Persons of the Ages						CAUSES OF DEATH.	Deaths in the 19th week of the year 1903.	1904—Deaths of Persons of the Ages								
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60. 60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60. 60 years and upwards.			
			0-1.	1-5.	5-20.		0-1.				1-5.	5-20.	20 and under 40.		40 and under 60.	60 years and upwards.		
ALL CAUSES	1278	1454	289	203	77	163	281	411	Meningitis (not tuberc.)	18	21	8	8	3	3	1		
									Insanity, Gen. Par. of }	11	16	-	-	-	4	6		
									Insane - - - -	7	6	-	-	-	3	2		
									Epilepsy - - - -	22	14	14	-	-	-	1		
									Convulsions - - -	2	1	-	-	-	-	-		
Small-pox*	-	-	-	-	-	-	-	-	Locomotor Ataxy -	2	5	-	-	-	1	1		
Cowpox - - - -	-	-	-	-	-	-	-	-	Paraplegia, Dis. of Cord	2	5	-	-	-	1	1		
Measles (Morbilli) -	55	86	25	60	1	-	-	-	Nervous Sys. (other dis.)	12	23	2	-	2	5	4		
Scarlet Fever - - -	7	7	-	6	1	-	-	-	Valv. Dis., Endocarditis-	42	54	-	-	-	2	22		
									Cerebr. Hæm. Thromb. -	36	36	-	-	-	-	9		
Typhus - - - -	-	-	-	-	-	-	-	-	Apoplexy, Hemiplegia -	17	18	-	-	-	1	2		
Plague - - - -	-	-	-	-	-	-	-	-	Aneurysm - - - -	3	7	-	-	-	2	4		
Influenza - - - -	17	12	-	-	1	4	3	4	Embolism, Thrombosis }	2	1	-	-	-	-	-		
Whooping-cough - -	33	44	15	29	-	-	-	-	(not cerebral) - - - -	70	90	-	-	-	6	28		
Diphtheria - - - -	12	20	2	13	5	-	-	-	Heart & Blood Vessel Dis.	-	-	-	-	-	-	-		
Cerebro Spinal Fever	-	-	-	-	-	-	-	-	Croup (not Spasm nor	2	-	-	-	-	-	-		
Pyrexia,† (Origin un- }	-	-	-	-	-	-	-	-	Memb.) - - - -	93	99	18	9	-	3	11		
certain) - - - -	-	-	-	-	-	-	-	-	Bronchitis - - - -	3	2	-	-	-	-	-		
Enteric Fever - - -	4	1	-	-	-	1	-	-	Asthma, Emphysema -	6	6	-	1	-	-	-		
									Pleurisy - - - -	1	9	-	-	1	-	3		
Asiatic Cholera - - -	-	-	-	-	-	-	-	-	Respiratory Dis. (other)	6	-	-	-	-	-	-		
Epidemic Diarrhoea }	6	5	4	1	-	-	-	-	Tonsillitis, Quinsy - -	-	1	-	-	-	-	1		
(Infective Enteritis) }	-	-	-	-	-	-	-	-	Enteritis (not Epid.) -	6	7	6	1	-	-	-		
Diarrhoea, Dysentery -	13	11	7	1	-	1	-	2	Gastro-Enteritis - - -	3	4	3	-	-	-	-		
Tetanus - - - -	2	2	1	-	-	1	-	-	Peritonitis (not Puerp.) -	5	3	-	-	-	1	1		
Rabies, <i>Hydrophobia</i> -	-	-	-	-	-	-	-	-	Cirrhosis of Liver - -	13	4	-	-	-	-	6		
Glanders - - - -	1	-	-	-	-	-	-	-	Liver Dis. (other) - -	4	4	-	-	-	-	7		
Anthrax (Splenic Fever)-	-	-	-	-	-	-	-	-	Digestive Dis., Other -	23	32	3	1	4	5	7		
Venereal Dis. - - -	6	4	3	-	-	1	-	-	Nephritis, Acute - - -	4	13	-	2	3	3	3		
Puerperal Septicæmia -	3	1	-	-	-	1	-	-	Bright's Dis., Albumin- uria - - - -	34	36	-	-	2	3	14		
Puerperal Pyæmia - -	-	-	-	-	-	-	-	-	Urinary Sys., Other Dis.	8	15	-	1	1	2	-		
Puerperal Fever - - -	-	1	-	-	-	-	-	-	Generative Organs Dis.- Childbirth (Accid. of) -	3	2	-	-	-	-	-		
Infective Endocarditis -	1	-	-	-	-	-	-	-	Old Age - - - -	39	55	-	-	-	-	-		
Pneumonia {	Lobar - - - -	14	12	-	-	1	4	4	Other Diseases - - -	74	92	68	10	3	2	-		
	Broncho- - - -	52	50	19	16	1	2	7										
	Epidemic - - - -	-	-	-	-	-	-	-										
	Not defined - - -	55	53	13	6	4	5	9										
Erysipelas - - - -	2	8	1	-	-	-	2	5	ACCIDENT.									
Septicæmia (not Puer- }	-	2	-	-	1	1	-	-	By Railways - - - -	1	3	-	-	-	-	-		
peral) - - - -	-	-	-	-	-	-	-	-	By Vehicles and Horses-	7	6	-	-	1	1	-		
Pyæmia (not Puerperal) -	1	3	-	-	2	-	1	-	In Ships, Boats, Docks, (exclusive of Drown- ing) - - - -	1	-	-	-	-	-	-		
Other Infective Conditions	8	16	-	3	3	6	1	-	In Building Operations -	2	-	-	-	-	-	-		
Tuberculous Phthisis -	62	80	1	4	8	35	24	8	In Conflagrations - - -	-	-	-	-	-	-	-		
"Phthisis" - - - -	72	63	-	1	6	29	21	6	By Burns, Scalds, Ex- plosions - - - -	3	3	1	1	-	-	1		
Tuberculous Meningitis -	25	24	7	13	4	-	-	-	By Drowning - - - -	9	2	-	1	-	-	-		
Tuberculous Peritonitis -	5	12	4	2	3	2	1	-	By Suffocation in Bed -	7	12	11	1	-	-	-		
<i>Tuberc Mesenterica</i> -	7	5	3	1	-	1	-	-	By Poisons or Poisonous Vapours - - - -	2	1	-	-	-	-	-		
Tuberculous Dis. (other)-	14	25	4	6	7	6	2	-	Other Deaths by Acci- dent - - - -	15	24	-	3	2	4	-		
<i>Scrofula</i> - - - -	-	-	-	-	-	-	-	-										
Alcoholism - - - -	16	11	-	-	-	3	8	-										
Rheumatic Fever - - -	3	7	-	-	4	1	1	1										
Gout - - - -	1	3	-	-	-	-	-	3										
Carcinoma - - - -	69	57	-	-	-	4	26	27										
Sarcoma - - - -	8	7	-	-	-	-	5	2	VIOLENCE OTHER THAN ACCIDENTAL.									
Cancer (undefined) - -	31	27	-	1	-	1	10	15	Homicide - - - -	-	-	-	-	-	1	3		
Diabetes Mellitus - -	7	2	-	-	-	-	-	2	Suicide - - - -	12	10	-	-	-	-	-		
Premature Birth - - -	40	46	46	-	-	-	-	-	Execution - - - -	-	-	-	-	-	-	-		

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 14th May, 1904.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include													
				Deaths of		Deaths from											
				Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,530,429	2551	1454	289	441	-	86	7	20	44	-	1	-	16	61	143	569
WEST DISTRICTS - - -	805,311	378	224	33	82	-	4	-	2	2	-	-	-	5	13	29	99
NORTH DISTRICTS - - -	1,056,070	529	276	52	95	-	9	5	1	6	-	-	-	2	8	26	98
CENTRAL DISTRICTS - - -	209,465	111	77	8	17	-	5	-	-	3	-	-	-	-	6	10	35
EAST DISTRICTS - - -	715,739	492	268	64	62	-	9	-	8	9	-	1	-	4	13	42	114
SOUTH DISTRICTS - - -	1,749,844	1041	557	127	168	-	59	1	9	24	-	-	-	4	20	35	171
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	52	-	17	-	-	1	-	-	-	-	-	1	1	1	52
WEST DISTRICTS.																	
St. Mary Paddington } G. & W.	93,178	66	24	5	10	-	-	-	-	1	-	-	-	-	-	-	8
W ² H																	
St. John Paddington } H - - G.	33,617	12	12	2	1	-	-	-	-	-	-	-	-	-	3	4	9
North-West Paddington - - C.	17,181	11	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town 2W, w ² H G. & W. & C.	128,037	61	44	6	22	-	-	-	-	-	-	-	-	-	2	6	23
Brompton 2H - - W. & C.	48,591	10	8	1	3	-	-	-	-	-	-	-	-	-	-	-	1
North Hammersmith W, w ² H } W. & G.	49,192	26	10	2	2	-	-	-	-	-	-	-	-	1	1	1	1
South Hammersmith w ² H	63,047	33	10	1	5	-	1	-	-	-	-	-	-	-	2	2	4
North-west Fulham W } W. & C.	45,180	39	26	6	9	-	1	-	1	-	-	-	-	1	1	5	13
North-east Fulham F	46,405	25	13	4	2	-	-	-	2	-	-	-	-	-	1	3	2
South Fulham W	45,704	26	6	3	1	-	1	-	-	-	-	-	-	-	-	-	-
Chelsea North W, w ³ H - - C.	42,514	12	35	3	18	-	1	-	-	-	-	-	-	-	-	1	25
Chelsea South W ² H - - C.	31,328	13	5	-	2	-	-	-	-	-	-	-	-	-	-	-	1
May Fair and Knightsbridge } C. & G.	28,743	3	3	-	2	-	-	-	-	-	-	-	-	-	1	1	-
H																	
Belgrave W ² H - - C.	55,815	23	8	1	1	-	-	-	-	-	-	-	-	-	1	2	5
St. Margaret & St. John 4H - C.	43,698	12	11	1	3	-	-	-	-	-	-	-	-	1	1	3	7
St. James Westminster } N. & G.	21,588	5	3	2	-	-	-	-	-	-	-	-	-	1	-	-	-
W ² H																	
St. Anne Soho 5H - - N.	11,493	1	3	1	-	-	-	-	-	-	-	-	-	1	-	1	-
NORTH DISTRICTS																	
All Souls Marylebone 8H - W.	35,391	13	14	1	3	-	2	-	-	-	-	-	-	-	1	1	10
Rectory Marylebone W G. & W.	19,849	3	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone 4H G. & W.	18,099	31	10	4	3	-	-	-	-	-	-	-	-	-	-	-	3
Christchurch Marylebone H- W.	39,536	20	8	4	2	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone 3H - W.	20,428	3	5	-	2	-	-	-	-	-	-	-	-	-	-	-	1
Hampstead W, P, 8H - N. & W.	81,942	41	20	2	9	-	-	2	1	-	-	-	-	-	-	-	8
West St. Pancras 2H - - W.	60,562	23	8	-	3	-	-	-	-	1	-	-	-	-	-	1	1
Tottenham-court w, 6H N. & W.	21,258	6	8	2	5	-	-	-	-	-	-	-	-	-	-	1	5
Gray's Inn Lane 4H - - N.	34,449	9	14	-	4	-	1	-	-	1	-	-	-	-	2	4	6
East St. Pancras W ² H - - N.	60,320	37	12	4	3	-	-	-	-	-	-	-	-	-	1	2	4
North St. Pancras 2W - - N.	58,728	30	15	4	6	-	-	-	-	-	-	-	-	-	1	1	5
Tufnell W - - N.	31,995	17	19	3	11	-	-	-	-	-	-	-	-	-	-	3	14
Upper Holloway - - N.	33,978	19	27	2	8	-	1	-	-	-	-	-	-	-	1	1	17
Tollington W - - N.	33,922	20	5	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Lower Holloway - - N.	41,424	19	9	3	3	-	1	-	-	-	-	-	-	-	-	2	-
Barnsbury - - N.	54,478	34	14	5	3	-	1	-	-	1	-	-	-	1	-	-	-
Islington South-east F - - N.	75,397	47	12	4	3	-	1	-	-	-	-	-	-	-	1	1	-
Highbury 2H - - N.	63,797	32	11	3	5	-	-	-	-	-	-	-	-	-	-	1	-
Stoke Newington H - - N.	51,247	22	8	3	2	-	-	-	-	1	-	-	-	-	-	2	-
North Hackney - - E. & N.	50,560	12	5	2	3	-	-	-	-	-	-	-	-	-	-	1	-
Central Hackney 2w, F - E. & N.	50,536	22	14	2	2	-	1	3	-	2	-	-	-	-	1	2	5
South-west Hackney 3H - E. & N.	59,921	35	14	1	4	-	-	-	-	-	-	-	-	-	-	1	3
South-east Hackney 2W, w, H E. & N.	58,255	34	21	2	9	-	-	-	-	-	-	-	-	-	1	3	16

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, ETEPH, DIARRHŒA, VIOLENCE, &c., REGISTERED IN EACH SUB-DISTRICT during the Week ended Saturday, 14th May, 1904—continued.

808

On 1st May, 1904, the sub-districts of Mile End Old Town West and Mile End Old Town East were dissolved and med into two new sub-districts as above.

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 14th May, 1904.

REGISTRATION SUB-DISTRICTS	rated Popu- lation, 1901.	The DEATHS registered during the Week include															
		Total Births.	Total Deaths.	Infants under 1 Year of Age.	Personages 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institu-
SOUTH DISTRICTS.																	
Christchurch Southwark W, HL & S.	11,263	9	5	1	3	-	1	-	-	-	-	-	-	-	-	-	-
St Saviour Southwark H - S.	12,056	11	17	4	3	-	1	-	2	-	-	-	-	2	3	1	17
Kent-road - - - S. & L.	21,904	11	9	2	3	-	5	-	-	-	-	-	-	-	1	-	-
St. George the Martyr } S. & L.	39,091	19	15	4	3	-	1	-	-	3	-	-	-	-	2	7	-
West W, 2H, L - - - }	49,022	31	6	2	1	-	1	-	-	-	-	-	-	-	-	-	-
Newington North* - S. & L.	72,341	31	6	2	1	-	1	-	-	-	-	-	-	-	-	-	-
Newington South* W - S. & L.	72,341	41	18	6	1	-	4	-	-	1	-	-	-	-	-	-	2
St. Olave 2W - - - S.	9,817	5	1	-	1	-	-	-	-	1	-	-	-	-	-	-	1
Bermondsey W - - - S.	82,483	56	33	15	4	-	12	-	-	1	-	-	-	2	3	2	-
Rotherhithe W, F - - S. & K.	38,460	22	23	4	6	-	-	-	2	-	-	-	-	2	2	2	11
Waterloo-road 2H - - L. & S.	27,440	35	8	4	3	-	2	-	-	-	-	-	-	-	1	2	1
Lambeth Church 1st H - L. & S.	18,423	5	21	3	5	-	2	-	-	3	-	-	-	4	3	3	12
Lambeth Church 2nd 2W L. & S.	39,818	25	23	4	10	-	3	-	1	-	-	-	-	1	1	1	13
Kennington 1st H - - S. & L.	53,198	42	15	7	3	-	1	-	-	-	-	-	-	-	-	-	3
Kennington 2nd H - - S. & L.	42,896	22	14	1	6	-	-	-	-	-	-	-	-	-	-	-	1
Brixton F - - - L. & S.	84,232	37	24	2	9	-	-	-	1	-	-	-	-	-	3	2	-
Norwood W, H - - - L.	35,888	16	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea - - - S.	72,203	48	10	3	3	-	1	-	-	-	-	-	2	-	2	-	-
North-west Battersea - - S.	49,656	43	10	3	3	-	2	-	-	-	-	-	-	-	-	-	-
South-west Battersea W, H - S.	47,048	21	24	2	3	-	2	-	-	-	-	-	-	1	1	1	19
Clapham 2H - - - S.	51,361	27	7	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Streatham† W, 2w, 2F, 2L - L.	88,019	56	38	10	17	-	-	-	2	1	-	-	1	-	1	1	15
Springfield 2W, L - - S.	27,950	14	8	2	2	-	-	-	-	-	-	-	-	1	1	1	1
Southfields H - - - S.	40,444	29	11	1	6	-	-	-	-	-	-	-	-	-	1	1	-
Putney - - - S.	24,139	6	4	2	1	-	-	-	-	-	-	-	-	-	1	1	-
Dulwich† - - - L. & S.	13,359	7	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South† W, w S. & L.	40,206	27	32	3	12	-	8	-	-	-	-	-	-	-	-	-	20
Camberwell North† W, 2L S. & L.	65,584	34	23	2	9	-	2	-	-	1	-	-	-	1	1	8	-
St. George† - - - L. & S.	47,331	30	8	3	-	-	-	-	-	-	-	-	-	1	1	1	-
Peckham† 2W, w - - S., L. & K.	92,659	50	18	6	6	-	2	-	-	3	-	-	-	-	-	1	1
Deptford North - - - K.	37,613	28	9	2	2	-	1	-	-	1	-	-	-	-	2	2	-
Deptford Central F - - K.	45,481	33	9	2	2	-	2	-	-	1	-	-	-	-	-	-	-
Deptford South - - - K.	34,626	10	6	1	2	-	1	-	-	-	-	-	-	-	-	-	-
Greenwich West 2H - - K.	23,456	14	9	1	2	-	2	-	-	-	-	-	-	-	1	1	1
Greenwich East 2W, H - K.	43,859	18	23	6	5	-	-	-	-	-	-	-	-	1	1	1	15
Eltham w, H - - - K.	7,226	7	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Lee H - - - K.	25,490	8	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham W, w, F - - K.	58,352	37	23	5	4	-	1	1	2	2	-	-	-	-	-	1	13
Sydenham H - - - L.	43,653	31	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Charlton F, 2H - - - K.	21,134	10	7	1	-	-	-	-	2	-	-	-	-	-	-	-	5
Woolwich 4H - - - K.	41,625	25	12	5	4	-	-	-	-	3	-	-	-	-	-	-	-
Plumstead West W - - K.	18,063	9	4	-	2	-	1	-	-	-	-	-	-	-	-	-	-
Plumstead East 2W, H - K.	50,264	32	14	4	6	-	1	-	-	1	-	-	-	-	-	-	3
London County Asy., Banstead -	-	-	8	-	1	-	-	-	-	-	-	-	-	-	-	-	8
Manor Asylum, Epsom - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton Asylum, Epsom - - -	-	-	9	-	5	-	-	-	-	-	-	-	-	-	-	-	9
Lon. Co. Asy. Epilep. Colony, Epsom	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Caterham	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	3
London County Asy., Cane Hill -	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3
M.A.B. Hospitals, Dartford - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Darenth -	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	5
London County Asylum, Dartford } Heath	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
London County Asylum, Hanwell -	-	-	10	-	4	-	-	-	-	-	-	-	1	-	-	-	10
Central London Sick Asy., Hendon	-	-	2	-	1	-	-	-	-	-	-	-	-	-	1	1	2
London County Asy., Colney Hatch	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3
M.A.B. North-Eastern Hospital -	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1
M.A.B. Northern Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Leavesden	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	4
London County Asylum, Claybury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* On 1st March, 1904, the sub-districts of Trinity Newington, St. Peter Walworth, and St. Mary Newington, were abolished, and divided into two new sub-districts entitled Newington North and Newington South respectively.

† On 1st April, 1904, the four sub-districts of Camberwell registration district were abolished, and divided into sub-districts as above.

‡ On 1st April, 1904, by Local Government Board Order P. 1814, confirmed by Local Government Board's Provisional Orders Confirmation (No. 16) Act, 1903, a part of the civil parish of Tooting Graveney was transferred to the civil parish of Mitcham, and a part of the civil parish of Mitcham was transferred to the civil parish of Tooting Graveney (now Wandsworth Borough). The births and deaths registered in these areas and the populations are treated though the pending registration changes had been carried into effect.

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 14th May, 1904.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include														
					Deaths of		Deaths from												
					Infants under 1 year of age.	Persons aged 60 years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
LONDON—OUTER RING	368,580	2,044,973	1203	476	121	131	-	25	3	4	19	1	3	22	47	64	-		
1 Carshalton <i>w, 2F, 2H</i>	12,228	32,997	20	7	4	2	-	-	-	-	-	-	-	-	-	-	-		
2 Epsom, <i>part of</i> * <i>W, w, 2F, H</i>	10,423	15,548	8	1	-	1	-	-	-	-	-	-	-	-	-	1	-		
1 Godstone, <i>part of</i> * <i>W, F</i>	2,754	2,692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1 Coulsdon	11,069	8,166	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
2 South Croydon	4,200	49,349	22	8	43	5	-	-	-	1	1	-	-	-	-	-	-		
3 West Croydon <i>3W, F, H</i>	2,168	42,688	21	21	4	5	-	1	1	-	-	-	-	-	3	3	8		
4 North Croydon <i>H</i>	2,644	41,698	20	8	2	3	-	1	-	-	-	-	-	-	2	2	1		
5 Penge <i>w</i>	770	24,165	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
6 Mitcham <i>w</i>	11,689	30,015	16	5	-	1	-	-	-	-	-	-	-	-	-	-	-		
1 Wimbledon <i>F, 3H</i>	3,221	41,652	23	15	5	4	-	-	-	-	-	1	-	-	2	2	1		
2 Kingston <i>W, H</i>	6,224	42,468	30	10	1	5	-	-	-	-	1	-	-	-	1	3	-		
3 Surbiton <i>F, H</i>	3,046	15,017	7	4	2	2	-	-	-	-	-	-	1	-	-	-	-		
4 Esher, <i>part of</i> * <i>H</i>	5,402	13,100	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
5 Hampton <i>H, L</i>	4,564	23,456	15	4	2	-	-	-	-	-	-	-	-	-	-	1	-		
1 Richmond <i>W, H</i>	2,162	28,865	12	6	-	2	-	-	-	-	-	-	-	-	-	-	1		
2 Mortlake <i>F</i>	2,847	20,628	12	6	2	2	-	-	-	-	-	-	-	-	-	-	-		
1 Bromley <i>F, 2H</i>	4,703	27,354	6	3	1	2	-	-	-	-	-	-	-	1	1	-	-		
2 Beckenham <i>H</i>	7,825	28,497	13	5	-	4	-	-	-	-	-	-	-	-	-	-	-		
3 Orpington, <i>part of</i> * <i>W</i>	10,113	9,857	4	2	-	1	-	-	-	-	-	-	-	-	1	2	1		
4 Chislehurst <i>2H</i>	7,333	16,446	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-		
1 Bexley <i>F, H</i>	8,678	21,151	14	6	2	1	-	-	-	-	-	-	-	-	-	-	-		
2 Erith <i>F, H</i>	3,854	25,296	18	6	2	1	-	-	-	1	1	-	-	-	-	1	-		
3 Dartford <i>W, F, part of</i> *	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-		
1 Sunbury <i>w</i>	11,054	18,683	14	6	4	-	-	2	-	1	-	-	-	-	1	-	-		
2 Staines <i>W, H</i>	13,277	15,178	5	2	-	2	-	-	-	-	-	-	-	-	-	2	-		
1 Hillingdon <i>W, F, H</i>	6,035	13,661	5	4	1	2	-	-	-	-	-	-	-	2	2	1	-		
2 Uxbridge	12,757	8,984	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
3 Hayes <i>w, F, H</i>	8,066	16,358	13	3	1	-	-	-	-	-	-	-	-	-	-	-	-		
1 Isleworth <i>3W, 2F, H</i>	6,859	30,363	17	15	3	7	-	-	-	-	-	-	-	-	-	2	-		
2 Twickenham <i>F, H</i>	2,421	20,991	14	4	1	-	-	-	-	-	-	-	-	-	-	1	-		
3 Brentford <i>2F, 2H, L</i>	4,319	48,289	30	14	8	1	-	3	-	-	1	-	-	-	3	-	-		
4 Chiswick <i>H</i>	1,249	29,809	24	5	-	-	-	2	-	-	-	-	-	-	-	-	-		
5 Acton <i>w, 3H</i>	6,132	48,914	39	10	2	2	-	-	-	-	-	-	-	-	-	-	-		
1 Harrow <i>F, H</i>	13,800	25,523	8	4	-	2	-	-	-	-	-	-	-	-	-	-	-		
2 Edgware <i>F, 2H</i>	6,994	4,521	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
3 Willesden <i>W, F, 2H</i>	4,384	114,811	68	26	4	8	-	1	-	-	1	-	-	3	4	4	-		
4 Hendon <i>W, F</i>	8,382	22,450	13	3	2	-	-	-	-	-	-	-	-	-	-	-	-		
1 South Mimms <i>2F, H</i>	17,755	7,308	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-		
2 Barnet <i>W, 3H</i>	3,324	17,070	5	6	-	6	-	-	-	-	-	-	-	-	-	-	-		
3 Finchley <i>F, 2H</i>	4,688	33,692	14	5	-	2	-	-	-	-	-	-	-	-	-	-	-		
1 Hornsey <i>F, H</i>	2,875	72,056	35	15	3	8	-	2	1	-	2	-	-	-	2	-	-		
2 Wood Green <i>H</i>	1,625	34,233	14	3	-	3	-	-	-	-	-	-	-	-	2	-	-		
3 West Tottenham <i>F</i>	996	48,853	31	10	3	2	-	1	-	-	1	-	-	-	1	3	-		
4 East Tottenham <i>F, H</i>	2,017	53,688	32	13	4	4	-	-	-	-	-	-	-	-	-	-	-		
5 Edmonton <i>W, w, 2F</i>	7,491	61,892	32	10	2	4	-	-	-	-	1	-	1	-	-	-	-		
6 Enfield <i>2W, F, H</i>	12,601	42,738	24	6	1	3	-	-	-	-	-	-	-	-	-	3	-		
7 Waltham Abbey	11,017	6,549	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-		
8 Chesham <i>F, H</i>	8,479	12,292	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1 Hatfield, <i>part of</i> * <i>W</i>	3,305	664	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
1 Bushey <i>H</i>	9,333	9,173	3	4	1	1	-	-	-	-	-	-	-	-	-	-	-		
2 Watford <i>W, 2F, part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1 Stratford <i>H</i>	1,072	44,827	26	8	2	-	-	-	1	-	-	-	-	-	2	2	2		
2 Plaistow <i>F, 2H</i>	1,249	90,921	58	26	7	2	-	5	-	-	4	-	-	-	1	1	1		
3 Canning Town <i>H</i>	1,558	70,718	67	22	10	3	-	1	-	-	1	-	-	1	3	1	-		
4 Forest Gate <i>w</i>	806	60,892	33	11	-	6	-	1	-	-	-	-	-	-	-	-	-		
5 North East Ham <i>w</i>	1,333	58,676	46	9	3	3	-	1	-	-	-	-	-	-	-	-	-		
6 South East Ham <i>3F</i>	1,993	37,342	36	12	6	1	-	1	-	-	-	-	-	-	-	-	-		
7 Wanstead <i>F</i>	1,679	51,179	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
8 South Leyton <i>2W</i>	631	50,467	42	19	5	5	-	-	-	-	-	-	-	-	3	6	-		
9 North Leyton <i>W, w, F</i>	1,963	48,445	32	20	5	4	-	-	-	-	-	-	-	-	1	11	-		
10 Walthamstow <i>3H, L</i>	6,504	108,929	60	25	5	2	-	2	-	-	2	1	-	2	5	-	-		
1 Chigwell, <i>part of</i> * <i>2F, 4H</i>	11,778	16,397	11	6	-	2	-	-	-	-	-	-	-	2	2	1	-		
2 Epping <i>W, F, part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1 Romford, <i>part of</i> * <i>W, 2F</i>	6,556	6,091	6	4	-	3	-	-	-	-	-	-	-	-	-	4	-		
2 Ilford <i>F, L</i>	8,496	41,234	25	5	1	1	-	-	-	1	-	-	-	-	-	4	-		
3 Barking Town <i>F</i>	3,803	21,547	14	7	3	-	-	-	-	-	1	-	-	-	-	-	-		
N. E. Hospital, Tottenham	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-		

The parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chislefield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 137: 1, excepting Epsom Bois parish, and part of Epping parish; 139: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 137: 2 are also included.

See note § on page 274.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.
CALCUTTA (including SUBURBS)	847,796	April	2	-	1045	64'0	3	7	-	2	-	657†
BOMBAY - -	776,006	"	26	290	1066	71'4	23	9	-	-	-	554†
MADRAS - -	509,346	"	8	401	452	46'1	-	4	-	?	?	129
PARIS - - -	2,660,559	May	7	995	904	17'6	-	14	2	*	8	4
BRUSSELS - -	575,896	"	7	220	145	13'1	-	-	-	1*	1	2
ANTWERP - -	281,376	"	7	132	74	13'7	3	2	-	-	-	-
AMSTERDAM -	547,370	April	30	246	172	16'4	-	12	-	-	2	1
COPENHAGEN -	420,000	May	7	218	178	22'1	-	4	-	3*	8	-
STOCKHOLM -	305,115	April	30	142	192	17'1	-	-	-	1*	1	-
CHRISTIANIA -	225,709	May	7	131	73	17'0	-	-	-	1*	-	-
ST. PETERSBURG	1,248,643	April	30	654	779	32'5	1	24	15	14*	3	17
MOSCOW - - -	1,093,410	"	30	-	531	25'3	4	6	8	7*	1	2
BERLIN - - -	1,980,909	"	23	921	617	16'5	-	10	9	6*	6	-
HAMBURG - - -	751,842	May	7	-	250	17'3	-	3	-	3*	4	-
BRESLAU - - -	445,403	"	7	-	174	20'4	-	-	-	1*	-	-
MUNICH - - -	520,000	"	7	-	212	21'2	-	8	1	1*	-	-
VIENNA - - -	1,779,869	"	7	-	-	-	-	-	-	-	-	-
PRAGUE - - -	423,990	April	30	-	-	-	-	-	-	-	-	-
BUDA-PESTH -	813,399	May	7	423	299	19'1	1	4	7	4*	1	2
TRIESTE - - -	187,251	April	30	120	78	21'3	-	-	-	1*	-	-
ROME - - - -	496,201	March	19	272	182	19'1	-	7	1	3*	-	-
VENICE - - - -	166,288	May	7	70	47	14'7	-	-	-	2*	-	-
CAIRO - - - -	624,338	February	18	521	466	38'9	2	29	-	9*	?	14
ALEXANDRIA - -	349,300	"	18	301	200	29'9	1	1	-	1*	?	2
NEW YORK - - -	3,838,024	April	30	1757	1794	24'4	-	46	26	62*	1	6
PHILADELPHIA -	1,408,154	"	16	-	570	21'1	5	6	2	14*	1	29
BOSTON - - - -	617,950	"	16	-	204	17'2	-	4	-	4*	1	-

* Including deaths from croup.
† Including 544 deaths from plague in Calcutta, and 532 in Bombay.
‡ Including 101 deaths from cholera in Calcutta, one in Bombay, and 8 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 14th May, 1904.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rain in Inch.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	69'9	34'2	50'1	0'29	BRADFORD - -	64'2	35'0	49'1	0'3
BRIGHTON - -	59'4	35'7	50'3	0'35	LEEDS - - - -	67'0	35'0	50'2	0'3
PORTSMOUTH - -	63'0	38'5	52'2	0'32	HULL - - - - -	71'0	35'0	48'9	0'2
NORWICH - - -	71'6	34'8	50'8	0'00	TYNEMOUTH - -	66'0	37'0	48'8	0'2
PLYMOUTH - -	62'9	38'0	50'7	0'27					
BRISTOL - - -	67'3	36'1	50'5	0'29	EDINBURGH - -	56'5	32'8	45'7	1'0
BIRMINGHAM - -	65'0	33'3	49'5	0'25	GLASGOW - - -	59'4	35'8	48'1	0'6
NOTTINGHAM -	65'0	36'0	50'0	0'07					
LIVERPOOL - -	64'0	36'0	50'0	0'24	DUBLIN { Phoenix Park.	67'0	35'4	49'7	0'1
OBSERVATORY. }					Fitz- william	68'8	37'5	52'0	0'1
MANCHESTER -	62'8	34'5	48'6	0'38	Square.†				
PRESTON - - -	62'5	36'0	49'4	0'29	BELFAST - - -	62'6	37'8	48'7	0'2
HUDDERSFIELD -	64'2	34'2	48'3	0'37					

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of the return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher in the returns up to the 31st March, 1903, for the corresponding period to the above was 1'07 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.
† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1904.			TEMPERATURE.			Of the Air.			Of the Dew point		Difference between the Air Temperature and Dew Point Temperature.			Degrees of Humidity (Saturation equals 100).		Of Radiation.		Of the Earth's surface below the surface.		Oiler's.			Robinson's.		Osone.		
Phases of the Moon.	Mean (corrected and reduced to 32° Fahrenheit).	METER.	High-est.	Low-est.	Daily Range.	Mean daily value.	De- parture from 50 years.	Mean daily value.	Of the Dew point	Mean daily value.	Great- est.	Least.	Highest in Sun's Rays.	Lowest on the Grass.	°	°	°	°	°	General Direction.		Pressure on the Square Foot.		Horizontal Movement of the Air on each Day.	Depart- ure from Average of 16 years.	Mean of 24 hourly Obs.	Gauge whose surfaces are 5 inches above the ground.
																				A.M.	P.M.	Great- est.	Least.				
MAY.	in		°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	Variable	lbs. 0.5	lbs. 0.0	Miles. 136	Miles. -115	in. 0.03	0.0	
SUNDAY - 8	Apogee	29-356	47.5	37.2	10.3	41.8	- 9.2	36.6	5.2	11.2	1.6	82	81.2	30.4	49.11	N., NNE. & ENE.	Variable W., WSW. & SW.	1.9	0.0	0.1	256	+ 5	0.00	0.0			
MONDAY - 9	..	29-627	54.5	34.2	20.3	44.0	- 7.2	37.9	6.1	14.6	1.1	79	95.9	28.6	48.64	SSW. & variable.	N. & variable.	1.2	0.0	0.0	142	-109	0.24	0.0			
TUESDAY - 10	..	29-682	50.2	40.6	9.6	44.2	- 7.3	42.2	2.0	8.7	0.0	93	77.0	34.0	48.49	NNE. & NE.	Variable, S. & S.	0.5	0.0	0.0	106	-144	0.0	28			
WEDNESDAY - 11	In Equator.	29-922	58.9	36.2	20.7	46.4	- 5.3	41.9	4.5	11.8	0.5	84	105.0	28.9	48.39	SSE. & WSW.	SW. & SW.	0.5	0.0	0.0	145	-105	0.02	5.7			
THURSDAY - 12	..	30-011	64.1	43.5	20.6	53.6	+ 1.6	49.4	4.2	11.2	0.7	86	116.3	39.4	48.31	SSW., SW. & WSW.	SW. & S. W.	1.8	0.0	0.1	247	- 3	0.00	9.0			
FRIDAY - 13	..	30-024	68.5	49.5	19.0	58.7	+ 6.4	51.9	6.8	13.3	0.4	78	122.0	45.3	48.52	SSW., SW. & WSW.	SSW. & W.	4.8	0.0	0.5	360	+111	0.00	6.3			
SATURDAY - 14	..	29-824	69.9	49.6	20.3	59.4	+ 6.8	48.4	11.0	18.2	2.1	67	123.8	42.6	49.09	Variable & SW.		Sum 1392	Sum -360	Sum 0.29	3.4			
MEANS -	-	29-788	58.8	41.5	17.3	49.7	- 2.0	44.0	5.7	12.7	0.9	81	103.0	35.6	48.68			20	21	22	23	24	25	26			
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26			

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 18 years ending 1875.
In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.
The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.
The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.
The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.
The reading of the barometer decreased to 29.39 in. at the beginning of the week to 29.34 in. by 11h. A.M. on the 8th; increased to 29.72 in. by 8h. P.M. on the 8th; decreased to 29.58 in. by 9h. A.M. on the 10th; increased to 30.07 in. by 8h. A.M. on the 13th; increased to 29.79 in. by 5h. P.M. on the 14th; and increased to 29.88 in. by midnight on the 14th.

GENERAL REMARKS.

Generally overcast; occasional slight rain.
Generally cloudy; occasional light showers.
Generally overcast; continuous slight rain between 5h. A.M. and noon.
Cloudless in early morning; fine but generally cloudy afterwards.
Overcast with occasional thin rain in morning; generally cloudy afterwards.
Overcast in morning; fine with large amounts of cloud afterwards. Solar halo in afternoon.
Overcast till 11h. A.M.; very fine afterwards. Solar halo observed at noon.

ELECTRICITY.		Sun above Horizon.		Sunshine in hours.		Sun above Horizon.		Sunshine in hours.	
DATE.	MAY.	(For explanation of symbols, see Note.)	w. P. generally.	w. P. generally.	m. P. till 5h. A.M.; v. P. and v. N. till 1h. P.M.; m. P. afterwards.	w. P. generally	w. P. throughout.	w. P. throughout.	w. P. till 5h. P.M.; m. P. afterwards.
SUNDAY	8		0.0	15.1	15.1				
MONDAY	9		0.8	15.2	15.2				
TUESDAY	10		0.3	15.3	15.3				
WEDNESDAY	11		1.5	15.3	15.3				
THURSDAY	12		0.9	15.4	15.4				
FRIDAY	13		2.7	15.4	15.4				
SATURDAY	14		7.8	15.5	15.5				
No. of Col.	-		Sum 14.0	Sum 107.2	Sum 107.2				

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 7th May, 1904.*

BOROUGHS,	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Chicken-pox.
WEST.											
Paddington- - - -	146,975	-	5	3	-	-	-	-	1	-	13
Kensington - - - -	179,236	-	4	7	-	-	-	-	1	-	20
Hammersmith - - -	117,412	-	8	4	-	1	-	-	-	-	12
Fulham - - - - -	152,482	-	6	2	-	1	-	-	3	1	6
Chelsea - - - - -	74,329	-	3	4	-	-	-	-	1	-	1
City of Westminster- -	177,321	-	3	2	-	-	-	-	3	-	13
NORTH.											
St. Marylebone - - -	130,337	-	6	7	-	1	-	-	5	-	6
Hampstead - - - -	86,663	-	1	-	-	1	-	-	3	-	10
St. Pancras- - - -	235,936	-	23	9	-	2	-	-	-	-	20
Islington - - - - -	341,044	1	18	4	-	1	-	-	4	-	31
Stoke Newington - - -	52,445	1	4	2	-	-	-	-	3	-	7
Hackney - - - - -	226,266	-	7	15	-	3	-	-	7	-	23
CENTRAL.											
Holborn - - - - -	57,161	-	2	3	-	-	-	-	1	-	5
Finsbury - - - - -	98,958	-	11	3	-	-	-	-	4	-	8
City of London - - -	23,482	-	2	-	-	1	-	-	-	-	1
EAST.											
Shoreditch - - - -	117,033	1	7	6	-	-	-	-	1	-	24
Bethnal Green - - -	130,207	6	16	8	-	-	-	-	2	-	29
Stepney - - - - -	303,791	-	31	15	1	2	-	-	9	1	47
Poplar- - - - -	169,905	2	21	25	-	1	-	-	6	-	29
SOUTH.											
Southwark- - - - -	207,937	3	6	4	-	1	-	-	3	-	19
Bermondsey - - - -	129,397	-	6	1	-	1	1	-	2	1	9
Lambeth - - - - -	310,359	-	15	7	-	4	-	-	7	-	25
Battersea - - - - -	175,465	-	4	2	-	1	-	-	3	-	44
Wandsworth - - - -	257,448	-	14	8	-	-	-	-	6	-	50
Camberwell - - - -	268,334	-	12	5	-	-	-	-	15	-	21
Deptford - - - - -	113,509	-	7	3	-	-	-	-	2	-	15
Greenwich- - - - -	101,651	-	3	6	-	-	-	-	-	-	25
Lewisham - - - - -	140,401	-	7	4	-	-	-	-	1	-	6
Woolwich - - - - -	123,416	-	13	2	-	-	-	-	-	-	9
Port of London - - -	-	-	1	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.											
4,648,950		14	266	161	1	21	1	-	95	3	523
AGES.											
Ages 0-1 - - - - -	-	1	3	2	-	-	-	-	5	-	43
" 1-5 - - - - -	-	-	99	69	-	-	-	-	6	-	241
" 5- - - - -	-	1	104	45	-	3	-	-	6	-	199
" 10- - - - -	-	1	23	16	-	4	-	-	5	-	20
" 15- - - - -	-	2	14	6	-	2	-	-	7	-	4
" 20- - - - -	-	2	12	8	1	2	-	-	6	1	7
" 25- - - - -	-	3	11	9	-	7	-	-	10	2	6
" 35- - - - -	-	4	-	4	-	-	1	-	21	-	2
" 45- - - - -	-	-	-	1	-	2	-	-	8	-	-
" 55- - - - -	-	-	-	-	-	1	-	-	10	-	-
" 65 and upwards - -	-	-	-	1	-	-	-	-	11	-	-
Age not stated - - -	-	-	-	-	-	-	-	-	-	-	1

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E

1904.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 20. 1904. VOL. LXV.] WEEK ENDED SATURDAY, MAY 21. [Price 1½d.

*General Register Office, Somerset House,
May 24th, 1904.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·5 per 1000 of their aggregate population, which is estimated† at 15,271,287 persons in the middle of this year. In the preceding three weeks the rates had been 16·3, 14·9, and 16·1. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 19·4 in Middlesbrough, 19·6 in Manchester, 20·0 in Leeds, 20·4 in Preston, 20·5 in Blackburn, 20·6 in Tynemouth, and 21·7 in Birmingham and in Norwich; from *measles*, 1·1 in Croydon, 1·2 in Hull, 1·4 in Walthamstow, 1·7 in Leeds and in Manchester, 4·1 in Burnley, and 5·0 in Brighton; and from *whooping-cough*, 1·2 in Leeds, 1·3 in Derby, 1·6 in Grimsby and in Salford, 1·8 in Bury, 2·1 in Birmingham and in Coventry, 2·3 in Birkenhead, 3·9 in Blackburn, and 4·6 in Warrington. One death from *small-pox* was registered in each of the following towns, Cardiff, Gateshead, Nottingham, and Oldham, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2376 BIRTHS and 1349 DEATHS were registered. Allowing for increase of population, the births were 192 and the deaths 105 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 15·6, 14·9, and 16·3 in the preceding three weeks, fell again last week to 15·1. During the four weeks ended on Saturday last the death-rate averaged 15·5 per 1000, being 1·4 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, and in certain local Small-pox Hospitals, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the recent Census, and on the increase in the last intercensal period.

The 1349 deaths included 75 from measles, 5 from scarlet fever, 10 from diphtheria, 39 from whooping-cough, 4 from enteric fever, and 21 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 154 deaths were referred to these diseases in the aggregate, being 34 below the corrected average weekly number.

The deaths from *measles*, which had been 66, 62, and 86 in the preceding three weeks, fell again last week to 75, but were 4 above the corrected average; 15 deaths belonged to the Borough of Southwark, 10 to Stepney, 7 to Bermondsey, and 6 to Lambeth. The deaths from *scarlet fever*, which had been 10, 3, and 7 in the preceding three weeks, fell last week to 5, and were 8 below the corrected average. The deaths from *diphtheria*, which had been 14, 19, and 20 in the preceding three weeks, fell last week to 10, and were 21 below the corrected average. The deaths from *whooping-cough*, which had been 42, 48, and 44 in the preceding three weeks, further fell last week to 39, and were 7 below the corrected average; 5 deaths belonged to Camberwell, and 4 each to Lambeth and Southwark. The fatal cases of *enteric fever*, which had been 3, 4, and 1 in the preceding three weeks, rose again last week to 4, but were 3 below the corrected average. The deaths from *diarrhoea*, which had been 15, 23, and 16 in the preceding three weeks, rose again last week to 21, and were 6 above the corrected average. Of the 21 deaths from diarrhoea, 17 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 6 more deaths at this age. The deaths attributed directly to *influenza* numbered 5, having been 14, 9, and 12 in the preceding three weeks.

Different forms of *violence* caused 65 deaths, concerning all of which inquests were held. Of these 65 deaths, 17 were cases of suicide, and 3 of homicide, while the remaining 45 were attributed to accident or negligence. Ten of these latter were referred to vehicles in the streets, 8 to drowning, 1 to the effects of an anæsthetic administered for surgical purposes, and 9 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 96 cases of small-pox, 1630 of scarlet fever, 767 of diphtheria, 1 of typhus, and 56 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 18 cases, against 12, 14, and 26; of scarlet fever, 222 cases, against 185, 242, and 239; of diphtheria, 104 cases, against 106, 129, and 128; and of enteric fever, 14 cases, against 8, 6, and 7. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended May 14th.

GREATER LONDON.

In Greater London 3621 births and 1813 deaths were registered. Allowing for increase of population these numbers are 155 and 170 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 9 deaths from measles, 1 from scarlet fever, 3 from diphtheria, 6 from whooping-cough, and 2 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·843 inches, and that of the Thermometer 54°·0, the latter being 0°·3 above the week's average in the 50 years 1841-90. The direction of the wind was variable, the horizontal movement of the air being 25·4 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 58·5 hours; the measured rainfall amounted to 0·35 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

The DEATHS registered in the Week include

TOWNS.	The Deaths registered in the Week included																			TOWNS.			
	Deaths from											Deaths of		Deaths from		Inquest Cases.	Deaths in Public Institutions.	Unsettled Causes of Death.					
	Small-pox.						Scarlet Fever.		Diphtheria.			Whooping-cough.		Fever.					Diarrhoea.		Violence.		
	Persons aged 60 Years and upwards.	Infants under 1 Year of Age.	Measles.	Small-pox.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.													
POPULATION estimated to the middle of the year 1904.	DEATH-RATES from all Causes.		Week ended		HASE FROM DEATHS during the Week ended 21st May, 1904.		REGISTERED DEATHS.		DEATHS.		DEATHS.		DEATHS.		DEATHS.		DEATHS.		DEATHS.		DEATHS.		
20th April, 1904.	7th May, 1904.	14th May, 1904.	21st May, 1904.	Week ended 21st May, 1904.	6th May, 1904.	7th May, 1904.	8th May, 1904.	9th May, 1904.	10th May, 1904.	11th May, 1904.	12th May, 1904.	13th May, 1904.	14th May, 1904.	15th May, 1904.	16th May, 1904.	17th May, 1904.	18th May, 1904.	19th May, 1904.	20th May, 1904.	21st May, 1904.	22nd May, 1904.	23rd May, 1904.	
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.		
76 TOWNS	15,271,287	16'3	14'9	16'1	15'5	1'8	8570	4532	1056	1237	4	182	30	45	182	28	57	162	353	1112	63	76 TOWNS.	
LONDON -	4,648,950	15'6	14'9	16'3	15'1	1'7	2376	1349	299	366	-	75	5	10	39	4	21	65	151	497	2	LONDON.	
(CROYDON -	144,419	11'6	12'3	13'0	10'5	1'8	67	29	6	12	-	3	2	-	1	-	-	1	1	8	-	(CROYDON.	
WILLESDEN -	132,568	8'3	6'7	10'2	10'6	0'8	111	27	11	5	-	-	-	1	-	-	-	-	1	5	-	WILLESDEN.	
HORNSEY -	81,221	10'9	9'6	9'6	7'1	0'6	30	11	1	6	-	-	-	-	-	-	-	1	1	-	-	HORNSEY.	
(TOTTENHAM -	112,981	15'7	7'8	12'0	12'5	0'5	66	27	7	7	-	1	-	-	-	-	-	1	3	4	-	(TOTTENHAM.	
WEST HAM -	283,424	15'2	13'7	14'5	13'2	1'3	153	73	16	17	-	3	1	2	-	-	1	6	9	13	-	WEST HAM.	
EAST HAM -	116,802	10'3	6'7	10'3	12'5	2'2	69	28	8	7	-	2	-	1	1	-	1	1	3	4	-	EAST HAM.	
LEYTON -	110,844	9'9	5'2	11'8	12'2	0'9	56	26	9	8	-	-	-	-	1	-	1	1	1	5	1	LEYTON.	
(WALTHAMSTOW -	111,282	9'8	8'0	12'2	8'0	3'3	82	17	8	3	-	3	-	-	2	-	2	-	2	3	-	(WALTHAMSTOW.	
HASTINGS -	66,503	9'4	9'4	10'2	13'3	-	23	17	3	5	-	-	-	-	-	-	-	3	3	5	1	HASTINGS.	
BRIGHTON -	126,286	19'0	12'4	14'9	17'8	6'2	53	43	7	14	-	12	-	-	2	1	-	-	3	10	-	BRIGHTON.	
PORTSMOUTH -	188,038	18'2	12'4	14'2	13'4	1'6	100	51	9	19	-	-	3	-	3	-	-	-	1	9	2	PORTSMOUTH.	
BOURNEMOUTH -	64,645	20'2	16'9	11'3	16'1	-	14	20	-	10	-	-	-	-	-	-	-	-	-	1	-	BOURNEMOUTH.	
SOUTHAMPTON -	112,500	13'4	16'7	14'4	14'4	0'9	71	31	6	10	-	-	-	-	2	-	-	-	3	8	-	SOUTHAMPTON.	
READING -	76,373	7'5	15'7	15'0	9'6	-	52	14	7	2	-	-	-	-	-	-	-	1	1	-	2	READING.	
NORTHAMPTON -	91,146	13'2	8'6	13'7	6'9	0'6	53	12	2	3	-	-	1	-	-	-	2	2	2	1	-	NORTHAMPTON.	
IPSWICH -	69,805	9'7	10'5	14'9	16'4	-	37	22	6	8	-	-	-	-	-	-	-	-	1	3	-	IPSWICH.	
GREAT YARMOUTH -	52,099	14'0	9'0	11'0	12'0	3'0	32	12	1	4	-	-	-	2	1	-	-	-	-	4	-	GREAT YARMOUTH.	
NORWICH -	115,638	15'8	12'2	14'4	21'7	1'8	59	48	12	18	-	2	-	-	-	1	1	1	1	9	3	NORWICH.	
PLYMOUTH -	114,003	21'0	21'5	13'7	10'1	1'4	57	22	4	7	-	1	-	-	-	1	1	-	2	2	-	PLYMOUTH.	
DEVONPORT -	75,334	15'2	6'2	12'5	11'1	0'7	37	16	3	6	-	-	-	-	-	-	1	1	2	3	-	DEVONPORT.	
BRISTOL -	343,204	16'0	13'1	14'0	13'1	1'1	181	86	17	23	-	-	1	2	4	-	-	5	13	24	-	BRISTOL.	
HANLEY -	63,892	18'8	11'4	15'5	16'3	3'3	45	20	6	6	-	1	2	1	-	-	-	-	1	5	-	HANLEY.	
BURTON-ON-TRENT -	51,894	14'1	8'0	14'1	16'1	1'0	34	16	3	3	-	-	-	1	-	-	-	2	2	2	-	BURTON-ON-TRENT.	
WOLVERHAMPTON -	98,194	20'2	8'5	11'2	13'8	2'1	67	28	5	10	-	-	1	-	2	1	-	3	4	8	-	WOLVERHAMPTON.	
WALSALL -	91,432	18'8	14'3	15'4	12'0	1'7	66	21	5	3	-	-	-	-	2	-	1	3	3	4	-	WALSALL.	
HANDSWORTH -	59,634	8'7	8'7	10'5	7'9	0'9	30	9	1	3	-	-	-	-	1	-	-	-	1	-	-	HANDSWORTH.	
WEST BROMWICH -	67,186	16'3	16'3	13'2	11'6	0'8	38	15	3	3	-	-	-	-	1	-	-	-	-	4	-	WEST BROMWICH.	

† These towns are included within the area of Greater London.

* See note † on first page of this return.

TOWNS.		POPULATION estimated in middle of the year 1904.*	DEATH-RATES from all Causes.				Registered Deaths in Cols. 7, 8, 9.		Deaths from						The Deaths registered in the Week include																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
			Week ended				Rate from Diseases in Cols. 10, 11, 12.		Infants under 1 Year of Age.		Persons aged 60 Years and upwards.		Deaths from		Cause of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
			30th April, 1904.				7th May, 1904.		14th May, 1904.		21st May, 1904.		Week ended 21st May, 1904.		Deaths from		Cause of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
			30th April, 1904.				7th May, 1904.		14th May, 1904.		21st May, 1904.		Week ended 21st May, 1904.		Deaths from		Cause of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
TOWNS.		Cols.		1.		2.		3.		4.		5.		6.		7.		8.		9.		10.		11.		12.		13.		14.		15.		16.		17.		18.		19.		20.		21.		Cols.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
HUDDERSFIELD		-	94,325	20.3	14.3	17.6	13.7	1.1	46	25	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 2. LONDON.—Births and Deaths Registered in the TWENTIETH Week of each of the Eleven Years, 1894–1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894–1903.*	1904
TOTAL Births -	2241	2496	2462	2444	2285	2598	2512	2602	2495	2625	2568·2	2376
Males - -	1121	1246	1287	1260	1155	1318	1282	1285	1198	1345	1296·2	1194
Females - -	1120	1250	1175	1184	1130	1280	1230	1317	1297	1280	1272·0	1182
TOTAL Deaths -	1463	1389	1516	1321	1360	1419	1437	1375	1423	1313	1453·8	1349
Males - -	759	747	812	693	705	730	781	704	712	684	760·0	730
Females - -	704	642	704	628	655	689	656	671	711	629	693·8	619

* The numbers in this column are the average weekly numbers in the twentieth week of the ten years 1894–1903, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Feb. 27.	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	13 Weeks.	
TOTAL Births -	2456	2364	2712	2577	2423	2240	2539	2676	2489	2733	2403	2551	2376	32539	
TOTAL Deaths -	1467	1594	1796	1680	1645	1672	1659	1490	1429	1392	1325	1454	1349	19952	
Ages at Death	Under 1 year -	326	350	297	335	336	375	366	318	281	280	274	239	299	4226
	1-5 years -	158	197	230	216	214	214	256	214	202	194	215	203	158	2677
	5-20 " -	65	79	88	73	71	79	76	68	78	80	64	77	52	956
	20-40 " -	167	172	188	212	190	202	157	192	175	158	152	163	174	2302
	40-60 " -	313	306	299	327	326	308	334	244	272	312	272	281	300	3914
	60 yrs. & upwds.	438	490	594	517	508	494	470	434	421	368	343	441	366	5389
Deaths from—															
Small-pox†	1	-	1	1	1	3	3	-	1	3	1	-	-	15	
Measles	32	43	66	69	67	92	86	75	81	66	62	86	75	900	
Scarlet Fever	5	5	6	2	4	4	8	4	9	10	3	7	5	72	
Diphtheria	18	23	17	17	13	17	17	8	15	14	19	20	10	208	
Whooping-cough	41	52	54	51	48	68	64	64	43	42	48	44	39	658	
Typhus	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Enteric Fever	5	3	4	2	3	3	4	3	3	3	4	1	4	42	
Pyrexia (origin uncertain).	-	-	-	-	-	-	1	-	-	-	1	-	-	2	
Diarrhoea, Dysentery	28	20	18	19	19	16	21	12	12	15	23	16	21	240	
All above Diseases -	130	146	166	161	155	203	204	166	164	153	161	174	154	2137	
Dis. of Resp. System	180	202	235	205	195	212	167	156	127	100	83	116	105	2083	
Pneumonia	142	169	179	170	183	158	166	139	127	124	110	115	105	1892	
Phthisis	147	156	162	168	168	168	136	169	153	160	155	143	123	2008	
Dis. of Circ. System	205	197	221	230	223	207	203	168	176	178	167	206	193	2574	
Violence	51	57	68	69	58	58	65	56	49	63	62	61	65	782	
Inquest Cases	126	150	190	161	164	153	178	127	134	155	125	143	151	1957	
Deaths in Institutions	497	533	603	554	555	585	540	473	491	532	485	569	497	6914	
TEMPERATURE OF THE AIR.															
Mean—	38·3	33·3	40·5	40·8	43·3	42·0	43·0	49·6	49·1	49·6	49·0	49·7	51·0	45·2	
Mean of Highest	43·0	37·3	48·0	50·1	49·3	50·5	55·8	59·1	59·7	57·1	58·1	58·8	63·7	53·1	
Mean of Lowest	31·8	29·8	34·1	31·5	37·6	35·3	40·9	40·6	38·2	43·3	42·4	41·5	44·3	38·0	
Mean Humidity of the Air.	75	82	84	77	80	79	71	71	71	72	70	81	65	75	
Rain-fall (in inches) -	0·03	0·52	0·24	0·06	0·11	0·45	0·37	0·32	0·24	0·05	0·55	0·29	0·35	3·58	
Registered Sunshine (in hours).	6·7	6·4	26·3	28·2	13·7	29·5	33·5	36·9	38·9	21·9	37·0	14·0	58·5	351·5	
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.															
Small-pox	31	41	64	74	110	126	134	144	123	104	88	99	96	94	
Scarlet Fever	1587	1578	1601	1624	1585	1570	1595	1523	1513	1541	1590	1600	1630	1575	
Diphtheria	787	764	780	807	776	757	749	737	719	720	750	777	767	763	
Typhus	-	-	1	1	1	1	1	1	1	2	2	2	1	1	
Enteric Fever	125	118	102	94	83	86	80	68	73	62	56	53	56	81	

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Ouan, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the TWENTIETH Week of the Year 1904.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 20th week of the year 1903.	1904—Deaths of Persons of the Ages						CAUSES OF DEATH.	Deaths in the 20th week of the year 1903.	1904—Deaths of Persons of the Ages							
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.			60 years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES - - -	1313	1349	299	158	52	174	300	363	Meningitis (not tuberc.)	19	19	9	6	3	-	1	-
									Insanity, Gen. Par. of }	20	18	-	-	1	4	6	-
									Insane - - -	6	4	-	-	-	2	2	-
Small-pox* - - -	-	-	-	-	-	-	-	-	Epilepsy - - -	24	27	24	3	-	-	-	-
Cowpox - - -	-	-	-	-	-	-	-	-	Convulsions - - -	3	3	-	-	-	-	-	-
Measles (Morbilli) - -	67	75	23	50	2	-	-	-	Locomotor Ataxy - -	4	7	-	-	-	1	-	-
Scarlet Fever - - -	11	5	-	4	1	-	-	-	Paraplegia, Dis. of Cord	20	25	2	1	1	3	3	3
Typhus - - -	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	33	49	-	1	2	9	13	21
Plague - - -	-	-	-	-	-	-	-	-	Cerebr. Hæm. Thromb.-	30	28	-	-	1	-	8	19
Influenza - - -	8	5	-	-	2	-	1	2	Apoplexy, Hemiplegia -	10	19	-	-	-	1	4	14
Whooping-cough - - -	32	39	16	22	1	-	-	-	Aneurysm - - -	5	9	-	-	-	3	3	3
Diphtheria - - -	13	10	1	6	2	1	-	-	Embolism, Thrombosis }	1	-	-	-	-	-	-	-
Cerebro Spinal Fever -	-	-	-	-	-	-	-	-	(not cerebral) - - -	71	88	-	-	-	4	10	31
Pyæmia,† (Origin un- certain) - - - }	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.	1	-	-	-	-	-	-	-
Enteric Fever - - -	5	4	-	-	-	4	-	-	Croup (not Spasm: nor }	1	-	-	-	-	-	-	-
Asiatic Cholera - - -	-	-	-	-	-	-	-	-	Memb.) - - -	74	89	20	5	-	2	10	52
Epidemic Diarrhœa } (Infective Enteritis) }	6	1	1	-	-	-	-	-	Bronchitis - - -	3	3	-	-	-	-	1	2
Diarrhœa, Dysentery -	13	20	13	3	-	-	1	3	Asthma, Emphysema - -	1	2	-	-	-	-	2	-
Tetanus - - -	-	-	-	-	-	-	-	-	Pleurisy - - -	10	11	2	-	1	-	2	6
Rabies, <i>Hydrophobia</i> -	-	-	-	-	-	-	-	-	Respiratory Dis. (other)	-	1	-	-	-	-	-	-
Glanders - - -	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy - -	11	8	3	-	1	1	-	3
Anthrax (Splenic Fever)-	-	-	-	-	-	-	-	-	Enteritis (not Epid.) - -	6	6	6	-	-	-	-	-
Venereal Dis. - - -	9	9	6	-	-	2	1	-	Gastro-Enteritis - - -	4	1	-	-	-	-	1	-
Puerperal Septicæmia -	5	2	-	-	-	2	-	-	Peritonitis (not Puerp.) -	13	21	-	-	-	-	19	2
Puerperal Pyæmia - - -	-	-	-	-	-	-	-	-	Cirrhosis of Liver - - -	1	6	-	-	-	1	2	3
Puerperal Fever - - -	-	-	-	-	-	-	-	-	Liver Dis. (other) - - -	41	39	10	1	1	8	7	12
Infective Endocarditis -	2	1	-	-	-	1	-	-	Digestive Dis., Other -	10	6	-	-	-	1	3	2
Lobar - - -	8	17	-	2	-	1	10	4	Nephritis, Acute - - -	32	28	-	-	-	3	14	11
Broncho- - -	46	42	19	11	1	-	4	7	Bright's Dis., Albumin- uria - - - }	7	11	-	-	-	1	1	9
Epidemic - - -	-	-	-	-	-	-	-	-	Urinary Sys., Other Dis.	5	5	-	-	-	2	1	2
Not defined - - -	41	46	4	9	3	7	15	8	Generative Organs Dis.- Childbirth (Accid. of) -	46	49	-	-	-	-	-	49
Erysipelas - - -	1	4	1	-	-	-	3	-	Old Age - - -	98	74	50	8	1	8	2	5
Septicæmia (not Puer- peral) - - -	-	-	-	-	-	-	-	-	Other Diseases - - -	-	-	-	-	-	-	-	-
Pyæmia (not Puerperal) -	-	-	-	-	-	-	-	-	ACCIDENT.								
Other Infective Conditions	14	12	2	3	3	1	2	1	By Railways - - -	1	2	-	-	-	1	1	-
Tuberculous Phthisis -	75	69	-	3	1	32	26	7	By Vehicles and Horses -	5	10	-	1	4	1	3	1
" <i>Phthisis</i> " - - -	57	54	1	2	5	25	16	5	In Ships, Boats, Docks, }	-	-	-	-	-	-	-	-
Tuberculous Meningitis -	29	13	5	2	4	1	1	-	(exclusive of Drown- ing) - - -	-	-	-	-	-	-	-	-
Tuberculous Peritonitis -	9	12	3	6	-	3	-	-	In Building Operations -	2	2	-	-	-	2	-	-
<i>Tubes Mesentericæ</i> - -	3	-	-	-	-	-	-	-	In Conflagrations - - -	1	1	-	1	-	-	-	-
Tuberculous Dis. (other)-	14	25	9	5	3	4	3	1	By Burns, Scalds, Ex- plosions - - -	6	8	-	1	1	1	4	1
Scrofula - - -	-	-	-	-	-	-	-	-	By Drowning - - -	4	9	9	-	-	-	-	-
Alcoholism - - -	14	13	-	-	-	6	5	2	By Suffocation in Bed -	3	1	-	-	-	-	1	-
Rheumatic Fever - - -	7	2	-	-	1	1	-	-	By Poisons or Poisonous Vapours - - - }	18	12	2	2	1	1	3	3
Gout - - -	4	2	-	-	-	-	1	1	Other Deaths by Acci- dent - - - }	-	-	-	-	-	-	-	-
Carcinoma - - -	43	44	-	-	-	7	15	22	VIOLENCE OTHER THAN ACCIDENTAL.								
Sarcoma - - -	10	2	-	-	-	-	1	1	Homicide - - -	12	3	2	-	-	-	1	-
Cancer (undefined) - -	40	32	-	-	-	-	23	9	Suicide - - -	-	17	-	-	-	5	10	2
Diabetes Mellitus - - -	8	10	-	-	1	1	3	5	Execution - - -	-	-	-	-	-	-	-	-
Premature Birth - - -	53	56	56	-	-	-	-	-									

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 21st May, 1904.

The DEATHS registered during the Week include																	
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total DEATHS.	Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.		
LONDON - - -	4,536,429	2376	1349	299	306	-	75	5	10	39	-	4	-	21	65	151	497
WEST DISTRICTS	805,311	357	221	33	69	-	2	-	-	4	-	1	-	1	9	17	79
NORTH DISTRICTS	1,056,070	523	259	59	72	-	10	2	4	7	-	1	-	4	7	25	86
CENTRAL DISTRICTS	209,465	102	60	14	16	-	4	-	-	3	-	-	-	1	4	11	42
EAST DISTRICTS -	715,739	432	248	72	61	-	14	-	2	6	-	-	-	4	11	41	104
SOUTH DISTRICTS	1,749,844	962	514	116	136	-	45	1	4	19	-	2	-	10	34	57	148
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	38	-	12	-	-	2	-	-	-	-	-	1	-	-	38
WEST DISTRICTS.																	
St. Mary Paddington } G. & W.	93,178	61	23	4	7	-	-	-	-	-	-	-	-	-	-	1	8
W ² H																	
St. John Paddington H - - G.	33,617	8	15	2	4	-	-	-	-	-	-	-	-	-	1	1	7
North-West Paddington - - C.	17,181	6	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town 2W, w, 2H G., W. & C.	128,937	46	41	4	17	-	-	-	-	1	-	-	-	1	-	-	19
Brompton 2H - - W. & C.	48,591	8	7	-	1	-	-	-	-	-	-	-	-	-	-	1	1
North Hammersmith W, w, H } W. & G.	49,192	33	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
South Hammersmith w, 2H } W. & G.	63,047	22	12	2	6	-	-	-	-	1	-	-	-	-	-	-	5
North-west Fulham W } W. & C.	45,180	42	21	7	6	-	-	-	-	1	-	1	-	-	1	2	7
North-east Fulham F } W. & C.	46,405	24	9	1	2	-	-	-	-	1	-	-	-	-	-	-	1
South Fulham W } W. & C.	45,704	27	11	4	-	-	2	-	-	-	-	-	-	-	1	5	-
Chelsea North W, w, 3H - - C.	42,514	16	24	2	11	-	-	-	-	-	-	-	-	-	-	-	15
Chelsea South W ² H - - C.	31,328	16	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-
May Fair and Knightsbridge } C. & G.	28,743	7	8	1	3	-	-	-	-	-	-	-	-	-	1	1	-
H																	
Belgrave W, 2H - - C.	55,815	13	15	5	2	-	-	-	-	-	-	-	-	-	1	1	8
St. Margaret & St. John 4H - C.	45,698	20	18	4	4	-	-	-	-	-	-	-	-	-	3	4	5
St. James Westminster } N. & G.	21,588	6	3	1	2	-	-	-	-	-	-	-	-	-	-	-	1
W, H																	
St. Anne Soho 5H - - N.	11,493	2	3	-	-	-	-	-	-	-	-	-	-	-	1	1	2
NORTH DISTRICTS																	
All Souls Marylebone 8H - W.	35,391	5	10	1	-	-	1	-	-	-	-	-	-	-	-	-	8
Rectory Marylebone W G. & W.	19,849	7	5	-	5	-	-	-	-	-	-	-	-	-	-	-	4
St. Mary Marylebone 4H G. & W.	18,099	36	4	2	1	-	-	-	-	-	-	-	-	-	1	1	2
Christchurch Marylebone H- W.	39,536	18	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone 3H - W.	20,426	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Hampstead W, M, 3H - N. & W.	81,942	32	20	3	8	-	1	2	1	-	-	-	-	-	2	3	6
West St. Pancras 2H - - W.	60,562	23	10	3	3	-	1	-	-	-	-	-	-	-	-	1	1
Upper Holloway w, 6H N. & W.	21,268	9	13	4	4	-	-	-	-	-	-	-	-	-	-	-	-
Gray's Inn Lane 4H - - N.	34,449	14	12	2	3	-	1	-	-	2	-	-	-	1	-	1	12
East St. Pancras W, 2H - - N.	60,320	35	18	6	5	-	1	-	-	-	-	-	-	1	-	1	4
North St. Pancras 2W - - N.	58,728	45	14	4	3	-	-	-	-	1	-	-	-	1	-	1	6
Tufnell W- - - N.	31,995	14	17	1	5	-	1	-	-	-	-	-	-	-	-	-	-
Upper Holloway 2W, w, 2H - - N.	33,973	15	12	2	4	-	1	-	-	-	-	-	-	-	2	2	11
Tollington W- - - N.	33,922	21	5	1	-	-	-	-	-	-	-	-	-	-	-	-	7
Lower Holloway - - - N.	41,424	12	5	-	1	-	-	-	-	1	-	-	-	-	-	-	-
Barnsbury - - - N.	54,478	32	13	8	1	-	1	-	-	1	-	-	-	-	-	3	-
Islington South-east F- - N.	75,397	37	13	4	5	-	-	-	-	-	-	-	-	-	-	1	-
Highbury 2H - - - N.	63,797	16	8	1	5	-	-	-	-	-	-	-	-	-	-	1	-
Stoke Newington H - - N.	51,247	26	17	3	3	-	2	-	1	-	-	1	-	-	-	1	-
North Hackney - - E. & N.	50,560	22	8	2	3	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney 2w, F- - E. & N.	50,538	28	14	1	5	-	-	-	-	-	-	-	-	-	-	-	-
South-west Hackney 3H E. & N.	59,921	36	12	4	1	-	-	-	2	-	-	-	-	1	1	1	4
South-east Hackney 2W, w, H E. & N.	58,255	35	22	5	5	-	-	-	-	2	-	-	-	-	-	4	5

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G, signifies Grand Junction Company; W, West Middlesex; O, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River; E, East London; and K, the Kent Company.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 21st May, 1904—continued.

REGISTRATION SUB-DISTRICTS	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														Inquest Cases.	Deaths in Public Institutions.
				Deaths of Age.	Persons aged 60 Years and upwards.	Deaths from													
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhoea.	Violence.				
SOUTH DISTRICTS.																			
Christchurch Southwark W, HL & S.	11,263	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
St. Saviour Southwark H - S.	12,056	9	17	6	1	-	3	-	1	1	-	-	-	-	2	4	10		
Kent-road - - - S. & L.	21,904	15	6	3	1	-	-	-	-	-	-	-	-	-	1	3	2		
St. George the Martyr } S. & L.	32,094	30	13	4	1	-	1	-	-	-	-	-	-	-	-	3	2		
West W, 2H, L - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Newington North* - - S. & L.	49,022	40	7	3	-	-	2	-	-	-	-	-	-	1	1	2	-		
Newington South* W - S. & L.	72,841	39	15	6	6	-	2	-	-	1	-	-	-	-	-	-	2		
St. Olave 2W - - - S.	9,817	7	10	1	1	-	1	-	-	-	-	-	-	-	4	5	1		
Bermondsey W - - - S.	82,483	36	21	6	4	-	5	-	-	-	-	-	-	-	-	-	-		
Rotherhithe W, F - - S. & K.	38,400	24	20	2	8	-	1	-	-	-	-	-	-	-	-	-	12		
Waterloo-road 2H - - L. & S.	27,440	22	5	2	2	-	-	-	-	-	-	-	-	1	-	-	-		
Lambeth Church 1st H - L. & S.	18,423	11	19	5	2	-	1	-	-	-	-	-	-	2	3	3	13		
Lambeth Church 2nd 2W - L. & S.	30,818	22	23	4	7	-	3	-	-	2	-	-	-	-	-	1	14		
Kennington 1st H - - S. & L.	53,198	38	8	-	2	-	-	-	-	2	-	-	-	-	-	-	-		
Kennington 2nd H - - S. & L.	42,896	14	13	3	4	-	2	-	-	1	-	-	-	-	-	-	3		
Brixton F - - - L. & S.	84,232	40	12	5	1	-	-	-	-	-	-	-	-	-	1	1	1		
Norwood W, H - - - L.	35,888	7	7	-	5	-	-	-	-	-	-	-	-	-	-	-	1		
East Battersea - - - S.	72,203	43	17	4	2	-	1	-	-	1	-	-	-	-	3	4	-		
North-west Battersea - - S.	49,656	27	8	2	1	-	-	-	-	-	-	-	-	-	2	3	-		
South-west Battersea W, H - S.	47,048	14	29	5	9	-	4	-	-	-	-	-	-	1	2	5	17		
Clapham 2H - - - S.	51,361	22	14	2	2	-	-	-	-	1	-	-	-	-	1	1	2		
Streatham† W, 2W, 2F, 2L - L.	88,019	56	27	6	14	-	1	-	-	-	-	-	-	1	1	1	6		
Springfield 2W, L - - - S.	27,959	22	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-		
Southfields H - - - S.	40,444	21	13	3	2	-	-	-	-	1	-	-	-	1	-	1	1		
Putney - - - - - S.	24,139	7	5	2	1	-	-	-	-	1	-	-	-	1	-	1	-		
Dulwich† - - - - L. & S.	13,359	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Camberwell South† W, W S. & L.	40,206	18	27	5	10	-	9	-	-	2	-	-	-	-	-	-	19		
Camberwell North† W, 2L S. & L.	65,584	51	24	1	6	-	-	-	-	1	-	-	-	-	3	3	16		
St. George† - - - - L. & S.	47,331	28	8	2	1	-	1	-	-	1	-	-	-	-	-	-	-		
Peckham† 2W, W - - S., L. & K.	92,859	50	17	3	4	-	1	-	-	2	-	-	-	-	-	-	-		
Deptford North - - - K.	37,613	20	14	5	3	-	2	-	-	-	-	-	-	1	3	3	-		
Deptford Central F - - K.	45,481	23	11	4	2	-	2	-	-	-	-	-	-	-	-	-	-		
Deptford South - - - K.	34,626	9	8	2	4	-	-	-	-	-	-	-	-	-	1	1	-		
Greenwich West 2H - - K.	23,456	11	8	-	2	-	-	-	-	1	-	-	-	-	1	3	1		
Greenwich East 2W, H - K.	43,859	29	18	4	4	-	1	-	1	-	-	-	-	1	1	1	11		
Eltham W, H - - - K.	7,226	5	3	1	1	-	-	-	-	-	-	1	-	-	-	-	-		
Lee H - - - - K.	25,490	6	6	1	3	-	-	-	-	-	-	-	-	-	1	1	-		
Lewisham W, W, F - - K.	58,352	38	20	5	7	-	1	-	-	-	-	1	-	-	1	1	9		
Sydenham H - - - - L.	43,653	24	6	1	4	-	-	-	-	-	-	-	-	-	-	-	-		
Charlton F, 2H - - - K.	21,134	11	4	1	-	-	-	1	1	-	-	-	-	-	-	-	2		
Woolwich 4H - - - K.	41,626	22	5	2	2	-	1	-	-	1	-	-	-	-	-	-	-		
Plumstead West W - - K.	18,063	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Plumstead East 2W, H - K.	50,264	38	16	2	3	-	-	-	1	-	-	-	-	-	3	5	4		
London County Asy., Banstead -	-	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	6		
Manor Asylum, Epsom - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Horton Asylum, Epsom - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1		
Lon. Co. Asy. Epilep. Colony, Epsom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Met. Asy. for Imbeciles, Caterham	-	-	4	-	3	-	-	-	-	-	-	-	-	-	-	-	4		
London County Asy., Cane Hill -	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5		
M.A.B. Hospitals, Dartford - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Met. Asy. for Imbeciles, Darenth	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2		
London County Asylum, Dartford	-	-	7	-	2	-	-	-	-	-	-	-	-	-	-	-	7		
Heath - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
London County Asylum, Hanwell	-	-	5	-	2	-	-	-	-	-	-	-	-	1	-	-	5		
Central London Sick Asy., Hendon	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1		
London County Asy., Colney Hatch	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
M.A.B. North-Eastern Hospital -	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-	2		
M.A.B. Northern Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2		
Met. Asy. for Imbeciles, Leavesden	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2		
London County Asylum, Claybury	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2		

* On 1st March, 1904, the sub-districts of Trinity Newington, St. Peter Walworth, and St. Mary Newington, were abolished, and divided into two new sub-districts entitled Newington North and Newington South respectively.

† On 1st April, 1904, the four sub-districts of Camberwell registration district were abolished, and divided into five sub-districts as above.

‡ On 1st April, 1904, by Local Government Board Order P. 1814, confirmed by Local Government Board's Provisional Orders Confirmation (No. 16) Act, 1903, a part of the civil parish of Tooting Graveney was transferred to the civil parish of Mitcham, and a part of the civil parish of Mitcham was transferred to the civil parish of Tooting Graveney (now Wandsworth Borough). The births and deaths registered in these areas and the populations are treated as though the pending registration changes had been carried into effect.

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 21st May, 1904.

					The DEATHS registered in the Week include															
REGISTRATION SUB-DISTRICTS.		Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths of		Deaths from												
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
LONDON—OUTER RING		368,580	2,044,973	1215	464	124	143	-	21	4	5	14	-	7	21	38	89	1		
1	Carshalton W,2F,2H	12,228	32,997	20	7	2	-	-	-	-	1	-	-	-	1	1	2	-		
2	Epsom, part of* W,w,2F,H	10,423	15,548	7	3	2	-	-	-	-	-	-	-	-	-	-	-	-		
1	Godstone, part of* W,F	2,754	2,692	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1	Coulsdon - - -	11,069	8,166	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
2	South Croydon - - -	4,200	49,309	22	10	4	5	-	-	-	-	-	-	-	-	-	-	-		
3	West Croydon 3W,F,H	2,168	42,888	26	17	4	5	-	3	2	1	-	-	-	-	-	-	11		
4	Surbiton F,H	2,644	41,698	19	5	1	1	-	-	-	-	-	-	-	1	1	-	-		
5	North Croydon H	2,644	41,698	19	5	1	1	-	-	-	-	-	-	-	1	1	-	-		
6	Penge w - - -	770	22,465	16	7	1	3	-	-	-	1	-	-	-	-	-	-	-		
6	Mitcham w - - -	11,689	30,015	20	4	2	2	-	-	-	-	-	-	-	-	-	-	-		
1	Wimbledon F,3H	3,221	41,652	21	3	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Kingston W,H	6,224	42,068	15	14	-	3	-	-	-	-	-	-	-	1	1	-	7		
3	Surbiton F,H	3,046	15,017	9	5	1	3	-	-	-	-	-	-	-	1	2	-	-		
4	Esher, part of* H	5,402	13,100	6	2	1	-	-	-	1	-	-	-	-	-	-	-	-		
5	Hampton H,L	4,564	23,456	11	4	1	2	-	-	-	-	-	-	-	-	-	-	1		
1	Richmond W,H	2,162	28,865	11	8	1	5	-	-	-	-	1	-	-	-	-	-	1		
2	Mortlake F	2,847	20,628	14	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
1	Bromley F,2H	4,703	27,354	12	2	1	-	-	-	-	-	-	-	-	-	-	-	-		
2	Beckenham H	7,825	28,497	10	3	1	-	-	-	-	-	-	-	-	-	-	-	1		
3	Orpington, part of* W	10,113	9,857	1	6	1	4	-	-	-	-	1	-	-	-	-	-	3		
4	Chislehurst 2H	7,333	16,446	8	1	-	1	-	-	-	-	-	-	-	1	1	-	1		
1	Bexley F,H	8,678	21,151	10	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
2	Erith F,H	3,854	25,296	15	4	-	1	-	-	-	-	1	-	-	-	-	-	-		
3	Dartford W,F, part of*	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1		
1	Sunbury w - - -	11,054	18,683	11	5	4	-	-	2	-	-	-	-	-	-	-	-	-		
2	Staines W,H	13,277	15,178	9	5	2	1	-	-	-	-	-	-	-	-	-	-	-		
1	Hillingdon W,F,H	6,035	13,661	21	6	-	5	-	-	-	-	-	-	-	-	-	-	2		
2	Uxbridge - - -	12,757	8,984	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
3	Hayes w,F,H	8,066	16,368	12	3	1	-	-	-	-	-	-	-	-	-	-	-	-		
1	Isleworth 3W,2F,H	6,859	30,863	16	21	6	7	-	-	-	-	-	-	-	1	1	-	12		
2	Twickenham F,H	2,421	20,991	12	8	2	2	-	-	-	-	-	-	-	1	1	-	-		
3	Brentford 2F,2H,L	4,319	48,289	30	6	2	1	-	2	-	-	-	-	-	-	-	-	1		
4	Chiswick H - - -	1,249	29,809	10	8	3	-	-	1	-	-	1	-	-	-	-	-	-		
5	Acton w,3H	6,132	48,914	31	10	3	5	-	-	-	-	-	-	-	1	1	-	-		
1	Harrow F,H	13,809	25,523	18	5	1	3	-	-	-	-	-	-	-	1	1	-	-		
2	Edgware F,2H	6,994	4,521	1	3	1	2	-	-	-	-	-	-	-	-	-	-	-		
3	Willesden W,F,2H	4,384	114,811	111	27	11	5	-	-	-	1	1	-	-	-	-	-	-		
4	Hendon W,F	8,382	22,450	10	5	-	3	-	1	-	-	-	-	-	-	1	2	-		
1	South Mimms 2F,H	17,755	7,308	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
2	Barnet W,3H	3,324	17,970	8	2	1	-	-	-	-	-	-	-	-	-	-	-	1		
3	Finchley F,2H	4,688	33,692	22	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
1	Hornsey F,H	2,875	72,056	30	11	1	6	-	-	-	-	1	-	-	-	-	-	-		
2	Wood Green H - -	1,625	34,293	29	4	2	1	-	1	-	-	-	-	-	1	-	-	-		
3	West Tottenham F	996	48,353	35	10	3	3	-	-	-	-	-	-	-	-	-	-	2		
4	East Tottenham F,H	2,017	53,583	31	15	4	3	-	1	-	-	-	-	-	1	1	-	2		
5	Edmonton W,w,2F	7,491	61,892	42	16	3	4	-	-	-	-	-	-	-	1	2	-	4		
6	Enfield 2W,F,H	12,601	42,738	35	5	2	1	-	-	-	-	-	-	-	-	-	-	-		
7	Waltham Abbey - -	11,017	6,549	6	3	1	2	-	-	-	-	-	-	-	-	-	-	-		
8	Cheshunt F,H	8,479	12,292	8	5	1	1	-	-	-	-	3	-	-	1	1	-	-		
1	Hatfield, part of* W	3,305	669	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Bushey H - - -	9,333	9,173	2	1	-	1	-	-	-	-	-	-	-	-	-	-	1		
3	Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1	Stratford H - - -	1,072	44,827	24	13	5	3	-	-	-	-	1	-	-	-	-	-	1		
2	Plaistow F,2H	1,249	90,921	64	20	4	3	-	3	1	-	-	-	-	3	4	-	2		
3	Canning Town H	1,556	70,718	41	20	6	2	-	-	-	-	1	-	-	1	1	-	2		
4	Forest Gate w - -	806	60,392	24	10	1	5	-	-	-	-	-	-	-	-	1	1	-		
5	North East Ham w	1,333	58,676	32	14	6	3	-	-	-	1	-	-	-	1	2	-	1		
6	South East Ham 3F	1,993	37,342	28	11	2	3	-	1	-	-	1	-	-	1	-	-	-		
7	Wanstead F - - -	1,679	9,179	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-		
8	South Leyton 2W	631	50,467	26	17	8	4	-	-	-	-	-	-	-	3	1	-	7		
9	North Leyton W,w,F	1,963	48,445	30	24	3	10	-	-	-	-	1	-	-	1	1	-	13		
10	Walthamstow 3H,L	6,504	108,929	88	18	9	4	-	3	-	-	3	-	-	-	-	-	2		
1	Chigwell, part of* 2F,4H	11,778	16,397	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1	Romford, part of* W,2F	6,556	6,091	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
2	Ilford F,L - - -	8,496	41,234	30	7	2	-	-	-	-	-	-	-	-	-	-	-	1		
3	Barking Town F	3,803	21,547	12	5	1	-	-	2	-	-	-	-	-	1	1	-	-		
	Middlesex County Asylum, Wandsworth.	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2		
	London County Asylum, Cane Hill.	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1		
	City of London Asylum, Stone.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
	Park Hospital, Lewisham	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1		

* The parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Heydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

† See note 7 on page 274.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoeal Diseases.
CALCUTTA (including SUBURBS)	847,796	April 9	-	1038	63·6	4	7	-	1	-	599†	180
BOMBAY - -	776,006	May 3	364	994	66·6	17	7	-	-	1	508†	65
MADRAS - -	509,346	April 15	367	407	41·5	-	5	?	?	?	74†	83
PARIS - - -	2,660,569	May 14	983	932	18·1	3	17	1	4*	5	4	28
BRUSSELS - -	575,896	" 14	227	162	14·3	1	-	-	-	3	-	11
ANTWERP - -	281,376	" 14	120	77	14·0	3	-	-	-	-	-	9
AMSTERDAM -	547,370	" 7	272	150	14·3	-	4	-	2*	3	1	11
COPENHAGEN -	420,000	" 14	233	137	17·0	-	1	-	-	5	1	7
STOCKHOLM -	305,115	" 7	127	88	14·8	-	1	1	-	1	-	2
CHRISTIANIA -	225,709	" 14	130	63	14·6	-	-	-	-	-	-	1
ST. PETERSBURG	1,248,643	" 7	677	733	30·5	2	29	9	14*	6	5	65
MOSCOW - - -	1,093,410	" 7	-	558	26·6	3	11	6	3*	5	7	59
BERLIN - - -	1,960,909	April 30	873	612	16·3	-	7	4	11*	9	2	35
HAMBURG - - -	761,842	May 14	-	193	13·3	-	2	-	-	1	-	3
BRESLAU - - -	445,403	" 14	-	183	21·4	-	1	-	-	?	2	8
MUNICH - - -	520,000	" 14	-	229	22·9	-	5	-	1*	-	-	21
VIENNA - - -	1,779,669	" 14	1012	644	18·6	-	51	-	10*	1	-	35
PRAGUE - - -	423,990	April 30	187	175	21·3	-	1	-	-	1	1	13
BUDA-PESTH -	813,399	May 14	456	298	19·1	-	3	3	4*	1	-	9
TRIESTE - - -	187,251	{ " 7 " 14	116 114	54 78	14·7 21·3	- -	- -	- 2	- -	- -	- -	2 1
ROME - - - -	496,201	March 26	241	169	17·8	-	12	-	3*	-	3	5
VENICE - - -	166,288	May 14	67	62	19·4	-	-	-	-	-	1	5
CAIRO - - - -	624,338	February 25	-	-	-	-	-	-	-	-	-	-
ALEXANDRIA -	349,300	" 25	-	-	-	-	-	-	-	-	-	-
NEW YORK - -	3,838,024	May 7	1761	1716	23·3	-	39	23	40*	8	8	43
PHILADELPHIA -	1,408,154	April 23	-	595	22·0	9	11	3	14*	-	14	26
BOSTON - - -	617,950	{ " 23 " 30	- -	233 255	19·6 21·5	- -	2 4	- -	6* 5*	- -	- 3	?

* Including deaths from croup.

† Including 539 deaths from plague in Calcutta, 471 in Bombay and one in Madras.

‡ Including 104 deaths from cholera in Calcutta, and one in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 21st May, 1904.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	72·6	39·2	54·0	0·35	BRADFORD - -	-	-	-	-
BRIGHTON - -	68·6	41·5	53·5	0·79	LEEDS - - - -	70·0	40·0	52·9	0·12
PORTSMOUTH -	64·0	44·0	53·7	1·37	HULL - - - -	64·0	35·0	50·9	0·02
NORWICH - - -	70·2	39·6	53·5	0·10	TYNEMOUTH - -	63·0	43·0	52·5	0·04
PLYMOUTH - -	69·6	43·1	52·9	0·04					
BRISTOL - - -	71·0	37·7	51·8	0·57	EDINBURGH - -	68·7	39·7	49·5	0·04
BIRMINGHAM -	69·7	40·0	52·0	0·61	GLASGOW - - -	59·8	40·2	50·2	0·38
NOTTINGHAM -	71·1	38·0	51·9	0·01		65·5	33·1	49·3	0·14
LIVERPOOL - -	69·0	43·0	51·3	0·07	DUBLIN { Phoenix Park, Fitz- william Square,†	69·6	41·9	52·3	0·14
MANCHESTER -	68·4	34·8	50·4	0·13					
PRESTON - - -	67·0	39·5	51·1	0·00	BELFAST - - -	61·1	34·5	50·0	0·21
HUDDERSFIELD -	69·3	35·5	48·9	0·16					

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1·7° Fahrenheit, to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A. M.D., Dublin.

1904.		BAHO-METER.		TEMPERATURE.				TEMPERATURE.				Wind as deduced from Anemometers.				Rain collected in a Gauge whose surface is 5 inches above the ground.	
MONTH AND DAY	MAY.	Phases of the Moon.	Mean daily reading (corrected to 32° Fahrenheit).	Of the Air.			Difference between the Air Temperature and Dew Point Temperature.			Of Radiation.		General Direction.		Pressures on the Square Foot.		Robinson's.	
				High-est.	Low-est.	Daily Range.	Mean daily value.	Mean daily value.	Least.	Highest in Shade.	Lowest on Grass.	A.M.	P.M.	Great-est.	Least.	Horizontal Movement of the Air.	Vertical Movement of the Air.
			in.	°	°	°	°	°	°	°	°	WSW.	WSW. & S.W.	lbs.	lbs.	Miles.	Miles.
SUNDAY	15	New	29.807	68.9	44.4	24.5	56.4	43.9	12.5	21.4	1.3	°	°	1.4	0.0	22.9	7.4
MONDAY	16	..	29.802	72.6	42.5	30.1	60.1	44.5	15.6	25.7	0.7	57	57	2.6	0.0	200	5.0
TUESDAY	17	..	29.883	68.6	49.7	18.9	57.4	45.9	11.5	16.6	6.3	65	120.0	4.1	0.0	421	4.5
WEDNESDAY	18	Greatest	29.798	62.9	46.0	16.9	58.5	39.8	13.7	22.0	4.2	60	126.6	7.0	0.0	475	5.8
THURSDAY	19	Dec. N.	29.993	61.0	42.2	18.8	52.0	36.8	15.2	20.9	2.6	58	122.6	2.5	0.0	288	7.5
FRIDAY	20	..	29.987	62.2	39.2	23.0	50.8	39.4	11.4	18.1	2.1	65	125.2	3.7	0.0	297	8.8
SATURDAY	21	..	29.734	49.8	46.1	37	47.7	45.0	2.7	4.4	1.7	90	69.2	4.4	0.0	290	7.2
MEANS	-	-	29.843	63.7	44.3	19.4	54.0	42.2	11.8	18.4	2.7	65	117.2	Sum 2180	Sum 6.6
No. of Column	-	-	4	5	6	7	8	9	10	11	12	13	14	15	16	17	28
DATE.	MAY.	Electroniety (For explanation of symbols, see Note.)	Registered Sunshine in hours.	GENERAL REMARKS.				Of the Air.				Wind as deduced from Anemometers.				Rain collected in a Gauge whose surface is 5 inches above the ground.	
SUNDAY	15	w. P. generally.	11.0	Cloudless in morning; very fine with small amounts of cloud afterwards. Solar halo in afternoon.				°				WSW.				in.	
MONDAY	16	w. P. generally; and N. between 2h. and 6h. P.M.	8.6	Cloudless generally till 8h. A.M.; very fine with variable amounts of cloud afterwards. Solar halo in afternoon.				°				WSW. S.E. & S.W.				0.00	
TUESDAY	17	w. P. generally; occasional m. P.	8.3	Fine and partially cloudy.				°				W. & W.S.W.				0.00	
WEDNESDAY	18	m. P. generally till 9h. A.M.; w. P. and s. P. till 5h. P.M.; s. P. afterwards.	11.7	Very fine generally with variable amounts of cloud till evening; cloudless at night; brisk wind prevalent between 11h. A.M. and 7h. P.M.				°				WSW. & NNW.				0.00	
THURSDAY	19	s. P. till 6h. A.M.; s. P. afterwards.	11.8	Cloudless in morning; very fine with small amounts of cloud generally till evening; cloudless at night.				°				W. & W.S.W.				0.00	
FRIDAY	20	m. P. till 5h. A.M.; w. P. till 10h. P.M.; s. P. and s. N. afterwards.	7.1	Very fine generally with variable amounts of cloud till evening; overcast with slight rain after 10h. P.M. Solar halo in afternoon.				°				WSW. & NNW.				0.00	
SATURDAY	21	w. P. and w. N. in morning; w. P. afterwards.	0.0	Overcast throughout; frequent rain till afternoon.				°				Variable				Sum 0.35	
MEANS	-	-	Sum 58.5	Sum 109.6				Sum 6.6				Sum 2180				Sum 24	

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1876.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29.88 in. at the beginning of the week to 29.93 in. by 11h. P.M. on the 15th; decreased to 29.56 in. by 9h. A.M. on the 17th; increased to 30.06 in. by 11h. P.M. on the 18th; decreased to 29.71 in. by 9h. A.M. on the 21st; and increased to 29.81 in. by midnight on the same day.

DATE.	MAY.	Electroniety (For explanation of symbols, see Note.)	Registered Sunshine in hours.	GENERAL REMARKS.				Of the Air.				Wind as deduced from Anemometers.				Rain collected in a Gauge whose surface is 5 inches above the ground.	
SUNDAY	15	w. P. generally.	11.0	Cloudless in morning; very fine with small amounts of cloud afterwards. Solar halo in afternoon.				°				WSW.				in.	
MONDAY	16	w. P. generally; and N. between 2h. and 6h. P.M.	8.6	Cloudless generally till 8h. A.M.; very fine with variable amounts of cloud afterwards. Solar halo in afternoon.				°				WSW. S.E. & S.W.				0.00	
TUESDAY	17	w. P. generally; occasional m. P.	8.3	Fine and partially cloudy.				°				W. & W.S.W.				0.00	
WEDNESDAY	18	m. P. generally till 9h. A.M.; w. P. and s. P. till 5h. P.M.; s. P. afterwards.	11.7	Very fine generally with variable amounts of cloud till evening; cloudless at night; brisk wind prevalent between 11h. A.M. and 7h. P.M.				°				WSW. & NNW.				0.00	
THURSDAY	19	s. P. till 6h. A.M.; s. P. afterwards.	11.8	Cloudless in morning; very fine with small amounts of cloud generally till evening; cloudless at night.				°				W. & W.S.W.				0.00	
FRIDAY	20	m. P. till 5h. A.M.; w. P. till 10h. P.M.; s. P. and s. N. afterwards.	7.1	Very fine generally with variable amounts of cloud till evening; overcast with slight rain after 10h. P.M. Solar halo in afternoon.				°				WSW. & NNW.				0.00	
SATURDAY	21	w. P. and w. N. in morning; w. P. afterwards.	0.0	Overcast throughout; frequent rain till afternoon.				°				Variable				Sum 0.35	
MEANS	-	-	Sum 58.5	Sum 109.6				Sum 6.6				Sum 2180				Sum 24	

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 14th May, 1904.*

BOROUGHs.	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Chicken-pox.
WEST.											
Paddington- - - -	146,975	-	6	1	-	-	-	-	2	1	12
Kensington - - - -	179,236	-	15	8	-	-	-	-	1	-	10
Hammersmith - - - -	117,412	-	8	9	-	-	-	-	3	-	5
Fulham - - - - -	152,482	-	7	2	-	-	-	-	3	-	12
Chelsea - - - - -	74,329	-	-	1	-	-	-	-	1	-	-
City of Westminster- -	177,321	-	7	1	-	-	-	-	4	-	10
NORTH.											
St. Marylebone - - -	130,337	-	3	1	-	-	-	-	1	-	6
Hampstead - - - -	86,663	-	5	-	-	1	-	-	-	-	3
St. Pancras - - - -	235,936	-	10	8	-	1	-	-	1	-	5
Islington - - - - -	341,044	-	33	6	-	-	-	-	5	-	27
Stoke Newington - - -	52,445	-	4	1	-	2	-	-	-	-	1
Hackney - - - - -	226,266	-	19	13	-	1	-	-	2	1	16
CENTRAL.											
Holborn - - - - -	57,161	-	-	1	-	-	-	-	1	-	2
Finsbury - - - - -	98,958	1	11	6	-	-	-	-	1	1	8
City of London - - -	23,482	-	-	1	-	-	-	-	-	-	2
EAST.											
Shoreditch - - - -	117,033	-	2	5	-	-	-	-	3	-	5
Bethnal Green - - -	130,207	12	15	7	-	-	-	-	4	-	19
Stepney - - - - -	303,791	3	21	11	-	1	-	-	4	-	31
Poplar - - - - -	169,905	-	11	32	-	-	-	-	1	-	8
SOUTH.											
Southwark - - - - -	207,937	3	4	4	-	-	-	-	4	-	12
Bermondsey - - - -	129,397	1	4	2	-	2	-	-	3	-	9
Lambeth - - - - -	310,359	-	14	3	-	1	-	-	6	-	14
Battersea - - - - -	175,466	-	6	1	-	-	-	-	2	-	21
Wandsworth - - - -	257,448	-	17	17	-	1	-	-	2	1	33
Camberwell - - - -	268,384	2	19	4	-	2	-	-	1	-	25
Deptford - - - - -	113,509	-	6	3	-	-	-	-	3	1	7
Greenwich - - - - -	101,651	1	1	4	-	-	-	-	2	-	8
Lewisham - - - - -	140,401	-	2	1	-	2	-	-	2	-	14
Woolwich - - - - -	123,416	-	6	4	-	-	-	-	-	-	12
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.		4,648,950	23	256	157	-	14	-	62	5	340
Ag											
es											
0-1											
"											
1-5											
"											
5-											
"											
10-											
"											
15-											
"											
20-											
"											
25-											
"											
35-											
"											
45-											
"											
55-											
"											
65 and upwards											
Age not stated											

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1904.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 21. 1904. VOL. LXV.] WEEK ENDED SATURDAY, MAY 28. [Price 1½d.

General Register Office, Somerset House,
May 30th, 1904.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·4 per 1000 of their aggregate population, which is estimated† at 15,271,287 persons in the middle of this year. In the preceding three weeks the rates had been 14·9, 16·1, and 15·5. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 20·1 in Plymouth, 20·4 in Sunderland and in South Shields, 20·7 in Rochdale, 21·3 in Burnley, 21·7 in Warrington, 22·0 in Bootle, and 22·8 in Hanley; from *measles*, 2·1 in Brighton, 2·2 in Croydon, 2·7 in Birkenhead and in Rotherham, and 3·5 in Wallasey; and from *whooping-cough*, 2·1 in Coventry, 2·2 in Merthyr Tydfil, 2·3 in Walsall, 2·5 in Bootle, and 3·2 in Aston Manor and in Blackburn. Two deaths from *small-pox* were registered in London, 1 in Stockport, and 1 in Bradford, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2122 BIRTHS and 1274 DEATHS were registered. Allowing for increase of population, the births were 416 and the deaths 159 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 14·9, 16·3, and 15·1 in the preceding three weeks, further fell last week to 14·3. During the four weeks ended on Saturday last the death-rate averaged 15·2 per 1000, being 1·2 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, and in certain local Small-pox Hospitals, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the recent Census, and on the increase in the last intercensal period.

The 1274 deaths included 2 from small-pox, 83 from measles, 4 from scarlet fever, 14 from diphtheria, 33 from whooping-cough, 2 from enteric fever, and 15 from diarrhoea, but not one death from typhus, or from ill-defined pyrexia; thus, 153 deaths were referred to these diseases in the aggregate, being 36 below the corrected average weekly number.

Of the two fatal cases of *small-pox*, 1 belonged to the Borough of Bethnal Green and 1 to Stepney. The deaths from *measles*, which had been 62, 86, and 75 in the preceding three weeks, rose again last week to 83, and were 12 above the corrected average; 14 deaths belonged to the Borough of Southwark, 8 each to Stepney and Poplar, 6 each to Islington and Lambeth, 5 each to Battersea, Wandsworth, and Deptford, and 4 to Camberwell. The deaths from *scarlet fever*, which had been 3, 7, and 5 in the preceding three weeks, were 4 last week, the corrected average being 10. The deaths from *diphtheria*, which had been 19, 20, and 10 in the preceding three weeks, rose again last week to 14, but were 17 below the corrected average. The deaths from *whooping-cough*, which had been 48, 44, and 39 in the preceding three weeks, further fell last week to 33, and were 18 below the corrected average; 4 deaths belonged to Woolwich and 3 each to St. Pancras and Stepney. The fatal cases of *enteric fever*, which had been 4, 1, and 4 in the preceding three weeks, were 2 last week, the corrected average being 7. The deaths from *diarrhoea* which had been 23, 16, and 21 in the preceding three weeks, fell again last week to 15, the corrected average being 13. Of the 15 deaths from diarrhoea, 10 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 6 more deaths at this age. The deaths attributed directly to *influenza* numbered 8, having been 9, 12, and 5 in the preceding three weeks. The death of a woman, aged 51 years, was certified after inquest as due to chronic phosphorous poisoning.

Different forms of *violence* caused 54 deaths, concerning all of which inquests were held. Of these 54 deaths, 10 were cases of suicide, and 2 of homicide, while the remaining 42 were attributed to accident or negligence. Three of these latter were referred to vehicles in the streets, 5 to burns and scalds, and 12 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 118 cases of small-pox, 1663 of scarlet fever, 758 of diphtheria, and 51 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 33 cases, against 14, 26, and 18; of scarlet fever, 194 cases, against 242, 239, and 222; of diphtheria, 94 cases, against 129, 128, and 104; and of enteric fever, 11 cases, against 6, 7, and 14. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended May 21st.

GREATER LONDON.

In Greater London 3210 births and 1756 deaths were registered. Allowing for increase of population these numbers are 517 and 192 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 11 deaths from measles, 1 from scarlet fever, 3 from diphtheria, 1 from whooping-cough, and 3 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.77 inches, and that of the Thermometer 57.3, the latter being 1.6 above the week's average in the 50 years 1841-90. The direction of the wind was variable, the horizontal movement of the air being 22 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 15.0 hours; the measured rainfall amounted to 0.30 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	Cols.	DEATH-RATES from all Causes.					Registered Deaths during the Week ended 28th May, 1904.		The Deaths registered in the Week include										TOWNS.					
		Week ended					BIRTHS.	DEATHS.	Deaths from															
		7th May, 1904.	14th May, 1904.	21st May, 1904.	28th May, 1904.	Week ended 11-17, 1904.			Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unsettled Causes of Death.						
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.		18.	19.	20.	21.	
76 TOWNS.		15,271,287	14'9	16'1	15'5	15'4	1'8	7137	4507	1032	1195	4	205	27	41	163	22	57	178	355	1098	52	76 TOWNS.	
LONDON -	-	4,648,950	14'9	16'3	15'1	14'3	1'7	2122	1274	275	349	2	83	4	14	33	2	15	54	133	480	3	LONDON.	
(CROYDON.	-	144,419	12'3	13'0	10'5	12'3	2'2	84	34	6	8	-	6	-	-	-	-	-	2	5	5	-	(CROYDON.	
WILLESDEN -	-	132,568	6'7	10'2	10'6	8'7	0'8	68	22	4	8	-	-	-	-	-	-	-	1	2	2	-	WILLESDEN.	
HORNSEY -	-	81,221	9'6	9'6	7'1	9'6	0'6	32	15	3	7	-	-	-	-	-	-	-	1	2	2	-	HORNSEY.	
TOTTENHAM -	-	112,881	7'8	12'0	12'5	13'4	0'5	47	29	8	8	-	-	-	-	-	-	-	2	2	4	-	TOTTENHAM.	
WEST HAM -	-	288,424	13'7	14'5	13'2	13'7	2'7	148	76	15	19	-	8	1	-	4	-	-	-	2	21	-	WEST HAM.	
EAST HAM -	-	116,802	6'7	10'3	12'5	10'7	1'3	64	24	11	5	-	-	1	-	1	1	-	-	2	3	-	EAST HAM.	
LEYTON -	-	110,844	5'2	11'8	12'2	9'4	0'5	47	20	2	6	-	-	-	-	1	-	-	-	1	2	-	LEYTON.	
(WALTHAMSTOW -	-	111,282	8'0	12'2	8'0	11'2	2'8	63	24	6	4	-	4	-	1	1	-	-	2	4	2	-	(WALTHAMSTOW.	
HASTINGS -	-	66,503	9'4	10'2	13'3	12'5	-	24	16	-	6	-	-	-	-	-	-	-	1	1	3	-	HASTINGS.	
BRIGHTON -	-	126,266	12'4	14'9	17'8	18'2	2'5	51	44	5	13	-	5	-	-	-	-	4	5	12	-	-	BRIGHTON.	
PORTSMOUTH -	-	198,098	12'4	14'2	13'4	11'6	0'5	58	44	8	15	-	-	-	1	1	-	-	2	8	-	-	PORTSMOUTH.	
BOURNEMOUTH -	-	64,645	16'9	11'3	16'1	17'7	0'8	14	22	3	8	-	-	-	-	-	-	-	1	4	3	1	BOURNEMOUTH.	
SOUTHAMPTON -	-	112,500	16'7	14'4	14'4	10'7	0'9	50	23	5	7	-	-	-	1	1	-	-	1	4	-	-	SOUTHAMPTON.	
READING -	-	76,373	15'7	15'0	9'6	11'0	-	35	17	3	4	-	-	-	-	-	-	-	-	2	1	-	READING.	
NORTHAMPTON -	-	91,146	8'6	13'7	6'9	11'4	0'6	28	20	6	5	-	-	-	-	-	-	1	1	5	-	-	NORTHAMPTON.	
IPSWICH -	-	69,805	10'5	14'9	16'4	10'5	-	32	14	2	7	-	-	-	-	-	-	-	1	1	1	-	IPSWICH.	
GREAT YARMOUTH -	-	52,099	9'0	11'0	12'0	12'0	1'0	29	12	-	8	-	-	-	-	-	-	1	-	3	-	-	GREAT YARMOUTH.	
NORWICH -	-	115,538	12'2	14'4	21'7	14'4	2'3	63	32	10	10	-	3	-	-	-	-	1	1	2	4	-	-	NORWICH.
PLYMOUTH -	-	114,003	21'5	13'7	10'1	20'1	1'4	51	44	12	14	-	-	-	-	-	3	-	-	1	13	-	-	PLYMOUTH.
DEVONPORT -	-	75,394	6'2	12'5	11'1	5'5	0'7	37	8	1	2	-	-	-	-	-	-	-	-	-	1	-	-	DEVONPORT.
BRISTOL -	-	343,204	13'1	14'0	13'1	12'6	0'5	128	83	18	31	-	-	-	-	1	-	1	4	9	20	-	-	BRISTOL.
HANLEY -	-	63,992	11'4	15'5	16'3	22'8	2'4	43	28	10	4	-	-	-	-	-	-	2	2	4	1	-	-	HANLEY.
BURTON-ON-TRENT -	-	61,994	6'0	14'1	16'1	13'1	-	19	13	2	3	-	-	-	-	-	-	-	1	1	2	-	-	BURTON-ON-TRENT.
WOLVERHAMPTON -	-	98,194	8'5	11'2	13'8	13'8	1'1	56	26	8	9	-	-	-	-	-	-	-	-	1	2	1	-	WOLVERHAMPTON.
WALSALL -	-	91,432	14'3	15'4	12'0	16'0	2'3	56	28	9	8	-	-	-	-	-	-	-	-	1	-	-	-	WALSALL.
HANDSWORTH -	-	58,634	8'7	10'5	7'9	8'7	-	31	10	1	3	-	-	-	-	-	-	-	-	1	1	-	-	HANDSWORTH.
WEST BROMWICH -	-	67,186	16'3	13'2	11'6	19'4	3'1	41	25	4	13	-	-	-	-	-	-	-	1	2	-	-	-	WEST BROMWICH.

† These towns are included within the area of Greater London.

* See note † on first page of this return.

TABLE 1 (cont.).—78 GREAT TOWNS, GREATER LONDON and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES during the Week ended Saturday, 28th May, 1904, and DEATH-RATES during the preceding three weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1904.*	DEATH-RATES from all Causes.					Rate from Diseases in Colls. 11-17.		Registered during the Week ended 28th May, 1904.		The DEATHS registered in the Week include										TOWNS.			
		Week ended					Week ended 28th May, 1904.		Births.	Deaths.	Deaths of Persons aged under 1 Year and upwards.					Deaths from						Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
		7th May, 1904.	14th May, 1904.	21st May, 1904.	28th May, 1904.	Week ended 28th May, 1904.	6.	Deaths from																
								1.			2.	3.	4.	5.	6.	7.	8.	9.	10.	11.				
		Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.		19.	20.	21.
BIRMINGHAM -	537,965	17'0	22'0	21'7	16'6	2'4	235	171	40	33	-	7	3	1	12	1	1	10	17	35	10	BIRMINGHAM.		
KINGS NORTON -	66,867	7'8	11'0	9'4	3'9	-	21	5	2	1	-	-	-	-	-	-	-	-	-	-	-	KINGS NORTON.		
SMETHWICK -	60,691	4'3	6'0	11'2	11'2	-	37	13	6	2	-	-	-	-	-	-	-	1	1	1	1	SMETHWICK.		
ASTON MANOR -	80,363	14'3	16'9	14'3	13'6	3'9	43	21	9	3	-	-	-	-	5	-	1	-	1	-	-	ASTON MANOR.		
COVENTRY -	73,904	11'3	19'8	11'3	15'5	3'5	38	22	3	11	-	-	1	-	3	-	1	-	3	2	-	COVENTRY.		
LEICESTER -	224,186	11'9	12'1	11'9	14'2	0'9	116	61	19	23	-	1	-	-	2	-	1	-	4	16	1	LEICESTER.		
GRIMSBY -	66,958	12'5	14'8	11'7	10'9	-	25	14	2	3	-	-	-	-	-	-	-	-	2	-	-	GRIMSBY.		
NOTTINGHAM -	248,811	9'6	14'7	14'5	18'9	1'3	120	90	15	33	-	-	1	1	3	-	1	5	8	20	-	NOTTINGHAM.		
DERBY -	120,419	13'0	19'5	16'0	11'3	0'9	53	26	5	10	-	-	-	-	1	-	1	1	3	11	-	DERBY.		
STOCKPORT -	97,008	13'4	13'4	13'4	16'1	2'2	41	30	5	3	1	1	-	-	-	-	2	1	1	3	-	STOCKPORT.		
BIRKENHEAD -	114,814	17'3	19'1	16'3	15'4	5'4	57	34	9	6	-	6	-	1	4	-	1	1	1	6	-	BIRKENHEAD.		
WALLASEY -	60,354	12'1	17'3	17'3	17'3	4'3	27	20	5	4	-	4	-	-	1	-	1	1	1	3	-	WALLASEY.		
LIVERPOOL -	723,430	18'6	17'2	18'4	17'9	2'2	402	248	60	61	-	8	3	4	12	2	2	10	15	93	4	LIVERPOOL.		
BOOTLE -	61,755	17'7	12'7	11'8	22'0	2'5	29	26	5	8	-	-	-	-	3	-	-	1	1	7	1	BOOTLE.		
ST. HELENS -	88,545	26'5	13'0	17'1	17'7	1'8	49	30	5	3	-	1	-	-	2	-	-	-	-	1	4	ST. HELENS.		
WIGAN -	62,800	19'1	17'4	12'5	18'3	0'8	40	22	7	6	-	-	-	-	-	-	1	-	-	2	-	WIGAN.		
WARRINGTON -	67,331	13'2	24'0	17'8	21'7	3'1	42	28	9	1	-	1	1	1	1	1	-	1	1	5	-	WARRINGTON.		
BOLTON -	175,744	13'9	17'8	17'5	19'0	2'1	81	64	17	10	-	-	-	-	5	1	2	2	2	11	1	BOLTON.		
BURY -	58,450	13'4	18'7	11'6	13'4	0'9	18	15	5	1	-	1	-	-	-	-	1	1	1	4	-	BURY.		
MANCHESTER†	557,938	23'1	21'3	19'6	18'6	2'5	167	199	42	48	-	13	2	2	7	2	1	13	16	46	5	MANCHESTER.†		
SALFORD -	228,983	20'0	17'8	16'2	18'2	3'6	82	80	20	15	-	3	-	3	5	3	2	1	5	19	1	SALFORD.		
OLDHAM -	139,497	13'5	14'2	17'2	16'8	0'7	58	45	13	11	-	-	-	-	1	-	1	5	6	6	-	OLDHAM.		
ROCHDALE -	85,601	14'0	16'4	17'1	20'7	1'8	25	34	4	12	-	2	-	-	1	-	-	1	10	-	-	ROCHDALE.		
BURNLEY -	100,569	17'6	23'8	18'7	21'3	2'1	45	41	8	15	-	3	-	-	-	-	1	3	3	10	-	BURNLEY.		
BLACKBURN -	132,134	21'3	15'8	20'5	13'8	4'3	44	35	6	8	-	2	-	-	8	-	1	2	2	2	2	BLACKBURN.		
PRESTON -	115,055	13'6	14'5	20'4	14'5	-	55	32	6	14	-	-	-	-	-	-	-	-	-	6	2	PRESTON.		
BARROW-IN-FURTH -	59,654	10'5	7'9	13'1	14'0	0'9	34	16	3	1	-	-	-	-	-	-	-	-	-	1	-	BARROW-IN-FURTH.		

TOWNS.	Cols.	POPULATION estimated to the middle of 1904.	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the week ended 26th May, 1904.		The DEATHS registered in the Week include											TOWNS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
			Week ended				11-17.		during the week ended 26th May, 1904.		Deaths of						Deaths from						Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
			7th May, 1904.		14th May, 1904.		21st May, 1904.		28th May, 1904.		Week ended 28th May, 1904.		Infants under 1 Year of Age.		Persons aged 60 Years and upwards.		Small-pox.	Measles.	Scarlet Fever.	Typhoid.	Whooping-cough.			Rever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
			7th May, 1904.	14th May, 1904.	21st May, 1904.	28th May, 1904.	7th May, 1904.	14th May, 1904.	21st May, 1904.	28th May, 1904.	7th May, 1904.	14th May, 1904.	21st May, 1904.	28th May, 1904.	9.	10.													11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
		1.	2.	3.	4.	5.	6.	7.	8.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													

TABLE 2. LONDON.—Births and Deaths Registered in the TWENTY-FIRST Week of each of the Eleven Years, 1894–1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894–1903.*	1904
TOTAL Births -	2414	2640	2421	2437	2569	2306	2435	2559	2174	2514	2538'0	2122
Males - -	1218	1337	1228	1364	1327	1185	1270	1313	1122	1294	1302'6	1073
Females - -	1196	1303	1193	1173	1242	1121	1165	1246	1052	1220	1235'4	1049
TOTAL Deaths -	1440	1371	1509	1275	1385	1366	1440	1363	1439	1232	1433'4	1274
Males - -	764	709	810	662	697	736	784	714	815	642	758'5	687
Females - -	676	662	699	613	688	630	656	649	624	590	674'9	587

* The numbers in this column are the average weekly numbers in the twenty-first week of the ten years 1894–1903, raised by 3'723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Mar. 5.	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	13 Weeks.
TOTAL Births -	2364	2712	2577	2423	2240	2539	2676	2489	2733	2403	2551	2376	2122	3220'5
TOTAL Deaths -	1594	1786	1680	1645	1672	1659	1490	1429	1392	1325	1454	1349	1274	1975'9
Under 1 year -	350	297	335	336	375	366	318	231	280	274	239	299	275	271'3
1–5 years -	197	230	216	214	214	256	214	202	194	215	203	158	200	271'3
5–20 " -	79	88	73	71	79	76	68	78	80	64	77	52	65	95'0
20–40 " -	172	188	212	190	202	157	192	175	158	152	163	174	159	229'4
40–60 " -	306	299	327	326	308	334	264	272	312	272	281	300	226	382'7
60 yrs. & upwds.	480	594	517	508	494	470	434	421	368	348	441	366	319	580'0
Deaths from—														
Small-pox† - -	-	1	1	1	3	3	-	1	3	1	-	-	2	16
Measles - -	43	66	69	67	92	86	75	81	66	62	86	75	83	951
Scarlet Fever - -	5	6	2	4	4	8	4	9	10	3	7	5	4	71
Diphtheria - -	23	17	17	13	17	17	8	15	14	19	20	10	14	204
Whooping-cough -	52	54	51	48	63	64	64	43	42	48	44	39	33	650
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	3	4	2	3	3	4	3	3	3	4	1	4	2	39
Pyrexia (origin uncertain) -	-	-	-	-	-	1	-	-	-	1	-	-	-	2
Diarrhœa, Dysentery	20	18	19	19	16	21	12	12	15	23	16	21	15	227
All above Diseases -	146	166	161	155	203	204	163	164	153	161	174	154	153	2160
Dis. of Resp. System	202	235	225	195	212	167	156	127	100	83	116	105	80	1983
Pneumonia - -	169	179	170	183	158	166	139	127	124	110	115	105	108	1858
Phthisis - -	156	162	168	168	168	136	169	153	160	155	143	123	145	2006
Dis. of Circ. System -	197	221	230	223	207	203	163	176	178	167	206	193	136	2505
Violence - -	57	63	69	58	58	65	56	49	63	62	61	65	54	785
Inquest Cases - -	150	190	161	164	153	178	127	134	155	125	143	151	153	1964
Deaths in Institutions	533	603	554	555	585	540	473	491	532	485	569	497	480	6897
TEMPERATURE OF THE AIR.														
Mean - -	33'3	40'5	40'8	43'3	42'0	48'0	49'6	49'1	49'6	49'0	49'7	54'0	57'3	46'6
Mean of Highest -	37'3	48'0	50'1	49'3	50'5	55'8	59'1	59'7	57'1	58'1	58'8	63'7	65'9	54'9
Mean of Lowest -	29'8	34'1	31'5	37'6	35'3	40'9	40'6	38'2	43'3	42'4	41'5	44'3	50'5	39'2
Mean Humidity of the Air.	82	84	77	80	79	71	71	71	72	70	81	65	86	76
Rain-fall (in inches) -	0'52	0'24	0'06	0'11	0'45	0'37	0'32	0'24	0'05	0'55	0'29	0'35	0'30	3'85
Registered Sunshine (in hours).	6'4	28'3	28'2	13'7	29'5	33'5	36'9	38'9	21'9	37'0	14'0	58'5	15'0	359'8
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox - -	41	54	74	110	136	134	144	123	104	88	99	96	118	101
Scarlet Fever - -	1573	1001	1634	1585	1570	1505	1523	1513	1541	1590	1600	1630	1663	1581
Diphtheria - -	764	780	807	776	787	749	737	719	720	750	777	767	758	761
Typhus - -	-	1	1	1	1	1	1	1	2	2	2	1	-	1
Enteric Fever - -	118	102	94	83	86	80	68	73	62	53	53	56	51	76

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-FIRST Week of the Year 1904.

terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 21st week of the year 1903.	1904—Deaths of Persons of the Ages						CAUSES OF DEATH.	Deaths in the 21st week of the year 1903.	1904—Deaths of Persons of the Ages							
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.			60 years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
L CAUSES	1232	1274	275	200	65	159	226	349	Meningitis (not tuberc.)	18	11	4	3	2	-	-	
									Insanity, Gen. Par. of	13	10	-	-	-	3	7	
									Insane	3	9	1	1	4	1	2	
Small-pox*	1	2	-	-	1	1	-	-	Epilepsy	16	23	21	2	-	-	-	
Whooping-cough	-	-	-	-	-	-	-	-	Convulsions	2	4	-	-	-	2	2	
Measles (Morbilli)	59	83	15	67	1	-	-	-	Locomotor Ataxy	4	3	-	-	-	1	2	
Scarlet Fever	5	4	-	3	1	-	-	-	Paraplegia, Dis. of Cord	18	14	-	1	-	2	4	
Dysentery	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	40	30	-	-	4	7	15	
Erysiphus	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis	26	30	-	-	-	10	20	
Scarlatina	-	-	-	-	-	-	-	-	Cerebr. Hæm. Thromb.	22	12	-	-	-	1	11	
Influenza	14	8	2	-	1	1	1	3	Apoplexy, Hemiplegia	-	3	-	-	-	1	1	
Whooping-cough	32	33	15	18	-	-	-	-	Aneurysm	-	-	-	-	-	-	-	
Diphtheria	10	14	3	7	4	-	-	-	Embolism, Thrombosis	75	61	-	1	2	3	20	
Cerebro Spinal Fever	-	-	-	-	-	-	-	-	(not cerebral)	-	-	-	-	-	-	-	
Scarlatina (Origin uncertain)	3	2	-	-	-	-	2	-	Heart & Blood Vessel Dis.	-	-	-	-	-	-	-	
Enteric Fever	-	-	-	-	-	-	-	-	Croup (not Spasm: nor Memb.)	-	-	-	-	-	-	-	
Asiatic Cholera	-	-	-	-	-	-	-	-	Bronchitis	62	70	13	7	-	4	7	
Epidemic Diarrhoea	5	3	3	-	-	-	-	-	Asthma, Emphysema	2	2	-	-	-	-	-	
Diarrhoea, Dysentery	13	12	4	3	1	1	3	-	Pleurisy	11	8	3	1	-	-	2	
Typhoid	1	1	-	-	-	-	1	-	Respiratory Dis. (other)	-	-	-	-	-	-	-	
Scarlatina	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy	-	1	-	-	-	-	1	
Infantile, Hydrophobia	-	-	-	-	-	-	-	-	Enteritis (not Epid.)	5	6	5	1	-	-	-	
Landers	-	-	-	-	-	-	-	-	Gastro-Enteritis	4	6	6	-	-	-	-	
Erysipelas	-	-	-	-	-	-	-	-	Peritonitis (not Puerp.)	13	2	-	-	-	1	1	
Erysipelas	-	-	-	-	-	-	-	-	Cirrhosis of Liver	13	15	-	-	-	1	8	
Erysipelas (not Puerp.)	-	-	-	-	-	-	-	-	Liver Dis. (other)	-	5	-	-	-	2	1	
Erysipelas (not Puerp.)	-	-	-	-	-	-	-	-	Digestive Dis., Other	37	41	3	2	6	9	8	
Erysipelas (not Puerp.)	-	-	-	-	-	-	-	-	Nephritis, Acute	5	5	-	-	1	-	4	
Erysipelas (not Puerp.)	-	-	-	-	-	-	-	-	Bright's Dis., Albuminuria	23	33	-	-	2	4	10	
Erysipelas (not Puerp.)	-	-	-	-	-	-	-	-	Urinary Sys., Other Dis.	5	5	1	-	-	-	4	
Erysipelas (not Puerp.)	-	-	-	-	-	-	-	-	Generative Organs Dis.	2	4	-	-	1	-	2	
Erysipelas (not Puerp.)	-	-	-	-	-	-	-	-	Childbirth (Accid. of)	3	5	-	-	4	1	-	
Erysipelas (not Puerp.)	-	-	-	-	-	-	-	-	Old Age	43	47	-	-	-	-	47	
Erysipelas (not Puerp.)	-	-	-	-	-	-	-	-	Other Diseases	82	89	65	15	2	2	4	
Erysipelas (not Puerp.)	-	-	-	-	-	-	-	-	ACCIDENT.	-	-	-	-	-	-	-	
Erysipelas (not Puerp.)	-	-	-	-	-	-	-	-	By Railways	2	3	-	-	-	1	2	
Erysipelas (not Puerp.)	-	-	-	-	-	-	-	-	By Vehicles and Horses	8	3	-	-	1	1	-	
Erysipelas (not Puerp.)	-	-	-	-	-	-	-	-	In Ships, Boats, Docks, (exclusive of Drowning)	-	1	-	-	-	-	1	
Erysipelas (not Puerp.)	-	-	-	-	-	-	-	-	In Building Operations	1	-	-	-	-	-	-	
Erysipelas (not Puerp.)	-	-	-	-	-	-	-	-	In Conflagrations	3	-	-	-	-	-	-	
Erysipelas (not Puerp.)	-	-	-	-	-	-	-	-	By Burns, Scalds, Explosions	3	5	1	3	1	-	-	
Erysipelas (not Puerp.)	-	-	-	-	-	-	-	-	By Drowning	12	5	-	-	3	2	-	
Erysipelas (not Puerp.)	-	-	-	-	-	-	-	-	By Suffocation in Bed	5	12	12	-	-	-	-	
Erysipelas (not Puerp.)	-	-	-	-	-	-	-	-	By Poisons or Poisonous Vapours	2	-	-	-	-	-	-	
Erysipelas (not Puerp.)	-	-	-	-	-	-	-	-	Other Deaths by Accident	18	13	2	-	3	1	3	
Erysipelas (not Puerp.)	-	-	-	-	-	-	-	-	VIOLENCE OTHER THAN ACCIDENTAL.	-	-	-	-	-	-	-	
Erysipelas (not Puerp.)	-	-	-	-	-	-	-	-	Homicide	-	2	1	-	-	1	-	
Erysipelas (not Puerp.)	-	-	-	-	-	-	-	-	Suicide	9	10	-	-	-	4	6	
Erysipelas (not Puerp.)	-	-	-	-	-	-	-	-	Execution	-	-	-	-	-	-	-	

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 28th May, 1904.

The DEATHS registered during the Week include																		
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	Deaths of														Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from												
						Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.		
LONDON - - -	1,530,429	2122	1274	275	349	2	83	4	14	33	-	2	-	15	54	133	480	
WEST DISTRICTS	805,311	309	183	34	62	-	8	-	1	1	-	-	-	2	11	19	71	
NORTH DISTRICTS	1,056,070	481	276	52	85	-	9	2	5	4	-	-	-	1	9	34	97	
CENTRAL DISTRICTS	209,465	117	80	17	15	-	2	-	1	2	-	1	-	1	7	9	33	
EAST DISTRICTS -	715,739	414	264	80	46	1	21	-	-	3	-	-	-	2	12	35	111	
SOUTH DISTRICTS	1,749,844	821	435	92	123	-	43	1	6	18	-	-	-	8	15	36	132	
METROPOLITAN HOSPITALS } AND ASYLUMS OUTSIDE } REGISTRATION LONDON* }	-	-	36	-	13	1	-	1	1	-	-	1	-	1	-	-	36	
WEST DISTRICTS.																		
St. Mary Paddington } G. & W.	93,178	55	26	7	7	-	-	-	-	-	-	-	-	-	2	4	9	
W,2H																		
St. John Paddington H - - G.	33,617	4	14	3	6	-	-	-	-	-	-	-	-	-	2	3	6	
North-West Paddington - - C.	17,181	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Kensington Town 2W,w,2H G,W.&C.	128,037	38	22	3	10	-	-	-	-	-	-	-	-	-	2	2	10	
Brompton 2H - - W. & C.	48,591	9	4	1	1	-	-	-	-	-	-	-	-	-	-	-	1	
North Hammersmith W,w,H } W.&G.	49,192	24	7	1	2	-	-	-	-	-	-	-	-	-	-	-	4	
South Hammersmith w,2H } W.&G.	63,047	17	20	7	5	-	2	-	-	-	-	-	-	-	-	2	4	
North-west Fulham W } W. & C.	45,180	37	15	4	7	-	-	-	-	-	-	-	-	2	-	1	9	
North-east Fulham F } W. & C.	46,405	17	7	3	1	-	-	-	1	-	-	-	-	-	-	1	1	
South Fulham W } W. & C.	45,704	27	11	2	3	-	2	-	-	-	-	-	-	-	-	-	1	
Chelsea North W,w,3H - - C.	42,514	10	21	-	11	-	2	-	-	-	-	-	-	-	2	2	17	
Chelsea South W,2H - - C.	31,328	14	4	-	2	-	1	-	-	-	-	-	-	-	-	-	1	
May Fair and Knightsbridge } C.&G.	28,743	2	3	-	1	-	-	-	-	-	-	-	-	-	1	1	-	
H																		
Belgrave W,2H - - - C.	55,815	29	13	2	3	-	-	-	-	-	-	-	-	-	1	2	5	
St. Margaret & St. John 4H - C.	43,698	9	11	1	1	-	1	-	-	1	-	-	-	-	-	-	5	
St. James Westminster } N. & G.	21,588	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
W,H																		
St. Anne Soho 5H - - - N.	11,493	5	3	-	2	-	-	-	-	-	-	-	-	-	1	1	2	
NORTH DISTRICTS																		
All Souls Marylebone 8H - W.	35,391	12	16	2	3	-	-	-	-	-	-	-	-	-	2	3	8	
Rectory Marylebone W G. & W.	19,849	2	2	-	1	-	-	-	-	-	-	-	-	-	-	1	5	
St. Mary Marylebone 4H G. & W.	18,099	21	5	1	-	-	-	-	-	-	-	-	-	-	-	-	2	
Christchurch Marylebone H- W.	39,536	19	3	1	-	-	-	-	-	-	-	-	-	-	-	2	1	
St. John Marylebone 3H - W.	20,426	4	9	1	4	-	-	-	-	-	-	-	-	-	1	2	1	
Hampstead W,F,8H - N. & W.	81,942	23	23	3	6	-	-	-	2	-	-	-	-	-	1	4	11	
West St. Pancras 2H - - W.	60,562	33	10	5	3	-	1	-	-	-	-	-	-	-	1	3	3	
Tottenham-court w,6H N. & W.	21,258	11	10	-	4	-	-	-	-	-	-	-	-	-	-	1	3	
Gray's Inn Lane 4H - - N.	34,449	15	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5	
East St. Pancras W,2H - - N.	60,320	27	21	3	5	-	-	-	-	2	-	-	-	-	-	4	7	
North St. Pancras 2W - - N.	58,728	26	19	5	8	-	-	-	-	1	-	-	-	-	-	-	4	
Tufnell W- - - - N.	31,995	12	17	1	9	-	-	-	-	-	-	-	-	1	-	2	14	
Upper Holloway 2W,w,2H - N.	33,978	21	18	3	8	-	-	-	-	-	-	-	-	-	1	3	16	
Tollington W- - - N.	33,922	11	8	2	2	-	-	-	-	-	-	-	-	-	1	1	-	
Lower Holloway - - - N.	41,424	22	5	-	-	-	1	-	-	-	-	-	-	-	-	1	-	
Barnsbury - - - - N.	54,478	29	11	4	2	-	-	-	-	-	-	-	-	-	-	2	-	
Islington South-east F - - N.	75,397	35	16	4	2	-	2	-	-	-	-	-	-	-	-	1	-	
Highbury 2H - - - N.	63,797	28	12	1	4	-	2	-	-	-	-	-	-	-	-	-	-	
Stoke Newington H - - N.	51,247	19	8	1	6	-	-	-	-	-	-	-	-	-	-	-	-	
North Hackney - - - E. & N.	50,560	23	9	2	2	-	1	-	-	-	-	-	-	-	2	3	-	
Central Hackney 2w,F - E. & N.	50,536	17	11	1	2	-	-	2	3	-	-	-	-	-	-	-	4	
South-west Hackney 3H E. & N.	59,921	26	14	4	4	-	-	-	-	-	-	-	-	-	-	1	5	
South-east Hackney 2W,w,H E. & N.	58,255	25	21	8	8	-	1	-	-	1	-	-	-	-	-	-	14	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein: namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 28th May, 1904—continued.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include															Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of		Deaths from														
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhoea.	Violence.					
CENTRAL DISTRICTS.																				
St. Giles and Bloomsbury W,2H N	31,436	32	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Strand W,4H - - - N. & C.	21,674	3	14	-	3	-	-	-	-	-	-	-	-	-	-	1	3	10	-	
Strand Union Workhouse, Edmonton -	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	
Finsbury W,6H - - - N.	29,612	11	15	2	1	-	1	-	-	1	1	-	1	-	-	-	-	-	-	
South Clerkenwell - - - N.	28,676	17	9	5	1	-	1	-	-	-	1	-	-	-	-	-	-	5	-	
North Clerkenwell H - - - N.	35,028	20	5	1	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
Finsbury 3H,L - - - N.	36,116	26	8	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Finsbury Union Workhouse, } Mitcham - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
St. Botolph H - - - N. & E.	10,290	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Sepulchre and Allbawls W,H - - - N.	16,624	6	21	3	4	-	-	-	-	-	1	-	-	-	-	6	6	15	-	
City of London Asylum, Stone - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
EAST DISTRICTS.																				
Shoreditch South H,L - E. & N.	16,369	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hoxton New Town w,H - - N.	29,761	15	9	2	2	-	-	-	-	-	-	-	-	-	-	1	1	5	1	
Hoxton Old Town - - - N.	26,504	12	6	2	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	
Haggerston W - - - N & E.	46,003	18	24	5	5	-	1	-	-	-	2	-	-	-	-	1	2	10	-	
Shoreditch Union Workhouse, Wood- Green - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bethnal Green North 2H - E.	51,514	30	30	12	1	-	4	-	-	-	1	-	-	-	-	-	1	11	-	
Bethnal Green South - - E.	33,472	24	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bethnal Green East 2W,H,L - E.	44,694	21	20	4	5	-	-	-	-	-	-	-	-	-	-	-	-	13	-	
Capitolfields - - - E. & N.	27,969	19	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Mile End New Town W,H - E.	28,718	24	37	11	7	-	1	-	-	-	-	-	-	-	1	4	7	35	-	
Woodman's Fields - - - E.	22,081	12	6	1	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	
St. George and St. John 2W E.	49,068	38	13	4	3	-	3	-	-	-	-	-	-	-	1	-	2	6	-	
Shadwell and Ratcliff W,H E. & N.	25,568	16	16	7	-	-	1	-	-	-	-	-	-	-	-	1	1	6	-	
Shadwell - - - - - E.	32,369	20	6	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	
Mile End Old Town South- Western* H - - - E.	63,698	46	12	3	1	1	3	-	-	1	-	-	-	-	-	1	2	-	-	
Mile End Old Town North- Eastern* W,w - - - E.	49,129	32	22	7	7	-	-	-	-	1	-	-	-	-	-	2	4	10	-	
Row L - - - - - E.	41,989	19	7	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Bromley 3w,H - - - E.	68,319	38	28	5	8	-	5	-	-	-	2	-	-	-	-	1	5	14	-	
Poplar W,w - - - - E.	68,514	26	17	5	2	-	2	-	-	-	1	-	-	-	-	-	3	1	-	

* On 1st May, 1904, the sub-districts of Mile End Old Town West and Mile End Old Town East were dissolved and formed into two new sub-districts as above.

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 28th May, 1904.

		The DEATHS registered during the Week include																	
REGISTRATION SUB-DISTRICTS		rated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases	Deaths in Public Institutions	
SOUTH DISTRICTS.																			
Christchurch Southwark W,HL.&S.		11,263	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark H - S.		12,056	4	12	3	-	-	1	-	-	1	-	-	-	-	-	-	-	9
Kent-road - - S. & L.		21,904	10	7	2	1	-	4	-	1	-	-	-	-	-	-	-	-	-
St. George the Martyr } S. & L.		39,094	20	12	3	2	-	-	-	-	1	-	-	-	-	-	3	4	8
West W,2H,L - }																			
Newington North* - S. & L.		49,022	29	10	1	-	-	3	-	-	1	-	-	-	-	-	-	1	3
Newington South* W - S. & L.		72,341	35	12	3	6	-	2	-	-	-	-	-	-	-	-	1	3	3
St. Olave 2W - - - S.		9,817	5	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2
Bermondsey W - - - S.		82,483	45	15	5	4	-	3	-	-	-	-	-	-	-	1	2	4	-
Rotherhithe W,F - - S. & K.		38,460	15	19	1	7	-	-	-	-	1	-	-	-	-	-	2	2	8
Waterloo-road 2H - - L. & S.		27,440	21	7	4	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Lambeth Church 1st H - L. & S.		18,423	9	17	4	1	-	3	-	1	-	-	-	-	-	-	1	2	18
Lambeth Church 2nd 2W - L. & S.		39,818	22	25	2	7	-	1	-	-	-	-	-	-	-	-	-	-	1
Kennington 1st H - - S. & L.		53,198	36	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Kennington 2nd H - - S. & L.		42,896	17	10	5	-	-	1	-	-	2	-	-	-	-	-	-	1	2
Brixton F - - - L. & S.		84,232	22	12	4	5	-	-	-	-	-	-	-	-	-	-	-	1	1
Norwood W,H - - - L.		35,888	19	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea - - - S.		72,203	25	13	3	4	-	1	-	-	-	-	-	-	-	-	-	-	-
North-west Battersea - - S.		49,656	26	14	4	2	-	2	-	1	-	-	-	-	-	-	1	-	-
South-west Battersea W,H - S.		47,048	21	13	1	6	-	3	-	-	-	-	-	-	-	-	-	-	8
Clapham 2H - - - S.		51,361	26	11	2	6	-	1	-	-	-	-	-	-	-	-	-	-	2
Streatham† W,2w,2F,2L - L.		88,019	57	21	5	5	-	3	-	2	1	-	-	-	-	-	-	1	7
Springfield 2W,L - - - S.		27,959	16	6	-	5	-	-	-	-	-	-	-	-	-	-	-	1	-
Southfields H - - - S.		40,444	24	10	3	4	-	-	-	-	1	-	-	-	-	-	-	2	-
Putney - - - - S.		24,139	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Dulwich† - - - L. & S.		13,359	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South† W,w - S. & L.		40,206	25	19	4	5	-	4	-	-	-	-	-	-	-	-	1	2	12
Camberwell North† W,2L - S. & L.		65,584	21	20	3	6	-	1	-	-	-	-	-	-	-	-	-	1	11
St. George† - - - L. & S.		47,331	22	3	-	2	-	-	-	-	-	-	-	-	-	-	1	1	-
Peckham† 2W,w - - S., L. & K.		92,859	46	17	5	4	-	1	-	-	1	-	-	-	-	-	1	2	4
Deptford North - - - K.		37,613	19	11	3	1	-	4	-	-	1	-	-	-	-	-	-	-	-
Deptford Central F - - K.		45,481	32	11	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Deptford South - - - K.		34,625	9	5	-	2	-	-	-	-	2	-	-	-	-	-	-	-	-
Greenwich West 2H - - K.		23,456	6	5	1	1	-	-	-	-	-	-	-	-	-	-	1	1	1
Greenwich East 2W,H - - K.		43,559	18	23	2	14	-	-	-	-	-	-	-	-	-	-	-	-	13
Eltham w,H - - - K.		7,226	6	2	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Lee H - - - K.		25,490	7	3	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-
Lewisham W w,F - - K.		58,352	33	21	3	8	-	2	1	-	1	-	-	-	-	-	-	-	11
Sydenham H - - - L.		43,653	11	10	3	3	-	-	-	-	-	-	-	-	-	-	-	1	-
Charlton F,2H - - - K.		21,134	3	6	1	1	-	-	-	-	1	-	-	-	-	-	-	-	1
Woolwich 4H - - - K.		41,825	13	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead West W - - K.		18,063	6	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East 2W,H - - K.		50,264	23	17	2	5	-	-	-	-	4	-	-	-	-	-	-	1	5
London County Asy., Banstead -		-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2
Manor Asylum, Epsom - - -		-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Horton Asylum, Epsom - - -		-	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	6
Lon. Co. Asy. Epilep. Colony, Epsom		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Caterham		-	-	5	-	4	-	-	-	-	-	-	-	-	-	-	-	-	5
London County Asy., Cane Hill -		-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3
M.A.B. Hospitals, Dartford - -		-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Met. Asy. for Imbeciles, Darenth -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Dartford		-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2
Heath - - - - -		-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	4
London County Asylum, Hanwell		-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3
Central London Sick Asy., Hendon		-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
London County Asy., Colney Hatch		-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2
M.A.B. North-Eastern Hospital -		-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1
M.A.B. Northern Hospital - - -		-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Met. Asy. for Imbeciles, Leavesden		-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	4
London County Asylum, Claybury		-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1

* On 1st March, 1904, the sub-districts of Trinity Newington, St. Peter Walworth, and St. Mary Newington, were abolished, and divided into two new sub-districts entitled Newington North and Newington South respectively.

† On 1st April, 1904, the four sub-districts of Camberwell registration district were abolished, and divided into four sub-districts as above.

‡ On 1st April, 1904, by Local Government Board Order P. 1814, confirmed by Local Government Board's Provisional Orders Confirmation (No. 16) Act, 1903, a part of the civil parish of Tooting Graveney was transferred to the civil parish of Mitcham, and a part of the civil parish of Mitcham was transferred to the civil parish of Tooting Graveney (now Wandsworth Borough). The births and deaths registered in these areas and the populations are treated as if they had been registered in the original parishes.

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 28th May, 1904.

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths of												
					Infants under Year of Age.	Persons aged 60 Years & upwards.	Deaths from										
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING	368,580	2,044,973	1088	482	100	153	-	29	3	4	11	1	6	20	40	78	1
1 Carshalton <i>w,2F,2H</i>	12,228	32,997	14	6	1	3	-	-	-	-	-	-	-	-	-	-	-
2 Epsom, part of* <i>W,w,2F,H</i>	10,423	15,548	8	7	-	4	-	-	-	-	-	-	2	-	-	5	-
1 Godstone, part of* <i>W,F</i>	2,754	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Coulsdon	11,069	8,166	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2 South Croydon	4,200	49,309	23	6	1	1	-	3	-	-	-	-	-	1	1	-	-
3 West Croydon <i>3W,F,H</i>	2,168	42,888	36	20	5	5	-	13	-	-	-	-	-	1	2	5	-
4 North Croydon <i>H</i>	2,644	41,888	25	9	-	3	-	1	-	-	-	-	-	2	-	1	-
5 Penge <i>w</i>	770	22,465	10	7	3	-	-	-	-	-	-	-	-	-	-	-	-
6 Mitcham† <i>w</i>	11,689	30,015	21	5	1	1	-	-	-	-	-	-	-	1	1	-	-
1 Wimbledon <i>F,3H</i>	3,221	41,652	11	5	1	2	-	-	-	-	-	-	-	1	1	-	-
2 Kingston <i>W,H</i>	6,224	42,068	28	10	1	5	-	-	-	-	-	-	-	1	1	3	-
3 Surbiton <i>F,H</i>	3,046	15,017	10	3	-	2	-	-	-	-	-	-	-	-	-	-	-
4 Esher, part of* <i>H</i>	5,402	13,100	6	1	-	1	-	-	-	-	-	-	-	-	-	1	-
5 Hampton <i>H,L</i>	4,564	23,456	15	1	1	-	-	-	-	-	-	-	-	-	-	-	-
1 Richmond <i>W,H</i>	2,162	28,865	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-
2 Mortlake <i>F</i>	2,847	20,628	14	5	2	1	-	-	-	-	-	-	-	1	1	-	-
1 Bromley <i>F,2H</i>	4,703	27,354	15	5	-	4	-	-	-	-	-	-	-	-	-	-	-
2 Beckenham <i>H</i>	7,825	28,497	11	8	-	5	-	-	-	-	-	-	-	2	2	1	-
3 Orpington, part of* <i>W</i>	10,113	9,857	7	6	1	3	-	-	-	1	-	-	-	-	-	4	-
4 Chislehurst <i>2H</i>	7,333	16,446	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
1 Bexley <i>F,H</i>	8,678	21,151	15	3	-	1	-	-	-	-	-	-	-	-	-	-	-
2 Erith <i>F,H</i>	3,554	25,296	8	4	2	1	-	-	-	-	-	-	-	-	-	-	-
3 Dartford <i>W,F, part of*</i>	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
1 Sunbury <i>w</i>	11,054	18,683	12	7	-	4	-	-	-	-	-	-	-	-	-	-	-
2 Staines <i>W,H</i>	13,277	16,178	6	9	3	2	-	-	-	1	-	-	-	1	2	2	-
1 Hillingdon <i>W,F,H</i>	6,035	13,661	10	3	1	1	-	-	-	-	-	-	-	-	-	1	-
2 Uxbridge	12,757	8,984	7	3	-	2	-	-	-	-	-	-	-	-	-	-	-
3 Hayes <i>w,F,H</i>	8,066	16,368	5	2	1	4	-	-	-	-	-	-	-	-	-	-	-
1 Isleworth <i>3W,2F,H</i>	6,859	30,863	17	13	3	3	-	-	-	-	-	-	1	1	1	8	-
2 Twickenham <i>F,H</i>	2,421	20,991	11	2	-	2	-	-	-	-	-	-	-	-	-	-	-
3 Brentford <i>2F,2H,L</i>	4,319	43,289	19	16	2	5	-	8	-	-	-	-	-	-	-	1	-
4 Chiswick <i>H</i>	1,249	29,809	15	8	1	1	-	2	-	-	-	-	-	1	1	-	-
5 Acton <i>w,3H</i>	6,132	48,914	27	7	1	4	-	-	-	-	-	-	-	-	-	-	-
1 Harrow <i>F,H</i>	13,809	25,523	16	8	2	2	-	-	-	-	-	-	-	1	1	-	-
2 Edgware <i>F,2H</i>	6,994	4,521	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3 Willesden <i>W,F,2H</i>	4,384	114,811	68	22	4	8	-	-	-	1	-	-	1	1	2	2	-
4 Hendon <i>W,F</i>	8,382	22,450	7	7	2	1	-	-	-	-	-	-	-	1	1	-	-
1 South Mimms <i>2F,H</i>	17,755	7,308	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2 Barnet <i>W,3H</i>	3,324	17,070	8	8	1	4	-	-	-	-	-	-	-	-	-	3	-
3 Finchley <i>F,2H</i>	4,688	33,692	11	4	1	1	-	-	-	-	-	-	-	-	1	-	-
1 Hornsey <i>F,H</i>	2,875	72,056	32	13	3	6	-	-	-	-	1	-	-	-	2	-	-
2 Wood Green <i>H</i>	1,625	34,233	21	10	2	5	-	-	-	1	-	-	-	-	-	-	-
3 West Tottenham <i>F</i>	998	43,853	26	11	5	2	-	-	-	-	-	-	-	-	-	-	-
4 East Tottenham <i>F,H</i>	2,017	53,668	21	16	4	6	-	-	-	-	1	-	-	-	2	2	-
5 Edmonton <i>W,w,2F</i>	7,491	61,892	40	17	4	4	-	1	-	-	-	-	-	1	2	4	-
6 Enfield <i>2W,F,H</i>	12,601	42,738	29	8	-	2	-	-	1	-	-	-	-	2	2	2	-
7 Waltham Abbey	11,017	6,549	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8 Cheshunt <i>F,H</i>	8,479	12,292	10	4	1	2	-	-	-	-	-	-	-	-	-	-	1
1 Hatfield, part of* <i>W</i>	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Bushey <i>H</i>	9,333	9,173	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Watford <i>W,2F part of*</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Stratford <i>H</i>	1,072	44,827	27	3	1	1	-	-	-	-	-	-	1	-	1	-	-
2 Plaistow <i>F,2H</i>	1,249	90,921	57	24	5	2	-	5	1	-	-	-	-	-	-	3	-
3 Canning Town <i>H</i>	1,556	70,718	43	24	6	4	-	2	-	-	4	-	1	-	-	2	-
4 Forest Gate <i>w</i>	806	60,892	21	9	3	4	-	1	-	-	-	-	-	-	-	-	-
5 North East Ham <i>w</i>	1,333	58,676	32	12	7	3	-	-	-	-	-	-	-	-	2	1	-
6 South East Ham <i>3F</i>	1,993	37,342	32	10	4	1	-	-	1	-	1	1	-	-	-	-	-
7 Wanstead <i>F</i>	1,679	9,179	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8 South Leyton <i>2W</i>	631	50,467	21	19	2	6	-	-	-	-	1	-	-	-	-	1	7
1 North Leyton <i>W,w,F</i>	1,963	48,445	26	19	-	10	-	-	-	-	-	-	-	-	1	13	-
2 Walthamstow <i>3H,L</i>	6,504	108,929	67	25	7	4	-	4	-	1	1	-	2	4	-	-	-
1 Chigwell, part of* <i>2F,4H</i>	11,778	16,397	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-
2 Epping <i>W,F, part of*</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Romford, part of* <i>W,2F</i>	6,556	8,091	3	4	1	-	-	-	-	-	-	-	-	-	-	1	-
2 Ilford <i>F,L</i>	8,496	41,234	20	9	2	2	-	-	-	-	-	-	-	-	2	2	-
3 Barking Town <i>F</i>	3,803	21,547	13	3	-	-	-	-	-	1	-	-	-	1	1	-	-
1 Middlesex County Asylum, Wandsworth.	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-

The parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring are as follows:—30: 2, excepting Astead parish; 37: 1, Waringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Croydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious cases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

See note 7 on page 274.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.
CALCUTTA (including SUBURBS)	847,798	April 16	-	1015	62'2	13	5	-	-	-	576†
BOMBAY - -	776,006	May 10	289	842	56'4	25	9	-	-	-	375†
MADRAS - -	509,346	April 22	362	418	42'6	-	3	-	-	-	63†
PARIS - - -	2,660,559	May 21	1050	893	16'8	1	24	3	11*	6	3
BRUSSELS - -	575,896	" 21	239	162	14'4	-	-	-	2*	3	1
ANTWERP - -	281,376	" 21	124	61	11'1	1	-	-	-	1	-
AMSTERDAM -	547,370	" 14	292	143	13'6	-	7	-	1	2	-
COPENHAGEN -	420,000	" 21	204	144	17'9	-	1	1	1*	5	1
STOCKHOLM -	305,115	" 14	127	80	13'4	-	-	-	-	1	-
CHRISTIANIA -	225,709	" 21	124	57	13'3	-	-	-	-	-	-
ST. PETERSBURG	1,248,643	" 14	621	730	30'5	2	27	11	9*	7	15
MOSCOW - -	1,093,410	" 14	-	612	29'2	1	19	8	9*	2	3
BERLIN - - -	1,960,909	" 7	850	590	15'7	-	11	10	5*	7	-
HAMBURG - -	751,842	" 21	-	244	16'9	-	4	-	4*	7	1
BRESLAU - -	445,403	" 21	-	-	-	-	-	-	-	-	-
MUNICH - - -	520,000	" 21	-	-	-	-	-	-	-	-	-
VIENNA - - -	1,779,569	" 21	905	687	19'9	-	54	1	8*	3	-
PRAGUE - - -	423,990	" 21	233	208	25'4	-	2	-	-	3	5
BUDA-PESTH -	813,399	" 21	479	342	21'9	-	3	16	5*	-	1
TRIESTE - - -	187,351	" 21	130	80	21'8	-	-	1	-	2	-
ROME - - -	496,201	April 2	266	188	19'8	-	6	-	5*	-	3
VENICE - - -	166,288	May 21	-	-	-	-	-	-	-	-	-
CAIRO - - -	624,333	February 25	541	431	36'0	1	26	-	9*	-	11
ALEXANDRIA -	349,300	" 25	297	187	27'9	1	-	-	-	-	2
NEW YORK - -	3,838,024	May 14	1792	1587	21'6	-	45	29	51*	1	10
PHILADELPHIA -	1,403,154	April 30	-	-	-	-	-	-	-	-	-
BOSTON - - -	617,950	May 7	-	-	-	-	-	-	-	-	-

* Including deaths from croup.

† Including 500 deaths from plague in Calcutta, 324 in Bombay and one in Madras.

‡ Including 128 deaths from cholera in Calcutta, and one in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 28th May, 1904.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	75'1	46'5	58'2	0'30	BRADFORD - -	70'6	42'0	54'2	1'1
BRIGHTON - -	73'2	46'9	57'8	1'23	LEEDS - - -	68'0	43'0	55'9	0'0
PORTSMOUTH - -	65'5	48'0	57'0	1'52	HULL - - -	68'0	42'0	55'2	0'0
NORWICH - - -	75'2	42'4	57'3	0'31	TYNEMOUTH - -	64'0	45'0	52'9	1'1
PLYMOUTH - -	64'9	39'0	53'8	1'59					
BRISTOL - - -	68'0	45'5	55'8	1'17					
BIRMINGHAM - -	69'7	43'1	55'0	0'81	EDINBURGH - -	67'9	40'5	49'9	0'0
NOTTINGHAM - -	70'1	43'3	56'1	0'61	GLASGOW - - -	74'5	37'5	52'6	0'0
LIVERPOOL - -	71'0	44'0	54'4	0'95					
MANCHESTER - -	71'8	40'8	54'6	1'53	DUBLIN { Phoenix Park.	62'7	34'9	50'5	0'0
PRESTON - - -	68'5	43'5	54'9	0'88	{ Fitz- william Square.†	65'7	43'5	53'9	0'0
HUDDERSFIELD -	70'2	41'0	54'0	1'59	BELFAST - - -	62'1	36'5	49'7	0'0

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher's returns up to the 31st March, 1902, for the corresponding period to the above was 1'7 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A. M.D., Dublin.

1904. MONTH AND DAY		TEMPERATURE.				Difference between the Air Temperature and Dew Point Temperature.				TEMPERATURE.		Wind as deduced from Anemometers.				Rain collected in a Gauge whose receiving surface is 5 inches in diameter and the ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
		Baro. Meter.	Of the Air.			Of the Dew point		Of Radiation.		Of the Earth 3 feet below Surface.		Oiler's.		Pressure on the Square Foot.			Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
			High-est.	Low-est.	Daily Range.	Mean daily value.	De- parture of Average of 50 years.	Mean daily value.	Great- est.	Least.	Highest in Sun's Rays.	Lowest on the Grass.	A.M.	P.M.	Great- est.		Mean of 24 hourly obs.	Horizontal Miles.	De- par- ture of the Air Average of 16 years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
MAY.		in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°</

GENERAL REMARKS.

DATE.	ELECTRICITY.	Registered Sun above	General Remarks.
MAY.	(For explanation of symbols, see Note.)	in hours.	
SUNDAY - 22	w. P. throughout.	01	158
MONDAY - 23	w. P. generally.	74	159
TUESDAY - 24	w. P. generally till 4h. P.M.; m. P. after.	00	159
WEDNESDAY - 25	w. P. generally.	38	160
THURSDAY - 26	w. P. generally; m. N. at 6h. P.M.	11	160
FRIDAY - 27	w. P. generally.	26	161
SATURDAY - 28	w. P. generally.	00	161
No. of Col.	-	Sum 150	Sum 1118

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 150 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M.; noon, 3h. P.M., and 9h. P.M. The means of the corrected readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1888 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygro-metrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875. In reading columns 8 and 9 it will be borne in mind that + indicates "higher," and - "lower," than the average. The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; a. strong; and v. variable. The numbers in column 23, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day. The reading of the barometer increased from 29.81 in. at the beginning of the week to 29.86 in. by 11h. A.M. on the 22nd; decreased to 29.61 in. by 5h. P.M. on the 28th; and increased to 29.97 in. by midnight on the 29th.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 21st May, 1904.*

BOROUGHs.	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Chicken-pox.
WEST.											
Paddington- - - -	146,975	-	10	4	-	-	-	-	3	1	15
Kensington - - - -	179,236	-	9	3	-	1	-	-	4	-	18
Hammersmith - - -	117,412	-	5	3	-	1	-	-	4	-	11
Fulham - - - - -	152,482	-	1	7	-	2	-	-	3	-	16
Chelsea - - - - -	74,329	-	1	1	-	-	-	-	1	1	4
City of Westminster-	177,321	-	6	3	1	1	-	-	3	1	7
NORTH.											
St. Marylebone - - -	130,337	-	5	2	-	4	-	-	2	-	21
Hampstead - - - -	86,663	-	3	1	-	-	-	-	3	-	6
St. Pancras- - - -	235,936	-	28	12	-	3	-	-	3	-	24
Islington - - - - -	341,044	-	27	2	-	4	-	-	5	-	43
Stoke Newington - -	52,445	-	2	-	-	-	-	-	1	-	8
Hackney - - - - -	226,266	-	16	17	-	2	1	-	2	-	21
CENTRAL.											
Holborn - - - - -	57,161	-	-	1	-	-	-	-	2	-	1
Finsbury - - - - -	98,958	-	7	4	-	1	-	-	2	1	12
City of London - - -	23,482	-	2	-	-	-	-	-	1	-	1
EAST.											
Shoreditch - - - -	117,033	-	9	9	-	-	-	-	4	-	17
Bethnal Green - - -	130,207	12	11	2	-	-	-	-	2	1	19
Stepney - - - - -	303,791	-	25	6	-	-	-	-	8	-	41
Poplar - - - - -	169,905	-	22	17	-	-	-	-	3	-	25
SOUTH.											
Southwark- - - - -	207,937	1	14	5	-	-	-	-	4	-	30
Bermondsey - - - -	129,397	-	7	5	-	-	-	-	5	-	7
Lambeth - - - - -	310,359	2	12	6	-	1	-	-	4	1	26
Battersea - - - - -	175,465	-	6	6	-	2	-	-	3	-	38
Wandsworth - - - -	257,448	-	16	11	-	-	-	-	6	1	84
Camberwell - - - -	268,384	1	13	5	-	1	-	-	10	-	39
Deptford - - - - -	113,509	-	5	2	-	-	-	-	4	-	17
Greenwich - - - - -	101,651	-	9	3	-	1	-	-	3	-	17
Lewisham - - - - -	140,401	-	3	1	-	1	-	-	4	-	21
Woolwich - - - - -	123,416	-	8	-	-	-	-	-	1	-	23
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.		4,648,950	16	285	138	1	25	1	-	100	612
AGES.											
Ages 0-1 - - - - -	-	-	8	7	-	-	-	-	3	-	61
" 1-5 - - - - -	-	1	96	56	-	1	-	-	3	-	264
" 5- - - - -	-	1	110	41	-	4	-	-	5	-	235
" 10- - - - -	-	2	28	13	-	3	1	-	5	-	32
" 15- - - - -	-	1	21	7	1	5	-	-	5	1	12
" 20- - - - -	-	3	12	7	-	7	-	-	9	1	3
" 25- - - - -	-	7	8	4	-	3	-	-	16	4	3
" 35- - - - -	-	1	1	2	-	2	-	-	13	1	-
" 45- - - - -	-	-	-	-	-	-	-	-	17	-	1
" 55- - - - -	-	-	-	-	-	-	-	-	17	-	-
" 65 and upwards -	-	-	-	-	-	-	-	-	7	-	1
Age not stated - - -	-	-	1	1	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
By DARLING & SON. LTD., 34-40, BACON STREET, E.

1904.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

~~~~~

By Authority of the Registrar General.

~~~~~

Printed under the Superintendence of His Majesty's Stationery Office

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 22. 1904. VOL. LXV.] WEEK ENDED SATURDAY, JUNE 4. [Price 1½d.

General Register Office, Somerset House,

June 6th, 1904.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 14·6 per 1000 of their aggregate population, which is estimated† at 15,271,287 persons in the middle of this year. In the preceding three weeks the rates had been 16·1, 15·5, and 15·4. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 20·3 in Norwich, 21·3 in Preston, 22·2 in Newcastle on Tyne, 22·5 in Huddersfield, 24·0 in Warrington, and 34·9 in Wigan; from *measles*, 1·6 in Newcastle on Tyne, 1·8 in Norwich, in Birkenhead, and in St. Helens, 2·1 in Burnley and in Rhondda, 2·3 in Leeds, 2·7 in Huddersfield, and 3·7 in Walthamstow; from *scarlet fever*, 2·3 in Warrington; from *diphtheria*, 3·0 in Stockton on Tees; from *whooping-cough*, 1·7 in Smethwick, 1·8 in Bolton, and 3·9 in Warrington. One death from *small-pox* was registered in Leicester, and 1 in Halifax, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2507 BIRTHS and 1179 DEATHS were registered. Allowing for increase of population, the births were 22 and the deaths 254 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 16·3, 15·1, and 14·3 in the preceding three weeks, further fell last week to 13·2. During the four weeks ended on Saturday last the death-rate averaged 14·7 per 1000, being 1·6 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, and in certain local Small-pox Hospitals, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1179 deaths included 78 from measles, 7 from scarlet fever, 6 from diphtheria, 32 from whooping-cough, 1 from enteric fever, and 16 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 140 deaths were referred to these diseases in the aggregate, being 44 below the corrected average weekly number.

The deaths from *measles*, which had been 86, 75, and 83 in the preceding three weeks, fell again last week to 78, but were 6 above the corrected average; 11 deaths belonged to the Borough of Lambeth, 9 to Southwark, 7 each to Islington and Stepney, 5 each to Hammersmith and Bethnal Green, and 4 each to Fulham and Wandsworth. The deaths from *scarlet fever*, which had been 7, 5, and 4 in the preceding three weeks, were 7 last week, and were 6 below the corrected average. The deaths from *diphtheria*, which had been 20, 10, and 14 in the preceding three weeks, fell again last week to 6, and were 22 below the corrected average. The deaths from *whooping-cough*, which had been 44, 39, and 33 in the preceding three weeks, were 32 last week, and were 11 below the corrected average; 5 deaths belonged to Southwark, and 4 each to Bethnal Green and Poplar. Only one death from *enteric fever* was registered last week, against 1, 4, and 2 in the preceding three weeks, the corrected average being 7. The deaths from *diarrhoea* which had been 16, 21, and 15 in the preceding three weeks, were 16 last week, and were 2 above the corrected average. Of the 16 deaths from diarrhoea, 9 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 2 more deaths at this age. The deaths attributed directly to *influenza* numbered 4, having been 12, 5, and 8 in the preceding three weeks.

Different forms of *violence* caused 56 deaths, concerning all of which inquests were held. Of these 56 deaths, 12 were cases of suicide, and 1 of homicide, while the remaining 43 were attributed to accident or negligence. Nine of these latter were referred to vehicles in the streets, 2 to burns and scalds, and 6 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 96 cases of small-pox, 1673 of scarlet fever, 748 of diphtheria, and 52 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 10 cases, against 26, 18, and 33; of scarlet fever, 207 cases, against 239, 222, and 194; of diphtheria, 94 cases, against 128, 104, and 94; and of enteric fever, 12 cases, against 7, 14, and 11. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended May 28th.

GREATER LONDON.

In Greater London 3817 births and 1621 deaths were registered. Allowing for increase of population the Births are 115 above and the Deaths 333 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 15 deaths from measles, 2 from scarlet fever, 3 from diphtheria, 3 from whooping-cough, 2 from "fever," and 2 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.91 inches, and that of the Thermometer 56° 0, the latter being 1.3 below the week's average in the 50 years 1841-90. The direction of the wind was variable, the horizontal movement of the air being 1 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 28.7 hours; the measured rainfall amounted to 0.71 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS	COLS.	POPULATION estimated to the middle of the year 1904.	DEATH-RATES from all Causes.				Rate from Diseases due to the Week ended 4th June, 1904.		The DEATHS registered in the Week include													
			Week ended				11-17.	Registered Deaths during the Week ended 4th June, 1904.	Deaths from						Deaths in Public Institutions.					Uncertified Causes of Death.		
			14th May, 1904.						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.						
			21st May, 1904.	28th May, 1904.	4th June, 1904.	Week ended 4th June, 1904.											Infants under 1 Year of Age.	Persons aged 60 Years and upwards.				
76 TOWNS.		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.
LONDON -	-	15,271,987	16'1	15'5	15'4	14'6	1'7	9279	4277	973	1082	2	217	30	40	125	23	58	171	342	955	50
(CROYDON	-	4,648,950	16'3	15'1	14'3	13'2	1'6	2507	1179	237	324	-	78	7	6	32	1	16	56	119	440	2
WILLESDEN	-	144,419	13'0	10'5	12'3	12'3	1'4	74	34	8	15	-	3	-	1	-	-	-	2	3	9	-
HORNSEY	-	132,566	10'2	10'6	8'7	10'6	-	78	27	6	7	-	-	-	-	-	-	-	1	3	11	1
TOTTENHAM -	-	81,221	9'6	7'1	9'6	9'6	-	22	15	2	8	-	-	-	-	-	-	-	-	1	1	-
{ WEST HAM -	-	112,881	12'0	12'5	13'4	13'4	1'8	62	29	2	6	-	3	-	1	-	-	-	1	4	9	-
EAST HAM -	-	288,494	14'5	13'2	13'7	13'2	1'3	159	73	18	16	-	3	1	-	-	-	3	4	13	15	1
LEYTON -	-	116,902	10'3	12'5	10'7	9'4	2'2	73	21	5	4	-	3	1	-	1	-	1	3	1	3	1
{ WALTHAMSTOW -	-	110,844	11'8	12'2	9'4	12'7	0'5	63	27	5	6	-	-	-	-	-	1	2	3	3	-	-
HASTINGS -	-	111,282	12'2	8'0	11'2	13'6	4'7	73	29	8	7	-	8	-	1	1	-	-	2	3	8	-
BRIGHTON -	-	66,503	10'2	13'3	12'5	13'3	-	16	17	1	6	-	-	-	-	-	-	-	-	-	-	-
PORTSMOUTH -	-	126,286	14'9	17'8	18'2	14'9	2'5	61	36	6	8	-	3	-	1	2	-	-	1	3	11	-
BOURNEMOUTH -	-	188,038	14'2	13'4	11'6	15'0	1'3	134	57	10	15	-	-	-	1	2	1	1	1	3	10	-
SOUTHAMPTON -	-	64,645	11'3	16'1	17'7	12'9	0'8	17	18	3	5	-	-	-	-	-	1	-	-	-	1	-
READING -	-	112,500	14'4	14'4	10'7	13'4	0'9	67	29	10	12	-	-	-	-	1	-	1	2	6	2	-
NORTHAMPTON -	-	76,373	15'0	9'6	11'8	12'3	0'7	39	18	3	9	-	-	-	-	-	-	1	1	1	-	-
IPSWICH -	-	81,146	13'7	6'9	11'4	15'4	0'6	43	27	6	7	-	-	-	1	-	-	-	3	2	4	-
GREAT YARMOUTH -	-	69,805	14'9	16'4	10'5	14'2	1'5	35	19	2	7	-	1	-	-	-	-	1	-	1	-	-
NORWICH -	-	52,089	11'0	12'0	12'0	11'0	1'0	29	11	2	2	-	-	-	-	1	-	-	2	2	1	-
PLYMOUTH -	-	115,538	14'4	21'7	14'4	20'3	2'3	59	45	13	11	-	4	-	-	-	-	1	2	3	3	-
DEVONPORT -	-	114,003	13'7	10'1	20'1	12'3	-	63	27	9	7	-	-	-	-	-	-	-	-	3	1	-
BRISTOL -	-	76,334	12'5	11'1	5'5	13'8	-	38	20	5	2	-	-	-	-	-	-	-	1	2	1	1
HANLEY -	-	343,204	14'0	13'1	12'6	12'9	0'6	215	85	19	24	-	1	1	1	1	1	3	6	19	1	1
BURTON-ON-TRENT	-	69,932	15'5	16'3	22'8	16'3	4'1	60	20	3	4	-	1	2	2	-	-	-	1	1	6	-
WOLVERHAMPTON -	-	51,934	14'1	16'1	13'1	8'0	-	23	8	-	3	-	-	-	-	-	-	-	-	1	1	-
WALSALL -	-	96,194	11'2	13'8	13'8	17'0	1'6	73	32	13	5	-	-	1	-	1	-	1	1	3	3	-
HANDSWORTH -	-	91,432	15'4	12'0	16'0	11'4	0'9	74	23	9	6	-	-	-	-	-	-	-	-	1	3	-
WEST BROMWICH -	-	59,634	10'5	7'9	8'7	7'0	0'9	21	8	-	4	-	-	-	-	1	-	-	-	-	1	-
		67,186	13'2	11'6	19'4	10'9	-	60	14	1	4	-	-	-	-	-	-	-	-	-	2	-

* See note † on first page of this return.

* See note † on first page of this return.

TOWNS.	Cols.	POPULATION estimated to the middle of the Year 1904.*			DEATH-RATES FROM 11-17.			Registered during the Week ended 4th June, 1904.		Deaths from Causes of Death.										TOWNS.				
		Week ended			Week ended			BIRTHS.	DEATHS.	Deaths of						Deaths in Public Institutions.				Cols.				
		Causes.			Causes.					under 1 Year of Age.						Inquest Cases.								
		14th Nov. 1903.	21st Nov. 1903.	28th Nov. 1903.	14th Dec. 1903.	21st Dec. 1903.	28th Dec. 1903.			Infants under 1 Year of Age.	Persons 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.					
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.		
HUDDESFIELD -	-	94,825	17'6	13'7	15'4	22'5	3'8	47	41	4	13	-	5	-	1	1	-	-	-	1	5	-	HUDDESFIELD.	
HALFAX -	-	107,580	14'5	14'1	14'1		2'9	40	29	5	6	1	2	1	-	2	-	-	-	1	2	-	HALFAX.	
BRADFORD -	-	285,089	17'9	17'2	19'9	14'4	1'6	139	79	16	22	-	6	1	2	-	-	-	4	8	17	2	BRADFORD.	
LEEDS -	-	450,142	16'6	20'0	19'0	16'3	3'2	270	141	35	34	-	20	-	-	8	-	-	3	12	13	-	LEEDS.	
SHEFFIELD -	-	432,940	13'6	15'4	16'7	14'2	1'3	288	118	28	33	-	2	1	-	4	1	3	4	7	23	3	SHEFFIELD.	
ROTHERHAM -	-	58,498	22'3	10'7	17'8	12'5	-	41	14	3	9	-	-	-	-	-	-	-	-	-	1	-	ROTHERHAM.	
YORK -	-	81,268	14'1	18'6	12'8	12'2	1'9	57	19	3	3	-	-	-	1	1	1	-	-	-	2	-	YORK.	
HULL -	-	253,865	17'5	15'2	17'7	13'8	1'2	146	67	17	17	-	1	-	2	2	-	1	2	3	7	3	HULL.	
MIDDLESBROUGH -	-	96,884	15'1	19'4	16'7	18'9	1'6	68	35	6	6	-	-	-	1	1	-	1	1	1	5	-	MIDDLESBROUGH.	
STOCKTON-ON-TEES -	-	52,192	19'0	15'0	13'0	16'0	3'0	36	16	2	4	-	-	-	3	-	-	-	1	1	-	-	STOCKTON-ON-TEES.	
WEST HARTLEPOOL -	-	69,251	13'6	18'1	13'6	9'0	0'8	61	12	2	3	-	-	-	1	-	-	-	-	-	2	-	WEST HARTLEPOOL.	
SUNDERLAND -	-	151,157	16'9	14'1	20'4	17'6	3'1	122	51	10	12	-	2	-	1	3	3	-	3	3	7	2	SUNDERLAND.	
SOUTH SHIELDS -	-	107,334	19'4	17'0	20'4	14'1	0'5	80	29	5	6	-	-	-	-	-	-	1	-	-	3	1	SOUTH SHIELDS.	
GATESHEAD -	-	118,067	15'0	15'5	17'7	15'9	0'4	90	36	9	11	-	-	-	-	-	-	1	-	-	4	3	GATESHEAD.	
NEWCASTLE-ON-TYNE -	-	255,362	22'0	18'7	17'8	22'2	2'5	130	96	27	18	-	7	1	-	2	-	1	5	8	23	-	NEWCASTLE-ON-TYNE.	
TYNEMOUTH -	-	53,060	14'7	20'6	19'7	12'8	-	28	13	2	4	-	-	-	-	-	-	-	1	2	1	2	TYNEMOUTH.	
NEWPORT (MON.) -	-	71,543	15'3	13'8	18'2	8'7	-	53	12	4	2	-	-	-	-	-	-	-	-	-	-	-	NEWPORT (MON.).	
CARDIFF -	-	176,313	17'4	14'2	13'6	15'7	1'5	119	53	12	14	-	1	-	-	3	-	1	3	4	7	-	CARDIFF.	
RHONDDA -	-	122,310	17'1	12'4	19'2	16'2	4'3	110	38	12	7	-	5	2	1	2	-	-	-	1	1	-	RHONDDA.	
MERTHYR TYDFIL -	-	72,745	10'8	14'3	15'8	15'1	1'4	64	21	8	4	-	-	-	-	1	1	-	-	3	2	-	MERTHYR TYDFIL.	
SWANSEA -	-	95,931	13'0	13'6	14'7	17'9	1'1	78	33	12	9	-	-	-	-	2	-	-	1	1	6	1	SWANSEA.	
GREATER LONDON -	-	6,907,756	14'6	13'7	13'3	12'2	1'5	3817	1621	322	450	-	113	11	12	37	4	21	82	175	534	6	GREATER LONDON.	
OUTER RING -	-	2,258,806	11'0	10'7	11'1	10'2	1'3	1310	442	85	126	-	35	4	6	5	3	5	26	56	94	4	OUTER RING.	
8 TOWNS IN OUTER RING	-	1,098,639	12'2	11'3	11'6	12'1	1'5	604	255	54	69	-	20	2	3	2	1	3	13	33	57	2	8 TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING	-	1,160,167	9'8	10'2	10'7	8'4	1'2	706	187	31	57	-	15	2	3	3	2	2	13	23	37	2	REMAINDER OF OUTER RING.	
EDINBURGH -	-	331,977	17'3	18'2	19'9	17'3	2'2	172	110	16	30	-	4	2	2	4	-	2	1	?	?	6	EDINBURGH.	
GLASGOW -	-	798,357	18'4	19'5	17'1	18'2	1'9	525	278	65	54	2	3	1	-	16	-	7	7	?	86	17	GLASGOW.	
DUBLIN† -	-	378,994	21'6	21'9	21'3	19'7	2'2	246	143	21	39	-	5	-	-	9	2	-	2	2	55	1	DUBLIN†.	
BELFAST† -	-	368,680	22'0	21'4	19'5	19'3	2'6	246	133	28	22	-	4	1	3	7	2	1	1	1	27	?	BELFAST†.	

⁴ See note 1 on first page of this return

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the TWENTY-SECOND Week of each of the Eleven Years, 1894–1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894–1903.*	1904
TOTAL Births -	2374	2569	2326	2596	2199	2678	2579	2148	2501	2416	2529.4	2507
Males -	1245	1336	1207	1341	1140	134	1298	1082	1309	1203	1297.3	1292
Females -	1129	1233	1119	1255	1059	1332	1281	1066	1192	1213	1232.1	1215
TOTAL Deaths -	1366	1308	1430	1320	1392	1483	1497	1345	1454	1220	1432.9	1179
Males -	706	669	671	722	756	781	793	720	775	619	748.0	649
Females -	660	639	759	598	636	702	704	625	679	601	684.9	530

* The numbers in this column are the average weekly numbers in the twenty-second week of the ten years 1894–1903, raised by 3.723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Mar. 12.	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	13 Weeks.
TOTAL Births -	2712	2577	2423	2240	2539	2676	2489	2733	2403	2551	2376	2122	2507	32348
TOTAL Deaths -	1796	1680	1645	1672	1659	1490	1429	1392	1325	1454	1349	1274	1179	19314
Ages at Death {														
Under 1 year -	297	335	336	375	366	318	231	280	274	289	299	275	237	4062
1–5 years -	230	216	214	214	253	214	202	194	215	203	158	200	176	2692
5–20 " -	83	73	71	79	76	68	78	80	61	77	52	65	64	935
20–40 " -	188	212	190	202	157	192	175	158	152	163	174	159	140	2262
40–60 " -	299	327	326	308	334	264	272	312	272	281	300	226	238	3750
60 yrs. & upwds.	594	517	508	494	470	434	421	368	348	441	366	319	324	5634
Deaths from—														
Small-pox† -	1	1	1	3	3	-	1	3	1	-	-	2	-	16
Measles -	66	69	67	92	86	75	81	66	62	86	75	83	78	986
Scarlet Fever -	6	2	4	4	8	4	9	10	3	7	5	4	7	73
Diphtheria -	17	17	13	17	17	8	15	14	19	20	10	14	6	187
Whooping-cough -	54	51	48	68	64	64	43	42	48	44	39	33	32	630
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	4	2	3	3	4	3	3	3	4	1	4	2	1	37
Pyrexia (origin uncertain).	-	-	-	-	1	-	-	-	1	-	-	-	-	2
Diarrhoea, Dysentery	18	19	19	16	21	12	12	15	23	16	21	15	16	223
All above Diseases -	166	161	155	203	204	165	164	153	161	174	154	153	140	2154
Dis. of Resp. System														
Pneumonia -	235	205	195	212	167	156	127	100	83	116	105	80	73	1854
Phthisis -	179	170	188	158	166	139	127	124	110	115	105	108	108	1797
Dis. of Circ. System -	162	168	168	168	136	169	153	160	155	143	123	145	133	1983
Violence -	221	230	223	207	203	168	176	178	167	206	193	136	148	2456
Inquest Cases -	68	69	58	58	65	56	49	63	62	61	65	54	56	784
Deaths in Institutions	190	161	164	153	178	127	134	155	125	143	151	133	119	1933
TEMPERATURE OF THE AIR.														
Mean -	40.5	40.8	43.3	42.0	48.0	49.6	49.1	49.6	49.0	49.7	51.0	57.3	56.0	48.4
Mean of Highest -	48.0	50.1	49.3	50.5	55.8	59.1	59.7	57.1	58.1	58.8	63.7	65.9	64.1	56.9
Mean of Lowest -	34.1	31.5	37.6	35.3	40.9	40.6	38.2	43.3	42.4	41.5	44.3	50.5	49.2	40.7
Mean Humidity of the Air.	84	77	80	79	71	71	71	72	70	81	65	86	84	76
Rain-fall (in inches) -	0.24	0.06	0.11	0.45	0.37	0.32	0.24	0.05	0.55	0.29	0.35	0.30	0.71	4.04
Registered Sunshine (in hours).	28.3	28.2	13.7	29.5	33.5	36.9	38.9	21.9	37.0	14.0	58.5	15.0	28.7	382.1
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox -	54	74	110	126	134	144	123	104	88	99	98	118	96	105
Scarlet Fever -	1601	1624	1585	1570	1505	1523	1513	1541	1590	1600	1630	1663	1673	1588
Diphtheria -	780	807	776	787	749	737	719	720	750	777	767	758	748	760
Typhus -	1	1	1	1	1	1	1	2	2	2	1	-	-	1
Enteric Fever -	102	94	83	86	80	68	73	62	56	53	56	51	52	70

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-SECOND Week of the Year 1904.

terms printed in *italics* being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 22nd week of the year 1903.	1904—Deaths of Persons of the Ages						CAUSES OF DEATH.	Deaths in the 22nd week of the year 1903.	1904—Deaths of Persons of the Ages							
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.			60 years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
L CAUSES	1220	1179	237	176	64	140	238	324	Meningitis (not tuberc.)	14	17	8	7	2	-	-	-
									Insanity, Gen. Par. of	6	14	-	-	1	4	4	5
									Insane -	6	3	-	-	-	2	1	-
Small-pox*	-	-	-	-	-	-	-	-	Epilepsy -	21	19	19	-	-	-	-	-
Swamp-pox	-	-	-	-	-	-	-	-	Convulsions	1	2	-	-	-	-	2	2
Measles (Morbilli)	65	78	21	53	4	-	-	-	Locomotor Ataxy -	2	4	-	-	-	-	1	9
Scarlet Fever	4	7	-	3	3	1	-	-	Paraplegia, Dis. of Cord	25	11	-	-	1	1	-	-
Rubella	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	38	40	-	-	5	6	12	17
Whooping-cough	32	32	10	22	-	-	-	-	Valv. Dis., Endocarditis-	33	23	-	1	-	1	5	16
Diphtheria	12	6	-	4	2	-	-	-	Cerebr. Ham. Thromb.	17	15	-	-	-	-	2	13
Cerebro Spinal Fever	-	-	-	-	-	-	-	-	Apoplexy, Hemiplegia -	5	2	-	-	-	2	-	-
Pyæmia,† (Origin un-	-	-	-	-	-	-	-	-	Aneurysm -	5	2	-	-	-	-	-	2
certain)	-	-	-	-	-	-	-	-	Embolism, Thrombosis }	5	2	-	-	-	-	-	2
Enteric Fever	2	1	-	-	-	1	-	-	(not cerebral)	75	66	-	2	1	7	13	43
Infantile Cholera	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.	-	1	-	1	-	-	-	-
Epidemic Diarrhoea }	7	4	3	1	-	-	-	-	Croup (not Spasm : nor	-	1	-	-	-	-	-	-
Diarrhoea, Dysentery }	11	12	3	2	-	1	2	4	Membr.) -	57	59	18	6	-	1	9	25
Typhoid	1	-	-	-	-	-	-	-	Bronchitis -	3	1	-	-	-	-	1	-
Scarlet	-	-	-	-	-	-	-	-	Asthma, Emphysema -	1	2	-	-	-	-	2	-
Typhus	-	-	-	-	-	-	-	-	Pleurisy -	9	10	1	-	1	2	2	4
Typhoid	-	-	-	-	-	-	-	-	Respiratory Dis. (other)	-	-	-	-	-	-	-	-
Typhoid	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy -	4	6	3	-	-	1	1	1
Typhoid	-	-	-	-	-	-	-	-	Enteritis (not Epid.) -	2	2	1	1	-	-	-	-
Typhoid	-	-	-	-	-	-	-	-	Gastro-Enteritis -	2	2	-	-	-	-	-	-
Typhoid	-	-	-	-	-	-	-	-	Peritonitis (not Puerp.) -	10	10	-	-	-	4	4	2
Typhoid	-	-	-	-	-	-	-	-	Cirrhosis of Liver -	6	3	-	-	-	1	1	1
Typhoid	-	-	-	-	-	-	-	-	Liver Dis. (other) -	43	30	4	1	5	3	8	9
Typhoid	-	-	-	-	-	-	-	-	Digestive Dis., Other	3	5	-	-	-	1	3	1
Typhoid	-	-	-	-	-	-	-	-	Nephritis, Acute -	26	23	-	-	-	3	6	14
Typhoid	-	-	-	-	-	-	-	-	Bright's Dis., Albumin-	4	11	-	-	-	-	-	2
Typhoid	-	-	-	-	-	-	-	-	uria	9	2	-	-	-	1	1	-
Typhoid	-	-	-	-	-	-	-	-	Urinary Sys., Other Dis.	7	3	-	-	-	2	1	-
Typhoid	-	-	-	-	-	-	-	-	Generative Organs Dis.	34	37	-	-	-	-	-	37
Typhoid	-	-	-	-	-	-	-	-	Childbirth (Accid. of)	67	80	49	11	1	2	7	10
Typhoid	-	-	-	-	-	-	-	-	Old Age -	-	-	-	-	-	-	-	-
Typhoid	-	-	-	-	-	-	-	-	Other Diseases	-	-	-	-	-	-	-	-
									ACCIDENT.	-	-	-	-	-	-	-	-
									By Railways -	8	9	-	1	3	3	2	-
									By Vehicles and Horses -	-	-	-	-	-	-	-	-
									In Ships, Boats, Docks,	-	-	-	-	-	-	-	-
									(exclusive of Drown-	-	-	-	-	-	-	-	-
									ing) -	-	-	-	-	-	-	-	-
									In Building Operations -	2	-	-	-	-	-	-	-
									In Conflagrations -	4	2	-	1	1	-	-	-
									By Burns, Scalds, Ex-	4	8	-	1	2	-	4	1
									plosions -	7	6	6	-	-	-	-	-
									By Drowning -	-	3	-	1	-	-	1	1
									By Suffocation in Bed -	19	15	3	2	2	2	4	2
									By Poisons or Poisonous	-	-	-	-	-	-	-	-
									Vapours -	-	-	-	-	-	-	-	-
									Other Deaths by Acci-	-	-	-	-	-	-	-	-
									dent -	-	-	-	-	-	-	-	-
									VIOLENCE OTHER THAN	-	1	1	-	-	-	-	-
									ACCIDENTAL.	-	12	-	-	-	5	2	4
									Homicide -	-	-	-	-	-	-	-	-
									Suicide -	-	-	-	-	-	-	-	-
									Execution -	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 4th June, 1904.

REGISTRATION SUB-DISTRICTS.		Enu- me- rated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include													Deaths from Inquest Cases.	Deaths from Institutions.		
					Deaths under 1 Year of Age.	Persons aged 1 Year and upwards.	Small- pox.	Deaths from													
								Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Pyæmia (or Origin un- certain).	Diarrhoea.	Violence.					
LONDON - - -		4,536,429	2507	1179	237	324	-	78	7	6	32	-	1	-	16	56	119	440			
WEST DISTRICTS		805,311	353	193	31	61	-	10	-	1	2	-	-	-	1	13	21	74			
NORTH DISTRICTS		1,056,070	553	281	44	86	-	10	2	1	7	-	1	-	2	11	27	92			
CENTRAL DISTRICTS		209,465	103	73	14	17	-	4	-	1	-	-	-	-	1	6	13	33			
EAST DISTRICTS -		715,739	491	223	63	45	-	15	1	-	11	-	-	-	4	9	23	92			
SOUTH DISTRICTS		1,749,844	1002	402	85	104	-	39	3	3	12	-	-	-	5	16	34	122			
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }		-	-	27	-	11	-	-	1	-	-	-	-	-	3	1	1	27			
WEST DISTRICTS.																					
St. Mary Paddington } G. & W.		93,178	50	15	3	5	-	-	-	-	-	-	-	-	-	-	2	6			
W,2H																					
St. John Paddington H - - G.		33,617	10	9	2	3	-	-	-	-	-	-	-	-	-	2	2	4			
North-West Paddington - - C.		17,181	11	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
KensingtonTown 2W,w,2H G,W.&C.		128,037	47	35	2	16	-	-	-	-	-	-	-	-	-	1	2	18			
Brompton 2H - - W. & C.		48,591	12	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-			
NorthHammersmith W,w,H } W.&G.		49,192	29	9	3	2	-	2	-	-	-	-	-	-	1	1	2	-			
SouthHammersmith w,2H } W.&G.		63,047	31	20	4	6	-	3	-	-	1	-	-	-	-	2	3	5			
North-west Fulham W } W. & C.		45,180	46	17	3	4	-	-	-	-	-	-	-	-	-	-	-	8			
North-east Fulham F } W. & C.		46,405	23	9	2	1	-	3	-	-	-	-	-	-	-	-	1	1			
South Fulham W } W. & C.		45,704	24	9	4	2	-	2	-	-	-	-	-	-	-	2	2	-			
Chelsea North W,w,3H - - C.		42,514	13	19	1	6	-	-	-	-	-	-	-	-	-	-	-	15			
Chelsea South W,2H - - C.		31,328	13	8	-	1	-	-	-	-	1	-	-	-	-	-	-	1			
May Fair and Knightsbridge } C.&G.		28,743	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
H																					
Belgrave W,2H - - - C.		55,815	18	17	3	4	-	-	-	1	-	-	-	-	-	2	3	8			
St. Margaret & St. John 4H - C.		43,698	18	15	3	4	-	-	-	-	-	-	-	-	-	3	4	8			
St. James Westminster } N. & G.		21,588	5	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-			
W,H																					
St. Anne Soho 5H - - - N.		11,493	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
NORTH DISTRICTS																					
All Souls Marylebone 8H - W.		35,391	9	14	1	4	-	-	-	-	-	-	-	-	-	-	1	7			
Rectory Marylebone W G. & W.		19,849	6	3	-	2	-	-	-	-	-	-	-	-	-	-	-	1			
St. Mary Marylebone 4H G. & W.		18,099	33	5	1	2	-	-	-	-	-	-	-	-	-	-	1	-			
Christchurch Marylebone H- W.		39,536	21	7	2	3	-	-	-	-	-	-	-	-	1	1	2	-			
St. John Marylebone 3H - W.		20,426	8	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-			
Hampstead W,F,3H - N. & W.		81,942	27	16	3	2	-	-	1	1	-	-	1	-	-	-	1	6			
West St. Pancras 2H - - W.		60,562	25	10	1	3	-	-	-	-	-	-	-	-	-	1	1	4			
Tottenham-court w,6H - N. & W.		21,258	1	7	-	2	-	1	-	-	-	-	-	-	-	-	-	5			
Gray's Inn Lane 4H - - N.		34,449	14	12	4	2	-	1	-	-	-	-	-	-	-	2	3	5			
East St. Pancras W,2H - - N.		60,320	40	21	1	8	-	1	-	-	-	-	-	-	-	2	4	12			
North St. Pancras 2W - - N.		58,728	36	10	1	2	-	-	-	-	1	-	-	-	-	-	-	5			
Tufnell W- - - - N.		31,995	17	20	-	13	-	-	-	-	-	-	-	-	-	1	1	17			
Upper Holloway 2W,w,2H - N.		33,978	26	15	1	5	-	1	-	-	-	-	-	-	-	-	-	13			
Tollington W- - - - N.		33,922	14	7	1	3	-	-	-	-	-	-	-	-	-	-	-	-			
Lower Holloway - - - - N.		41,424	21	8	4	-	-	3	-	-	1	-	-	-	-	-	2	-			
Barnsbury - - - - N.		54,478	38	14	2	8	-	2	-	-	-	-	-	-	-	-	2	-			
Islington South-east F - - N.		75,397	41	18	6	8	-	-	-	-	1	-	-	-	1	-	-	-			
Highbury 2H - - - N.		63,797	26	8	1	4	-	1	-	-	-	-	-	-	-	-	-	-			
Stoke Newington H - - N.		51,247	19	15	2	5	-	-	-	-	-	-	-	-	-	-	-	-			
North Hackney - - E. & N.		50,560	20	7	-	2	-	-	-	-	1	-	-	-	-	1	1	-			
Central Hackney 2w,F - E. & N.		50,536	19	6	2	-	-	-	1	-	-	-	-	-	-	3	3	1			
South-west Hackney 3H - E. & N.		59,921	50	14	7	1	-	-	-	-	1	-	-	-	-	-	1	6			
South-east Hackney 2W,w,H E. & N.		58,255	42	21	4	6	-	-	-	-	2	-	-	-	-	-	4	10			

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G, signifying Grand Junction Company; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River; E, East London; and K, the Kent Company.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 4th June, 1904—continued.

REGISTRATION SUB-DISTRICTS.	Enu- me- rated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include															Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of		Deaths from															
				Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.						
CENTRAL DISTRICTS.																					
Giles and Bloomsbury W,2H N.	31,436	20	7	1	2	-	-	-	-	-	-	-	-	-	-	1	1	1	-		
End W,4H - - - N. & C.	21,674	2	14	1	3	-	-	-	-	-	-	-	-	-	-	3	4	10	-		
nd Union Workhouse, Edmonton -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-		
born W,6H - - - N.	29,612	17	16	3	4	-	3	-	-	-	-	-	-	-	-	-	2	7	-		
th Clerkenwell - - - N.	28,676	15	4	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
th Clerkenwell H - - - N.	35,028	21	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
bury 3H,L - - - N.	36,116	26	6	1	2	-	-	-	-	-	-	-	-	-	-	1	1	1	-		
born Union Workhouse, } itcham - - - - - }	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-		
Botolph H - - - N. & E.	10,299	1	3	-	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-		
H - - - N.	16,624	1	13	3	1	-	-	-	1	-	-	-	-	-	-	-	3	11	-		
of London Asylum, Stone - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
EAST DISTRICTS.																					
reditch South H,L - E. & N.	16,369	7	4	1	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-		
ton New Town w,H - - N.	29,761	22	7	1	3	-	1	-	-	-	-	-	-	-	1	-	1	3	-		
ton Old Town - - - N.	26,504	24	6	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-		
gerston W - - - N & E.	46,003	31	21	3	6	-	-	-	-	-	-	-	-	-	-	-	1	6	-		
reditch Union Workhouse, Wood } reen - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
hual Green North 2H - E.	51,514	35	13	4	-	-	2	1	-	2	-	-	-	-	-	1	1	1	-		
hual Green South - - E.	33,472	22	9	4	2	-	2	-	-	-	-	-	-	-	-	1	1	-	-		
hual Green East 2W,H,L - E.	44,694	28	18	1	5	-	-	-	-	2	-	-	-	-	-	1	3	14	-		
alfields - - - E. & N.	27,969	13	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
e End New Town W,H - E.	28,718	33	37	13	5	-	2	-	-	1	-	-	-	-	-	2	4	34	-		
edman's Fields - - - E.	22,081	19	5	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-		
George and St. John 2W E.	49,068	46	13	4	2	-	1	-	-	1	-	-	-	-	-	-	2	8	-		
dwell and Ratcliff W,H,E. & N.	25,568	18	16	6	-	-	3	-	-	1	-	-	-	-	1	2	3	6	-		
ehouse - - - - - E.	32,369	18	6	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
e End Old Town South- } estern* H - - - }	63,698	60	12	5	1	-	2	-	-	1	-	-	-	-	1	-	-	-	-		
e End Old Town North- } estern* W,w - - - }	49,129	30	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	4	-		
w L - - - - - E.	41,989	27	7	3	1	-	1	-	-	1	-	-	-	-	-	-	1	1	-		
umley 3w,H - - - E.	68,319	24	27	7	8	-	-	-	-	2	-	-	-	-	1	1	1	15	-		
olar W,w - - - - - E.	68,514	34	15	4	2	-	1	-	-	-	-	-	-	-	-	-	2	-	-		

On 1st May, 1904, the sub-districts of Mile End Old Town West and Mile End Old Town East were dissolved and merged into two new sub-districts as above.

356 *Population, Births, and Deaths in London Sub-Districts.*
TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 4th June, 1904—continued.

REGISTRATION SUB-DISTRICTS	Enu- me- rated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														Inquest Cases	Deaths in Public Institutions.	Total Deaths	
				Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from															
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) fever.	Pyæmia (Origin un- certain).	Diarrhœa.	Violence.	Inquest Cases	Deaths in Public Institutions.				
SOUTH DISTRICTS.																					
Christchurch Southwark W, H, & S.	11,263	8	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1			
St. Saviour Southwark H - S.	12,066	3	18	2	1	-	1	-	1	1	-	-	-	-	-	1	2	14			
Kent-road - - - S. & L.	21,904	13	5	1	-	-	1	-	1	1	-	-	-	-	1	-	-	-			
St. George the Martyr } West W, H, L - - - J	39,094	27	13	1	1	-	1	-	-	1	-	-	-	-	-	-	3	6			
Newington North* - - S. & L.	49,022	21	7	1	2	-	1	-	-	1	-	-	-	-	-	-	-	-			
Newington South* W - S. & L.	72,841	49	12	2	5	-	2	-	-	1	-	-	-	-	-	-	-	1			
St. Olave 2W - - - S.	9,817	12	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1			
Bermondsey W - - - S.	82,483	51	13	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-			
Rotherhithe W, F - - S. & K.	38,460	25	16	3	1	-	1	-	-	1	-	-	-	1	1	1	1	8			
Waterloo-road 2H - L. & S.	27,440	28	8	5	1	-	2	-	-	-	-	-	-	-	-	-	1	1			
Lambeth Church 1st H L. & S.	18,423	8	21	4	5	-	-	-	-	-	-	-	-	-	1	2	3	15			
Lambeth Church 2nd 2W L. & S.	39,818	23	18	2	6	-	2	-	-	-	-	-	-	-	-	-	3	13			
Kennington 1st H - S. & L.	53,198	30	19	6	5	-	2	-	-	1	-	-	-	-	-	1	2	1			
Kennington 2nd H - S. & L.	42,896	19	9	4	2	-	1	-	-	-	-	-	-	-	-	-	-	1			
Brixton F - - - L. & S.	84,232	36	19	3	5	-	2	-	1	-	-	-	-	-	-	1	1	4			
Norwood W, H - - - L.	35,888	15	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-			
East Battersea - - - S.	72,203	49	10	5	2	-	-	-	-	-	-	-	-	-	-	2	2	-			
North-west Battersea - - S.	49,656	26	7	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-			
South-west Battersea W, H - S.	47,048	24	20	1	5	-	-	-	-	-	-	-	-	-	-	2	2	13			
Clapham 2H - - - S.	51,361	36	10	2	5	-	-	-	-	-	-	-	-	-	-	-	1	-			
Streatham† W, 2w, 2F, 2L - L.	88,019	54	21	3	6	-	4	-	1	-	-	-	-	-	-	-	2	7			
Springfield 2W, L - - S.	27,959	22	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Southfields H - - - S.	40,444	23	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
Putney - - - - S.	24,139	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-			
Dulwicht - - - L. & S.	13,359	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-			
Camberwell South† W, w S. & L.	40,206	16	21	3	5	-	2	-	-	-	-	-	-	-	-	1	1	15			
Camberwell North† W, 2L S. & L.	65,584	42	16	3	4	-	1	-	-	-	-	-	-	-	-	1	1	6			
St. George† - - - L. & S.	47,331	37	4	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-			
Peckham† 2W, w - S., L. & K.	92,859	55	15	2	8	-	1	-	-	1	-	-	-	-	-	1	3	1			
Deptford North - - - K.	37,013	18	8	1	1	-	4	-	-	-	-	-	-	-	-	-	-	-			
Deptford Central F - - K.	45,481	24	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Deptford South - - - K.	34,625	18	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-			
Greenwich West 2H - - K.	23,456	14	6	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-			
Greenwich East 2W, H - K.	43,859	35	15	2	4	-	-	-	-	-	-	1	-	-	-	-	-	8			
Eltham w, H - - - K.	7,226	6	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-			
Lee H - - - - K.	25,490	15	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-			
Lewisham W w, F - - K.	58,352	33	8	2	4	-	-	1	-	1	-	-	-	-	-	-	-	4			
Sydenham H - - - L.	43,653	16	8	3	3	-	-	-	-	1	-	-	-	-	-	1	3	-			
Charlton F 2H - - - K.	21,134	6	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1			
Woolwich 4H - - - K.	41,625	20	8	1	2	-	1	-	-	-	-	-	-	-	-	-	1	-			
Plumstead West W - - K.	18,063	8	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-			
Plumstead East 2W, H - K.	50,264	25	10	3	3	-	1	-	-	1	-	-	-	-	-	-	-	1			
London County Asy., Banstead -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Manor Asylum, Epsom - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Horton Asylum, Epsom - - -	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	1	1	4			
Lon. Co. Asy. Epilep. Colony, Epsom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Met. Asy. for Imbeciles, Caterham	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1			
London County Asy., Cane Hill -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
M.A.B. Hospitals, Dartford - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Met. Asy. for Imbeciles, Darenth -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2			
London County Asylum, Dartford } Heath - - - - - }	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3			
London County Asylum, Hanwell -	-	-	7	-	3	-	-	-	-	-	-	-	-	-	-	-	-	7			
Central London Sick Asy., Hendon -	-	-	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3			
London County Asy., Colney Hatch -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1			
M.A.B. North-Eastern Hospital -	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1			
M.A.B. Northern Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Met. Asy. for Imbeciles, Leavesden -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2			
London County Asylum, Claybury -	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	3			

* On 1st March, 1904, the sub-districts of Trinity Newington, St. Peter Walworth, and St. Mary Newington, were abolished, and divided into two new sub-districts entitled Newington North and Newington South respectively.
† On 1st April, 1904, the four sub-districts of Camberwell registration district were abolished, and divided into five sub-districts as above
‡ On 1st June, 1904, changes were made in the boundary between Streatham sub-district and Mitcham sub-district (38: 6).

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 4th June, 1904.

REGISTRATION SUB-DISTRICTS.		Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
LONDON—OUTER RING		368,580	2,044,973	1310	442	85	126	-	35	4	6	5	3	5	26	56	94	4	
1	Carshalton <i>w, 2F, 2H</i>	12,228	32,997	6	6	-	-	-	2	-	1	-	-	-	-	-	-	-	
2	Epsom, <i>part of</i> * <i>W, w, 2F, H</i>	10,423	15,548	9	3	-	1	-	-	-	1	-	-	-	-	-	-	1	
1	Godstone, <i>part of</i> * <i>W, F</i>	2,754	2,692	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	Coulsdon	11,069	8,166	1	3	-	1	-	-	-	-	-	-	-	1	2	-	-	
2	South Croydon	4,200	49,309	18	10	3	6	-	1	-	-	-	-	-	1	1	-	-	
3	West Croydon <i>3W, F, H</i>	2,168	42,888	22	18	5	5	-	3	-	1	-	-	-	2	2	11	-	
4	North Croydon <i>H</i>	2,644	41,698	34	8	1	4	-	-	-	-	-	-	-	-	-	-	-	
5	Penge <i>w</i>	770	22,465	4	5	3	1	-	-	-	-	-	-	1	-	-	-	-	
6	Mitcham† <i>w</i>	11,689	30,015	23	5	-	1	-	-	-	-	-	-	-	1	1	-	-	
1	Wimbledon <i>F, 3H</i>	3,221	41,652	20	5	-	3	-	-	-	-	-	-	-	1	2	-	-	
2	Kingston <i>W, H</i>	6,224	42,068	21	11	2	5	-	-	-	-	-	-	1	-	1	7	-	
3	Surbiton <i>F, H</i>	3,046	15,017	9	3	-	2	-	-	-	-	-	-	-	-	2	-	-	
4	Esher, <i>part of</i> * <i>H</i>	5,402	13,100	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	Hampton <i>H, L</i>	4,564	23,456	15	3	-	1	-	-	-	1	-	-	-	-	-	-	-	
1	Richmond <i>W, H</i>	2,162	28,865	18	8	1	-	-	-	-	-	-	-	-	3	4	2	1	
2	Mortlake <i>F</i>	2,847	20,828	14	4	-	2	-	-	-	-	-	-	-	1	1	-	-	
1	Bromley <i>F, 2H</i>	4,703	27,354	16	3	-	1	-	-	-	-	1	-	-	-	-	-	-	
2	Beckenham <i>H</i>	7,825	28,497	24	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
3	Orpington, <i>part of</i> * <i>W</i>	10,113	9,857	7	3	-	3	-	-	-	-	-	-	-	-	-	3	-	
4	Chislehurst <i>2H</i>	7,333	16,446	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	Bexley <i>F, H</i>	8,678	21,151	7	4	1	1	-	-	-	-	-	-	-	-	-	-	-	
2	Erith <i>F, H</i>	3,854	25,296	23	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
3	Dartford <i>W, F, part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	Sunbury <i>w</i>	11,054	18,683	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Staines <i>W, H</i>	13,277	15,178	8	5	1	1	-	3	-	-	-	-	-	-	1	-	-	
1	Hillingdon <i>W, F, H</i>	8,035	13,661	6	2	1	-	-	-	-	-	-	-	-	1	1	1	-	
2	Uxbridge	12,757	8,984	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Hayes <i>w, F, H</i>	8,066	16,358	10	3	-	1	-	-	-	-	-	-	-	-	-	-	-	
1	Isleworth <i>3W, 2F, H</i>	6,859	30,863	27	5	2	1	-	-	-	-	-	-	-	-	-	2	-	
2	Twickenham <i>F, H</i>	2,421	20,991	15	7	1	1	-	1	-	-	1	-	-	1	1	-	-	
3	Brentford <i>2F, 2H, L</i>	4,319	48,289	30	11	4	2	-	3	1	-	-	-	-	-	-	1	-	
4	Chiswick <i>H</i>	1,249	29,809	18	4	-	1	-	1	-	-	-	-	-	1	1	-	-	
5	Acton <i>w, 3H</i>	6,132	48,914	41	9	1	3	-	-	-	-	-	-	-	1	1	-	-	
1	Harrow <i>F, H</i>	13,809	25,523	19	6	3	3	-	-	-	-	-	-	-	1	1	-	-	
2	Edgware <i>F, 2H</i>	6,994	4,521	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden <i>W, F, 2H</i>	4,384	114,811	78	27	6	7	-	-	-	-	-	-	-	1	3	11	1	
4	Hendon <i>W, F</i>	8,382	22,450	16	6	2	1	-	-	-	-	-	-	-	-	-	2	-	
1	South Mimms <i>2F, H</i>	17,755	7,308	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet <i>W, 3H</i>	3,334	17,970	6	4	-	1	-	-	-	-	-	-	-	-	-	1	1	
3	Finchley <i>F, 2H</i>	4,688	33,692	27	7	2	1	-	1	-	-	1	-	-	-	1	-	-	
1	Hornsey <i>F, H</i>	2,875	72,056	22	14	2	7	-	-	-	-	-	-	-	-	1	-	-	
2	Wood Green <i>H</i>	1,625	34,293	31	4	1	2	-	1	-	-	-	-	-	-	-	-	-	
3	West Tottenham <i>F</i>	996	48,853	31	4	1	-	-	-	-	-	-	-	-	-	-	-	-	
4	East Tottenham <i>F, H</i>	2,017	53,688	31	20	1	5	-	3	-	1	-	-	-	-	2	4	-	
5	Edmonton <i>W, w, 2F</i>	7,491	61,892	57	20	1	8	-	-	-	-	1	-	-	1	2	12	-	
6	Enfield <i>2W, F, H</i>	12,601	42,738	32	7	3	1	-	1	-	-	-	-	-	1	2	1	-	
7	Waltham Abbey	11,017	6,549	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
8	Cheshunt <i>F, H</i>	8,479	12,292	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	
1	Hatfield, <i>part of</i> * <i>W</i>	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Bushey <i>H</i>	9,333	9,173	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Watford <i>W, 2F part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	Stratford <i>H</i>	1,072	44,827	25	12	3	2	-	1	-	-	-	-	-	-	-	-	-	
2	Plaistow <i>F, 2H</i>	1,249	90,921	56	22	4	5	-	1	1	-	-	-	2	2	5	1	-	
3	Canning Town <i>H</i>	1,556	70,718	53	16	6	2	-	1	-	-	-	-	-	1	6	1	-	
4	Forest Gate <i>w</i>	806	60,892	25	10	4	2	-	-	-	-	-	-	-	-	-	-	1	
5	North East Ham <i>w</i>	1,333	58,676	43	8	3	1	-	1	-	-	-	-	-	1	3	-	-	
6	South East Ham <i>3F</i>	1,993	37,342	30	12	2	3	-	2	1	-	1	-	-	-	-	-	-	
7	Wanstead <i>F</i>	1,679	9,179	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
8	South Leyton <i>2W</i>	631	50,467	29	19	5	6	-	-	-	-	-	-	-	1	2	5	-	
9	North Leyton <i>W, w, F</i>	1,963	48,445	34	22	2	7	-	-	-	-	1	-	-	1	2	12	-	
0	Walthamstow <i>3H, L</i>	6,504	108,929	82	25	7	5	-	8	-	1	-	-	-	2	3	3	-	
1	Chigwell, <i>part of</i> * <i>2F, 4H</i>	11,778	16,397	14	3	-	2	-	-	-	1	-	-	-	-	-	1	-	
2	Epping <i>W, F, part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	Romford, <i>part of</i> * <i>W, 2F</i>	6,556	6,091	8	2	-	-	-	-	-	-	-	-	-	-	-	2	-	
2	Ilford <i>F, L</i>	8,496	41,234	40	4	-	1	-	-	-	-	-	1	-	1	1	3	-	
3	Barking Town <i>F</i>	3,803	21,547	15	5	-	1	-	1	1	-	-	-	1	1	1	1	-	
	Middlesex County Asylum, Streatham.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
	Middlesex County Asylum, Wandsworth.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
	London County Asylum, Finchley.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	

The parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Wyon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious cases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

See note † on preceding page.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.
CALCUTTA (including SUBURBS)	847,796	April 23	-	912	55·9	5	5	-	-	-	527†	-
BOMBAY - -	776,006	May 17	331	712	47·7	21	6	-	1	-	277†	-
MADRAS - -	509,346	April 29	334	351	35·8	-	4	?	?	?	53	-
PARIS - - -	2,660,559	May 28	-	-	-	-	-	-	-	-	-	-
BRUSSELS - -	575,896	" 28	249	162	14·3	-	-	-	1 ^a	1	2	-
ANTWERP - -	281,376	" 28	134	79	14·3	2	-	-	-	1	1	-
AMSTERDAM -	547,370	" 21	282	163	15·5	-	7	-	1 ^a	3	1	-
COPENHAGEN -	420,000	" 28	206	133	16·5	-	3	-	2 ^a	11	-	-
STOCKHOLM -	305,115	" 21	166	83	13·9	-	-	-	2 ^a	-	-	-
CHRISTIANIA -	225,709	" 28	135	55	12·8	-	-	-	1 ^a	-	-	-
ST. PETERSBURG	1,248,643	" 21	613	659	27·5	3	19	20	14 ^a	7	17	-
MOSCOW - -	1,093,410	" 21	-	617	29·4	5	26	9	15 ^a	3	4	-
BERLIN - - -	1,960,909	" 14	896	565	15·0	-	13	7	7 ^a	11	-	-
HAMBURG - -	751,842	" 28	-	268	18·5	-	3	-	3 ^a	4	-	-
BRESLAU - -	445,403	" 21	-	168	19·7	-	-	1	1 ^a	?	-	-
MUNICH - - -	520,000	" 21	-	193	19·8	-	4	-	-	2	2	-
		" 28	-	234	23·4	-	5	-	2 ^a	3	1	-
VIENNA - - -	1,779,869	" 28	958	694	20·1	-	55	1	6 ^a	1	1	-
PRAGUE - - -	423,990	" 28	-	-	-	-	-	-	-	-	-	-
BUDA-PESTH -	813,399	" 28	436	296	18·9	-	3	6	3 ^a	2	1	-
TRIESTE - - -	187,251	" 28	-	-	-	-	-	-	-	-	-	-
ROME - - -	496,201	April 9	248	192	20·2	-	5	-	5 ^a	1	1	-
VENICE - - -	166,288	May 21	95	61	19·1	-	-	-	-	-	1	-
CAIRO - - -	624,338	March 4	572	516	43·1	1	26	-	5 ^a	-	20	-
ALEXANDRIA -	349,300	" 4	335	214	31·9	1	1	-	1 ^a	-	4	-
NEW YORK - -	3,838,024	May 21	1837	1566	21·3	-	39	26	49 ^a	5	8	-
PHILADELPHIA -	1,408,154	April 30	-	591	21·8	8	2	6	9 ^a	-	45	-
BOSTON - - -	617,950	May 14	-	218	18·3	-	2	-	2 ^a	1	2	-

* Including deaths from croup.

† Including 440 deaths from plague in Calcutta, and 243 in Bombay.

‡ Including 102 deaths from cholera in Calcutta, and one in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 4th June, 1904.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rain in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	68·8	43·9	56·6	0·71	BRADFORD - -	71·0	43·0	55·4	0·8
BRIGHTON - -	73·4	46·7	57·6	0·77	LEEDS - - -	76·0	45·0	56·8	0·4
PORTSMOUTH -	72·0	47·0	58·9	0·19	HULL - - -	68·0	41·0	53·5	0·4
NORWICH - - -	68·6	43·0	55·8	0·47	TYNEMOUTH -	70·0	46·0	55·0	0·0
PLYMOUTH - -	63·9	46·0	55·9	1·02					
BRISTOL - - -	71·2	41·0	57·0	0·39	EDINBURGH - -	69·4	41·7	53·4	1·0
BIRMINGHAM -	70·4	46·0	55·5	0·22	GLASGOW - - -	-	-	-	-
NOTTINGHAM -	67·1	42·3	55·2	0·69					
LIVERPOOL - -	66·0	47·0	55·6	0·83	DUBLIN { Phoenix Park.	68·7	41·8	56·2	1·1
MANCHESTER -	72·0	42·8	55·3	0·54	{ Fitz- william Square.†	71·0	48·1	57·9	1·1
PRESTON - - -	73·0	44·5	56·3	1·02					
HUDDERSFIELD -	69·5	42·7	53·5	0·60	BELFAST - - -	69·0	42·0	55·3	0·4

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of the return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1·8° Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A. M.D., Dublin.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 28th May, 1904.*

BOROUGHS.	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Chicken-pox.
WEST.											
Paddington- - - -	146,975	-	5	-	-	4	-	-	1	-	9
Kensington - - - -	179,236	1	4	4	-	1	-	-	4	-	12
Hammersmith - - -	117,412	-	4	1	-	-	-	-	1	-	11
Fulham - - - - -	152,482	-	1	4	-	-	-	-	-	-	16
Chelsea - - - - -	74,329	-	2	-	-	-	-	-	1	-	2
City of Westminster-	177,321	-	10	3	-	-	-	-	2	-	11
NORTH.											
St. Marylebone - - -	130,337	-	2	-	-	-	-	-	1	-	13
Hampstead - - - -	86,663	-	10	-	-	2	-	-	1	-	3
St. Pancras - - - -	235,936	-	19	6	-	1	-	-	1	-	19
Islington - - - - -	341,044	4	19	3	-	-	-	-	6	-	43
Stoke Newington - -	52,445	-	3	-	-	1	-	-	1	-	6
Hackney - - - - -	226,266	2	10	14	-	-	-	-	2	-	21
CENTRAL.											
Holborn - - - - -	57,161	1	1	1	-	1	-	-	2	-	2
Finsbury - - - - -	98,958	-	4	2	-	1	-	-	4	-	5
City of London - - -	23,482	-	3	1	-	-	-	-	-	-	-
EAST.											
Shoreditch - - - -	117,033	-	5	3	-	-	-	-	3	1	8
Bethnal Green - - -	130,207	8	8	4	-	-	-	-	3	-	17
Stepney - - - - -	303,791	7	15	10	-	-	-	-	6	1	35
Poplar - - - - -	169,905	-	6	12	-	-	-	-	4	-	19
SOUTH.											
Southwark - - - - -	207,937	3	6	-	-	-	-	-	10	-	12
Bermondsey - - - -	129,397	4	10	1	-	-	-	-	2	-	10
Lambeth - - - - -	310,359	3	11	2	-	2	-	-	1	-	28
Battersea - - - - -	175,465	-	4	6	-	-	-	-	2	-	23
Wandsworth - - - -	257,448	1	12	9	-	2	-	-	3	-	32
Camberwell - - - -	268,384	-	13	4	-	1	-	-	7	-	22
Deptford - - - - -	113,509	-	11	2	-	-	-	-	5	-	10
Greenwich - - - - -	101,651	-	4	2	-	1	-	-	1	-	20
Lewisham - - - - -	140,401	-	3	4	-	-	-	-	4	-	11
Woolwich - - - - -	123,416	-	3	2	-	1	-	-	1	-	15
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. }											
	4,648,950	34	208	100	-	18	-	-	78	2	435
Ages											
0-1 - - - - -	-	2	4	3	-	-	-	-	5	-	38
" 1-5 - - - - -	-	2	70	37	-	-	-	-	2	-	188
" 5- - - - -	-	8	88	27	-	3	-	-	3	-	176
" 10- - - - -	-	5	17	19	-	2	-	-	4	-	21
" 15- - - - -	-	4	11	4	-	1	-	-	4	-	2
" 20- - - - -	-	4	9	3	-	1	-	-	6	1	5
" 25- - - - -	-	7	8	6	-	1	-	-	12	-	3
" 35- - - - -	-	2	1	-	-	4	-	-	12	1	2
" 45- - - - -	-	-	-	1	-	3	-	-	8	-	-
" 55- - - - -	-	-	-	-	-	3	-	-	6	-	-
" 65 and upwards	-	-	-	-	-	-	-	-	16	-	-
Age not stated	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
By DARLING & SON, LTD., 34-40, BACON STREET, E

1904.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 23. 1904. VOL. LXV.] WEEK ENDED SATURDAY, JUNE 11. [Price 1½d.

General Register Office, Somerset House,
June 13th, 1904.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 14·1 per 1000 of their aggregate population, which is estimated† at 15,271,287 persons in the middle of this year. In the preceding three weeks the rates had been 15·5, 15·4, and 14·6. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 20·0 in Stockton on Tees, 20·4 in Sunderland and in Newcastle on Tyne, 20·5 in Liverpool, 22·6 in Tynemouth, and 25·6 in Warrington; from *measles*, 2·1 in Rhondda, 2·4 in Hanley and in Rochdale, 2·6 in Wallasey, and 3·2 in Birkenhead; from *whooping-cough*, 2·2 in Swansea, 3·1 in Warrington, and 3·2 in Blackburn. Two deaths from *small-pox* were registered in Bradford, and 1 in each of the following towns, Leicester, Derby, Manchester, Newcastle on Tyne, and Tynemouth.

LONDON.*

In LONDON 2578 BIRTHS and 1187 DEATHS were registered. Allowing for increase of population, the births were 50 above and the deaths 172 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 15·1, 14·3, and 13·2 in the preceding three weeks, was 13·3 last week. During the four weeks ended on Saturday last the death-rate averaged 14·0 per 1000, being 2·0 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, and in certain local Small-pox Hospitals, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1187 deaths included 62 from measles, 4 from scarlet fever, 9 from diphtheria, 28 from whooping-cough, 5 from enteric fever, and 26 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 134 deaths were referred to these diseases in the aggregate, being 47 below the corrected average weekly number.

The deaths from *measles*, which had been 75, 83, and 78 in the preceding three weeks, further fell last week to 62, and were 10 below the corrected average; 8 deaths belonged to the Borough of Islington, 7 to Stepney, 6 each to Bermondsey and Camberwell, 5 each to Lambeth and Deptford, and 4 each to Shoreditch and Southwark. The deaths from *scarlet fever*, which had been 5, 4, and 7 in the preceding three weeks, fell again last week to 4, and were 9 below the corrected average. The deaths from *diphtheria*, which had been 10, 14, and 6 in the preceding three weeks, rose again last week to 9, and were 19 below the corrected average. The deaths from *whooping-cough*, which had been 39, 33, and 32 in the preceding three weeks, further fell last week to 28, and were 13 below the corrected average; 5 deaths belonged to St. Pancras, and 3 each to Southwark and Lambeth. The fatal cases of *enteric fever* which had been 4, 2, and 1 in the preceding three weeks, were 5 last week, the corrected average being 7. The deaths from *diarrhoea* which had been 21, 15, and 16 in the preceding three weeks, rose last week to 26, and were 10 above the corrected average. Of the 26 deaths from diarrhoea, 20 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 2 more deaths at this age. The deaths attributed directly to *influenza* numbered 4, having been 5, 8, and 4 in the preceding three weeks.

Different forms of *violence* caused 67 deaths, concerning all but 1 of which inquests were held. Of these 67 deaths, 15 were cases of suicide, and 4 of homicide, while the remaining 48 were attributed to accident or negligence. Nine of these latter were referred to vehicles in the streets, 9 to burns and scalds, 1 to the effects of an anæsthetic administered for surgical purposes, and 7 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 95 cases of small-pox, 1647 of scarlet fever, 721 of diphtheria, and 65 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 21 cases, against 18, 33, and 10; of scarlet fever, 193 cases, against 222, 194, and 207; of diphtheria, 88 cases, against 104, 94, and 94; and of enteric fever, 19 cases, against 14, 11, and 12. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended June 4th.

GREATER LONDON.

In Greater London 3903 births and 1617 deaths were registered. Allowing for increase of population these numbers are 172 above and 240 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 9 deaths from measles, 2 from diphtheria, 5 from whooping-cough, and 5 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·85 inches, and that of the Thermometer 55°·9, the latter being 2°·3 below the week's average in the 50 years 1841–90. The direction of the wind was North-easterly, the horizontal movement of the air being 20 per cent. above the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 39·3 hours; the measured rainfall amounted to 0·12 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

THE DEATHS REGISTERED IN THE WEEK INCLUDING

DEATH-RATES FROM ALL CAUSES.

POPULATION estimated at the middle of the Year 1904.*

TOWNS	Cols.	POPULATION estimated to the middle of 1904.		Week ended		Deaths in Coln.		Deaths during the week ended 11th June, 1904.		Deaths from										Deaths in Public Institutions.	Causes of Death	Cols.
		21st May, 1904.	4th June, 1904.	11th June, 1904.	Week ended 11th June, 1904.	BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhoid.	Diarrhoea.	Violence.					
76 TOWNS	15,271,287	15.5	15.4	14.6	14.1	1.7	8987	4136	953	7	202	25	38	124	24	72	178	336	1099	48	76 TOWNS, LONDON.	
LONDON -	-	4,648,950	15.1	14.3	13.2	13.3	1.5	2578	1187	290	-	62	4	9	28	5	26	67	134	436	1	CROYDON.
(CROYDON -	-	144,419	10.5	12.3	12.3	10.8	1.8	74	30	11	-	-	-	-	-	-	-	1	4	8	-	WILLESDEN.
WILLESDEN -	-	132,566	10.6	8.7	10.6	7.1	-	100	18	4	-	-	-	-	-	-	-	-	1	1	-	HORSEY.
HORSEY -	-	81,221	7.1	9.6	9.6	7.7	0.6	36	12	6	-	1	-	-	-	-	-	-	1	2	-	TOTTENHAM.
(TOTTENHAM -	-	112,981	12.5	13.4	13.4	9.7	0.9	72	21	5	-	1	-	-	-	-	1	3	4	4	-	WEST HAM.
WEST HAM -	-	268,424	13.2	13.7	13.2	11.8	1.4	190	65	15	-	5	2	1	1	-	1	3	5	10	-	WEST HAM.
EAST HAM -	-	116,802	12.5	10.7	9.4	9.4	2.7	73	21	6	-	3	2	-	-	-	-	-	4	4	-	EAST HAM.
LEYTON -	-	110,844	12.2	9.4	12.7	8.5	0.5	67	18	3	-	-	-	-	-	-	-	1	3	1	-	LEYTON.
(WALTHAMSTOW -	-	111,282	8.0	11.2	13.6	7.0	2.3	78	15	6	-	4	-	-	1	-	-	-	1	-	-	WALTHAMSTOW.
HASTINGS -	-	66,503	13.3	12.5	13.3	12.5	-	24	16	2	-	-	-	-	-	-	-	-	-	1	-	HASTINGS.
BRIGHTON -	-	126,286	17.8	18.2	14.9	14.5	1.7	46	35	4	-	1	-	-	1	2	-	2	6	10	1	BRIGHTON.
PORTSMOUTH -	-	198,038	13.4	11.6	15.0	13.7	1.8	107	52	12	-	-	-	-	1	-	4	1	3	6	1	PORTSMOUTH.
BOURNEMOUTH -	-	64,645	16.1	17.7	12.9	11.3	-	24	14	1	-	-	-	-	-	-	-	1	1	1	-	BOURNEMOUTH.
SOUTHAMPTON -	-	112,500	14.4	10.7	13.4	10.7	0.5	50	23	6	-	-	-	-	-	-	-	1	4	3	-	SOUTHAMPTON.
READING -	-	76,373	9.6	11.6	12.3	13.7	2.7	40	20	5	-	-	-	1	-	-	3	-	-	3	1	READING.
NORTHAMPTON -	-	91,146	6.9	11.4	15.4	15.4	0.6	40	27	6	-	-	-	-	-	-	-	-	-	6	2	NORTHAMPTON.
IPSWICH -	-	69,805	16.4	10.5	14.2	17.9	3.0	32	24	7	-	1	-	-	1	1	1	1	2	4	-	IPSWICH.
GREAT YARMOUTH -	-	52,089	12.0	12.0	11.0	8.0	1.0	25	8	2	-	-	-	-	-	-	1	-	-	3	-	GREAT YARMOUTH.
NORWICH -	-	115,538	21.7	14.4	20.3	14.4	3.2	62	32	7	-	4	-	1	1	-	1	1	3	4	-	NORWICH.
PLYMOUTH -	-	114,003	10.1	20.1	12.3	9.2	0.5	70	20	2	-	1	-	-	-	-	-	-	2	4	-	PLYMOUTH.
DEVONPORT -	-	75,334	11.1	5.5	13.8	11.1	0.7	41	16	1	-	-	-	1	-	-	-	3	5	3	-	DEVONPORT.
BRISTOL -	-	343,204	13.1	12.6	12.9	12.2	0.6	181	80	19	-	-	-	3	1	-	-	9	12	24	1	BRISTOL.
HANLEY -	-	63,932	16.3	22.8	16.3	14.7	5.7	49	18	7	-	3	1	2	-	-	1	1	1	-	-	HANLEY.
BURTON-ON-TRENT -	-	51,434	16.1	13.1	8.0	11.0	-	28	11	-	-	-	-	-	-	-	-	1	1	-	-	BURTON-ON-TRENT.
WOLVERHAMPTON -	-	98,194	13.8	13.8	17.0	10.6	1.6	65	20	5	-	-	-	-	2	1	-	1	2	2	1	WOLVERHAMPTON.
WALSALL -	-	91,432	12.0	16.0	11.4	12.5	0.6	61	22	4	-	-	-	-	-	-	1	2	2	3	-	WALSALL.
HANDSWORTH -	-	59,634	7.9	8.7	7.0	15.7	1.7	27	18	6	-	-	-	-	-	-	-	1	1	3	-	HANDSWORTH.
WEST BROMWICH -	-	67,186	11.6	19.4	10.9	12.4	-	47	16	6	-	-	-	-	-	-	-	-	-	-	-	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES during the Week ended Saturday, 11th June, 1904, and DEATH-RATES during the preceding three weeks.

TOWNS	Cols.	POPULATION estimated to the middle of the Year 1904.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the Week ended 11th June, 1904.		The DEATHS registered in the Week include											TOWNS.		
			Week ended				11th June, 1904.	11th June, 1904.	BIRTHS.	DEATHS.	Deaths of		Deaths from								Inquest Cases.		Deaths in Public Institutions.	Uncertified Causes of Death.
											Persons Aged under 1 Year of Age.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.					
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.		
BIRMINGHAM	-	537,965	21.7	16.6	17.2	16.0	2.5	350	165	46	33	-	8	2	1	10	2	3	5	7	44	4	BIRMINGHAM.	
KINGS NORTON	-	60,667	9.4	3.9	5.5	11.0	1.6	36	14	7	2	-	-	-	-	2	-	-	-	-	-	-	KINGS NORTON.	
SMETHWICK	-	60,691	11.2	11.2	9.5	7.7	-	35	9	1	3	-	-	-	-	-	-	-	-	1	1	-	SMETHWICK.	
ASTON MANOR	-	80,363	14.3	14.3	11.0	7.1	-	43	11	1	4	-	-	-	-	-	-	-	1	1	2	-	ASTON MANOR.	
COVENTRY	-	73,904	11.3	15.5	9.9	13.4	1.4	43	19	5	2	-	-	-	-	1	-	1	1	1	7	-	COVENTRY.	
LEICESTER	-	224,186	11.9	14.2	12.3	11.6	0.7	120	50	17	10	1	-	-	-	2	-	-	-	-	9	1	LEICESTER.	
GRIMSBY	-	66,958	11.7	10.9	11.7	10.9	2.3	35	14	4	5	-	-	-	-	2	1	-	1	1	4	-	GRIMSBY.	
NOTTINGHAM	-	248,811	14.5	18.9	12.4	11.9	0.8	150	57	21	19	-	1	-	-	1	-	2	7	9	17	1	NOTTINGHAM.	
DERBY	-	120,449	16.0	11.3	15.2	11.7	0.9	66	27	9	8	1	-	-	1	-	-	-	2	2	12	-	DERBY.	
STOCKPORT	-	97,008	13.4	16.1	18.8	16.7	2.2	52	31	7	5	-	2	1	-	-	-	1	2	3	4	-	STOCKPORT.	
BIRKENHEAD	-	114,814	16.3	15.4	17.3	12.7	5.0	70	28	6	6	-	7	-	1	1	1	1	-	-	3	-	BIRKENHEAD.	
WALLASEY	-	60,354	17.3	17.3	18.1	12.1	3.5	43	14	1	5	-	3	-	-	1	-	2	2	2	1	-	WALLASEY.	
LIVERPOOL	-	723,430	18.4	17.9	17.9	20.5	2.6	471	284	75	57	4	17	1	2	9	-	7	11	20	85	8	LIVERPOOL.	
BOOTLE	-	61,755	11.8	22.0	14.4	16.0	0.8	43	19	5	5	-	-	-	-	1	-	-	-	-	4	1	BOOTLE.	
ST. HELENS	-	88,545	17.1	17.7	15.3	15.9	1.2	79	27	5	9	-	2	-	-	-	-	1	1	1	2	1	ST. HELENS.	
WIGAN	-	62,800	12.5	18.3	34.9	18.3	0.8	43	22	6	6	-	-	-	-	1	-	-	-	1	1	-	WIGAN.	
WARRINGTON	-	67,331	17.8	21.7	24.0	25.6	4.6	47	33	6	7	-	1	-	1	4	-	-	-	2	2	3	WARRINGTON.	
BOLTON	-	175,744	17.5	19.0	15.1	9.8	0.9	89	33	11	3	-	-	-	-	2	1	-	4	5	2	-	BOLTON.	
BURY	-	58,450	11.6	13.4	11.6	9.8	1.8	40	11	1	4	-	-	1	-	1	-	-	-	-	4	-	BURY.	
MANCHESTER†	-	557,938	19.6	18.6	17.7	16.3	2.1	383	174	46	36	1	10	1	3	6	1	-	3	6	34	2	MANCHESTER.†	
SALFORD	-	228,983	16.2	18.2	17.8	18.4	3.2	162	81	18	18	-	8	-	1	3	-	2	3	9	23	-	SALFORD.	
OLDHAM	-	139,497	17.2	16.8	11.6	15.7	1.1	77	42	8	9	-	1	-	-	1	-	1	-	1	6	-	OLDHAM.	
ROCHDALE	-	85,601	17.1	20.7	16.4	11.6	2.4	47	19	3	6	-	4	-	-	-	-	-	1	2	3	-	ROCHDALE.	
BURNLEY	-	100,569	18.7	21.3	17.1	12.4	2.1	57	24	7	6	-	3	-	-	-	-	-	1	3	3	-	BURNLEY.	
BLACKBURN	-	132,134	20.5	13.8	16.8	3.6	3.6	58	41	11	12	-	-	-	-	8	-	1	-	2	3	1	BLACKBURN.	
PRESTON	-	115,055	20.4	14.5	21.3	17.7	2.3	69	39	13	7	-	-	-	-	2	2	1	3	3	5	-	PRESTON.	
BARROW-IN-FARROW	-	59,654	13.1	14.0	14.9	15.7	0.9	34	18	3	3	-	-	-	-	-	-	1	-	1	1	-	BARROW-IN-FARROW.	

TOWNS.	Population estimated at middle of the Year 1904.*	Week ended			In Colls. 11-17.		During the Week ending 11th June, 1904.		Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.	
		21st May 1904.	28th May 1904.	4th June, 1904.	11th June, 1904.	11-17.		11th June, 1904.		Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.					Violence.
						BIRTHS.	DEATHS.																
COLS.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	COLS.	
HUDDESFIELD.	-	94,925	13.7	15.4	22.5	18.1	0.5	40	33	1	12	-	-	-	-	-	1	2	2	6	-	HUDDESFIELD.	
HALIFAX.	-	107,580	14.1	13.1	14.1	13.1	1.5	42	27	4	8	-	1	2	-	-	-	1	2	6	2	HALIFAX.	
BRADFORD.	-	285,089	17.2	19.9	14.4	14.8	2.2	141	81	20	25	2	4	-	3	1	1	4	6	14	-	BRADFORD.	
LEEDS.	-	450,142	20.0	19.0	16.4	15.6	2.3	271	135	32	35	-	14	-	2	3	1	4	11	22	1	LEEDS.	
SHEFFIELD.	-	432,940	15.4	16.7	14.2	14.2	1.1	256	118	25	30	-	3	1	2	2	1	4	8	34	4	SHEFFIELD.	
ROTHERHAM.	-	53,498	10.7	17.8	12.5	14.3	1.8	31	16	7	3	-	2	-	-	-	-	-	1	4	1	ROTHERHAM.	
YORK.	-	81,268	18.6	12.8	12.2	11.4	1.3	44	18	4	4	-	-	-	1	1	-	-	2	1	-	YORK.	
HULL.	-	253,865	15.2	17.7	13.8	17.7	2.5	167	86	18	20	-	5	-	2	1	2	5	10	22	-	HULL.	
MIDDLESBROUGH.	-	96,684	19.4	16.7	18.9	18.9	1.1	66	35	6	13	-	1	-	-	-	1	-	1	6	-	MIDDLESBROUGH.	
STOCKTON-ON-TEES.	-	52,192	15.0	13.0	16.0	20.0	-	32	20	5	7	-	-	-	-	-	-	-	1	3	-	STOCKTON-ON-TEES.	
WEST HARTLEPOOL.	-	69,251	18.1	13.6	9.0	9.0	0.8	39	12	3	3	-	-	1	-	-	-	1	1	1	-	WEST HARTLEPOOL.	
SUNDERLAND.	-	151,157	14.1	20.4	17.6	20.4	2.4	88	59	15	13	-	5	-	2	-	-	1	2	6	3	SUNDERLAND.	
SOUTH SHIELDS.	-	107,334	17.0	20.4	14.1	18.9	1.0	68	39	9	9	-	-	-	1	-	1	-	-	9	3	SOUTH SHIELDS.	
GATESHEAD.	-	118,067	15.5	17.7	15.9	16.8	1.8	88	38	16	5	-	-	-	2	-	2	1	1	4	1	GATESHEAD.	
NEWCASTLE-ON-TYNE.	-	225,362	18.7	17.8	22.2	20.4	1.6	144	88	22	18	1	2	-	4	-	-	1	2	20	-	NEWCASTLE-ON-TYNE.	
TYNEMOUTH.	-	53,060	20.6	19.7	12.8	22.6	2.0	33	23	4	8	1	-	-	1	-	-	-	5	-	-	TYNEMOUTH.	
NEWPORT (MON.).	-	71,543	13.8	18.2	8.7	8.7	1.5	45	12	3	2	-	-	-	2	-	-	1	1	2	-	NEWPORT (MON.).	
CARDIFF.	-	176,313	14.2	13.6	15.7	11.8	2.7	119	40	8	10	-	5	1	2	1	-	2	3	6	-	CARDIFF.	
RHONDDA.	-	122,310	12.4	19.2	16.2	19.2	3.0	101	45	13	12	-	5	2	-	-	-	1	1	-	-	RHONDDA.	
MERTHYR TYDFIL.	-	72,745	14.3	15.8	15.1	18.6	-	60	19	3	5	-	-	-	-	-	-	1	2	2	-	MERTHYR TYDFIL.	
SWANSEA.	-	95,931	13.6	14.7	17.9	14.7	2.2	78	27	8	10	-	-	-	4	-	-	3	6	1	2	SWANSEA.	
GREATER LONDON.	-	6,907,756	13.7	13.3	12.2	12.2	1.4	3903	1617	327	410	-	90	6	12	36	33	86	175	496	2	GREATER LONDON.	
OUTER RING.	-	2,258,806	10.7	11.1	10.2	9.9	1.1	1325	430	99	120	-	28	2	3	8	1	7	19	41	60	1	OUTER RING.
8 TOWNS IN OUTER RING.	-	1,098,639	11.3	11.6	12.1	9.5	1.3	690	200	49	47	-	19	2	1	3	1	5	14	33	1	8 TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING.	-	1,160,167	10.2	10.7	8.4	10.3	0.9	635	230	50	73	-	9	-	2	5	-	14	27	27	-	REMAINDER OF OUTER RING.	
EDINBURGH.	-	331,977	18.2	19.9	17.3	14.3	1.7	172	91	12	27	-	4	-	1	4	1	2	?	28	9	EDINBURGH.	
GLASGOW.	-	798,357	19.5	17.1	18.2	16.1	2.4	508	247	40	53	3	8	2	1	9	1	18	?	76	10	GLASGOW.	
DUBLIN.†	-	378,994	21.9	21.3	19.7	18.3	0.6	202	133	18	29	-	1	1	-	1	-	2	4	59	5	DUBLIN.†	
BELFAST.†	-	368,680	21.4	19.5	19.3	18.9	2.0	243	130	29	25	-	4	1	-	4	2	7	15	24	?	BELFAST.†	

* See note † on first page of this return.

Persons of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the TWENTY-THIRD Week of each of the Eleven Years, 1894–1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894–1903.*	
TOTAL Births -	2300	2333	2545	2314	2646	2445	2276	2624	2308	2584	2528.2	
Males - -	1147	1176	1307	1208	1385	1206	1185	1376	1176	1319	1294.9	
Females - -	1153	1157	1238	1106	1261	1239	1091	1248	1132	1265	1233.3	
TOTAL Deaths -	1398	1247	1467	1177	1411	1365	1398	1236	1305	1095	1353.7	
Males - -	760	633	723	649	732	710	769	651	719	609	721.4	
Females - -	638	614	744	528	679	655	629	585	586	486	632.3	

* The numbers in this column are the average weekly numbers in the twenty-third week of the ten years 1894–1903, raised by 3.723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Mar. 19.	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	Week
TOTAL Births -	2577	2423	2240	2539	2676	2489	2733	2403	2551	2376	2122	2507	2578	322
TOTAL Deaths -	1680	1645	1672	1650	1490	1429	1392	1325	1454	1349	1274	1179	1187	187
Ages at Death { Under 1 year -	335	336	375	366	313	231	280	274	289	299	275	237	228	36
1–5 years -	216	214	214	256	214	202	194	215	203	158	200	176	175	26
5–20 " -	73	71	79	76	68	78	80	64	77	52	65	64	81	1
20–40 " -	212	190	202	157	192	175	153	182	163	174	159	140	155	22
40–60 " -	327	326	308	334	264	272	312	272	281	300	226	238	259	37
60 yrs. & upwds.	517	508	494	470	434	421	368	348	441	366	349	324	290	53
Deaths from—														
Small-pox† - -	1	1	3	3	-	1	3	1	-	-	2	-	-	1
Measles - -	69	67	92	86	75	81	66	62	86	75	83	78	62	4
Scarlet Fever - -	2	4	4	8	4	9	10	3	7	5	4	7	4	1
Diphtheria - -	17	13	17	17	8	15	14	19	20	10	14	6	9	1
Whooping-cough -	51	48	68	64	64	43	42	48	44	39	33	32	28	6
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	2	3	3	4	3	3	3	4	1	4	2	1	5	-
Pyæmia (origin uncertain) -	-	-	-	1	-	-	-	1	-	-	-	-	-	-
Diarrhoea, Dysentery	19	19	16	21	12	12	15	23	16	21	15	16	26	2
All above Diseases -	161	155	203	204	166	164	153	161	174	154	153	140	134	21
Dis. of Resp. System	205	195	212	167	156	127	100	83	116	105	80	73	64	16
Pneumonia - -	170	183	158	166	139	127	124	110	115	105	108	108	93	17
Phthisis - -	168	168	168	136	169	153	160	155	143	123	145	133	134	19
Dis. of Circ. System	230	223	207	203	168	176	178	167	206	193	136	148	153	23
Violence - -	69	68	58	65	56	49	63	62	61	65	54	56	67	7
Inquest Cases - -	161	164	153	178	127	134	155	125	143	151	133	119	134	18
Deaths in Institutions	554	555	585	540	473	491	532	485	569	497	480	440	436	66
TEMPERATURE OF THE AIR.														
Mean - -	40.8	43.3	42.0	48.0	49.6	49.1	49.6	49.0	49.7	54.0	57.3	56.0	55.9	41
Mean of Highest -	50.1	49.3	50.5	55.8	59.1	59.7	57.1	58.1	58.8	63.7	65.9	64.1	65.5	54
Mean of Lowest -	31.5	37.6	35.3	40.9	40.6	38.2	43.3	42.4	41.5	44.3	50.5	49.2	48.1	41
Mean Humidity of the Air.	77	80	79	71	71	71	72	70	81	65	86	84	75	
Rain-fall (in inches) -	0.06	0.11	0.45	0.37	0.32	0.24	0.05	0.55	0.29	0.35	0.30	0.71	0.12	3
Registered Sunshine (in hours).	28.2	13.7	29.5	33.5	36.9	38.9	21.9	37.0	14.0	58.5	15.0	28.7	39.3	39
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Mean
Small-pox - -	74	110	126	134	144	123	104	88	99	96	118	96	95	10
Scarlet Fever - -	1624	1585	1570	1505	1523	1543	1541	1590	1600	1630	1663	1673	1647	15
Diphtheria - -	807	776	787	749	737	719	730	750	777	767	768	748	721	7
Typhus - -	1	1	1	1	1	1	2	2	2	1	-	-	-	-
Enteric Fever - -	94	83	86	80	68	73	62	56	53	56	51	52	65	-

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the result have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholm Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D. Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E. Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-THIRD Week of the Year 1904.

terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 23rd week of the year 1903.	1904—Deaths of Persons of the Ages						CAUSES OF DEATH.	Deaths in the 23rd week of the year 1903.	1904—Deaths of Persons of the Ages							
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.			60 years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
L CAUSES	1095	1187	228	175	81	155	258	290									
Small-pox*	-	-	-	-	-	-	-	-	Meningitis (not tuberc.)	11	14	1	7	4	1	1	
Whooping-cough	-	-	-	-	-	-	-	-	Insanity, Gen. Par. of	14	8	-	-	-	2	4	
Measles (Morbilli)	38	62	16	44	2	-	-	-	Insane - - - - -	6	9	-	-	-	3	4	
Scarlet Fever	11	4	-	3	1	-	-	-	Epilepsy - - - - -	14	15	13	2	-	-	2	
Diphtheria	-	-	-	-	-	-	-	-	Convulsions - - - -	2	1	-	-	-	-	1	
Whooping-cough	23	28	8	19	1	-	-	-	Locomotor Ataxy - -	5	4	-	-	1	-	2	
Paraphlegia, Dis. of Cord	12	9	1	4	3	1	-	-	Paraplegia, Dis. of Cord	15	12	-	1	-	3	8	
Nervous Sys. (other dis.)	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	37	37	-	-	3	8	10	
Valv. Dis., Endocarditis-	37	37	-	-	-	-	-	-	Cerebr. Ham. Thromb. -	38	21	-	-	-	8	11	
Cerebr. Ham. Thromb. -	38	21	-	-	-	-	-	-	Apoplexy, Hemiplegia	14	17	-	-	-	2	13	
Apoplexy, Hemiplegia	14	17	-	-	-	-	-	-	Aneurysm - - - - -	4	8	-	-	-	5	1	
Aneurysm - - - - -	4	8	-	-	-	-	-	-	Embolism, Thrombosis }	2	-	-	-	-	-	-	
Embolism, Thrombosis }	2	-	-	-	-	-	-	-	(not cerebral)	71	75	1	-	1	6	26	
(not cerebral)	71	75	1	-	1	6	26	41	Heart & Blood Vessel Dis.	-	-	-	-	-	-	-	
Heart & Blood Vessel Dis.	-	-	-	-	-	-	-	-	Croup (not Spasm: nor }	-	-	-	-	-	-	-	
Croup (not Spasm: nor }	-	-	-	-	-	-	-	-	Memb.) - - - - -	42	51	10	7	-	3	24	
Memb.) - - - - -	42	51	10	7	-	3	2	1	Bronchitis - - - - -	3	3	-	-	-	-	-	
Bronchitis - - - - -	3	3	-	-	-	-	-	-	Asthma, Emphysema -	2	1	-	-	-	1	-	
Asthma, Emphysema -	2	1	-	-	-	-	-	-	Pleurisy - - - - -	5	8	3	-	1	-	2	
Pleurisy - - - - -	5	8	3	-	1	-	-	-	Respiratory Dis. (other)	-	-	-	-	-	-	-	
Respiratory Dis. (other)	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy -	-	-	-	-	-	-	-	
Tonsillitis, Quinsy -	-	-	-	-	-	-	-	-	Enteritis (not Epid.)	9	8	6	-	1	1	-	
Enteritis (not Epid.)	9	8	6	-	1	1	-	-	Gastro-Enteritis - -	3	2	2	-	-	2	-	
Gastro-Enteritis - -	3	2	2	-	-	-	-	-	Peritonitis (not Puerp.)	2	5	-	-	2	1	2	
Peritonitis (not Puerp.)	2	5	-	-	-	-	-	-	Cirrhosis of Liver -	7	15	-	-	-	1	11	
Cirrhosis of Liver -	7	15	-	-	-	-	-	-	Liver Dis. (other) -	8	5	-	-	-	2	2	
Liver Dis. (other) -	8	5	-	-	-	-	-	-	Digestive Dis., Other	29	34	7	1	5	7	7	
Digestive Dis., Other	29	34	7	1	5	7	7	7	Nephritis, Acute - -	2	4	-	-	-	1	3	
Nephritis, Acute - -	2	4	-	-	-	-	-	-	Bright's Dis., Albumin-	31	21	-	1	1	3	6	
Bright's Dis., Albumin-	31	21	-	1	1	3	6	10	uria - - - - -	6	12	-	-	-	1	2	
uria - - - - -	6	12	-	-	-	-	-	-	Urinary Sys., Other Dis.	4	3	-	-	-	2	1	
Urinary Sys., Other Dis.	4	3	-	-	-	-	-	-	Generative Organs Dis.	7	3	-	-	-	2	1	
Generative Organs Dis.	7	3	-	-	-	-	-	-	Childbirth (Accid. of)	33	41	-	-	-	-	41	
Childbirth (Accid. of)	33	41	-	-	-	-	-	-	Old Age - - - - -	71	71	42	10	1	4	5	
Old Age - - - - -	71	71	42	10	1	4	5	9	Other Diseases - - -	-	-	-	-	-	-	-	
Other Diseases - - -	-	-	-	-	-	-	-	-									
									ACCIDENT.								
									By Railways - - - -	-	3	-	-	-	2	1	
									By Vehicles and Horses-	14	9	-	2	3	-	1	
									In Ships, Boats, Docks,	1	1	-	-	-	1	-	
									(exclusive of Drown-	-	-	-	-	-	-	-	
									ing) - - - - -	1	2	-	-	-	-	1	
									In Building Operations-	-	-	-	-	-	-	-	
									In Conflagrations -	3	9	-	6	2	-	1	
									By Burns, Scalds, Ex-	4	6	-	1	2	3	-	
									plosions - - - - -	3	7	7	-	-	-	-	
									By Drowning - - - -	2	1	-	-	-	-	-	
									By Suffocation in Bed	19	10	-	1	-	1	4	
									By Poisons or Poisonous	-	-	-	-	-	-	-	
									Vapours - - - - -	-	-	-	-	-	-	-	
									Other Deaths by Acci-	-	-	-	-	-	-	-	
									dent - - - - -	-	-	-	-	-	-	-	
									VIOLENCE OTHER THAN								
									ACCIDENTAL.								
									Homicide - - - - -	-	4	1	-	1	2	-	
									Suicide - - - - -	17	15	-	-	1	5	7	
									Execution - - - - -	-	-	-	-	-	-	2	

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; AND DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 11th June, 1904.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														Deaths in Public Institutions.
				Deaths of Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Deaths from												
						Small-pox.	Measles.	Scarlet Fever	Diphtheria.	Whooping-cough.	Typhus.	Erysip (or Typhoid) Fever.	Puerperal (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.		
LONDON - - -	4,536,429	2578	1187	228	290	-	62	4	9	28	-	5	-	26	67	134	436	
WEST DISTRICTS - - -	805,311	394	223	39	65	-	3	1	-	5	-	1	-	3	13	31	82	
NORTH DISTRICTS - - -	1,056,070	570	243	43	72	-	14	1	2	7	-	-	-	2	12	29	75	
CENTRAL DISTRICTS - - -	209,465	123	59	11	12	-	3	-	-	1	-	-	-	1	3	8	28	
EAST DISTRICTS - - -	715,739	495	203	48	43	-	12	-	2	4	-	1	-	6	11	24	91	
SOUTH DISTRICTS - - -	1,749,844	996	431	86	94	-	29	1	5	11	-	3	-	13	28	42	132	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	28	1	4	-	1	1	-	-	-	-	-	1	-	-	28	
WEST DISTRICTS.																		
St. Mary Paddington } G. & W.	93,178	47	25	4	11	-	-	-	-	-	-	-	-	1	2	3	8	
W ² H																		
St. John Paddington H - - G.	33,617	10	8	-	2	-	-	-	-	-	-	-	-	-	2	3	6	
North-West Paddington - - C.	17,181	12	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	
Kensington Town 2W, w ² H G. & W. & C.	128,037	63	40	4	15	-	-	-	-	-	-	1	-	-	-	2	18	
Brompton 2H - - W. & C.	48,591	8	11	1	6	-	-	-	-	-	-	-	-	-	1	3	1	
North Hammersmith W, w ² H } W. & G.	49,192	31	7	2	1	-	-	-	-	1	-	-	-	-	1	1	-	
South Hammersmith w ² H	63,047	32	22	3	4	-	1	-	-	-	-	-	-	2	4	5	8	
North-west Fulham W } W. & C.	45,180	41	18	2	5	-	2	-	-	-	-	-	-	-	-	1	10	
North-east Fulham F	46,405	27	15	4	2	-	1	-	2	-	-	-	-	-	1	2	1	
South Fulham W	45,704	25	10	4	1	-	-	-	-	-	-	-	-	-	1	1	-	
Chelsea North W, w ² H - - C.	42,514	21	25	6	5	-	-	-	2	-	-	-	-	-	-	2	13	
Chelsea South W ² H - - C.	31,323	15	10	3	1	-	-	-	-	-	-	-	-	-	-	2	4	
May Fair and Knightsbridge } C. & G.	28,743	6	6	-	4	-	-	-	-	-	-	-	-	-	1	2	-	
H																		
Belgrave W ² H - - C.	55,815	16	12	1	3	-	-	-	-	-	-	-	-	-	-	2	8	
St. Margaret & St. John 4H - C.	43,698	22	6	2	1	-	-	-	-	-	-	-	-	-	-	1	4	
St. James Westminster } N. & G.	21,588	10	5	3	1	-	-	-	-	-	-	-	-	-	-	1	1	
W ² H																		
St. Anne Soho 5H - - N.	11,493	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
NORTH DISTRICTS																		
All Souls Marylebone 8H - W.	35,391	21	10	-	4	-	-	-	-	-	-	-	-	-	1	2	5	
Rectory Marylebone W G. & W.	19,849	2	3	-	2	-	-	-	-	-	-	-	-	-	-	1	-	
St. Mary Marylebone 4H G. & W.	18,099	34	2	1	1	-	3	-	-	-	-	-	-	-	-	1	-	
Christchurch Marylebone H- W.	39,536	18	6	-	3	-	-	-	-	-	-	-	-	-	1	1	-	
St. John Marylebone 3H - W.	20,426	7	4	1	2	-	-	-	-	-	-	-	-	-	1	1	-	
Hampstead W, F, 6H - N. & W.	81,942	23	18	4	4	-	2	1	2	-	-	-	-	-	1	3	7	
West St. Pancras 2H - - W.	60,562	34	19	5	4	-	-	-	-	2	-	-	-	-	-	1	3	
Tottenham-court w, 6H N. & W.	21,258	4	9	1	3	-	-	-	-	-	-	-	-	-	-	1	6	
Gray's Inn Lane 4H - - N.	34,449	20	5	-	1	-	-	-	-	-	-	-	-	-	2	2	4	
East St. Pancras W ² H - - N.	60,320	34	13	4	2	-	-	-	-	1	-	-	-	-	1	3	5	
North St. Pancras 2W - - N.	58,728	36	31	2	12	-	1	-	2	-	-	-	-	-	-	1	13	
Tufnell W- - - N.	31,995	17	15	3	4	-	1	-	-	-	-	-	-	-	-	2	10	
Upper Holloway 2W, w ² H - N.	33,978	23	19	2	3	-	-	3	-	-	-	-	-	-	-	-	13	
Tollington W - - N.	33,922	17	4	1	1	-	-	2	-	-	-	-	-	-	1	1	-	
Lower Holloway - - N.	41,424	23	6	1	-	-	-	2	-	-	-	-	-	-	-	1	-	
Barnsbury - - N.	54,478	39	7	3	2	-	-	-	-	-	-	-	-	-	-	1	-	
Islington South-east F - N.	75,397	52	10	2	2	-	-	-	-	-	-	-	-	-	-	1	-	
Highbury 2H - - N.	63,797	29	9	1	5	-	-	-	-	-	-	-	-	-	1	1	-	
Stoke Newington H - - N.	51,247	25	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
North Hackney - - E. & N.	50,560	13	11	2	5	-	-	-	-	-	-	-	-	1	-	-	-	
Central Hackney 2w, F - E. & N.	50,536	43	8	2	3	-	1	-	-	1	-	-	-	-	-	-	-	
South-west Hackney 3H E. & N.	59,921	30	16	6	1	-	-	-	-	-	-	-	-	-	3	6	5	
South-east Hackney 2W, w, H E. & N.	58,255	26	14	2	6	-	2	-	-	1	-	-	-	-	-	-	4	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

LE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 11th June, 1904—continued.

REGISTRATION SUB-DISTRICTS,	Enu- me- rated Popu- lation, 1901.	Total BIRTHS.	The DEATHS registered during the Week include														Deaths in Public Institutions.	Uncertified Causes of Death.	
			Total DEATHS.	Deaths of		Deaths from													
				Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhoea.	Violence.				
CENTRAL DISTRICTS.																			
Giles and Bloomsbury W,2H N.	31,436	21	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
and W,4H - - - N. & C. and Union Workhouse, Edmonton-	21,674	5	12	2	2	-	-	-	-	-	-	-	-	-	-	-	2	10	-
born W,6H - - - N.	29,612	17	12	2	2	-	1	-	-	-	-	-	-	-	-	-	-	4	-
th Clerkenwell - - - N.	28,676	23	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
th Clerkenwell H - - - N.	35,028	23	5	2	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-
sbury 3H,L - - - N.	36,116	30	9	3	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-
born Union Workhouse, } Ucham - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3
Botolph H - - - N. & E.	10,299	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sepulchre and Allhallows } W,H - - - - - }	16,824	2	12	1	1	-	1	-	-	-	-	-	-	-	-	1	2	2	9
of London Asylum, Stone - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
EAST DISTRICTS.																			
reditch South H,L - E. & N.	16,369	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
ston New Town W,H - - N.	29,761	17	8	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-
ston Old Town - - - N.	26,504	18	6	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	5
ggerston W - - - N & E.	46,003	29	16	2	4	-	3	-	-	-	-	-	-	-	-	-	1	1	5
reditch Union Workhouse, Wood } reen - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
hnal Green North 2H - E.	51,514	32	12	4	1	-	1	-	1	1	-	-	-	-	-	-	-	1	1
hnal Green South - - E.	33,472	21	5	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
hnal Green East 2W,H,L - E.	44,694	32	18	3	5	-	-	-	-	-	-	-	-	-	-	-	-	-	14
talfields - - - E. & N.	27,969	21	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
e End New Town W,H - E.	28,718	34	32	6	3	-	-	-	-	-	-	-	-	-	-	-	7	7	29
odman's Fields - - - E.	22,081	17	6	4	1	-	2	-	-	-	-	-	-	-	-	-	1	1	-
George and St. John 2W E.	49,088	45	11	5	2	-	2	-	-	-	-	-	-	-	-	-	-	2	2
dwell and Ratcliff W,H,E. & N.	25,568	11	7	2	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1
ehouse- - - - E.	32,369	20	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
e End Old Town South- } estern* H - - - - - }	63,698	65	5	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-
e End Old Town North- } estern* W,w - - - - - }	49,129	33	17	5	5	-	-	-	-	-	-	-	-	-	1	-	-	-	12
w L - - - - E.	41,989	28	8	3	2	-	-	-	-	-	-	-	-	-	-	-	1	3	-
mley 3w,H - - - E.	68,319	41	30	3	10	-	-	-	-	-	1	-	1	-	-	-	1	4	20
lar W,w - - - E.	68,514	26	13	1	5	-	-	-	-	-	-	-	-	-	2	-	-	1	2

On 1st May, 1904, the sub-districts of Mile End Old Town West and Mile End Old Town East were dissolved and med into two new sub-districts as above.

Population, Births, and Deaths in London Sub-Districts.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 11th June, 1904—continued.

The DEATHS registered during the Week include																
REGISTRATION SUB-DISTRICTS	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	Deaths at												
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from										Inquest Cases
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid) Fever.	Pyæmia. (Origin uncertain).	Diarrhoea.	Violence.	
SOUTH DISTRICTS.																
Christchurch Southwark W, H, L & S.	11,263	6	5	-	3	-	-	-	-	-	2	-	-	-	-	
St. Saviour Southwark H - S.	12,056	7	16	4	-	-	-	-	-	-	-	-	-	2	3	
Kent-road - S. & L.	21,904	17	6	2	2	-	1	-	-	-	-	-	-	-	-	
St. George the Martyr } S. & L.	39,094	21	9	-	2	-	-	-	-	-	-	-	-	-	-	
West W, 2H, L - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Newington North* - S. & L.	49,022	24	7	2	1	-	1	-	-	-	-	-	-	2	-	
Newington South* W - S. & L.	72,841	49	14	4	2	-	1	-	-	1	-	-	-	1	1	
St. Olave 2W - - - S.	9,817	8	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bermondsey W - - - S.	82,483	49	20	9	-	-	6	-	-	-	-	-	-	2	3	
Rotherhithe W, F - - S. & K.	38,460	21	12	2	3	-	-	-	-	-	-	-	-	-	-	
Waterloo-road 2H - - L. & S.	27,440	34	7	3	-	-	2	-	-	-	-	-	-	1	-	
Lambeth Church 1st H - L. & S.	18,423	8	14	1	-	-	1	-	-	-	-	1	-	2	3	
Lambeth Church 2nd 2W - L. & S.	39,818	30	14	2	1	-	1	-	-	2	-	-	-	1	1	
Kennington 1st H - S. & L.	53,198	39	7	3	-	-	1	-	-	-	-	-	-	-	1	
Kennington 2nd H - S. & L.	42,896	15	6	1	-	-	-	-	-	-	-	-	-	1	1	
Brixton F - - - L. & S.	84,232	41	17	5	6	-	-	-	-	1	-	-	-	1	1	
Norwood W, H - - - L.	35,888	15	8	2	3	-	-	-	-	-	-	-	-	-	-	
East Battersea - - - S.	72,203	44	10	2	3	-	-	-	-	-	-	1	-	1	2	
North-west Battersea - - S.	49,666	27	13	1	2	-	1	-	-	-	-	-	-	-	-	
South-west Battersea W, H - S.	47,048	18	29	11	3	-	-	-	-	1	-	-	-	3	3	
Clapham 2H - - - S.	51,361	35	9	2	4	-	1	-	-	1	-	-	-	-	-	
Streatham W, 2W, 2F, 2L - L.	88,019	59	22	4	5	-	1	-	-	-	-	-	-	-	-	
Springfield 2W, L - - - S.	27,959	25	4	1	2	-	-	-	-	-	-	-	-	-	-	
Southfields H - - - S.	40,444	28	6	1	2	-	-	1	-	-	-	-	-	1	1	
Putney - - - S.	24,139	11	5	-	3	-	-	-	-	-	-	-	-	1	1	
Woolwich - - - L. & S.	13,350	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
Camberwell South† W, w - S. & L.	40,206	22	23	1	8	-	1	-	-	-	-	-	-	1	-	
Camberwell North† W, 2L - S. & L.	65,584	28	21	3	8	-	1	-	-	-	-	-	-	2	3	
St. George† - - - L. & S.	47,331	29	10	2	4	-	1	-	-	-	-	-	-	1	1	
Peckham† 2W, w - - S., L. & K.	92,859	58	19	3	2	-	4	-	-	1	-	-	-	-	1	
Deptford North - - - K.	37,613	25	8	3	-	-	2	-	1	-	-	-	-	-	1	
Deptford Central F - - K.	45,481	24	6	2	-	-	3	-	-	-	-	-	-	1	1	
Deptford South - - - K.	34,625	11	5	1	2	-	-	-	-	-	-	-	-	2	2	
Greenwich West 2H - - K.	23,456	2	11	1	3	-	-	-	-	-	-	-	-	1	1	
Greenwich East 2W, H - K.	43,869	27	20	2	7	-	-	-	-	1	-	-	-	5	5	
Eltham w, H - - - K.	7,226	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
Lee H - - - K.	25,490	8	3	1	1	-	-	-	-	-	-	-	-	-	-	
Lewisham W w, F - - K.	58,352	35	15	5	3	-	-	-	3	1	-	-	-	-	1	
Lydenham H - - - L.	43,653	23	5	-	3	-	-	-	-	-	-	-	-	-	-	
Charlton F 2H - - - K.	21,134	9	5	-	-	-	-	1	-	-	-	1	-	-	-	
Woolwich 4H - - - K.	41,825	16	6	-	1	-	-	-	-	-	-	-	-	1	2	
Plumstead West W - - K.	18,063	9	2	-	-	-	-	-	-	-	-	-	-	-	1	
Plumstead East 2W, H - K.	50,264	34	10	-	4	-	-	-	-	-	-	-	-	-	-	
London County Asy., Banstead - - -	-	-	8	-	1	-	-	-	-	-	-	-	-	-	-	
Manor Asylum, Epsom - - -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	
Morton Asylum, Epsom - - -	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	
Lon. Co. Asy. Epilep. Colony, Epsom -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Met. Asy. for Imbeciles, Caterham -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
London County Asy., Cane Hill -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M.A.B. Hospitals, Dartford -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
Met. Asy. for Imbeciles, Darenth -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
London County Asylum, Dartford } Heath -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
London County Asylum, Hanwell -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Central London Sick Asy., Hendon -	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	
London County Asy., Colney Hatch -	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
M.A.B. North-Eastern Hospital -	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	
M.A.B. Northern Hospital -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Met. Asy. for Imbeciles, Leavesden -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
London County Asylum, Claybury -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	

* On 1st March, 1904, the sub-districts of Trinity Newington, St. Peter Walworth, and St. Mary Newington, were abolished, and divided into two new sub-districts entitled Newington North and Newington South respectively.

† On 1st April, 1904, the four sub-districts of Camberwell registration district were abolished, and divided into sub-districts as above.

‡ On 1st June, 1904, changes were made in the boundary between Streatham sub-district and Mitcham sub-district (3

3. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 11th June, 1904.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
					Deaths of		Deaths from											
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
LONDON—OUTER RING	368,580	2,044,973	1325	430	99	120	-	28	2	3	8	1	7	19	41	60	1	
Carshalton <i>w</i> 2 <i>F</i> 3 <i>H</i>	12,228	32,997	18	6	-	2	-	-	-	-	-	-	-	-	-	-	-	
Epsom, part of* <i>W</i> , <i>w</i> 2 <i>F</i> , <i>H</i>	10,423	15,548	10	4	-	2	-	-	-	-	-	-	-	-	-	4	-	
Godstone, part of* <i>W</i> , <i>F</i>	2,754	2,692	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Coulsdon	11,069	8,166	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
South Croydon	4,200	49,369	29	4	1	1	-	1	-	-	-	-	-	-	1	-	-	
West Croydon 3 <i>W</i> , <i>F</i> , <i>H</i>	2,168	42,888	21	21	4	7	-	4	-	-	-	-	-	1	2	9	-	
North Croydon <i>H</i>	2,644	41,698	24	6	2	3	-	-	-	-	-	-	-	-	1	-	-	
Penge <i>w</i>	770	22,465	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Mitcham <i>w</i>	11,689	30,015	22	7	2	2	-	-	-	-	-	-	-	-	-	-	-	
Wimbledon <i>F</i> , 3 <i>H</i>	3,221	41,652	23	6	2	1	-	-	-	1	-	-	-	-	1	-	-	
Kingston <i>W</i> , <i>H</i>	6,224	42,068	21	9	3	3	-	-	-	-	-	-	1	-	2	1	-	
Surbiton <i>F</i> , <i>H</i>	3,046	15,017	4	2	1	1	-	-	-	-	-	-	-	-	1	-	-	
Esher, part of* <i>H</i>	5,402	13,100	8	7	-	4	-	-	-	-	-	-	-	-	-	-	-	
Hampton <i>H</i> , <i>L</i>	4,564	23,456	11	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
Richmond <i>W</i> , <i>H</i>	2,162	28,865	10	5	-	1	-	-	-	-	-	-	-	-	-	1	-	
Mortlake <i>F</i>	2,847	20,628	14	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
Bromley <i>F</i> , 2 <i>H</i>	4,703	27,354	8	10	2	3	-	-	-	-	-	-	-	2	3	2	-	
Beckenham <i>H</i>	7,825	28,497	14	6	-	5	-	-	-	-	-	-	-	-	-	-	-	
Orpington, part of* <i>W</i>	10,113	9,857	5	3	-	2	-	-	-	-	-	-	-	-	-	1	-	
Chislehurst 2 <i>H</i>	7,333	16,446	10	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
Bexley <i>F</i> , <i>H</i>	8,678	21,151	16	4	2	1	-	-	-	-	-	-	-	-	-	-	-	
Erith <i>F</i> , <i>H</i>	3,854	25,296	19	6	1	-	-	-	-	-	-	-	-	1	2	2	-	
Dartford <i>W</i> , <i>F</i> , part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Sunbury <i>w</i>	11,054	18,683	14	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Staines <i>W</i> , <i>H</i>	13,277	15,178	8	2	-	1	-	-	-	-	-	-	-	-	-	2	-	
Hillingdon <i>W</i> , <i>F</i> , <i>H</i>	6,035	13,661	8	2	-	1	-	-	-	-	-	-	-	-	1	1	-	
Uxbridge	12,757	8,984	6	1	-	-	-	-	-	-	-	-	-	1	1	-	-	
Hayes <i>w</i> , <i>F</i> , <i>H</i>	8,066	16,358	14	2	2	-	-	-	-	-	-	-	-	-	-	-	-	
Isleworth 3 <i>W</i> 2 <i>F</i> , <i>H</i>	6,859	30,863	16	13	3	2	-	-	-	-	-	-	1	-	-	2	-	
Twickenham <i>F</i> , <i>H</i>	2,421	20,991	12	5	-	3	-	-	-	-	-	-	-	1	1	1	-	
Brentford 2 <i>F</i> 2 <i>H</i> , <i>L</i>	4,319	48,289	25	11	5	4	-	2	-	-	-	-	-	-	-	-	-	
Chiswick <i>H</i>	1,249	29,809	22	12	5	3	-	2	-	-	1	-	1	-	-	-	-	
Acton <i>w</i> 3 <i>H</i>	6,132	48,914	53	12	3	3	-	-	-	-	-	-	-	1	2	-	-	
Harrow <i>F</i> , <i>H</i>	13,809	25,523	13	5	2	2	-	-	-	-	-	-	-	-	-	-	-	
Edgware <i>F</i> , 2 <i>H</i>	6,994	4,521	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
Willesden <i>W</i> , <i>F</i> , 2 <i>H</i>	4,384	114,811	100	17	4	4	-	-	-	-	-	-	-	-	1	-	-	
Hendon <i>W</i> , <i>F</i>	8,382	22,450	24	4	1	1	-	-	-	-	-	-	-	-	-	1	-	
South Mimms 2 <i>F</i> , <i>H</i>	17,755	7,308	3	1	-	1	-	-	-	-	-	-	1	-	-	-	-	
Barnet <i>W</i> , 3 <i>H</i>	5,324	17,970	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
Finchley <i>F</i> , 2 <i>H</i>	4,688	33,692	19	11	2	4	-	2	-	-	-	-	-	-	2	-	-	
Hornsey <i>F</i> , <i>H</i>	2,875	72,056	36	10	2	4	-	1	-	-	-	-	-	-	-	-	-	
Wood Green <i>H</i>	1,625	34,233	16	4	1	1	-	-	-	-	-	-	-	-	-	-	-	
West Tottenham <i>F</i>	996	48,853	42	6	2	-	-	-	-	-	-	-	-	-	2	-	-	
East Tottenham <i>F</i> , <i>H</i>	2,017	53,888	30	13	3	1	-	1	-	1	-	-	-	1	2	2	-	
Edmonton <i>W</i> , <i>w</i> , 2 <i>F</i>	7,491	61,892	44	19	3	7	-	1	-	1	-	-	-	-	1	5	-	
Enfield 2 <i>W</i> , <i>F</i> , <i>H</i>	12,601	42,738	29	7	2	1	-	-	-	1	-	-	1	-	-	1	-	
Waltham Abbey	11,017	6,549	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
Cheshunt <i>F</i> , <i>H</i>	8,479	12,292	3	3	-	-	-	-	-	-	-	-	-	1	2	1	-	
Hatfield, part of* <i>W</i>	3,305	664	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bushey <i>H</i>	9,333	9,173	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Watford <i>W</i> 2 <i>F</i> part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Stratford <i>H</i>	1,072	44,827	33	10	2	3	-	-	-	-	-	-	-	-	-	-	-	
Plaistow <i>F</i> , 2 <i>H</i>	1,249	90,921	81	24	8	5	-	3	-	-	1	-	-	1	3	-	-	
Canning Town <i>H</i>	1,558	70,718	43	14	6	1	-	2	-	-	-	-	-	-	-	-	-	
Forest Gate <i>w</i>	806	60,892	33	7	-	3	-	-	-	1	-	-	-	1	1	-	-	
North East Ham <i>w</i>	1,333	58,676	45	9	2	3	-	1	1	-	-	-	-	-	-	-	-	
South East Ham 3 <i>F</i>	1,993	57,342	28	8	4	1	-	2	1	-	-	-	-	-	-	-	-	
Wanstead <i>F</i>	1,679	9,179	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
South Leyton 2 <i>W</i>	631	50,467	38	12	1	6	-	-	-	-	-	-	1	-	-	4	-	
North Leyton <i>W</i> , <i>w</i> , <i>F</i>	1,963	48,446	29	20	2	5	-	-	-	-	-	-	-	-	1	13	1	
Walthamstow 3 <i>H</i> , <i>L</i>	6,504	108,929	87	17	7	2	-	4	-	-	3	-	-	-	-	-	-	
Chigwell, part of* 2 <i>F</i> , <i>A</i> , <i>H</i>	11,778	16,397	6	3	-	1	-	-	-	-	-	-	-	2	2	-	-	
Epping <i>W</i> , <i>F</i> , part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	
Romford, part of* <i>W</i> , 2 <i>F</i>	6,556	6,091	1	3	-	1	-	1	-	-	-	-	-	1	1	1	-	
Ilford <i>F</i> , <i>L</i>	8,496	41,234	31	12	1	4	-	1	-	-	-	-	-	2	1	1	-	
Barking Town <i>F</i>	3,803	21,547	18	5	4	-	-	-	-	-	1	-	-	1	2	-	-	
Middlesex County Asylum, Wandsworth.	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-	

The parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

Note: on preceding page.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended		BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping- cough.	Fever.
CALCUTTA (including SUBURBS)	847,796	April	30	-	738	45·2	5	1	-	-	-	358†
BOMBAY - -	776,006	May	24	339	686	46·0	12	7	-	-	-	199†
MADRAS - -	509,346	"	6	371	394	40·2	-	1	?	?	?	75
PARIS - - -	2,680,559	June	4	1003	843	16·4	-	20	3	6*	9	8
BRUSSELS - -	575,896	"	4	240	154	13·6	-	-	-	3*	1	1
ANTWERP - -	281,376	"	4	147	70	12·7	-	2	-	-	2	3
AMSTERDAM -	547,370	May	28	265	163	15·5	-	10	-	-	2	1
COPENHAGEN -	420,000	June	4	265	141	17·5	-	2	-	1*	7	-
STOCKHOLM -	305,115	May	28	138	74	12·4	-	2	-	1*	3	-
CHRISTIANIA -	225,709	June	4	123	69	16·0	-	-	1	3*	-	-
ST. PETERSBURG	1,248,643	May	28	546	622	26·0	3	32	10	11*	3	3
MOSCOW - -	1,093,410	"	28	-	684	32·7	9	17	6	12*	4	-
BERLIN - - -	1,960,900	"	21	867	631	16·8	-	15	3	3*	11	4
HAMBURG - -	751,842	June	4	-	210	14·5	-	3	2	2*	3	1
BRESLAU - -	445,403	May	28	-	197	23·1	-	-	-	1*	-	-
MUNICH - - -	520,000	June	4	-	238	27·9	-	1	-	-	-	-
VIENNA - - -	1,779,869	"	4	-	195	19·5	-	2	-	1*	-	1
PRAGUE - - -	423,980	"	4	967	711	20·6	-	56	-	9*	3	1
BUDA-PESTH -	813,399	"	4	-	-	-	-	-	-	-	-	-
TRIESTE - - -	187,251	"	4	425	323	20·4	-	4	16	6*	1	-
ROME - - -	496,201	"	4	123	75	20·5	-	-	1	-	-	-
VENICE - - -	166,288	April	16	222	182	19·1	-	8	-	2*	1	-
CAIRO - - -	624,338	May	28	85	74	23·2	-	1	-	-	-	1
ALEXANDRIA -	349,300	March	11	-	-	-	-	-	-	-	-	-
NEW YORK - -	3,838,024	"	11	-	-	-	-	-	-	-	-	-
PHILADELPHIA	1,408,154	"	11	-	-	-	-	-	-	-	-	-
BOSTON - - -	617,950	May	28	1522	1517	20·6	-	32	22	49*	2	14
		"	7	-	572	21·2	5	3	3	9*	1	38
		"	21	-	-	-	-	-	-	-	-	-

* Including deaths from croup.

† Including 270 deaths from plague in Calcutta, and 160 in Bombay.

‡ Including 103 deaths from cholera in Calcutta, and one in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 11th June, 1904.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	71·2	46·7	56·8	0·12	BRADFORD - -	70·0	41·6	53·1	0·38
BRIGHTON - -	72·2	46·3	57·3	0·23	LEEDS - - -	74·0	46·0	55·5	0·13
PORTSMOUTH - -	72·5	46·0	57·5	0·20	HULL - - -	62·0	45·0	52·0	0·24
NORWICH - - -	62·2	46·6	53·9	0·11	TYNEMOUTH - -	61·0	48·0	53·3	0·00
PLYMOUTH - -	69·8	42·0	57·1	0·18					
BRISTOL - - -	71·4	42·0	55·4	0·03	EDINBURGH - -	63·3	44·1	48·9	0·00
BIRMINGHAM - -	68·0	43·5	54·1	0·05	GLASGOW - - -	79·8	43·8	55·8	0·00
NOTTINGHAM - -	67·8	44·1	51·0	0·06					
LIVERPOOL - -	71·0	45·0	55·2	0·50	DUBLIN { Phoenix Park.	65·1	42·0	53·1	0·51
OBSERVATORY. }	71·5	44·7	54·1	0·11	William Square.†	68·0	49·9	56·1	0·46
MANCHESTER - -	73·0	46·5	55·9	0·09					
PRESTON - - -	69·2	44·2	52·8	0·40	BELFAST - - -	-	-	-	-
HUDDERSFIELD -									

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1·2° Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A. M.D., Dublin.

1904.

MONTH AND

JUNE.

[illegible]

DATE.

DATE.		ELECTRICITY (For explanation of symbols, see Note.)	Registered Sunshine, in hours.	Time above 50° F., in hours.	GENERAL REMARKS.
SUNDAY	- 5	w. P. generally.	13.9	16.4	Overcast till 5h. A.M.; very fine with small amounts of cloud till 5h. P.M.; cloudless afterwards.
MONDAY	- 6	w. P. in morning; m. P. generally after- wards.	8.3	16.4	Generally cloudless till 5h. A.M.; very fine generally with variable amounts of cloud afterwards.
TUESDAY	- 7	m. P. generally.	10.3	16.4	Overcast in morning; very fine generally with small amounts of cloud afterwards.
WEDNESDAY	- 8	m. P. throughout.	4.6	16.4	Generally overcast; fine in afternoon.
THURSDAY	- 9	m. P. throughout.	1.2	16.4	Generally overcast; slight rain at night.
FRIDAY	- 10	w. P. till 5h. A.M.; w. P. till 3h. P.M.; m. P. afterwards.	0.9	16.5	Overcast with rain in morning; cloudy afterwards.
SATURDAY	- 11	w. P. throughout.	0.1	16.5	Generally overcast; a little misty rain in forenoon.
			Sum 39.3	Sum 115.0	

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1880, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1876. In reading columns θ and 24 it will be borne in mind that + indicates "*higher*," and "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on any day. At the beginning of the week: on the 1st, it was 370.3 in. on the 2nd, 370.3 in. on the 3rd, 370.3 in. on the 4th, P.M. on the 5th, 29.55 in. on the 6th, increased to 370.03 in. by 11h. P.M. on the same day; decreased to 28.55 in. by 3h. A.M. on the 10th, and increased to 29.91 in. by midnight on the 11th.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 4th June, 1904.*

BOROUGHES.	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Chicken-pox.
WEST.											
Paddington- - - -	148,975	-	7	3	-	2	-	-	3	-	16
Kensington - - - -	179,236	-	9	2	-	2	-	-	4	1	17
Hammersmith - - -	117,412	-	3	1	-	-	-	-	1	-	14
Fulham - - - - -	162,482	-	5	3	-	-	-	-	1	-	19
Chelsea - - - - -	74,329	-	-	-	-	-	-	-	-	-	2
City of Westminster-	177,321	-	10	3	-	1	-	-	1	-	13
NORTH.											
St. Marylebone - - -	130,337	-	17	4	-	2	-	-	4	-	13
Hampstead - - - -	86,663	-	6	1	-	-	-	-	1	-	10
St. Pancras - - - -	235,936	-	15	7	-	2	-	-	2	-	24
Islington - - - - -	341,044	1	21	3	-	2	-	-	3	1	48
Stoke Newington - -	52,445	-	5	2	-	1	-	-	-	-	6
Hackney - - - - -	226,266	-	7	12	-	1	-	-	7	-	23
CENTRAL.											
Holborn - - - - -	57,161	-	1	-	-	1	-	-	-	-	2
Finsbury - - - - -	98,958	-	6	5	-	-	-	-	1	-	11
City of London - - -	23,482	-	1	-	-	-	-	-	-	-	2
EAST.											
Shoreditch - - - -	117,033	-	12	4	-	2	-	-	1	-	19
Bethnal Green - - -	130,207	5	12	6	-	1	-	-	3	-	17
Stepney - - - - -	303,791	-	24	16	-	1	-	-	5	-	47
Poplar- - - - -	169,905	-	9	15	-	-	-	-	7	-	25
SOUTH.											
Southwark- - - - -	207,937	1	4	2	-	-	-	-	2	-	27
Bermondsey - - - -	129,397	-	5	2	-	-	-	-	5	-	18
Lambeth - - - - -	310,359	2	13	5	-	1	-	-	5	-	37
Battersea - - - - -	175,485	-	9	1	-	-	-	-	3	1	20
Wandsworth - - - -	257,448	-	16	6	-	-	1	-	3	1	70
Camberwell - - - -	268,384	-	14	4	-	-	-	-	6	-	61
Deptford - - - - -	113,509	-	7	1	-	1	-	-	5	-	19
Greenwich - - - - -	101,651	-	2	5	-	2	-	-	-	-	18
Lewisham - - - - -	140,401	-	3	3	-	1	-	-	3	-	29
Woolwich - - - - -	123,416	-	10	1	-	-	-	-	1	-	32
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY } OF LONDON. } 4,648,950											
		9	253	117	-	23	1	-	77	4	659
AGES.											
Ages 0-1 - - - - -	-	-	4	2	-	-	-	-	2	-	62
" 1-5 - - - - -	-	-	93	51	-	1	-	-	4	-	305
" 5- - - - -	-	2	91	31	-	1	-	-	8	-	237
" 10- - - - -	-	2	31	11	-	5	-	-	3	-	40
" 15- - - - -	-	2	12	7	-	3	-	-	4	-	9
" 20- - - - -	-	-	11	10	-	2	1	-	4	1	2
" 25- - - - -	-	3	10	2	-	4	-	-	12	3	2
" 35- - - - -	-	-	-	2	-	5	-	-	10	-	-
" 45- - - - -	-	-	1	1	-	1	-	-	8	-	1
" 55- - - - -	-	-	-	-	-	1	-	-	16	-	-
" 65 and upwards -	-	-	-	-	-	-	-	-	6	-	-
Age not stated - - -	-	-	-	-	-	-	-	-	-	-	1

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING MAY, 1904.

*Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
4th June, 1904.*

SIR,

I HAVE to report to you the results of the chemical analysis and physical examination of the water supplied to the Metropolis, by the eight Water Companies, during the month of May.

Twelve samples of each Company's supply were examined, making a total of 96 samples for the month.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

COMPANIES.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Ni- trates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
THAMES.										
Chelsea - - -	{ May 9th, Drinking Fountain, Moore Park Road. }	11·2	27·78	·133	·014	0	·253	·267	1·55	19·3
West Middlesex -	{ May 9th, Cab Rank, Uxbridge Road, near Holland Park. }	11·7	28·46	·135	·012	0	·206	·218	1·55	19·0
Southwark - - -	{ May 9th, Drinking Fountain, Victoria Circus, Battersea. }	11·5	28·96	·134	·013	0	·255	·268	1·55	20·6
Grand Junction -	{ May 9th, Cab Rank, Pickering Place, Westbourne Grove. }	11·8	27·44	·131	·013	0	·263	·276	1·55	19·4
Lambeth - - -	{ May 9th, Cab Rank, Waterloo Road, opposite St. John's Church. }	11·6	29·72	·150	·013	0	·327	·340	1·7	19·7
LEA, WELLS, & C.										
New River - - -	{ May 9th, Cab Rank, Tottenham Court Road. }	11·6	31·66	·060	·007	0	·246	·253	1·8	20·4
LEA, THAMES, & HANWORTH GRAVEL WATER.										
East London - - -	{ May 9th, St. George's Baths. }	12·0	37·16	·139	·016	0	·681	·697	2·05	23·3
DEEP WELL.										
Kent- - - -	{ May 9th, Police Station, Black- heath Road. }	11·7	41·04	·042	·004	0	·547	·551	2·05	28·0
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The Chelsea Company's water, collected on the 9th May at the drinking fountain in Moore Park Road, had a temperature of 11·2° C.; 100,000 lbs. of it contained 27·78 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained ·133 lb. of carbon and ·014 lb. of nitrogen. The above quantity of water also contained ·253 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was ·267 lb. The above weight of water also contained 1·55 lbs. of chlorine and 19·3 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on the 9th May were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies was:—Kent 0·8, New River 1·1, Grand Junction 2·4, Chelsea, West Middlesex, and Southwark 2·5, East London 2·6, and Lambeth 2·8.

The filtered supplies of the five Companies dealing with water abstracted from the Thames were of good quality; in all cases the water only contained small amounts of organic matter, and the average proportion of impurity was even slightly less than that found in the previous month. All the samples taken on the 9th May were clear.

The New River Company's filtered water derived from the River Lea and deep-wells contained a very small proportion of organic impurity, and was clear and of very good quality. The sample of the East London Company's supply taken on the 9th May was drawn in a district partly supplied with water obtained from the Thames at Sunbury and gravel wells at Hanworth; the general quality of this mixed water was similar to that distributed by the Thames Companies, but it contained a higher proportion of nitric nitrogen and its degree of hardness was slightly greater.

The Kent Company's water, obtained from deep wells in the chalk, was of great organic purity and excellent quality.

Seen through a stratum two feet deep the Kent Company's water was colourless, and that of the New River Company was nearly colourless; the supplies of the six remaining Companies exhibited a very pale yellow colour.

In addition to the above analytical examination, the 96 samples of water collected during May at various places in the districts supplied by the several Companies have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded. The following results were obtained:—

PARTS PER 100,000.

COMPANIES.	"Oxygen consumed."						Free Ammonia.			"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)								
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
THAMES.												
Chelsea ...	·064	·053	·058	·072	·061	·067	0	0	0	·007	·005	·006
West Middlesex	·065	·051	·059	·073	·060	·067	0	0	0	·007	·0055	·006
Southwark ...	·093	·056	·068	·101	·058	·074	0	0	0	·007	·0055	·006
Grand Junction	·080	·055	·064	·091	·066	·073	0	0	0	·0065	·0055	·006
Lambeth ...	·080	·061	·070	·091	·067	·078	0	0	0	·007	·006	·0065
LEA AND WELLS.												
New River ...	·030	·024	·027	·034	·024	·028	0	0	0	·003	·0025	·003
LEA, THAMES, & C.												
East London ...	·065	·045	·051	·072	·050	·058	0	0	0	·0065	·005	·0055
DEEP WELLS.												
Kent ...	·010	·007	·009	·012	·009	·010	0	0	0	·0015	·001	·0015

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

The tabulated figures show that the supplies of the five Thames Companies were of uniform good quality during the whole of May, the average proportion of organic impurity being even less than that found in April. The general favourable condition of the Thames, which set in towards the middle of March, continuing through April and lasting till nearly the end of May, has had a marked effect on the quality of the filtered water delivered in London in April and May, and in respect to organic purity and freedom from colour the supplies during these months have been much better than at any time since the autumn of 1902.

The New River Company's filtered supply, derived from the Lea and wells, was of very uniform good quality throughout the month. The East London Company's water, obtained chiefly from the Lea, was of good quality, and in respect to organic purity was, on the average, slightly superior to the best of the Thames Companies' supplies.

All the samples of the Kent Company's deep-well water were, as usual, of great organic purity and excellent quality.

All the samples of the New River and Kent Companies' supplies were clear, but in the cases of the other Companies the samples, on some occasions, contained minute amounts of rust-stained suspended matters.

I am, Sir,

Your obedient Servant,

T. E. THORPE.

The Registrar-General,

Somerset House, W.C.

RETURNS OF LONDON WATER COMPANIES.

The LONDON WATER COMPANIES have been good enough to furnish the following account of the number of services and the average daily amount of water supplied during the month of May, 1904. The supply was in the ratio of 218 gallons to one service.

COMPANIES.	Number of Services.		Daily Supply of Water in Gallons.	
	MAY, 1903.	MAY, 1904.	MAY, 1903.	MAY, 1904.
TOTAL SUPPLY - - -	966,797	987,006	215,297,148	214,851,038
From Thames - - - - -	458,801	468,588	114,525,558	113,552,499
From Lea and from other Sources -	507,996	518,418	100,771,590	101,298,539
THAMES.				
Chelsea - - - - -	39,456	39,781	12,375,484	12,353,871
West Middlesex - - - - -	89,698	90,846	23,477,787	23,855,958
Southwark and Vauxhall - - -	128,079	129,358	31,029,052	29,949,810
Grand Junction - - - - -	73,216	76,258	17,215,097	17,525,115
Lambeth - - - - -	128,352	132,345	30,428,138	29,867,745
LEA AND OTHER SOURCES.				
New River - - - - -	177,902	180,050	41,332,507	40,597,810
East London - - - - -	223,657	228,742	41,001,000	41,865,000
Kent - - - - -	106,437	109,626	18,438,083	18,835,729

Note.—The Return for May, 1904, as compared with that for the corresponding month of 1903, shows an increase of 20,209 services, and a decrease of 446,110 gallons of water supplied daily.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1904.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

NO. 24. 1904. VOL. LXV.] WEEK ENDED SATURDAY, JUNE 18. [Price 1½d.

General Register Office, Somerset House,

June 20th, 1904.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 13·8 per 1000 of their aggregate population, which is estimated† at 15,271,287 persons in the middle of this year. In the preceding three weeks the rates had been 15·4, 14·6, and 14·2. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 18·1 in Preston, 18·6 in Leeds, 18·7 in Liverpool, 20·0 in Manchester, 20·6 in St. Helens, 22·6 in Tynemouth, and 23·7 in Stockport; from *measles*, 1·6 in Hanley, in King's Norton, and in Burnley, 1·7 in Derby, 1·8 in Hull, and 2·4 in St. Helens; from *whooping-cough*, 1·2 in Bolton, 1·3 in East Ham, 1·9 in Aston Manor, 2·0 in Blackburn, and 3·1 in Warrington. One death from *small-pox* was registered in Stockport, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2583 BIRTHS and 1142 DEATHS were registered. Allowing for increase of population, the births were 28 and the deaths 189 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 14·3, 13·2, and 13·3 in the preceding three weeks, fell again last week to 12·8. During the four weeks ended on Saturday last the death-rate averaged 13·4 per 1000, being 2·2 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, and in certain local Small-pox Hospitals, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1142 deaths included 65 from measles, 10 from scarlet fever, 7 from diphtheria, 25 from whooping-cough, 3 from enteric fever, and 23 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 133 deaths were referred to these diseases in the aggregate, being 42 below the corrected average weekly number.

The deaths from *measles*, which had been 83, 78, and 62 in the preceding three weeks, rose again last week to 65, the corrected average being 67; 8 deaths belonged to the Borough of Bethnal Green, 7 each to Lambeth and Camberwell, 6 to Deptford, 5 to Hackney, and 4 to Islington. The deaths from *scarlet fever*, which had been 4, 7, and 4 in the preceding three weeks, rose again last week to 10, the corrected average being 12. The deaths from *diphtheria*, which had been 14, 6, and 9 in the preceding three weeks, were 7 last week, and were 23 below the corrected average. The deaths from *whooping-cough*, which had been 33, 32, and 28 in the preceding three weeks, further fell last week to 25, and were 13 below the corrected average; 4 deaths belonged to St. Pancras, and 3 to Lambeth. The fatal cases of *enteric fever* which had been 2, 1, and 5 in the preceding three weeks, were 3 last week, the corrected average being 6. The deaths from *diarrhoea* which had been 15, 16, and 26 in the preceding three weeks, fell again last week to 23, but were 5 above the corrected average. Of the 23 deaths from diarrhoea, 18 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 1 more death at this age. The deaths attributed directly to *influenza* numbered 5, having been 8, 4, and 4 in the preceding three weeks.

Different forms of *violence* caused 47 deaths, concerning all of which inquests were held. Of these 47 deaths, 9 were cases of suicide, while the remaining 38 were attributed to accident or negligence. Ten of these latter were referred to vehicles in the streets, 5 to drowning, 3 to burns and scalds, and 12 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 80 cases of small-pox, 1630 of scarlet fever, 696 of diphtheria, and 68 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 7 cases, against 33, 10, and 21; of scarlet fever, 206 cases, against 194, 207, and 193; of diphtheria, 99 cases, against 94, 94, and 88; and of enteric fever, 11 cases, against 11, 12, and 19. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended June 11th.

GREATER LONDON.

In Greater London 3899 births and 1576 deaths were registered. Allowing for increase of population these numbers are 32 above and 241 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 12 deaths from measles, 4 from diphtheria, 6 from whooping-cough, 1 from "fever," and 4 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.85 inches, and that of the Thermometer 59.6, the latter being 0.7 above the week's average in the 50 years 1841-90. The direction of the wind was South-westerly, the horizontal movement of the air being 27 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 44.9 hours; the measured rainfall amounted to 0.27 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	POPULATION estimated at middle of the Year 1904.*	DEATH-RATES From all Causes.				Date from which Deaths are taken in Cols. 11-17.		Registered during the Week ended 18th June, 1904.		The DEATHS registered in the Week include										TOWNS.						
		Week ended				Col. 6.		7.		8.		Deaths of		Deaths from								Deaths in Public Institutions.	Inquest Cases.	20.	21.	
		38th May, 1904.	4th June, 1904.	11th June, 1904.	18th June, 1904.	Col. 6.	Col. 6.	Col. 7.	Col. 8.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Dysentery.	Violence.							
76 TOWNS	15,274,287	15.4	14.6	14.2	13.8	1.5	8595	4029	942	1046	1	186	35	29	101	16	69	168	312	959	40					
LONDON -	4,648,950	14.3	13.2	13.3	12.8	1.5	2583	1142	237	292	-	65	10	7	25	3	23	47	117	403	4					
(CROYDON.	144,419	12.3	12.3	10.8	12.6	1.4	72	35	8	10	-	4	-	-	-	-	-	3	4	11	-					
WILMSEN -	132,568	8.7	10.6	7.1	7.5	0.4	85	19	3	8	-	-	-	1	-	-	1	1	1	6	-					
HORSEY -	61,221	9.6	9.6	7.7	9.6	-	24	15	4	6	-	-	-	-	-	-	-	1	1	1	-					
TOTTENHAM -	112,481	13.4	13.4	9.7	6.9	-	87	15	7	3	-	-	-	-	-	-	-	1	2	3	-					
WEST HAM -	288,424	13.7	13.2	11.8	10.7	1.1	174	59	15	13	-	3	-	2	1	-	6	7	16	16	-					
EAST HAM -	116,402	10.7	9.4	9.4	11.6	1.8	80	28	8	6	-	-	-	-	3	-	1	2	3	5	1					
LEYTON -	110,844	9.4	12.7	8.5	6.6	1.4	65	14	6	2	-	1	-	1	1	-	-	2	2	2	-					
(WALTHAMSTOW -	111,282	11.2	13.6	7.0	7.5	1.4	55	16	3	4	-	2	-	1	-	-	-	1	3	3	-					
HASTINGS -	66,503	12.5	13.3	12.5	10.2	-	29	13	3	2	-	-	-	-	-	-	-	-	2	2	-					
BRIGHTON -	126,286	18.2	14.9	14.5	14.9	1.7	75	36	5	12	-	3	1	-	-	-	1	3	3	3	-					
PORTSMOUTH -	198,038	11.6	15.0	13.7	11.6	0.8	87	44	11	10	-	-	1	-	1	-	3	7	7	-	-					
BOURNEMOUTH -	64,645	17.7	12.9	11.3	12.9	-	20	16	5	6	-	-	-	-	-	-	-	5	-	5	-					
SOUTHAMPTON -	112,500	10.7	13.4	10.7	6.5	0.5	57	14	2	5	-	-	-	-	-	-	1	2	2	2	-					
READING -	76,373	11.6	12.3	13.7	8.2	-	34	12	1	6	-	-	-	-	-	-	-	-	3	-	-					
NORTHAMPTON -	91,146	11.4	15.4	15.4	13.7	-	44	24	4	8	-	-	-	-	-	-	-	2	2	6	-					
IPSWICH -	62,805	10.5	14.2	17.9	4.5	-	49	6	2	3	-	-	-	-	-	-	-	-	3	-	-					
GREAT YARMOUTH -	52,089	12.0	11.0	8.0	17.0	-	30	17	4	8	-	-	-	-	-	-	-	1	1	7	-					
NORWICH -	115,638	14.4	20.3	14.4	14.4	1.8	58	32	6	11	-	3	-	-	-	-	1	1	2	2	-					
PLYMOUTH -	114,003	20.1	12.3	9.2	14.2	1.8	44	31	8	12	-	1	1	-	1	-	1	1	3	4	-					
DEVONPORT -	75,334	5.5	13.8	11.1	9.0	-	19	13	3	4	-	-	-	-	-	-	-	1	2	2	-					
BRISTOL -	343,204	12.6	12.9	12.2	12.6	0.5	184	83	17	30	-	1	1	-	-	-	1	2	16	16	-					
HANLEY -	63,432	22.8	16.3	14.7	17.9	2.4	43	22	8	3	-	2	-	-	-	-	1	-	1	1	-					
BURTON-ON-TRENT -	51,434	13.1	8.0	11.0	9.0	1.0	33	9	2	2	-	-	-	-	-	-	-	-	-	-	-					
WOLVERHAMPTON -	98,194	13.8	17.0	10.6	13.8	1.1	52	26	7	7	-	-	1	-	1	-	-	-	-	5	1					
WALSALL -	91,432	16.0	11.4	12.5	10.8	1.1	56	19	4	6	-	1	-	-	1	-	1	1	4	4	-					
HANDSWORTH -	59,634	8.7	7.0	15.7	1.7	-	18	2	-	1	-	-	-	-	-	-	-	-	-	-	-					
WEST BROMWICH -	67,166	19.4	10.9	12.4	9.3	-	47	12	3	5	-	-	-	-	-	-	-	-	-	3	-					

† These towns are included within the area of Greater London.

* See note † on first page of this return.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON and FIVE SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES during the Week ended Saturday, 18th June, 1904. and DEATH-RATES during the preceding three weeks.

TOWNS.	DEATH-RATES from all Causes.				Rate from Diseases in 1904.		Registered Deaths, Week ended 18th June, 1904.		The DEATHS registered in the Week include											TOWNS.		
	Week ended			18th June, 1904.	11-17.	Deaths of Persons aged 60 years and upwards.	Deaths of Infants under 1 Year of Age.	Deaths from:						Inquest Cases.				Deaths in Public Institutions.	Cause of Death.			
	Week ended							Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.								
	28th May, 1904.	4th June, 1904.	11th June, 1904.																			
POPULATION estimated to the middle of the Year 1904.*	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM -	537,865	16'6	17'2	16'0	15'2	1'3	343	157	41	33	-	5	-	-	6	1	1	8	14	47	4	BIRMINGHAM.
KINGS NORTON -	66,667	3'9	5'5	11'0	7'0	1'6	47	9	3	2	-	2	-	-	-	-	-	1	1	1	-	KINGS NORTON.
SMETHWICK -	60,681	11'2	9'5	7'7	11'2	0'9	39	13	5	1	-	-	1	-	-	-	3	3	3	-	-	SMETHWICK.
ASTON MANOR -	80,363	14'3	11'0	7'1	9'7	3'2	40	15	4	2	-	-	-	-	3	-	2	-	-	1	-	ASTON MANOR.
COVENTRY -	73,904	15'5	9'9	13'4	8'5	1'4	46	12	5	2	-	-	-	-	1	-	1	1	1	-	-	COVENTRY.
LEICESTER -	224,186	14'2	12'3	11'6	11'6	1'6	112	50	12	11	-	2	-	-	2	2	1	2	3	8	1	LEICESTER.
GRIMSBY -	66,968	10'9	11'7	10'9	8'6	1'6	35	11	3	2	-	-	-	1	1	-	-	2	4	2	-	GRIMSBY.
NOTTINGHAM -	248,811	18'9	12'4	11'9	15'5	0'6	131	74	23	18	-	-	1	-	-	-	2	3	4	20	-	NOTTINGHAM.
DERBY -	120,449	11'3	15'2	11'7	17'7	2'6	58	41	6	14	-	4	-	1	-	-	1	2	3	8	-	DERBY.
STOCKPORT -	97,008	16'1	18'8	16'7	23'7	2'2	57	44	15	10	1	2	-	-	-	1	-	2	4	9	-	STOCKPORT.
BIRKENHEAD -	114,814	15'4	17'3	12'7	11'8	2'3	82	26	4	6	-	3	1	1	-	-	3	2	4	8	-	BIRKENHEAD.
WALLASEY -	60,354	17'3	18'1	12'1	14'7	0'9	28	17	6	3	-	1	-	-	-	-	-	2	2	3	2	WALLASEY.
LIVERPOOL -	723,430	17'9	17'9	20'5	18'7	2'5	464	260	69	59	-	17	4	3	3	-	7	8	12	73	4	LIVERPOOL.
BOOTLE -	81,755	22'0	14'4	16'0	6'8	-	43	8	2	3	-	-	-	-	-	-	-	-	-	2	-	BOOTLE.
ST. HELENS -	88,445	17'7	15'3	15'9	20'6	4'1	66	35	5	5	-	4	2	-	1	-	-	1	1	5	3	ST. HELENS.
WIGAN -	82,800	18'3	34'9	18'3	14'1	-	35	17	3	6	-	-	-	-	-	-	-	1	1	3	-	WIGAN.
WARRINGTON -	67,331	21'7	24'0	25'6	15'5	6'2	44	20	3	5	-	1	2	-	4	1	-	-	2	5	3	WARRINGTON.
BOLTON -	175,744	19'0	15'1	9'8	12'5	1'8	89	42	11	14	-	-	-	1	4	-	1	-	2	4	-	BOLTON.
BURY -	58,450	13'4	11'6	9'8	10'7	0'9	34	12	2	2	-	-	-	-	1	-	-	1	1	3	-	BURY.
MANCHESTER† -	557,938	18'6	17'7	16'3	20'0	2'5	320	214	54	46	-	-	14	1	10	1	1	14	17	48	6	MANCHESTER†.
SALFORD -	228,983	18'2	17'8	18'4	17'8	2'5	133	78	17	16	-	5	-	-	3	1	2	8	11	16	-	SALFORD.
OLDHAM -	139,497	16'8	11'6	15'7	14'6	3'0	60	39	8	10	-	2	-	-	2	1	3	5	7	6	-	OLDHAM.
ROCHDALE -	85,601	20'7	16'4	11'6	16'4	1'2	31	27	6	7	-	-	-	-	-	-	-	1	-	1	-	ROCHDALE.
BURNLEY -	100,568	21'3	17'1	12'4	17'1	3'1	47	33	11	6	-	3	-	1	2	-	-	2	3	4	-	BURNLEY.
BLACKBURN -	132,134	13'8	17'8	16'2	16'6	3'6	62	42	11	10	-	3	-	-	5	1	-	-	1	4	-	BLACKBURN.
PRESTON -	115,055	14'5	21'3	17'7	18'1	1'8	73	40	11	10	-	-	-	-	1	-	-	-	1	5	2	PRESTON.
BARROW-IN-FURNESS -	56,654	14'0	14'9	15'7	9'6	-	45	11	1	3	-	-	-	-	-	-	-	3	3	-	-	BARROW-IN-FURNESS.

TOWNS.	POPULATION estimated to the middle of the Year 1904.*	Causes.				Diseases in Colls. 11-17.	Registered Deaths in Colls. 18th June, 1904.		Deaths of Persons Aged 60 Years and upwards.		Deaths from							Deaths in Public Institutions.		Uncertified Causes of Death.	TOWNS.	
		Week ended					18th June, 1904.	Deaths under 1 Year of Age.	Persons Aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.			
		28th May, 1904.	4th June, 1904.	11th June, 1904.	Week ended 18th June, 1904.	BIRTHS.														DEATHS.		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDESFIELD.	-	94,925	15.4	22.5	18.1	13.2	1.1	43	24	7	-	1	-	-	-	-	-	-	-	4	-	HUDDESFIELD.
HALIFAX.	-	107,580	13.1	14.1	13.1	12.1	0.5	50	25	3	-	1	-	-	-	-	1	1	1	6	-	HALIFAX.
BRADFORD.	-	285,089	19.9	14.4	14.8	14.8	2.2	127	81	12	-	6	-	4	-	-	2	1	4	10	-	BRADFORD.
LEEDS†.	-	450,142	19.0	16.4	16.8	18.6	2.3	237	161	37	-	10	1	-	7	1	2	7	12	29	2	LEEDS†.
SHEFFIELD.	-	432,940	16.7	14.2	14.2	13.1	0.6	261	109	32	-	-	-	-	3	1	1	1	3	22	3	SHEFFIELD.
ROTHERHAM.	-	58,498	17.8	12.5	14.3	12.5	3.6	44	17	5	-	-	1	2	-	-	1	-	-	3	-	ROTHERHAM.
YORK.	-	81,268	12.8	12.2	11.5	15.4	2.6	38	24	1	-	-	2	1	-	-	1	-	-	9	-	YORK.
HULL.	-	253,865	17.7	13.8	17.7	13.1	2.5	143	64	12	-	9	1	-	1	-	1	5	8	13	-	HULL.
MIDDLESBROUGH.	-	96,684	16.7	18.9	18.9	16.7	1.6	70	31	13	-	1	-	-	-	-	2	-	1	3	-	MIDDLESBROUGH.
STOCKTON-ON-TEES.	-	52,192	13.0	16.0	20.0	10.0	1.0	26	10	4	-	-	-	1	-	-	-	-	-	-	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL.	-	89,251	13.6	9.0	9.0	9.0	-	41	12	2	-	-	-	-	-	-	-	-	-	2	-	WEST HARTLEPOOL.
SUNDERLAND.	-	151,157	20.4	17.6	20.4	16.9	0.7	105	49	11	-	1	1	-	-	-	-	2	2	10	2	SUNDERLAND.
SOUTH SHIELDS.	-	107,334	20.4	14.1	18.9	17.0	1.0	78	35	13	-	-	-	-	1	-	1	1	1	1	1	SOUTH SHIELDS.
GATESHEAD.	-	118,067	17.7	15.9	16.8	10.2	0.4	91	23	9	-	-	-	-	1	-	-	-	1	-	-	GATESHEAD.
NEWCASTLE-ON-TYNE.	-	225,362	17.8	22.2	20.4	17.8	0.7	122	77	19	-	-	-	-	2	1	-	2	6	13	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH.	-	53,060	19.7	12.8	22.6	22.6	1.0	35	23	3	-	-	-	-	-	1	-	3	4	3	-	TYNEMOUTH.
NEWPORT (MON.).	-	71,543	18.2	8.7	8.7	16.8	-	57	23	7	-	-	-	-	-	-	-	-	7	1	-	NEWPORT (MON.).
CARDIFF.	-	176,313	13.6	15.7	11.8	10.6	0.9	94	36	11	-	-	-	1	1	-	1	-	4	4	-	CARDIFF.
RHONDDA.	-	122,310	19.2	16.2	19.2	14.1	1.7	57	33	8	-	2	1	-	1	-	2	2	2	2	-	RHONDDA.
MERTHYR TYDFIL.	-	72,745	15.8	15.1	13.6	16.5	-	54	23	4	-	-	-	-	-	-	-	-	-	2	-	MERTHYR TYDFIL.
SWANSEA.	-	95,931	14.7	17.9	14.7	16.3	1.1	54	30	6	-	-	-	1	1	-	-	1	2	3	-	SWANSEA.
GREATER LONDON.	-	6,407,766	13.3	12.2	12.2	11.9	1.4	3899	1576	943	-	87	10	14	36	4	30	68	151	483	5	GREATER LONDON.
OUTER RING.	-	2,258,896	11.1	10.2	9.9	10.0	1.1	1316	434	106	-	22	-	7	11	1	7	21	34	80	1	OUTER RING.
8 TOWNS IN OUTER RING.	-	1,098,639	11.6	12.1	9.5	9.4	1.0	642	169	54	-	10	-	3	5	-	3	13	20	47	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	-	1,160,167	10.7	8.4	10.3	10.6	1.2	674	235	52	-	12	-	4	6	1	4	8	14	33	-	REMAINDER OF OUTER RING.
EDINBURGH.	-	331,977	19.9	17.3	14.3	15.5	1.6	182	99	26	-	-	-	2	2	-	2	4	?	31	11	EDINBURGH.
GLASGOW.	-	798,357	17.1	18.2	16.1	18.0	2.1	485	275	57	-	3	1	2	11	-	12	14	?	69	11	GLASGOW.
DUBLIN†.	-	378,984	21.3	19.7	18.3	21.7	0.8	182	168	23	-	2	-	-	3	1	-	1	5	67	5	DUBLIN†.
BELFAST†.	-	368,680	19.5	19.3	18.9	18.3	2.9	216	128	27	-	6	-	-	7	2	5	2	7	23	?	BELFAST†.

* See note † on first page of this return.

† Excluding deaths of persons admitted into public institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the TWENTY-FOURTH Week of each of the Eleven Years, 1894-1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894-1903*	1904
TOTAL Births -	2436	2678	2482	2546	2532	2571	2646	2406	2521	2351	2610.6	2533
Males - -	1182	1397	1290	1310	1261	1311	1302	1223	1266	1206	1322.3	1301
Females - -	1254	1281	1192	1236	1271	1260	1344	1183	1255	1145	1288.3	1232
TOTAL Deaths -	1336	1213	1397	1248	1193	1316	1533	1191	1243	1161	1330.9	1142
Males - -	690	637	745	637	629	707	796	643	693	555	698.3	627
Females - -	646	576	652	611	564	609	737	548	550	606	632.6	515

* The numbers in this column are the average weekly numbers in the twenty-fourth week of the ten years 1894-1903, raised by 3.723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Mar. 26.	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	13 Weeks.
TOTAL Births -	2423	2240	2539	2676	2489	2733	2403	2551	2376	2122	2507	2578	2583	32220
TOTAL Deaths -	1645	1672	1659	1490	1429	1392	1325	1454	1349	1274	1179	1187	1142	18197
Ages at Death														
Under 1 year -	336	375	366	318	281	280	274	289	299	275	237	228	237	3795
1-5 years -	214	214	256	214	202	194	215	203	158	200	176	175	151	2572
5-20 " -	71	79	76	68	78	80	63	77	52	65	64	81	74	929
20-40 " -	190	202	157	192	175	158	152	163	174	159	140	155	163	2180
40-60 " -	326	308	334	264	272	312	272	281	300	226	238	258	225	3616
60 yrs. & upwds.	508	494	470	434	421	368	348	441	366	319	324	290	292	5105
Deaths from—														
Small-pox - -	1	3	3	-	1	3	1	-	86	2	-	-	-	14
Measles - -	67	92	86	75	81	66	62	86	75	83	78	62	65	978
Scarlet Fever -	4	4	8	4	9	10	3	7	5	4	7	4	10	79
Diphtheria - -	13	17	17	8	15	14	19	20	10	14	6	9	7	169
Whooping-cough -	48	68	64	64	43	42	48	44	39	33	32	28	25	578
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	3	3	4	3	3	3	4	1	4	2	1	5	3	39
Pyrexia (origin uncertain).	-	-	1	-	-	-	1	-	-	-	-	-	-	2
Diarrhoea, Dysentery	19	16	21	12	12	15	23	16	21	15	16	26	23	235
All above Diseases -	155	203	204	166	164	153	161	174	154	153	140	124	133	2094
Dis. of Resp. System	195	212	167	156	127	100	83	116	105	80	73	64	57	1535
Pneumonia - -	188	158	166	139	127	124	110	115	105	108	108	93	85	1626
Phthisis - -	168	168	136	169	153	160	155	143	123	145	133	134	162	1949
Dis. of Circ. System	223	207	203	168	176	178	167	206	193	136	148	168	137	2300
Violence - -	58	58	65	56	49	63	62	61	65	54	66	67	47	761
Inquest Cases -	164	153	178	127	134	155	126	143	151	133	119	131	117	1833
Deaths in Institutions	555	585	540	473	491	532	485	569	498	480	439	436	403	6486
TEMPERATURE OF THE AIR.	o	o	o	o	o	o	o	o	o	o	o	o	o	o
Mean - - -	43.3	42.0	48.0	49.6	49.1	49.6	49.0	49.7	51.0	57.3	58.0	55.9	59.6	51.0
Mean of Highest -	49.3	50.5	55.8	59.1	59.7	57.1	58.1	58.8	63.7	65.9	64.1	65.5	70.8	58.9
Mean of Lowest -	37.6	35.3	40.9	40.6	38.2	43.3	42.4	41.5	44.3	50.5	49.2	48.1	51.4	43.3
Mean Humidity of the Air.	80	79	71	71	71	72	70	81	65	86	84	75	72	75
Rain-fall (in inches) -	0.11	0.45	0.37	0.32	0.24	0.05	0.55	0.29	0.35	0.30	0.71	0.12	0.27	4.13
Registered Sunshine (in hours).	13.7	29.5	33.5	36.9	38.9	21.9	37.0	14.0	58.5	15.0	28.7	39.3	44.9	411.8
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	110	126	134	144	123	104	88	99	96	118	96	95	80	109
Scarlet Fever - -	1585	1570	1505	1523	1543	1541	1590	1600	1630	1663	1673	1647	1630	1592
Diphtheria - -	776	787	749	737	719	720	750	777	767	758	748	721	696	747
Typhus - -	1	1	1	1	1	2	2	2	1	1	1	1	1	1
Enteric Fever - -	83	86	80	68	73	62	56	53	56	51	52	65	68	66

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S. Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-FOURTH Week of the Year 1904.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 24th week of the year 1903.	1904—Deaths of Persons of the Ages						CAUSES OF DEATH.	Deaths in the 24th week of the year 1903.	1904—Deaths of Persons of the Ages							
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.			60 years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
CAUSES	1161	1142	237	151	74	163	225	292	Meningitis (not tuberc.)	13	8	3	1	2	1	1	-
									Insanity, Gen. Par. of	17	16	-	-	-	4	7	-
									Insane	6	6	-	-	1	-	4	1
									Epilepsy	12	12	11	-	1	-	-	-
									Convulsions	-	3	-	-	-	1	-	2
									Locomotor Ataxy	3	2	1	-	-	-	-	1
									Paraplegia, Dis. of Cord	18	19	1	1	2	2	3	10
									Nervous Sys. (other dis.)								
									Valv. Dis., Endocarditis-	39	30	-	-	1	7	10	12
									Cerebr. Hem. Thromb.	27	18	-	-	-	-	5	13
									Apoplexy, Hemiplegia	21	15	-	-	-	-	4	11
									Aneurysm	6	4	-	-	-	1	1	2
									Embolism, Thrombosis	1	1	-	-	-	-	-	-
									(not cerebral)	62	69	-	-	3	8	28	30
									Heart & Blood Vessel Dis.								
									Croup (not Spasm: nor	-	1	1	-	-	-	-	-
									Memb.)	45	47	8	8	1	1	6	23
									Bronchitis	4	2	-	-	-	-	-	-
									Asthma, Emphysema	2	2	-	-	-	-	1	1
									Pleurisy	6	5	1	-	-	1	1	2
									Respiratory Dis. (other)								
									Tonsillitis, Quinsy	1	-	-	-	-	-	-	-
									Enteritis (not Epid.)	2	7	2	3	-	-	1	1
									Gastro-Enteritis	3	2	1	-	-	-	-	1
									Furunculitis (not Puerp.)	3	-	-	-	-	-	6	7
									Cirrhosis of Liver	16	15	-	-	-	2	6	2
									Liver Dis. (other)	3	6	-	-	2	-	2	2
									Digestive Dis., Other	33	31	4	1	6	4	3	10
									Nephritis, Acute	3	5	-	-	1	1	1	2
									Bright's Dis., Albumin-	28	23	-	-	1	4	7	11
									uria	11	10	-	-	-	-	-	8
									Urinary Sys., Other Dis.					1	1	-	-
									Generative Organs Dis.	-	3	-	-	-	1	1	-
									Childbirth (Accid. of)	6	4	-	-	-	4	-	-
									Old Age	41	41	-	-	-	-	-	41
									Other Diseases	89	74	50	6	5	4	2	7
									ACCIDENT.								
									By Railways	-	1	-	-	-	-	-	1
									By Vehicles and Horses-	7	10	-	2	2	-	3	3
									In Ships, Boats, Docks,	1	-	-	-	-	-	-	-
									(exclusive of Drown-								
									ing)								
									In Building Operations-	-	-	-	-	-	-	-	-
									In Conflagrations	1	-	-	-	-	-	-	-
									By Burns, Scalds, Ex-	4	3	-	3	-	-	-	-
									plosions								
									By Drowning	3	5	-	-	-	4	1	-
									By Suffocation in Bed	5	12	12	-	-	-	-	-
									By Poisons or Poisonous	3	-	-	-	-	-	-	-
									Vapours								
									Other Deaths by Acci-	9	7	1	1	-	-	3	2
									dent								
									VIOLENCE OTHER THAN								
									ACCIDENTAL.								
									Homicide	2	-	-	-	-	-	-	-
									Suicide	17	9	-	-	-	1	6	2
									Execution	-	-	-	-	-	-	-	-

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 18th June, 1904.

The DEATHS registered during the Week include																		
REGISTRATION SUB-DISTRICTS.	Enu- me- rated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of		Deaths from											Inquest Cases.	Their Public Institutions.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmic* (Origin un- certain).	Diarrhoea.	Violence.			
LONDON - - -	4,530,429	2533	1142	237	292	-	65	10	7	25	-	3	-	23	47	117	403	
WEST DISTRICTS - - -	805,311	375	160	25	47	-	3	1	2	3	-	-	-	3	7	16	56	
NORTH DISTRICTS - - -	1,056,070	559	231	43	65	-	14	-	3	6	-	2	-	2	9	23	61	
CENTRAL DISTRICTS - - -	209,465	114	69	12	20	-	3	-	-	3	-	-	-	1	4	8	41	
EAST DISTRICTS - - -	715,739	487	215	49	40	-	14	1	-	3	-	-	-	6	15	33	80	
SOUTH DISTRICTS - - -	1,749,844	1048	432	107	114	-	31	6	1	10	-	1	-	11	12	37	124	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	35	1	6	-	-	2	1	-	-	-	-	-	-	-	35	
WEST DISTRICTS.																		
St. Mary Paddington } G. & W.	93,178	55	12	1	4	-	-	-	-	-	-	-	-	-	-	1	4	
W2H - - -																		
St. John Paddington H - - G.	33,617	8	7	-	4	-	-	-	-	-	-	-	-	-	-	-	4	
North-West Paddington - - C.	17,181	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Kensington Town 2W, w2H G. & W. & C.	128,037	58	36	4	13	-	1	-	-	-	-	-	-	-	1	2	17	
Brompton 2H - - W. & C.	48,591	11	7	3	-	-	-	-	-	-	-	-	-	-	1	2	2	
North Hammersmith W, wH } W. & G.	49,192	27	9	1	2	-	-	-	-	-	-	-	-	-	-	1	1	
South Hammersmith w2H } W. & G.	63,047	24	16	-	7	-	-	-	-	-	-	-	-	-	1	1	2	
North-west Fulham W } W. & C.	45,180	45	14	4	1	-	-	-	-	2	-	-	-	1	-	3	8	
North-east Fulham F } W. & C.	46,405	30	8	1	1	-	1	-	-	-	-	-	-	2	2	3	3	
South Fulham W } W. & C.	45,704	31	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
Chelsea North W, w3H - - C.	42,514	18	12	2	4	-	-	-	-	-	-	-	-	-	-	2	6	
Chelsea South W2H - - C.	31,328	10	13	2	6	-	-	-	-	1	-	-	-	-	1	2	-	
May Fair and Knightsbridge } C. & G.	26,743	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
H - - -																		
Belgrave W2H - - - C.	55,815	18	13	4	3	-	-	1	-	-	-	-	-	-	1	1	5	
St. Margaret & St. John 4H - C.	43,698	16	9	1	1	-	-	-	-	-	-	-	-	-	-	-	2	
St. James Westminster } N. & G.	21,588	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	
W, H - - -																		
St. Anne Soho 5H - - - N.	11,493	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
NORTH DISTRICTS																		
All Souls Marylebone 8H - W.	35,391	11	10	2	3	-	-	-	-	-	-	-	-	-	-	-	4	
Rectory Marylebone W G. & W.	19,849	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	
St. Mary Marylebone 4H G. & W.	18,099	28	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	
Christchurch Marylebone H- W.	39,536	15	6	2	3	-	-	-	-	-	-	-	-	-	-	-	-	
St. John Marylebone 3H - W.	20,426	9	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Hampstead W, w3H - - N. & W.	81,942	32	19	1	5	-	-	-	-	-	-	1	-	-	-	1	6	
West St. Pancras 2H - - W.	60,562	37	10	2	2	-	-	-	-	1	-	-	-	-	2	3	1	
Tottenham-court w6H N. & W.	21,258	3	18	3	3	-	2	-	-	1	-	-	-	-	1	1	9	
Gray's Inn Lane 4H - - N.	34,449	21	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	
East St. Pancras W2H - - N.	60,320	47	16	6	8	-	-	-	-	1	-	-	-	-	1	5	1	
North St. Pancras 2W - - N.	58,728	21	16	1	6	-	1	-	-	1	-	-	-	-	-	1	2	
Tufnell W - - - N.	31,995	19	9	1	2	-	-	-	-	-	-	1	-	-	-	1	3	
Upper Holloway 2W, w2H - N.	33,978	30	18	1	5	-	1	-	-	1	-	-	-	-	1	1	13	
Tollington W - - - N.	33,922	8	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lower Holloway - - - N.	41,424	14	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
Barnsbury - - - N.	54,478	24	15	5	3	-	4	-	-	-	-	-	-	-	-	-	-	
Islington South-east F - - N.	75,397	45	7	1	2	-	-	-	-	1	-	-	-	-	1	1	-	
Highbury 2H - - - N.	63,797	34	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
Stoke Newington H - - N.	51,247	19	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
North Hackney - - - E. & N.	50,560	24	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Central Hackney 2w, F - E. & N.	50,536	32	12	3	3	-	2	-	-	-	-	-	-	-	-	1	3	
South-west Hackney 3H E. & N.	59,921	40	19	3	5	-	1	-	-	1	-	-	-	1	3	5	2	
South-east Hackney 2W, w, H E. & N.	58,255	42	18	5	8	-	3	-	-	-	-	-	-	1	1	2	-	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Companies which supply the different sub-districts:—G, signifying Grand Junction Company; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River; E, East London; and K, the Kent Company.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

LE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 18th June, 1904—continued.

REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include															Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of		Deaths from											Inquest Cases.			
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Euteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhoea.	Violence.					
CENTRAL DISTRICTS.																				
Giles and Bloomsbury W2H N.	31,436	14	5	1	2	-	-	-	-	-	-	-	-	-	-	-	1	3	-	
and W4H - - - N. & C. and Union Workhouse, Edmonton-	21,674	5	14	2	4	-	-	-	-	-	-	-	-	-	-	-	2	4	10	
born W6H - - - N. with Clerkenwell - - - N. with Clerkenwell H - - - N. isbury 3H,L - - - N. born Union Workhouse, } Mitcham - - - - - }	29,612 28,676 35,028 36,116 - -	11 23 21 32 - -	13 6 2 5 2	4 1 2 2 -	1 2 1 2 2	- - - - -	- 3 - - -	- - - - -	- - - 1 -	- - - - -	- - - - -	- - - 1 -	- - - - -	- - - 1 -	- - - 1 -	- - - 1 -	- - - 1 -	- - - 1 -	- - - 1 -	
Botolph H - - - N. & E. Sepulchre and Allhallows } N. W2H - - - - - } y of London Asylum, Stone - -	10,209 16,824 - -	4 4 - -	4 15 1	2 1 -	- 4 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- 1 -	- 1 -	1 13 1	- - -	- - -	
EAST DISTRICTS.																				
oreditch South H,L - E. & N. xton New Town w,H - - N. xton Old Town - - - N. ggerston W - - - N & E. oreditch Union Workhouse, Wood } Green - - - - - }	16,369 29,761 26,504 46,003 - -	7 24 21 27 - -	2 13 5 17	- 2 3 3	- 4 - 6	- - - 1	1 1 - 1	- - - -	- - - 1	- - - -	- - - -	- - - -	- - 1 2	- - - -	- - - 2	- - 4 2	- - 8 4	1 7 - 8	- - - -	
thnal Green North 2H - E. thnal Green South - - E. thnal Green East 2W,H,L - E.	51,514 33,472 44,694	30 17 35	14 13 12	4 6 2	1 - 4	- - -	1 3 2	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- 1 -	2 3 2	4 - 8	- - -	- - -	
talfields - - - E. & N. le End New Town W,H - E. odman's Fields - - - E.	27,969 28,718 22,081	21 39 12	1 37 2	- 7 -	1 4 1	- - -	- 2 -	- - -	- - -	- - -	- - -	- - -	- - -	- 3 1	- 7 1	- 34 -	- - -	- - -	- - -	
George and St. John 2W E.	49,068	44	11	5	1	-	-	-	-	2	-	-	-	-	3	3	3	-	-	
adwell and Ratcliff W,H,E. & N. ehouse - - - - - E.	25,568 32,389	15 24	19 9	5 4	3 -	- -	1 -	- -	- -	- -	- -	- -	- -	- 1	3 -	4 -	5 -	- -	- -	
le End Old Town South- } Western* H - - - E. le End Old Town North- } Eastern* W,v - - - E.	63,698 49,129	57 27	12 21	3 1	3 6	- -	1 -	- -	- -	- -	- -	- -	- -	- 1	- -	2 -	- 9	- -	- -	
w L - - - - - E. omley 3w,H - - - E. olar W,w - - - E.	41,989 68,319 68,514	21 40 23	2 14 11	- 2 2	- 3 3	- - -	- 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- 2 2	- 3 2	- 7 -	- - -	- - -	

On 1st May, 1904, the sub-districts of Mile End Old Town West and Mile End Old Town East were dissolved and merged into two new sub-districts as above.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 18th June, 1904—continued.

REGISTRATION SUB-DISTRICTS	Enu- mer- ated Popu- lation, 1901.	TOTAL BIRTHS.	The DEATHS registered during the Week include														Inquest Cases	Deaths from Public Institutions	
			TOTAL DEATHS.	Deaths of		Deaths from													
				Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhoea.	Violence.				
SOUTH DISTRICTS.																			
Christchurch Southwark W, HL & S.	11,263	7	6	2	-	-	1	-	-	-	-	-	-	-	-	-	2	-	
St Saviour Southwark H - S.	12,056	11	11	3	-	-	1	-	-	-	-	-	-	-	-	1	1	10	
Kent-road - - - S. & L.	21,904	16	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. George the Martyr } S. & L.	39,094	23	16	5	3	-	1	-	-	-	-	-	-	-	-	-	3	2	
West W, 2H, L. - - - }																			
Newington North* - - S. & L.	49,022	25	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Newington South* W - S. & L.	72,841	44	18	10	2	-	1	-	-	2	-	-	-	-	-	-	2	-	
St. Olave 2W - - - S.	9,817	11	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	
Bermondsey W - - - S.	82,483	62	17	6	6	-	1	-	-	-	-	-	-	-	-	-	5	-	
Rotherhithe W, F - - S. & K.	38,460	26	17	2	8	-	2	-	-	1	-	-	-	-	2	4	-	7	
Waterloo-road 2H - - L. & S.	27,440	18	8	1	2	-	1	-	-	1	-	-	-	-	-	1	2	-	
Lambeth Church 1st H L. & S.	18,423	8	14	1	2	-	2	-	-	-	-	-	-	-	-	3	4	3	
Lambeth Church 2nd 2W L. & S.	39,818	25	19	5	6	-	2	-	-	-	-	-	-	-	-	-	2	11	
Kennington 1st H - - S. & L.	53,198	45	12	8	1	-	1	-	-	-	-	-	-	-	-	-	-	1	
Kennington 2nd H - - S. & L.	42,896	24	9	2	3	-	1	-	-	1	-	-	-	-	-	-	-	2	
Brixton F - - - L. & S.	84,232	52	16	6	5	-	-	1	-	1	-	-	-	-	1	-	-	1	
Norwood W, H - - - L.	35,888	13	5	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
East Battersea H - - S.	72,203	59	11	6	2	-	-	-	-	-	-	-	-	-	-	-	2	-	
North-west Battersea - - S.	49,656	30	9	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
South-west Battersea W, H - S.	47,048	21	20	3	6	-	-	-	-	1	-	-	-	-	-	-	-	16	
Clapham 2H - - - S.	51,361	33	13	4	3	-	-	-	-	-	-	-	1	-	-	-	-	1	
Streatham† W, 2w, 2F, 2L - L.	88,019	60	16	1	8	-	1	-	-	1	-	-	1	-	-	-	1	4	
Springfield 2W, L - - - S.	27,959	20	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Southfields H - - - S.	40,444	27	4	1	1	-	-	-	-	1	-	-	-	-	-	-	1	-	
Putney - - - - - S.	24,139	8	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Dulwich† - - - L. & S.	13,359	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Camberwell South† W, w S. & L.	40,206	19	20	2	6	-	2	-	-	-	-	-	-	-	-	-	1	11	
Camberwell North† W, 2L S. & L.	65,584	36	20	1	6	-	-	-	-	-	-	-	-	-	-	-	-	13	
St. George† - - - L. & S.	47,331	24	9	3	1	-	3	-	-	-	-	-	-	-	-	-	-	-	
Peckham† 2W, w - - - S., L. & K.	92,859	48	17	4	2	-	2	-	-	-	-	-	-	-	-	-	1	-	
Deptford North - - - K.	37,613	22	5	2	-	-	2	-	-	-	-	-	-	-	-	1	1	-	
Deptford Central F - - K.	45,481	37	11	6	-	-	3	-	-	-	-	-	-	-	-	-	-	-	
Deptford South - - - K.	34,625	15	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Greenwich West 2H - - K.	23,456	13	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Greenwich East 2W, H - - K.	43,859	28	15	2	6	-	1	-	-	-	-	-	-	-	-	2	2	10	
Eltham w, H - - - K.	7,226	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lee H - - - K.	25,490	6	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lewisham W, w, F - - K.	58,352	36	24	2	11	-	-	3	-	-	-	-	-	-	-	-	1	16	
Sydenham H - - - L.	43,653	23	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
Charlton F, 2H - - - K.	21,134	5	11	1	1	-	1	2	1	-	-	-	-	-	-	-	2	4	
Woolwich 4H - - - K.	41,625	26	10	3	3	-	-	-	-	1	-	-	-	-	1	-	2	2	
Plumstead West W - - K.	18,063	11	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Plumstead East 2W, H - - K.	50,264	44	13	4	4	-	2	-	-	-	-	-	-	-	1	-	-	3	
London County Asy., Banstead - -	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	
Manor Asylum, Epsom - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Horton Asylum, Epsom - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
Lon. Co. Asy. Epilep. Colony, Epsom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Met. Asy. for Imbeciles, Caterham	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	
London County Asy., Cane Hill - -	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	
M.A.B. Hospitals, Dartford - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Met. Asy. for Imbeciles, Darenth - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
London County Asylum, Dartford } Heath - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
London County Asylum, Hanwell - -	-	-	6	-	3	-	-	-	-	-	-	-	-	-	-	-	-	6	
Central London Sick Asy., Hendon - -	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
London County Asy., Colney Hatch - -	-	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	6	
M.A.B. North-Eastern Hospital - -	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	
M.A.B. Northern Hospital - - -	-	-	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	2	
Met. Asy. for Imbeciles, Leavesden - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	
London County Asylum, Claybury - -	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	4	

* On 1st March, 1904, the sub-districts of Trinity Newington, St. Peter Walworth, and St. Mary Newington were abolished, and divided into two new sub-districts entitled Newington North and Newington South respectively.

† On 1st April, 1904, the four sub-districts of Camberwell registration district were abolished, and divided into sub-districts as above.

‡ On 1st June, 1904, changes were made in the boundary between Streatham sub-district and Mitcham sub-district (see p. 388).

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 18th June, 1904.

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths of												
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING	368,580	2,044,973	1316	434	106	134	-	22	-	7	11	1	7	21	34	80	1
1 Carshalton <i>w, 2F, 2H</i>	12,228	32,997	15	3	-	2	-	-	-	-	-	-	-	-	-	-	-
2 Epsom, <i>part of</i> * <i>W, w, 2F, H</i>	10,423	15,548	6	1	-	1	-	-	-	-	-	-	-	-	-	1	-
1 Godstone, <i>part of</i> * <i>W, F</i>	2,754	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Coulsdon	11,069	31,166	8	1	9	-	-	-	-	-	-	-	-	-	-	-	-
2 South Croydon <i>w</i>	4,200	49,319	20	9	-	6	-	-	-	-	-	-	-	-	-	-	-
3 West Croydon <i>3W, F, H</i>	2,168	42,888	24	24	8	4	-	4	-	1	-	-	-	3	3	16	-
4 North Croydon <i>H</i>	2,644	41,668	28	7	1	2	-	1	-	-	-	-	-	-	-	-	-
5 Penge <i>w</i>	770	22,465	16	5	4	4	-	-	-	-	-	-	-	-	-	-	-
6 Mitcham <i>w</i>	11,689	30,015	18	9	3	3	-	1	-	1	-	-	-	-	-	-	-
1 Wimbledon <i>F, 3H</i>	3,221	41,652	20	6	2	3	-	-	-	-	-	-	-	-	-	-	-
2 Kingston <i>W, H</i>	6,224	42,668	20	12	4	5	-	-	-	1	-	1	-	-	-	4	-
3 Surbiton <i>F, H</i>	3,046	15,017	9	2	2	2	-	-	-	-	-	-	-	-	-	-	-
4 Esher, <i>part of</i> * <i>H</i>	5,402	13,100	9	4	2	1	-	-	-	1	-	-	-	-	-	-	-
5 Hampton <i>H, L</i>	4,564	23,456	15	6	-	3	-	-	-	-	-	-	-	-	-	1	-
1 Richmond <i>W, H</i>	2,162	28,865	18	7	2	1	-	-	-	-	-	-	-	-	-	1	-
2 Mortlake <i>F</i>	2,847	20,628	15	8	1	3	-	-	-	-	-	-	-	-	1	-	-
1 Bromley <i>F, 2H</i>	4,703	27,354	12	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2 Beckenham <i>H</i>	7,825	28,497	12	5	-	1	-	-	-	-	-	-	-	-	-	-	-
3 Orpington, <i>part of</i> * <i>W</i>	10,113	9,857	3	7	1	3	-	-	-	-	-	-	-	-	-	3	-
4 Chislehurst <i>2H</i>	7,333	16,446	6	4	1	2	-	-	-	-	-	-	-	-	1	-	-
1 Bexley <i>F, H</i>	8,678	21,151	11	4	1	2	-	1	-	-	-	-	-	-	-	-	-
2 Erith <i>F, H</i>	3,854	25,296	20	5	1	1	-	-	-	-	-	1	-	1	1	1	-
3 Dartford <i>W, F, part of</i> *	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Sunbury <i>w</i>	11,054	18,683	12	4	2	-	-	-	-	1	-	-	-	1	1	-	-
2 Staines <i>W, H</i>	13,277	15,178	8	2	-	-	-	-	-	-	-	-	-	1	2	-	-
1 Hillingdon <i>W, F, H</i>	6,035	13,661	8	2	-	-	-	-	-	-	-	-	-	1	1	-	-
2 Uxbridge	12,757	8,984	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
3 Hayes <i>w, F, H</i>	8,066	16,358	15	4	-	1	-	-	-	-	-	-	-	1	1	1	-
1 Isleworth <i>3W, 2F, H</i>	6,859	30,363	32	7	3	1	-	-	-	-	-	-	-	-	-	-	-
2 Twickenham <i>F, H</i>	2,421	20,991	14	8	3	3	-	-	-	-	-	-	-	1	2	-	-
3 Brentford <i>2F, 2H, L</i>	4,319	48,289	34	12	3	7	-	3	-	-	-	-	-	-	-	1	-
4 Chiswick <i>H</i>	1,249	29,809	23	10	1	3	-	-	-	1	-	1	-	-	1	1	-
5 Acton <i>w, 3H</i>	6,132	48,914	51	11	3	3	-	1	-	-	-	-	-	-	-	-	-
1 Harrow <i>F, H</i>	13,809	25,523	11	10	4	3	-	-	-	-	-	-	-	-	-	-	-
2 Edgware <i>F, 2H</i>	6,994	4,521	4	-	-	-	-	-	-	-	-	-	-	1	1	6	-
3 Willesden <i>W, F, 2H</i>	4,384	114,811	85	19	3	8	-	-	1	-	-	-	-	1	1	3	-
4 Hendon <i>W, F</i>	8,382	22,450	13	6	-	4	-	-	-	-	-	-	-	-	-	-	-
1 South Mimms <i>2F, H</i>	17,755	7,308	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-
2 Barnet <i>W, 3H</i>	3,324	17,970	16	5	1	4	-	-	-	-	-	-	-	-	-	1	-
3 Finchley <i>F, 2H</i>	4,688	33,692	19	4	-	3	-	-	-	-	-	-	-	-	-	-	-
1 Hornsey <i>F, H</i>	2,875	72,056	24	15	4	5	-	-	-	1	-	-	-	-	-	1	-
2 Wood Green <i>H</i>	1,625	34,233	20	5	2	1	-	-	-	-	-	-	-	-	-	-	-
3 West Tottenham <i>F</i>	996	48,853	45	6	3	1	-	-	-	-	-	-	-	1	2	-	-
4 East Tottenham <i>F, H</i>	2,017	53,688	42	7	4	1	-	-	-	-	-	-	-	-	-	1	-
5 Edmonton <i>W, w, 2F</i>	7,491	61,892	42	16	2	5	-	2	-	-	-	-	-	-	-	6	-
6 Enfield <i>2W, F, H</i>	12,601	42,738	31	7	1	-	-	1	-	1	1	-	-	-	-	1	-
7 Waltham Abbey	11,017	6,549	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8 Cheshunt <i>F, H</i>	8,479	12,292	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-
1 Hatfield, <i>part of</i> * <i>W</i>	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Bushey <i>H</i>	9,333	9,173	5	2	-	-	-	-	-	-	-	-	-	1	1	-	-
3 Watford <i>W, 2F, part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Stratford <i>H</i>	1,072	44,827	32	15	6	2	-	2	-	1	-	1	4	5	4	-	-
2 Plaistow <i>F, 2H</i>	1,249	90,921	73	17	6	3	-	-	-	-	-	-	-	1	1	1	-
3 Canning Town <i>H</i>	1,656	70,718	44	10	1	2	-	-	-	-	-	-	-	-	-	-	-
4 Forest Gate <i>w</i>	806	60,892	25	6	1	2	-	1	-	-	-	-	-	-	-	-	-
5 North East Ham <i>w</i>	1,333	58,676	49	13	4	2	-	-	-	2	-	1	-	-	-	-	-
6 South East Ham <i>3F</i>	1,993	37,342	31	8	3	3	-	-	-	-	-	-	-	1	1	-	1
7 Wanstead <i>F</i>	1,679	9,179	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-
8 South Leyton <i>2W</i>	631	50,467	34	9	5	1	-	-	-	1	-	-	-	-	2	3	-
9 North Leyton <i>W, w, F</i>	1,963	48,445	34	23	3	8	-	1	-	1	-	-	-	3	3	17	-
10 Walthamstow <i>3H, L</i>	6,504	108,929	63	15	4	4	-	2	-	-	-	1	-	-	1	2	-
1 Chigwell, <i>part of</i> * <i>2FAH</i>	11,778	16,397	5	3	-	2	-	-	-	1	-	-	-	-	-	-	-
2 Epping <i>W, F, part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Romford, <i>part of</i> * <i>W, 2F</i>	6,556	6,091	2	4	1	-	-	-	-	1	-	-	-	-	1	2	-
2 Ilford <i>F, L</i>	8,496	41,234	30	4	-	-	-	-	-	-	-	-	-	-	-	1	-
3 Barking Town <i>F</i>	3,803	21,547	26	6	3	-	-	-	-	-	-	-	-	-	-	-	-
Middlesex County Asylum, Wandsworth.	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-

The parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 137: 1, excepting Heydon Bois parish, and part of Epping parish; 139: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 137: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Dysentery.
CALCUTTA (including SUBURBS)	847,796	May	7	-	621	38'0	6	2	-	1	-	263†
BOMBAY - -	778,006	"	31	327	578	38'7	16	1	-	-	1	140†
MADRAS - -	509,346	"	13	383	355	33'2	-	1	?	?	?	56
PARIS - - -	2,660,559	June	11	1053	791	15'4	-	16	1	6*	6	2
BRUSSELS - -	575,896	"	11	214	157	13'9	-	1	-	-	1	1
ANTWERP - -	281,376	"	11	149	85	15'4	-	-	-	-	-	3
AMSTERDAM -	547,370	"	4	314	129	12'3	-	9	-	-	3	-
COPENHAGEN -	420,000	"	11	221	150	18'6	-	2	-	-	4	-
STOCKHOLM -	305,115	"	4	128	115	19'3	-	2	1	-	2	-
CHRISTIANIA -	225,709	"	11	132	68	15'8	-	2	-	3	-	-
ST. PETERSBURG	1,248,843	"	4	632	691	28'9	2	25	12	14	7	7
MOSCOW - -	1,093,410	"	4	-	666	31'8	4	30	9	9	3	5
BERLIN - - -	1,960,909	May	28	876	633	16'8	-	14	8	5*	8	1
HAMBURG - -	751,842	June	11	-	233	16'1	-	3	2	1*	6	3
BRESLAU - -	445,403	"	11	-	197	23'1	-	4	1	-	?	-
MUNICH - - -	520,000	"	11	-	183	18'3	-	2	1	3*	-	1
VIENNA - - -	1,779,869	"	11	911	626	18'1	-	44	1	5*	3	1
PRAGUE - - -	423,990	"	4	223	167	20'4	-	3	-	1*	1	1
BUDA-PESTH -	813,399	"	11	427	294	18'8	-	4	11	1	1	2
TRIESTE - - -	187,251	"	11	108	70	19'1	-	-	-	1*	1	-
ROME - - -	496,201	April	23	218	174	18'3	-	8	-	2	-	-
VENICE - - -	186,288	June	4	70	55	17'2	-	-	-	-	-	3
CAIRO - - -	624,338	March	11	453	437	36'5	-	31	-	8*	?	15
ALEXANDRIA -	349,300	"	11	288	184	27'5	2	-	-	-	?	3
NEW YORK - -	3,838,024	June	4	2115	1265	17'2	-	21	13	51*	7	6
PHILADELPHIA -	1,408,154	May	14	-	529	19'2	5	8	7	10*	3	25
BOSTON - - -	617,950	"	21	-	477	17'6	5	6	3	13	1	30
		"	21	-	203	17'1	-	4	-	5*	-	1

* Including deaths from croup.

† Including 171 deaths from plague in Calcutta, and 109 in Bombay.

‡ Including 100 deaths from cholera in Calcutta.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 18th June, 1904.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	74'0	47'6	61'1	0'27	BRADFORD - -	68'4	45'6	57'4	0'38
BRIGHTON - -	65'4	50'6	57'9	0'30	LEEDS - - -	72'0	48'0	58'4	0'30
PORTSMOUTH -	66'0	52'0	58'8	0'27	HULL - - -	70'0	46'0	58'8	0'20
NORWICH - - -	75'6	39'8	59'3	0'27	TYNEMOUTH -	67'0	46'0	57'1	0'26
PLYMOUTH - -	63'7	50'0	56'0	0'69					
BRISTOL - - -	68'1	48'0	57'8	0'83	EDINBURGH - -	62'7	41'8	53'6	0'53
BIRMINGHAM -	67'7	47'2	57'4	0'26	GLASGOW - -	67'8	45'0	55'9	0'63
NOTTINGHAM -	68'9	47'1	58'3	0'10					
LIVERPOOL - -	68'0	47'0	57'6	0'29	DUBLIN { Phoenix Park. Fitz- william Square.†	67'7	43'7	56'3	0'73
MANCHESTER -	68'9	42'8	57'2	0'77		70'1	48'1	58'2	0'40
PRESTON - - -	67'0	47'0	57'8	0'59					
HUDDERSFIELD -	66'7	46'2	57'1	0'20	BELFAST - -	-	-	-	-

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°8 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A. M.D., Dublin.

1904.		MONTH AND DAY		Phases of the Moon.	BAROMETER.		TEMPERATURE.		TEMPERATURE.		TEMPERATURE.		Wind as deduced from Anemometers.		Rain collected in a gauge whole inches above surface of ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
SUNDAY	- 12	MONDAY	- 13	TUESDAY	- 14	WEDNESDAY	15	THURSDAY	- 16	FRIDAY	- 17	SATURDAY	- 18	MEANS	No. of Column	Ozone.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 11th June, 1904.*

BOROUGHS.	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Chicken-pox.	
WEST.												
Paddington- - - -	146,975	-	2	3	-	-	-	-	1	-	14	
Kensington - - - -	179,236	1	8	4	-	2	-	-	3	-	7	
Hammersmith - - -	117,412	-	4	2	-	-	-	-	1	-	4	
Fulham - - - - -	152,482	-	3	3	-	-	-	-	3	1	34	
Chelsea - - - - -	74,329	-	-	1	-	-	-	-	1	-	5	
City of Westminster-	177,521	-	13	4	-	2	-	-	-	1	6	
NORTH.												
St. Marylebone - - -	130,337	-	10	-	-	-	-	-	3	-	7	
Hampstead - - - -	86,663	-	5	-	-	-	-	-	1	-	4	
St. Pancras - - - -	235,936	2	11	9	-	1	-	-	3	-	19	
Islington - - - - -	341,044	1	20	7	-	3	-	-	2	-	32	
Stoke Newington - -	52,445	1	-	-	-	-	-	-	-	-	7	
Hackney - - - - -	226,266	-	11	14	-	4	-	-	4	-	29	
CENTRAL.												
Holborn - - - - -	57,161	-	3	1	-	-	-	-	1	-	2	
Finsbury - - - - -	98,958	-	9	5	-	-	-	-	1	-	6	
City of London - - -	23,482	-	1	1	-	-	-	-	-	-	-	
EAST.												
Shoreditch - - - -	117,033	-	8	2	-	-	-	-	3	-	5	
Bethnal Green - - -	130,207	7	8	1	-	-	-	-	2	-	13	
Stepney - - - - -	303,791	3	25	9	-	4	-	-	6	-	36	
Poplar- - - - -	169,905	-	10	11	-	2	-	-	3	2	29	
SOUTH.												
Southwark- - - - -	207,937	-	8	6	-	-	-	-	2	-	16	
Bermondsey - - - -	129,397	1	5	2	-	-	-	-	5	-	9	
Lambeth - - - - -	310,359	3	9	3	-	-	-	-	4	-	28	
Battersea - - - - -	175,465	-	4	3	-	1	-	-	-	1	18	
Wandsworth - - - -	257,448	-	16	8	-	1	-	-	7	-	34	
Camberwell - - - -	268,384	1	4	7	-	1	-	-	6	-	36	
Deptford - - - - -	113,509	-	4	-	-	3	-	-	4	-	12	
Greenwich - - - - -	101,651	-	3	3	-	3	-	-	1	-	9	
Lewisham - - - - -	140,401	-	4	1	-	-	-	-	2	-	17	
Woolwich - - - - -	123,416	-	13	2	-	-	-	-	2	1	12	
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-	
ADMINISTRATIVE COUNTY OF LONDON. }		4,618,950	20	221	112	-	27	-	-	71	6	450
Ages												
0-1 - - - - -	-	1	3	-	-	-	-	-	4	-	47	
" 1-5 - - - - -	-	-	80	49	-	1	-	-	4	-	219	
" 5- - - - -	-	3	96	30	-	3	-	-	2	-	136	
" 10- - - - -	-	2	21	17	-	1	-	-	1	-	25	
" 15- - - - -	-	3	5	9	-	6	-	-	2	-	9	
" 20- - - - -	-	3	8	3	-	3	-	-	5	3	-	
" 25- - - - -	-	6	5	3	-	6	-	-	8	1	5	
" 35- - - - -	-	1	2	-	-	4	-	-	12	1	2	
" 45- - - - -	-	-	1	1	-	2	-	-	15	1	-	
" 55- - - - -	-	1	-	-	-	1	-	-	3	-	-	
" 65 and upwards	-	-	-	-	-	-	-	-	10	-	-	
Age not stated - -	-	-	-	-	-	-	-	-	-	-	-	

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1904.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

~~~~~  
By Authority of the Registrar General.  
~~~~~

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 25. 1904. VOL. LXV.] WEEK ENDED SATURDAY, JUNE 25. [Price 1½d.

General Register Office, Somerset House,

June 27th, 1904.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 13·2 per 1000 of their aggregate population, which is estimated† at 15,271,287 persons in the middle of this year. In the preceding three weeks the rates had been 14·6, 14·2, and 13·8. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 18·3 in Stockport and in Oldham, 18·6 in West Bromwich, 18·9 in Middlesbrough, 20·0 in Sunderland, 22·0 in Bootle, and 22·3 in Birkenhead; from *measles*, 2·3 in Hull, 2·7 in Birkenhead, 3·5 in St. Helens, and 3·6 in Burnley; from *whooping-cough*, 2·0 in Blackburn, 2·2 in Huddersfield, and 2·3 in Warrington. One death from *small-pox* was registered in London, and one each in Walthamstow, Stockport, and Newcastle on Tyne, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2465 BIRTHS and 1143 DEATHS were registered. Allowing for increase of population, the births were 89 and the deaths 172 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 13·2, 13·3, and 12·8 in the preceding three weeks, was 12·8 last week. During the four weeks ended on Saturday last the death-rate averaged 13·0 per 1000, being 2·3 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, and in certain local Small-pox Hospitals, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1143 deaths included 1 from small-pox, 55 from measles, 3 from scarlet fever, 16 from diphtheria, 17 from whooping-cough, 5 from enteric fever, and 25 from diarrhœa, but not one death from typhus or from ill-defined pyrexia; thus, 122 deaths were referred to these diseases in the aggregate, being 47 below the corrected average weekly number.

The death from *small-pox* belonged to the Borough of Kensington. The deaths from *measles*, which had been 78, 62, and 65 in the preceding three weeks, fell again last week to 55, and were 8 below the corrected average; 11 deaths belonged to the Borough of Islington, 6 to Southwark 5 each to Bermondsey and Lambeth, and 4 each to Hackney and Poplar. The deaths from *scarlet fever*, which had been 7, 4, and 10 in the preceding three weeks, fell again last week to 3, and were 9 below the corrected average. The deaths from *diphtheria*, which had been 6, 9, and 7 in the preceding three weeks, rose again last week to 16, but were 11 below the corrected average; 3 deaths belonged to Stepney and 3 to Lambeth. The deaths from *whooping-cough*, which had been 32, 28, and 25 in the preceding three weeks, further fell last week to 17, and were 15 below the corrected average. The fatal cases of *enteric fever* which had been 1, 5, and 3 in the preceding three weeks, were 5 last week, and were equal to the corrected average. The deaths from *diarrhœa* which had been 16, 26, and 23 in the preceding three weeks, were 25 last week, and were equal to the corrected average. Of the 25 deaths from diarrhœa, 19 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the causes of 5 more deaths at this age. The deaths attributed directly to *influenza* numbered 4, having been 4, 4, and 5 in the preceding three weeks. The death of a male, aged 40 years, was certified after inquest as due to *ptomaine poisoning*, after eating cockles.

Different forms of *violence* caused 50 deaths, concerning all of which inquests were held. Of these 50 deaths, 12 were cases of suicide, and 2 of homicide, while the remaining 36 were attributed to accident or negligence. Four of these latter were referred to vehicles in the streets, 5 to drowning, 2 to burns and scalds, and 7 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 83 cases of small-pox, 1629 of scarlet fever, 671 of diphtheria, 1 of typhus, and 74 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 16 cases, against 10, 21, and 7; of scarlet fever, 199 cases, against 207, 193, and 206; of diphtheria, 90 cases, against 94, 88, and 99; and of enteric fever, 12 cases, against 12, 19, and 11. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified, in the County during the week ended June 18th.

GREATER LONDON.

In Greater London 3730 births and 1574 deaths were registered. Allowing for increase of population these numbers are 41 and 218 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 8 deaths from measles, 2 from diphtheria, 5 from whooping-cough, 1 from "fever," and 4 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.89 inches, and that of the Thermometer 58° 6, the latter being 1° 9 below the week's average in the 50 years 1841-90. The direction of the wind was variable, the horizontal movement of the air being 7 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 46.8 hours; the measured rainfall amounted to 0.17 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

[illegible]

* see note † on first page of this return.

* see note † on first page of this return.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON and FOUR SCOTTISH or IRISH TOWNS. BIRTHS, DEATHS and DEATH-RATES during the Week-ended Saturday, 25th June, 1904, and DEATH-RATES during the preceding three weeks.

TOWNS.	COLS.	POPULATION estimated to the middle of the Year 1904.*	DEATH-RATES from all Causes.					Rate from Diseases in Colls. 11-17.		Registered during the week ended 25th June, 1904.		The DEATHS registered in the Week include										TOWNS.	
			Week ended					Inquests under 1 year of age.	Persons aged 60 years and upwards.	Deaths from							Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.				
			4th June, 1904.	11th June, 1904.	18th June, 1904.	25th June, 1904.	Week ended 25th June, 1904.			Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.				Violence.			
	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.		
BIRMINGHAM -	-	537,985	17.2	16.0	15.2	14.8	1.0	276	153	43	29	-	3	-	-	6	1	10	14	38	1	BIRMINGHAM.	
KINGS NORTON -	-	66,687	5.5	11.0	7.0	7.0	-	27	9	1	3	-	-	-	-	-	-	1	2	1	1	KINGS NORTON.	
SMETHWICK -	-	60,691	9.5	7.7	11.2	8.6	-	43	10	5	-	-	-	-	-	-	-	-	-	1	-	SMETHWICK.	
ASTON MANOR -	-	80,363	11.0	7.1	9.7	7.1	-	40	11	3	1	-	-	-	-	-	-	-	1	1	-	ASTON MANOR.	
COVENTRY -	-	73,904	9.9	13.4	8.5	12.0	-	47	17	1	4	-	-	-	-	-	-	-	-	3	-	COVENTRY.	
LEICESTER -	-	224,186	12.3	11.6	11.6	10.7	0.5	124	46	10	12	-	-	-	2	-	-	3	3	4	-	LEICESTER.	
GRIMSBY -	-	66,968	11.7	10.9	8.6	12.5	0.8	45	16	3	6	-	1	-	-	-	-	-	2	1	-	GRIMSBY.	
NOTTINGHAM -	-	248,811	12.4	11.9	15.5	13.6	1.0	145	65	11	21	-	-	-	3	2	-	2	5	14	1	NOTTINGHAM.	
DERBY -	-	120,449	15.2	11.7	17.7	13.9	0.9	63	32	11	6	-	-	-	2	-	-	-	1	3	-	DERBY.	
STOCKPORT -	-	97,008	18.8	16.7	23.7	18.3	1.6	59	34	9	7	1	1	-	-	-	-	3	3	7	-	STOCKPORT.	
BIRKENHEAD -	-	114,814	17.3	12.7	11.8	22.3	4.1	78	49	16	11	-	6	1	-	2	-	2	1	11	-	BIRKENHEAD.	
WALLASEY -	-	60,364	18.1	12.1	14.7	7.8	1.7	29	9	3	2	-	2	-	-	-	-	-	1	3	-	WALLASEY.	
LIVERPOOL -	-	723,430	17.9	20.5	18.7	17.8	3.0	446	247	54	43	-	19	1	3	4	3	11	9	16	73	5	LIVERPOOL.
BOOTLE -	-	61,755	14.4	16.0	6.8	22.0	2.5	28	26	5	6	-	2	-	-	-	-	2	2	1	1	1	BOOTLE.
ST. HELENS -	-	38,545	15.3	15.9	20.6	14.7	4.7	74	25	6	3	-	6	1	-	1	-	-	-	3	1	1	ST. HELENS.
WIGAN -	-	82,800	34.9	18.3	14.1	13.3	0.8	47	16	6	2	-	-	-	-	-	-	1	-	-	-	-	WIGAN.
WARRINGTON -	-	87,331	24.0	25.6	15.5	17.8	4.6	49	23	8	1	-	1	2	-	3	-	3	3	3	-	-	WARRINGTON.
BOLTON -	-	175,744	15.1	9.8	12.5	9.5	0.6	93	32	8	6	-	-	-	-	-	-	1	3	5	-	-	BOLTON.
BURY -	-	68,450	11.6	9.8	10.7	11.6	-	17	13	2	3	-	-	-	-	-	-	-	1	1	1	-	BURY.
MANCHESTER†	-	557,988	17.7	16.3	20.0	17.3	2.5	326	185	48	32	-	15	-	2	3	-	7	6	7	47	2	MANCHESTER.†
SALFORD -	-	228,983	17.8	18.4	17.8	16.9	2.0	164	74	18	16	-	3	2	1	3	-	4	8	14	14	-	SALFORD.
OLDHAM -	-	139,497	11.6	15.7	14.6	18.3	3.4	69	49	10	10	-	3	1	2	-	2	1	1	10	-	-	OLDHAM.
ROCHDALE -	-	85,601	16.4	11.6	16.4	11.6	0.6	41	19	5	5	-	-	-	-	-	-	-	1	-	-	-	ROCHDALE.
BURNLEY -	-	100,569	17.1	12.4	17.1	16.1	4.1	52	31	8	9	-	7	-	-	1	-	-	2	7	3	-	BURNLEY.
BLACKBURN -	-	132,134	17.8	16.2	16.6	13.8	2.8	70	35	12	7	-	1	-	1	5	-	-	1	1	2	-	BLACKBURN.
PRESTON -	-	115,055	21.3	17.7	18.1	14.0	0.5	76	31	6	12	-	-	-	-	-	-	-	1	1	8	-	PRESTON.
BARROW-IN-FURNESS.	-	58,654	14.9	15.7	9.6	13.1	2.6	38	15	9	2	-	-	1	-	-	-	-	-	-	2	-	BARROW-IN-FURNESS.

* See note † on first page of this return.

TABLE 2. LONDON.—Births and Deaths Registered in the TWENTY-FIFTH Week of each of the Eleven Years, 1894-1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894-1903.*	1904
TOTAL Births -	2324	2639	2511	2110	2385	2422	2464	2451	2422	2886	2554.1	2465
Males - -	1167	1369	1281	1083	1247	1223	1221	1254	1349	1426	1298.6	1211
Females - -	1167	1270	1230	1627	1138	1199	1243	1197	1173	1460	1255.5	1254
TOTAL Deaths -	1330	1276	1371	1246	1257	1355	1171	1204	1266	1197	1314.5	1143
Males - -	684	638	694	624	654	739	644	649	672	588	683.1	625
Females - -	646	638	677	622	603	616	527	555	594	609	631.4	518

* The numbers in this column are the average weekly numbers in the twenty-fifth week of the ten years 1894-1903, raised by 3.723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Apr. 2.	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	13 Weeks.
TOTAL Births -	2240	2539	2676	2489	2733	2403	2551	2376	2122	2507	2578	2583	2465	32262
TOTAL Deaths -	1672	1659	1490	1429	1392	1325	1454	1349	1274	1179	1187	1142	1143	17695
Deaths at														
Under 1 year -	375	366	318	231	280	274	289	299	275	237	228	237	216	3675
1-5 years -	214	256	214	202	194	215	203	158	200	176	175	161	165	2523
5-20 " -	70	76	68	78	80	64	77	52	65	64	81	74	61	919
20-40 " -	202	157	192	175	158	152	163	174	159	140	155	163	155	2145
40-60 " -	308	334	244	272	312	272	281	300	226	238	258	225	235	3525
60 yrs. & upwds.	494	470	434	421	368	348	441	366	349	324	290	292	311	4908
Deaths from—														
Small-pox - -	3	3	-	1	3	1	-	-	2	-	-	-	1	14
Measles - -	92	86	75	81	66	62	86	75	83	78	62	65	55	966
Scarlet Fever -	4	8	4	9	10	3	7	5	4	7	4	10	3	78
Diphtheria - -	17	17	8	15	14	19	20	10	14	6	9	7	16	172
Whooping-cough -	68	61	64	43	42	48	44	39	33	32	28	25	17	547
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	3	4	3	3	3	4	1	4	2	1	5	3	5	41
Pyrexia (origin uncertain).	-	1	-	-	-	1	-	-	-	-	-	-	-	2
Diarrhoea, Dysentery	16	21	12	12	15	23	16	21	15	16	26	23	25	241
All above Diseases -	203	204	166	164	153	161	174	154	153	140	134	133	122	2061
Dis. of Resp. System	212	167	156	127	100	83	116	105	80	73	64	57	64	1404
Pneumonia - -	158	166	139	127	124	110	115	105	108	108	93	85	77	1515
Phthisis - -	163	136	169	153	160	155	143	123	145	133	134	162	119	1900
Dis. of Circ. System	207	203	168	176	173	167	206	193	136	148	153	137	156	2233
Violence - -	58	65	56	49	63	62	61	85	54	66	67	47	50	753
Inquest Cases -	153	178	127	134	155	125	143	151	133	119	134	117	100	1769
Deaths in Institutions	585	540	473	491	532	485	569	498	480	439	436	403	431	6362
TEMPERATURE OF THE AIR.														
Mean - -	42.0	43.0	49.6	49.1	49.6	49.0	49.7	54.0	57.3	56.0	55.9	59.6	58.6	52.2
Mean of Highest	50.5	55.8	59.1	59.7	57.1	58.1	58.8	63.7	65.9	64.1	65.5	70.3	69.9	61.5
Mean of Lowest	35.3	40.9	40.6	38.2	43.3	42.4	41.5	44.3	50.5	49.2	48.1	51.4	48.2	44.1
Mean Humidity of the Air.	79	71	71	71	72	70	81	65	86	84	75	72	68	74
Rain-fall (in inches) -	0.45	0.37	0.32	0.24	0.05	0.55	0.29	0.35	0.30	0.71	0.12	0.27	0.17	4.19
Registered Sunshine (in hours).	29.5	33.5	36.9	38.9	21.9	37.0	14.0	58.5	15.0	28.7	39.3	44.9	46.8	444.9
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	126	134	144	123	104	88	99	96	118	96	95	80	83	107
Scarlet Fever - -	1570	1505	1523	1513	1511	1590	1600	1630	1663	1673	1647	1630	1629	1596
Diphtheria - -	787	749	737	719	720	750	777	767	758	748	721	696	671	738
Typhus - -	1	1	1	1	2	2	2	2	-	-	-	1	1	1
Enteric Fever - -	86	80	68	73	62	56	53	56	51	52	65	68	74	65

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Frigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Olan, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S. Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Orowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-FIFTH Week of the Year 1904.

terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 25th week of the year 1903.	1904—Deaths of Persons of the Ages						CAUSES OF DEATH.	Deaths in the 25th week of the year 1903.	1904—Deaths of Persons of the Ages							
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.			60 years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
L CAUSES	1197	1143	216	165	61	155	235	311	Meningitis (not tuberc.)	16	10	4	3	1	2	-	
									Insanity, Gen. Par. of Insane	15	13	-	-	-	5	4	
Small-pox*	1	1	-	-	-	-	1	-	Epilepsy	5	5	-	-	-	1	3	
Cowpox	-	-	-	-	-	-	-	-	Convulsions	24	19	16	3	-	-	-	
Measles (Morbilli)	51	55	8	44	3	-	-	-	Locomotor Ataxy	-	2	-	-	-	2	-	
Scarlet Fever	5	3	-	2	1	-	-	-	Paraplegia, Dis. of Cord	9	4	-	-	1	1	2	
Diphtheria	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	20	12	-	1	1	1	8	
Influenza	7	4	-	-	-	-	-	4	Valv. Dis., Endocarditis	32	31	-	-	4	11	7	
Whooping-cough	28	17	8	9	-	-	-	-	Cerebr. Hæm. Thromb.	27	31	-	-	-	2	7	
Epidemic Typhus	14	16	-	9	6	1	-	-	Apoplexy, Hemiplegia	15	19	-	1	-	-	4	
Epidemic Spinal Fever	-	-	-	-	-	-	-	-	Aneurysm	6	5	-	-	-	-	4	
Epidemic Paratyphoid	-	-	-	-	-	-	-	-	Embolism, Thrombosis (not cerebral)	1	-	-	-	-	-	1	
Epidemic Cholera	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.	84	70	-	2	3	11	20	
Epidemic Diarrhoea	10	7	5	1	-	1	-	-	Croup (not Spasm: nor Memb.)	-	-	-	-	-	-	-	
Epidemic Enteritis	15	18	11	2	-	3	2	-	Bronchitis	55	56	9	4	-	1	7	
Epidemic Typhus	-	-	-	-	-	-	-	-	Asthma, Emphysema	4	1	-	1	-	-	-	
Epidemic Typhoid	-	-	-	-	-	-	-	-	Pleurisy	2	1	-	-	-	-	1	
Epidemic Typhus	-	-	-	-	-	-	-	-	Respiratory Dis. (other)	8	6	-	2	-	2	2	
Epidemic Typhoid	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy	6	-	-	-	-	-	-	
Epidemic Typhus	-	-	-	-	-	-	-	-	Enteritis (not Epid.)	6	11	5	3	-	2	1	
Epidemic Typhoid	-	-	-	-	-	-	-	-	Gastro-Enteritis	3	4	7	5	-	1	1	
Epidemic Typhus	-	-	-	-	-	-	-	-	Peritonitis (not Puerp.)	4	4	-	-	-	3	1	
Epidemic Typhoid	-	-	-	-	-	-	-	-	Cirrhosis of Liver	11	13	-	-	-	10	2	
Epidemic Typhus	-	-	-	-	-	-	-	-	Liver Dis. (other)	2	7	-	-	-	1	2	
Epidemic Typhoid	-	-	-	-	-	-	-	-	Digestive Dis., Other	27	42	10	-	5	8	11	
Epidemic Typhus	-	-	-	-	-	-	-	-	Nephritis, Acute	15	5	-	-	-	-	3	
Epidemic Typhoid	-	-	-	-	-	-	-	-	Bright's Dis., Albumin-uria	30	26	-	-	-	4	11	
Epidemic Typhus	-	-	-	-	-	-	-	-	Urinary Sys., Other Dis.	7	6	-	-	-	-	2	
Epidemic Typhoid	-	-	-	-	-	-	-	-	Generative Organs Dis.	3	3	-	-	-	2	1	
Epidemic Typhus	-	-	-	-	-	-	-	-	Childbirth (Accid. of)	8	4	-	-	-	2	2	
Epidemic Typhoid	-	-	-	-	-	-	-	-	Old Age	33	49	-	-	-	-	49	
Epidemic Typhus	-	-	-	-	-	-	-	-	Other Diseases	88	80	51	11	4	2	7	
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									
Epidemic Typhus	-	-	-	-	-	-	-	-									
Epidemic Typhoid	-	-	-	-	-	-	-	-									

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 25th June, 1904.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include															Deaths from Public Institutions.
				Deaths of Infants under 1 Year of Age.	Deaths from										Violence.	Inquest Cases.			
					Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia† (Origin un- certain).	Diarrhoea.						
LONDON - - -	1,536,429	2465	1143	216	311	1	55	3	16	17	-	5	-	25	50	100	431		
WEST DISTRICTS - - -	805,311	370	168	32	55	-	2	-	2	4	-	1	-	3	6	9	71		
NORTH DISTRICTS - - -	1,056,070	529	244	39	72	-	18	1	6	-	-	1	-	1	8	20	89		
CENTRAL DISTRICTS - - -	209,465	111	55	10	8	-	2	-	1	-	-	-	-	2	2	5	28		
EAST DISTRICTS - - -	715,739	470	205	53	44	-	8	-	2	3	-	1	-	5	9	25	91		
SOUTH DISTRICTS - - -	1,749,844	985	436	82	124	-	25	1	5	10	-	1	-	11	23	39	117		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	35	-	8	1	-	1	-	-	-	1	-	3	2	2	35		
WEST DISTRICTS.																			
St. Mary Paddington } G. & W.	93,178	46	8	1	4	-	-	-	-	-	-	-	-	-	-	-	4		
W.2H - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. John Paddington H - - G.	33,617	9	9	2	1	-	-	-	-	-	-	1	-	-	-	-	5		
North-West Paddington - - C.	17,181	9	4	1	3	-	-	-	-	-	-	-	-	1	-	-	-		
Kensington Town 2W, w.2H G. & W. & C.	128,037	56	39	8	13	-	1	-	-	1	-	-	-	2	2	2	20		
Brompton 2H - - W. & C.	48,591	11	7	1	5	-	-	-	-	-	-	-	-	-	-	-	1		
North Hammersmith W, w.2H } W. & G.	49,192	25	5	3	1	-	-	-	-	-	-	-	-	-	-	-	1		
South Hammersmith w.2H } W. & G.	63,047	38	9	3	4	-	-	-	-	-	-	-	-	-	-	-	1		
North-west Fulham W } W. & C.	45,180	35	20	3	3	-	-	-	-	2	-	-	-	1	1	9	-		
North-east Fulham F } W. & C.	46,405	28	8	4	3	-	-	-	-	-	-	-	-	1	1	-	-		
South Fulham W } W. & C.	45,704	34	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
Chelsea North W, w.3H - - C.	42,514	12	20	2	7	-	-	-	-	1	-	-	-	-	-	-	15		
Chelsea South W.2H - - C.	31,328	15	8	1	4	-	-	-	-	-	-	-	-	-	-	-	3		
May Fair and Knightsbridge C. & G.	28,743	4	5	1	2	-	-	-	-	1	-	-	-	-	1	2	-		
Belgrave W.2H - - C.	55,815	16	16	1	4	-	-	-	-	1	-	-	-	-	1	2	8		
St. Margaret & St. John 4H - O.	43,698	19	5	1	-	-	-	-	-	-	-	-	-	-	-	-	3		
St. James Westminster } N. & G.	21,588	9	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-		
W. H - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Anne Soho 5H - - N.	11,493	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2		
NORTH DISTRICTS																			
All Souls Marylebone 8H - W.	35,391	12	9	-	3	-	-	-	-	-	-	-	-	-	-	-	7		
Rectory Marylebone W G. & W.	19,349	7	5	-	3	-	-	-	-	-	-	-	-	-	-	-	2		
St. Mary Marylebone 4H G. & W.	18,099	25	2	-	1	-	-	-	-	-	-	-	-	-	-	-	9		
Christchurch Marylebone H - W.	39,536	7	7	2	2	-	-	-	-	1	-	-	-	-	1	-	4		
St. John Marylebone 3H - W.	20,426	4	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1		
Hampstead W, F, 6H - N. & W.	81,942	34	18	4	5	-	-	-	1	-	-	-	-	-	1	1	8		
West St. Pancras 2H - - W.	60,562	28	14	-	5	-	2	-	-	-	-	1	-	-	2	2	1		
Tottenham-court w.6H - N. & W.	21,258	9	10	2	1	-	1	-	-	-	-	-	-	-	-	-	9		
Gray's Inn Lane 4H - - N.	34,449	22	7	-	1	-	-	-	-	1	-	-	-	-	1	2	4		
East St. Pancras W, 2H - - N.	60,320	26	19	2	8	-	-	-	-	-	-	-	-	-	1	3	9		
North St. Pancras 2W - - N.	58,728	26	18	2	6	-	-	-	-	-	-	-	-	-	1	1	10		
Tufnell W - - - N.	31,995	10	19	4	7	-	1	-	-	-	-	-	-	-	-	-	8		
Upper Holloway 2W, w.2H - N.	33,978	26	16	2	4	-	1	-	-	-	-	-	-	-	-	-	13		
Tollington W - - - N.	33,922	19	6	1	4	-	-	-	-	-	-	-	-	-	-	1	-		
Lower Holloway - - - N.	41,424	26	10	2	-	-	6	-	-	-	-	-	-	-	1	2	-		
Barnsbury - - - N.	54,478	24	6	-	-	-	1	-	-	-	-	-	-	-	-	-	-		
Islington South-east F - - N.	75,397	53	10	3	4	-	-	-	-	-	-	-	-	-	1	1	-		
Highbury 2H - - - N.	63,797	33	9	1	5	-	2	-	-	-	-	-	-	-	1	1	1		
Stoke Newington H - - N.	51,247	24	10	2	3	-	-	-	-	-	-	-	-	-	-	-	-		
North Hackney - - - E. & N.	50,550	21	6	2	2	-	1	-	-	-	-	-	-	-	-	-	-		
Central Hackney 2w, F - E. & N.	50,536	38	9	2	-	-	1	1	2	-	-	-	-	-	1	2	3		
South-west Hackney 3H - E. & N.	59,921	23	11	3	3	-	1	-	-	1	-	-	-	-	-	-	3		
South-east Hackney 2W, w, H, E. & N.	58,255	32	20	5	4	-	1	-	-	-	-	-	-	-	-	1	11		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there; namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G, signifying Grand Junction Company; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River; E, East London; and K, the Kent Company.

* See also acts * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 25th June, 1904—continued.

REGISTRATION SUB-DISTRICTS,	Enu- me- rated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														Deaths in Public Institutions.	Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
				Deaths of		Deaths from																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
				Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
CENTRAL DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													</

On 1st May, 1904, the sub-districts of Mile End Old Town West and Mile End Old Town East were dissolved and merged into two new sub-districts as above.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 25th June, 1904—continued.

REGISTRATION SUB-DISTRICTS	Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														Deaths in Public Institutions.
				Deaths of Age.	Deaths from													
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.	
SOUTH DISTRICTS.																		
Christchurch Southwark W, HL & S.	11,263	3	3	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-
St. Saviour Southwark H - S.	12,056	6	21	1	2	-	-	-	-	-	1	-	-	-	-	2	4	17
Kent-road - - - S. & L.	21,904	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr } S. & L.	39,094	24	12	4	1	-	1	-	-	-	-	-	-	-	-	-	-	4
West W, 2H, L - - -																		
Newington North* - S. & L.	49,022	34	8	2	2	-	1	-	-	-	-	-	-	-	-	-	1	1
Newington South* W - S. & L.	72,841	38	17	3	4	-	1	-	-	-	-	-	-	-	-	1	1	1
St. Olave 2W - - - S.	9,817	3	3	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1
Bermondsey W - - - S.	82,483	49	18	10	1	-	5	-	-	-	1	-	-	-	1	1	1	1
Rotherhithe W, F - - S. & K.	38,460	18	9	-	4	-	-	-	-	-	-	-	-	-	1	2	4	4
Waterloo-road 2H - L. & S.	27,440	25	8	5	1	-	2	-	-	-	-	-	-	-	1	1	1	2
Lambeth Church 1st H L. & S.	18,423	11	13	2	1	-	-	-	-	-	-	-	-	-	-	2	3	9
Lambeth Church 2nd 2W L. & S.	39,818	25	19	5	3	-	1	-	-	-	2	-	-	-	-	-	2	13
Kennington 1st H - S. & L.	53,198	32	9	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Kennington 2nd H - S. & L.	42,896	19	11	1	3	-	1	-	-	1	-	-	-	-	1	-	1	1
Brixton F - - - L. & S.	84,232	43	22	3	8	-	1	1	2	-	-	-	-	-	-	2	2	3
Norwood W, H - - - L.	35,888	14	9	1	6	-	-	-	-	-	-	-	-	-	-	-	-	1
East Battersea H - - S.	72,203	49	6	-	1	-	-	-	-	-	-	-	-	-	-	2	2	-
North-west Battersea - - S.	49,656	38	7	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea W, H - S.	47,048	29	19	2	4	-	-	-	-	-	1	-	-	-	1	3	4	8
Clapham 2H - - - S.	51,361	27	11	2	3	-	1	-	-	-	-	-	-	-	1	2	2	2
Streatham W, 2W, 2F, 2L - L.	88,019	43	21	4	6	-	-	-	-	-	-	-	-	-	1	1	3	2
Springfield 2W, L - - S.	27,959	20	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Southfields H - - - S.	40,444	22	7	1	4	-	2	-	-	-	-	-	-	-	-	-	-	1
Putney - - - - S.	24,139	12	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich† - - - L. & S.	13,359	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South W, w - S. & L.	40,206	16	22	1	12	-	2	-	-	-	-	-	-	-	1	-	-	14
Camberwell North W, 2L - S. & L.	65,584	35	21	4	7	-	-	-	-	-	-	-	-	-	-	2	2	6
St. George† - - - L. & S.	47,331	36	9	3	1	-	3	-	-	1	-	-	-	-	-	-	-	-
Peckham† 2W, w - - S., L. & K.	92,859	47	15	1	6	-	-	-	-	-	-	1	-	-	1	1	-	-
Deptford North - - - K.	37,613	27	6	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Deptford Central F - - K.	45,481	21	8	3	3	-	-	-	-	-	-	-	-	-	-	-	1	-
Deptford South - - - K.	34,625	14	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West 2H - - K.	23,456	15	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-	2
Greenwich East 2W, H - K.	43,859	28	17	-	4	-	1	-	1	-	-	-	-	-	1	1	2	10
Eltham W, H - - - K.	7,226	3	5	2	2	-	1	-	-	2	-	-	-	-	-	-	-	-
Lee W, H - - - K.	25,490	9	7	-	2	-	-	-	-	-	-	-	-	-	1	-	-	1
Lewisham W, w, F - - K.	58,352	36	19	3	9	-	-	-	-	-	-	-	-	-	-	-	-	8
Sydenham H - - - L.	43,653	26	6	1	2	-	-	-	-	-	1	-	-	-	1	-	-	-
Charlton F, 2H - - - K.	21,134	11	4	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1
Woolwich 4H - - - K.	41,625	21	6	-	2	-	-	-	-	-	-	-	-	-	-	1	1	-
Plumstead West W - - K.	18,063	8	3	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Plumstead East 2W, H - K.	50,264	33	14	1	3	-	-	-	-	-	-	-	-	-	-	1	5	-
London County Asy., Banstead -	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Manor Asylum, Epsom - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton Asylum, Epsom - - -	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5
Lon. Co. Asy. Epilep. Colony, Epsom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2
Met. Asy. for Imbeciles, Caterham	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
London County Asy., Cane Hill -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
M.A.B. Hospitals, Dartford - -	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	2
Met. Asy. for Imbeciles, Darenth -	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1
London County Asylum, Dartford } Heath	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
London County Asylum, Hanwell	-	-	-	5	-	2	-	-	-	-	-	-	-	-	1	-	-	5
Central London Sick Asy., Hendon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Colney Hatch	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-	1	1	5
M.A.B. North-Eastern Hospital -	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2
M.A.B. Northern Hospital - -	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	5
Met. Asy. for Imbeciles, Leavesden	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5
London County Asylum, Claybury	-	-	-	4	-	1	-	-	-	-	-	-	-	-	1	1	1	-

* On 1st March, 1904, the sub-districts of Trinity Newington, St. Peter Walworth, and St. Mary Newington were abolished, and divided into two new sub-districts entitled Newington North and Newington South respectively.

† On 1st April, 1904, the four sub-districts of Camberwell registration district were abolished, and divided into four sub-districts as above.

‡ On 1st June, 1904, changes were made in the boundary between Streatham sub-district and Mitcham sub-district (38).

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 25th June, 1904.

The DEATHS registered in the Week include																		
REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu-merated Popu-lation, 1901.	BIRTHS.	DEATHS.	Deaths from													
					Deaths of	Deaths from												
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
					1	60	1	17	1	7	10	2	8	18	40	78	1	
LONDON—OUTER RING	368,580	2,044,973	1265	431	95	122	1	17	1	7	10	2	8	18	40	78	1	
1 Carshalton <i>w, 2F, 2H</i>	12,228	32,997	16	9	2	3	1	-	-	-	-	-	-	-	-	-	-	
2 Epsom, <i>part of</i> * <i>W, w, 2F, H</i>	10,423	15,548	5	2	-	1	-	-	-	-	-	-	-	-	-	1	-	
1 Godstone, <i>part of</i> * <i>W, F</i>	2,754	2,692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1 Coulsdon	11,069	8,166	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
2 South Croydon <i>w</i>	4,200	49,309	23	7	1	5	-	-	-	-	-	-	-	1	2	-	-	
3 West Croydon <i>3W, F, H</i>	2,168	42,888	21	11	2	2	-	1	-	1	-	-	-	1	1	8	-	
4 North Croydon <i>H</i>	2,644	41,688	23	8	1	3	-	1	-	-	-	-	-	1	1	1	-	
5 Penge <i>w</i>	770	22,465	12	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
6 Mitcham† <i>w</i>	11,689	30,015	17	6	1	2	-	1	-	-	-	-	-	-	-	-	-	
1 Wimbledon <i>F, 3H</i>	3,221	41,652	18	11	5	-	-	-	-	-	-	-	2	1	2	-	-	
2 Kingston <i>W, H</i>	6,224	42,068	18	8	1	4	-	-	-	-	-	-	-	1	1	2	-	
3 Surbiton <i>F, H</i>	3,046	15,017	9	4	-	4	-	-	-	-	-	-	-	-	-	-	-	
4 Esher, <i>part of</i> * <i>H</i>	5,402	13,100	3	4	1	3	-	-	-	-	-	-	-	-	-	-	-	
6 Hampton <i>H, L</i>	4,564	23,456	10	3	-	2	-	-	-	-	-	-	-	1	-	-	-	
1 Richmond <i>W, H</i>	2,162	28,865	23	8	2	4	-	-	-	-	-	-	-	-	1	6	-	
2 Mortlake <i>F</i>	2,847	20,628	13	6	-	2	-	-	-	-	-	-	-	1	2	-	-	
1 Bromley <i>F, 2H</i>	4,703	27,354	7	7	1	3	-	-	-	-	-	-	-	-	-	-	-	
2 Beckenham <i>H</i>	7,825	28,497	14	4	2	2	-	-	-	-	-	-	-	-	1	-	-	
3 Orpington, <i>part of</i> * <i>W</i>	10,113	9,857	4	5	-	4	-	-	-	-	-	-	-	-	-	3	-	
4 Chislehurst <i>2H</i>	7,333	16,446	8	3	2	-	-	-	-	-	-	-	-	-	-	-	-	
1 Bexley <i>F, H</i>	8,678	21,151	11	6	4	1	-	-	-	-	-	-	-	-	-	-	-	
2 Erith <i>F, H</i>	3,854	25,296	16	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
3 Dartford <i>W, F, part of</i> *	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-	
1 Sunbury <i>w</i>	11,054	18,683	16	5	-	1	-	-	-	-	-	-	-	-	1	-	-	
2 Staines <i>W, H</i>	13,277	15,178	8	6	3	1	-	-	-	-	-	-	1	-	-	-	-	
1 Hillingdon <i>W, F, H</i>	6,035	13,661	3	3	-	-	-	-	-	1	-	-	-	-	1	1	-	
2 Uxbridge	12,757	8,984	2	4	1	1	-	-	-	-	-	-	-	-	-	-	-	
3 Hayes <i>w, F, H</i>	8,066	16,358	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
1 Isleworth <i>3W, 2F, H</i>	6,859	30,863	19	17	2	5	-	-	-	-	-	-	1	1	2	8	-	
2 Twickenham <i>F, H</i>	2,421	20,991	14	4	1	3	-	-	-	-	-	-	-	-	-	-	-	
3 Brentford <i>2F, 2H, L</i>	4,319	48,289	38	7	1	3	-	1	-	-	-	-	-	-	-	-	-	
4 Chiswick <i>H</i>	1,249	29,809	16	10	2	2	-	-	-	-	2	-	-	-	-	2	-	
6 Acton <i>w, 3H</i>	6,132	48,914	36	9	4	2	-	1	-	-	-	-	-	1	-	-	-	
1 Harrow <i>F, H</i>	13,809	25,523	16	6	-	4	-	-	-	-	-	-	-	1	1	-	1	
2 Edgware <i>F, 2H</i>	6,994	4,521	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
3 Willesden <i>W, F, 2H</i>	4,384	114,811	102	12	4	3	-	-	-	-	-	-	-	-	1	-	-	
4 Hendon <i>W, F</i>	8,382	22,460	15	8	2	1	-	1	-	-	-	-	-	4	5	-	-	
1 South Mimms <i>2F, H</i>	17,755	7,308	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
2 Barnet <i>W, 3H</i>	3,324	17,970	9	1	-	1	-	-	-	-	-	-	-	-	-	1	-	
3 Finchley <i>F, 2H</i>	4,688	33,692	11	10	5	1	-	3	-	-	2	-	-	-	-	-	-	
1 Hornsey <i>F, H</i>	2,875	72,056	34	13	2	4	-	1	-	-	1	-	-	-	-	-	-	
2 Wood Green <i>H</i>	1,625	34,233	25	5	1	1	-	-	-	-	-	-	-	-	-	1	-	
3 West Tottenham <i>F</i>	996	48,853	47	7	5	1	-	-	-	1	-	-	-	-	1	-	-	
4 East Tottenham <i>F, H</i>	2,017	53,688	32	7	1	2	-	1	-	-	-	-	1	-	-	2	-	
5 Edmondton <i>W, w, 2F</i>	7,491	61,892	45	20	2	5	-	1	-	2	1	-	-	-	-	8	-	
6 Enfield <i>2W, F, H</i>	12,601	42,738	28	5	1	1	-	-	-	-	1	-	-	-	-	1	-	
7 Waltham Abbey	11,017	6,549	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
8 Cheshunt <i>F, H</i>	8,479	12,292	8	2	1	-	-	-	-	-	-	-	-	-	-	1	-	
1 Hatfield, <i>part of</i> * <i>W</i>	3,305	664	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2 Bushey <i>H</i>	9,333	9,173	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
3 Watford <i>W, 2F part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1 Stratford <i>H</i>	1,072	44,827	25	7	2	1	-	1	-	1	-	-	-	-	-	1	-	
2 Plaistow <i>F, 2H</i>	1,249	90,921	70	11	2	1	-	1	1	-	-	-	-	1	1	1	-	
3 Canning Town <i>H</i>	1,556	70,718	46	26	8	2	-	-	-	-	1	-	-	1	1	4	-	
4 Forest Gate <i>w</i>	806	60,892	30	5	-	1	-	-	-	-	1	-	-	-	-	-	-	
5 North East Ham <i>w</i>	1,333	58,676	38	11	2	1	-	-	-	-	-	-	-	1	1	-	-	
6 South East Ham <i>3F</i>	1,993	37,342	30	5	1	-	-	-	-	1	-	-	2	-	1	1	-	
7 Wanstead <i>F</i>	1,679	9,179	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
8 South Leyton <i>2W</i>	631	50,467	34	15	3	4	-	-	-	-	1	-	-	-	-	2	7	
9 North Leyton <i>W, w, F</i>	1,963	48,445	30	21	1	6	-	-	-	-	1	-	-	1	1	10	-	
10 Walthamstow <i>3H, L</i>	6,504	108,929	82	22	7	5	-	2	-	1	-	-	-	1	4	-	-	
1 Chigwell, <i>part of</i> * <i>2FAH</i>	11,778	16,397	12	4	-	2	-	-	-	-	-	-	-	1	1	-	-	
2 Epping <i>W, F, part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1 Romford, <i>part of</i> * <i>W, 2F</i>	6,556	6,091	3	2	-	-	-	1	-	-	-	-	-	-	-	1	-	
2 Ilford <i>F, L</i>	8,496	41,234	31	9	2	4	-	-	-	-	-	-	-	-	-	1	-	
3 Barking Town <i>F</i>	3,803	21,547	10	5	2	1	-	-	-	-	-	-	-	2	2	-	-	
Middlesex County Asylum, Wandsworth.	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	2	-	
London County Asylum, Banstead.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
N. E. Hospital, Tottenham	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	

The parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.
See note 1 on preceding page.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.
CALCUTTA (including SUBURBS) }	847,796	May 14	-	592	36·3	4	2	-	2	-	234†
BOMBAY - -	776,006	June 7	294	524	35·1	12	4	-	-	-	104†
MADRAS - -	509,348	May 20	445	414	42·2	-	3	?	?	?	78
PARIS - - -	2,660,559	June 18	1025	758	14·7	1	14	3	2*	10	2
BRUSSELS - -	575,896	" 18	220	119	10·6	-	-	-	2*	1	-
ANTWERP - -	281,376	" 18	140	61	11·1	-	2	-	-	1	1
AMSTERDAM -	547,370	" 11	278	154	14·7	-	7	-	-	2	-
COPENHAGEN -	420,000	" 18	200	129	16·0	-	2	-	-	3	-
STOCKHOLM -	305,115	" 11	140	109	18·3	-	1	2	2*	-	-
CHRISTIANIA -	225,709	" 18	112	56	13·0	-	-	1	-	-	-
ST. PETERSBURG	1,248,843	" 11	718	619	25·8	5	35	19	10*	6	11
MOSCOW - -	1,093,410	" 11	-	678	32·4	8	29	6	9*	6	1
BERLIN - - -	1,960,909	" 4	904	626	16·6	-	9	12	6*	10	-
HAMBURG - -	751,842	" 18	-	218	15·1	-	3	2	2*	4	1
BRESLAU - -	445,403	" 18	-	198	23·2	-	1	-	1*	?	1
MUNICH - - -	520,000	" 18	-	177	17·7	-	4	-	2*	2	1
VIENNA - - -	1,779,869	" 18	1069	659	19·1	-	50	1	5*	1	2
PRAGUE - - -	423,990	" 11	189	187	22·8	-	1	-	-	2	-
BUDA-PESTH -	813,399	" 18	475	287	18·3	-	5	9	4*	-	1
TRIESTE - - -	187,251	" 18	165	71	19·4	-	-	-	-	-	-
ROME - - -	496,201	April 30	-	-	-	-	-	-	-	-	-
VENICE - - -	166,288	June 11	89	42	13·2	-	-	-	-	-	1
CAIRO - - -	624,338	March 18	483	443	37·0	4	38	-	3*	?	9
ALEXANDRIA -	349,300	" 18	301	174	26·0	3	1	-	-	?	3†
NEW YORK - -	3,838,024	June 11	1923	1222	16·6	1	18	15	35*	6	5
PHILADELPHIA -	1,408,154	May 28	-	494	18·2	2	8	11	9*	-	22
BOSTON - - -	617,950	" 28	-	174	14·6	-	2	-	5*	-	1

* Including deaths from croup.

† Including 134 deaths from plague in Calcutta, 78 in Bombay, and one in Alexandria.

‡ Including 95 deaths from cholera in Calcutta, and one in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 25th June, 1904.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	76·1	44·3	59·0	0·17	BRADFORD - -	67·2	40·8	55·5	0·4
BRIGHTON - -	73·4	47·2	58·9	0·14	LEEDS - - -	70·0	49·0	57·7	0·2
PORTSMOUTH - -	68·5	49·0	58·1	0·30	HULL - - -	71·0	45·0	56·2	0·0
NORWICH - - -	72·0	43·6	58·0	0·20	TYNEMOUTH - -	67·0	47·0	56·6	1·3
PLYMOUTH - -	66·2	46·8	56·6	0·09					
BRISTOL - - -	68·5	44·0	56·5	0·14	EDINBURGH - -	61·3	45·4	53·0	0·7
BIRMINGHAM -	67·2	46·4	55·3	0·07	GLASGOW - - -	62·0	46·5	54·8	0·6
NOTTINGHAM -	68·4	44·3	56·8	0·15					
LIVERPOOL - -	64·0	50·0	55·8	0·24	DUBLIN { Phoenix Park.	64·3	46·8	55·4	0·1
MANCHESTER { OBSERVATORY.	65·7	43·8	54·4	0·28	DUBLIN { Fitz- william Square.†	66·8	50·9	57·2	0·1
PRESTON - - -	83·5	48·0	56·0	0·51					
HUDDERSFIELD -	65·5	44·8	54·3	0·24	BELFAST - - -	-	-	-	-

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of the return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1·0° Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A. M.D., Dublin.

1904.

[illegible]

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 159 feet above the mean sea level. No correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9 A.M.; noon; 3 P.M. and 9 P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observational made at Greenwich during the 50 years ending 1890 and that of horizontal movement made at Greenwich during the aneroidometric records for the 16 years ending 1875.

- "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30.01 in. at the beginning of the week to 29.84 in. by 7h. P.M. on the 20th; increased to 30.23 in. by 10h. A.M. on the 22nd; decreased to 29.34 in. by 3h. A.M. on the 26th; and increased to 29.60 in. by midnight on the same day.

GENERAL REMARKS.

DATE.		ELECTRICITY (For explanation of symbols see Note.)	Registered at above Horton.		GENERAL REMARKS.
JUNE.			In hours.	In hours.	
SUNDAY	- 19	w. P. till 8h. P.M.; m. P. afterwards.	43	166	Generally overcast; occasional fine inter- vals; a little misty rain in forenoon. Generally overcast till 9h. 30m. A.M.; very fine afterwards.
MONDAY	- 20	w. P. till 3h. A.M.; w. P. generally till 7h. P.M.; m. P. after- wards.	93	166	Very fine with little cloud in morning; fine but cloudy till evening; cloudless with slight exceptions at night. Cloudy in early morning; very fine with small amount of cloud till evening; cloudy at night. Solar halo at intervals during the day. Very fine generally; partially cloudy. Solar halo observed at 4h. P.M.
TUESDAY	- 21	m. P. till 9h. A.M.; s. P. afterwards.	33	166	
WEDNESDAY	- 22	m. P. generally; occasional s. P.	104	166	
THURSDAY	- 23	m. P. generally; occasional s. P.	86	166	
FRIDAY	- 24	w. P. generally; m. P. in evening.	66	166	Very fine generally till afternoon; overcast afterwards with frequent slight rain after 8h. P.M. Solar halo in forenoon.
SATURDAY	- 25	w. P. with occa- sional s. N. till 7h. A.M.; v. p. and s. N. till 3h. P.M.; s. P. gene- rally afterwards.	41	166	Overcast in morning with variable amounts of cloud afterwards; sharp showers at 11h. A.M. and 2h. 15m. P.M.; gusty wind be- tween 7h. A.M. and 5h. P.M.
			Sum 468	Sum 1162	
No. of Col.-	-		28	29	

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 18th June, 1904.*

BOROUGHS.	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Chicken-pox.	
WEST.												
Paddington- - - -	146,975	-	3	2	-	3	-	-	3	1	12	
Kensington - - - -	179,236	-	5	5	-	-	-	-	1	-	6	
Hammersmith - - -	117,412	-	4	7	-	-	-	-	3	1	8	
Fulham - - - - -	152,482	-	5	5	-	1	-	-	-	-	6	
Chelsea - - - - -	74,329	-	1	1	-	1	-	-	1	-	4	
City of Westminster-	177,321	-	9	2	-	1	-	-	4	-	5	
NORTH.												
St. Marylebone - - -	130,337	-	7	3	-	-	-	-	2	-	26	
Hampstead - - - -	86,663	-	3	2	-	1	-	-	-	-	14	
St. Pancras- - - -	235,936	-	12	9	-	1	-	-	9	-	16	
Islington - - - - -	341,044	-	26	6	-	1	-	-	3	1	19	
Stoke Newington - -	52,445	-	-	-	-	-	-	-	1	-	2	
Hackney - - - - -	226,266	-	14	7	-	6	-	-	4	1	18	
CENTRAL.												
Holborn - - - - -	57,161	-	5	4	-	-	-	-	2	-	5	
Finsbury - - - - -	98,958	1	4	9	-	-	-	-	1	-	11	
City of London - - -	23,482	-	-	2	-	-	-	-	2	-	-	
EAST.												
Shoreditch - - - -	117,033	-	7	2	-	-	-	-	5	-	12	
Bethnal Green - - -	130,207	2	13	5	-	1	-	-	2	-	7	
Stepney - - - - -	303,791	1	31	16	-	1	-	-	8	-	35	
Poplar- - - - -	169,905	-	3	7	-	1	-	-	4	-	24	
SOUTH.												
Southwark- - - - -	207,937	-	7	5	-	1	-	-	9	-	23	
Bermondsey - - - -	129,397	3	19	3	-	1	-	-	2	-	18	
Lambeth - - - - -	310,359	1	14	7	-	-	-	-	-	-	34	
Battersea - - - - -	175,465	-	4	1	-	1	-	-	3	-	17	
Wandsworth - - - -	257,448	-	15	1	-	1	-	-	8	-	33	
Camberwell - - - -	268,384	-	17	14	-	-	-	-	6	1	30	
Deptford - - - - -	113,509	-	5	4	-	-	-	-	1	-	4	
Greenwich - - - - -	101,851	-	2	2	-	-	-	-	2	-	6	
Lewisham - - - - -	140,401	-	3	4	-	1	-	-	1	-	9	
Woolwich - - - - -	123,416	-	5	1	-	-	-	-	-	-	21	
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-	
ADMINISTRATIVE COUNTY OF LONDON. }		4,648,950	8	243	136	-	23	-	-	87	5	425
Age												
0-1 - - - - -	-	-	2	1	-	-	-	-	2	-	43	
" 1-5 - - - - -	-	1	87	60	-	-	-	-	3	-	210	
" 5- - - - -	-	-	85	36	-	3	-	-	4	-	139	
" 10- - - - -	-	1	38	15	-	7	-	-	1	-	14	
" 15- - - - -	-	1	12	11	-	4	-	-	14	-	10	
" 30- - - - -	-	1	11	3	-	3	-	-	6	-	5	
" 25- - - - -	-	2	7	6	-	3	-	-	10	2	1	
" 35- - - - -	-	1	1	3	-	3	-	-	17	3	3	
" 45- - - - -	-	1	-	-	-	-	-	-	12	-	-	
" 55- - - - -	-	-	-	-	-	-	-	-	10	-	-	
" 65 and upwards	-	-	-	-	-	-	-	-	8	-	-	
Age not stated - - -	-	-	-	1	-	-	-	-	-	-	-	

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
By DARLING & SON, LTD., 34-40, BACON STREET, E

1904.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 26. 1904. VOL. LXV.] WEEK ENDED SATURDAY, JULY 2. [Price 1½d.

General Register Office, Somerset House,

July 4th, 1904.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 13·5 per 1000 of their aggregate population, which is estimated† at 15,271,287 persons in the middle of this year. In the preceding three weeks the rates had been 14·2, 13·8, and 13·2. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 18·1 in Hull, 19·0 in Manchester and in Newcastle on Tyne, 20·0 in Great Yarmouth, 20·3 in Huddersfield, 21·6 in Wigan, and 22·8 in Hanley; from *measles*, 1·3 in Leeds and in Rhondda, 1·4 in Liverpool, in Manchester, in Salford, and in Hull, 1·6 in Hanley, 1·7 in Bootle, 2·7 in Birkenhead, and 3·3 in Brighton and in Huddersfield; from *diphtheria*, 1·3 in Rhondda, 1·5 in West Hartlepool, and 1·6 in Hanley; from *whooping-cough*, 1·3 in York, 1·6 in Grimsby, and 5·0 in Great Yarmouth. One death from *small-pox* was registered in London, 1 in Oldham, and 2 each in Gateshead and Newcastle on Tyne, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2514 BIRTHS and 1148 DEATHS were registered. Allowing for increase of population, the births were 43 and the deaths 175 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 13·3, 12·8, and 12·8 in the preceding three weeks, was 12·9 last week. During the four weeks ended on Saturday last the death-rate averaged 13·0 per 1000, being 2·0 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, and in certain local Small-pox Hospitals, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1148 deaths included 1 from small-pox, 58 from measles, 7 from scarlet fever, 9 from diphtheria, 29 from whooping-cough, 5 from enteric fever, and 24 from diarrhoea, but not one death from typhus or from ill-defined pyrexia; thus, 133 deaths were referred to these diseases in the aggregate, being 51 below the corrected average weekly number.

The fatal case of *small-pox* belonged to the Borough of Finsbury. The deaths from *measles*, which had been 62, 65, and 55 in the preceding three weeks, rose again last week to 58, but were 1 below the corrected average; 7 deaths belonged to the Borough of Bethnal Green, 7 to Southwark, 6 to Stepney, 5 to Lambeth, and 4 each to Hackney and Wandsworth. The deaths from *scarlet fever*, which had been 4, 10, and 3 in the preceding three weeks, were 7 last week, and were 6 below the corrected average. The deaths from *diphtheria*, which had been 9, 7, and 16 in the preceding three weeks, fell again last week to 9, and were 21 below the corrected average. The deaths from *whooping-cough*, which had been 28, 25, and 17 in the preceding three weeks, rose again last week to 29, but were 6 below the corrected average; 6 deaths belonged to St. Pancras, 4 to Stepney, and 3 each to Shoreditch and Lambeth. The fatal cases of *enteric fever* which had been 5, 3, and 5 in the preceding three weeks, were again 5 last week, the corrected average being 8. The deaths from *diarrhoea* which had been 26, 23, and 25 in the preceding three weeks, were 24 last week, and were 13 below the corrected average. Of the 24 deaths from diarrhoea, 22 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the causes of 2 more deaths at this age. The deaths attributed directly to *influenza* numbered 3, having been 4, 5, and 4 in the preceding three weeks.

Different forms of *violence* caused 43 deaths, concerning all of which inquests were held. Of these 43 deaths, 6 were cases of suicide, while the remaining 37 were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, 4 to burns and scalds, 2 to the effects of anæsthetics administered for surgical purposes, and 4 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 74 cases of small-pox, 1631 of scarlet fever, 684 of diphtheria, 1 of typhus, and 62 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 10 cases, against 21, 7, and 16; of scarlet fever, 254 cases, against 193, 206, and 199; of diphtheria, 109 cases, against 88, 99, and 90; and of enteric fever, 8 cases, against 19, 11, and 12. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended June 25th.

GREATER LONDON.

In Greater London 3734 births and 1535 deaths were registered. Allowing for increase of population these numbers are 13 and 268 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 8 deaths from measles, 2 from diphtheria, 4 from whooping-cough, 2 from "fever," and 6 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·84 inches, and that of the Thermometer 59°·7, the latter being 1°·6 below the week's average in the 50 years 1841-90. The direction of the wind was variable, the horizontal movement of the air being 15 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 68·9 hours; the measured rainfall amounted to 0·15 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	Cols.	POPULATION estimated to the middle of the Year 1904.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the week ended 2nd July, 1904.		The DEATHS registered in the Week include													
			Week ended				Infants under 1 Year of Age.	Persons aged 15 to 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Deaths in Public Institutions.	Unsettled Causes of Death.	TOWNS.					
			11th June, 1904.	18th June, 1904.	25th June, 1904.	2nd July, 1904.																		
																				1.	2.	3.	4.	5.
76 TOWNS		15,271,287	14.2	13.8	13.2	13.5	1.6	8643	3953	874	968	6	180	25	44	102	16	82	151	303	1000	35		76 TOWNS.
LONDON -	-	4,648,950	13.3	12.8	12.8	12.9	1.5	2514	1148	246	293	1	58	7	9	29	5	24	43	115	435	3		LONDON.
(CROYDON -	-	144,419	10.8	12.6	9.4	9.4	2.2	72	26	4	10	-	3	1	1	-	-	1	-	1	5	-		(CROYDON.
WILLESDEN -	-	132,566	7.1	7.5	4.7	12.6	-	87	32	9	13	-	-	-	-	-	-	-	-	1	1	8	-	WILLESDEN.
HORNSEY -	-	81,221	7.7	9.6	8.3	7.1	0.6	36	11	1	2	-	-	1	-	-	-	-	-	1	1	1	-	HORNSEY.
TOTTENHAM -	-	112,981	9.7	6.9	10.2	5.1	0.5	70	11	1	4	-	1	-	-	-	-	-	1	2	2	-	-	TOTTENHAM.
WEST HAM -	-	288,424	11.8	10.7	10.5	11.8	1.8	168	65	8	18	-	4	4	-	-	1	1	5	6	14	-	-	WEST HAM.
EAST HAM -	-	116,802	9.4	11.6	8.0	8.5	0.9	69	19	3	3	-	1	-	-	1	-	-	-	3	-	-	-	EAST HAM.
LEYTON -	-	110,844	8.5	6.6	10.8	6.1	0.5	64	13	6	1	-	-	-	-	1	-	1	-	1	1	-	-	LEYTON.
(WALTHAMSTOW -	-	111,282	7.0	7.5	12.2	8.9	0.9	58	19	6	6	-	-	-	-	1	-	1	-	1	2	-	-	(WALTHAMSTOW.
HASTINGS -	-	66,503	12.5	10.2	10.2	12.5	-	31	16	1	6	-	-	-	-	-	-	-	1	1	-	-	-	HASTINGS.
BRIGHTON -	-	126,286	14.5	14.9	17.3	14.5	3.7	51	35	5	8	-	8	-	-	1	-	-	-	3	8	-	-	BRIGHTON.
PORTSMOUTH -	-	198,038	13.7	11.6	10.5	12.4	0.8	119	47	9	8	-	-	-	2	-	-	1	3	5	11	-	-	PORTSMOUTH.
BOURNEMOUTH -	-	64,645	11.3	12.9	13.7	8.9	0.8	18	11	-	6	-	-	-	-	-	1	-	-	-	-	-	-	BOURNEMOUTH.
SOUTHAMPTON -	-	112,500	10.7	6.5	10.2	8.8	-	53	19	3	7	-	-	-	-	-	-	-	-	4	7	-	-	SOUTHAMPTON.
READING -	-	76,373	13.7	8.2	10.2	8.2	-	37	12	1	6	-	-	-	-	-	-	-	-	-	3	-	-	READING.
NORTHAMPTON -	-	91,146	15.4	13.7	10.9	8.6	0.6	25	15	3	6	-	-	-	-	-	-	1	1	1	3	-	-	NORTHAMPTON.
IPSWICH -	-	69,805	17.9	4.5	9.0	12.0	0.7	35	16	3	3	-	1	-	-	-	-	-	-	1	2	-	-	IPSWICH.
GREAT YARMOUTH -	-	52,099	8.0	17.0	11.0	20.0	5.0	29	20	5	5	-	-	-	-	5	-	-	-	-	4	-	-	GREAT YARMOUTH.
NORWICH -	-	115,538	14.4	14.4	14.4	14.9	0.5	50	33	9	9	-	1	-	-	-	-	-	-	3	2	1	-	NORWICH.
PLYMOUTH -	-	114,003	9.2	14.2	11.4	13.7	0.9	55	30	4	11	-	-	-	-	1	-	-	2	3	7	-	-	PLYMOUTH.
DEVONPORT -	-	75,334	11.1	9.0	16.6	13.2	0.7	44	19	2	1	-	-	-	1	-	-	-	-	-	3	-	-	DEVONPORT.
BRISTOL -	-	343,204	12.2	12.6	13.2	11.2	0.6	202	74	21	16	-	1	-	1	2	-	-	5	12	20	-	-	BRISTOL.
HANLEY -	-	63,932	14.7	17.9	13.0	22.8	4.1	36	28	12	1	-	2	-	2	-	-	1	2	5	4	-	-	HANLEY.
BURTON-ON-TRENT	-	61,934	11.0	9.0	11.0	12.0	1.0	31	12	2	4	-	-	-	-	1	-	-	-	-	2	-	-	BURTON-ON-TRENT
WOLVERHAMPTON -	-	98,194	10.6	13.8	7.4	11.2	0.5	44	21	5	6	-	-	-	-	-	1	-	2	4	4	-	-	WOLVERHAMPTON.
WALSALL -	-	91,432	12.5	10.8	8.6	10.8	1.7	57	19	5	5	-	-	-	-	-	-	-	-	-	2	-	-	WALSALL.
HANDSWORTH -	-	59,634	15.7	1.7	13.1	7.0	-	26	8	1	5	-	-	-	-	-	-	-	-	-	-	-	-	HANDSWORTH.
WEST BROMWICH -	-	67,186	12.4	9.3	18.6	14.0	1.6	35	18	3	5	-	-	-	-	1	-	-	-	2	4	-	-	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES during the Week ended Saturday, 2nd July, 1904, and DEATH-RATES during the preceding three weeks.

TOWNS.	Cols.	POPULATION estimated to the middle of the Year 1904.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the Week ended 2nd July, 1904.		The DEATHS registered in the Week include										TOWNS.							
			Week ended				11th June, 1904.	18th June, 1904.	25th June, 1904.	2nd July, 1904.	Deaths of Persons aged 60 Years and upwards.	Deaths from						Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.								
			2.	3.	4.	5.						6.	7.	8.	9.	10.	11.					12.	13.	14.	15.	16.	17.	18.
BIRMINGHAM -	-	537,965	16'0	15'2	14'8	15'5	1'8	273	160	34	27	-	3	2	4	9	-	1	11	12	55	1	20.	31.	BIRMINGHAM.			
KINGS NORTON -	-	60,667	11'0	7'0	7'0	7'0	1'6	29	9	2	4	-	-	-	-	2	-	-	-	-	-	-	-	-	KINGS NORTON.			
SMETHWICK -	-	60,691	7'7	11'2	8'6	12'9	0'9	36	15	4	4	-	-	-	-	-	-	1	-	-	-	2	-	-	SMETHWICK.			
ASTON MANOR -	-	80,363	7'1	9'7	7'1	9'1	-	49	14	3	4	-	-	-	-	-	-	-	1	1	-	-	-	-	ASTON MANOR.			
COVENTRY -	-	73,904	13'4	8'5	12'0	9'2	0'7	43	13	3	3	-	-	-	1	-	-	-	3	3	2	-	-	-	COVENTRY.			
LEICESTER -	-	224,186	11'6	11'6	10'7	13'0	0'5	123	56	12	17	-	-	-	-	1	-	1	1	4	6	-	-	-	LEICESTER.			
GRIMSBY -	-	66,958	10'9	8'6	12'5	11'7	1'6	31	15	5	4	-	-	-	-	2	-	-	2	3	1	-	-	-	GRIMSBY.			
NOTTINGHAM -	-	248,811	11'9	15'5	13'6	15'7	1'7	130	75	22	18	-	1	-	1	3	-	3	5	7	15	-	-	-	NOTTINGHAM.			
DERBY -	-	120,449	11'7	17'7	13'9	13'0	0'4	64	30	5	8	-	-	-	-	1	-	-	3	5	7	-	-	-	DERBY.			
STOCKPORT -	-	97,008	16'7	23'7	18'3	11'3	1'6	61	21	6	5	-	1	-	-	1	-	1	2	4	6	-	-	-	STOCKPORT.			
BIRKENHEAD -	-	114,814	12'7	11'8	22'3	16'3	4'1	70	36	7	11	-	6	-	1	1	-	1	1	1	9	-	-	-	BIRKENHEAD.			
WALLASEY -	-	60,354	12'1	14'7	7'8	11'2	1'7	36	13	2	3	-	-	-	1	1	-	-	2	2	2	-	-	-	WALLASEY.			
LIVERPOOL -	-	723,430	20'5	18'7	17'8	17'7	2'5	516	245	61	39	-	20	1	1	4	1	8	9	20	84	9	-	-	LIVERPOOL.			
BOOTLE -	-	61,755	16'0	6'8	22'0	17'7	4'2	30	21	3	5	-	-	2	1	-	-	-	1	1	6	3	-	-	BOOTLE.			
ST. HELENS -	-	88,545	15'9	20'6	14'7	14'7	2'9	70	25	10	5	-	2	2	-	-	1	2	-	-	4	4	-	-	ST. HELENS.			
WIGAN -	-	82,800	18'3	14'1	13'3	21'6	1'7	43	26	6	3	-	-	-	-	1	1	-	2	2	4	-	-	-	WIGAN.			
WARRINGTON -	-	87,331	25'6	15'5	17'8	10'1	0'8	36	13	4	3	-	-	-	-	1	1	-	1	1	9	1	-	-	WARRINGTON.			
BOLTON -	-	175,744	9'8	12'5	9'5	14'5	1'2	108	49	14	15	-	-	-	-	1	1	2	1	1	9	1	-	-	BOLTON.			
BURY -	-	58,450	9'8	10'7	11'6	14'3	-	24	16	1	7	-	-	-	-	-	-	-	-	-	2	-	-	-	BURY.			
MANCHESTER†	-	557,938	16'3	20'0	17'3	19'0	3'3	341	203	54	36	-	15	-	2	9	3	6	8	11	48	4	-	-	MANCHESTER.†			
SALFORD -	-	228,983	18'4	17'8	16'9	14'8	3'2	120	65	12	15	-	6	1	3	2	-	2	1	2	13	-	-	-	SALFORD.			
OLDHAM -	-	139,497	15'7	14'6	18'3	16'5	1'9	71	44	5	12	1	3	-	-	-	1	-	1	1	10	-	-	-	OLDHAM.			
ROCHDALE -	-	85,601	11'6	16'4	11'6	10'4	0'6	34	17	-	7	-	-	-	-	1	-	-	-	-	3	-	-	-	ROCHDALE.			
BURNLEY -	-	100,569	12'4	17'1	16'1	12'4	1'6	56	24	5	2	-	-	-	-	2	-	-	-	-	3	-	-	-	BURNLEY.			
BLACKBURN -	-	132,134	16'2	16'6	13'8	15'0	0'4	62	38	10	15	-	-	-	-	1	-	-	-	-	3	-	-	-	BLACKBURN.			
PRESTON -	-	115,055	17'7	18'1	14'0	10'9	0'5	83	24	10	4	-	-	-	-	-	-	-	1	3	1	-	-	-	PRESTON.			
BARROW-IN-FURNESS.	-	59,054	15'7	9'6	13'1	9'6	0'9	43	11	3	4	-	-	-	-	-	-	-	1	1	1	-	-	-	BARROW-IN-FURNESS.			

TOWNS.	POPULATION estimated to the middle of the Year 1904.*	DEATH-RATES from all Causes.				Rate from: Inquests during the week ended 11-17.	Registered Deaths during the week ended 2nd July, 1904.		The Deaths registered in the Week include										Deaths of		Deaths from						TOWNS,
		Week ended					BIRTHS.	DEATHS.	Infants under 1 year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unascertained Causes of Death.						
		11th June, 1904.	18th June, 1904.	25th June, 1904.	2nd July, 1904.																						
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	Cols.					
HUDDESFIELD	-	18'1	13'2	12'6	20'3	3'3	41	37	6	12	-	-	-	-	-	-	-	4	7	-	HUDDESFIELD.						
HALIFAX	-	13'1	12'1	9'2	16'0	0'5	41	33	3	9	-	-	-	-	-	-	-	1	8	-	HALIFAX.						
BRADFORD	-	14'8	14'8	14'6	13'7	1'8	135	75	18	16	-	2	1	1	1	1	4	7	11	2	BRADFORD.						
LEEDS	-	16'8	18'6	12'4	16'0	1'5	246	138	28	29	-	11	2	-	-	-	6	13	22	-	LEEDS.						
SHEFFIELD	-	14'2	13'1	11'2	12'8	1'1	276	106	30	26	-	-	-	4	-	4	2	3	25	2	SHEFFIELD.						
ROTHERHAM	-	14'3	15'2	10'7	12'5	-	43	14	2	6	-	-	-	-	-	-	-	1	4	-	ROTHERHAM.						
YORK	-	11'5	15'4	9'6	13'5	1'9	43	21	6	5	-	-	1	2	-	-	2	2	1	-	YORK.						
HULL	-	17'7	13'1	13'8	18'1	2'3	155	88	17	26	-	-	2	-	-	2	3	5	15	-	HULL.						
MIDDLESBROUGH	-	18'9	16'7	18'9	14'6	0'5	64	27	10	4	-	-	-	-	-	1	-	-	1	1	MIDDLESBROUGH.						
STOCKTON-ON-TREES	-	20'0	10'0	8'0	9'0	1'0	45	9	2	-	-	-	1	-	-	-	-	-	1	-	STOCKTON-ON-TREES.						
WEST HARTLEPOOL	-	9'0	9'0	15'8	12'8	2'3	34	17	3	6	-	-	2	1	-	-	-	-	3	-	WEST HARTLEPOOL.						
SUNDERLAND	-	20'4	16'9	20'0	14'8	1'7	116	43	9	9	-	-	-	1	-	-	-	-	7	2	SUNDERLAND.						
SOUTH SHIELDS	-	18'9	17'0	16'0	13'1	0'5	80	27	6	5	-	-	-	-	-	-	-	-	5	2	SOUTH SHIELDS.						
GATESHEAD	-	16'8	10'2	11'9	12'8	1'8	84	29	4	12	2	-	-	-	-	1	-	1	7	1	GATESHEAD.						
NEWCASTLE-ON-TYNE	-	22'6	17'8	14'1	19'0	3'0	158	82	17	23	2	-	-	4	-	2	2	4	16	-	NEWCASTLE-ON-TYNE.						
TYNEMOUTH	-	22'6	22'6	17'7	13'8	-	39	14	1	6	-	-	-	-	-	-	-	-	-	-	TYNEMOUTH.						
NEWPORT (MON.)	-	8'7	16'8	10'2	8'7	-	41	12	3	3	-	-	-	-	-	-	-	-	1	-	NEWPORT (MON.).						
CARDIFF	-	11'8	10'6	10'4	10'1	0'9	103	34	9	7	-	-	-	-	-	1	-	2	8	-	CARDIFF.						
RHONDDA	-	19'2	14'1	13'6	15'8	3'8	88	37	11	3	-	-	3	1	-	-	3	2	1	-	RHONDDA.						
MERTHYR TYDFIL	-	13'6	16'5	15'8	9'3	0'7	58	13	3	4	-	-	-	-	-	-	1	1	1	-	MERTHYR TYDFIL.						
SWANSEA	-	14'7	16'3	10'9	12'0	1'1	55	22	5	9	-	-	-	-	-	1	-	2	2	-	SWANSEA.						
GREATER LONDON	-	12'2	11'9	11'9	11'6	1'3	3734	1535	322	408	1	75	13	12	36	8	33	58	502	3	GREATER LONDON.						
OUTER RING	-	9'9	10'0	9'9	8'9	1'0	1220	387	76	115	-	17	6	3	7	3	9	15	24	67	1	OUTER RING.					
8 TOWNS IN OUTER RING	-	9'5	9'4	9'4	9'3	1'1	624	196	38	57	-	9	6	1	3	1	3	8	12	36	-	8 TOWNS IN OUTER RING.					
REMAINDER OF OUTER RING	-	10'3	10'6	10'5	8'6	1'0	596	191	38	58	-	8	-	2	4	2	6	7	12	31	1	REMAINDER OF OUTER RING.					
EDINBURGH	-	14'3	15'5	15'1	17'1	2'4	160	109	15	31	-	5	-	-	8	1	1	5	?	37	10	EDINBURGH.					
GLASGOW	-	16'1	18'0	15'3	15'9	2'1	515	243	48	46	2	4	4	-	14	-	8	14	?	56	10	GLASGOW.					
DUBLIN	-	18'3	21'7	19'5	16'5	1'0	210	120	21	29	-	2	2	1	1	-	1	3	3	53	4	DUBLIN.					
BELFAST	-	18'9	18'3	17'6	17'3	2'5	229	119	24	29	-	3	-	1	8	3	2	6	31	?	-	BELFAST.					

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

* See Note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the TWENTY SIXTH Week of each of the Eleven Years, 1894–1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894–1903.*	1904
TOTAL Births -	2458	2488	2501	2821	2475	2441	2483	2478	1980	2528	2557.1	2514
Males - -	1226	1291	1283	1442	1200	1260	1257	1283	1007	1284	1300.0	1274
Females - -	1232	1197	1218	1379	1275	1181	1226	1195	973	1244	1257.1	1240
TOTAL Deaths -	1282	1429	1370	1156	1256	1297	1273	1210	1251	1234	1323.2	1148
Males - -	609	732	698	624	661	692	699	643	657	659	692.2	604
Females - -	673	697	672	532	595	605	574	567	594	575	631.0	544

* The numbers in this column are the average weekly numbers in the twenty-sixth week of the ten years 1894–1903, raised by 3.723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Apr. 9.	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	13 Weeks.
TOTAL Births -	2539	2676	2489	2733	2403	2551	2376	2122	2507	2578	2583	2465	2514	32536
TOTAL Deaths -	1659	1490	1429	1392	1325	1454	1349	1274	1179	1187	1142	1143	1148	17171
Ages at Death														
Under 1 year -	366	318	231	280	274	289	290	275	237	228	237	216	246	3546
1–5 years -	256	214	202	194	215	203	158	200	176	175	151	165	145	2454
5–20 " -	76	68	78	80	64	77	52	65	64	81	74	61	54	894
20–40 " -	157	192	175	158	152	163	174	159	140	155	163	155	170	2113
40–60 " -	334	264	272	312	272	281	300	226	238	258	225	238	240	3458
60 yrs. & upwards -	470	434	421	368	348	441	366	349	324	290	292	310	293	4706
Deaths from—														
Small-pox† -	3	-	1	3	1	-	-	2	-	-	-	1	1	12
Measles -	86	75	81	66	62	86	75	83	78	62	65	55	58	932
Scarlet Fever -	8	4	9	10	3	7	5	4	7	4	10	3	7	81
Diphtheria -	17	8	15	14	19	20	10	14	6	9	7	16	9	164
Whooping-cough -	64	64	43	42	48	44	39	33	32	28	25	17	20	508
Typhus -	-	-	-	-	4	-	-	-	-	-	-	-	-	-
Enteric Fever -	4	3	3	3	4	1	4	2	1	5	3	5	5	43
Pyrexia (origin uncertain) -	1	-	-	-	1	-	-	-	-	-	-	-	-	2
Diarrhoea, Dysentery -	21	12	12	15	23	16	21	15	16	26	23	25	24	240
All above Diseases -	204	166	164	163	161	174	151	153	140	124	133	122	133	1991
Dis. of Resp. System	167	156	127	100	83	116	105	80	73	64	57	64	60	1252
Pneumonia -	166	139	127	124	110	115	105	108	108	93	85	77	86	1443
Phthisis -	136	169	153	160	155	143	123	145	133	134	162	119	136	1868
Dis. of Circ. System -	203	168	176	178	167	206	193	136	148	158	137	156	151	2177
Violence -	65	56	49	63	62	61	65	54	56	67	47	50	43	738
Inquest Cases -	178	127	134	155	125	143	151	133	119	134	117	100	115	1731
Deaths in Institutions -	540	473	491	532	485	569	498	480	441	436	403	431	435	6214
TEMPERATURE OF THE AIR.														
Mean -	48.0	49.6	49.1	49.6	49.0	49.7	51.0	57.3	56.0	55.9	59.6	58.6	59.7	53.5
Mean of Highest -	55.8	59.1	59.7	57.1	58.1	58.8	63.7	65.9	64.1	65.5	70.8	69.9	71.3	67.1
Mean of Lowest -	40.9	40.6	38.2	43.3	42.4	41.5	44.3	50.5	49.2	48.1	51.4	48.2	48.3	45.1
Mean Humidity of the Air.	71	71	71	72	70	81	65	86	84	75	72	68	67	73
Rain-fall (in inches) -	0.37	0.32	0.24	0.05	0.55	0.29	0.35	0.30	0.71	0.12	0.27	0.17	0.15	3.89
Registered Sunshine (in hours).	33.5	36.9	38.9	21.9	37.0	14.0	58.5	15.0	28.7	39.3	44.9	46.8	68.9	484.3
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox -	134	144	123	104	88	99	96	118	96	95	80	83	74	103
Scarlet Fever -	1505	1523	1513	1541	1590	1600	1630	1663	1673	1647	1630	1629	1631	1600
Diphtheria -	749	737	719	720	750	777	767	758	748	721	696	671	684	731
Typhus -	-	1	1	2	2	2	1	-	-	-	-	1	1	1
Enteric Fever -	80	68	73	62	56	53	56	51	52	65	68	74	62	63

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann, Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Olund, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.L.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-SIXTH Week of the Year 1904.

Terms printed in *italics* being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 26th week of the year 1903.	1904—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 26th week of the year 1903.	1904—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES - - -	1234	1148	246	145	54	170	240	293	Meningitis (not tuberc.)	15	15	6	3	2	3	1	
									Insanity, Gen. Par. of }	8	13	-	-	-	3	6	
									Insane - - -	8	5	-	-	2	2	1	
									Epilepsy - - -	19	22	21	1	-	-	-	
									Convulsions - - -	1	4	-	-	-	-	2	
									Locomotor Ataxy - -	5	4	1	-	1	1	1	
									Paraplegia, Dis. of Cord	24	11	-	1	1	2	5	
									Nervous Sys. (other dis.)								
									Valv. Dis., Endocarditis-	41	38	-	-	1	7	12	
									Cerebr. Hem. Thromb. -	21	26	-	-	-	2	7	
									Apoplexy, Hemiplegia -	20	12	-	-	-	-	4	
									Aneurysm - - -	7	3	-	-	-	1	2	
									Embolism, Thrombosis }	-	3	-	-	-	2	1	
									(not cerebral) - - -	72	69	-	-	2	9	19	
									Heart & Blood Vessel Dis.							39	
									Croup (not Spasm : nor }	-	-	-	-	-	-	-	
									Memb.) - - -	64	47	7	6	1	3	5	
									Bronchitis - - -	2	2	-	-	-	-	2	
									Asthma, Emphysema - -	1	2	-	-	-	-	1	
									Pleurisy - - -	2	2	-	-	-	-	1	
									Respiratory Dis. (other)	6	9	2	1	2	-	2	
									Tonsillitis, Quinsy - -	-	1	-	1	-	-	-	
									Enteritis (not Epid.) - -	3	13	8	1	1	2	1	
									Gastro-Enteritis - - -	2	2	2	-	-	-	-	
									Peritonitis (not Puerp.) -	4	3	1	-	-	-	2	
									Cirrhosis of Liver - -	14	15	-	1	3	2	9	
									Liver Dis. (other) - -	4	3	-	-	-	2	1	
									Digestive Dis., Other -	42	31	5	2	-	5	9	
									Nephritis, Acute - - -	2	5	-	-	-	2	2	
									Bright's Dis., Albumin- }	33	32	-	-	-	7	15	
									uria - - -	8	8	-	-	-	3	5	
									Urinary Sys., Other Dis.	3	10	-	-	-	5	2	
									Generative Organs Dis. -	3	4	-	-	-	4	-	
									Childbirth (Accid. of) -	57	31	-	-	-	-	31	
									Old Age - - -	75	72	48	12	1	2	7	
									Other Diseases - - -							2	
									ACCIDENT.								
									By Railways - - -	2	3	-	-	-	1	2	
									By Vehicles and Horses-	6	5	-	2	1	-	2	
									In Ships, Boats, Docks,	-	-	-	-	-	-	-	
									(exclusive of Drown-	-	-	-	-	-	-	-	
									ing) - - -	-	-	-	-	-	-	-	
									In Building Operations-	2	1	-	-	-	-	1	
									In Conflagrations - -	1	-	-	-	-	-	-	
									By Burns, Scalds, Ex-	22	4	2	1	-	-	1	
									plosions - - -	11	2	1	-	-	-	1	
									By Drowning - - -	10	4	4	-	-	-	-	
									By Suffocation in Bed	2	3	-	1	-	2	-	
									By Poisons or Poisonous	-	-	-	-	-	-	-	
									Vapours - - -	18	15	7	1	-	2	3	
									Other Deaths by Acci-								
									dent - - -								
									VIOLENCE OTHER THAN								
									ACCIDENTAL.								
									Homicide - - -	4	-	-	-	-	-	-	
									Suicide - - -	11	6	-	-	-	3	1	
									Execution - - -	-	-	-	-	-	-	2	

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 2nd July, 1904.

The DEATHS registered during the Week include																		
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	Deaths of		Deaths from												Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Parasitic (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.		
LONDON - - -	4,530,429	2514	1148	246	293	1	58	7	9	29	-	5	-	24	43	115	435	
WEST DISTRICTS	805,311	378	218	49	69	-	2	-	2	2	-	1	-	6	14	25	91	
NORTH DISTRICTS	1,056,070	537	243	48	64	-	12	1	5	9	-	1	-	2	8	28	86	
CENTRAL DISTRICTS	209,465	116	71	16	13	1	1	-	-	4	-	-	-	1	4	8	42	
EAST DISTRICTS -	715,739	481	189	51	37	-	15	1	1	6	-	-	-	7	6	24	80	
SOUTH DISTRICTS	1,749,844	1002	403	83	107	-	27	3	1	8	-	2	-	8	11	30	112	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	24	-	3	-	1	2	-	-	-	1	-	-	-	-	24	
WEST DISTRICTS.																		
St. Mary Paddington } G. & W.	93,178	54	22	8	8	-	-	-	-	-	-	1	-	1	-	1	12	
W, 2H																		
St. John Paddington H - - G.	33,617	5	13	1	2	-	-	-	-	-	-	-	-	-	3	3	9	
North-West Paddington - - C.	17,181	13	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Kensington Town 2W, w, 2H G., W. & C.	128,037	54	51	11	18	-	1	-	-	-	-	-	-	2	1	2	24	
Brompton 2H - - W. & C.	48,591	6	6	1	4	-	-	-	-	-	-	-	-	-	-	1	1	
North Hammersmith W, w, H } W. & G.	49,192	36	14	3	5	-	-	-	-	-	-	-	-	-	2	4	1	
South Hammersmith w, 2H } W. & G.	83,047	32	21	4	4	-	-	-	-	-	-	-	-	-	3	3	7	
North-west Fulham W } W. & C.	45,180	41	18	3	6	-	1	-	-	1	-	-	-	1	1	2	6	
North-east Fulham F } W. & C.	46,405	21	8	5	2	-	-	-	2	-	-	-	-	-	-	2	2	
South Fulham W } W. & C.	45,704	31	3	2	-	-	-	-	-	-	-	-	-	2	-	-	-	
Chelsea North W, w, 3H - - C.	42,514	15	15	2	4	-	-	-	-	-	-	-	-	-	-	-	11	
Chelsea South W, 2H - - C.	31,328	13	8	3	4	-	-	-	-	1	-	-	-	-	-	-	2	
May Fair and Knightsbridge C. & G.	28,743	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Belgrave W, 2H - - C.	55,815	26	18	2	6	-	-	-	-	-	-	-	-	-	1	2	10	
St. Margaret & St. John 4H - C.	43,698	11	12	3	2	-	-	-	-	-	-	-	-	-	2	2	5	
St. James Westminster } N. & G.	21,588	6	4	-	2	-	-	-	-	-	-	-	-	-	-	1	1	
W, H																		
St. Anne Soho 5H - - N.	11,493	6	2	1	-	-	-	-	-	-	-	-	-	-	1	1	-	
NORTH DISTRICTS																		
All Souls Marylebone 8H - W.	35,391	9	7	-	4	-	1	-	-	-	-	-	-	-	-	-	3	
Rectory Marylebone W G. & W.	19,849	8	4	1	2	-	-	-	-	-	-	-	-	-	1	2	1	
St. Mary Marylebone 4H G. & W.	18,099	29	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Christchurch Marylebone H- W.	39,536	20	11	2	2	-	-	-	-	-	-	-	-	-	-	1	-	
St. John Marylebone 3H - W.	20,426	7	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
Hampstead W, F, 6H - N. & W.	81,942	31	25	6	5	-	2	-	-	-	-	-	-	1	1	2	8	
West St. Pancras 2H - - W.	60,562	25	14	3	4	-	1	-	-	-	1	-	-	-	4	5	4	
Tottenham-court w, 6H - N. & W.	21,258	3	6	2	2	-	-	-	-	-	1	-	-	-	-	-	4	
Gray's Inn Lane 4H - - N.	34,449	23	15	4	6	-	-	-	-	-	1	-	-	-	2	4	5	
East St. Pancras W, 2H - - N.	60,320	37	8	1	4	-	-	-	1	1	-	-	-	-	-	3	3	
North St. Pancras 2W - - N.	58,728	35	18	1	5	-	-	-	-	-	2	-	-	-	-	4	9	
Tufnell W - - N.	31,995	16	11	1	6	-	-	-	-	-	-	-	-	-	-	-	9	
Upper Holloway 2W, w, 2H - N.	33,978	13	19	2	4	-	1	-	-	-	-	-	-	-	-	-	12	
Tollington W - - N.	33,922	11	4	1	1	-	1	-	-	-	-	-	-	-	-	-	-	
Lower Holloway - - N.	41,424	22	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Barnsbury - - N.	54,478	38	11	4	2	-	1	-	-	1	-	-	-	-	-	-	-	
Islington South-east F - - N.	75,397	37	16	2	3	-	-	1	-	-	-	-	-	-	1	2	-	
Highbury 2H - - N.	63,797	44	8	1	3	-	1	-	-	-	-	-	-	-	1	-	-	
Stoke Newington H - - N.	51,247	23	10	4	1	-	-	-	-	-	-	-	-	1	-	1	-	
North Hackney - - E. & N.	50,560	20	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
Central Hackney 2w, F - E. & N.	50,538	21	11	4	2	-	-	-	4	-	-	-	-	-	-	4	5	
South-west Hackney 3H - E. & N.	59,921	33	10	2	-	-	2	-	-	-	-	-	-	-	-	1	5	
South-east Hackney 2W, w, H E. & N.	58,255	32	23	6	6	-	2	-	-	1	-	1	-	-	-	5	16	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein; namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G, signify Grand Junction Company; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River; E, East London; and K, the Kent Company.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 2nd July, 1904—continued.

REGISTRATION SUB-DISTRICTS,	Enu- me- rated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include																Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of		Deaths from															
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.					
CENTRAL DISTRICTS.																					
Giles and Bloomsbury W,2H N.	31,436	23	5	-	1	-	-	-	-	-	-	-	-	-	-	-	1	3	-		
and W,4H - - - N. & C. and Union Workhouse, Edmonton-	21,674	2	17	1	5	-	-	-	-	-	-	-	-	-	-	1	1	13	-		
born W,6H - - - N.	29,612	8	19	6	1	-	-	-	-	-	3	-	-	-	-	1	1	2	15		
th Clerkenwell - - - N.	28,676	17	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
th Clerkenwell H - - - N.	35,028	22	5	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-		
sbury 3H,L - - - N.	36,116	36	7	4	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-		
born Union Workhouse, } ttenham - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Botolph H - - - N. & E.	10,299	4	2	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-		
Seppulchre and Allhallows } W,2H - - - N.	16,624	4	11	-	2	-	-	-	-	-	-	-	-	-	-	1	1	11	-		
y of London Asylum, Stone - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
EAST DISTRICTS.																					
reditch South H,L - E. & N.	16,369	5	5	2	1	-	1	-	-	-	-	-	-	-	-	1	1	-	-		
ton New Town w,H - - N.	29,761	11	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-		
ton Old Town - - - N.	26,504	18	6	4	-	-	-	-	-	-	2	-	-	-	-	1	1	-	-		
gerston W - - - N & E.	46,003	32	18	5	7	-	1	-	-	-	-	-	-	-	1	1	3	7	-		
reditch Union Workhouse, Wood } reen - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
onal Green North 2H - - E.	51,514	43	13	9	1	-	2	-	-	-	-	-	-	-	1	-	2	3	-		
onal Green South - - - E.	33,472	22	7	2	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-		
onal Green East 2W,H,L - E.	44,694	28	18	-	5	-	-	-	-	-	-	-	-	-	1	3	14	-	-		
alfields - - - E. & N.	27,969	14	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-		
End New Town W,H - - E.	28,718	25	36	7	4	-	1	-	1	-	-	-	-	-	-	3	6	31	-		
iman's Fields - - - E.	22,081	9	5	3	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-		
George and St. John 2W E.	49,068	49	14	2	1	-	2	-	-	-	-	-	-	-	-	1	4	-	-		
dwell and Ratcliff W,H E. & N.	25,568	13	8	4	1	-	-	-	-	-	1	-	-	-	1	-	1	3	-		
house - - - - - E.	32,369	19	5	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-		
End Old Town South- } estern* H - - - E.	63,698	51	7	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
End Old Town North- } estern* W,w - - - E.	49,129	36	10	3	2	-	-	1	-	1	-	-	-	1	-	-	3	-	-		
L - - - - E.	41,989	31	5	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
ley 3w,H - - - E.	68,319	44	20	5	6	-	-	-	-	-	-	-	-	-	-	-	2	12	-		
ar W,w - - - E.	68,514	31	6	1	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-		

On 1st May, 1904, the sub-districts of Mile End Old Town West and Mile End Old Town East were dissolved and redivided into two new sub-districts as above.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-
MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., regist-
in each SUB-DISTRICT during the Week ended Saturday, 2nd July, 1904—continued.

REGISTRATION SUB-DISTRICTS	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	The DEATHS registered during the Week include														Inquest Cases	Deaths in Public Institutions
			Total DEATHS.	Deaths of		Deaths from												
				Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.			
SOUTH DISTRICTS.																		
Christchurch Southwark W,H,L.&S.	11,263	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St Saviour Southwark H - S.	12,066	6	21	5	4	-	-	-	-	-	1	-	-	-	-	2	4	
Kent-road - - - S. & L.	21,904	10	5	2	-	-	-	-	-	-	-	-	-	-	-	1	-	
St. George the Martyr } S. & L.	39,094	21	10	4	-	-	3	-	-	-	1	-	-	-	-	-	1	
West W,H,L - - - } S. & L.	49,022	32	8	2	2	-	2	-	-	-	-	-	-	-	-	1	-	
Newington North - - S. & L.	72,841	43	12	2	2	-	2	-	-	-	-	-	-	-	-	-	-	
Newington South W - S. & L.																		
St. Olave 2W - - - S.	9,817	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bermondsey W - - - S.	82,483	64	17	5	6	-	1	-	-	-	-	-	-	-	-	1	1	
Rotherhithe W,F - - S. & K.	38,460	20	11	1	1	-	2	-	-	-	-	-	-	-	-	1	1	
Waterloo-road 2H - - L. & S.	27,440	28	7	3	1	-	2	-	-	-	-	-	-	-	-	-	1	
Lambeth Church 1st H L. & S.	18,423	4	10	-	-	-	1	-	-	-	-	-	-	-	-	1	3	
Lambeth Church 2nd 2W L. & S.	39,818	35	21	3	8	-	1	-	-	-	1	-	-	-	-	-	3	
Kennington 1st H - - S. & L.	53,198	27	10	4	1	-	-	-	-	-	1	-	-	-	-	1	-	
Kennington 2nd H - - S. & L.	42,896	24	6	2	-	-	-	-	-	-	1	-	-	-	-	-	-	
Brixton F - - - L. & S.	84,232	42	15	1	2	-	-	-	1	1	-	-	2	-	-	-	-	
Norwood W,H - - - L.	95,888	21	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	
East Battersea H - - S.	72,203	47	11	4	4	-	-	-	-	-	-	-	-	-	-	-	-	
North-west Battersea - - S.	49,656	15	6	1	1	-	2	-	-	-	-	-	-	-	-	1	-	
South-west Battersea W,H - S.	47,048	16	16	3	4	-	-	-	-	-	-	-	-	-	-	-	-	
Clapham 2H - - - S.	51,361	24	12	4	3	-	3	-	-	-	1	-	-	-	-	-	-	
Streatham* W,2w,2F,2L - L.	88,019	51	26	1	15	-	-	-	-	-	-	-	-	-	-	1	2	
Springfield 2W,L - - S.	27,959	21	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
Southfields H - - - S.	40,444	25	7	2	2	-	1	-	-	-	-	-	-	-	-	-	-	
Putney - - - - - S.	24,139	18	6	3	2	-	-	-	-	-	-	-	-	-	-	1	-	
Dulwich - - - - L. & S.	13,359	4	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
Camberwell South W,w S. & L.	40,206	20	14	-	5	-	-	-	-	-	-	-	-	-	-	-	-	
Camberwell North W,2L S. & L.	65,584	33	21	2	-	-	1	-	-	-	-	-	-	-	-	1	2	
St. George - - - L. & S.	47,331	22	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Peckham 2W,w - - S., L. & K.	92,859	49	14	7	3	-	-	-	-	-	-	-	-	-	-	1	1	
Deptford North - - - K.	37,613	22	8	2	2	-	2	-	-	-	-	-	-	-	-	-	-	
Deptford Central F - - K.	45,431	29	11	3	2	-	-	-	-	-	1	-	-	-	-	-	-	
Deptford South - - - K.	34,625	15	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
Greenwich West 2H - - K.	23,456	11	3	2	1	-	-	-	-	-	-	-	-	-	-	-	1	
Greenwich East 2W,H - K.	43,859	28	17	-	6	-	3	-	-	-	-	-	-	-	-	-	-	
Eltham w,H - - - - K.	7,226	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lee wH - - - - - K.	25,490	11	7	-	6	-	-	-	-	-	-	-	-	-	-	1	1	
Lewisham W w,F - - K.	58,352	41	19	5	7	-	-	-	-	-	-	-	-	-	-	1	3	
Sydenham H - - - - L.	43,653	28	5	1	2	-	-	-	-	-	1	-	-	-	-	-	-	
Charlton F,2H - - - K.	21,134	8	5	1	-	-	-	2	-	-	-	-	-	-	-	-	-	
Woolwich 4H - - - K.	41,625	25	10	4	1	-	-	-	-	-	-	-	-	-	-	1	3	
Plumstead West W - - K.	18,063	5	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	
Plumstead East 2W,H - K.	50,264	33	6	-	4	-	-	-	-	-	-	-	-	-	-	-	-	
London County Asy., Banstead -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Manor Asylum, Epsom - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Horton Asylum, Epsom - - -	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lon. Co. Asy. Epilep. Colony, Epsom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Met. Asy. for Imbeciles, Catterham	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
London County Asy., Cane Hill -	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
M.A.B. Hospitals, Dartford - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Met. Asy. for Imbeciles, Darenth -	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
London County Asylum, Dartford } Heath - - -	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
London County Asylum, Hanwell -	-	-	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	
Central London Sick Asy., Hendon -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
London County Asy., Colney Hatch -	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
M.A.B. North-Eastern Hospital -	-	-	-	4	-	-	-	-	1	2	-	-	1	-	-	-	-	
M.A.B. Northern Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Met. Asy. for Imbeciles, Leavesden -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
London County Asylum, Claybury -	-	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	

* On 1st June, 1904, changes were made in the boundary between Streatham sub-district and Mitcham sub-district (38)

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 2nd July, 1904.

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- merated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths of												
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING	368,580	2,044,973	1220	387	76	115	-	17	6	3	7	3	9	15	24	67	1
1. Carshalton <i>w, 2F, 2H</i>	-	12,228	32,997	9	3	-	-	-	-	-	-	-	-	-	-	-	-
2. Epsom, <i>part of</i> * <i>W, w, 2F, H</i>	-	10,423	15,548	6	2	-	-	-	-	-	-	-	-	-	-	1	-
1. Godstone, <i>part of</i> * <i>W, F</i>	-	2,754	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-
1. Coulsdon	-	11,069	8,166	8	2	1	1	-	-	-	-	-	-	-	-	-	1
2. South Croydon <i>w</i>	-	4,200	49,309	17	10	1	5	-	-	-	-	-	-	-	-	-	-
3. West Croydon <i>3W, F, H</i>	-	2,168	42,888	27	15	3	3	3	1	1	-	-	1	-	-	6	-
4. North Croydon <i>H</i>	-	2,044	41,688	28	3	-	2	-	-	-	-	-	-	-	1	1	-
5. Penge <i>w</i>	-	770	22,465	8	7	1	1	-	-	-	-	-	-	-	-	-	-
6. Mitcham <i>w</i>	-	11,689	30,015	17	2	-	-	-	-	-	-	-	-	-	-	-	-
1. Wimbledon <i>F, 3H</i>	-	3,221	41,652	27	8	2	3	3	1	-	-	-	-	-	-	-	-
2. Kingston <i>W, H</i>	-	6,224	42,068	20	7	1	3	3	-	-	-	-	1	-	-	2	-
3. Surbiton <i>F, H</i>	-	3,046	15,017	6	2	1	1	-	-	-	-	-	-	-	-	-	-
4. Esher, <i>part of</i> * <i>H</i>	-	5,402	13,100	7	-	-	-	-	-	-	-	-	-	-	-	-	-
6. Hampton <i>H, L</i>	-	4,564	23,456	5	1	-	1	-	-	-	-	-	-	-	-	-	-
1. Richmond <i>W, H</i>	-	2,162	28,865	12	4	-	2	-	-	-	-	-	-	1	1	-	-
2. Mordlake <i>F</i>	-	2,847	20,628	14	1	-	1	-	-	-	-	-	-	-	-	-	-
1. Bromley <i>F, 2H</i>	-	4,703	27,354	16	2	1	1	-	-	-	-	-	-	-	-	-	-
2. Beckenham <i>H</i>	-	7,825	28,497	13	5	-	1	-	-	-	-	-	-	1	1	1	-
3. Orpington, <i>part of</i> * <i>W</i>	-	10,113	9,857	4	6	1	4	-	-	1	-	-	-	-	-	5	-
4. Chislehurst <i>2H</i>	-	7,333	16,446	4	1	-	1	-	-	-	-	-	-	-	-	-	-
1. Bexley <i>F, H</i>	-	8,678	21,151	6	5	1	4	-	-	-	-	-	-	-	-	-	-
2. Erith <i>F, H</i>	-	3,854	25,296	18	5	1	1	-	-	-	1	-	-	-	-	-	-
3. Dartford <i>W, F, part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1. Sunbury <i>w</i>	-	11,054	18,683	7	3	-	2	-	-	-	-	-	-	-	-	-	-
2. Staines <i>W, H</i>	-	13,277	15,178	10	4	2	-	-	-	-	-	-	-	1	1	-	-
1. Hillingdon <i>W, F, H</i>	-	6,035	13,661	7	5	-	2	-	-	-	-	-	-	-	-	-	-
2. Uxbridge	-	12,757	8,984	5	-	-	-	-	-	-	-	-	-	-	-	-	-
3. Hayes <i>w, F, H</i>	-	8,066	16,358	14	2	-	-	-	-	-	-	-	-	-	-	-	-
1. Isleworth <i>3W, 2F, H</i>	-	8,859	30,363	34	11	3	3	1	-	-	-	-	1	1	2	6	-
2. Twickenham <i>F, H</i>	-	2,421	20,991	23	4	2	1	-	-	-	-	-	-	-	-	-	-
3. Brentford <i>2F, 2H, L</i>	-	4,319	48,289	28	13	1	4	4	-	-	-	-	-	1	1	-	-
4. Chiswick <i>H</i>	-	1,249	29,809	12	11	1	3	1	-	-	-	-	1	-	-	-	-
5. Acton <i>w, 3H</i>	-	6,132	48,914	30	4	-	2	-	-	-	-	-	-	-	-	-	-
1. Harrow <i>F, H</i>	-	13,809	25,523	14	1	-	-	-	-	-	-	-	-	-	-	-	-
2. Edgware <i>F, 2H</i>	-	6,994	4,521	3	1	-	-	-	-	-	-	-	-	-	-	-	-
3. Willesden <i>W, F, 2H</i>	-	4,384	114,811	87	31	9	13	-	-	-	-	-	-	-	-	7	-
4. Hendon <i>W, F</i>	-	8,382	22,450	14	6	2	1	-	-	-	1	-	-	-	-	2	-
1. South Mimms <i>2F, H</i>	-	17,755	7,308	3	-	-	-	-	-	-	-	-	-	-	-	-	-
2. Barnet <i>W, 3H</i>	-	3,324	17,970	6	3	1	1	-	-	-	-	-	-	-	-	-	-
3. Finchley <i>F, 2H</i>	-	4,688	33,692	18	6	1	4	-	-	-	-	-	-	1	1	-	-
1. Hornsey <i>F, H</i>	-	2,875	72,056	36	10	1	1	-	1	-	-	-	-	1	1	1	-
2. Wood Green <i>H</i>	-	1,825	34,233	21	3	-	2	-	-	-	-	-	-	-	1	1	-
3. West Tottenham <i>F</i>	-	996	48,853	30	2	-	1	-	-	-	-	-	-	-	1	1	-
4. East Tottenham <i>F, H</i>	-	2,017	53,688	40	9	1	3	1	-	-	-	-	-	1	1	2	-
5. Edmonton <i>W, w, 2F</i>	-	7,491	61,892	41	16	7	2	1	-	1	-	1	3	-	3	3	-
6. Enfield <i>2W, F, H</i>	-	12,601	42,738	18	8	1	1	-	-	-	1	-	-	-	-	2	-
7. Waltham Abbey	-	11,047	6,549	3	3	-	2	-	-	-	-	-	-	-	-	-	-
8. Cheshunt <i>F, H</i>	-	8,479	12,292	8	-	-	-	-	-	-	-	-	-	-	-	-	-
1. Hatfield, <i>part of</i> * <i>W</i>	-	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. Bushey <i>H</i>	-	9,333	9,173	7	2	-	1	-	-	-	-	-	-	-	-	-	-
1. Watford <i>W, 2F part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. Stratford <i>H</i>	-	1,072	44,827	25	5	1	3	-	-	-	-	-	-	1	1	1	-
3. Plaistow <i>F, 3H</i>	-	1,249	90,921	62	25	3	7	-	3	4	-	-	-	4	4	3	-
4. Canning Town <i>H</i>	-	1,556	70,718	52	16	3	1	-	-	-	1	-	-	-	1	-	-
5. Forest Gate <i>w</i>	-	806	60,892	29	9	1	3	-	-	-	-	-	1	-	-	-	-
6. North East Ham <i>w</i>	-	1,333	58,676	41	10	3	3	-	-	-	1	-	-	-	-	-	-
7. South East Ham <i>3F</i>	-	1,993	37,342	28	6	-	-	-	-	-	-	-	-	-	-	-	-
8. Wanstead <i>F</i>	-	1,679	9,179	9	2	1	-	-	-	-	1	-	-	-	-	-	-
9. South Leyton <i>2W</i>	-	631	50,467	29	12	3	2	-	2	-	-	-	-	-	1	2	-
10. North Leyton <i>W, w, F</i>	-	1,963	48,445	35	17	3	5	-	-	-	1	-	-	-	-	12	-
11. Walthamstow <i>3H, L</i>	-	6,504	108,929	63	17	6	4	-	-	-	1	-	1	-	1	-	-
1. Chigwell, <i>part of</i> * <i>2F, 4H</i>	-	11,778	16,397	3	3	-	1	-	-	-	-	-	-	-	-	-	-
2. Epping <i>W, F, part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1. Romford, <i>part of</i> * <i>W, 2F</i>	-	6,556	6,091	6	4	-	2	-	-	-	-	-	-	-	-	4	-
2. Ilford <i>F, L</i>	-	8,496	41,234	27	7	2	2	-	-	-	-	-	-	-	-	-	-
3. Barking Town <i>F</i>	-	3,803	21,547	19	2	1	-	-	-	-	1	-	-	-	-	-	-
Middlesex County Asylum	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-
Annexe.	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Middlesex County Asylum - London County Lunatic Asylum, Ilford.	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	1

One parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Rydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

See note "a" on preceding page.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping- cough.	Fever.
CALCUTTA (including SUBURBS)	847,796	May 21	-	645	39·5	1	2	-	4	-	2
BOMBAY - -	776,006	June 14	300	512	34·3	15	4	-	-	3	90
MADRAS - -	509,346	May 27	345	355	36·2	-	4	?	?	?	70
PARIS - - -	2,660,559	June 25	1033	711	12·9	-	16	3	4*	5	2
BRUSSELS - -	575,886	" 25	295	136	12·0	-	2	-	-	-	-
ANTWERP - -	281,376	" 25	137	56	10·2	-	5	-	-	-	-
AMSTERDAM -	547,370	" 18	304	144	13·7	-	12	-	2*	3	1
COPENHAGEN -	420,000	" 25	212	140	17·4	-	1	2	-	12	-
STOCKHOLM -	305,115	" 18	155	75	12·6	-	-	1	-	-	-
CHRISTIANIA -	225,709	" 25	116	63	14·6	-	-	1	-	-	-
ST. PETERSBURG	1,248,643	" 18	500	667	27·8	2	39	13	13*	4	10
MOSCOW - -	1,093,410	" 18	-	635	30·3	4	31	2	11*	-	1
BERLIN - - -	1,960,909	" 11	812	594	15·8	-	13	4	4*	10	2
HAMBURG - -	751,842	" 25	-	223	15·4	-	6	-	3*	1	1
BRESLAU - - -	445,403	" 25	-	189	22·1	-	1	-	1*	?	1
MUNICH - - -	520,000	" 25	-	191	19·1	-	3	1	-	2	-
VIENNA - - -	1,779,669	" 25	670	614	17·8	-	43	-	7*	3	1
PRAGUE - - -	423,990	" 18	230	171	20·9	-	1	-	1*	-	2
BUDA-PESTH -	813,399	" 25	443	261	16·7	-	9	4	4*	-	1
TRIESTE - - -	187,251	" 25	-	-	-	-	-	-	-	-	-
ROME - - -	496,201	April 30	229	189	19·9	-	12	-	-	-	2
VENICE - - -	166,288	June 18	83	54	16·9	-	1	-	1*	-	-
CAIRO - - -	624,338	March 25	479	470	39·3	3	40	-	2*	?	19
ALEXANDRIA -	349,300	" 25	293	186	27·8	3	-	-	2*	?	5
NEW YORK - -	3,838,024	June 18	1801	1669	22·7	-	15	16	50*	3	7
PHILADELPHIA -	1,408,154	" 4	-	465	17·2	5	5	12	9*	1	19
BOSTON - - -	617,950	" 4	-	206	17·3	-	1	1	4*	-	-

* Including deaths from croup.

† Including 134 deaths from plague in Calcutta, and 63 in Bombay.

‡ Including 111 deaths from cholera in Calcutta, and 2 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 2nd July, 1904.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	73·9	44·5	59·8	0·15	BRADFORD - -	74·6	43·2	58·6	
BRIGHTON - -	73·0	47·1	59·5	0·13	LEEDS - - -	77·0	45·0	59·9	
PORTSMOUTH - -	70·0	48·0	59·7	0·18	HULL - - -	72·0	42·0	56·5	
NORWICH - - -	73·0	41·4	56·7	0·30	TYNEMOUTH - -	68·0	45·0	55·8	
PLYMOUTH - -	69·8	47·0	58·2	0·26					
BRISTOL - - -	74·0	43·0	57·8	0·51	EDINBURGH - -	72·8	41·3	54·1	
BIRMINGHAM - -	74·7	44·4	58·3	0·13	GLASGOW - - -	75·5	38·9	57·2	
NOTTINGHAM -	76·9	39·1	58·4	0·04					
LIVERPOOL - -	76·0	47·0	58·8	0·07	DUBLIN { Phoenix Park, Fitz- william Square.†	70·1	36·4	54·8	
MANCHESTER -	75·0	40·8	58·0	0·40		72·0	45·1	58·1	
PRESTON - - -	74·5	45·8	58·9	0·08					
HUDDERSFIELD -	75·0	40·8	57·7	0·11	BELFAST - - -	-	-	-	

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1·8° Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Table.

† Kindly furnished by Sir J. W. Moore, B.A. M.D., Dublin.

1904.		Phases of the Moon.	Of the Air.						Of the Dew point		Difference between the Air and Dew Point Temperature.				Degree of humidity (Saturation equals 100).		Of Radiation.		Of the Earth's surface and below the Surface.		Oster's.		Robinson's.		collected in a Gauge whose surface is 5 inches above the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
MONTH AND DAY	Mo.		High-est.	Low-est.	Daily Range.	Mean daily value.	De-parture from Average value.	Mean from 50 years.	Mean daily value.	Mean daily value.	Greatest.	Least.	Highest in the day.	Lowest on Grass.	°	°	°	°	lbs.	lbs.	lbs.	Miles.	Miles.	Horizontal Movement of the Air above the surface of each 15 years.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									

DATE.	JUNE.	ELECTRICITY (See above for symbols and notes).	Registered Sun above horizon in hours.	GENERAL REMARKS.											
				64	101	96	133	165	165	165	165	165	165	165	165
SUNDAY	- 26	W. P. till 1h. P.M.; m. P. and v. N. till 7h. P.M.; m. P. afterwards.	165	64	101	96	133	165	165	165	165	165	165	165	165
MONDAY	- 27	W. P. till 5h. A.M.; m. P. generally till 4h. P.M.; s. P. till 8h. P.M.; w. P. afterwards.	165	101	96	133	165	165	165	165	165	165	165	165	165
TUESDAY	- 28	W. P. generally till 2h. P.M.; w. P. afterwards.	165	96	133	165	165	165	165	165	165	165	165	165	165
WEDNESDAY	29	W. P. till 7h. P.M.; m. P. afterwards.	165	133	165	165	165	165	165	165	165	165	165	165	165
THURSDAY-JULY.	30	W. P. till 6h. P.M.; m. P. afterwards.	165	114	165	165	165	165	165	165	165	165	165	165	165
FRIDAY	- 1	W. P. till 2h. A.M.; m. P. till 1h. P.M.; v. P. and v. N. afterwards.	165	100	165	165	165	165	165	165	165	165	165	165	165
SATURDAY	- 2	W. P. till 3h. A.M.; m. P. till 1h. A.M.; v. P. and s. till 8h. P.M.; m. P. afterwards.	165	91	165	165	165	165	165	165	165	165	165	165	165
No. of Col.	-		27	28	29	30	31	32	33	34	35	36	37	38	39

The results apply to the civil day, or from midnight to midnight. The height of the stem of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1879 for the barometer, and during the twenty years ending 1888 for the thermometers. With the corrected mean readings of the dry bulb thermometer combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 18). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is derived from a discussion of the observations made at Greenwich during the 50 years ending 1880, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1876. In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average. The values given in column 17 are not corrected for the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: - P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable. The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day. The reading of the barometer increased from 29.60 in. at the beginning of the week to 30.05 in. by 7h. A.M. on June 28th; decreased to 29.08 in. by 5h. A.M. on July 1; and increased to 29.85 in. by midnight on July 2.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 25th June, 1904.*

BOROUGHS.	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Chicken-pox.
WEST.											
Paddington- - - -	146,975	-	4	3	-	2	-	-	-	-	10
Kensington - - - -	179,236	-	4	3	-	2	-	-	3	-	12
Hammersmith - - -	117,412	-	3	3	-	2	-	-	2	-	6
Fulham - - - - -	152,482	-	2	8	-	1	-	-	1	-	16
Chelsea - - - - -	74,329	-	-	2	-	-	-	-	1	-	10
City of Westminster-	177,321	-	10	4	-	-	-	-	2	-	4
NORTH.											
St. Marylebone - - -	130,337	-	4	8	-	-	-	-	3	-	15
Hampstead - - - -	86,663	-	4	1	-	-	-	-	-	-	9
St. Pancras - - - -	235,936	-	20	3	-	1	-	-	5	-	17
Islington - - - - -	341,044	1	26	8	-	-	-	-	2	-	37
Stoke Newington - -	52,445	2	1	-	-	-	-	-	1	-	9
Hackney - - - - -	226,266	-	19	17	-	2	-	-	2	-	11
CENTRAL.											
Holborn - - - - -	57,161	-	3	2	-	-	-	-	4	1	3
Finsbury - - - - -	98,958	2	6	2	-	1	-	-	2	-	7
City of London - - -	23,482	-	2	3	-	-	-	-	2	-	-
EAST.											
Shoreditch - - - -	117,033	-	8	1	-	2	-	-	8	-	14
Bethnal Green - - -	130,207	1	14	3	-	-	-	-	5	-	12
Stepney - - - - -	303,791	1	18	24	-	1	-	-	6	-	32
Poplar - - - - -	169,905	-	11	8	-	-	-	-	4	-	22
SOUTH.											
Southwark - - - -	207,937	2	5	3	-	-	-	-	4	-	18
Bermondsey - - - -	129,397	-	6	3	-	1	-	-	7	-	14
Lambeth - - - - -	310,359	4	4	5	-	2	-	-	6	-	30
Battersea - - - - -	175,465	-	6	1	-	-	-	-	5	-	46
Wandsworth - - - -	257,448	-	8	5	-	-	-	-	4	-	36
Camberwell - - - -	263,384	1	13	3	-	1	-	-	4	-	32
Deptford - - - - -	113,509	-	5	2	-	-	-	-	3	-	13
Greenwich - - - - -	101,651	-	3	4	-	-	-	-	1	-	6
Lewisham - - - - -	140,401	-	4	1	-	-	-	-	1	-	21
Woolwich - - - - -	123,416	-	6	2	-	-	-	-	1	-	10
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.											
4,648,950		14	219	132	-	16	-	-	89	1	472
AGES.											
Ages 0-1 - - - - -	-	1	1	4	-	-	-	-	4	-	38
" 1-5 - - - - -	-	-	69	53	-	1	-	-	4	-	190
" 5- - - - -	-	1	105	39	-	1	-	-	4	-	210
" 10- - - - -	-	-	26	16	-	4	-	-	3	-	22
" 15- - - - -	-	2	5	4	-	-	-	-	6	-	6
" 20- - - - -	-	2	7	7	-	3	-	-	4	-	3
" 25- - - - -	-	6	6	6	-	3	-	-	12	-	3
" 35- - - - -	-	1	-	3	-	2	-	-	10	1	-
" 45- - - - -	-	1	-	-	-	2	-	-	19	-	-
" 55- - - - -	-	-	-	-	-	-	-	-	14	-	-
" 65 and upwards -	-	-	-	-	-	-	-	-	9	-	-
Age not stated - - -	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1904.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 27. 1904. VOL. LXV.] WEEK ENDED SATURDAY, JULY 9. [Price 1½d.

General Register Office, Somerset House,
July 11th, 1904.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 13·5 per 1000 of their aggregate population, which is estimated† at 15,271,287 persons in the middle of this year. In the preceding three weeks the rates had been 13·8, 13·2, and 13·5. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 18·0 in South Shields, 18·2 in Liverpool, 19·1 in Oldham, 19·9 in Stockport, 21·1 in Burton upon Trent, and 21·4 in Huddersfield; from *measles*, 1·9 in Oldham, 2·1 in Liverpool, 2·4 in St. Helens, 3·6 in Birkenhead, and 5·5 in Huddersfield; from *whooping-cough*, 2·0 in Great Yarmouth, 2·3 in Warrington, 2·8 in Blackburn, and 3·0 in Burton upon Trent. Five deaths from *small-pox* were registered in Stockport and 1 in Gateshead, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2526 BIRTHS and 1154 DEATHS were registered. Allowing for increase of population, the births were 314 and the deaths 403 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 12·8, 12·8, and 12·9 in the preceding three weeks, was 12·9 last week. During the four weeks ended on Saturday last the death-rate averaged 12·9 per 1000, being 2·1 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, and in certain local Small-pox Hospitals, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1154 deaths included 53 from measles, 9 from scarlet fever, 7 from diphtheria, 27 from whooping-cough, 1 from enteric fever, and 39 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 136 deaths were referred to these diseases in the aggregate, being 69 below the corrected average weekly number.

The deaths from *measles*, which had been 65, 55, and 58 in the preceding three weeks, fell again last week to 53, the corrected average being 52; 8 deaths belonged to the Borough of Islington, 8 to Lambeth, 6 to Deptford, and 5 to Bethnal Green. The deaths from *scarlet fever*, which had been 10, 3, and 7 in the preceding three weeks, were 9 last week, and were 4 below the corrected average. The deaths from *diphtheria*, which had been 7, 16, and 9 in the preceding three weeks, were 7 last week, and were 26 below the corrected average. The deaths from *whooping-cough*, which had been 25, 17, and 29 in the preceding three weeks, were 27 last week and were 8 below the corrected average; 5 deaths belonged to Lambeth, and 4 each to St. Pancras and Islington. One death was registered from *enteric fever* last week, the corrected average being 8, the fatal cases in the preceding three weeks having been 3, 5, and 5. The deaths from *diarrhoea* which had been 23, 25, and 24 in the preceding three weeks, rose last week to 39, the corrected average being 63. Of the 39 deaths from diarrhoea, 32 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the causes of 5 more deaths at this age. The deaths attributed directly to *influenza* numbered 6, having been 5, 4, and 3 in the preceding three weeks.

Different forms of *violence* caused 54 deaths, concerning all of which inquests were held. Of these 54 deaths, 8 were cases of suicide, and 2 of homicide, while the remaining 44 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, 8 to drowning, 2 to burns and scalds, and 4 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 71 cases of small-pox, 1685 of scarlet fever, 721 of diphtheria, and 60 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 10 cases, against 7, 16, and 10; of scarlet fever, 269 cases, against 206, 199, and 254; of diphtheria, 120 cases, against 99, 90, and 109; and of enteric fever, 11 cases, against 11, 12, and 8. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended July 2nd.

GREATER LONDON.

In Greater London 3795 births and 1593 deaths were registered. Allowing for increase of population these numbers are 310 and 448 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 9 deaths from measles, 4 from diphtheria, 2 from whooping-cough, 1 from "fever," and 13 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.94 inches, and that of the Thermometer 63.2, the latter being 1.2 above the week's average in the 50 years 1841-90. The direction of the wind was South-westerly, the horizontal movement of the air being 9 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 50.9 hours; the measured rainfall amounted to 0.22 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

The DEATHS registered in the week include

Registered during the week ended 9th July, 1904.

DEATH-RATES from all Diseases.

POPULATION estimated middle of the year 1904.*

TOWNS.	Cols.	Week ended					In Col.		Deaths of		Deaths from							Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
		18th June, 1904.	25th June, 1904.	2nd July, 1904.	9th July, 1904.	Week ended 9th July, 1904.	11-17.	Deaths.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Dysentery.	Violence.	Inquest Cases.	
76 TOWNS	15,271,287	13'8	13'2	13'5	13'5	1'7	8567	3948	884	927	6	182	32	40	109	16	115	171	331	76 TOWNS.
LONDON -	4,648,950	12'8	12'8	12'9	12'9	1'5	2526	1154	270	282	-	53	9	7	27	1	39	54	124	LONDON.
CROYDON -	144,419	12'6	9'4	9'4	10'5	1'8	80	29	9	6	-	3	-	-	1	-	1	3	5	CROYDON.
WILLESDEN -	132,508	7'5	4'7	12'6	9'4	0'4	73	24	5	3	-	-	-	-	-	-	-	2	3	WILLESDEN.
HORNSEY -	81,221	9'6	8'3	7'1	3'2	-	35	5	1	3	-	-	-	-	-	-	-	-	-	HORNSEY.
TOTTENHAM -	112,981	6'9	10'2	5'1	6'9	1'4	53	15	5	2	-	-	-	-	1	-	2	-	3	TOTTENHAM.
WEST HAM -	288,424	10'7	10'5	11'8	12'8	1'4	180	71	15	21	-	3	-	1	1	-	3	5	4	WEST HAM.
EAST HAM -	116,902	11'6	8'0	8'5	8'9	0'9	57	20	6	2	-	2	-	-	1	-	-	1	5	EAST HAM.
LEYTON -	110,844	6'6	10'8	6'1	7'1	1'9	74	15	5	3	-	-	-	1	1	1	1	3	1	LEYTON.
WALTHAMSTOW -	111,282	7'5	12'2	8'9	8'4	1'9	69	18	3	5	-	3	-	-	-	-	1	1	1	WALTHAMSTOW.
HASTINGS -	66,503	10'2	10'2	12'5	12'5	0'8	21	16	-	9	-	1	-	-	-	-	-	2	3	HASTINGS.
BRIGHTON -	126,286	14'9	17'3	14'5	12'8	1'2	60	31	7	9	-	3	-	-	-	-	-	1	2	BRIGHTON.
PORTSMOUTH -	198,038	11'6	10'5	12'4	11'8	2'1	104	45	11	12	-	1	-	2	1	2	2	1	4	PORTSMOUTH.
BOURNEMOUTH -	64,645	12'9	13'7	8'9	14'5	-	12	18	1	5	-	-	-	-	-	-	-	-	1	BOURNEMOUTH.
SOUTHAMPTON -	112,500	6'5	10'2	8'8	12'1	1'9	66	26	6	9	-	-	-	-	1	-	3	2	3	SOUTHAMPTON.
READING -	76,373	8'2	10'2	8'2	11'6	0'7	49	17	2	8	-	-	-	-	-	-	1	-	2	READING.
NORTHAMPTON -	91,146	13'7	10'9	8'6	12'0	1'1	31	21	5	9	-	-	-	-	-	1	1	1	1	NORTHAMPTON.
IPSWICH -	69,805	4'5	9'0	12'0	14'2	1'5	35	19	2	5	-	1	-	-	-	-	-	1	1	IPSWICH.
GREAT YARMOUTH -	52,069	17'0	11'0	20'0	12'0	2'0	33	12	2	3	-	-	-	-	2	-	-	-	3	GREAT YARMOUTH.
NORWICH -	115,638	14'4	14'4	14'9	13'1	0'5	70	29	6	9	-	-	-	-	-	-	-	-	1	NORWICH.
PLYMOUTH -	114,003	14'2	11'4	13'7	16'0	3'2	59	35	6	7	-	3	2	-	1	1	1	1	3	PLYMOUTH.
DEVONPORT -	75,334	9'0	16'6	13'2	9'7	-	42	14	1	6	-	-	-	-	-	-	-	3	4	DEVONPORT.
BRISTOL -	343,204	12'6	13'2	11'2	9'6	0'8	177	63	9	16	-	1	-	3	-	-	1	4	10	BRISTOL.
HANLEY -	63,932	17'9	13'0	22'8	13'9	0'8	33	17	6	6	-	-	-	1	-	-	-	-	1	HANLEY.
BURTON-ON-TRENT -	51,934	9'0	11'0	12'0	21'1	3'0	27	21	4	6	-	-	-	-	3	-	-	-	1	BURTON-ON-TRENT.
WOLVERHAMPTON -	98,194	13'8	7'4	11'2	12'7	2'1	61	24	4	8	-	-	1	1	2	-	-	2	4	WOLVERHAMPTON.
WALSALL -	91,432	10'8	8'6	10'8	15'4	2'3	58	27	11	5	-	-	-	-	2	-	1	3	4	WALSALL.
HANDSWORTH -	59,634	1'7	13'1	7'0	2'6	-	25	3	-	-	-	-	-	-	-	-	-	-	-	HANDSWORTH.
WEST BROMWICH -	67,186	9'3	18'6	14'0	10'9	2'3	43	14	5	3	-	-	-	1	1	-	1	-	1	WEST BROMWICH.

† These towns are included within the area of Greater London.

* see note † on first page of this return.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES during the Week ended Saturday, 9th July, 1904, and DEATH-RATES during the preceding three weeks.

TOWNS.	POPULATION to the middle of the Year 1904.*	DEATH-RATES from all Causes.				Rate from Diseases during the week ended 11-17.		The DEATHS registered in the week include										TOWNS.					
		Week ended				Deaths of Persons aged 60 years and upwards.		Deaths from															
		18th June, 1904.				Deaths under 1 year of age.		Inquest Cases.															
		18th June, 1904.	25th June, 1904.	2nd July, 1904.	9th July, 1904.	Week ended 9th July, 1904.	11-17.	11-17.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Deaths in Public Institutions.		Uncertified Causes of Death.				
COLS.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	COLS.	
BIRMINGHAM	-	587,985	15.2	14.8	15.5	14.8	1.3	315	153	39	37	-	4	-	2	4	-	3	2	4	35	3	BIRMINGHAM.
KINGS NORTON	-	66,867	7.0	7.0	7.0	6.3	53	8	2	2	-	-	-	-	-	-	-	-	1	1	1	-	KINGS NORTON.
SMETHWICK	-	60,601	11.2	8.6	12.9	13.7	2.6	36	16	7	2	-	1	-	-	-	2	-	-	-	1	-	SMETHWICK.
ASTON MANOR	-	80,363	9.7	7.1	9.1	11.7	1.3	48	18	5	2	-	2	-	-	-	-	-	1	5	-	-	ASTON MANOR.
COVENTRY	-	73,904	8.5	12.0	9.2	8.5	39	12	2	3	-	-	-	1	-	-	1	1	2	3	-	-	COVENTRY.
LEICESTER	-	224,186	11.6	10.7	13.0	10.7	115	46	14	12	-	-	-	-	2	1	2	2	5	6	1	1	LEICESTER.
GRIMSBY	-	68,958	8.6	12.5	11.7	14.8	44	19	3	7	-	1	-	2	-	-	-	1	2	4	1	1	GRIMSBY.
NOTTINGHAM	-	248,811	15.5	13.6	15.7	13.2	138	63	16	12	-	-	-	2	2	-	1	1	2	13	-	-	NOTTINGHAM.
DERBY	-	120,449	17.7	13.9	13.0	12.1	65	28	5	9	-	2	-	1	-	-	-	2	3	7	-	-	DERBY.
STOCKPORT	-	97,008	23.7	18.3	11.3	19.9	57	37	12	9	5	1	-	-	2	1	-	1	2	10	-	-	STOCKPORT.
BIRKENHEAD	-	114,814	11.8	22.3	16.3	17.3	74	38	14	5	-	8	1	-	3	-	-	1	1	4	-	-	BIRKENHEAD.
WALLASEY	-	60,354	14.7	7.8	11.2	11.2	34	13	1	6	-	-	-	-	1	-	-	-	1	4	-	-	WALLASEY.
LIVERPOOL	-	723,430	18.7	17.8	17.7	18.2	437	253	57	38	-	29	-	4	7	2	15	11	20	69	9	-	LIVERPOOL.
BOOTLE	-	61,755	6.8	22.0	17.7	11.0	39	13	2	1	-	-	-	-	1	-	-	2	2	3	-	-	BOOTLE.
ST. HELENS	-	83,545	20.6	14.7	14.7	14.7	73	25	4	6	-	4	-	-	1	-	1	1	1	4	-	-	ST. HELENS.
WIGAN	-	62,800	14.1	13.3	21.6	12.5	39	15	2	4	-	-	-	-	-	-	-	-	-	1	-	-	WIGAN.
WARRINGTON	-	67,331	15.5	17.8	10.1	13.2	42	17	3	4	-	-	1	-	3	-	-	1	1	4	-	-	WARRINGTON.
BOLTON	-	175,744	12.5	9.5	14.5	16.6	90	56	13	13	-	-	1	-	1	1	2	4	6	12	2	2	BOLTON.
BURY	-	58,450	10.7	11.6	14.3	8.9	34	10	-	2	-	-	-	1	-	-	-	-	-	3	-	-	BURY.
MANCHESTER†	-	557,938	20.0	17.3	19.0	17.9	338	192	35	38	-	11	3	2	7	-	6	5	9	57	2	2	MANCHESTER.†
SALFORD	-	228,983	17.8	16.9	14.8	16.2	126	71	17	9	-	7	4	3	1	-	2	1	7	10	-	-	SALFORD.
ROCHDALE	-	139,497	14.6	18.3	16.5	19.1	60	51	10	14	-	5	-	-	-	-	1	1	1	9	-	-	ROCHDALE.
BURNLEY	-	86,601	16.4	11.6	10.4	12.8	52	21	3	7	-	1	-	-	1	-	-	-	-	3	1	-	BURNLEY.
BLACKBURN	-	100,569	17.1	16.1	12.4	15.6	48	30	6	4	-	3	-	-	2	1	1	3	4	5	-	-	BLACKBURN.
PRESTON	-	132,134	16.6	13.8	15.0	15.0	61	38	7	10	-	1	-	-	7	-	-	2	2	5	1	1	PRESTON.
BARROW-IN-FARROW	-	115,055	18.1	14.0	10.9	10.4	82	23	1	12	-	-	-	-	1	-	-	2	3	5	-	-	BARROW-IN-FARROW.
		59,654	9.6	13.1	9.6	17.5	30	20	7	4	-	-	-	-	-	-	1	3	3	3	1	1	

TOWNS.	POPULATION estimated in the middle of the Year 1904.*	DEATH-RATES from all Causes.				Rate from Diseases occurring in the Week ended 11-17.		Registered Deaths in the Week ended 9th July, 1904.		The Deaths registered in the Week include											TOWNS,	
		Week ended				Week ended 11-17, July, 1904.	Infants under 1 Year of Age.	Persons aged 15 and upwards.	Deaths from							Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.				
		18th June, 1904.	25th June, 1904.	2nd July, 1904.	9th July, 1904.				Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.				Violence.			
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDESFIELD.	94,925	13.2	12.6	20.3	21.4	7.7	45	39	6	6	-	10	-	-	2	-	2	1	1	9	-	HUDDESFIELD.
HALIFAX.	107,580	12.1	9.2	16.0	8.7	0.5	40	18	1	11	-	-	1	-	-	-	-	-	5	-	-	HALIFAX.
BRADFORD.	285,088	14.8	14.6	13.7	15.0	1.3	122	82	15	21	-	2	1	3	-	-	1	2	7	20	-	BRADFORD.
LEEDS.	450,142	18.6	12.4	16.0	14.8	2.4	281	128	25	30	-	10	3	-	3	1	4	6	12	29	1	LEEDS.
SHEFFIELD.	432,940	13.1	11.2	12.8	13.7	0.7	273	114	31	29	-	-	-	1	4	-	1	7	8	24	5	SHEFFIELD.
ROTHERHAM.	58,498	15.2	10.7	12.5	11.6	1.8	40	13	-	3	-	-	-	-	1	-	1	2	4	3	-	ROTHERHAM.
YORK.	81,268	15.4	9.6	13.5	12.8	1.3	57	20	5	7	-	-	2	-	-	-	1	1	1	2	-	YORK.
HULL.	263,885	13.1	13.8	18.1	13.8	1.4	154	67	20	11	-	3	-	-	2	-	2	1	1	14	1	HULL.
MIDDLESBROUGH.	96,684	16.7	18.9	14.6	12.9	1.1	62	24	5	2	-	-	-	-	1	1	-	1	5	6	-	MIDDLESBROUGH.
STOCKTON-ON-TEES.	52,192	10.0	8.0	9.0	13.0	-	32	13	2	2	-	-	-	-	-	-	-	1	2	1	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL.	69,251	9.0	15.8	12.8	9.8	-	55	13	2	3	-	-	-	-	-	-	-	1	2	3	-	WEST HARTLEPOOL.
SUNDERLAND.	151,157	16.9	20.0	14.8	15.5	1.0	93	45	6	14	-	1	-	-	1	-	1	4	5	14	2	SUNDERLAND.
SOUTH SHIELDS.	107,334	17.0	16.0	13.1	18.0	1.5	62	37	7	6	-	-	-	-	1	1	1	-	-	4	1	SOUTH SHIELDS.
GATESHEAD.	118,067	10.2	11.9	12.8	17.7	2.6	77	40	9	8	1	1	-	-	-	1	3	-	2	3	1	GATESHEAD.
NEWCASTLE-ON-TYNE.	225,392	17.8	14.1	19.0	16.7	0.5	134	72	15	14	-	2	-	-	-	-	-	3	5	12	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH.	53,060	22.6	17.7	13.8	13.8	1.0	48	14	4	3	-	-	-	-	1	-	-	1	1	2	-	TYNEMOUTH.
NEWPORT (MON.).	71,543	16.8	10.2	8.7	11.7	0.7	37	16	6	2	-	-	-	-	-	-	1	2	2	4	-	NEWPORT (MON.).
CARDIFF.	176,313	10.6	10.4	10.1	7.7	0.6	108	26	10	5	-	-	-	-	1	-	1	-	-	2	-	CARDIFF.
RHONDDA.	122,310	14.1	13.6	15.8	14.5	0.9	95	34	11	7	-	1	-	-	-	-	1	2	3	1	-	RHONDDA.
MERTHYR TYDFIL.	72,745	16.5	15.8	9.3	15.8	-	57	22	5	3	-	-	-	-	-	-	-	1	2	4	-	MERTHYR TYDFIL.
SWANSEA.	95,931	18.3	10.9	12.0	12.0	0.5	45	22	5	9	-	-	-	-	1	-	-	1	2	-	-	SWANSEA.
GREATER LONDON.	6,907,756	11.9	11.9	11.6	12.0	1.4	3795	1593	380	396	-	73	9	14	33	3	60	73	155	491	4	GREATER LONDON.
OUTER RING.	2,253,806	10.0	9.9	8.9	10.1	1.3	1260	439	110	114	-	20	-	7	6	2	21	19	31	75	1	OUTER RING.
8 TOWNS IN OUTER RING.	1,098,639	9.4	9.4	9.3	9.3	1.3	621	197	49	45	-	11	-	3	4	1	8	12	17	35	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,160,107	10.6	10.5	8.6	10.9	1.3	648	242	61	69	-	9	-	4	2	1	13	7	14	40	1	REMAINDER OF OUTER RING.
EDINBURGH.	331,977	15.5	15.1	17.1	16.2	2.0	151	103	20	18	1	1	-	1	6	2	2	5	?	34	8	EDINBURGH.
GLASGOW.	798,357	18.0	15.3	15.9	16.5	2.1	468	253	54	46	2	2	-	1	13	4	10	11	?	60	6	GLASGOW.
DUBLIN†.	378,994	21.7	19.5	16.5	17.9	1.4	202	130	22	33	-	2	-	-	3	-	5	1	3	45	10	DUBLIN†.
BELFAST†.	355,680	18.3	17.6	17.3	17.7	1.6	255	122	33	25	-	2	2	1	2	3	1	5	12	24	?	BELFAST†.

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the TWENTY-SEVENTH Week of each of the Eleven Years, 1894-1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894-1903.*	1904
TOTAL Births -	2254	2651	2446	2689	2502	2484	2466	2413	2663	2597	2840.4	2521
Males - -	1158	1342	1279	1401	1235	1247	1263	1287	1363	1290	1418.0	1215
Females - -	1096	1309	1167	1288	1267	1237	1203	1126	1300	1307	1392.4	1254
TOTAL Deaths -	1314	1519	1552	1293	1222	1310	1191	1256	1325	1176	1557.4	1151
Males - -	696	802	783	712	622	705	665	646	705	635	823.6	611
Females - -	618	717	769	581	610	605	526	610	620	541	733.8	544

* The numbers in this column are the average weekly numbers in the twenty-seventh week of the ten years 1894-1903, raised by 3.723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Apr. 16.	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	13 Weeks
TOTAL Births -	2676	2489	2733	2403	2551	2376	2122	2507	2578	2583	2465	2514	2526	3252
TOTAL Deaths -	1490	1429	1392	1325	1454	1349	1274	1179	1187	1142	1143	1148	1151	1606
Under 1 year -	318	291	280	274	289	299	275	237	228	237	216	246	270	345
1-5 years -	214	202	194	215	203	158	200	176	175	151	165	145	146	234
5-20 " -	68	78	80	64	77	52	65	64	81	74	61	54	72	89
20-40 " -	192	175	158	152	163	174	159	140	155	163	155	170	143	208
40-60 " -	264	272	312	272	281	300	226	238	258	225	236	240	241	336
(60 yrs.& upwds.	434	421	368	348	441	366	319	324	290	292	310	293	282	451
Deaths from—														
Small-pox† - -	-	1	3	1	-	-	2	-	-	-	1	1	-	8
Measles - -	75	81	66	62	86	75	83	78	62	65	55	58	53	80
Scarlet Fever - -	4	9	10	3	7	5	4	7	4	10	3	7	9	8
Diphtheria - -	8	15	14	19	20	10	14	6	9	7	16	9	7	16
Whooping-cough -	64	43	42	48	44	39	33	32	28	25	17	29	27	47
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	3	3	3	4	1	4	2	1	5	3	5	5	1	4
Pyrexia (origin uncertain).	-	-	-	1	-	-	-	-	-	-	-	-	-	1
Diarrhœa, Dysentery	12	12	15	23	16	21	15	16	26	23	25	24	39	267
All above Diseases -	166	164	153	161	174	154	153	140	124	133	122	133	136	1923
Dis. of Resp. System	156	127	100	83	116	105	80	73	64	57	64	60	52	1137
Pneumonia - -	139	127	124	110	115	105	108	108	93	85	77	86	83	1300
Phthisis - -	169	153	160	155	143	123	145	133	134	162	119	136	132	1814
Dis. of Circ. System -	168	176	178	167	206	193	136	148	158	137	156	151	165	2129
Violence - -	56	49	63	62	61	65	54	56	67	47	50	43	54	727
Inquest Cases - -	127	134	155	125	143	151	133	119	134	117	100	115	124	1677
Deaths in Institutions	473	491	532	485	569	498	480	441	436	403	431	435	416	6090
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - -	49.6	49.1	49.6	49.0	49.7	51.0	57.3	56.0	55.9	59.6	58.6	59.7	63.2	54.7
Mean of Highest -	59.1	59.7	57.1	58.1	58.8	63.7	65.9	64.1	65.5	70.8	69.9	71.3	74.3	61.5
Mean of Lowest -	40.6	38.2	43.3	42.4	41.5	44.3	50.5	49.2	48.1	51.4	48.2	48.3	53.1	46.1
Mean Humidity of the Air.	71	71	72	70	81	65	86	84	75	72	68	67	70	73
Rain-fall (in inches) -	0.32	0.24	0.05	0.55	0.29	0.35	0.30	0.71	0.12	0.27	0.17	0.15	0.22	3.74
Registered Sunshine (in hours).	36.9	38.9	21.9	37.0	14.0	58.5	15.0	28.7	39.3	44.9	46.8	68.9	50.9	501.7
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox - -	144	123	104	88	99	96	118	96	95	80	83	74	71	98
Scarlet Fever - -	1523	1543	1541	1590	1600	1630	1663	1673	1647	1630	1629	1631	1685	16.4
Diphtheria - -	737	719	720	750	777	767	758	748	721	696	671	684	721	728
Typhus - -	1	1	2	2	2	1	-	-	-	-	1	1	-	1
Enteric Fever - -	68	73	62	56	53	56	51	52	65	68	74	62	60	62

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Cluett, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-SEVENTH Week of the Year 1904.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 27th week of the year 1903.	1904—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 27th week of the year 1903.	1904—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.				40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.				40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.	0-1.						1-5.	5-20.				
ALL CAUSES	1176	1154	270	146	72	143	241	282	Meningitis (not tuberc.)	10	12	4	7	-	1	-	
									Insanity, Gen. Par. of }	10	8	-	-	-	1	7	
									Insane -	6	4	-	-	1	3	-	
Small-pox*	-	-	-	-	-	-	-	-	Epilepsy -	22	21	21	-	-	-	-	
Cowpox	-	-	-	-	-	-	-	-	Convulsions	2	1	-	-	-	-	1	
Measles (Morbilli)	34	53	13	38	2	-	-	-	Locomotor Ataxy -	7	5	-	-	-	1	3	
Scarlet Fever	9	9	-	6	3	-	-	-	Paraplegia, Dis. of Cord	30	12	1	1	-	3	2	
Typhus	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	32	35	-	7	5	11	12	
Plague	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis-	22	26	-	-	2	8	16	
Influenza	7	6	1	-	-	2	2	1	Apoplexy, Hemiplegia -	15	21	-	-	-	5	16	
Whooping-cough	19	27	9	18	-	-	-	-	Aneurysm -	4	6	-	-	-	2	4	
Diphtheria	10	7	1	6	-	-	-	-	Embolism, Thrombosis }	2	-	-	-	-	-	-	
Cerebro Spinal Fever	-	-	-	-	-	-	-	-	(not cerebral)	77	67	-	3	8	22	34	
Pyrexia,† (Origin un-	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.	-	-	-	-	-	-	-	
certain)	-	-	-	-	-	-	-	-	Croup (not Spasm: nor }	-	-	-	-	-	-	-	
Enteric Fever	6	1	-	-	-	1	-	-	Membr.)	41	43	14	2	-	4	22	
Asiatic Cholera	-	-	-	-	-	-	-	-	Bronchitis -	-	1	-	-	-	-	-	
Epidemic Diarrhoea }	16	21	17	3	1	-	-	-	Asthma, Emphysema -	7	3	-	-	-	1	2	
(Infective Enteritis)	-	-	-	-	-	-	-	-	Pleurisy -	1	5	2	1	-	-	-	
Diarrhoea, Dysentery	22	18	11	1	-	1	1	4	Respiratory Dis. (other)	-	-	-	-	-	-	-	
Tetanus	1	-	-	-	-	-	-	-	Tonsillitis, Quinsy -	11	8	3	2	-	-	2	
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Enteritis (not Epid.) -	3	5	4	1	-	-	-	
Glanders	-	-	-	-	-	-	-	-	Gastro-Enteritis -	2	1	-	1	-	-	-	
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-	Peritonitis (not Puerp.)	8	7	-	-	-	6	1	
Venereal Dis.	4	9	6	-	1	2	-	-	Cirrhosis of Liver -	5	3	-	-	-	1	2	
Puerperal Septicæmia	1	2	-	-	2	-	-	-	Liver Dis. (other) -	36	38	6	3	3	9	10	
Puerperal Pyæmia	-	-	-	-	-	-	-	-	Digestive Dis., Other	5	7	-	1	2	3	1	
Puerperal Fever	-	-	-	-	-	-	-	-	Nephritis, Acute -	26	28	1	1	1	4	9	
Infective Endocarditis	1	5	-	1	2	2	-	-	Bright's Dis., Albumin-	5	6	-	-	-	1	5	
Lobar	6	5	-	1	3	1	-	-	uria	4	3	-	-	-	1	2	
Broncho-	29	37	13	17	1	3	3	-	Childbirth (Accid. of)	2	4	-	-	-	4	-	
Epidemic	-	-	-	-	-	-	-	-	Old Age -	39	38	-	-	-	-	38	
Not defined	43	41	3	5	1	4	15	13	Other Diseases	63	88	59	11	3	1	5	
Erysipelas	5	1	-	-	-	-	1	-									
Septicæmia (not Puer-	-	-	-	-	-	-	-	-	ACCIDENT.								
peral)	-	-	-	-	-	-	-	-	By Railways -	2	1	-	-	-	1	-	
Pyæmia (not Puerperal)	-	-	-	-	-	-	-	-	By Vehicles and Horses-	7	6	-	-	2	2	2	
Other Infective Conditions	20	12	1	2	3	1	3	2	In Ships, Boats, Docks,	2	1	-	-	-	1	-	
Tuberculous Phthisis	73	74	1	4	6	33	26	4	(exclusive of Drown-	-	-	-	-	-	-	-	
"Phthisis"	66	58	-	1	8	19	24	6	ing)	-	2	-	-	-	1	1	
Tuberculous Meningitis	36	13	1	9	3	-	-	-	In Building Operations	-	-	-	-	-	-	-	
Tuberculous Peritonitis	6	17	4	6	5	1	-	1	In Conflagrations -	8	2	-	-	2	-	-	
Tabes Mesenterica	5	6	4	2	-	-	-	-	By Burns, Scalds, Ex-	5	8	-	-	2	1	5	
Tuberculous Dis. (other)	24	17	5	7	4	-	1	-	plosions -	8	4	4	-	-	-	-	
Scrofula	-	-	-	-	-	-	-	-	By Drowning -	1	1	-	-	-	-	1	
Alcoholism	15	14	-	-	6	3	5	-	By Suffocation in Bed	15	19	5	-	2	4	6	
Rheumatic Fever	7	3	-	1	1	-	1	-	By Poisons or Poisonous	-	-	-	-	-	-	-	
Gout	-	1	-	-	-	-	1	-	Vapours }	-	-	-	-	-	-	-	
Carcinoma	49	41	-	1	2	19	19	-	Other Deaths by Acci-	-	-	-	-	-	-	-	
Sarcoma	7	7	-	-	1	2	4	-	dent	-	-	-	-	-	-	-	
Cancer (undefined)	36	27	-	-	2	12	13	-									
Diabetes Mellitus	5	7	-	-	1	4	2	-	VIOLENCE OTHER THAN								
Premature Birth	51	55	55	-	-	-	-	-	ACCIDENTAL.								
									Homicide -	2	2	1	-	-	-	1	
									Suicide -	10	8	-	-	-	6	2	
									Execution -	-	-	-	-	-	-	-	

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE &c., registered in each SUB-DISTRICT during the Week ended Saturday, 9th July, 1904.

The DEATHS registered during the Week include																		
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of		Deaths from											Inquest Cases.	Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 40 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.			
LONDON - - -	4,536,429	2526	1154	270	282	-	53	9	7	27	-	1	-	39	54	124	416	
WEST DISTRICTS	805,311	393	192	44	48	-	2	-	1	1	-	1	-	4	13	18	68	
NORTH DISTRICTS	1,056,070	556	234	53	61	-	11	3	-	10	-	-	-	3	12	32	67	
CENTRAL DISTRICTS	209,465	98	67	13	8	-	4	-	-	2	-	-	-	3	6	7	36	
EAST DISTRICTS -	715,739	472	225	72	43	-	9	-	-	3	-	-	-	16	7	32	90	
SOUTH DISTRICTS	1,749,844	1007	403	87	114	-	26	4	2	11	-	-	-	13	16	35	122	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	33	1	8	-	1	2	2	-	-	-	-	-	-	-	33	
WEST DISTRICTS.																		
St. Mary Paddington } G. & W. W,2H	93,178	42	22	5	9	-	-	-	-	-	-	-	-	-	-	-	8	
St. John Paddington H - - G.	33,617	3	7	-	2	-	-	-	-	-	-	-	-	-	-	-	4	
North-West Paddington - - C.	17,181	10	4	-	1	-	-	-	-	-	-	-	-	-	-	1	-	
Kensington Town 2W,10,2H G.,W.&C.	128,037	71	33	7	12	-	-	-	-	-	-	-	-	1	1	16	-	
Brompton 2H - - W. & C.	48,591	10	5	-	1	-	-	-	-	-	-	-	-	-	1	3	-	
North Hammersmith W,wH } W. & G. South Hammersmith w,2H } North-west Fulham W } North-east Fulham F } W. & C. South Fulham W }	49,192 63,047 45,180 46,405 45,704	35 42 35 25 30	7 11 23 11 5	2 4 7 2 2	- 2 3 1 -	- - - - -	- - 2 - -	- - - - -	- - - 1 -	- - - - -	- - 1 - -	- - - - -	- - - - -	- 1 1 1 -	- 1 1 1 -	2 3 1 1 -	- 3 8 1 -	
Chelsea North W,w,3H - - C.	42,514	20	9	-	5	-	-	-	-	-	-	-	-	-	-	-	6	
Chelsea South W,2H - - C.	31,323	15	11	3	3	-	-	-	-	-	-	-	-	1	1	1	2	
May Fair and Knightsbridge C. & G.	28,743	8	7	1	3	-	-	-	-	-	-	-	-	-	1	1	-	
Belgrave W,2H - - - C.	55,815	22	19	4	4	-	-	-	-	-	-	1	-	-	1	-	8	
St. Margaret & St. John 4H - C.	43,693	16	16	5	2	-	-	-	-	-	-	-	1	-	5	6	9	
St. James Westminster } N. & G. W,H	21,588	5	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	
St. Anne Soho 5H - - - N.	11,493	4	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	
NORTH DISTRICTS																		
All Souls Marylebone 8H - W.	35,391	12	13	2	4	-	1	-	-	-	-	-	-	-	-	-	7	
Rectory Marylebone W G. & W.	19,849	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	
St. Mary Marylebone 4H G. & W.	18,099	32	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Christchurch Marylebone H- W.	39,536	20	3	2	1	-	-	-	-	-	-	-	-	-	-	1	-	
St. John Marylebone 3H - W.	20,426	5	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
Hampstead W,F,8H - N. & W.	81,942	29	13	1	6	-	-	2	-	-	-	-	-	-	-	-	5	
West St. Pancras 2H - - W.	50,562	23	16	4	3	-	1	-	-	-	-	-	-	-	-	3	2	
Tottenham-court w,6H N. & W.	21,258	9	6	-	-	-	-	-	-	-	-	-	-	-	-	1	5	
Gray's Inn Lane 4H - - N.	34,449	14	8	1	2	-	1	-	-	1	-	-	-	-	-	1	-	
East St. Pancras W,2H - - N.	60,320	33	11	4	3	-	-	-	-	-	-	-	-	-	-	1	2	
North St. Pancras 2W - - N.	59,728	33	20	5	3	-	1	-	-	2	-	-	-	-	1	4	7	
Tufnell W- - - - N.	31,995	16	18	4	5	-	-	-	-	-	-	-	-	-	-	-	13	
Upper Holloway 2W,w,2H - - N.	33,878	16	13	2	2	-	-	-	-	-	-	-	-	-	2	2	8	
Tollington W- - - N.	33,922	17	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
Lower Holloway - - - N.	41,424	25	10	1	4	-	4	-	-	1	-	-	-	1	-	-	-	
Barnsbury - - - - N.	54,478	32	5	2	1	-	1	-	-	-	-	-	-	-	-	-	-	
Islington South-east F- - N.	75,397	43	21	5	4	-	2	-	-	2	-	-	-	-	-	-	-	
Highbury 2H - - - N.	63,797	29	11	2	6	-	-	-	-	1	-	-	-	-	1	4	-	
Stoke Newington H - - N.	51,247	30	7	1	3	-	-	-	-	-	-	-	-	-	-	1	-	
North Hackney - - - E. & N.	50,560	22	6	1	4	-	-	-	-	-	-	-	-	-	1	1	-	
Central Hackney 2w,F - E. & N.	50,536	24	8	2	2	-	-	1	-	-	-	-	-	1	1	-	-	
South-west Hackney 3H E. & N.	59,921	38	14	7	7	-	-	-	-	1	-	-	-	-	4	4	6	
South-east Hackney 2W,w,H E. & N.	58,255	49	19	3	7	-	-	-	-	1	-	-	-	1	1	3	8	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G, signifies Grand Junction Company; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River; E, East London; and K, the Kent Company.

* See also *ibid.* * on first page of this return.

† Formerly described as "Simple Continued Fever."

REGISTRATION SUB-DISTRICTS.

On 1st May, 1904, the sub-districts of Mile End Old Town West and Mile End Old Town East were dissolved and divided into two new sub-districts as above.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 9th July, 1904—continued.

		The DEATHS registered during the Week include															
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of		Deaths from										Inquest Cases	
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.		
SOUTH DISTRICTS.																	
Christchurch Southwark W, HL & S.	11,263	5	3	1	1	-	-	-	-	-	-	-	-	-	1	-	-
St Saviour Southwark H - S.	12,056	9	17	6	1	-	-	-	-	-	-	-	-	-	2	-	2
Kent-road - - - S. & L.	21,904	14	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr } S. & L.	39,091	17	5	2	1	-	-	-	-	-	-	-	-	-	1	-	1
West W, 2H, L - - -	49,022	37	11	3	2	-	1	-	-	-	1	-	-	-	-	-	1
Newington North - - S. & L.	72,841	55	8	3	4	-	-	1	-	-	-	-	-	-	-	-	-
Newington South W - S. & L.																	
St. Olave 2W - - - S.	9,817	6	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Bermondsey W - - - S.	82,483	39	14	2	2	-	3	-	-	-	-	-	-	-	-	1	3
Rotherhithe W, F - - S. & K.	38,460	18	11	2	5	-	-	-	-	-	-	-	-	-	-	-	-
Waterloo-road 2H - - L. & S.	27,440	27	10	3	3	-	3	-	-	1	-	-	-	-	-	-	-
Lambeth Church 1st H - L. & S.	18,423	11	20	1	1	-	1	-	-	1	-	-	-	-	1	1	1
Lambeth Church 2nd 2W - L. & S.	39,818	23	22	11	9	-	3	-	-	1	-	-	-	-	1	1	1
Kennington 1st H - - S. & L.	53,198	24	8	1	1	-	1	-	-	1	-	-	-	-	-	-	-
Kennington 2nd H - - S. & L.	42,896	26	7	1	3	-	-	-	-	-	-	-	-	-	-	-	1
Brixton F - - - L. & S.	84,232	38	9	3	4	-	1	-	-	-	-	-	-	-	-	-	-
Norwood W, H - - - L.	35,888	15	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea H - - S.	72,203	47	10	2	1	-	-	-	-	-	-	-	-	-	-	2	3
North-west Battersea - - S.	49,656	46	9	4	4	-	-	-	1	-	-	-	-	-	-	1	2
South-west Battersea W, H - S.	47,048	19	21	2	2	-	1	-	-	-	-	-	-	-	1	1	3
Clapham 2H - - - S.	51,361	30	11	2	2	-	-	-	1	-	-	-	-	-	1	1	1
Streatham* W, 2w, 2F, 2L - L.	88,019	53	15	3	5	-	1	2	-	1	-	-	-	-	-	-	-
Springfield 2W, L - - S.	27,959	23	5	1	1	-	-	-	-	-	-	-	-	-	-	-	1
Southfields H - - - S.	40,444	22	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Putney - - - - S.	24,139	17	3	-	2	-	-	-	-	-	-	-	-	-	-	1	1
Dulwich - - - L. & S.	13,359	8	2	1	1	-	-	-	-	-	-	-	-	-	1	-	-
Camberwell South W, w - S. & L.	40,206	15	24	1	10	-	-	-	-	-	-	-	-	-	-	-	2
Camberwell North W, 2L - S. & L.	65,584	39	25	4	7	-	1	-	-	1	-	-	-	-	1	2	3
St. George - - - L. & S.	47,331	25	4	-	3	-	-	-	-	-	-	-	-	-	-	-	1
Peckham 2W, w - - S., L. & K.	92,859	56	20	5	5	-	2	1	-	-	-	-	-	-	2	-	-
Deptford North - - - K.	37,613	19	6	2	-	-	1	-	-	-	-	-	-	-	-	1	2
Deptford Central F - - K.	45,481	23	14	3	1	-	5	-	-	1	-	-	-	-	1	-	-
Deptford South - - - K.	34,625	13	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Greenwich West 2H - - K.	23,456	6	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1
Greenwich East 2W, H - K.	43,859	25	17	4	4	-	2	-	-	1	-	-	-	-	-	-	-
Eltham w, H - - - K.	7,226	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee w, H - - - K.	25,490	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham W, w, F - - K.	58,352	38	20	5	8	-	-	-	-	1	-	-	-	-	-	-	1
Sydenham H - - - L.	43,653	25	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Charlton F, 2H - - - K.	21,134	10	9	2	2	-	-	-	-	1	-	-	-	-	-	-	-
Woolwich 4H - - - K.	41,625	30	3	-	3	-	-	-	-	-	-	-	-	-	1	-	-
Plumstead West W - - K.	18,063	6	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East 2W, H - K.	50,264	37	10	2	4	-	-	-	-	-	-	-	-	-	-	-	2
London County Asy., Banstead	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Manor Asylum, Epsom	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton Asylum, Epsom	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-
Lon. Co. Asy. Epilep. Colony, Epsom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Caterham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Cane Hill	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
M.A.B. Hospitals, Dartford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Darenth	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Dartford	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Heath	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Hanwell	-	-	-	6	-	3	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asy., Hendon	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Colney Hatch	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-
M.A.B. North-Eastern Hospital	-	-	-	3	1	-	-	1	2	-	-	-	-	-	-	-	-
M.A.B. Northern Hospital	-	-	-	2	-	-	-	-	-	2	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Leavesden	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Claybury	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-

* On 1st June, 1904, changes were made in the boundary between Streatham sub-district and Mitcham sub-district.

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSE HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 9th July, 1904.

		The DEATHS registered in the Week include																
		Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths from												
REGISTRATION SUB-DISTRICTS.						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of
LONDON—OUTER RING		368,580	2,044,973	1269	439	110	114	-	20	-	7	6	2	21	19	31	75	
30: 1	Carshalton <i>w, 2F, 3H</i>	12,228	32,997	19	-	-	-	-	-	-	-	-	-	-	-	-	1	
2	Epsom, <i>part of</i> * <i>W, w, 2F, H</i>	10,423	15,548	7	3	-	1	-	-	-	-	-	-	-	-	-	-	
37: 1	Godstone, <i>part of</i> * <i>W, F</i>	2,754	2,692	1	2	-	-	-	1	-	-	-	-	-	-	-	-	
38: 1	Conlson	11,069	8,166	2	2	2	1	-	-	-	-	-	-	-	-	-	-	
2	South Croydon <i>w</i>	4,200	49,309	23	9	3	4	-	-	-	-	-	-	-	1	1	-	
3	West Croydon <i>3W, F, H</i>	2,168	42,888	27	13	3	4	-	2	-	1	1	-	1	2	-	6	
4	North Croydon <i>H</i>	2,644	41,688	30	9	3	3	-	1	-	-	-	-	-	-	-	1	
5	Penge <i>w</i>	770	22,465	5	6	-	-	-	-	-	-	-	-	-	-	-	-	
6	Mitcham† <i>w</i>	11,689	30,015	28	4	2	1	-	-	-	-	-	-	-	-	-	-	
39: 1	Wimbledon <i>F, 3H</i>	3,221	41,552	20	9	4	2	-	-	-	-	-	-	2	-	-	-	
2	Kingston <i>W, H</i>	6,224	42,068	20	8	1	4	-	1	-	-	-	-	-	-	-	2	
3	Surbiton <i>F, H</i>	3,046	15,017	4	3	-	1	-	-	-	-	-	-	-	-	-	-	
4	Esher, <i>part of</i> * <i>H</i>	5,402	13,100	10	-	-	-	-	-	-	-	-	-	-	-	-	-	
5	Hampton <i>H, L</i>	4,564	23,456	15	2	-	1	-	-	-	-	-	-	-	-	-	-	
40: 1	Richmond <i>W, H</i>	2,162	28,865	9	8	-	3	-	-	-	-	-	-	-	1	1	3	
2	Mortlake <i>F</i>	2,847	20,628	14	5	2	1	-	-	-	-	1	-	-	1	1	-	
41: 1	Bromley <i>F, 2H</i>	4,703	27,354	12	1	-	-	-	-	-	-	-	-	-	-	-	-	
2	Beckenham <i>H</i>	7,825	28,497	9	6	2	3	-	-	-	-	-	-	-	1	1	-	
3	Orpington, <i>part of</i> * <i>W</i>	10,113	9,857	9	-	-	-	-	-	-	-	-	-	-	-	-	-	
4	Chislehurst <i>2H</i>	7,333	16,446	9	3	2	-	-	-	-	-	-	-	-	-	-	-	
42: 1	Bexley <i>F, H</i>	8,678	21,151	15	3	-	-	-	-	-	-	-	-	-	-	-	-	
2	Erith <i>F, H</i>	3,854	25,296	12	2	2	-	-	-	-	-	-	-	1	-	-	-	
3	Dartford <i>W, F, part of</i> *	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	
24: 1	Sunbury <i>w</i>	11,054	18,683	7	6	1	2	-	-	-	-	-	-	-	-	-	3	
2	Staines <i>W, H</i>	13,277	15,178	4	3	-	2	-	-	-	-	-	-	-	-	-	-	
25: 1	Hillingdon <i>W, F, H</i>	8,035	13,661	15	8	2	1	-	-	-	-	-	-	-	1	1	2	
2	Uxbridge	12,757	8,984	-	3	1	1	-	-	-	-	-	-	-	-	-	-	
3	Hayes <i>w, F, H</i>	8,066	16,358	13	4	1	-	-	1	-	1	-	-	-	-	-	1	
26: 1	Isleworth <i>3W, 2F, H</i>	8,659	30,863	19	14	1	6	-	1	-	-	-	-	-	-	-	8	
2	Twickenham <i>F, H</i>	2,421	20,991	15	2	-	2	-	-	-	-	-	-	-	-	-	-	
3	Brentford <i>2F, 2H, L</i>	4,319	48,239	35	11	1	3	-	1	-	-	-	-	-	-	2	2	
4	Chiswick <i>H</i>	1,249	29,809	17	10	4	3	-	-	-	-	-	-	1	-	-	1	
5	Acton <i>w, 3H</i>	6,132	48,914	42	12	4	2	-	2	-	-	-	-	1	-	-	-	
27: 1	Harrow <i>F, H</i>	13,809	25,523	19	4	1	1	-	-	-	-	-	-	-	-	-	-	
2	Edgware <i>F, 2H</i>	6,994	4,521	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	Willesden <i>W, F, 2H</i>	4,384	114,811	73	24	5	3	-	-	-	1	-	-	-	2	3	2	
4	Hendon <i>W, F</i>	8,382	22,450	15	7	1	2	-	-	-	-	-	-	-	-	-	-	
28: 1	South Mimms <i>2F, H</i>	17,755	7,308	5	1	-	-	-	-	-	-	-	-	-	-	-	-	
2	Barnet <i>W, 3H</i>	3,324	17,970	7	6	1	3	-	-	-	-	-	-	-	1	2	1	
3	Finchley <i>F, 2H</i>	4,688	33,692	21	13	4	3	-	1	-	-	1	-	-	-	-	-	
29: 1	Hornsey <i>F, H</i>	2,875	72,056	35	6	1	3	-	-	-	-	-	-	-	-	1	-	
2	Wood Green <i>H</i>	1,625	34,233	23	7	2	2	-	-	-	1	-	-	-	2	1	1	
3	West Tottenham <i>F</i>	996	49,853	28	6	2	-	-	-	-	-	-	-	1	-	-	-	
4	East Tottenham <i>F, H</i>	2,017	53,688	25	8	2	2	-	-	-	-	1	-	-	-	-	2	
5	Edmonton <i>W, w, 2F</i>	7,491	61,892	48	13	5	6	-	-	-	1	-	-	4	-	-	7	
6	Enfield <i>2W, F, H</i>	12,601	42,738	29	18	8	2	-	-	-	1	-	1	4	-	1	1	
7	Waltham Abbey	11,017	6,549	6	2	2	-	-	-	-	-	-	-	-	-	-	-	
8	Cheshunt <i>F, H</i>	8,479	12,292	7	2	-	1	-	-	-	-	-	-	-	-	-	-	
135: 1	Hatfield, <i>part of</i> * <i>W</i>	3,305	604	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
137: 1	Bushey <i>H</i>	9,333	9,173	7	-	-	-	-	-	-	-	-	-	-	-	-	-	
2	Watford <i>W, 2F part of</i> *	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	
138: 1	Stratford <i>H</i>	1,072	44,827	21	13	1	4	-	-	-	-	-	-	1	3	1	3	
2	Plaistow <i>F, 2H</i>	1,249	90,921	63	24	7	5	-	1	-	1	-	1	2	1	2	3	
3	Canning Town <i>H</i>	1,556	70,718	50	6	2	-	-	-	-	-	-	-	-	1	1	-	
4	Forest Gate <i>w</i>	806	60,892	46	16	4	6	-	-	-	-	-	-	-	-	-	-	
5	North East Ham <i>w</i>	1,333	58,676	30	13	3	2	-	1	-	-	-	-	-	1	5	1	
6	South East Ham <i>3F</i>	1,993	37,342	27	7	3	-	-	1	-	-	-	-	-	-	-	-	
7	Wanstead <i>F</i>	1,679	9,179	6	-	-	-	-	-	-	-	-	-	-	-	-	-	
8	South Leyton <i>2W</i>	631	50,467	34	11	4	2	-	2	-	-	1	-	-	-	1	7	
9	North Leyton <i>W, w, F</i>	1,963	48,445	40	15	2	6	-	-	-	-	-	1	1	1	1	7	
10	Walthamstow <i>3H, L</i>	6,504	108,929	77	19	5	4	-	3	-	-	-	-	1	-	-	1	
137: 1	Chigwell, <i>part of</i> * <i>2F, H</i>	11,778	16,397	11	3	1	-	-	-	-	-	-	-	-	-	-	-	
2	Epping <i>W, F, part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
139: 1	Romford, <i>part of</i> * <i>W, 2F</i>	6,556	6,091	4	3	2	-	-	-	-	-	-	-	-	-	1	-	
2	Ilford <i>F, L</i>	8,496	41,234	42	12	3	3	-	-	-	-	-	-	-	-	-	3	
3	Barking Town <i>F</i>	3,803	21,547	8	4	-	3	-	-	-	-	-	-	-	-	-	3	
	Middlesex County Asylum, Wandsworth.	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	

*The parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 137: 1, excepting Theydon Bois parish, and part of Epping parish; 139: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 12: 3, 137: 2, and 137: 2 are also included.

+ See note * on preceding page.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended		BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoeal
CALCUTTA (including SUBURBS)	847,796	May	28	-	483	29·6	-	1	-	-	-	187†	-
BOMBAY - -	776,006	June	21	338	535	35·9	13	4	-	-	-	98†	-
MADRAS - -	509,346	"	3	388	406	41·4	-	2	?	?	?	109	-
PARIS - - -	2,660,559	July	2	1016	803	17·4	-	19	-	6*	5	2	-
BRUSSELS - -	575,896	"	2	220	118	10·4	-	-	-	-	-	-	-
ANTWERP - -	281,376	"	2	137	52	9·4	-	1	-	1*	-	1	-
AMSTERDAM -	547,370	June	25	267	124	11·8	-	8	-	-	4	-	-
COPENHAGEN -	420,000	July	2	227	115	14·3	-	3	1	-	3	-	-
STOCKHOLM -	305,115	June	25	140	86	14·4	-	2	1	-	2	-	-
CHRISTIANIA -	225,709	July	2	129	69	16·0	-	-	-	2*	1	-	-
ST. PETERSBURG	1,248,643	June	25	551	603	25·1	4	32	18	18*	7	12	-
MOSCOW - -	1,093,410	"	25	-	653	31·2	7	30	7	10*	1	3	-
BERLIN - - -	1,960,909	"	18	834	637	16·9	-	7	9	2*	10	3	-
HAMBURG - -	751,842	July	2	-	209	14·5	-	1	2	2*	13	-	-
BRESLAU - -	445,403	"	2	-	203	23·8	-	2	1	2*	?	-	-
MUNICH - - -	520,000	"	2	-	202	20·2	-	3	-	1*	3	-	-
VIENNA - - -	1,779,869	"	2	1000	579	16·7	-	18	2	10*	-	-	-
PRAGUE - - -	423,990	June	25	182	181	22·1	-	1	-	1*	-	-	-
BUDA-PESTH -	813,399	July	2	421	267	17·1	-	4	5	2*	2	-	-
TRIESTE - - -	187,251	June	25	107	78	21·3	-	-	1	-	-	1	-
ROME - - -	496,201	May	7	-	-	-	-	-	-	-	-	-	-
VENICE - - -	166,288	June	25	72	52	16·3	-	-	-	-	-	1	-
CAIRO - - -	624,338	April	1	485	504	42·1	3	44	-	6*	?	23	-
ALEXANDRIA -	349,300	"	1	286	181	27·0	5	1	-	1*	?	1	-
NEW YORK - -	3,338,024	June	25	1853	1691	23·0	-	31	21	35*	1	7	10
PHILADELPHIA -	1,403,154	"	11	-	426	15·7	2	5	2	8*	-	16	2
BOSTON - - -	617,950	"	11	-	164	13·8	-	3	1	4*	-	-	-

* Including deaths from croup.

† Including 90 deaths from plague in Calcutta, and 55 in Bombay.

‡ Including 51 deaths from cholera in Calcutta, and 2 in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 9th July, 1904.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	82·2	49·2	63·7	0·22	BRADFORD - -	78·2	50·2	60·7	0·03
BRIGHTON - -	77·2	51·0	61·5	0·01	LEEDS - - -	81·0	49·0	62·2	0·02
PORTSMOUTH - -	75·0	52·5	62·2	0·11	HULL - - -	81·0	45·0	61·0	0·08
NORWICH - - -	79·2	46·2	61·9	0·06	TYNEMOUTH - -	75·0	49·0	60·9	0·30
PLYMOUTH - -	76·2	49·8	60·2	0·05					
BRISTOL - - -	80·1	47·4	60·9	0·01	EDINBURGH - -	68·5	46·8	55·7	0·15
BIRMINGHAM -	80·2	49·6	61·4	0·11	GLASGOW - - -	63·2	48·0	55·5	0·48
NOTTINGHAM -	80·6	47·8	61·9	0·09					
LIVERPOOL - -	71·0	51·0	58·5	0·10					
MANCHESTER -	75·0	42·8	58·4	0·39	DUBLIN { Phoenix Park. Fitz- william Square.†	71·2	42·4	57·2	0·12
PRESTON - - -	68·5	49·5	58·3	0·59		73·8	48·0	59·6	0·11
HUDDERSFIELD -	77·7	44·5	59·2	0·07	BELFAST - - -	-	-	-	-

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1·9° Fahrenheit, to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A. M.D. Dublin.

1904, MONTH AND DAY			Phases of the Moon.	BARO-METER.		TEMPERATURE.				Difference between the Air Temperature and Dew Point Temperature.				TEMPERATURE.				Wind as deduced from Anemometers.				Rain collected in a Glass whose receiving surface is 5 inches square at the ground.				
				Mean daily reading (cor- rected and re- duced to Fahr- enheit).	High- est.	Low- est.	Daily Range.	Mean daily Average value. 50 years.	De- parture from Average value.	Of the Dew point	Mean daily value.	Great- est.	Least.	Degree of saturation (Satu- ration equals 100).	Of Radiation. Lowest in Grass, Days.	Highest in Sun's Rays.	Of the Earth 3 feet below Surface.	General Direction.	Pressure on the Square Foot.		Robinson's.					
JULY.				in.	°	°	°	°	°	°	°	°	°	°	°	°	A.M.	P.M.	Great- est.	Least.	Mean of 24 hours	Miles. Miles.	in.			
SUNDAY	-	3	Apogee	29.806	69.9	52.8	17.1	59.9	- 1.8	52.6	7.3	16.0	2.8	77	131.8	48.0	59.11	SW. & WSW.	WSW. & W.	10.0	0.0	0.4	352	+102	0.21	
MONDAY	-	4	..	29.899	73.9	49.2	24.7	60.9	- 1.0	48.2	12.7	25.5	2.5	63	138.9	44.0	59.19	WSW. & W	WSW.	3.2	0.0	0.1	261	+ 13	0.00	
TUESDAY	-	5	In Equ. Last Qr.	29.846	66.0	54.6	11.4	59.8	- 2.3	53.6	6.2	9.5	3.2	80	88.6	50.5	59.17	SW & WSW.	WSW. & W.	2.1	0.0	0.2	301	+ 56	0.01	
WEDNESDAY	-	6	..	29.913	79.1	52.3	26.8	64.9	+ 2.7	54.9	10.0	21.9	0.6	70	140.2	46.4	59.38	WSW.	SW.	1.3	0.0	0.1	232	- 10	0.00	
THURSDAY	-	7	..	30.013	67.1	54.9	12.2	61.3	- 0.8	56.8	4.5	8.8	0.8	85	89.0	47.0	59.38	WSW. & variable, & SE.	N.E. E. & SE.	0.9	0.0	0.0	125	- 114	0.00	
FRIDAY	-	8	..	30.039	82.2	53.5	28.7	66.8	+ 4.8	52.2	14.6	29.1	0.0	60	135.2	44.7	59.76	Calm, SW. & WSW.	WSW. & N. WNNW, & N.	0.8	0.0	0.0	130	- 107	0.00	
SATURDAY	-	9	..	30.050	82.0	54.5	27.5	68.9	+ 6.9	52.3	16.6	27.7	3.8	53	141.2	44.3	60.01	N., NE. & ENE, ESE, & SE.	ENE, ESE, & SE.	0.4	0.0	0.0	149	- 85	0.00	
MEANS	-			29.938	74.3	53.1	21.2	63.2	+ 1.2	52.9	10.3	19.8	2.0	70	123.1	43.4	59.43	WSW.			Sum 1550	Sum - 145	Sum 0.22	1.8
No. of Column	-	3		4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 139 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1876.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: -P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day, at the beginning of the week to the reading of the barometer, decreased from 29.86 in. at the beginning of the week to 29.78 in. on 29th P.M. on the 3rd; increased to 29.92 in. by 11h. A.M. on the 4th; decreased to 29.83 in. by 4h. P.M. on the 5th; increased to 30.09 in. by 8h. A.M. on the 6th; and was 30.04 in. at midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 2nd July, 1904.*

BOROUGHES.	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Chicken-pox.
WEST.											
Paddington- - - -	146,975	1	8	2	-	2	-	-	3	1	6
Kensington - - - -	179,236	-	7	4	-	-	-	-	3	-	6
Hammersmith - - -	117,412	-	6	5	-	-	-	-	1	1	17
Fulham - - - - -	152,482	-	1	6	-	-	-	-	1	-	11
Chelsea - - - - -	74,329	-	1	2	-	-	-	-	1	-	2
City of Westminster-	177,321	-	8	5	-	1	-	-	4	-	7
NORTH.											
St. Marylebone - -	130,337	-	-	-	-	1	-	-	4	-	14
Hampstead - - - -	86,663	-	5	-	-	1	-	-	3	-	8
St. Pancras - - - -	235,936	1	19	4	-	1	-	-	10	-	28
Islington - - - - -	341,044	-	42	4	-	1	-	-	3	-	14
Stoke Newington - -	52,445	-	2	-	-	-	-	-	2	-	3
Hackney - - - - -	226,266	-	15	8	-	2	-	-	3	-	23
CENTRAL.											
Holborn - - - - -	57,161	-	-	2	-	1	-	-	-	-	3
Finsbury - - - - -	98,958	2	3	2	-	-	-	-	4	-	5
City of London - - -	23,482	-	-	3	-	-	-	-	-	-	-
EAST.											
Shoreditch - - - -	117,033	-	8	6	-	-	-	-	2	-	15
Bethnal Green - - -	130,207	-	22	10	-	-	-	-	3	-	7
Stepney - - - - -	303,791	-	19	9	-	4	-	-	7	-	27
Poplar - - - - -	169,905	1	8	10	-	-	-	-	2	-	24
SOUTH.											
Southwark - - - - -	207,937	1	3	5	-	-	-	-	6	-	19
Bermondsey - - - -	129,397	-	10	3	-	1	-	-	2	-	14
Lambeth - - - - -	310,359	-	21	4	-	-	-	-	2	-	16
Battersea - - - - -	175,465	-	2	5	-	-	-	-	1	-	23
Wandsworth - - - -	257,448	-	16	5	-	1	-	-	3	-	37
Camberwell - - - -	268,384	3	14	4	-	2	-	-	6	-	27
Deptford - - - - -	113,509	-	6	5	-	1	-	-	3	-	13
Greenwich - - - - -	101,651	-	5	6	-	-	-	-	1	-	15
Lewisham - - - - -	140,401	-	5	-	-	-	-	-	-	-	5
Woolwich - - - - -	123,416	-	8	2	-	-	-	-	-	-	13
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. }											
	4,648,950	9	268	122	-	19	-	-	81	2	402
Ages											
0-1 - - - - -	-	1	7	3	-	1	-	-	1	-	47
" 1-5 - - - - -	-	1	67	49	-	-	-	-	6	-	192
" 5- - - - -	-	2	125	36	-	2	-	-	4	-	124
" 10- - - - -	-	-	40	12	-	1	-	-	2	-	22
" 15- - - - -	-	-	10	5	-	1	-	-	6	-	8
" 20- - - - -	-	-	8	6	-	4	-	-	3	1	3
" 25- - - - -	-	3	9	5	-	5	-	-	14	1	2
" 35- - - - -	-	2	1	3	-	3	-	-	10	-	2
" 45- - - - -	-	-	-	3	-	2	-	-	18	-	1
" 55- - - - -	-	-	-	-	-	-	-	-	12	-	1
" 65 and upwards	-	-	-	-	-	-	-	-	5	-	-
Age not stated - -	-	-	1	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1904.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 28. 1904. VOL. LXV.] WEEK ENDED SATURDAY, JULY 16. [Price 1½d.

General Register Office, Somerset House,

July 18th, 1904.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 13·7 per 1000 of their aggregate population, which is estimated† at 15,271,287 persons in the middle of this year. In the preceding three weeks the rates had been 13·2, 13·5, and 13·5. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 19·1 in Burton upon Trent, 19·4 in Middlesbrough, 19·6 in Liverpool, 21·3 in Rhondda, 22·5 in Huddersfield, and 26·2 in Bootle; from *measles*, 1·7 in Brighton, 1·9 in Liverpool, 2·0 in Salford, 2·2 in Huddersfield, 2·4 in St. Helens, and 5·9 in Bootle; from *whooping-cough*, 1·4 in Birkenhead and 2·0 in Burton upon Trent; and from *diarrhœa*, 1·3 in Gateshead and in Aston Manor, 1·4 in Norwich, 1·6 in Willesden, in West Bromwich, and in Liverpool, 1·7 in Walsall and in Rhondda, and 2·5 in Bootle. Two deaths from *small-pox* were registered in Newcastle upon Tyne, and 1 each in Tottenham, Stockport, and Gateshead, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2450 BIRTHS and 1152 DEATHS were registered. Allowing for increase of population, the births were 428 and the deaths 475 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 12·8, 12·9, and 12·9 in the preceding three weeks, was 12·9 last week. During the four weeks ended on Saturday last the death-rate averaged 12·9 per 1000, being 2·4 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, and in certain local Small-pox Hospitals, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1152 deaths included 39 from measles, 8 from scarlet fever, 7 from diphtheria, 29 from whooping-cough, 5 from enteric fever, and 57 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 145 deaths were referred to these diseases in the aggregate, being 98 below the corrected average weekly number.

The deaths from *measles*, which had been 55, 58, and 53 in the preceding three weeks, further fell last week to 39, and were 6 below the corrected average; 7 deaths belonged to the Borough of Islington, 5 to Bethnal Green and 3 each to Lambeth and Deptford. The deaths from *scarlet fever*, which had been 3, 7, and 9 in the preceding three weeks, fell last week to 8, and were 3 below the corrected average. The deaths from *diphtheria*, which had been 16, 9, and 7 in the preceding three weeks, were 7 last week, and were 27 below the corrected average. The deaths from *whooping-cough*, which had been 17, 29, and 27 in the preceding three weeks, were 29 last week and were 6 below the corrected average; 3 deaths belonged to St. Pancras, and 3 to Hackney. The fatal cases of *enteric fever*, which had been 5, 5, and 1 in the preceding three weeks, rose again to 5 last week, but were 3 below the corrected average. The deaths from *diarrhoea* which had been 25, 24, and 39 in the preceding three weeks, further rose last week to 57, but were 51 below the corrected average; 6 deaths belonged to Wandsworth, 5 each to Lambeth and Woolwich, and 4 to Southwark. Of the 57 deaths from diarrhoea, 54 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the causes of 10 more deaths at this age. The deaths attributed directly to *influenza* numbered 4, having been 4, 3, and 6 in the preceding three weeks.

Different forms of *violence* caused 50 deaths, concerning all but 2 of which inquests were held. Of these 50 deaths, 9 were cases of suicide, 1 of homicide, and 1 of execution, while the remaining 39 were attributed to accident or negligence. Seven of these latter were referred to vehicles in the streets, 6 to drowning, 3 to heat apoplexy, 3 to burns and scalds, 1 to the effects of an anæsthetic administered for surgical purposes, and 4 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 62 cases of small-pox, 1698 of scarlet fever, 764 of diphtheria, and 61 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 7 cases, against 16, 10, and 10; of scarlet fever, 229 cases, against 199, 254, and 269; of diphtheria, 123 cases, against 90, 109, and 120; and of enteric fever, 16 cases, against 12, 8, and 11. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended July 9th.

GREATER LONDON.

In Greater London 3622 births and 1641 deaths were registered. Allowing for increase of population these numbers are 509 and 490 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 9 deaths from measles, 1 from scarlet fever, 2 from diphtheria, 5 from whooping-cough, and 21 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·91 inches, and that of the Thermometer 68°·1, the latter being 5°·3 above the week's average in the 50 years 1841-90. The direction of the wind was variable, the horizontal movement of the air being 16 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 84·7 hours; the measured rainfall amounted to 0·01 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS	POPULATION estimated to the end of the year 1904*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the week ended 16th July, 1904.		The DEATHS registered in the Week include											TOWNS.	
		Week ended				6.	7.	8.	Deaths of			Deaths from						19.	20.	21.		
		25th June, 1904.	2nd July, 1904.	9th July, 1904.	16th July, 1904.				Infants under 1 Year of Age.	Persons aged 18 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.					Violence.
76 TOWNS	15,271,287	13·2	13·5	13·5	13·7	1·7	8337	4019	1050	960	5	142	28	37	92	23	179	168	323	970	41	76 TOWNS.
LONDON -	4,948,960	12·8	12·9	12·9	12·9	1·6	2450	1152	278	283	-	39	8	7	29	5	57	50	119	436	1	LONDON.
(CROYDON -	144,419	9·4	9·4	10·5	12·6	0·7	58	35	6	17	-	1	-	-	-	-	1	4	11	9	-	(CROYDON.
WILKESDEN -	132,666	4·7	12·6	9·4	9·8	1·6	76	25	8	8	-	-	-	-	-	-	4	1	2	5	-	WILKESDEN.
HORSEY -	81,221	8·3	7·1	3·2	5·8	-	43	9	3	3	-	-	-	-	-	-	-	-	1	1	-	HORSEY.
TOTTENHAM -	112,981	10·2	5·1	6·9	12·5	1·4	64	27	4	10	1	-	2	-	-	-	-	-	2	6	-	{ TOTTENHAM.
WEST HAM -	268,424	10·5	11·8	12·8	12·7	1·3	142	70	23	16	-	1	-	1	1	-	5	4	7	15	-	WEST HAM.
EAST HAM -	116,402	8·0	8·5	8·9	9·8	2·7	65	22	7	-	-	1	1	2	-	-	2	-	5	-	-	EAST HAM.
LEYTON -	110,844	10·8	6·1	7·1	9·4	1·4	53	20	9	1	-	1	-	-	-	-	2	-	1	1	-	LEYTON.
(WALTHAMSTOW -	111,222	12·2	8·9	8·4	7·5	1·9	67	16	6	2	-	2	-	1	1	-	1	1	1	4	-	(WALTHAMSTOW.
HASTINGS -	66,503	10·2	12·5	12·5	11·0	-	26	14	3	5	-	-	-	-	-	-	-	3	4	5	-	HASTINGS.
BRIGHTON -	120,286	17·3	14·5	12·8	13·6	1·7	67	33	7	8	-	4	-	-	-	-	-	1	3	6	-	BRIGHTON.
PORTSMOUTH -	138,038	10·5	12·4	11·8	12·4	0·8	109	47	9	16	-	-	-	1	1	1	1	-	5	9	-	PORTSMOUTH.
BOURNEMOUTH -	64,645	13·7	8·9	14·5	4·8	-	21	6	-	-	-	-	-	-	-	-	-	1	1	2	-	BOURNEMOUTH.
SOUTHWORTH -	112,500	10·2	8·8	12·1	13·4	0·5	49	29	2	16	-	-	-	-	1	1	1	1	2	5	-	SOUTHWORTH.
READING -	76,373	10·2	8·2	11·6	10·9	1·4	36	16	3	3	-	-	1	-	-	-	1	-	2	-	-	READING.
NORTHAMPTON -	81,146	10·9	8·6	12·0	10·9	2·3	51	19	4	6	-	-	2	-	-	-	2	3	3	5	1	NORTHAMPTON.
IPSWICH -	69,805	9·0	12·0	14·2	15·7	0·7	38	21	6	9	-	-	-	-	-	-	1	-	2	5	-	IPSWICH.
GREAT YARMOUTH -	52,089	11·0	20·0	12·0	12·0	-	19	12	2	5	-	-	-	-	-	-	-	-	1	-	-	GREAT YARMOUTH.
NORWICH -	115,538	14·4	14·9	13·1	12·6	1·8	69	28	8	10	-	-	-	-	1	-	3	2	2	6	-	NORWICH.
PLYMOUTH -	114,003	11·4	13·7	16·0	16·0	0·5	57	35	7	11	-	1	-	-	-	-	-	2	2	5	-	PLYMOUTH.
DEVONPORT -	75,334	16·6	13·2	9·7	9·7	-	43	14	3	6	-	-	-	-	-	-	-	-	-	2	-	DEVONPORT.
BRISTOL -	343,204	13·2	11·2	9·6	11·5	0·6	169	76	20	21	-	1	1	1	2	-	-	7	11	12	2	BRISTOL.
HANLEY -	63,932	13·0	22·8	13·9	16·3	1·6	37	20	9	-	-	1	-	-	-	-	1	1	2	1	1	HANLEY.
BURTON-ON-TRENT -	51,934	11·0	12·0	21·1	19·1	2·0	32	19	3	5	-	-	-	-	2	-	-	-	-	1	-	BURTON-ON-TRENT.
WOLVERHAMPTON -	98,194	7·4	11·2	12·7	8·5	-	47	16	3	5	-	-	-	-	-	-	-	1	2	5	-	WOLVERHAMPTON.
WALSALL -	91,432	8·6	10·8	15·4	17·1	2·9	60	30	8	3	-	-	-	-	1	-	3	3	3	4	-	WALSALL.
HANDSWORTH -	59,634	13·1	7·0	2·6	8·7	-	35	10	2	4	-	-	-	-	-	-	-	-	-	2	-	HANDSWORTH.
WEST BROMWICH -	67,186	18·6	14·0	10·9	14·0	1·6	42	18	5	5	-	-	-	-	-	-	2	1	1	5	-	WEST BROMWICH.

* See note † on first page of this return.

10

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON and FIVE SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES during the Week ended Saturday 16th July, 1904, and DEATH-RATES during the preceding three weeks.

TOWNS.	COLS.	POPULATION estimated to the end of the Year 1904.*	DEATH-RATES from all Causes.				Registered during the Week ended 16th July, 1904.		The DEATHS registered in the Week include											TOWNS.	COLS.			
			Week ended				BIRTHS.	DEATHS.	Deaths of						Deaths from							Inquest Cases.	Deaths in Public Institutions.	Causes of Death.
			Week ended						Deaths of						Deaths from									
			26th June, 1904.	2nd July, 1904.	9th July, 1904.	16th July, 1904.			Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping Cough.	Fever.	Diarrhoea.	Violence.						
BIRMINGHAM	-	537,965	14'8	15'5	14'8	15'4	2'4	393	159	47	29	-	2	1	4	6	1	11	7	8	25	7	BIRMINGHAM.	
KINGS NORTON	-	60,367	7'0	7'0	6'3	8'6	0'8	37	11	6	-	-	-	-	-	-	-	1	1	1	1	1	1	KINGS NORTON.
SMETHWICK	-	60,691	8'6	12'9	13'7	6'9	-	34	8	2	1	-	-	-	-	-	-	-	-	-	-	-	1	SMETHWICK.
ASTON MANOR	-	80,363	7'1	9'1	11'7	1'3	50	18	11	3	3	-	-	-	-	1	-	2	1	1	2	1	1	ASTON MANOR.
COVENTRY	-	73,904	12'0	9'2	8'5	12'7	1'4	40	18	1	7	-	-	-	-	-	-	1	-	-	1	-	-	COVENTRY.
LEICESTER	-	224,186	10'7	13'0	10'7	10'5	0'9	106	45	11	9	-	1	-	-	1	-	2	1	2	13	-	-	LEICESTER.
GRIMSBY	-	66,953	12'5	11'7	14'8	9'3	1'6	38	12	4	1	-	1	-	-	-	1	-	3	4	2	-	-	GRIMSBY.
NOTTINGHAM	-	248,811	13'6	15'7	13'2	13'6	1'3	116	65	21	20	-	-	-	1	2	-	3	3	4	12	1	1	NOTTINGHAM.
DERBY	-	120,449	13'9	13'0	12'1	14'7	0'9	54	34	8	11	-	-	-	-	-	-	-	3	3	3	-	-	DERBY.
STOCKPORT	-	67,008	18'3	11'3	19'9	18'8	3'2	55	35	9	11	1	2	-	-	-	1	2	-	1	6	-	-	STOCKPORT.
BIRKENHEAD	-	114,814	22'3	16'3	17'3	18'6	4'1	60	41	16	9	-	2	1	1	3	-	2	2	2	5	-	-	BIRKENHEAD.
WALLASEY	-	60,354	7'8	11'2	11'2	13'8	2'6	33	16	6	5	-	-	-	1	1	-	1	-	-	1	-	-	WALLASEY.
LIVERPOOL	-	723,430	17'8	17'7	18'2	19'6	4'3	426	272	79	39	-	27	3	1	5	1	22	16	26	72	4	4	LIVERPOOL.
BOOTLE	-	61,755	22'0	17'7	11'0	26'2	8'4	33	31	12	4	-	7	-	-	-	-	3	-	-	3	-	-	BOOTLE.
ST. HELENS	-	88,545	14'7	14'7	14'7	17'1	2'9	40	29	12	3	-	4	-	-	-	-	1	1	1	2	-	-	ST. HELENS.
WIGAN	-	62,800	13'3	21'6	12'5	14'1	1'7	42	17	1	6	-	-	1	-	-	-	1	1	1	5	-	-	WIGAN.
WARRINGTON	-	67,331	17'8	10'1	13'2	13'9	1'5	54	18	4	3	-	-	1	-	1	-	-	1	1	3	1	1	WARRINGTON.
BOLTON	-	175,744	9'5	14'5	16'6	8'9	1'2	107	30	6	9	-	-	-	1	3	-	-	2	3	6	-	-	BOLTON.
BURY	-	58,450	11'6	14'3	8'9	7'1	0'9	29	8	3	2	-	-	-	-	1	-	-	-	-	2	-	-	BURY.
MANCHESTER†	-	557,938	17'3	19'0	17'9	16'4	1'5	359	175	46	40	-	6	-	1	6	3	-	7	14	47	1	1	MANCHESTER.†
SALFORD	-	228,363	16'9	14'8	16'2	18'7	4'1	118	82	17	19	-	9	2	1	2	-	4	6	10	21	-	-	SALFORD.
OLDHAM	-	139,497	18'3	16'5	19'1	12'0	2'2	71	32	7	6	-	3	-	1	1	-	-	2	2	5	-	-	OLDHAM.
ROCHDALE	-	*56,601	11'6	10'4	12'8	17'1	1'2	35	28	7	6	-	-	-	-	1	-	1	1	2	3	2	-	ROCHDALE.
BURNLEY	-	100,569	16'1	12'4	15'6	11'4	-	49	22	3	5	-	-	-	-	-	-	-	2	2	6	-	-	BURNLEY.
BLACKBURN	-	132,134	13'8	15'0	15'0	12'2	0'8	65	31	10	6	-	1	-	-	1	-	-	-	-	7	2	2	BLACKBURN.
PRESTON	-	115,065	14'0	10'9	10'4	10'0	0'5	50	22	2	8	-	-	-	-	-	-	-	1	2	3	2	-	PRESTON.
BARROW-IN-FURNESS.	-	56,654	13'1	9'6	17'5	12'2	0'9	42	14	2	5	-	-	-	-	-	-	1	2	-	2	-	-	BARROW-IN-FURNESS.

ended Saturday, 16th July, 1904, and DEATH-RATES during the preceding three weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1904.*	DEATH-RATES from all Causes.				Rate from Diseases registered during the week ended 11-17.		The DEATHS registered in the week include										TOWNS.												
		Week ended				1.	2.	3.	4.	5.	6.	7.	8.	Deaths of		Deaths from						19.	20.	21.						
		25th June 1904.	2nd July, 1904.	9th July, 1904.	16th July, 1904.									Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-Pox.	Measles.		Scarlet Fever.	Diphtheria.	Whooping-cough.				Fever.	Diarrhoea.	Violence.			
																												Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.								
HUDDESFIELD	94,925	12'6	20'3	21'4	22'5	3'8	41	41	7	9	-	4	-	-	-	2	-	-	2	6	-	HUDDESFIELD.								
HALIFAX	107,580	9'2	16'0	8'7	11'6	1'9	49	24	3	8	-	2	-	-	-	2	1	-	2	6	-	HALIFAX.								
BRADFORD	285,089	14'6	13'7	15'0	15'2	1'6	125	83	20	23	-	6	-	-	1	2	2	-	2	14	3	BRADFORD.								
LEEDS	450,142	12'4	16'0	14'8	14'8	1'7	221	128	31	30	-	4	-	2	4	1	2	4	6	16	-	LEEDS.								
SHEFFIELD	432,940	11'2	12'8	13'7	14'0	1'7	288	116	34	25	-	-	4	2	2	6	2	2	6	29	1	SHEFFIELD.								
ROTHERHAM	58,498	10'7	12'5	11'6	12'5	2'7	31	14	6	5	-	1	-	-	-	1	-	-	-	2	-	ROTHERHAM.								
YORK	81,268	9'6	13'5	12'8	9'6	-	46	15	5	5	-	-	-	-	-	-	-	-	-	1	-	YORK.								
HULL	253,885	13'8	18'1	13'8	15'6	2'3	154	76	22	20	-	4	-	-	3	3	-	-	6	10	1	HULL.								
MIDDLESBROUGH	96,684	18'9	14'6	12'9	19'4	2'2	61	36	8	10	-	-	-	1	1	-	-	2	1	12	-	MIDDLESBROUGH.								
STOCKTON-ON-TEES	52,192	8'0	9'0	13'0	11'0	2'0	38	11	3	2	-	-	-	-	1	-	-	-	-	1	-	STOCKTON-ON-TEES.								
WEST HARTLEPOOL	69,251	15'8	12'8	9'8	7'5	1'5	40	10	3	1	-	1	-	-	-	-	-	-	-	2	-	WEST HARTLEPOOL.								
SUNDERLAND	151,157	20'0	14'8	15'5	14'8	1'7	114	43	11	13	-	-	-	-	2	3	3	-	5	4	-	SUNDERLAND.								
SOUTH SHIELDS	107,334	16'0	13'1	18'0	12'1	0'5	60	25	8	4	-	-	-	-	-	1	1	1	1	2	1	SOUTH SHIELDS.								
GATESHEAD	118,067	11'9	12'8	17'7	16'3	2'2	69	37	10	8	-	-	-	-	-	1	3	2	2	5	2	GATESHEAD.								
NEWCASTLE-ON-TYNE	225,362	14'1	19'0	16'7	16'7	1'4	131	72	15	14	2.	-	-	1	1	1	3	2	6	20	1	NEWCASTLE-ON-TYNE.								
TYNEMOUTH	53,060	17'7	13'8	13'8	11'8	-	30	12	4	4	-	-	-	-	-	-	-	1	2	1	-	TYNEMOUTH.								
NEWPORT (MON.)	71,543	10'2	8'7	11'7	13'8	0'7	46	19	5	4	-	-	-	-	-	-	-	1	-	2	-	NEWPORT (MON.).								
CARDIFF	176,313	10'4	10'1	7'7	12'1	1'2	86	41	13	11	-	-	-	-	1	-	3	-	2	7	-	CARDIFF.								
RHONDDA	122,310	13'6	15'8	14'5	21'3	3'4	91	50	26	6	-	2	-	1	1	4	3	-	3	2	1	RHONDDA.								
MERTHYR TYDFIL	72,745	15'8	9'3	15'8	17'2	1'4	46	24	7	4	-	-	-	-	-	-	-	-	-	2	-	MERTHYR TYDFIL.								
SWANSEA	95,931	10'9	12'0	12'0	16'3	1'6	64	30	8	8	-	-	-	1	1	-	-	-	2	5	-	SWANSEA.								
GREATER LONDON	6,907,766	11'9	11'6	12'0	12'4	1'6	3622	1641	416	415	1	54	10	13	36	5	93	77	175	517	2	GREATER LONDON.								
OUTER RING	2,258,806	9'9	8'9	10'1	11'3	1'5	1172	489	138	132	1	15	2	6	7	-	36	27	56	81	1	OUTER RING.								
8 TOWNS IN OUTER RING	1,098,639	9'4	9'3	9'3	10'6	1'4	568	224	66	57	1	6	1	4	2	-	15	10	24	46	-	8 TOWNS IN OUTER RING.								
REMAINDER OF OUTER RING	1,160,167	10'5	8'6	10'9	11'9	1'7	604	265	72	75	-	9	1	2	5	-	21	17	32	35	1	REMAINDER OF OUTER RING.								
EDINBURGH	331,977	15'1	17'1	16'2	13'4	1'1	164	85	12	31	-	1	1	-	2	-	3	1	?	?	11	EDINBURGH.								
GLASGOW	798,357	15'3	15'9	16'5	15'3	2'0	475	234	60	35	-	1	1	1	13	-	13	8	?	55	10	GLASGOW.								
DUBLIN	378,994	19'5	16'5	17'9	19'3	2'5	172	140	35	32	-	-	10	1	3	2	2	5	4	58	5	DUBLIN.								
BELFAST	368,680	17'6	17'3	17'7	16'6	1'5	174	114	23	22	-	1	-	-	3	3	3	-	3	31	?	BELFAST.								

TABLE 2. LONDON.—Births and Deaths Registered in the TWENTY-EIGHTH Week of each of the Eleven Years, 1894-1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894-1903.*	1904
TOTAL Births -	2371	2586	2634	2579	2502	2351	2479	2523	2530	2581	2877.9	2450
Males - -	1207	1345	1353	1308	1255	1202	1296	1251	1305	1265	1465.2	1246
Females - -	1164	1241	1281	1271	1247	1149	1183	1275	1225	1316	1412.7	1204
TOTAL Deaths -	1356	1768	1770	1391	1214	1387	1252	1237	1280	1145	1627.1	1152
Males - -	715	921	912	895	649	733	666	652	699	601	855.6	605
Females - -	641	847	858	896	565	654	586	585	581	544	771.5	547

* The numbers in this column are the average weekly numbers in the twenty-eighth week of the ten years 1894-1903, raised by 5.723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Apr. 23.	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	13 Weeks.
TOTAL Births -	2489	2733	2403	2551	2376	2122	2507	2573	2583	2465	2514	2526	2450	32297
TOTAL Deaths -	1429	1392	1325	1454	1349	1274	1179	1187	1142	1143	1148	1154	1152	16328
Deaths from—														
Under 1 year -	281	280	274	289	299	275	237	228	237	216	246	270	278	3410
1-5 years -	202	194	215	203	158	200	176	175	151	165	145	146	145	2275
5-20 " -	78	80	64	77	52	65	64	81	74	61	54	72	60	882
20-40 " -	176	158	152	163	174	159	140	155	163	155	170	143	140	2047
40-60 " -	272	312	272	281	300	226	238	258	225	236	240	241	246	3347
60 yrs. & upwds.	421	368	348	441	366	349	324	290	292	310	293	282	283	4367
Deaths from—														
Small-pox† -	1	3	1	-	2	-	-	-	-	1	1	-	-	9
Measles - -	81	66	62	86	75	83	78	62	65	55	58	53	39	863
Scarlet Fever -	9	10	3	7	5	4	7	4	10	3	7	9	8	86
Diphtheria -	15	14	19	20	10	14	6	9	7	16	9	7	7	153
Whooping-cough -	43	42	48	44	39	33	32	28	25	17	29	27	29	436
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	3	3	4	1	4	2	1	5	3	5	5	1	5	42
Pyrexia (origin uncertain) -	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Diarrhoea, Dysentery	12	15	23	16	21	15	16	26	23	25	24	39	57	312
All above Diseases -	164	153	161	174	154	153	140	134	133	122	133	136	145	1902
Dis. of Resp. System	127	100	83	116	105	80	73	64	57	64	60	52	62	1043
Pneumonia - -	127	124	110	115	105	108	108	93	85	77	86	83	98	1314
Phthisis - -	153	180	155	143	123	145	133	134	162	119	136	132	98	1793
Dis. of Circ. System	176	178	167	206	193	136	148	153	137	156	151	155	156	2117
Violence - -	49	63	62	61	65	54	56	67	47	50	43	54	50	721
Inquest Cases - -	134	155	125	143	151	133	119	134	117	100	115	124	119	1669
Deaths in Institutions	491	532	485	569	498	480	441	436	403	431	435	416	436	6053
TEMPERATURE OF THE AIR.	o	o	o	o	o	o	o	o	o	o	o	o	o	o
Mean - - -	49.1	49.6	49.0	49.7	54.0	57.3	56.0	55.9	59.6	58.6	59.7	63.2	68.1	56.1
Mean of Highest -	59.7	57.1	58.1	58.8	63.7	65.9	64.1	65.5	70.8	69.9	71.3	74.3	79.9	66.1
Mean of Lowest -	38.2	43.3	42.4	41.5	44.3	50.5	49.2	48.1	51.4	48.2	48.3	53.1	56.3	47.3
Mean Humidity of the Air.	71	72	70	81	65	86	84	75	72	68	67	70	62	73
Rain-fall (in inches) -	0.24	0.05	0.55	0.29	0.35	0.30	0.71	0.12	0.27	0.17	0.15	0.22	0.01	3.43
Registered Sunshine (in hours).	38.9	21.9	37.0	14.0	58.5	15.0	28.7	39.3	44.9	46.8	68.9	50.9	84.7	549.5
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	123	104	88	89	96	118	96	95	80	83	74	71	62	91
Scarlet Fever - -	1543	1541	1590	1600	1630	1663	1673	1647	1630	1629	1631	1685	1698	1628
Diphtheria - -	719	720	750	777	767	758	748	721	696	671	684	721	764	730
Typhus - -	1	2	2	2	1	-	-	-	-	1	1	-	-	1
Enteric Fever - -	73	62	56	53	58	51	52	65	68	74	62	60	61	61

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S. Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-EIGHTH Week of the Year 1904.

Names printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 28th week of the year 1903.	1904—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 28th week of the year 1903.	1904—Deaths of Persons of the Ages							
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.				ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.	
			0-1.	1-5.	5-20.		0-1.	1-5.				5-20.						
CAUSES	1145	1152	278	145	60	140	246	283	Meningitis (not tuberc.)	17	9	2	4	1	1	-		
									Insanity, Gen. Par. of	12	19	-	-	-	4	6		
									Insane -	-	-	-	-	-	-	-		
Small-pox	-	-	-	-	-	-	-	-	Epilepsy -	5	1	-	-	-	1	-		
Scarlatina	-	-	-	-	-	-	-	-	Convulsions -	20	15	12	3	-	-	-		
Dysentery (Morbilli)	-	28	39	6	31	2	-	-	Locomotor Ataxy -	1	12	-	-	-	-	-		
Epidemic Typhus	-	9	8	2	6	-	-	-	Paraplegia, Dis. of Cord	5	9	-	-	1	4	2		
Epidemic Typhus	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	15	7	1	-	-	1	5		
Epidemic Typhus	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis-	33	29	-	-	4	4	15		
Epidemic Typhus	-	-	-	-	-	-	-	-	Cerebr. Hæm. Thromb.	25	23	-	-	1	2	4		
Epidemic Typhus	-	-	-	-	-	-	-	-	Apoplexy, Hemiplegia	9	17	-	-	1	-	16		
Epidemic Typhus	-	-	-	-	-	-	-	-	Aneurysm -	3	4	-	-	-	-	4		
Epidemic Typhus	-	7	4	-	-	-	-	4	Embolism, Thrombosis	2	-	-	-	-	-	-		
Epidemic Typhus	-	36	29	15	14	-	-	-	(not cerebral)	2	-	-	-	-	-	-		
Epidemic Typhus	-	10	7	-	6	1	-	-	Heart & Blood Vessel Dis.	68	83	-	-	2	9	37		
Epidemic Typhus	-	-	-	-	-	-	-	-	Croup (not Spasm: nor	-	1	-	1	-	-	-		
Epidemic Typhus	-	-	-	-	-	-	-	-	Membr.) -	-	-	-	-	-	-	-		
Epidemic Typhus	-	-	-	-	-	-	-	-	Bronchitis -	39	48	11	5	-	3	5		
Epidemic Typhus	-	-	-	-	-	-	-	-	Asthma, Emphysema -	-	2	-	-	-	1	1		
Epidemic Typhus	-	5	5	-	-	1	3	1	Pleurisy -	3	1	-	1	-	-	-		
Epidemic Typhus	-	-	-	-	-	-	-	-	Respiratory Dis. (other)	12	10	2	-	-	5	3		
Epidemic Typhus	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy -	-	1	-	-	-	-	1		
Epidemic Typhus	-	17	33	27	5	-	-	1	Enteritis (not Epid.)	4	10	7	1	1	-	-		
Epidemic Typhus	-	29	24	19	3	-	-	2	Gastro-Enteritis -	3	11	9	1	-	-	1		
Epidemic Typhus	-	-	1	-	-	-	-	-	Peritonitis (not Puerp.)	5	3	1	-	-	2	-		
Epidemic Typhus	-	-	-	-	-	-	-	-	Cirrhosis of Liver -	15	12	-	-	2	9	1		
Epidemic Typhus	-	-	-	-	-	-	-	-	Liver Dis. (other) -	4	7	-	-	-	1	5		
Epidemic Typhus	-	-	-	-	-	-	-	-	Digestive Dis., Other	38	31	8	3	5	7	4		
Epidemic Typhus	-	-	-	-	-	-	-	-	Nephritis, Acute -	6	5	-	1	1	1	2		
Epidemic Typhus	-	5	5	4	-	-	1	-	Bright's Dis., Albumin-	23	26	-	-	1	4	8		
Epidemic Typhus	-	2	3	-	-	3	-	-	uria -	6	2	-	-	-	-	2		
Epidemic Typhus	-	-	-	-	-	-	-	-	Urinary Sys., Other Dis.	6	2	-	-	-	-	-		
Epidemic Typhus	-	-	-	-	-	-	-	-	Generative Organs Dis.-	6	6	-	-	-	1	3		
Epidemic Typhus	-	1	4	-	-	1	1	2	Childbirth (Accid. of)	4	1	-	-	-	1	-		
Epidemic Typhus	-	5	10	1	2	1	2	1	Old Age -	34	46	-	-	-	-	46		
Epidemic Typhus	-	19	30	14	10	1	-	1	Other Diseases -	89	76	54	7	4	3	5		
Epidemic Typhus	-	-	-	-	-	-	-	-										
Epidemic Typhus	-	-	-	-	-	-	-	-	ACCIDENT.									
Epidemic Typhus	-	37	53	11	7	2	5	15	By Railways -	2	3	-	-	1	2	-		
Epidemic Typhus	-	3	5	1	-	-	1	2	By Vehicles and Horses-	4	7	1	1	-	3	-		
Epidemic Typhus	-	1	1	1	-	-	-	-	In Ships, Boats, Docks,	-	1	-	-	-	1	-		
Epidemic Typhus	-	1	1	1	-	-	-	-	(exclusive of Drown-	-	-	-	-	-	-	-		
Epidemic Typhus	-	11	7	-	1	1	3	1	ing) -	-	-	-	-	-	-	-		
Epidemic Typhus	-	62	51	1	1	4	25	17	In Building Operations-	2	1	-	-	-	-	1		
Epidemic Typhus	-	61	47	-	1	4	23	18	In Confagurations -	1	-	-	-	-	-	-		
Epidemic Typhus	-	28	26	3	15	6	2	-	By Burns, Scalds, Ex-	-	3	-	2	-	-	1		
Epidemic Typhus	-	7	11	2	5	3	1	-	plosions -	-	-	-	-	-	-	-		
Epidemic Typhus	-	6	7	6	1	-	-	-	By Drowning -	8	6	-	-	2	-	2		
Epidemic Typhus	-	19	16	6	4	3	2	-	By Suffocation in Bed	5	4	4	-	-	-	-		
Epidemic Typhus	-	-	-	-	-	-	-	-	By Poisons or Poisonous	2	2	1	-	-	-	1		
Epidemic Typhus	-	-	-	-	-	-	-	-	Vapours -	-	-	-	-	-	-	-		
Epidemic Typhus	-	-	-	-	-	-	-	-	Other Deaths by Acci-	15	12	2	2	2	-	2		
Epidemic Typhus	-	-	-	-	-	-	-	-	dent -	-	-	-	-	-	-	-		
Epidemic Typhus	-	-	-	-	-	-	-	-										
Epidemic Typhus	-	-	-	-	-	-	-	-	VIOLENCE OTHER THAN									
Epidemic Typhus	-	-	-	-	-	-	-	-	ACCIDENTAL.									
Epidemic Typhus	-	57	48	-	-	-	3	26	Homicide -	1	1	1	-	-	-	-		
Epidemic Typhus	-	7	7	-	-	3	-	1	Suicide -	13	9	-	-	-	2	6		
Epidemic Typhus	-	-	-	-	-	-	-	-	Execution -	-	1	-	-	-	-	1		
Epidemic Typhus	-	37	33	-	-	-	1	20										
Epidemic Typhus	-	3	7	-	-	-	-	1										
Epidemic Typhus	-	52	43	43	-	-	-	-										

In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 16th July, 1904.

The DEATHS registered during the Week include																	
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of													
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from											
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia† (Origin un- certain).	Diarrhœa.	Violence.	Inquest Cases.	Deaths in Public Institutions, &c.
LONDON - - -	4,536,429	2450	1152	278	283	-	39	8	7	29	-	5	-	57	50	119	436
WEST DISTRICTS - - -	805,311	353	199	46	49	-	2	1	2	4	-	-	-	15	12	22	88
NORTH DISTRICTS - - -	1,056,070	518	248	63	62	-	11	1	-	7	-	1	-	10	7	23	86
CENTRAL DISTRICTS - - -	209,465	143	83	17	16	-	4	-	-	3	-	1	-	1	4	7	47
EAST DISTRICTS - - -	715,739	464	189	54	43	-	9	-	2	4	-	1	-	9	9	24	76
SOUTH DISTRICTS - - -	1,749,844	872	413	98	109	-	13	6	2	11	-	2	-	22	18	38	119
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	20	-	4	-	-	-	1	-	-	-	-	-	-	-	20
WEST DISTRICTS.																	
St. Mary Paddington } G. & W.	93,178	53	28	9	9	-	-	-	-	1	-	-	-	2	-	2	9
W ^{2H}																	
St. John Paddington H - - G.	33,617	2	13	2	6	-	-	-	-	-	-	-	-	-	2	3	9
North-West Paddington - - C.	17,181	10	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Kensington Town 2W, w ^{2H} G., W. & C.	128,037	54	36	9	7	-	-	-	-	1	-	-	-	4	1	3	18
Brompton 2H - - W. & C.	48,591	9	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
North Hammersmith W, w ^{2H} } W. & G.	49,192	29	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-
South Hammersmith w ^{2H}	63,047	30	10	2	1	-	-	-	-	1	-	-	-	-	-	1	7
North-west Fulham W } W. & C.	45,180	40	11	3	4	-	-	-	-	-	-	-	-	1	1	1	7
North-east Fulham F }	46,405	24	7	-	-	-	-	1	2	-	-	-	-	-	1	1	3
South Fulham W	45,704	29	9	4	2	-	-	-	-	-	-	-	-	2	1	2	-
Chelsea North W, w ^{3H} - - C.	42,514	13	15	1	7	-	1	-	-	-	-	-	-	-	-	1	12
Chelsea South W ^{2H} - - C.	31,328	15	13	7	2	-	1	-	-	1	-	-	-	2	3	3	4
May Fair and Knightsbridge C. & G.	28,743	2	6	-	3	-	-	-	-	-	-	-	-	-	-	1	-
Belgrave W ^{2H} - - C.	55,815	16	15	2	2	-	-	-	-	-	-	-	-	-	1	1	10
St. Margaret & St. John 4H - C.	43,698	20	15	4	4	-	-	-	-	-	-	-	-	3	-	-	9
St. James Westminster } N. & G.	21,588	6	5	1	-	-	-	-	-	-	-	-	-	-	2	2	1
W ^{2H}																	
St. Anne Soho 5H - - N.	11,493	1	5	-	1	-	-	-	-	-	-	-	-	-	-	-	5
NORTH DISTRICTS																	
All Souls Marylebone 8H - W.	35,391	7	16	1	5	-	-	-	-	-	-	-	-	1	1	4	10
Rectory Marylebone W G. & W.	19,849	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone 4H G. & W.	18,099	37	2	1	1	-	-	-	-	-	-	-	-	-	-	1	-
Christchurch Marylebone H- W.	39,536	19	11	3	-	-	1	-	-	-	-	-	-	1	1	2	-
St. John Marylebone 3H - W.	20,426	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Hampstead W, F, 3H - N. & W.	81,942	22	20	4	7	-	-	-	-	-	-	-	-	1	-	1	9
West St. Pancras 2H - - W.	60,562	40	4	2	2	-	-	-	-	1	-	-	-	-	1	1	-
Tottenham-court w ^{3H} N. & W.	21,258	5	8	-	1	-	-	-	-	-	-	-	-	-	-	1	6
Gray's Inn Lane 4H - - N.	34,449	7	4	3	-	-	-	-	-	1	-	-	-	-	-	-	1
East St. Pancras W, 2H - - N.	60,320	32	18	8	6	-	-	-	-	-	-	-	-	-	-	1	7
North St. Pancras 2W - - N.	58,728	25	11	1	4	-	-	-	-	1	-	-	-	-	-	1	3
Tufnell W - - - N.	31,995	17	23	6	6	-	1	-	-	-	-	-	-	1	-	1	15
Upper Holloway 2W, w ^{2H} - N.	33,978	23	15	3	3	-	-	-	-	1	-	-	-	-	-	1	11
Tollington W - - - N.	33,922	10	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Lower Holloway - - - N.	41,424	17	6	1	1	-	1	-	-	-	-	-	-	-	1	2	-
Barnsbury - - - N.	54,478	39	11	3	3	-	1	-	-	-	-	-	-	-	-	-	-
Islington South-east F - - N.	75,397	39	16	3	1	-	3	-	-	-	-	-	-	-	2	1	3
Highbury 2H - - - N.	63,797	32	5	4	1	-	1	-	-	-	-	-	-	-	-	-	-
Stoke Newington H - - N.	51,247	17	10	2	1	-	1	-	-	-	-	-	-	-	1	1	-
North Hackney - - E. & N.	50,560	19	9	3	4	-	-	-	-	-	-	-	-	-	-	1	-
Central Hackney 2w, F - E. & N.	50,536	13	8	1	3	-	-	1	-	1	-	-	-	-	1	1	1
South-west Hackney 3H E. & N.	59,921	43	18	4	2	-	1	-	-	1	-	-	-	-	2	2	11
South-east Hackney 2W, w, H E. & N.	58,265	39	24	7	10	-	1	-	-	1	-	1	-	2	-	4	9

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G, signifies Grand Junction Company; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River; E, East London; and K, the Kent Company.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 16th July, 1904—continued.

REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include															
				Deaths of	Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).				Diarrhoea.	Violence.
CENTRAL DISTRICTS.																			
Giles and Bloomsbury W,2H N.	31,436	20	11	2	4	-	2	-	-	-	-	-	-	-	-	-	-		
Grand W,4H - - - N. & C.	21,874	6	12	2	3	-	-	-	-	-	-	-	-	-	2	2	8		
Grand Union Workhouse, Edmonton -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	1	3		
Colborn W,6H - - - N.	29,612	17	22	4	3	-	-	-	-	-	1	-	1	-	-	-	17		
North Clerkenwell - - - N.	28,676	19	4	2	-	-	-	-	-	-	1	-	-	-	1	1	-		
North Clerkenwell H - - - N.	35,028	29	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-		
Northbury 3H,L - - - N.	36,116	46	7	2	1	-	1	-	-	-	-	-	-	1	-	2	-		
Colborn Union Workhouse, } Mitcham - - - - - }	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1		
Botolph H - - - N. & E.	10,299	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
St. Sepulchre and Allhallows } W,2H - - - - - } N.	16,624	2	18	3	2	-	-	-	-	-	1	-	-	-	1	1	18		
City of London Asylum, Stone - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
EAST DISTRICTS.																			
Shoreditch South H,L - E. & N.	16,369	8	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-		
Shoreditch New Town w,H - - N.	29,761	26	13	3	5	-	-	-	-	-	1	-	-	-	1	2	6		
Shoreditch Old Town - - - N.	26,504	16	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Shoreditch W - - - N & E.	46,003	20	11	2	2	-	1	-	-	-	-	-	-	-	1	1	5		
Shoreditch Union Workhouse, Wood } Green - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Shoreditch Green North 2H - E.	51,514	36	11	3	-	-	2	-	-	-	-	-	-	-	-	2	2		
Shoreditch Green South - - E.	33,472	18	5	2	-	-	1	-	-	-	1	-	-	1	-	-	-		
Shoreditch Green East 2W,H,L - E.	44,694	25	14	2	4	-	1	-	-	1	-	-	-	1	-	-	8		
Spitalfields - - - E. & N.	27,969	23	5	-	3	-	-	-	-	-	-	-	-	-	1	1	-		
Mile End New Town W,H - E.	28,718	35	25	6	5	-	2	-	-	1	-	-	-	-	2	4	20		
Woodman's Fields - - - E.	22,081	7	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-		
St. George and St. John 2W E.	49,068	44	14	5	2	-	-	-	-	1	-	-	-	1	1	3	5		
Shadwell and Ratcliff W,H,E. & N.	25,568	13	11	5	1	-	-	-	-	-	-	-	-	-	1	-	6		
Shadwell Union Workhouse - - E.	52,369	15	3	1	2	-	-	-	-	-	-	-	-	1	-	1	-		
Mile End Old Town South- } Western* H - - - - }	63,698	53	8	4	2	-	-	-	-	-	-	-	-	-	-	1	-		
Mile End Old Town North- } Eastern* W,w - - - }	49,129	31	16	5	5	-	1	-	-	-	-	-	-	1	2	2	4		
St. Marylebone L - - - E.	41,669	25	8	3	1	-	-	-	-	-	-	-	-	-	1	2	-		
St. Pancras 3w,H - - - E.	68,319	46	36	10	9	-	1	-	-	1	1	-	-	-	-	1	19		
St. Pancras W,w - - - E.	68,514	23	5	3	1	-	-	-	-	-	-	-	-	-	-	1	1		

* On 1st May, 1904, the sub-districts of Mile End Old Town West and Mile End Old Town East were dissolved and formed into two new sub-districts as above.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL MEASLES, SCARLET FEVER, DIPHTEHRIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 16th July, 1904—continued.

The DEATHS registered during the Week include																
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	Deaths of		Deaths from										Inquest Cases
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	
SOUTH DISTRICTS.																
Christchurch Southwark W,HL.&S.	11,283	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark H - S.	12,056	5	18	3	2	-	1	-	-	-	-	-	-	-	3	5
Kent-road - - - S. & L.	21,904	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr } S. & L.	39,094	18	10	2	1	-	1	-	-	-	-	-	-	-	-	1
West W,2H,L - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Newington North - S. & L.	49,022	23	11	4	1	-	-	-	-	-	-	-	-	1	-	1
Newington South W - S. & L.	72,841	45	11	4	3	-	-	-	-	-	-	-	-	-	-	3
St. Olave 2W - - - S.	9,817	4	1	-	-	-	-	-	-	-	-	-	-	-	1	1
Bermondsey W - - - S.	82,483	40	15	6	1	-	1	-	-	1	-	-	-	2	1	1
Rotherhithe W,F - - S. & K.	38,460	19	12	2	4	-	-	-	-	-	-	-	-	-	1	1
Waterloo-road 2H - L. & S.	27,440	24	5	2	1	-	1	-	-	1	-	-	-	-	1	2
Lambeth Church 1st H L. & S.	18,423	10	11	1	1	-	-	-	-	-	-	-	-	-	1	-
Lambeth Church 2nd 2W L. & S.	39,818	29	14	3	2	-	2	-	-	-	-	-	-	2	1	1
Kennington 1st H - S. & L.	53,198	41	9	2	2	-	-	-	-	-	-	-	-	-	-	-
Kennington 2nd H - S. & L.	42,896	19	10	4	3	-	-	-	-	-	-	-	-	2	-	1
Brixton F - - - L. & S.	84,232	40	17	4	7	-	-	1	1	-	1	-	-	1	-	-
Norwood W,H - - - L.	35,888	16	9	2	4	-	-	-	-	-	-	-	-	-	-	1
East Battersea H - - S.	72,203	50	13	3	1	-	-	-	-	1	-	-	-	-	-	-
North-west Battersea - - S.	49,656	27	8	-	2	-	-	-	-	-	-	-	-	-	1	1
South-west Battersea W,H - S.	47,048	21	15	5	5	-	-	-	-	-	-	-	-	-	-	-
Clapham 2H - - - S.	51,361	20	7	1	3	-	-	-	-	1	-	-	-	-	-	-
Streatham* W,2w,2F,2L - L.	88,019	62	23	4	9	-	1	1	1	1	-	-	-	-	2	3
Springfield 2W,L - - S.	27,959	15	3	2	1	-	-	-	-	-	-	-	-	1	-	1
Southfields H - - - S.	40,444	32	10	2	3	-	1	-	-	-	-	-	-	3	-	1
Putney - - - - S.	24,139	11	6	4	1	-	-	-	-	-	-	-	-	2	-	-
Dulwich - - - L. & S.	13,359	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-
Camberwell South W,w S. & L.	40,206	20	25	4	9	-	-	-	-	-	-	-	-	1	-	1
Camberwell North W,2L S. & L.	65,584	38	18	3	4	-	-	1	-	-	-	-	-	-	2	1
St. George - - - L. & S.	47,331	24	7	2	2	-	-	-	-	1	-	-	-	-	-	-
Peckham 2W,w - - S., L. & K.	92,859	45	14	5	1	-	2	-	-	1	-	-	-	1	-	2
Deptford North - - - K.	37,613	28	10	1	2	-	2	-	-	-	-	-	-	-	1	1
Deptford Central F - - K.	45,481	29	10	4	2	-	1	-	-	-	-	-	-	-	-	2
Deptford South - - - K.	34,625	16	5	1	2	-	-	-	-	-	-	-	-	-	1	1
Greenwich West 2H - - K.	23,456	5	6	1	2	-	-	-	-	-	-	-	-	-	-	-
Greenwich East 2W,H - K.	43,859	24	21	4	6	-	-	-	-	2	-	-	-	-	-	-
Eltham w,H - - - K.	7,226	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Lee wH - - - K.	25,490	4	4	-	2	-	-	-	-	-	-	-	-	-	-	2
Lewisham W,w,F - - K.	58,352	42	10	1	5	-	-	-	-	-	-	-	-	-	1	1
Sydenham H - - - L.	43,653	23	5	1	2	-	-	-	-	-	-	-	-	-	-	1
Charlton F,2H - - - K.	21,134	12	6	1	-	-	-	3	1	-	-	1	-	-	-	-
Woolwich 4H - - - K.	41,625	20	8	4	2	-	-	-	-	1	-	-	-	-	-	-
Plumstead West W - - K.	18,063	8	3	1	1	-	-	-	-	1	-	-	-	-	2	-
Plumstead East 2W,H - K.	50,264	40	18	4	8	-	-	-	-	1	-	-	-	3	-	-
London County Asy., Banstead -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Manor Asylum, Epsom - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton Asylum, Epsom - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lon. Co. Asy. Epilep. Colony, Epsom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Caterham	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Cane Hill -	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
M.A.B. Hospitals, Dartford - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Darenth -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Dartford	-	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Heath - - - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Hanwell	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asy., Hendon	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Colney Hatch	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.A.B. North-Eastern Hospital -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
M.A.B. Northern Hospital - - -	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Leavesden	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Claybury	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-

* On 1st June, 1904, changes were made in the boundary between Streatham sub-district and Mitcham sub-district (38).

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 16th July, 1904.

The DEATHS registered in the Week include																		
REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- mer- ated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths of		Deaths from											
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
LONDON—OUTER RING	368,580	2,044,973	1172	489	138	132	1	15	2	6	7	-	36	27	56	81	1	
Carshalton <i>W, 2F, 2H</i>	12,228	32,997	13	5	-	1	-	-	-	-	-	-	-	1	1	1	-	
Epsom, <i>part of</i> * <i>W, W, 2F, H</i>	10,423	15,548	8	5	3	-	-	-	-	-	-	-	-	-	-	-	-	
Godstone, <i>part of</i> * <i>W, F</i>	2,754	2,692	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Coulsdon	11,069	41,166	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
South Croydon <i>W</i>	4,200	49,399	24	5	1	3	-	-	-	-	-	-	1	2	2	-	-	
West Croydon <i>3W, F, H</i>	2,168	42,888	15	24	4	12	-	1	-	-	-	-	3	3	7	14	-	
North Croydon <i>H</i>	2,644	41,868	19	11	2	6	-	-	-	-	-	-	-	-	2	1	-	
Penge <i>W</i>	770	22,465	12	3	1	1	-	-	-	-	-	-	-	-	-	-	-	
Mitcham† <i>W</i>	11,689	30,015	29	9	2	2	-	-	-	-	-	-	2	1	1	-	-	
Wimbledon <i>F, 3H</i>	3,221	41,452	15	8	4	1	-	-	-	-	-	-	-	1	2	-	-	
Kingston <i>W, H</i>	6,224	42,178	18	19	4	10	-	-	-	-	-	-	3	1	1	8	-	
Surbiton <i>F, H</i>	3,046	15,017	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Esher, <i>part of</i> * <i>H</i>	5,402	13,100	7	2	-	1	-	-	-	-	-	-	-	1	1	-	-	
Hampton <i>H, L</i>	4,564	23,456	13	9	3	2	-	-	-	-	1	-	-	2	2	-	-	
Richmond <i>W, H</i>	2,162	28,865	11	5	1	2	-	-	-	-	-	-	-	-	-	3	-	
Mortlake <i>F</i>	2,847	20,628	9	1	1	-	-	-	-	-	-	-	1	-	-	-	-	
Bromley <i>F, 2H</i>	4,703	27,354	14	4	1	1	-	-	-	-	1	-	-	-	-	1	-	
Beckenham <i>H</i>	7,825	28,497	14	3	1	2	-	-	-	-	1	-	-	-	-	-	-	
Orpington, <i>part of</i> * <i>W</i>	10,113	9,857	7	1	-	1	-	-	-	-	-	-	-	-	-	1	-	
Chislehurst <i>2H</i>	7,333	16,446	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	
Bexley <i>F, H</i>	8,678	21,151	21	5	1	2	-	-	-	-	-	-	-	-	-	1	1	
Erith <i>F, H</i>	3,854	25,296	12	5	2	1	-	-	-	-	-	-	1	-	-	-	-	
Dartford <i>W, F, part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Sunbury <i>W</i>	11,054	18,683	8	5	-	1	-	-	-	1	-	-	-	2	2	-	-	
Staines <i>W, H</i>	13,277	15,178	5	4	1	-	-	-	-	-	-	-	-	-	-	1	-	
Hillingdon <i>W, F, H</i>	6,035	13,661	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
Uxbridge	12,767	8,984	11	5	2	1	-	-	-	-	-	-	-	-	-	-	-	
Hayes <i>W, F, H</i>	8,066	16,358	10	4	2	2	-	-	-	-	-	-	1	-	-	-	-	
Isleworth <i>3W, 2F, H</i>	6,859	30,863	12	7	1	3	-	-	-	-	-	-	-	-	-	2	-	
Twickenham <i>F, H</i>	2,421	20,991	13	3	2	1	-	-	-	-	-	-	-	-	2	-	-	
Brentford <i>2F, 2H, L</i>	4,319	43,289	45	17	8	5	-	-	-	-	-	-	3	1	1	-	-	
Chiswick <i>H</i>	1,249	29,809	10	8	1	4	-	2	-	-	-	-	1	1	1	-	-	
Acton <i>W, 3H</i>	6,132	48,014	34	11	-	3	-	2	-	-	-	-	1	-	-	2	-	
Harrow <i>F, H</i>	13,809	25,523	15	4	1	-	-	-	-	-	-	-	-	-	-	-	-	
Edgware <i>F, 2H</i>	6,994	4,521	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Willesden <i>W, F, 2H</i>	4,384	114,811	76	24	8	8	-	-	-	-	-	-	4	1	2	4	-	
Hendon <i>W, F</i>	8,382	22,450	18	7	3	2	-	1	1	-	-	-	-	1	1	2	-	
South Mimms <i>2F, H</i>	17,755	7,308	3	4	-	1	1	-	-	-	-	-	-	-	-	1	-	
Barnet <i>W, 3H</i>	3,324	17,970	6	3	-	-	-	-	-	-	-	-	-	-	1	-	-	
Finchley <i>F, 2H</i>	4,688	33,692	16	4	1	-	-	2	-	-	1	-	-	-	-	-	-	
Hornsey <i>F, H</i>	2,875	72,056	43	8	3	2	-	-	-	-	-	-	-	-	-	-	-	
Wood Green <i>H</i>	1,625	34,233	21	8	3	3	-	-	-	-	-	-	-	-	-	-	-	
West Tottenham <i>F</i>	996	48,853	23	12	2	1	-	-	-	-	-	-	-	-	1	-	-	
East Tottenham <i>F, H</i>	2,017	53,688	41	11	2	6	-	-	-	1	-	-	-	-	1	2	-	
Edmonton <i>W, W, 2F</i>	7,491	61,892	43	29	7	8	-	2	-	-	-	-	4	1	7	7	-	
Enfield <i>2W, F, H</i>	12,601	42,738	24	14	6	1	-	-	-	1	-	-	-	-	1	1	-	
Waltham Abbey	11,017	6,549	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	
Cheshunt <i>F, H</i>	8,479	12,292	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Hatfield, <i>part of</i> * <i>W</i>	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bushey <i>H</i>	9,333	9,173	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Watford <i>W, 2F part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Stratford <i>H</i>	1,072	44,827	26	10	8	-	-	-	-	-	-	-	3	1	1	-	-	
Plaistow <i>F, 2H</i>	1,249	90,921	59	24	7	8	-	1	-	-	-	-	-	2	5	-	-	
Canning Town <i>H</i>	1,556	70,718	42	15	6	-	-	-	-	-	-	-	2	1	1	1	-	
Forest Gate <i>W</i>	806	60,892	15	7	2	2	-	-	-	-	1	-	-	-	-	-	-	
North East Ham <i>W</i>	1,333	53,676	34	8	4	3	-	-	-	-	-	-	-	-	-	-	-	
South East Ham <i>3F</i>	1,993	37,342	31	12	3	-	-	-	1	2	-	-	2	-	-	3	-	
Wanstead <i>F</i>	1,379	9,179	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
South Leyton <i>2W</i>	631	50,467	25	14	7	3	-	3	-	-	-	-	1	-	-	5	-	
North Leyton <i>W, W, F</i>	1,963	48,445	28	22	2	3	-	-	-	-	-	-	1	1	2	12	-	
Walthamstow <i>3H, L</i>	6,504	108,929	78	14	6	3	-	1	-	-	1	-	1	-	-	-	-	
Chigwell, <i>part of</i> * <i>2F, 4H</i>	11,778	16,397	8	8	2	4	-	-	-	-	-	-	-	1	1	-	-	
Epping <i>W, F, part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Romford, <i>part of</i> * <i>W, 2F</i>	6,556	6,091	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Ilford <i>F, L</i>	8,496	41,234	25	13	2	3	-	-	-	-	-	-	-	3	4	4	-	
Barking Town <i>F</i>	3,803	21,547	18	6	3	1	-	-	-	-	1	-	1	-	1	-	-	
Middlesex County Asylum, Wandsworth.	-	-	-	3	-	-	-	-	-	-	-	-	-	-	1	3	-	
London County Asylum, Finchley.	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	
N.E. Hospital, Tottenham	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	

The parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting ydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

See note * on preceding page.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- rate per 1000 living.	DEATHS FROM							
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping- cough.	Fever.	Diarrhoeal Diseases.	
JALOUTTA (including SUBURBS)	847,796	June	4	-	435	26·6	2	1	-	1	-	173†	65
BOMBAY - -	776,006	"	28	375	525	35·2	17	2	-	-	-	89†	55
MADRAS - -	509,346	"	10	429	391	39·9	-	2	?	?	?	104	77
PARIS - - -	2,660,559	July	9	1065	843	16·4	2	20	3	5*	13	2	31
BRUSSELS - -	575,896	"	9	216	147	13·0	1	1	-	2*	2	1	11
ANTWERP - -	281,376	"	9	136	77	14·0	1	-	-	1*	1	2	12
AMSTERDAM -	547,370	"	2	274	149	17·3	-	5	-	2*	4	-	12
COPENHAGEN -	420,000	"	9	170	116	14·4	-	1	1	1*	3	1	12
STOCKHOLM -	305,115	"	2	138	73	12·3	-	2	-	1*	1	-	5
CHRISTIANIA -	225,709	"	9	110	55	12·8	-	-	-	1*	-	-	3
ST. PETERSBURG	1,248,643	"	2	767	626	26·2	4	33	16	5*	5	16	84
MOSCOW - -	1,093,410	"	2	-	545	26·0	2	31	9	3*	3	2	74
BERLIN - - -	1,960,909	June	25	924	580	15·4	-	12	6	1*	14	3	61
HAMBURG - -	751,842	July	9	-	208	14·4	-	4	-	4*	5	1	14
BRESLAU - -	445,403	"	9	-	182	21·3	-	2	-	2*	?	1	33
MUNICH - - -	520,000	"	9	-	-	-	-	-	-	-	-	-	-
VIENNA - - -	1,779,869	"	9	886	669	19·3	-	25	2	6*	5	-	96
PRAGUE - - -	423,990	"	2	168	148	18·0	-	-	-	1*	-	-	10
BUDA-PESTH -	813,399	"	9	418	303	19·4	-	3	8	5*	2	1	56
TRIESTE - - -	187,251	"	2	117	107	29·2	-	-	-	1*	1	-	23
ROME - - - -	496,201	May	7	-	-	-	-	-	-	-	-	-	-
VENICE - - -	166,288	July	2	67	43	13·5	-	1	-	-	-	-	-
CAIRO - - -	624,338	April	8	474	443	37·0	3	34	-	1*	?	9	74
ALEXANDRIA -	349,300	"	15	544	447	37·3	2	32	-	2*	?	11	74
		"	8	270	207	30·9	2	-	-	-	?	?	4
		"	15	282	236	35·2	4	2	-	1*	?	3	5
NEW YORK - -	3,838,024	July	2	-	-	-	-	-	-	-	-	-	-
PHILADELPHIA	1,408,154	June	18	-	388	14·3	1	9	2	4*	4	7	34
BOSTON - - -	617,950	"	18	-	134	11·3	-	3	-	4*	-	-	?

* Including deaths from croup.

† Including 70 deaths from plague in Calcutta, 48 in Bombay, and one in Alexandria.

‡ Including 24 deaths from cholera in Calcutta, one in Bombay, and one in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 16th July, 1904.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	85·2	53·8	68·1	0·01	BRADFORD - -	78·0	52·0	65·9	0·45
BRIGHTON - -	81·2	57·0	66·8	0·00	LEEDS - - - -	83·0	54·0	68·5	0·29
PORTSMOUTH -	78·3	58·2	66·9	0·00	HULL - - - -	82·0	49·0	64·8	0·22
NORWICH - - -	86·8	50·0	66·6	0·00	TYNEMOUTH - -	77·0	55·0	61·7	0·03
PLYMOUTH - -	78·6	58·0	65·0	0·28					
BRISTOL - - -	84·0	51·4	66·5	0·03	EDINBURGH - -	70·2	49·9	59·7	0·58
BIRMINGHAM -	81·1	53·0	67·1	0·02	GLASGOW - - -	79·3	47·0	61·4	0·49
NOTTINGHAM -	81·8	53·5	67·8	0·09	DUBLIN { Phoenix Park. Fitz- william Square.†	71·8	46·2	58·8	0·40
LIVERPOOL	80·0	55·0	65·0	0·13		72·5	50·3	61·4	0·38
MANCHESTER	80·1	51·0	65·5	0·40		-	-	-	-
PRESTON - - -	77·0	52·0	64·5	0·30	BELFAST - - -	-	-	-	-
HUDDERSFIELD	78·3	50·5	64·0	0·19					

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1·9 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A. M.D. Dublin.

1904.

MOUTH AND DAY	Phases of the Moon.	Of the Air.				Of the Dew Point.				Degree of Humidity.		Radiation.		Of the Surface.		General Direction.		Pressure on the Square Foot.		Robinson's.		In a Gauge receiving above 5 inches of the Ground.
		High-est.	Low-est.	Daily Range.	Mean daily value.	Difference from 39° F. (normal height).	Mean value.	Least.	Great-est.	Mean value.	Least.	Highest Sun's rays.	Lowest On Grass.	°	°	A.M.	P.M.	Great-est.	Least.	Horizontal Movement of the Air on each Day.	Miles. of Average of 15 years.	
JULY.																						
SUNDAY - 10	..	801	518	253	678	57	519	129	233	14	63	141°	41°	0	60°36	ESE.	ESE. & E.	19	00	196	18	00
MONDAY - 11	Gr. Dec. N.	752	545	207	653	30	504	119	242	06	59	128	438	0078	0078	E. & ENE.	E. & ENE.	40	00	310	+ 80	30
TUESDAY - 12	..	740	587	173	656	30	547	109	180	15	63	139°	50°	6116	6116	E. & ENE.	E. & ENE.	80	00	325	+ 96	53
WEDNESDAY 13	New	808	569	239	684	55	546	138	245	17	62	147°	48°	6152	6152	SW. & WSW.	WSW. & SW.	14	00	253	+ 24	80
THURSDAY - 14	..	830	558	292	686	55	538	143	279	10	59	159°	44°	6188	6188	SSW. & SW.	SSW. & SW.	27	00	217	- 12	40
FRIDAY - 15	Perigee	852	562	260	723	91	553	170	268	40	55	148°	53°	6229	6229	SSW. variable.	SSW. & WSW.	40	00	239	+ 39	07
SATURDAY - 16	..	807	582	225	688	56	559	118	231	17	66	141°	52°	6262	6262	WSW. & SW.	WSW. & SW.	25	00	292	+ 62	53
MEANS	-	799	563	236	681	53	544	137	239	17	62	144°	48°	6152	6152	E. & SW.	E. & SW.	Sum 1892	Sum +253	37
No. of Column -	-	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

The results apply to the civil day, or from midnight to midnight. The height of the column of the barometer is 153 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1883 for the thermometers. With the corrected mean readings of the dry bulb thermometer combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 10 years ending 1875. In reading columns 8 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average. The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: -P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable. The numbers in column 23 derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day. The reading of the barometer decreased from 30.14 in. at the beginning of the week to 29.83 in. by 5h. P.M. on the 12th; increased to 29.99 in. by 10h. P.M. on the 13th; decreased to 29.73 in. by 3h. P.M. on the 15th; and increased to 30.02 in. by the end of the week.

GENERAL REMARKS.

DATE.	REGISTERED ABOVE SUNSHINE IN HOURS.	REGISTERED SUNSHINE IN HOURS.	REMARKS.
JULY.			
SUNDAY - 10	143	163	Cloudless throughout; very fine and warm.
MONDAY - 11	144	163	A very fine day and cloudless, with very slight exceptions.
TUESDAY - 12	110	162	Fine and partially cloudy till 5h. P.M. with solar halo and brisk wind in forenoon; overcast afterwards with slight shower at 9h. 30m. P.M.; lightning at night.
WEDNESDAY 13	132	162	Very fine and warm; the amount of cloud was usually small.
THURSDAY - 14	106	162	Very fine generally; partially cloudy; a very warm day. Solar halo observed at 5h. 30m. P.M.
FRIDAY - 15	112	161	Cloudy in morning; very fine afterwards and nearly cloudless at night; a very hot day.
SATURDAY - 16	100	161	Generally cloudy till 11h. 30m. A.M.; very fine and generally cloudless afterwards; very warm.
MEANS	Sum 847	Sum 1134	
No. of Col. -	28	29	

27

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 9th July, 1904.*

BOROUGHS.	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Chicken-pox.	
WEST.												
Paddington- - - -	146,975	-	10	4	-	1	-	-	-	-	8	
Kensington - - - -	179,236	-	2	5	-	1	-	-	1	-	12	
Hammersmith - - -	117,412	-	1	3	-	1	-	-	1	-	9	
Fulham - - - -	152,482	-	3	12	-	-	-	-	1	-	9	
Chelsea - - - -	74,329	-	-	2	-	1	-	-	1	-	3	
City of Westminster-	177,321	-	11	12	-	1	-	-	3	-	5	
NORTH.												
St. Marylebone - - -	130,337	-	4	2	-	1	-	-	8	-	17	
Hampstead - - - -	86,683	-	5	-	-	-	1	-	1	-	3	
St. Pancras - - - -	235,936	-	31	4	-	-	-	-	5	-	17	
Islington - - - -	341,044	-	37	4	-	1	-	-	7	-	31	
Stoke Newington - -	52,445	-	1	-	-	-	-	-	-	-	3	
Hackney - - - -	226,266	-	24	5	-	4	-	-	3	-	16	
CENTRAL.												
Holborn - - - -	57,161	1	-	-	-	-	-	-	1	-	4	
Finsbury - - - -	98,958	3	10	2	-	1	-	-	-	-	9	
City of London - - -	23,482	-	-	3	-	-	-	-	-	-	-	
EAST.												
Shoreditch - - - -	117,033	-	9	8	-	2	-	-	4	-	17	
Bethnal Green - - -	130,207	1	11	9	-	1	-	-	4	-	14	
Stepney - - - -	303,791	1	23	15	-	5	-	-	8	-	31	
Poplar - - - -	169,905	-	10	7	-	1	-	-	-	-	23	
SOUTH.												
Southwark- - - -	207,937	-	12	7	-	4	-	-	7	2	27	
Bermondsey - - - -	129,397	-	12	4	-	1	-	-	2	-	13	
Lambeth - - - -	310,359	-	22	8	-	1	-	-	7	-	18	
Battersea - - - -	175,465	-	10	5	-	-	-	-	2	-	25	
Vandsworth - - - -	257,448	-	15	8	-	1	-	-	5	-	43	
Camberwell - - - -	268,384	3	21	5	-	3	-	-	5	-	29	
Deptford - - - -	113,509	-	3	2	-	-	-	-	5	-	9	
Greenwich - - - -	101,651	-	3	3	-	1	-	-	-	-	9	
Lewisham - - - -	140,401	-	11	1	-	-	-	-	1	-	22	
Woolwich - - - -	123,416	-	14	1	-	-	-	-	-	-	11	
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-	
ADMINISTRATIVE COUNTY OF LONDON. }		4,648,950	9	315	131	-	32	1	-	82	2	143
AGES.												
Ages 0-1 - - - -	-	1	5	1	-	-	-	-	1	-	40	
" 1-5 - - - -	-	-	98	46	-	-	-	-	3	-	200	
" 5- - - - -	-	3	142	50	-	9	-	-	-	-	180	
" 10- - - - -	-	-	41	13	-	2	-	-	1	-	14	
" 15- - - - -	-	2	14	7	-	1	-	-	6	-	4	
" 20- - - - -	-	1	6	8	-	5	1	-	4	-	3	
" 25- - - - -	-	1	7	3	-	10	-	-	10	1	1	
" 35- - - - -	-	1	2	3	-	4	-	-	17	1	-	
" 45- - - - -	-	-	-	-	-	-	-	-	14	-	-	
" 55- - - - -	-	-	-	-	-	1	-	-	9	-	-	
" 65 and upwards -	-	-	-	-	-	-	-	-	16	-	-	
Age not stated - -	-	-	-	-	-	-	-	-	1	-	1	

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

TABLE 11.—DEATHS of PERSONS BELONGING to the COUNTY of LONDON and the METROPOLITAN BOROUGHS, REGISTERED in the 13 WEEKS ENDED 2nd JULY, 1904.

BOROUGH.	Deaths from											Deaths of Infants under 1 Year of Age.	Deaths under 1 Year to 1000 Births registered.
	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping cough.	Typhus.	Enteric Fever.	Pyrexia* (origin uncertain).	Diarrhoea.	Phthisis.		
COUNTY OF LONDON	16,546	12	930	81	163	505	-	42	2	246	1,815	3,475	107
West.													
PADDINGTON -	396	2	4	-	2	1	-	3	-	6	49	67	76
KENSINGTON -	571	1	18	1	4	5	-	2	-	8	55	103	121
HAMMERSMITH -	371	-	27	-	7	5	-	1	-	7	32	77	102
FULHAM -	521	-	26	2	4	19	-	2	-	14	42	139	114
CHELSEA -	289	-	3	-	1	11	-	-	-	1	36	39	103
CITY OF WESTMINSTER	533	-	4	3	4	5	-	1	-	10	60	76	103
North.													
ST. MARYLEBONE -	465	-	20	2	4	3	-	1	-	3	56	60	62
HAMPSTEAD -	208	-	8	-	-	1	-	-	-	2	19	30	80
ST. PANCRAS -	855	-	34	6	10	34	-	3	-	11	80	157	101
ISLINGTON -	1,109	-	75	10	4	19	-	5	-	8	110	217	95
STOKE NEWINGTON -	158	-	3	-	2	4	-	1	-	1	23	24	85
HACKNEY -	713	-	32	5	13	24	-	3	-	8	80	151	99
Central.													
HOLBORN -	259	1	16	-	1	2	-	2	-	2	30	29	75
FINSBURY -	468	1	17	6	6	13	-	-	-	8	48	98	109
CITY OF LONDON	101	-	-	-	-	2	-	-	-	2	10	10	132
East.													
SHOREDITCH -	500	-	22	3	6	19	-	-	-	14	71	107	118
BETHNAL GREEN -	569	2	42	5	8	16	-	-	1	4	79	145	129
STEPNEY -	1,339	3	86	6	16	52	-	3	-	24	176	378	125
POPLAR -	681	2	43	7	22	20	-	1	-	9	72	168	126
South.													
SOUTHWARK -	937	-	122	5	8	45	-	2	-	12	123	219	136
BERMONDSEY -	614	-	68	1	4	21	-	1	1	9	78	138	131
LAMBETH -	1,110	-	70	5	7	45	-	1	-	14	116	232	102
BATTERSEA -	561	-	25	1	3	12	-	1	-	19	52	140	119
WANDSWORTH -	763	-	33	1	13	17	-	3	-	17	59	162	90
CAMBERWELL -	865	-	56	3	4	38	-	3	-	6	101	181	101
DEPTFORD -	429	-	47	1	1	19	-	-	-	7	36	99	122
GREENWICH -	305	-	15	1	4	15	-	1	-	6	34	67	104
LEWISHAM -	396	-	1	2	2	14	-	1	-	8	34	85	93
WOOLWICH -	410	-	13	5	3	24	-	1	-	6	51	77	88

In the above Table, all deaths of persons in, or on the way to, Hospitals and other Public Institutions, as well as those of persons under treatment in surgical homes, or dying by accident or otherwise in the streets, have been distributed, as far as practicable, to the Boroughs in which the deceased had previously resided. The deaths of 519 London residents who died outside London in the Strand Union Workhouse at Edmonton, the Holborn Union Workhouse at Mitcham, the City of London Lunatic Asylum at Stone, the Shoreditch Union Workhouse at Wood Green, the Central London Sick Asylum at Hendon, and the Metropolitan Hospitals and Asylums, have been similarly distributed. In 625 cases the previous residence was outside London and these have been excluded from the Table.

* Formerly described as "Simple Continued Fever."

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING JUNE, 1904.

*Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
5th July, 1904.*

SIR,

I HAVE to report to you the results of the chemical analysis and physical examination of the water supplied to London, by the eight Water Companies and the Metropolitan Water Board, during the month of June.

Twelve samples, representing the supplies distributed by each of the Companies and Water Board district works, were examined, making a total of 96 samples for the month.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

COMPANIES.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Ni- trates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
THAMES.										
Chelsea - - -	{ June 6th, Cab Rank, Horse Guards, Whitehall. }	15.0	26.98	.151	.013	0	.242	.255	1.55	19.4
West Middlesex -	{ June 6th, Cab Rank, Albert Road, N.W. }	15.3	25.00	.176	.016	0	.192	.208	1.55	18.0
Southwark - -	{ June 6th, Cab Rank, Bricklayers' Arms, Old Kent Road, }	14.7	29.32	.167	.013	0	.248	.261	1.55	20.8
Grand Junction -	{ June 6th, Cab Rank, Portman Street, Oxford Street. }	16.6	27.10	.242	.021	0	.243	.264	1.6	19.4
Lambeth - - -	{ June 6th, Cab Rank, Westminster Bridge Road. }	15.9	28.24	.276	.024	0	.240	.264	1.55	20.0
LEA, WELLS, & C.										
New River - -	{ June 6th, Cab Rank, Bayham Street, N.W. }	16.1	30.30	.060	.006	0	.248	.254	1.75	21.1
East London - -	{ June 6th, Police Station, Poplar. }	17.0	31.66	.096	.010	0	.243	.253	1.75	22.7
DEEP WELL.										
Kent- - - -	{ June 6th, Cab Rank, Amersham Road, opposite New Cross Station. }	13.0	39.24	.031	.005	0	.526	.531	2.05	28.0
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The Chelsea Company's water, collected on the 6th June at the Horse Guards cab-rank, had a temperature of 15.0° C.; 100,000 lbs. of it contained 26.98 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained .151 lb. of carbon and .013 lb. of nitrogen. The above quantity of water also contained .242 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was .255 lb. The above weight of water also contained 1.55 lbs. of chlorine and 19.4 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on the 6th June were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied by each of the Metropolitan Water Companies was:—Kent 0·6, New River 1·1, East London 1·8, Chelsea 2·8, Southwark 3·1, West Middlesex 3·3, Grand Junction 4·5, and Lambeth 5·1.

The filtered supplies distributed on the 6th June by the five Companies dealing with Thames water contained, in all cases, more organic matter than in the previous month. The increment in impurity in the Chelsea, West Middlesex, and Southwark waters was only slight, and the supplies were clear and of good quality; the Grand Junction and Lambeth waters were also clear, but the quality was not quite so good, as they contained more organic matter and had a deeper colour than the other Thames supplies.

Of the supplies chiefly obtained from the River Lea and wells, that of the New River Company was clear and of very good quality. The East London water was also of good quality, and in respect to organic purity was superior to all the Thames-derived waters, but it contained a very minute amount of rust-stained suspended matter.

The Kent Company's deep-well water was, as usual, of high organic purity and excellent quality.

Seen through a stratum two feet deep the Kent Company's water was colourless, and that of the New River Company nearly colourless; the Chelsea, West Middlesex and Southwark waters were very pale yellow, and the Grand Junction and Lambeth supplies had a pale yellow colour.

In addition to the above analytical examination, the 96 samples of water collected during June at various places in the areas supplied by the several Companies and the Water Board, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded. The following results were obtained:—

RESULTS IN PARTS PER 100,000.

DISTRICTS OR COMPANIES.	"Oxygen consumed."						Free Ammonia.			"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)								
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
THAMES.												
Chelsea ...	·103	·060	·084	·113	·064	·092	0	0	0	·008	·007	·0075
West Middlesex	·099	·067	·086	·109	·071	·095	0	0	0	·0075	·007	·0075
Southwark ...	·126	·061	·086	·135	·066	·093	0	0	0	·0075	·0055	·0065
Grand Junction	·143	·063	·099	·166	·074	·111	0	0	0	·0095	·0065	·008
Lambeth ...	·150	·073	·109	·165	·077	·121	0	0	0	·0105	·007	·008
LEA, WELLS, & CO.												
New River ...	·029	·023	·026	·032	·025	·027	0	0	0	·003	·0025	·0025
East London ...	·063	·045	·051	·073	·049	·057	0	0	0	·006	·004	·005
DEEP WELLS.												
Kent ...	·012	·007	·009	·012	·008	·010	0	0	0	·0015	·001	·0015

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

With reference to the five Thames-derived supplies, the above results, when compared with those obtained in the previous month, show that in every case the maximum and average proportions of organic impurity were greater; the increase in organic matter was due to the heavy rains, and consequent rise in the river which occurred towards the end of May and the early part of June. Owing to the utilization of stored water, the Chelsea, West Middlesex, and Southwark supplies were least affected, and they maintained their good quality throughout the month. In the cases of the Grand Junction and Lambeth waters, the highest amounts of organic matter were recorded from the 3rd to the 10th, but the supplies were then of fair quality, and during the other part of the month of good quality. The results of the regular examination of the supply distributed from the Lambeth works afford little or no indication that the 15·9 days' storage, which according to the latest published report of the Water Examiner these works now possess, was made use of during the month.

The filtered Lea and well water distributed from the New River works was of very good quality; the proportion of organic matter in this portion of the Metropolitan supply has now been very small and uniform for upwards of two months. The average amount of organic impurity in the East London supply was practically identical with that recorded in May, and the general quality of the supply was superior to that derived from the Thames.

The Kent Company's deep-well water maintained its usual organic purity and excellent quality throughout the month.

All the samples drawn from the services furnished from the Chelsea, West Middlesex, Grand Junction, New River, and Kent works were clear, but in the cases of the supplies sent out from the Southwark, Lambeth, and East London works, several samples were found to contain minute amounts of rust-stained suspended matters.

I am, Sir,

Your obedient Servant.

The Registrar-General,

Somerset House, W.C.

T. E. THORPE.

RETURNS OF LONDON WATER DISTRICTS AND COMPANIES.

The following is an account of the number of services and the average daily amount of water supplied during the month of June, 1904. The supply was in the ratio of 238 gallons to one service.

DISTRICTS OR COMPANIES.	Number of Services.		Daily Supply of Water in Gallons.	
	JUNE, 1903.	JUNE, 1904.	JUNE, 1903.	JUNE, 1904.
TOTAL SUPPLY - - -	968,502	988,540	220,434,568	234,814,520
From Thames - - - - -	459,951	469,777	117,140,205	123,550,191
From Lea and from other Sources -	508,550	518,763	103,294,363	111,264,329
THAMES.				
Chelsea - - - - -	39,500	39,830	12,085,667	13,498,000
West Middlesex - - - - -	89,928	91,050	24,304,063	24,136,129
Southwark and Vauxhall - - -	128,228	129,549	32,213,760	32,264,405
Grand Junction - - - - -	73,483	76,565	17,793,168	19,287,191
Lambeth - - - - -	128,813	132,783	30,143,547	32,374,466
LEA AND OTHER SOURCES.				
New River - - - - -	178,125	180,302	41,455,500	44,528,354
East London - - - - -	223,657	228,742	42,801,000	45,965,000
Kent - - - - -	106,768	109,719	19,037,863	20,770,975

Note.—The Return for June, 1904, as compared with that for the corresponding month of 1903, shows an increase of 20,038 services, and of 14,379,952 gallons of water supplied daily. Owing to changes of area the returns for 1904 are not strictly comparable with those for 1903. During the greater part of the month of June, 1904, the water supply was in the hands of the several Water Companies.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 29. 1904. VOL. LXV.] WEEK ENDED SATURDAY, JULY 23. [Price 1½d.

General Register Office, Somerset House,
July 25th, 1904.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 14·1 per 1000 of their aggregate population, which is estimated† at 15,271,287 persons in the middle of this year. In the preceding three weeks the rates had been 13·5, 13·5, and 13·7. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 18·2 in Birkenhead, 18·6 in Bootle, 19·3 in Sunderland, 19·6 in Rhondda, 19·7 in Burnley, 20·0 in St. Helens, and 20·3 in Liverpool; from *measles*, 2·0 in Leeds, 2·1 in Rhondda, 2·2 in Bradford, 2·4 in St. Helens, 3·2 in Birkenhead, 3·3 in Huddersfield, and 5·1 in Bootle; from *whooping-cough*, 2·0 in Blackburn and 4·0 in Burton upon Trent; and from *diarrhoea*, 2·6 in Rhondda, 2·7 in Birmingham, 2·8 in Tottenham, 3·1 in West Ham and in Liverpool, 3·5 in Wallasey, 4·3 in Stockport, and 7·1 in Aston Manor. Two deaths from *small-pox* were registered in Newcastle upon Tyne, and 1 each in London, Rochdale, and Gateshead, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2472 BIRTHS and 1320 DEATHS were registered. Allowing for increase of population, the births were 117 and the deaths 247 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 12·9 in each of the three preceding weeks, rose last week to 14·8. During the four weeks ended on Saturday last the death-rate averaged 13·4 per 1000, being 2·6 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, and in certain local Small-pox Hospitals, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1320 deaths included 1 from small-pox, 49 from measles, 4 from scarlet fever, 14 from diphtheria, 21 from whooping-cough, 5 from enteric fever, and 161 from diarrhoea, but not one death from typhus or from ill-defined pyrexia; thus, 255 deaths were referred to these diseases in the aggregate, being 68 below the corrected average weekly number.

The fatal case of *small-pox* belonged to the Borough of Finsbury. The deaths from *measles*, which had been 58, 53, and 39 in the preceding three weeks, rose again last week to 49, the corrected average being 48: 7 deaths belonged to the Borough of Islington, 7 to Lambeth, 5 to Bethna Green, and 3 each to St. Pancras, Hackney, Southwark, Bermondsey, and Deptford. The deaths from *scarlet fever*, which had been 7, 9, and 8 in the preceding three weeks, further fell last week to 4, and were 11 below the corrected average. The deaths from *diphtheria*, which had been 9, 7, and 7 in the preceding three weeks, rose again last week to 14, but were 20 below the corrected average; 4 deaths belonged to Hackney and 3 to Stepney. The deaths from *whooping-cough*, which had been 29, 27, and 29 in the preceding three weeks, fell last week to 21, and were 14 below the corrected average; 3 deaths belonged to Southwark. The fatal cases of *enteric fever*, which had been 5, 1, and 5 in the preceding three weeks, were again 5 last week, the corrected average being 7. The deaths from *diarrhoea* which had been 24, 39, and 57 in the preceding three weeks, further rose last week to 161, but were 21 below the corrected average; 22 deaths belonged to Stepney, 18 to Lambeth, 11 to Hackney, 10 to Bermondsey, and 9 each to Shoreditch and Poplar. Of the 161 deaths from diarrhoea, 154 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 11 more deaths at this age. The deaths attributed directly to *influenza* numbered 2, having been 3, 6, and 4 in the preceding three weeks. The death of a horsehair dresser, aged 40 years, was certified after inquest as due to *anthrax*.

Different forms of *violence* caused 83 deaths, concerning all but 3 of which inquests were held. Of these 83 deaths, 14 were cases of suicide, while the remaining 69 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, 10 to drowning, 5 to heat apoplexy, 8 to burns and scalds, 1 to the effects of an anæsthetic administered for surgical purposes, and 15 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 51 cases of small-pox, 1754 of scarlet fever, 767 of diphtheria, and 58 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 6 cases, against 10, 10, and 7; of scarlet fever, 234 cases, against 254, 269, and 229; of diphtheria, 127 cases, against 109, 120, and 128; and of enteric fever, 12 cases, against 8, 11, and 16. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended July 16th.

GREATER LONDON.

In Greater London 3788 births and 1835 deaths were registered. Allowing for increase of population these numbers are 33 and 272 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 5 deaths from measles, 3 from scarlet fever, 5 from diphtheria, 2 from whooping-cough, and 54 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·91 inches, and that of the Thermometer 67·1, the latter being 4·2 above the week's average in the 50 years 1841-90. The direction of the wind was variable, the horizontal movement of the air being 2 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 74·9 hours; the measured rainfall amounted to 0·04 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

ended Saturday, 23rd July, 1904, and DEATH-RATES during the preceding three weeks

TOWNS.	POPULATION estimated to the middle of the year 1904.	DEATH-RATES from all Causes.				Rate from Diseases in Cause 11-17.		Registered Diseases during the Week ended 23rd July, 1904.		The DEATHS registered in the Week include										TOWNS.			
		Week ended				BIRTHS.	DEATHS.	7.	8.	9.	10.	Deaths of		Deaths from							Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
		2nd July, 1904.	9th July, 1904.	16th July, 1904.	23rd July, 1904.							Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.				
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
76 TOWNS	15,271,287	13.5	13.5	13.7	14.1	2.7	8565	4142	1204	936	5	177	24	50	91	17	428	195	357	1017	39	76 TOWNS.	
LONDON -	4,648,950	12.9	12.9	12.9	14.8	2.9	2472	1320	364	318	1	49	4	14	21	5	161	83	152	511	1	LONDON.	
(CROYDON -	144,419	9.4	10.5	12.6	11.6	0.4	69	32	3	13	-	1	-	-	-	-	-	1	1	7	-	(CROYDON.	
WILLESDEN -	132,666	12.6	9.4	9.8	7.1	0.4	82	18	6	4	-	-	-	-	-	-	1	-	2	3	-	WILLESDEN.	
HORNSEY -	81,221	7.1	3.2	5.8	8.3	-	34	13	1	7	-	-	-	2	-	-	6	-	4	6	-	HORNSEY.	
TOTTENHAM -	112,881	5.1	6.9	12.5	12.0	3.7	76	26	12	7	-	-	-	-	-	-	17	3	8	23	-	TOTTENHAM.	
WEST HAM -	288,424	11.8	12.8	12.7	14.1	4.7	188	78	27	14	-	5	2	2	1	-	5	1	2	1	-	WEST HAM.	
EAST HAM -	116,802	8.5	8.9	9.8	10.3	4.0	76	23	12	1	-	2	1	1	1	-	2	1	3	1	-	EAST HAM.	
LEYTON -	110,844	6.1	7.1	9.4	7.1	1.9	74	15	7	3	-	1	-	-	-	-	2	1	2	3	-	LEYTON.	
(WALTHAMSTOW -	111,282	8.9	8.4	7.5	8.9	1.9	66	19	6	4	-	2	-	-	-	-	2	-	3	3	-	(WALTHAMSTOW.	
HASTINGS -	66,503	12.5	12.5	11.0	8.6	-	19	11	2	6	-	-	-	-	-	-	-	-	-	2	-	HASTINGS.	
BRIGHTON -	126,286	14.5	12.8	13.6	13.6	0.8	60	33	5	8	-	1	-	-	-	-	1	2	4	9	1	BRIGHTON.	
PORTSMOUTH -	188,058	12.4	11.8	12.4	9.2	0.5	107	35	9	11	-	-	-	1	1	-	-	-	1	3	-	PORTSMOUTH.	
BOURNEMOUTH -	64,645	8.9	14.5	4.8	9.7	2.4	16	12	2	5	-	-	-	1	-	-	2	-	3	1	-	BOURNEMOUTH.	
SOUTHAMPTON -	112,500	8.8	12.1	13.4	13.9	1.4	61	30	6	10	-	-	-	-	2	-	1	-	3	5	-	SOUTHAMPTON.	
READING -	73,373	8.2	11.6	10.9	9.6	1.4	39	14	-	7	-	-	-	-	-	1	1	-	1	5	-	READING.	
NORTHAMPTON -	91,146	8.6	12.0	10.9	7.4	1.1	37	13	3	6	-	-	1	-	-	-	1	1	1	2	-	NORTHAMPTON.	
IPSWICH -	69,805	12.0	14.2	15.7	14.2	-	35	19	4	9	-	-	-	-	-	-	-	-	-	-	-	IPSWICH.	
GREAT YARMOUTH -	52,089	20.0	12.0	12.0	16.0	1.0	31	16	10	3	-	-	-	-	1	-	-	2	4	-	-	GREAT YARMOUTH.	
NORWICH -	115,538	14.9	13.1	12.6	13.5	2.7	55	30	7	9	-	-	-	-	1	1	4	2	2	2	-	NORWICH.	
PLYMOUTH -	114,003	13.7	16.0	16.0	13.3	0.5	44	29	3	14	-	-	1	-	-	-	1	1	3	6	-	PLYMOUTH.	
DEVONPORT -	75,334	13.2	9.7	.97	9.7	0.7	40	14	3	6	-	-	-	-	-	-	1	1	2	4	-	DEVONPORT.	
BRISTOL -	345,204	11.2	9.6	11.5	11.5	0.8	157	76	21	16	-	-	-	1	-	-	4	3	5	15	-	BRISTOL.	
HANLEY -	63,932	22.8	13.9	16.3	12.2	4.1	42	15	4	-	-	1	2	1	-	-	1	1	1	4	-	HANLEY.	
BURTON-ON-TRENT -	61,934	12.0	21.1	19.1	12.0	4.0	26	12	1	1	-	-	-	-	4	-	2	2	2	2	-	BURTON-ON-TRENT.	
WOLVERHAMPTON -	98,194	11.2	12.7	8.5	11.2	1.1	47	21	4	8	-	-	-	-	-	-	2	2	2	3	-	WOLVERHAMPTON.	
WALSALL -	91,432	10.8	15.4	17.1	13.1	1.7	66	23	11	4	-	-	-	-	-	-	2	1	1	-	1	WALSALL.	
HANDSWORTH -	59,634	7.0	2.6	8.7	10.5	0.9	29	12	1	6	-	-	1	-	-	-	1	-	-	-	-	HANDSWORTH.	
WEST BROMWICH -	67,186	14.0	10.9	14.0	3.1	-	47	4	1	2	-	-	-	-	-	-	-	-	-	1	-	WEST BROMWICH.	

* See note † on first page of this return

† These towns are included within the area of Greater London.

TOWNS.	POPULATION estimated to the middle of the Year 1904.*	DEATH-RATES from all Causes.					Rate from Diseases during the week ended 23rd July, 1904.		The DEATHS registered in the Week include										TOWNS.			
		Week ended					BIRTHS.	DEATHS.	Deaths of		Deaths from						Inquest Cases.	Deaths in Public Institutions.		Uncertified Causes of Death.		
		Week ended							Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.					Violence.	
		2nd July, 1904.	9th July, 1904.	16th July, 1904.	23rd July, 1904.	Week ended 30th July, 1904.																
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM	-	15.5	14.8	15.4	14.7	3.4	327	152	61	29	-	2	-	2	3	-	28	6	7	37	3	BIRMINGHAM.
KINGS NORTON	-	7.0	6.3	8.6	5.5	-	40	7	1	1	-	-	-	-	-	-	-	1	1	1	-	KINGS NORTON.
SMETHWICK	-	12.9	13.7	6.9	15.5	0.9	34	18	9	5	-	-	-	-	1	-	-	-	-	3	-	SMETHWICK.
ASTON MANOR	-	80.863	9.1	11.7	15.6	7.8	40	24	12	5	-	-	-	-	1	-	11	-	-	-	1	ASTON MANOR.
COVENTRY	-	73.904	9.2	8.5	12.7	1.4	44	18	2	4	-	-	-	1	-	-	1	2	2	1	-	COVENTRY.
LEICESTER	-	224.186	13.0	10.7	10.5	9.5	117	41	6	17	-	1	-	-	2	-	4	2	3	5	1	LEICESTER.
GRIMSBY	-	66.958	11.7	14.8	9.3	13.2	34	17	4	2	-	2	-	-	1	1	2	-	1	1	1	GRIMSBY.
NOTTINGHAM	-	248.811	15.7	13.2	13.6	14.5	136	69	27	15	-	1	-	1	3	-	11	2	3	13	-	NOTTINGHAM.
DERBY	-	120.449	13.0	12.1	14.7	12.1	88	28	9	10	-	1	-	1	1	-	-	-	-	9	-	DERBY.
STOCKPORT	-	97.008	11.3	19.9	18.8	17.7	66	33	15	6	-	1	-	-	-	-	8	1	4	3	-	STOCKPORT.
BIRKENHEAD	-	114.614	16.3	17.3	18.6	18.2	69	40	13	9	-	7	-	-	1	-	1	1	6	4	1	BIRKENHEAD.
WALLASEY	-	60.354	11.2	11.2	13.8	11.2	27	13	9	1	-	-	-	-	1	-	4	1	1	1	-	WALLASEY.
LIVERPOOL	-	723.430	17.7	18.2	19.6	20.3	392	281	85	50	-	22	2	7	6	-	43	9	17	72	6	LIVERPOOL.
BOOTLE	-	61.755	17.7	11.0	26.2	18.6	38	22	6	3	-	6	-	-	-	-	2	2	2	2	1	BOOTLE.
ST. HELENS	-	88.445	14.7	14.7	17.1	20.0	60	34	9	6	-	4	-	-	-	1	3	-	-	5	-	ST. HELENS.
WIGAN	-	62.800	21.6	12.5	14.1	10.0	48	12	5	1	-	-	-	-	-	-	-	-	1	2	-	WIGAN.
WARRINGTON	-	67.331	10.1	13.2	13.9	16.3	34	21	6	4	-	-	2	-	1	-	-	-	4	2	-	WARRINGTON.
BOLTON	-	175.744	14.5	16.6	8.9	15.4	86	52	16	16	-	-	-	-	1	-	3	3	5	6	1	BOLTON.
BURY	-	58.450	14.3	8.9	7.1	12.5	31	14	2	4	-	-	-	-	1	-	1	1	1	1	1	BURY.
MANCHESTER†	-	557.938	19.0	17.9	16.4	14.6	363	156	51	25	-	-	-	-	-	-	13	5	13	41	4	MANCHESTER.†
SALFORD	-	228.983	14.8	16.2	18.7	17.8	161	78	26	13	-	6	-	1	2	2	5	2	2	19	-	SALFORD.
OLDHAM	-	139.497	16.5	19.1	12.0	17.2	69	46	9	10	-	2	-	1	-	-	1	1	3	10	-	OLDHAM.
ROCHDALE	-	85.601	10.4	12.8	17.1	15.2	32	25	6	6	1	-	-	-	-	-	2	3	5	7	-	ROCHDALE.
BURNLEY	-	100.509	12.4	15.6	11.4	19.7	36	38	12	11	-	1	-	-	2	-	4	3	3	5	1	BURNLEY.
BLACKBURN	-	132.134	15.0	15.0	12.2	10.3	62	26	8	4	-	-	-	-	-	-	-	1	1	3	-	BLACKBURN.
PRESTON	-	115.055	10.9	10.4	10.0	14.5	66	32	10	14	-	-	-	-	-	-	3	1	1	7	-	PRESTON.
BARROW-IN-FARROW	-	59.054	9.6	17.5	12.2	13.1	43	15	6	1	-	-	1	-	-	-	-	4	4	-	-	BARROW-IN-FARROW.

TOWNS.	POPULATION estimated to the middle of the year 1901.*	Causes.				Diseases 11-17.		Registered Deaths 23rd July, 1904.		Deaths from										Deaths in Public Institutions.				TOWNS.
		Week ended				Week ended 11-17.		Week ended 23rd July, 1904.		Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes of Death.		
		2nd July, 1901.	9th July, 1901.	16th July, 1901.	23rd July, 1901.	11-17.	23rd July, 1904.	7.	8.														9.	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.		
HUDDESFIELD	-	20'3	21'4	22'5	17'6	4'9	52	32	4	7	-	6	-	-	-	1	2	4	4	4	-	HUDDESFIELD.		
HALIFAX	-	16'0	8'7	11'6	12'6	1'5	53	26	3	8	-	1	-	-	1	-	1	-	2	6	-	HALIFAX.		
BRADFORD	-	13'7	15'0	15'2	16'8	3'3	150	92	24	17	-	12	-	3	1	-	2	5	8	12	1	BRADFORD.		
LEEDS	-	16'0	14'8	14'8	16'6	5'1	241	143	50	26	-	17	2	1	5	2	17	4	6	21	-	LEEDS.		
SHEFFIELD	-	12'8	13'7	14'0	11'7	1'6	283	97	26	20	-	-	1	-	2	1	9	4	8	15	1	SHEFFIELD.		
ROTHERHAM	-	12'5	11'6	12'5	9'8	0'9	38	11	1	2	-	-	-	-	-	1	1	1	1	3	-	ROTHERHAM.		
YORK	-	13'5	12'8	9'6	14'1	2'6	39	22	8	8	-	-	1	-	2	-	1	-	2	6	-	YORK.		
HULL	-	18'1	13'8	15'6	13'1	2'1	171	64	13	16	-	4	-	3	2	-	1	4	5	14	1	HULL.		
MIDDLESBROUGH	-	14'6	12'9	19'4	13'5	1'6	84	25	7	4	-	2	-	-	-	-	1	-	1	3	-	MIDDLESBROUGH.		
STOCKTON-ON-TEES	-	9'0	13'0	11'0	9'0	1'0	31	9	4	2	-	-	-	-	1	-	-	-	1	1	-	STOCKTON-ON-TEES.		
WEST HARTLEPOOL	-	12'8	9'8	7'5	12'0	-	54	46	5	6	-	-	-	-	-	-	-	1	1	5	-	WEST HARTLEPOOL.		
SUNDERLAND	-	14'8	15'5	14'8	19'3	3'4	0	56	14	6	-	1	-	1	2	-	6	3	5	6	3	SUNDERLAND.		
SOUTH SHIELDS	-	13'1	18'0	12'1	12'1	1'9	25	4	4	2	-	-	-	2	1	-	-	2	2	5	1	SOUTH SHIELDS.		
GATESHEAD	-	118'067	12'3	17'7	16'3	11'5	79	26	11	5	1	-	-	-	1	-	2	1	2	1	1	GATESHEAD.		
NEWCASTLE-ON-TYNE	-	225'362	19'0	16'7	16'7	15'0	24	65	13	12	2	1	-	1	2	1	3	4	7	21	1	NEWCASTLE-ON-TYNE.		
TYNEMOUTH	-	53'060	13'8	13'8	11'8	15'7	39	16	5	7	-	-	-	-	-	-	1	-	-	1	-	TYNEMOUTH.		
NEWPORT (MON.)	-	71'543	8'7	11'7	13'8	10'9	46	15	3	1	-	-	-	-	-	-	1	1	1	2	-	NEWPORT (MON.).		
CARDIFF	-	176'313	10'1	7'7	12'1	10'6	89	36	7	4	-	-	-	-	1	-	3	-	1	4	-	CARDIFF.		
RHONDDA	-	122'310	15'8	14'5	21'3	19'6	93	46	24	2	-	5	2	1	1	1	6	3	2	1	1	RHONDDA.		
MERTHYR TYDFIL	-	72'745	9'3	15'8	17'2	16'5	47	23	9	4	-	-	-	-	-	-	2	2	2	3	-	MERTHYR TYDFIL.		
SWANSEA	-	95'931	12'0	12'0	16'3	12'0	47	22	9	3	-	-	-	-	1	-	2	1	3	1	1	SWANSEA.		
GREATER LONDON	-	6,907,756	11'6	12'0	12'4	13'9	3788	1885	533	437	1	65	9	24	25	5	248	100	203	591	2	GREATER LONDON.		
OUTER RING	-	2,258,806	8'9	10'1	11'3	11'9	1316	615	109	119	-	16	5	10	4	-	87	17	51	80	1	OUTER RING.		
8 TOWNS IN OUTER RING	-	1,098,639	9'3	9'3	10'6	10'6	665	224	74	53	-	11	2	5	2	-	33	5	23	44	-	8 TOWNS IN OUTER RING.		
REMAINDER OF OUTER RING	-	1,160,167	8'6	10'9	11'9	13'1	651	291	95	66	-	5	3	5	2	-	54	12	28	36	1	REMAINDER OF OUTER RING.		
EDINBURGH	-	331,977	17'1	16'2	13'4	14'9	185	95	18	32	-	6	-	1	2	-	4	4	?	26	5	EDINBURGH.		
GLASGOW	-	798,357	15'9	16'5	15'3	15'9	453	243	48	41	2	2	3	1	13	3	10	11	?	65	15	GLASGOW.		
DUBLIN†	-	378,994	16'5	17'9	19'3	17'5	240	127	24	30	-	5	-	-	3	2	5	3	5	52	7	DUBLIN.†		
BELFAST†	-	358,680	17'3	17'7	16'6	16'3	258	112	30	23	-	-	-	1	2	4	7	3	8	22	?	BELFAST.†		

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the TWENTY-NINTH Week of each of the Eleven Years, 1894-1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894-1903.*	1904
TOTAL Births -	2423	2557	2429	2601	2505	2444	2384	2519	2657	2442	2589.0	2472
Males - -	1262	1307	1203	1366	1256	1279	1239	1261	1379	1199	1322.5	1273
Females - -	1161	1250	1226	1235	1249	1165	1145	1258	1278	1243	1266.5	1199
TOTAL Deaths -	1405	1996	1891	1708	1330	1589	1417	1411	1236	1128	1567.4	1320
Males - -	744	1037	993	921	713	855	777	709	690	605	835.0	689
Females - -	661	959	892	787	617	734	640	702	546	523	732.4	631

* The numbers in this column are the average weekly numbers in the twenty-ninth week of the ten years 1894-1903, raised by 3.723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Apr. 30.	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	13 Weeks.
TOTAL Births -	2793	2403	2551	2376	2122	2507	2578	2583	2465	2514	2526	2450	2472	32280
TOTAL Deaths -	1392	1325	1454	1349	1274	1179	1187	1142	1143	1148	1154	1152	1320	16219
Under 1 year -	280	274	289	299	275	237	223	237	218	246	270	278	364	3493
1-5 years -	194	215	203	158	200	176	175	151	165	145	146	145	162	2235
5-20 " -	80	64	77	52	65	64	81	74	61	54	72	60	65	869
20-40 " -	158	152	163	174	159	140	155	163	155	170	143	140	163	2035
40-60 " -	312	272	281	300	226	238	253	225	236	240	241	246	248	3323
60 yrs. & upwds.	368	348	441	366	319	324	290	292	310	293	283	283	318	4264
Deaths from—														
Small-pox† -	3	1	-	-	2	-	-	-	1	1	-	-	1	9
Measles - -	66	62	86	75	83	78	62	65	55	58	53	39	49	831
Scarlet Fever -	10	3	7	5	4	7	4	10	3	7	9	8	4	81
Diphtheria - -	14	19	20	10	14	6	9	7	16	9	7	7	14	152
Whooping-cough -	42	48	44	39	33	32	28	25	17	29	27	29	21	414
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	3	4	1	4	2	1	5	3	5	5	1	5	5	44
Pyrexia (origin uncertain).	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Diarrhoea, Dysentery	15	23	16	21	15	16	26	23	25	24	39	57	161	461
All above Diseases -	163	161	174	154	153	140	124	133	122	133	136	145	255	1992
Dis. of Resp. System	100	83	116	105	80	73	64	57	64	60	52	62	36	952
Pneumonia - -	124	110	115	105	108	108	93	85	77	88	83	93	84	1271
Phthisis - -	160	155	143	123	145	133	134	162	119	136	132	98	116	1756
Dis. of Circ. System -	178	167	206	193	136	148	158	137	156	151	155	156	158	2099
Violence - -	63	62	61	65	54	56	67	47	50	43	54	50	83	755
Inquest Cases - -	155	125	143	151	133	119	134	117	100	115	124	119	152	1687
Deaths in Institutions	532	485	569	498	480	441	436	403	431	435	416	436	511	6073
TEMPERATURE OF THE AIR.														
Mean - - -	49.6	49.0	49.7	51.0	57.3	56.0	55.9	59.6	58.6	59.7	63.2	68.1	67.1	57.5
Mean of Highest -	57.1	58.1	58.8	63.7	65.9	64.1	65.5	70.8	69.9	71.3	74.3	79.9	79.8	67.6
Mean of Lowest -	43.3	42.4	41.5	44.3	50.5	49.2	48.1	51.4	48.2	48.3	53.1	56.3	55.6	48.6
Mean Humidity of the Air.	72	70	81	65	86	84	75	72	68	67	70	62	61	72
Rain-fall (in inches) -	0.05	0.55	0.29	0.35	0.30	0.71	0.12	0.27	0.17	0.15	0.22	0.01	0.04	3.23
Registered Sunshine (in hours).	21.9	37.0	14.0	58.5	15.0	28.7	39.3	44.9	46.8	68.9	50.9	84.7	74.9	555.5
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	104	88	99	96	118	96	95	80	83	74	71	62	51	86
Scarlet Fever -	1541	1590	1600	1630	1663	1673	1647	1630	1629	1631	1685	1698	1754	1644
Diphtheria - -	720	750	777	767	768	748	721	696	671	684	721	764	767	734
Typhus - -	2	2	2	1	-	-	-	-	1	1	-	-	-	1
Enteric Fever -	62	56	53	56	51	52	65	68	74	62	60	61	58	60

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgogaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Cluau, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the TWENTY-NINTH Week of the Year 1904.

terms printed in *italics* being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 29th week of the year 1903.	1904—Deaths of Persons of the Ages						CAUSES OF DEATH.	Deaths in the 29th week of the year 1903.	1904—Deaths of Persons of the Ages									
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.		60 years and upwards.		
			0-1.	1-5.	5-20.		0-1.				1-5.	5-20.	0-1.		1-5.	5-20.			
L CAUSES	1128	1320	364	162	65	163	248	318	Meningitis (not tuberc.)	19	16	4	5	3	2	1	1		
									Insanity, Gen. Par. of	6	14	-	-	-	2	6	-		
									Insane	-	-	-	-	-	-	-	-		
									Epilepsy	5	8	1	-	2	1	1	3		
									Convulsions	16	27	24	3	-	-	-	-		
									Locomotor Ataxy	-	-	-	-	-	-	-	-		
									Paraplegia, Dis. of Cord	4	7	-	-	1	1	1	4		
									Nervous Sys. (other dis.)	10	19	2	1	12	6	8	-		
									Valv. Dis., Endocarditis	41	29	-	-	1	6	8	14		
									Cerebr. Hæm. Thromb.	26	25	-	-	1	7	17	-		
									Apoplexy, Hemiplegia	9	14	-	-	-	5	9	-		
									Aneurysm	7	6	-	-	1	3	2	-		
									Embolism, Thrombosis	-	-	-	-	-	-	-	-		
									(not cerebral)	-	-	-	-	-	-	-	-		
									Heart & Blood Vessel Dis.	57	84	-	-	4	12	25	43		
									Croup (not Spasm: nor	-	-	-	-	-	-	-	-		
									Memb.)	-	-	-	-	-	-	-	-		
									Bronchitis	35	26	2	2	-	2	4	16		
									Asthma, Emphysema	1	2	-	-	-	1	1	-		
									Pleurisy	1	3	-	-	-	2	1	-		
									Respiratory Dis. (other)	10	5	2	-	-	1	2	-		
									Tonsillitis, Quinsy	-	1	-	1	-	-	-	-		
									Enteritis (not Epid.)	12	19	12	4	-	-	-	3		
									Gastro-Enteritis	7	13	11	-	-	1	1	-		
									Feritonitis (not Puerp.)	2	2	1	-	-	1	-	-		
									Cirrhosis of Liver	12	19	-	-	-	14	5	-		
									Liver Dis. (other)	6	4	-	-	1	-	-	-		
									Digestive Dis., Other	35	42	7	2	6	7	10	10		
									Nephritis, Acute	4	3	-	-	-	2	1	-		
									Bright's Dis., Albumin-	28	35	-	-	-	4	11	20		
									uria	14	10	-	-	-	-	4	6		
									Urinary Sys., Other Dis.	14	10	-	-	-	-	-	-		
									Generative Organs Dis.	8	3	-	-	-	-	2	1		
									Childbirth (Acid. of)	1	2	-	-	-	2	-	-		
									Old Age	39	44	-	-	-	-	-	44		
									Other Diseases	88	75	51	6	2	3	4	9		
									ACCIDENT.										
									By Railways	-	3	-	-	-	3	-	-		
									By Vehicles and Horses	3	6	-	1	2	-	1	2		
									In Ships, Boats, Docks,	1	1	-	-	-	-	1	-		
									(exclusive of Drown-										
									ing)										
									In Building Operations	3	1	-	-	-	1	-	-		
									In Conflagrations	-	1	-	-	-	-	1	-		
									By Burns, Scalds, Ex-	2	8	-	5	1	1	-	1		
									plosions	7	10	-	-	-	2	3	5		
									By Drowning	7	15	15	-	-	-	-	-		
									By Suffocation in Bed	7	15	15	-	-	-	-	-		
									By Poisons or Poisonous	3	2	-	-	-	-	2	-		
									Vapours										
									Other Deaths by Acci-	12	22	2	2	4	2	1	11		
									dent										
									VIOLENCE OTHER THAN										
									ACCIDENTAL.										
									Homicide	-	-	-	-	-	-	-	-		
									Suicide	15	11	-	-	-	10	4	-		
									Execution	-	-	-	-	-	-	-	-		

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 23rd July, 1904.

REGISTRATION SUB-DISTRICTS.		Enu- me- rated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include															Deaths in Public Institutions.
					Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from													
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmic (Origin un- certain).	Diarrhœa.	Violence.	Inquest Cases.			
LONDON	- - -	4,536,429	2472	1320	364	318	1	49	4	14	21	-	5	-	161	83	152	511		
WEST DISTRICTS	- - -	805,311	356	218	55	67	-	3	-	-	1	-	1	-	33	18	24	85		
NORTH DISTRICTS	- - -	1,056,070	559	320	82	78	-	14	1	9	4	-	2	-	27	19	36	120		
CENTRAL DISTRICTS	- - -	209,465	87	59	9	-	-	1	-	-	2	-	-	-	1	-	4	34		
EAST DISTRICTS	- - -	715,739	488	245	79	49	-	7	-	1	4	-	-	-	41	22	46	104		
SOUTH DISTRICTS	- - -	1,749,844	982	444	139	106	-	24	2	3	10	-	2	-	58	24	42	134		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*		-	-	34	-	9	1	-	1	1	-	-	-	-	1	-	-	34		
WEST DISTRICTS.																				
St. Mary Paddington } W ^{2H}	G. & W.	93,178	49	21	7	6	-	-	-	-	-	-	-	-	4	2	3	11		
St. John Paddington } North-West Paddington	- - G. - - C.	33,617 17,181	10 13	15 1	- -	5 -	- -	- -	- -	- -	- -	- -	- -	- -	- -	3 -	5 -	11 -		
Kensington Town 2W, w, 2H } Brompton 2H	G. & W. & C. - - W. & C.	128,037 48,591	56 14	41 10	6 1	19 3	- -	- 2	- -	- -	- -	- -	1 -	- -	3 1	1 2	21 2			
North Hammersmith W, w, H } South Hammersmith w, 2H } North-west Fulham W } North-east Fulham F } South Fulham W }	W. & G. W. & G. W. & G. W. & C. W. & C.	49,192 63,047 45,180 46,405 45,704	32 28 38 24 33	13 15 19 11 10	6 6 7 5 2	4 4 10 2 2	- - - - -	- - - - -	- - - - -	- - 1 - -	- - - - -	- - - - -	- - - - -	7 1 3 3 1	- - 2 1 2	- 1 2 1 3	- 2 8 2 -			
Chelsea North W, w, 3H } Chelsea South W, 2H }	- - C. - - C.	42,514 31,328	12 8	20 12	2 5	4 2	- -	- 1	- -	- -	- -	- -	- -	- -	1 2	2 -	1 -	16 5		
May Fair and Knightsbridge C. & G. Belgrave W, 2H } St. Margaret & St. John 4H	- - C. - - C. - - C.	28,743 55,815 43,698	5 13 15	3 12 10	3 3 3	2 1 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - 5	- 2 5	1 3 -	1 3 4			
St. James Westminster } W, H	N. & G.	21,588	-	4	2	1	-	-	-	-	-	-	-	-	1	-	-	1		
St. Anne Soho 5H	- - N.	11,493	5	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-		
NORTH DISTRICTS																				
All Souls Marylebone 8H } Rectory Marylebone W } St. Mary Marylebone 4H } Christchurch Marylebone H- } St. John Marylebone 3H }	- - W. G. & W. G. & W. W. W.	35,391 19,849 18,099 59,536 20,426	4 11 37 26 4	22 3 3 8 2	2 3 1 4 2	6 - 1 2 -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - 5 -	- - - - -	- - - - -	10 - 2 - -			
Hampstead W, F, 6H } West St. Pancras 2H } Tottenham-court w, 6H } Gray's Inn Lane 4H } East St. Pancras W, 2H } North St. Pancras 2W }	- N. & W. - - W. N. & W. - - N. - - N. - - N.	81,942 60,562 21,258 34,449 60,320 58,728	23 30 6 20 38 27	18 14 14 18 25 14	2 2 1 6 6 3	5 2 1 1 8 3	- - - - - 1	- 2 - - - -	1 - - - - -	1 - - - - 1	- - - - - -	- - - - - -	1 - - - - -	- 1 1 2 2 -	1 - 1 2 2 -	2 - - 2 6 1	10 6 11 5 10 8			
Tufnell W- } Upper Holloway 2W, w, 2H } Tollington W- } Lower Holloway } Barnsbury } Islington South-east F } Highbury 2H }	- - N. - - N. - - N. - - N. - - N. - - N. - - N.	31,995 33,978 33,922 41,424 54,478 75,397 63,797	16 20 15 22 27 51 26	17 20 3 11 10 12 9	4 3 2 4 1 5 2	7 3 - 3 4 2 4	- - - - - 1 -	3 3 - 3 - - -	- - - - - - -	- - - - 1 - -	- - - - - - -	- - - - - - -	- - - - 1 - -	1 - - - 1 3 2	- - - - 1 2 4	- - - - 1 2 2	14 13 - - - - -			
Stoke Newington H } North Hackney } Central Hackney 2w, F } South-west Hackney 3H } South-east Hackney 2W, w, H E. & N.	- - N. - - E. & N. E. & N. E. & N. E. & N.	51,247 50,560 50,536 59,921 58,255	21 14 34 38 49	13 11 25 20 28	3 1 9 8 5	6 2 2 4 4	- - - - -	1 - - - -	- - 8 - -	1 - - - 1	- - - - -	- - 1 - -	- - - - -	1 - 4 4 2	- 1 1 2 3	- 1 1 5 5	- 2 10 11 10			

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G, signifies Grand Junction Company; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth and N, New River; E, East London; and K, the Kent Company.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

REGISTRATION SUB-DISTRICTS.

On 1st May, 1904, the sub-districts of Mile End Old Town West and Mile End Old Town East were dissolved and redivided into two new sub-districts as above.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 23rd July, 1904—continued.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														Deaths in Public Institutions.
				Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from												
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.		
SOUTH DISTRICTS.																		
Christchurch Southwark W, H, L. & S.	11,263	5	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark H - S.	12,056	7	19	6	13	-	-	-	-	-	1	-	-	-	-	2	1	15
Kent-road - - - S. & L.	21,904	8	6	4	-	-	-	-	-	-	-	-	-	-	-	3	-	-
St. George the Martyr } S. & L.	39,094	27	10	4	1	-	2	-	-	1	-	-	-	-	1	-	1	5
West W, H, L. - - -																		
Newington North - - S. & L.	49,022	31	4	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-
Newington South W - S. & L.	72,841	54	11	7	-	-	-	-	-	-	-	-	-	-	-	1	3	1
St. Olave 2W - - - S.	9,817	8	4	2	-	-	1	-	-	-	-	-	-	-	1	1	-	-
Bermondsey W - - - S.	82,483	51	17	9	3	-	1	-	-	-	-	-	-	-	5	1	2	-
Rotherhithe W, F - - S. & K.	38,460	22	9	2	1	-	1	-	-	1	-	-	-	-	2	1	1	1
Waterloo-road 2H - - L. & S.	27,440	22	8	4	2	-	-	-	-	-	-	-	-	-	1	1	1	1
Lambeth Church 1st H - L. & S.	18,423	9	24	7	2	-	1	-	-	-	-	-	-	-	6	2	3	19
Lambeth Church 2nd 2W - L. & S.	39,818	29	30	16	5	-	6	-	-	1	-	-	-	-	7	1	-	14
Kennington 1st H - - S. & L.	53,198	38	18	10	4	-	-	-	-	-	-	-	-	-	5	-	1	2
Kennington 2nd H - - S. & L.	42,896	22	8	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3
Brixton F - - - L. & S.	84,232	32	12	-	7	-	-	-	-	-	-	-	-	-	-	1	1	2
Norwood W, H - - - L.	35,888	23	8	1	4	-	-	-	-	-	-	-	-	-	-	-	-	1
East Battersea H - - S.	72,203	47	17	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-
North-west Battersea - - S.	49,656	24	7	2	2	-	-	-	-	-	-	-	-	-	2	1	2	-
South-west Battersea W, H - S.	47,048	28	14	3	4	-	1	-	-	-	-	-	-	-	-	-	1	6
Clapham 2H - - - S.	51,361	23	11	3	5	-	-	-	1	1	-	-	-	-	2	-	-	5
Streatham* W, 2w, 2F, 2L - L.	88,019	41	15	2	4	-	2	-	-	-	-	-	-	-	-	1	3	-
Springfield 2W, L - - S.	27,959	17	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Southfields H - - - S.	40,444	25	7	1	4	-	-	-	-	-	-	-	-	-	-	1	1	-
Putney - - - S.	24,139	13	8	4	2	-	-	-	-	-	-	-	-	-	3	-	1	-
Dulwich - - - L. & S.	13,359	4	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South W, w S. & L.	40,206	27	19	1	10	-	-	-	-	1	-	-	-	-	-	-	1	12
Camberwell North W, 2L S. & L.	65,584	35	26	3	9	-	1	-	-	-	-	-	-	-	1	1	1	15
St. George - - - L. & S.	47,331	23	5	3	1	-	-	-	-	-	-	-	-	-	2	1	2	-
Peckham 2W, w - - S., L. & K.	92,859	56	16	5	2	-	1	-	-	1	-	1	-	-	2	1	2	-
Deptford North - - - K.	37,613	25	6	2	-	-	1	-	-	-	-	-	-	-	-	1	1	-
Deptford Central F - - K.	45,481	30	6	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-
Deptford South - - - K.	34,625	15	6	2	3	-	-	-	-	-	-	-	-	-	-	1	1	-
Greenwich West 2H - - K.	23,456	13	5	-	3	-	1	-	-	-	-	-	-	-	-	1	1	1
Greenwich East 2W, H - K.	43,859	20	16	1	5	-	1	-	-	-	-	-	-	-	-	-	1	0
Eltham w, H - - - K.	7,226	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee w, H - - - K.	25,490	13	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Lewisham W, w, F - - K.	58,352	32	14	5	2	-	-	1	2	-	-	-	-	-	-	-	-	10
Sydenham H - - - L.	43,653	18	5	-	2	-	-	-	-	-	-	-	-	-	-	1	1	-
Charlton F, 2H - - - K.	21,134	9	8	1	2	-	-	1	-	-	-	1	-	-	1	-	-	5
Woolwich 4H - - - K.	41,625	21	7	4	1	-	-	-	-	-	-	-	-	-	4	1	1	-
Plumstead West W - - K.	18,063	6	4	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Plumstead East 2W, H - K.	50,264	24	19	7	4	-	1	-	-	-	-	-	-	-	1	1	3	5
London County Asy., Banstead -	-	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	5
Manor Asylum, Epsom - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton Asylum, Epsom - - -	-	-	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	5
Lon. Co. Asy. Epilep. Colony, Epsom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Caterham	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2
London County Asy., Cane Hill -	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	3
M.A.B. Hospitals, Dartford - -	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Met. Asy. for Imbeciles, Darenth -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Dartford } Heath - - -	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4
London County Asylum, Hanwell -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3
Central London Sick Asy., Hendon -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	2
London County Asy., Colney Hatch -	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	4
M.A.B. North-Eastern Hospital -	-	-	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	2
M.A.B. Northern Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Leavesden -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Claybury -	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* On 1st June, 1904, changes were made in the boundary between Streatham sub-district and Mitcham sub-district (38).

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 23rd July, 1904.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu-merated Popu-lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include												
					Deaths of		Deaths from										
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Dysentery.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes of Death.
LONDON—OUTER RING	368,589	2,044,973	1316	515	169	119	-	16	5	10	4	-	87	17	51	80	1
Carshalton W,2F,3H	12,228	32,997	14	8	3	2	-	-	-	2	1	-	-	-	-	2	-
Epsom, part of* W,2F,H	10,423	15,548	13	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Godstone, part of* W,F	2,754	2,692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Coulsdon	11,069	8,166	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
South Croydon W	4,200	49,369	22	9	1	4	-	-	-	-	-	-	-	-	-	-	-
West Croydon 3W,F,H	2,168	42,888	28	17	1	8	-	1	-	-	-	-	-	1	1	8	-
North Croydon H	2,644	41,658	19	7	1	1	-	-	-	-	-	-	-	-	-	-	-
Penge W	770	23,465	8	4	1	1	-	-	-	-	-	-	1	-	-	-	-
Mitcham W	11,689	30,015	10	4	1	2	-	-	-	-	-	-	-	-	-	-	-
Wimbledon F,3H	3,221	41,552	25	9	1	3	-	-	-	-	-	-	1	-	-	1	-
Kingston W,H	6,224	42,068	26	13	3	5	-	-	-	-	-	-	-	-	1	8	-
Surbiton F,H	3,046	15,017	7	3	1	1	-	-	-	-	-	-	-	2	-	1	-
Esher, part of* H	5,402	13,100	13	3	-	-	-	-	-	-	-	-	-	-	-	-	-
Hampton H,L	4,564	23,456	13	5	2	3	-	-	-	-	-	-	1	-	2	-	-
Richmond W,H	2,162	28,865	11	4	1	1	-	-	-	-	-	-	-	1	1	2	-
Mortlake F	2,847	20,628	15	7	1	2	-	-	-	-	-	-	-	1	2	-	-
Bromley F,2H	4,703	27,354	13	4	2	2	-	-	-	-	1	-	-	-	-	1	-
Beckenham H	7,825	28,497	15	9	2	3	-	-	-	-	-	-	1	-	-	-	-
Orpington, part of* W	10,113	9,857	3	4	1	3	-	-	-	-	-	-	-	-	-	-	-
Chislehurst 2H	7,333	16,446	14	1	1	-	-	-	-	-	-	-	1	-	-	-	-
Bexley F,H	8,678	21,151	6	7	2	-	-	-	-	-	-	-	-	-	-	-	-
Erith F,H	3,554	25,296	18	7	2	1	-	-	-	-	-	-	2	-	-	-	-
Dartford W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sunbury W	11,054	18,683	12	3	1	-	-	-	-	-	-	-	-	2	2	-	-
Staines W,H	13,277	15,178	6	6	3	-	-	-	-	-	-	-	2	2	2	-	-
Hillingdon W,F,H	6,035	13,661	7	2	-	1	-	-	-	-	-	-	1	-	-	1	-
Uxbridge	12,757	8,984	6	3	-	1	-	-	-	2	-	-	-	-	-	2	-
Hayes W,F,H	8,066	16,358	12	7	2	1	-	-	-	-	-	-	2	-	-	-	-
Isleworth 3W,2F,H	6,859	30,863	20	22	6	7	-	1	-	-	-	-	1	-	-	7	-
Twickenham F,H	2,421	20,991	14	3	2	-	-	-	-	-	-	-	2	-	-	1	-
Brentford 2F,2H,L	4,519	48,289	33	10	1	5	-	1	-	-	-	-	1	1	2	-	-
Chiswick H	1,249	29,809	20	8	3	-	-	3	-	-	-	-	1	1	-	-	-
Acton W,3H	6,132	48,914	43	16	4	5	-	-	-	-	-	-	3	-	-	-	-
Harrow F,H	13,809	25,523	11	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Edgware F,2H	6,994	4,521	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Willesden W,F,2H	4,384	114,811	82	17	6	4	-	-	-	-	-	-	1	-	-	2	-
Hendon W,F	8,382	22,450	12	3	-	1	-	-	-	-	-	-	-	-	-	-	-
South Mimms 2F,H	17,755	7,308	4	2	1	-	-	-	-	-	-	-	-	1	1	-	-
Barnet W,3H	3,324	17,970	16	4	-	1	-	-	1	-	-	-	-	1	1	-	-
Finchley F,2H	4,688	33,692	19	6	2	2	-	-	-	-	-	-	-	-	-	-	-
Hornsey F,H	2,875	72,056	34	12	1	7	-	-	-	-	-	-	2	2	3	1	-
Wood Green H	1,625	34,233	26	8	3	1	-	-	-	1	-	-	3	2	1	-	-
West Tottenham F	996	48,853	35	8	2	1	-	-	-	1	-	-	3	1	3	3	-
East Tottenham F,H	2,017	53,688	41	15	10	4	-	-	-	-	-	-	3	3	3	3	-
Edmonton W,2F	7,491	61,892	46	29	14	4	-	-	-	-	-	-	13	4	4	3	-
Enfield 2W,F,H	12,601	42,738	34	25	14	1	-	-	-	-	-	-	13	2	1	-	-
Waltham Abbey	11,017	6,549	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cheshunt F,H	8,479	12,292	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey H	9,333	9,173	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford H	1,072	44,897	29	11	2	2	-	-	1	-	-	-	-	2	2	3	-
Plaistow F,2H	1,249	90,921	80	23	13	-	-	2	1	2	-	-	7	8	1	3	-
Canning Town H	1,556	70,718	57	19	8	2	-	-	-	-	-	-	-	2	1	3	-
Forest Gate W	806	60,892	22	11	4	4	-	-	-	-	-	-	-	2	1	-	-
North East Ham W	1,333	53,676	51	9	5	1	-	-	1	-	1	-	4	1	2	-	-
South East Ham 3F	1,993	37,342	25	13	7	-	-	-	-	-	-	-	-	-	-	-	-
Wanstead F	1,679	9,179	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Leyton 2W	631	50,467	46	14	5	2	-	3	-	-	1	-	2	-	1	6	-
North Leyton W,2F	1,963	48,445	28	18	2	7	-	-	-	-	-	-	-	-	3	11	-
Walthamstow 3H,L	6,504	108,929	77	17	7	3	-	1	-	-	-	-	2	-	-	-	-
Chigwell, part of* 2FAH	11,778	16,397	6	5	1	1	-	-	-	-	-	-	-	-	-	1	-
Epping W,F, part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Romford, part of* W,2F	6,556	6,091	1	1	-	-	-	-	-	1	-	-	-	-	-	1	-
Ilford F,L	8,496	41,234	30	13	7	3	-	-	-	1	-	-	-	-	-	-	-
Barking Town F	3,803	21,547	17	11	4	3	-	-	-	-	-	-	-	-	-	1	-
Middlesex County Asylum, Streatham.	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	3	-
Middlesex County Asylum, Wandsworth.	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asylum, Hendon.	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-
N.E. Hospital, Tottenham	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	-

The parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 137: 1, excepting Heydon Bois parish, and part of Epping parish; 139: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 137: 2 are also included.

* See note * on preceding page.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.
CALCUTTA (including SUBURBS)	847,796	June 11	-	355	21·7	1	3	-	-	-	131†
BOMBAY - -	776,006	July 5	296	502	33·6	14	3	-	-	-	74†
MADRAS - -	509,346	June 17	423	445	45·4	-	3	?	?	?	122
PARIS - - -	2,660,559	July 16	1153	1017	19·8	2	17	2	4*	6	5
BRUSSELS - -	575,896	" 16	223	156	13·8	-	-	-	1*	2	-
ANTWERP - -	281,376	" 16	148	92	16·7	-	2	-	-	-	-
AMSTERDAM -	547,370	" 9	285	129	12·3	-	7	-	-	3	1
COPENHAGEN -	420,000	" 16	240	106	13·2	-	3	1	-	1	-
STOCKHOLM -	305,115	" 9	120	89	15·0	-	-	1	1*	1	-
CHRISTIANIA -	225,709	" 16	137	58	13·5	-	1	-	1*	-	-
ST. PETERSBURG	1,248,643	" 9	487	599	25·0	1	28	13	12*	6	13
MOSCOW - -	1,093,410	" 9	-	562	26·8	5	31	5	5*	2	2
BERLIN - - -	1,960,909	" 2	851	570	15·1	-	9	6	12*	10	-
HAMBURG - -	751,842	" 16	-	252	17·4	-	4	-	1*	9	1
BRESLAU - -	445,403	" 16	-	188	22·0	-	4	1	-	?	-
MUNICH - - -	520,000	" 16	-	222	22·2	-	4	3	1*	1	-
VIENNA - - -	1,779,169	" 16	883	676	19·5	1	20	-	5*	-	-
PRAGUE - - -	423,990	" 9	179	160	19·5	-	1	-	-	3	5
BUDA-PESTH -	813,399	" 16	377	289	18·5	-	6	4	5*	1	1
TRIESTE - - -	187,251	" 9	124	112	30·6	-	1	-	-	2	-
ROME - - -	496,201	May 7	253	192	20·1	-	6	-	2*	1	4
VENICE - - -	166,288	July 9	83	50	15·7	-	1	-	-	-	-
CAIRO - - -	624,338	April 22	495	505	42·2	3	40	-	3*	?	19
ALEXANDRIA -	349,300	" 20	512	505	42·2	3	45	-	4*	?	10
		" 22	287	218	32·5	3	2	-	2*	?	6
		" 20	240	238	35·5	1	1	-	-	?	4†
NEW YORK - -	3,338,024	July 9	2299	1641	22·3	-	15	13	29*	6	9
PHILADELPHIA -	1,408,154	June 25	-	395	14·6	1	2	1	8*	-	7
BOSTON - - -	617,950	" 25	-	174	14·6	-	2	-	3*	-	2

* Including deaths from croup.

† Including 36 deaths from plague in Calcutta, and 40 in Bombay.

‡ Including 7 deaths from cholera in Calcutta, 1 in Madras, and 2 in Alexandria.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 23rd July, 1904.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	85·0	54·2	67·7	0·04	BRADFORD - -	75·6	50·2	62·6	0·43
BRIGHTON - -	80·6	54·0	65·6	0·08	LEEDS - - -	78·0	51·0	64·6	0·57
PORTSMOUTH - -	79·8	55·0	66·5	0·12	HULL - - -	75·0	44·0	60·1	0·75
NORWICH - - -	81·0	46·8	63·4	0·03	TYNEMOUTH - -	65·0	48·0	57·5	0·23
PLYMOUTH - -	73·9	53·0	64·2	0·78					
BRISTOL - - -	82·2	49·4	64·7	0·84	EDINBURGH - -	66·4	47·0	56·6	0·19
BIRMINGHAM - -	77·7	52·3	63·9	0·23	GLASGOW - - -	75·4	43·0	59·8	0·91
NOTTINGHAM - -	76·9	52·0	64·3	0·26	DUBLIN { Phoenix Park, Fitz- william Square.†	72·0	47·0	59·3	0·43
LIVERPOOL OBSERVATORY.	77·0	54·0	63·9	0·20		71·0	54·3	62·0	0·27
MANCHESTER - -	76·5	48·6	63·6	0·07		-	-	-	-
PRESTON - - -	73·5	51·7	63·2	0·06	BELFAST - - -	-	-	-	-
HUDDERSFIELD -	75·2	47·0	61·6	1·17					

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1·9° Fahrenheit, to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A. M.D. Dublin.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 16th July, 1901.*

BOROUGHS.	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Chicken-pox.
WEST.											
Paddington- - - -	146,975	-	2	3	-	-	-	-	1	-	13
Kensington - - - -	179,236	-	10	3	-	-	-	-	3	-	16
Hammersmith - - -	117,412	-	4	9	-	-	-	-	1	-	14
Fulham - - - - -	152,482	-	4	7	-	-	-	-	2	-	14
Chelsea - - - - -	74,329	-	2	-	-	-	-	-	2	-	2
City of Westminster-	177,321	1	5	4	-	2	-	-	3	-	5
NORTH.											
St. Marylebone - - -	130,337	1	11	5	-	-	-	-	4	-	14
Hampstead - - - -	86,663	-	2	3	-	-	-	-	-	-	13
St. Pancras- - - -	235,936	-	29	6	-	-	-	-	4	-	25
Islington - - - - -	341,044	-	17	3	-	2	-	-	3	-	45
Stoke Newington - - -	52,445	-	1	1	-	-	-	-	2	1	1
Hackney - - - - -	226,266	1	14	8	-	3	-	-	5	-	14
CENTRAL.											
Holborn - - - - -	57,161	-	1	1	-	-	-	-	1	-	1
Finsbury - - - - -	98,958	2	7	-	-	1	-	-	2	-	17
City of London - - -	23,482	-	-	1	-	-	-	-	-	-	-
EAST.											
Shoreditch - - - -	117,033	3	9	3	-	1	-	-	4	-	10
Bethnal Green - - -	130,207	-	14	7	-	1	-	-	4	-	9
Stepney - - - - -	303,791	-	24	15	-	1	-	-	10	-	35
Poplar- - - - -	169,905	-	10	10	-	-	-	-	2	-	22
SOUTH.											
Southwark- - - - -	207,937	-	7	3	-	2	-	-	8	-	20
Bermondsey - - - -	129,397	-	10	11	-	1	-	-	2	1	12
Lambeth - - - - -	310,359	-	14	2	-	2	-	-	1	1	28
Battersea - - - - -	175,465	-	5	4	-	1	-	-	5	2	23
Wandsworth - - - -	257,448	-	9	8	-	-	-	-	4	-	24
Camberwell - - - -	268,384	1	27	7	-	1	-	-	4	-	30
Deptford - - - - -	113,509	-	10	4	-	-	-	-	-	-	14
Greenwich - - - - -	101,651	-	2	3	-	4	-	-	1	-	6
Lewisham - - - - -	140,401	-	5	2	-	1	-	-	2	-	12
Woolwich - - - - -	123,416	-	12	4	-	2	-	-	3	-	12
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. }											
4,648,950		9	267	137	-	25	-	-	83	5	451
Ages											
0-1 - - - - -	-	-	2	3	-	-	-	-	4	-	34
" 1-5 - - - - -	-	2	91	52	-	-	-	-	3	-	214
" 5- - - - -	-	2	107	53	-	3	-	-	7	-	170
" 10- - - - -	-	-	41	11	-	5	-	-	3	-	18
" 15- - - - -	-	-	11	7	-	2	-	-	3	-	12
" 20- - - - -	-	1	6	4	-	4	-	-	4	1	2
" 25- - - - -	-	2	4	5	-	9	-	-	4	-	-
" 35- - - - -	-	2	4	-	-	2	-	-	16	1	-
" 45- - - - -	-	-	-	-	-	-	-	-	24	-	1
" 55- - - - -	-	-	-	1	-	-	-	-	7	-	-
" 65 and upwards - -	-	-	-	1	-	-	-	-	8	-	-
Age not stated - - -	-	-	1	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1904.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

~~~~~

By Authority of the Registrar General.

~~~~~

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 30. 1904. VOL. LXV.] WEEK ENDED SATURDAY, JULY 30. [Price 1½d.

General Register Office, Somerset House,
August 2nd, 1904.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 16·4 per 1000 of their aggregate population, which is estimated† at 15,271,287 persons in the middle of this year. In the preceding three weeks the rates had been 13·5, 13·7, and 14·1. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 22·1 in West Ham, 22·6 in Birmingham, 24·7 in Rhondda, 25·8 in Stockport, 27·1 in St. Helens, and 29·8 in Liverpool; from *measles*, 1·8 in Salford, 2·1 in Hull, 2·3 in Birkenhead, 2·4 in Hanley, 2·7 in Huddersfield, 3·5 in St. Helens, and 3·9 in Grimsby; from *whooping-cough*, 4·0 in Burton upon Trent; and from *diarrhæa*, 6·0 in Tottenham, 6·1 in Leyton, 6·3 in Nottingham, 6·8 in Bootle, 7·0 in Birmingham and in Stockport, 9·2 in West Ham, 10·2 in Liverpool, and 11·0 in Aston Manor. Two deaths from *small-pox* were registered in London, and 1 each in Warrington, Manchester, and Newcastle upon Tyne, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2467 BIRTHS and 1423 DEATHS were registered. Allowing for increase of population, the births were 143 and the deaths 315 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 12·9, 12·9, and 14·8 in the preceding three weeks, further rose last week to 16·0. During the four weeks ended on Saturday last the death-rate averaged 14·2 per 1000, being 2·9 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, and in certain local Small-pox Hospitals, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1423 deaths included 2 from small-pox, 36 from measles, 7 from scarlet fever, 5 from diphtheria, 13 from whooping-cough, 6 from enteric fever, and 301 from diarrhoea, but not one death from typhus or from ill-defined pyrexia; thus, 370 deaths were referred to these diseases in the aggregate, being 57 below the corrected average weekly number.

Of the 2 deaths from *small-pox*, 1 belonged to the Borough of Finsbury and 1 to Bethnal Green. The deaths from *measles*, which had been 53, 39, and 49 in the preceding three weeks, fell again last week to 36, and were 11 below the corrected average; 8 deaths belonged to the Borough of Islington, 5 to Greenwich, 4 to Lambeth, and 3 each to Fulham, Hackney, and Stepney. The deaths from *scarlet fever*, which had been 9, 8, and 4 in the preceding three weeks, rose again last week to 7, but were 7 below the corrected average. The deaths from *diphtheria*, which had been 7, 7, and 14 in the preceding three weeks, fell again last week to 5, and were 31 below the corrected average. The deaths from *whooping-cough*, which had been 27, 29, and 21 in the preceding three weeks, further fell last week to 13, and were 21 below the corrected average. The fatal cases of *enteric fever*, which had been 1, 5, and 5 in the preceding three weeks, were 6 last week, the corrected average being 10. The deaths from *diarrhoea*, which had been 39, 57, and 161 in the preceding three weeks, further rose last week to 301, and were 15 above the corrected average; 37 deaths belonged to Stepney, 23 each to Shoreditch, Poplar, and Southwark, 20 to Lambeth, 18 to Hackney, 13 to Fulham, and 12 to Bethnal Green. Of the 301 deaths from diarrhoea, 291 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 17 more deaths at this age. The deaths attributed directly to *influenza* numbered 2, having been 6, 4, and 2 in the preceding three weeks. The death of a female, aged 16 years, was certified after inquest as due to *ptomaine poisoning*.

Different forms of *violence* caused 83 deaths, concerning all but 1 of which inquests were held. Of these 83 deaths, 19 were cases of suicide, and 2 of homicide, while the remaining 62 were attributed to accident or negligence. Ten of these latter were referred to vehicles in the streets, 6 to drowning, 3 to heat apoplexy, 10 to burns and scalds, and 8 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 46 cases of small-pox, 1784 of scarlet fever, 770 of diphtheria, and 67 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 7 cases, against 10, 7, and 6; of scarlet fever, 243 cases, against 269, 229, and 234; of diphtheria, 127 cases, against 120, 128, and 127; and of enteric fever, 20 cases, against 11, 16, and 12. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended July 23rd.

GREATER LONDON.

In Greater London 3734 births and 2094 deaths were registered. Allowing for increase of population these numbers are 123 and 304 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 3 deaths from measles, 2 from scarlet fever, 4 from diphtheria, 4 from whooping-cough, and 102 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·71 inches, and that of the Thermometer 65°·4, the latter being 3°·1 above the week's average in the 50 years 1841–90. The direction of the wind was South-westerly, the horizontal movement of the air being 22 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 34·6 hours; the measured rainfall amounted to 1·83 inches.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	COLS.	DEATH-RATES from all Causes.										Rate from Diseases in Cols. 11-17.		Registered during the Week ended 30th July, 1904.		The DEATHS registered in the Week include										TOWNS.										
		Week ended 16th July, 1904.					Week ended 23rd July, 1904.					Week ended 30th July, 1904.		BIRTHS.	DEATHS.	Deaths of						Deaths from					Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Causes of Death.
		Week ended 16th July, 1904.					Week ended 23rd July, 1904.					Week ended 30th July, 1904.				Deaths of						Deaths from														
		Week ended 16th July, 1904.					Week ended 23rd July, 1904.					Week ended 30th July, 1904.				Deaths of						Deaths from														
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	COLS.															
76 TOWNS	15,271,287	13.5	13.7	14.1	16.4	4.3	8748	4793	1740	948	5	156	33	35	57	22	947	179	358	1002	50	76 TOWNS.														
LONDON	4,648,960	12.9	12.9	14.8	16.0	4.1	2487	1423	492	301	2	36	7	5	13	6	301	83	161	476	5	LONDON.														
CROYDON.	144,419	10.5	12.6	11.6	8.7	0.7	53	24	8	7	-	-	-	-	-	-	-	1	1	5	-	CROYDON.														
WILLESDEN.	132,666	9.4	9.8	7.1	9.8	2.0	31	25	11	4	-	-	-	-	-	-	-	1	3	5	-	WILLESDEN.														
HORNSEY.	81,221	3.2	5.8	8.3	4.5	-	31	7	-	3	-	-	-	-	-	-	-	-	1	-	-	HORNSEY.														
TOTTENHAM.	112,981	6.9	12.5	12.0	17.5	6.0	88	38	23	5	-	-	-	-	-	-	-	3	7	-	-	TOTTENHAM.														
WEST HAM	288,424	12.8	12.7	14.1	22.1	10.5	178	122	59	15	-	3	-	2	2	-	51	7	10	29	-	WEST HAM.														
EAST HAM	116,802	8.9	9.8	10.3	12.5	4.9	65	28	14	4	-	-	-	-	-	-	9	1	3	-	-	EAST HAM.														
LEYTON.	110,844	7.1	9.4	7.1	15.5	7.5	69	33	15	5	-	2	-	1	-	-	13	-	1	3	1	LEYTON.														
WALTHAMSTOW	111,282	8.4	7.5	8.9	16.4	4.7	64	35	11	8	-	1	-	-	-	-	9	-	1	6	-	WALTHAMSTOW.														
HASTINGS.	66,503	12.5	11.0	8.6	14.1	-	27	18	2	9	-	-	-	-	-	-	-	-	1	-	-	HASTINGS.														
BRIGHTON	126,286	12.8	13.6	13.6	14.9	1.7	52	36	8	14	-	1	-	-	1	-	2	2	5	7	1	BRIGHTON.														
PORTSMOUTH	198,038	11.8	12.4	9.2	13.4	2.4	107	51	14	14	-	-	-	3	1	1	4	2	7	13	-	PORTSMOUTH.														
BOURNEMOUTH	64,645	14.5	4.8	9.7	12.9	-	27	16	1	6	-	-	-	-	-	-	-	-	1	2	-	BOURNEMOUTH.														
SOUTHAMPTON	112,500	12.1	13.4	13.9	12.1	1.4	61	26	5	8	-	-	-	-	-	-	3	1	4	5	-	SOUTHAMPTON.														
READING	73,373	11.6	10.9	9.6	14.3	4.8	50	21	9	7	-	-	-	2	-	-	5	1	2	3	-	READING.														
NORTHAMPTON	91,146	12.0	10.9	7.4	7.4	2.9	38	13	5	4	-	-	-	-	-	-	5	1	1	2	-	NORTHAMPTON.														
IPSWICH	69,805	14.2	15.7	14.2	15.4	0.7	44	18	7	2	-	-	-	-	-	1	-	1	4	3	1	IPSWICH.														
GREAT YARMOUTH.	52,089	12.0	12.0	16.0	18.0	1.0	33	18	5	6	-	-	-	-	-	-	-	-	5	-	-	GREAT YARMOUTH.														
NORWICH	115,538	13.1	12.6	13.5	14.9	4.1	60	33	12	7	-	2	-	-	2	-	5	1	2	4	-	NORWICH.														
PLYMOUTH	114,003	16.0	16.0	13.3	15.6	1.8	54	34	11	5	-	1	1	-	-	-	2	-	1	2	1	PLYMOUTH.														
DEVONPORT	75,334	9.7	9.7	9.7	11.1	1.4	42	16	4	4	-	-	-	-	-	-	-	-	1	-	-	DEVONPORT.														
BRISTOL	343,204	9.6	11.5	11.5	11.7	2.1	183	77	19	21	-	-	1	1	2	2	8	1	10	21	-	BRISTOL.														
HANLEY	63,692	13.9	16.3	12.2	17.9	3.3	46	22	6	6	-	3	-	-	-	-	1	1	1	3	1	HANLEY.														
BURTON-ON-TRENT	51,434	21.1	19.1	12.0	19.1	5.0	30	19	3	9	-	-	-	-	4	-	1	1	2	2	-	BURTON-ON-TRENT.														
WOLVERHAMPTON.	98,194	12.7	8.5	11.2	12.2	2.1	53	23	5	6	-	-	-	-	-	-	4	-	1	3	-	WOLVERHAMPTON.														
WALSALL.	91,432	15.4	17.1	13.1	15.4	2.3	56	27	8	10	-	-	-	-	-	-	2	2	3	3	-	WALSALL.														
HANDSWORTH	59,634	2.6	8.7	10.5	8.7	0.9	17	10	1	3	-	-	1	1	-	-	-	-	-	-	-	HANDSWORTH.														
WEST BROMWICH	67,186	10.9	14.0	3.1	14.7	4.7	40	19	7	5	-	1	-	1	-	-	3	1	1	1	-	WEST BROMWICH.														

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES during the Week ended Saturday, 30th July, 1904, and DEATH-RATES during the preceding three weeks.

TOWNS.	Cols.	POPULATION estimated to the middle of the Year 1904.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the week ended 30th July, 1904.		The DEATHS registered in the Week include											TOWNS.	
			Week ended				11-17.		30th July, 1904.		Deaths of		Deaths from							Inquest Cases.	Deaths in Public Institutions.		Causes of Death.
			Week ended								Persons aged												
			9th July, 1904.	16th July, 1904.	23rd July, 1904.	30th July, 1904.	Week ended 11-17.	30th July, 1904.	Under 1 Year	60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence.					
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.		
BIRMINGHAM -	-	537,965	14.8	15.4	14.7	22.6	8.1	319	233	109	40	-	3	2	1	6	72	8	10	48	3	BIRMINGHAM.	
KINGS NORTON -	-	60,867	6.3	8.6	5.5	7.0	-	22	9	1	6	-	-	-	-	-	-	-	-	3	-	KINGS NORTON.	
SMETHWICK -	-	60,681	13.7	6.9	15.5	2.6	-	39	3	-	1	-	-	-	-	-	-	-	-	1	-	SMETHWICK.	
ASTON MANOR -	-	80,363	11.7	11.7	15.6	21.4	12.3	48	33	18	7	-	-	1	-	1	17	-	-	3	-	ASTON MANOR.	
COVENTRY -	-	73,904	8.5	12.7	12.7	9.9	0.7	29	14	4	4	-	-	-	-	-	1	1	1	1	-	COVENTRY.	
LEICESTER -	-	224,186	10.7	10.5	9.5	10.9	3.0	121	47	18	7	-	1	-	1	1	10	-	1	4	-	LEICESTER.	
GRIMSBY -	-	66,968	14.8	9.3	13.2	16.4	4.7	51	21	7	4	-	5	-	-	-	1	2	2	1	-	GRIMSBY.	
NOTTINGHAM -	-	248,811	13.2	13.6	14.5	20.1	7.3	123	96	45	18	-	1	1	1	-	30	3	3	13	-	NOTTINGHAM.	
DERBY -	-	120,449	12.1	14.7	12.1	9.1	0.9	69	21	3	7	-	1	-	-	-	-	1	1	9	-	DERBY.	
STOCKPORT -	-	97,008	19.9	18.8	17.7	25.8	8.6	45	48	19	8	-	2	-	-	-	-	-	2	7	-	STOCKPORT.	
BIRKENHEAD -	-	114,814	17.3	18.6	18.2	19.1	5.9	75	42	18	8	-	5	-	-	2	-	-	3	5	1	BIRKENHEAD.	
WALLASEY -	-	60,354	11.2	13.8	11.2	13.0	1.7	32	15	6	2	-	-	-	-	-	2	-	-	2	1	WALLASEY.	
LIVERPOOL -	-	723,430	18.2	19.6	20.3	29.8	12.3	532	413	194	48	-	20	3	3	1	142	12	20	64	9	LIVERPOOL.	
BOOTLE -	-	61,755	11.0	26.2	18.6	20.3	7.6	41	24	12	5	-	1	-	-	-	8	1	1	4	3	BOOTLE.	
ST. HELENS -	-	88,545	14.7	17.1	20.0	27.1	9.4	43	46	16	4	-	6	-	-	2	-	-	-	4	-	ST. HELENS.	
WIGAN -	-	62,800	12.5	14.1	10.0	21.6	4.2	53	26	11	4	-	-	-	-	1	-	-	-	1	-	WIGAN.	
WARRINGTON -	-	67,331	13.2	13.9	16.3	18.6	3.1	43	24	6	7	-	-	-	1	1	-	-	3	3	2	WARRINGTON.	
BOLTON -	-	175,744	16.6	8.9	15.4	13.4	0.6	96	45	11	10	-	-	-	-	-	-	-	5	-	-	BOLTON.	
BURY -	-	58,450	8.9	7.1	12.5	10.7	0.9	23	12	2	3	-	-	-	-	-	-	2	3	-	-	BURY.	
MANCHESTER†	-	557,938	17.9	16.4	14.6	20.9	6.4	357	224	81	31	1	11	3	2	7	1	1	1	54	3	MANCHESTER.†	
SALFORD -	-	228,983	16.2	18.7	17.8	18.7	5.2	138	82	32	11	-	8	1	1	3	10	2	8	13	-	SALFORD.	
OLDHAM -	-	139,497	19.1	12.0	17.2	15.0	1.1	56	40	10	11	-	-	-	2	1	-	3	5	2	-	OLDHAM.	
ROCHDALE -	-	86,601	12.8	17.1	15.2	14.6	1.8	52	24	6	9	-	-	1	-	-	-	-	-	2	-	ROCHDALE.	
BURNLEY -	-	100,569	15.6	11.4	19.7	13.5	3.1	62	26	13	8	-	-	-	-	-	-	-	-	4	1	BURNLEY.	
BLACKBURN -	-	132,134	15.0	12.2	10.3	11.0	0.4	54	28	2	6	-	-	-	-	-	-	-	1	3	-	BLACKBURN.	
PRESTON -	-	116,055	10.4	10.0	14.5	9.5	0.5	68	21	8	5	-	-	-	-	-	-	1	1	-	-	PRESTON.	

TOWNS.	Population on the 1st of July, 1904.*	Week ended					11-17.		Deaths of Infants under 1 year of Age.	Persons aged 60 Years and upwards.	Deaths from								Unidentified Causes of Death.	TOWNS.			
		Week ended					11-17.				Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.			Deaths in Public Institutions.		
		9th July, 1904.	16th July, 1904.	23rd July, 1904.	30th July, 1904.	Week ended 30th July, 1904.	BIRTHS.	DEATHS.															
																						7.	8.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
Huddersfield	94,925	21'4	22'5	17'6	16'5	4'4	43	30	11	9	-	5	-	-	-	-	3	1	2	5	-	Huddersfield.	
Halifax	107,580	8'7	11'6	12'6	12'1	0'5	37	25	3	6	-	1	-	-	-	-	-	2	3	10	-	Halifax.	
Bradford	285,089	15'0	15'2	16'8	18'3	4'2	133	100	33	18	-	4	1	3	-	-	15	1	8	16	1	Bradford.	
Leeds	450,142	14'8	14'8	16'6	18'5	4'6	270	160	51	29	-	12	1	1	1	2	23	2	8	19	1	Leeds.	
Sheffield	432,940	13'7	14'0	11'7	13'4	3'5	281	111	49	25	-	1	-	-	1	-	27	4	8	13	4	Sheffield.	
Rotherham	58,498	11'6	12'5	9'8	8'0	0'9	37	9	2	4	-	-	-	-	-	-	1	-	-	-	1	Rotherham.	
York	81,268	12'8	9'6	14'1	14'8	3'8	41	23	8	3	-	-	1	-	-	-	5	1	1	4	-	York.	
Hull	253,865	13'8	15'6	13'1	16'4	4'5	153	80	29	15	-	10	-	1	1	-	10	3	5	10	1	Hull.	
Middlesbrough	96,884	12'9	19'4	13'5	15'1	2'7	72	28	10	4	-	1	-	-	-	-	4	-	-	3	-	Middlesbrough.	
Stockton-on-Tees	52,192	13'0	11'0	9'0	9'0	2'0	32	9	3	2	-	-	-	1	-	-	1	-	-	3	-	Stockton-on-Tees.	
West Hartlepool	69,251	9'8	7'5	12'0	13'6	-	40	18	4	2	-	-	-	-	-	-	-	1	2	1	1	West Hartlepool.	
Sunderland	151,157	15'5	14'8	19'3	13'1	1'0	1,9	38	11	8	-	-	-	-	-	1	2	-	-	9	-	Sunderland.	
South Shields	107,334	18'0	12'1	12'1	13'1	1'5	74	27	10	3	-	1	-	-	-	-	2	-	-	3	2	South Shields.	
Gateshead	118,067	17'7	16'3	11'5	10'6	1'3	65	24	7	6	-	-	-	-	-	-	3	-	-	1	2	Gateshead.	
Newcastle-on-Tyne	225,362	16'7	16'7	15'0	16'9	1'2	132	73	20	13	1	1	-	-	-	-	3	5	7	19	-	Newcastle-on-Tyne.	
Tynemouth	53,060	13'8	11'8	15'7	15'7	1'0	46	16	7	1	-	-	-	-	1	-	-	2	3	1	-	Tynemouth.	
Newport (Mon.)	71,543	11'7	13'8	10'9	10'9	1'5	64	15	7	1	-	-	-	-	-	1	1	1	1	1	-	Newport (Mon.).	
Cardiff	176,313	7'7	12'1	10'6	11'8	2'4	114	40	12	7	-	1	2	2	1	-	2	1	2	4	-	Cardiff.	
Rhondda	122,310	14'5	21'3	19'6	24'7	6'0	119	58	30	6	-	-	-	-	-	1	13	3	3	2	-	Rhondda.	
Merthyr Tydfil	72,745	15'8	17'2	16'5	13'6	2'2	40	19	7	4	-	-	1	-	-	-	2	1	1	2	-	Merthyr Tydfil.	
Swansea	95,931	12'0	16'3	12'0	16'3	1'1	71	30	7	8	-	-	2	-	-	-	-	4	4	5	1	Swansea.	
Greater London	6,907,756	12'0	12'4	13'9	15'8	4'5	3734	2094	782	423	2	48	9	12	19	7	503	103	210	508	7	Greater London.	
Outer Ring	2,258,806	10'1	11'3	11'9	15'5	5'3	1267	671	290	122	-	12	2	7	6	1	202	20	49	92	2	Outer Ring.	
8 Towns in Outer Ring	1,098,639	9'3	10'6	10'6	14'8	5'4	639	312	141	51	-	9	-	3	2	1	100	8	20	59	1	8 Towns in Outer Ring.	
Remainder of Outer Ring	1,160,167	10'9	11'9	13'1	16'1	5'2	628	359	149	71	-	3	2	4	4	-	102	12	29	33	1	Remainder of Outer Ring.	
Edinburgh	331,977	16'2	13'4	14'9	12'9	1'6	152	82	16	18	-	4	-	2	3	1	-	6	?	?	5	Edinburgh.	
Glasgow	798,357	16'5	15'3	15'9	14'9	1'9	462	228	56	43	-	1	2	-	12	1	13	7	?	?	7	Glasgow.	
Dublin†	378,994	17'9	19'3	17'5	17'9	1'7	243	130	35	18	-	4	-	1	2	1	4	4	6	50	7	Dublin.†	
Belfast†	358,680	17'7	16'6	16'3	16'7	3'1	195	115	36	23	-	2	-	-	2	1	16	2	11	22	?	Belfast.†	

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTIETH Week of each of the Eleven Years, 1894-1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894-1903.*	1904
TOTAL Births -	2419	2575	2448	2599	2696	2494	2507	2384	2521	2519	2609.9	2467
Males - -	1249	1316	1236	1320	1381	1240	1267	1234	1274	1280	1327.4	1293
Females - -	1170	1259	1212	1279	1315	1254	1240	1150	1247	1239	1282.5	1174
TOTAL Deaths -	1437	1939	2146	2023	1452	1884	1846	1582	1260	1191	1738.4	1423
Males - -	726	1003	1136	1101	777	1039	988	817	649	670	921.7	786
Females - -	711	936	1010	922	675	845	878	765	611	521	816.7	637

* The numbers in this column are the average weekly numbers in the thirtieth week of the ten years 1894-1903, raised by 3.723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	May 7.	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	13 Weeks.
TOTAL Births -	2403	2551	2376	2122	2507	2578	2583	2465	2514	2526	2450	2472	2467	32014
TOTAL Deaths -	1325	1454	1349	1274	1179	1187	1142	1143	1148	1154	1152	1320	1423	16250
Under 1 year -	274	289	299	275	237	228	237	216	246	270	278	364	492	3705
1-5 years -	215	203	158	200	176	175	151	165	145	146	145	162	184	2225
5-20 " -	65	77	52	65	64	81	74	61	54	72	60	65	74	863
20-40 " -	152	163	174	159	140	155	163	155	170	143	140	163	156	2033
40-60 " -	272	281	300	226	238	258	225	236	240	241	246	248	216	3227
60 yrs. & upwds.	348	441	366	349	324	290	292	310	293	283	283	318	301	4197
Deaths from—														
Small-pox† -	1	-	-	2	-	-	-	1	1	-	-	1	2	8
Measles - -	62	86	75	83	78	62	65	55	58	53	39	49	36	801
Scarlet Fever -	3	7	5	4	7	4	10	3	7	9	8	4	7	78
Diphtheria - -	19	20	10	14	6	9	7	16	9	7	7	14	5	143
Whooping-cough -	48	44	39	33	32	28	25	17	29	27	29	21	13	335
Typhus - -	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	4	1	4	2	1	5	3	5	5	1	5	5	6	47
Pyrexia (origin uncertain).	1	-	-	-	-	-	-	-	-	-	-	-	-	1
Diarrhoea, Dysentery	23	16	21	15	16	26	23	25	24	39	57	161	301	747
All above Diseases -	161	174	154	153	140	134	133	122	133	136	145	255	370	2210
Dis. of Resp. System	83	116	105	80	73	64	57	64	60	52	62	36	48	900
Pneumonia - -	110	115	105	108	108	93	85	77	86	83	93	84	70	1217
Phthisis - -	155	143	123	145	133	134	162	119	136	132	98	116	113	1709
Dis. of Circ. System	167	206	193	136	148	158	137	156	151	155	156	158	144	2065
Violence - -	62	61	65	54	56	67	47	50	43	54	50	83	83	775
Inquest Cases - -	125	143	151	133	119	134	117	100	115	124	119	152	161	1692
Deaths in Institutions	485	569	498	480	441	436	403	431	435	416	436	511	476	6017
TEMPERATURE OF THE AIR.														
Mean - - -	49.0	49.7	51.0	57.3	56.0	55.9	59.6	58.6	59.7	63.2	68.1	67.1	65.4	58.7
Mean of Highest -	58.1	58.8	63.7	65.9	64.1	65.5	70.8	69.9	71.3	74.3	79.9	79.8	76.9	69.2
Mean of Lowest -	42.4	41.5	44.3	50.5	49.2	48.1	51.4	48.2	48.3	53.1	56.3	55.6	56.4	49.6
Mean Humidity of the Air.	70	81	65	86	84	75	72	68	67	70	62	61	75	72
Rain-fall (in inches) -	0.55	0.29	0.35	0.30	0.71	0.12	0.27	0.17	0.15	0.22	0.01	0.04	1.83	5.01
Registered Sunshine (in hours).	37.0	14.0	58.5	15.0	28.7	39.3	44.9	46.8	68.9	50.9	84.7	74.9	34.6	598.2
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	88	99	96	118	96	95	80	83	74	71	62	51	46	81
Scarlet Fever -	1590	1600	1630	1663	1673	1647	1630	1629	1631	1685	1698	1754	1784	1663
Diphtheria - -	750	777	767	758	748	721	696	671	684	721	764	767	770	738
Typhus - -	2	2	1	-	-	-	-	1	1	-	-	-	-	1
Enteric Fever -	56	53	56	51	52	65	68	74	62	60	61	58	67	60

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E. and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Cluett, Esq., M.D., Prestwick, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the THIRTIETH Week of the Year 1904.

the terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 30th week of the year 1903.	1904—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 30th week of the year 1903.	1904—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES	1191	1423	492	184	74	156	216	301	Meningitis (not tuberc.)	15	26	11	11	2	-	1	1
									Insanity, Gen. Par. of	24	9	-	-	-	1	6	-
									Insane - - - - -	5	4	-	-	-	2	2	-
Small-pox*	-	2	-	1	-	1	-	-	Epilepsy - - - - -	5	23	23	3	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-	Convulsions - - - - -	23	2	-	-	-	1	1	-
Measles (Morbilli)	14	36	15	20	1	-	-	-	Locomotor Ataxy - -	4	2	-	-	-	-	1	2
Scarlet Fever	7	7	-	6	1	-	-	-	Paraplegia, Dis. of Cord	16	23	1	1	2	2	6	11
Typhus	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	28	32	-	-	1	7	8	16
Plague	-	-	-	-	-	-	-	-	Cerebr. Hæm. Thromb.	31	31	-	-	-	1	12	18
Influenza	4	2	-	-	-	1	1	-	Apoplexy, Hemiplegia	13	9	-	-	-	-	3	6
Whooping-cough	11	13	4	9	-	-	-	-	Aneurysm - - - - -	7	5	-	-	-	1	2	2
Diphtheria	16	5	1	4	-	-	-	-	Embolism, Thrombosis	1	-	-	-	-	-	-	-
Cerebro Spinal Fever	-	-	-	-	-	-	-	-	(not cerebral)	78	67	1	1	6	12	16	31
Pyæmia,† (Origin un-	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.								
certain)	-	-	-	-	-	-	-	-	Croup (not Spasm: nor	1	1	-	1	-	-	-	-
Enteric Fever	8	6	-	-	1	3	2	-	Memb. - - - - -	35	33	5	7	-	1	1	19
Asiatic Cholera	-	-	-	-	-	-	-	-	Bronchitis - - - - -	3	2	-	1	-	-	-	-
Epidemic Diarrhoea	40	185	153	27	-	1	4	-	Asthma, Emphysema	5	12	2	2	-	2	1	4
(Infected Enteritis)	43	116	86	25	-	1	1	3	Pleurisy - - - - -								
Diarrhœa, Dysentery	-	-	-	-	-	-	-	-	Respiratory Dis. (other)	1	-	-	-	-	-	-	-
Tetanus	1	1	-	-	-	1	-	-	Tonsillitis, Quinsy -	1	-	-	-	-	-	-	-
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Enteritis (not Epid.)	10	20	12	4	1	1	1	1
Glanders	-	-	-	-	-	-	-	-	Gastro-Enteritis - -	10	18	15	2	1	-	-	-
Thrax (Splenic Fever)	-	-	-	-	-	-	-	-	Færitonitis (not Puerp.)	5	5	1	1	1	-	-	2
Venereal Dis.	6	9	8	-	-	1	-	-	Cirrhosis of Liver - -	19	15	-	-	-	1	6	8
Puerperal Septicæmia	6	2	-	-	2	-	-	-	Liver Dis. (other) - -	7	5	-	-	-	-	2	3
Puerperal Pyæmia	1	-	-	-	-	-	-	-	Digestive Dis., Other	32	47	12	2	8	10	6	9
Puerperal Fever	1	-	-	-	-	-	-	-	Nephritis, Acute - - -	9	2	-	-	-	1	1	-
Infective Endocarditis	1	2	-	-	1	1	-	-	Bright's Dis., Albumin-	37	27	1	1	3	2	11	9
Lobar - - - - -	7	6	-	2	1	-	1	2	uria - - - - -	9	9	-	-	1	1	2	5
Broncho - - - - -	18	22	6	10	1	1	2	2	Generative Organs Dis.	2	9	-	-	-	2	5	2
Pneumonia	-	-	-	-	-	-	-	-	Childbirth (Acid. of)	9	1	-	-	-	-	-	-
Epidemic - - - - -	-	-	-	-	-	-	-	-	Old Age - - - - -	32	48	-	-	-	-	-	48
Not defined	40	42	3	9	2	8	9	11	Other Diseases	89	77	54	5	2	3	7	6
Erysipelas	2	3	-	-	-	-	2	1	ACCIDENT.								
Septicæmia (not Puer-	-	-	-	-	-	-	-	-	By Railways - - - - -	1	4	-	-	-	3	1	-
peral)	-	-	-	-	-	-	-	-	By Vehicles and Horses-	4	10	-	2	3	2	1	2
Pyæmia (not Puerperal)	-	-	-	-	-	-	-	-	In Ships, Boats, Docks,	1	-	-	-	-	-	-	-
Other Infective Conditions	7	8	3	-	1	3	-	1	(exclusive of Drown-								
Tuberculous Phthisis	56	75	1	2	9	35	19	9	ing) - - - - -								
"Phthisis"	66	38	1	-	4	12	17	4	In Building Operations	-	1	-	-	-	-	1	-
Tuberculous Meningitis	32	20	6	9	5	-	-	-	In Conflagrations - -	-	-	-	-	-	-	-	-
Tuberculous Peritonitis	8	9	4	1	1	3	-	-	By Burns, Scalds, Ex-	3	10	-	5	3	-	2	-
Tubæ Mesenterica	3	3	3	-	-	-	-	-	plosions - - - - -								
Tuberculous Dis. (other)	13	16	3	4	5	2	2	-	By Drowning - - - - -	14	6	1	1	1	1	1	1
Scrophula	-	-	-	-	-	-	-	-	By Suffocation in Bed	9	8	8	-	-	-	-	-
Alcoholism	12	6	-	-	-	3	3	-	By Poisons or Poisonous	1	-	-	-	-	-	-	-
Rheumatic Fever	2	7	-	-	2	3	2	-	Vapours - - - - -								
Gout	2	2	-	-	-	-	1	1	Other Deaths by Acci-	7	23	3	5	3	2	3	7
Carcinoma	54	51	-	-	-	2	21	28									
Sarcoma	2	4	-	-	1	3	-	-	VIOLENCE OTHER THAN								
Cancer (undefined)	34	24	-	-	-	3	7	14	ACCIDENTAL.								
Diabetes Mellitus	11	6	-	-	2	2	2	2	Homicide - - - - -	-	2	1	-	-	1	-	-
Premature Birth	44	44	44	-	-	-	-	-	Suicide - - - - -	9	19	-	-	-	8	9	2
									Execution - - - - -	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 30th July, 1904.

REGISTRATION SUB-DISTRICTS.			Enu- merated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include													
						Deaths of		Deaths from										Deaths in Public Institutions.	
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia† (Origin un- certain).	Diarrhœa.	Violence.		
LONDON - - -			4,536,429	2467	1423	492	301	2	36	7	5	13	-	6	-	301	83	161	476
WEST DISTRICTS - - -			805,311	381	219	60	62	-	3	2	2	1	-	-	-	43	9	21	64
NORTH DISTRICTS - - -			1,056,070	544	296	92	61	-	10	-	1	3	-	3	-	44	16	37	105
CENTRAL DISTRICTS - - -			209,466	95	85	27	19	-	3	-	-	-	-	-	-	12	9	13	43
EAST DISTRICTS - - -			715,739	475	293	131	39	-	7	-	1	3	-	-	-	95	21	40	110
SOUTH DISTRICTS - - -			1,749,844	972	509	182	113	-	13	4	1	6	-	3	-	107	28	50	133
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }			-	-	21	-	4	2	-	1	-	-	-	-	-	-	-	-	21
WEST DISTRICTS.																			
St. Mary Paddington } G. & W.			93,178	40	30	9	10	-	-	-	-	-	-	-	-	7	1	1	6
W,2H																			
St. John Paddington H - G.			33,617	5	9	-	2	-	-	-	-	-	-	-	-	-	-	1	6
North-West Paddington - C.			17,181	1i	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-
KensingtonTown2W,w,2H G.,W.&C.			128,037	57	45	12	13	-	-	-	-	-	-	-	-	8	3	5	10
Brompton 2H - W. & C.			48,591	13	10	1	4	-	-	-	-	-	-	-	-	-	1	-	-
NorthHammersmith W,w,H } W.&G.			49,192	27	12	6	1	-	-	-	-	-	-	-	-	5	-	1	-
SouthHammersmith w,2H			63,047	36	21	5	4	-	-	-	-	1	-	-	-	5	1	2	7
North-west Fulham W			45,180	43	25	12	5	-	3	-	-	-	-	-	-	9	-	3	10
North-east Fulham F }			46,405	26	10	1	4	-	-	-	-	-	-	-	-	1	-	1	3
South Fulham W			45,704	32	8	2	1	-	-	-	-	-	-	-	-	2	2	3	-
Chelsea North W,w,3H - C.			42,514	18	9	1	4	-	-	-	-	-	-	-	-	-	-	-	7
Chelsea South W,2H - C.			31,328	19	8	4	3	-	-	-	-	-	-	-	-	1	-	-	3
May Fair and Knightsbridge C. & G.			28,743	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave W,2H - C.			55,815	22	14	2	5	-	-	1	-	-	-	-	-	1	-	1	7
St. Margaret & St. John 4H - C.			43,698	18	11	4	3	-	-	-	-	-	-	-	-	3	1	2	4
St. James Westminster } N. & G.			21,588	7	2	-	2	-	-	-	-	-	-	-	-	-	-	-	1
W,H																			
St. Anne Soho 5H - N.			11,493	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS																			
All Souls Marylebone 8H - W.			35,391	7	19	3	4	-	-	-	-	1	-	1	-	2	-	2	10
Rectory Marylebone W G. & W.			19,849	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
St. Mary Marylebone 4H G. & W.			18,099	32	6	4	-	-	-	-	-	-	-	-	-	1	-	-	3
Christchurch Marylebone H- W.			39,536	22	12	6	2	-	-	-	-	-	-	-	-	6	-	2	-
St. John Marylebone 3H - W.			20,426	4	5	-	-	-	-	-	-	-	-	-	-	-	1	1	3
Hampstead W,F,6H - N. & W.			81,942	25	17	3	5	-	-	-	1	-	-	-	-	3	1	2	6
West St. Pancras 2H - W.			60,562	24	16	4	3	-	-	-	-	-	-	1	-	2	2	3	3
Tottenham-court w,6H N. & W.			21,258	1	12	2	1	-	-	-	-	-	-	-	-	1	-	1	10
Gray's Inn Lane 4H - N.			34,449	19	9	4	-	-	1	-	-	-	-	-	-	1	2	2	6
East St. Pancras W,2H - N.			60,320	49	24	8	8	-	-	-	-	-	-	-	-	3	4	7	7
North St. Pancras 2W - N.			58,728	36	20	4	4	-	-	-	-	1	-	-	-	2	-	1	9
Tufnell W- - N.			31,995	20	18	3	10	-	2	-	-	-	-	-	-	-	-	-	14
Upper Holloway 2W,w,2H - N.			33,978	21	19	5	3	-	-	-	-	-	-	-	-	-	1	1	15
Tollington W- - N.			33,922	19	4	2	1	-	-	-	-	-	-	-	-	-	1	-	-
Lower Holloway - - N.			41,424	21	10	7	-	-	4	-	-	-	1	-	-	-	-	-	-
Barnsbury - - N.			54,478	24	9	2	1	-	-	-	-	-	-	-	-	1	-	3	-
Islington South-east F - N.			75,397	42	13	3	6	-	-	-	-	-	-	-	-	1	1	3	-
Highbury 2H - - N.			63,797	35	7	4	1	-	1	-	-	-	-	-	-	1	1	2	-
Stoke Newington H - N.			51,247	22	8	2	3	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney - - E. & N.			50,560	19	7	3	3	-	-	-	-	-	-	-	-	6	-	-	-
Central Hackney 2w,F - E. & N.			50,538	29	12	6	1	-	-	-	-	-	-	-	-	-	-	-	1
South-west Hackney 3H - E. & N.			59,921	36	10	5	2	-	-	-	-	-	-	-	-	4	1	2	2
South-east Hackney 2W,w,H E. & N.			58,255	30	38	12	6	-	2	-	-	-	-	1	-	9	2	4	15

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G, signifies the Grand Junction Company; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River; E, East London; and K, the Kent Company.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 30th July, 1904—continued.

REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include															Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of		Deaths from														
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.				
CENTRAL DISTRICTS.																				
Giles and Bloomsbury W,2H N.	31,436	22	11	2	6	-	-	-	-	-	-	-	-	1	-	-	6	-		
and W,4H - - - N. & O.	21,674	5	14	2	6	-	-	-	-	-	-	-	-	-	3	3	9	-		
and Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
born W,6H - - - N.	29,612	18	13	6	1	-	1	-	-	-	-	-	-	1	-	1	7	-		
with Clerkenwell - - - N.	28,676	7	6	3	1	-	-	-	-	-	-	-	-	2	-	-	-	-		
with Clerkenwell H - - - N.	35,028	16	5	3	-	-	-	-	-	-	-	-	-	3	-	1	-	-		
bury 3H,L - - - N.	36,116	21	14	8	2	-	1	-	-	-	-	-	-	3	1	2	-	-		
born Union Workhouse, } Mitham - - - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-		
Botolph H - - - N. & E.	10,299	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Sepulchre and Allhallows } W,2H - - - - -	16,624	3	21	3	2	-	1	-	-	-	-	-	-	2	5	6	20	-		
y of London Asylum, Stone - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
EAST DISTRICTS.																				
oreditch South H,L - E. & N.	16,369	5	6	3	1	-	-	-	-	-	-	-	-	-	1	2	1	-		
xtion New Town w,H - - N.	29,761	23	21	8	6	-	-	-	-	-	-	-	-	5	1	3	6	-		
xtion Old Town - - - N.	26,504	16	13	10	-	-	-	-	-	-	-	-	-	6	-	-	-	-		
ggerston W - - - N & E.	46,003	17	22	15	2	-	2	-	-	-	-	-	-	9	1	2	5	-		
reditch Union Workhouse, Wood } Green - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
thnal Green North 2H - E.	51,514	31	14	9	2	-	-	-	1	-	-	-	-	7	-	1	4	1		
thnal Green South - - E.	33,472	15	6	2	2	-	-	-	-	-	-	-	-	2	-	1	-	-		
thnal Green East 2W,H,L - E.	44,694	22	15	7	5	-	-	-	-	1	-	-	-	3	1	2	5	-		
italfields - - - E. & N.	27,969	22	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
le End New Town W,H - E.	28,718	26	59	14	6	-	1	-	-	-	-	-	-	10	9	10	54	-		
odman's Fields - - - E.	22,081	14	2	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-		
George and St. John 2W E.	49,068	41	17	10	2	-	1	-	-	-	-	-	-	8	2	3	2	-		
adwell and Ratcliff W,H E. & N.	25,568	11	15	8	-	-	-	-	-	-	-	-	-	7	1	1	9	-		
ehouse - - - - E.	32,369	19	6	3	1	-	-	-	-	-	-	-	-	2	1	2	-	-		
le End Old Town South- } Western* H - - - E.	63,698	56	14	9	1	-	1	-	-	-	-	-	-	8	-	-	-	-		
le End Old Town North- } Eastern* W,o - - - E.	40,129	36	14	6	1	-	-	-	-	1	-	-	-	4	-	2	4	-		
w L - - - - E.	41,989	26	13	9	1	-	1	-	-	-	-	-	-	9	-	-	-	-		
onley 3w,H - - - E.	68,319	67	39	8	7	-	-	-	-	1	-	-	-	10	2	8	19	-		
plar W,w - - - E.	66,514	28	14	6	1	-	1	-	-	-	-	-	-	4	2	3	1	-		

* On 1st May, 1904, the sub-districts of Mile End Old Town West and Mile End Old Town East were dissolved and reformed into two new sub-districts as above.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 30th July, 1904—continued.

		The DEATHS registered during the Week include															
		Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of		Deaths from										Deaths in Public Institutions.
					Infants under 1 Year of Age.	Persons aged 40 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	
REGISTRATION SUB-DISTRICTS.																	
SOUTH DISTRICTS.																	
Christchurch Southwark W, H, L. & S.		11,283	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark H - S.		12,066	3	39	6	4	-	-	-	-	-	-	-	-	-	-	-
Kent-road - - - S. & L.		21,904	10	11	5	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr } S. & L.		39,094	14	13	9	2	-	-	-	-	-	-	-	-	-	-	-
West W, 2H, L - - -																	
Newington North - - S. & L.		49,022	28	5	1	1	-	-	-	-	-	-	-	-	-	-	-
Newington South W - S. & L.		72,841	47	17	7	3	-	-	-	-	-	-	-	-	-	-	-
St. Olave 2W - - - S.		9,817	14	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey W - - - S.		82,483	47	23	8	3	-	1	-	-	-	-	-	-	-	-	-
Rotherhithe W, F - - S. & K.		38,460	14	12	3	4	-	1	-	-	-	-	-	-	-	-	-
Waterloo-road 2H - - L. & S.		27,440	28	7	4	1	-	-	-	-	-	-	-	-	-	-	-
Lambeth Church 1st H - L. & S.		18,423	10	14	3	3	-	-	-	-	-	-	-	-	-	-	-
Lambeth Church 2nd 2W - L. & S.		39,818	26	28	13	4	-	1	-	-	-	-	-	-	-	-	-
Kennington 1st H - - S. & L.		53,198	39	14	8	1	-	2	-	-	-	-	-	-	-	-	-
Kennington 2nd H - - S. & L.		42,896	12	8	2	3	-	-	-	-	-	-	-	-	-	-	-
Brixton F - - - L. & S.		84,232	51	10	4	4	-	-	-	-	1	-	-	-	-	-	-
Norwood W, H - - - L.		35,888	20	6	3	2	-	-	-	-	-	-	-	-	-	-	-
East Battersea H - - S.		72,203	45	15	7	2	-	-	-	1	-	-	-	-	-	-	-
North-west Battersea - - S.		49,656	16	11	2	3	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea W, H - S.		47,048	25	21	1	10	-	-	-	-	-	-	-	-	-	-	-
Clapham 2H - - - S.		51,361	27	9	5	1	-	-	-	-	-	-	-	-	-	-	-
Streatham* W, 2w, 2F, 2L - L.		88,019	50	21	8	5	-	-	-	1	1	-	-	-	-	-	-
Springfield 2W, L - - S.		27,959	21	9	7	-	-	-	-	-	-	-	-	-	-	-	-
Southfields H - - - S.		40,444	17	12	5	2	-	-	-	-	-	-	-	-	-	-	-
Putney - - - S.		24,139	11	8	4	-	-	-	-	-	1	-	-	-	-	-	-
Dulwich - - - L. & S.		13,359	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-
Camberwell South W, w - S. & L.		40,206	17	19	2	10	-	1	-	-	-	-	-	-	-	-	-
Camberwell North W, 2L - S. & L.		65,584	27	21	6	5	-	-	-	-	-	-	-	-	-	-	-
St. George - - - L. & S.		47,331	29	18	7	6	-	-	-	1	-	-	-	-	-	-	-
Peckham 2W, w - - S., L. & K.		92,859	44	17	8	3	-	-	-	-	-	-	-	-	-	-	-
Deptford North - - - K.		37,613	32	9	5	1	-	-	-	-	-	-	-	-	-	-	-
Deptford Central F - - K.		45,481	32	9	4	2	-	1	-	-	-	-	-	-	-	-	-
Deptford South - - - K.		34,625	15	5	2	2	-	-	-	-	-	-	-	-	-	-	-
Greenwich West 2H - - K.		23,456	15	6	-	3	-	1	-	-	-	-	-	-	-	-	-
Greenwich East 2W, H - K.		43,859	27	23	4	6	-	4	-	-	-	-	-	-	-	-	-
Eltham w, H - - - K.		7,228	4	2	1	-	-	-	-	-	1	-	-	-	-	-	-
Lee w, H - - - K.		25,490	9	6	3	3	-	-	-	-	-	-	-	-	-	-	-
Lewisham W, w, F - - K.		58,352	38	14	3	6	-	-	1	-	-	-	-	-	-	-	-
Sydenham H - - - L.		43,653	25	6	1	2	-	-	-	-	-	-	-	-	-	-	-
Charlton F, 2H - - - K.		21,134	5	7	3	-	-	-	2	-	-	-	-	-	-	-	-
Woolwich 4H - - - K.		41,625	26	13	10	1	-	-	-	-	1	-	-	-	-	-	-
Plumstead West W - - K.		18,063	9	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Plumstead East 2W, H - K.		50,264	32	13	6	3	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Banstead -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Manor Asylum, Epsom - - -		-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Horton Asylum, Epsom - - -		-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Lon. Co. Asy. Epilep. Colony, Epsom		-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Caterham		-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Cane Hill -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.A.B. Hospitals, Dartford - -		-	-	-	-	2	-	-	2	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Darenth -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Dartford } Heath		-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Hanwell		-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
Central London Sick Asy., Hendon		-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Colney Hatch		-	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-
M.A.B. North-Eastern Hospital -		-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
M.A.B. Northern Hospital - - -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Leavesden		-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-
London County Asylum, Claybury		-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

* On 1st June, 1904, changes were made in the boundary between Streatham sub-district and Mitcham sub-district (38).

LE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 30th July, 1904.

The DEATHS registered in the Week include																		
REGISTRATION SUB-DISTRICTS.		Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths from												
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING						290	122	-	12	2	7	6	1	202	20	49	92	2
1	Carshalton <i>w, 2F, 2H</i>	12,228	32,997	17	7	3	1	-	-	-	1	-	-	1	-	-	-	-
2	Epsom, <i>part of</i> * <i>W, w, 2F, H</i>	10,423	15,548	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Godstone, <i>part of</i> * <i>W, F</i>	2,754	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Coulsdon	11,069	41,166	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-
5	South Croydon <i>w</i>	4,200	49,319	14	3	3	-	-	-	-	-	-	-	-	-	-	-	-
6	West Croydon <i>3W, F, H</i>	2,168	42,888	21	11	4	-	-	2	-	-	-	-	-	-	1	4	-
7	North Croydon <i>H</i>	2,644	41,668	18	4	1	-	-	-	-	-	-	-	-	-	1	1	-
8	Penge <i>w</i>	770	22,465	9	5	1	3	-	-	-	1	-	-	-	-	1	1	-
9	Mitcham <i>w</i>	11,689	30,015	23	7	3	1	-	-	-	-	-	-	1	1	1	1	-
10	Wimbledon <i>F, 3H</i>	3,221	41,652	27	12	4	3	-	1	-	-	-	-	3	-	-	-	-
11	Kingston <i>W, H</i>	6,224	42,068	23	10	3	3	-	-	1	-	-	-	13	-	2	2	1
12	Surbiton <i>F, H</i>	3,046	15,017	7	6	1	3	-	-	-	-	-	-	-	1	2	1	-
13	Esher, <i>part of</i> * <i>H</i>	5,402	13,100	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-
14	Hampton <i>H, L</i>	4,564	23,456	13	5	1	1	-	-	-	-	-	-	-	-	-	-	1
15	Richmond <i>W, H</i>	2,162	28,865	9	13	4	2	-	-	-	-	1	-	2	1	1	4	-
16	Mortlake <i>F</i>	2,847	20,628	16	13	7	-	-	-	-	-	-	-	4	3	5	-	-
17	Bromley <i>F, 2H</i>	4,703	27,354	21	8	2	2	-	-	-	-	1	-	-	-	-	-	-
18	Beckenham <i>H</i>	7,825	28,497	17	6	2	2	-	-	-	-	-	-	-	-	-	-	-
19	Orpington, <i>part of</i> * <i>W</i>	10,113	9,857	5	6	1	2	-	-	-	-	-	-	-	-	-	1	-
20	Chislehurst <i>2H</i>	7,333	16,446	4	2	1	-	-	-	-	-	-	-	1	-	-	-	-
21	Bexley <i>F, H</i>	8,678	21,151	4	4	1	-	-	-	-	-	-	-	-	-	-	-	-
22	Erith <i>F, H</i>	3,854	25,296	16	9	7	-	-	-	-	-	-	-	5	-	-	-	-
23	Dartford <i>W, F, part of</i> *	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
24	Sunbury <i>w</i>	11,054	18,633	8	6	4	2	-	-	-	-	-	-	6	-	-	-	-
25	Staines <i>W, H</i>	13,277	15,178	-	3	1	1	-	-	-	-	-	-	1	-	-	-	-
26	Hillingdon <i>W, F, H</i>	6,035	13,661	10	6	2	1	-	-	-	-	-	-	-	-	-	2	-
27	Uxbridge	12,757	8,984	5	2	1	-	-	-	-	-	-	-	1	-	-	-	-
28	Hayes <i>w, F, H</i>	8,066	16,358	11	4	3	1	-	-	-	-	-	-	3	-	-	-	-
29	Isleworth <i>3W, 2F, H</i>	6,859	30,863	23	20	5	5	-	-	-	-	-	-	4	-	-	9	-
30	Twickenham <i>F, H</i>	2,421	20,991	12	5	3	-	-	-	-	-	-	-	2	1	1	-	-
31	Brentford <i>2F, 2H, L</i>	4,319	48,289	23	14	3	5	-	-	1	1	-	-	1	-	-	3	-
32	Chiswick <i>H</i>	1,249	29,809	20	8	4	-	-	2	-	-	-	-	3	-	-	-	-
33	Acton <i>w, 3H</i>	6,132	48,914	39	16	7	3	-	-	-	-	-	-	7	-	1	-	-
34	Harrow <i>F, H</i>	13,809	25,523	17	3	-	3	-	-	-	-	-	-	-	-	-	-	-
35	Edgware <i>F, 2H</i>	6,994	4,521	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-
36	Willesden <i>W, F, 2H</i>	4,384	114,811	91	25	11	4	-	-	-	-	-	-	5	1	3	5	-
37	Hendon <i>W, F</i>	8,362	22,450	17	2	1	1	-	-	-	-	-	-	-	-	-	-	-
38	South Mimms <i>2F, H</i>	17,755	7,308	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
39	Barnet <i>W, 3H</i>	3,324	17,970	8	4	-	2	-	-	-	-	-	-	-	-	-	-	-
40	Finchley <i>F, 2H</i>	4,688	33,692	18	12	5	2	-	-	-	-	1	-	3	-	2	-	-
41	Hornsey <i>F, H</i>	2,875	72,056	31	6	-	3	-	-	-	-	-	-	-	-	-	-	-
42	Wood Green <i>H</i>	1,625	34,233	30	10	6	1	-	-	-	-	-	-	2	-	-	-	-
43	West Tottenham <i>F</i>	996	48,853	48	11	8	1	-	-	-	-	-	-	3	-	2	-	-
44	East Tottenham <i>F, H</i>	2,017	53,688	40	24	15	1	-	-	-	-	-	-	10	-	2	4	-
45	Edmonton <i>W, w, 2F</i>	7,491	61,892	48	39	25	8	-	-	-	-	-	-	23	-	2	6	-
46	Enfield <i>2W, F, H</i>	12,601	42,738	29	24	14	4	-	-	-	1	-	-	12	-	1	2	-
47	Waltham Abbey	11,017	6,549	3	3	1	2	-	-	-	-	-	-	-	-	-	-	-
48	Cheshunt <i>F, H</i>	8,479	12,292	3	5	1	1	-	-	-	-	-	-	1	1	1	-	-
49	Hatfield, <i>part of</i> * <i>W</i>	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50	Bushey <i>H</i>	9,333	9,173	1	2	-	-	-	-	-	-	-	-	-	1	1	-	-
51	Watford <i>W, 2F part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
52	Stratford <i>H</i>	1,072	44,827	25	20	9	1	-	-	-	-	-	-	6	4	5	4	-
53	Plaistow <i>F, 2H</i>	1,249	90,921	78	35	22	2	-	-	-	1	-	-	17	2	3	4	-
54	Canning Town <i>H</i>	1,556	70,718	47	32	19	1	-	-	-	-	1	-	21	1	2	2	-
55	Forest Gate <i>w</i>	806	60,892	23	16	8	2	-	1	-	-	-	-	-	-	-	-	-
56	North East Ham <i>w</i>	1,333	58,676	34	12	8	2	-	-	-	-	-	1	3	-	-	-	-
57	South East Ham <i>3F</i>	1,993	37,342	31	14	6	1	-	1	-	-	-	-	6	-	1	1	-
58	Wanstead <i>F</i>	1,679	9,179	2	3	-	-	-	-	-	-	-	-	-	1	1	-	-
59	South Leyton <i>2W</i>	631	50,467	31	26	8	6	-	3	-	1	-	-	8	-	1	11	1
60	North Leyton <i>W, w, F</i>	1,963	48,446	38	29	8	9	-	2	-	-	1	-	5	-	-	14	-
61	Walthamstow <i>3H, L</i>	6,504	108,929	78	38	15	8	-	-	-	-	-	-	11	-	2	2	-
62	Chigwell, <i>part of</i> * <i>2F, H</i>	11,778	16,397	6	4	2	1	-	-	-	-	-	-	1	-	-	-	-
63	Epping <i>W, F, part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
64	Romford, <i>part of</i> * <i>W, 2F</i>	6,556	8,091	2	4	3	-	-	-	-	-	-	-	-	-	-	1	-
65	Ilford <i>F, L</i>	8,496	41,234	30	22	8	3	-	-	1	-	-	-	4	-	-	4	-
66	Barking Town <i>F</i>	3,803	21,547	11	13	5	-	-	-	-	-	-	-	6	1	2	1	-
67	Eastern Hospital, Hackney	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
68	Middlesex County Asylum, Wandsworth.	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	3	-

*The parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Earley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chislefield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Heydon Bois parish, and parts of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

† See note * on preceding page.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended		BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.
CALCUTTA (including SUBURBS)	847,796	June	18	-	377	23·1	2	2	-	1	-	130†
BOMBAY - -	778,008	July	12	324	543	36·4	10	2	-	-	-	79†
MADRAS - -	509,346	June	24	399	384	39·2	-	1	?	?	?	117
PARIS - - -	2,660,559	July	23	1027	1150	22·4	1	19	3	-	9	6
BRUSSELS - -	575,896	"	23	230	184	16·3	-	2	-	3*	1	-
ANTWERP - -	281,376	"	23	171	63	11·4	-	1	1	-	-	-
AMSTERDAM -	547,370	"	16	301	147	14·0	-	7	-	1*	3	1
COPENHAGEN -	420,000	"	23	207	118	14·6	-	1	-	-	8	-
STOCKHOLM -	305,115	"	16	126	100	16·8	-	-	4	-	3	-
CHRISTIANIA -	225,709	"	23	106	58	13·5	-	-	1	2*	1	-
ST. PETERSBURG	1,248,843	"	16	483	577	23·2	-	26	8	13*	-	7
MOSCOW - -	1,093,410	"	16	-	591	28·2	5	40	2	6*	1	-
BERLIN - - -	1,960,909	"	9	918	597	15·9	-	10	10	4*	11	1
HAMBURG - -	751,842	"	23	-	201	13·9	-	1	-	-	6	1
BRESLAU - -	445,403	"	23	-	278	32·5	-	-	-	1*	-	1
MUNICH - - -	520,000	"	23	-	241	24·1	-	6	1	1*	3	1
VIENNA - - -	1,779,669	"	23	915	708	21·0	-	17	1	6*	2	1
PRAGUE - - -	423,990	"	16	193	173	21·1	-	4	1	1*	2	4
BUDA-PESTH -	813,399	"	23	454	303	19·4	-	3	9	3*	-	2
TRIESTE - - -	187,251	"	16	122	88	24·0	-	-	-	-	1	-
ROME - - - -	496,201	May	14	207	164	17·1	-	9	-	-	1	2
VENICE - - -	166,288	July	16	85	69	21·6	-	3	-	-	-	2
CAIRO - - - -	624,338	May	6	463	550	45·9	-	43	-	5*	-	13
ALEXANDRIA -	349,300	"	6	218	260	38·8	1	2	-	1*	-	6
PHILADELPHIA -	1,408,154	July	2	-	533	19·7	1	3	1	11*	3	11
BOSTON - - -	617,950	"	2	-	180	15·2	-	1	1	-	1	3

* Including deaths from croup.

† Including 31 deaths from plague in Calcutta, and 33 in Bombay.

‡ Including 9 deaths from cholera.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 30th July, 1904.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rain in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	83·9	52·2	66·6	1·83	BRADFORD - -	71·2	53·0	61·8	1·1
BRIGHTON - -	73·0	51·2	63·8	0·38	LEEDS - - - -	75·0	55·0	63·3	0·4
PORTSMOUTH -	73·2	56·0	64·3	0·85	HULL - - - - -	-	-	-	-
NORWICH - - -	-	-	-	-	TYNEMOUTH - -	68·0	52·0	58·2	0·1
PLYMOUTH - -	67·8	48·9	61·0	4·37	EDINBURGH - -	70·4	49·8	55·0	0·4
BRISTOL - - -	75·0	50·4	61·9	2·16	GLASGOW - - -	73·4	50·0	59·7	0·0
BIRMINGHAM -	74·6	54·1	62·6	2·06	DUBLIN { Phoenix Park. Fitz- william Square.†	71·3	50·0	60·2	0·1
NOTTINGHAM -	69·4	57·7	63·6	1·73		74·7	51·0	62·2	0·2
LIVERPOOL OBSERVATORY.	73·0	54·0	62·5	0·86	BELFAST - - -	-	-	-	-
MANCHESTER -	76·3	52·8	63·3	0·47					
PRESTON - - -	72·5	54·6	63·6	0·17					
HUDDERSFIELD -	71·7	51·2	61·2	4·13					

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of the return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1°·8 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A. M.D. Dublin.

1904. MONTH AND DAY		Phases of the Moon.	BARO- METER. Mean daily reading (cor- rected and re- duced to 32° Fahr- en- heit).	TEMPERATURE.					Difference between the Air and Dew Point. Temperature.					Degree of Hu- midity (Sat- uration 100).		Of Radiation.			TEMPERATURE.		Wind as deduced from Anemometers.				Rain collected in a Gauge whose receiving surface is 5 inches above the level of Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
				Of the Air.					Of the Dew point					Mean of 50 years.	De- parture from Average of 50 years.	Low- est.	High- est.	Daily Range.	Mean daily value.	Mean of daily value.	Greatest est.	Least est.	Mean of Sun's Rays.	Lowest on the Grass.		Of the Earth 3 feet below the Surface.	General Direction.		Oster's.		Pressure on the Square Foot.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
				High- est.	Low- est.	Daily Range.	Mean daily value.	Mean of daily value.	De- parture from Average of 50 years.	Low- est.	High- est.	Mean of Sun's Rays.	Lowest on the Grass.														Of the Earth 3 feet below the Surface.	A.M.	P.M.	Greatest est.	Least est.	Mean of 24 hours obs.	Horizontal Movement from the Average of the Air on each Day.	Depar- ture from the Average of the Air on each Day.	Miles.	Miles.	lbs.	lbs.	lbs.	lbs.	Miles.	Miles.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
																																											Greatest est.	Least est.	Mean of 24 hours obs.	Horizontal Movement from the Average of the Air on each Day.	Depar- ture from the Average of the Air on each Day.	Miles.	Miles.	lbs.	lbs.	lbs.	lbs.	Miles.	Miles.	lbs.	lbs.	Miles.	Miles.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
General Direction.		Oster's.		Pressure on the Square Foot.		Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
JULY.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															

DATE.		ELECTRICITY.		Reckoned Sun above Horizon.		GENERAL REMARKS.	
JULY.		(Explanatory symbols, see Note.)		in hours.		in hours.	
SUNDAY	-	24	m. P. till 4h. A.M.; w. P. generally afterwards.	93	157	Fine and partially cloudy; very warm. Lunar halos with parasels observed at 9h. P.M.	
MONDAY	-	25	v. P. generally till 6h. P.M.; s. P. and s. N. afterwards.	17	157	Generally overcast; frequent rain; thunderstorm, with very heavy rain in evening.	
TUESDAY	-	26	w. P. generally.	77	157	Fine generally, with large amounts of cloud.	
WEDNESDAY	27	occasional w. N. till 11h. A.M.; m. P. till 8h. P.M.; w. P. afterwards.	01	156	Overcast generally; frequent showers.		
THURSDAY	28	w. P. till 5h. P.M.; m. P. afterwards.	80	156	Overcast in morning with slight shower at 2h. A.M.; fine and partially cloudy till evening; nearly cloudless at night.		
FRIDAY	-	29	w. P. generally.	28	155	Generally cloudy; occasional showers.	
SATURDAY	-	30	w. P. generally with occasional s. N. till 7h. P.M.; v. P. afterwards.	50	155	Fine and partially cloudy; occasional showers; lightning at night; a very warm day.	
No. of Col.	-	-	-	Sum 346	Sum 1093		

The results apply to the civil day, or from midnight to midnight. The height of the diurnal of the barometer is 150 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1875 for the barometer, and during the twenty years ending 1888 for the thermometers. With the corrected mean readings of the dry bulb thermometer the combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 30 years ending 1880, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875, in reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: - P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day, at the beginning of the week to the end of the week by 10h. A.M. on the 20th; 29.43 in. by 5h. P.M. on the 25th; increased to 29.96 in. at midnight on the same day. decreased to 29.81 in. by 5h. P.M. on the 30th; and was 29.84 in. at midnight on the same day.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 23rd July, 1904.*

BOROUGHS.	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Chicken-pox.
WEST.											
Paddington- - - -	146,975	-	4	3	-	1	-	-	2	-	6
Kensington - - - -	179,236	-	8	3	-	-	1	-	3	1	12
Hammersmith - - -	117,412	-	4	5	-	-	-	-	3	-	3
Fulham - - - - -	152,482	-	2	10	-	-	-	-	2	1	15
Chelsea - - - - -	74,329	-	1	-	-	-	-	-	1	-	1
City of Westminster-	177,321	-	2	3	-	-	-	-	2	-	3
NORTH.											
St. Marylebone - - -	130,337	-	3	1	-	-	-	-	6	-	10
Hampstead - - - -	86,663	-	-	1	-	-	-	-	-	-	10
St. Pancras - - - -	235,936	-	20	6	-	2	-	-	1	1	30
Islington - - - - -	341,044	-	29	3	-	3	-	-	7	-	13
Stoke Newington - -	52,445	-	1	1	-	-	-	-	-	-	-
Hackney - - - - -	226,266	-	13	12	-	1	-	-	3	1	19
CENTRAL.											
Holborn - - - - -	57,161	-	5	-	-	-	-	-	-	-	2
Finsbury - - - - -	98,958	-	6	5	-	-	-	-	-	-	10
City of London - - -	23,432	-	-	-	-	-	-	-	-	-	2
EAST.											
Shoreditch - - - -	117,033	-	7	6	-	-	-	-	3	-	16
Bethnal Green - - -	130,207	4	25	6	-	-	-	-	3	-	12
Stepney - - - - -	303,791	-	28	22	-	3	-	-	7	1	34
Poplar- - - - -	169,905	-	6	19	-	-	-	-	4	1	19
SOUTH.											
Southwark- - - - -	207,937	-	5	7	-	2	-	-	9	1	18
Bermondsey - - - -	129,397	-	6	3	-	2	-	-	3	-	16
Lambeth - - - - -	310,359	-	7	8	-	2	-	-	1	-	18
Battersea - - - - -	175,465	-	10	5	-	2	-	-	3	-	15
Wandsworth - - - -	257,448	-	5	5	-	2	-	-	9	1	33
Camberwell - - - -	268,384	-	21	4	-	2	-	-	4	-	24
Deptford - - - - -	113,509	-	7	6	-	1	-	-	-	-	12
Greenwich - - - - -	101,651	-	2	1	-	-	-	-	1	-	7
Lewisham - - - - -	140,401	-	8	-	-	-	-	-	1	-	21
Woolwich - - - - -	123,416	-	10	1	-	-	-	-	2	-	14
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.											
} 4,648,950		6	245	146	-	21	1	-	80	8	395
Ages											
0-1 - - - - -	-	-	1	5	-	-	-	-	2	-	38
" 1-5 - - - - -	-	1	64	66	-	3	-	-	5	-	182
" 5- - - - -	-	1	129	47	-	2	1	-	4	-	132
" 10- - - - -	-	-	27	8	-	3	-	-	3	-	29
" 15- - - - -	-	2	6	8	-	4	-	-	3	-	5
" 20- - - - -	-	1	10	5	-	3	-	-	4	2	3
" 25- - - - -	-	-	5	4	-	2	-	-	9	4	5
" 35- - - - -	-	1	2	2	-	2	-	-	14	2	-
" 45- - - - -	-	-	1	1	-	-	-	-	16	-	-
" 55- - - - -	-	-	-	-	-	1	-	-	10	-	-
" 65 and upwards	-	-	-	-	-	1	-	-	10	-	-
Age not stated - -	-	-	-	-	-	-	-	-	-	-	1

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1904.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 31. 1904. VOL. LXV.] WEEK ENDED SATURDAY, AUG. 6. [Price 1½d.

General Register Office, Somerset House,
August 8th, 1904.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 19·8 per 1000 of their aggregate population, which is estimated† at 15,271,287 persons in the middle of this year. In the preceding three weeks the rates had been 13·7, 14·1, and 16·4. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 26·3 in Stockport, 26·8 in Birkenhead, 30·7 in West Ham, 32·1 in Bootle, 33·6 in St. Helens, and 37·6 in Liverpool; from *measles*, 1·6 in Bradford, 1·7 in Rhondda, 1·8 in Birkenhead, 2·1 in Hull, and 5·9 in Bootle; from *diphtheria*, 1·5 in Halifax and in Bradford; and from *diarrhœa*, 11·7 in Walthamstow, 11·8 in Bootle and in St. Helens, 12·5 in East Ham, 14·0 in Stockport, 15·4 in West Ham, 15·6 in Aston Manor, and 17·9 in Liverpool. Two deaths from *small-pox* were registered in Stockport, and 1 each in London, Liverpool, Warrington, Manchester, and Gateshead, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2302 BIRTHS and 1745 DEATHS were registered. Allowing for increase of population, the births were 394 and the deaths 33 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 12·9, 14·8, and 16·0 in the preceding three weeks, further rose last week to 19·6. During the four weeks ended on Saturday last the death-rate averaged 15·8 per 1000, being 2·5 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, and in certain local Small-pox Hospitals, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1745 deaths included 1 from small-pox, 31 from measles, 2 from scarlet fever, 10 from diphtheria, 21 from whooping-cough, 7 from enteric fever, and 558 from diarrhoea, but not one death from typhus or from ill-defined pyrexia; thus, 630 deaths were referred to these diseases in the aggregate, being 158 above the corrected average weekly number.

The death from *small-pox* belonged to the Borough of Shoreditch. The deaths from *measles*, which had been 39, 49, and 36 in the preceding three weeks, further fell last week to 31, and were 10 below the corrected average: 5 deaths belonged to the Borough of Lambeth, 4 each to Islington and Poplar, and 3 each to Shoreditch, Stepney, and Southwark. The deaths from *scarlet fever*, which had been 8, 4, and 7 in the preceding three weeks, fell again last week to 2, and were 11 below the corrected average. The deaths from *diphtheria*, which had been 7, 14, and 5 in the preceding three weeks, rose again last week to 10, but were 27 below the corrected average. The deaths from *whooping-cough*, which had been 29, 21, and 13 in the preceding three weeks, rose again last week to 21, but were 8 below the corrected average. The fatal cases of *enteric fever*, which had been 5, 5, and 6 in the preceding three weeks, were 7 last week, the corrected average being 10. The deaths from *diarrhoea*, which had been 57, 161, and 301 in the preceding three weeks, further rose last week to 558, and were 219 above the corrected average; 54 deaths belonged to Poplar, 53 to Stepney, 41 to Southwark, 37 each to Fulham and Hackney, 35 to Lambeth, 34 to Camberwell, 32 to Wandsworth, 25 to Bermondsey, and 23 to Shoreditch. Of the 558 deaths from diarrhoea, 540 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 24 more deaths at this age. One death was attributed directly to *influenza*, the numbers having been 4, 2, and 2 in the preceding three weeks. The death of a male, aged 42 years, was certified after inquest as due to *ptomaine poisoning* from eating putrid pork.

Different forms of *violence* caused 63 deaths, concerning all but 3 of which inquests were held. Of these 63 deaths, 10 were cases of suicide, while the remaining 53 were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, 9 to drowning, 5 to heat apoplexy, and 10 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 32 cases of small-pox, 1758 of scarlet fever, 786 of diphtheria, and 66 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 2 cases, against 7, 6, and 7; of scarlet fever, 166 cases, against 229, 234, and 243; of diphtheria, 115 cases, against 128, 127, and 127; and of enteric fever, 9 cases, against 16, 12, and 20. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended July 30th.

GREATER LONDON.

In Greater London 3475 births and 2634 deaths were registered. Allowing for increase of population the births were 493 below, and the deaths 157 above the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 7 deaths from measles, 1 from scarlet fever, 2 from diphtheria, 5 from whooping-cough, 1 from "fever," and 189 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·91 inches, and that of the Thermometer 68°·1, the latter being 5°·9 above the week's average in the 50 years 1841-90. The direction of the wind was South-westerly, the horizontal movement of the air being 9 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 67·8 hours; the measured rainfall amounted to 0·08 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

[illegible]

+ These towns are included within the area of Greater London.

* See note † on first page of this return.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON: and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES during the Week ended Saturday, 6th August, 1904, and DEATH-RATES during the preceding three weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1904.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the Week ended 6th Aug., 1904.		The DEATHS registered in the Week include										TOWNS.		
		Week ended				BIRTHS.	DEATHS.	Deaths of under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from								Deaths in Public Institutions.	Unreported Causes of Death.			
		16th July, 1904.	23rd July, 1904.	30th July, 1904.	6th Aug., 1904.					Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.					
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM -	537,985	15'4	14'7	22'6	23'7	11'0	251	244	126	31	-	-	2	2	8	1	100	7	9	37	5	BIRMINGHAM.
KINGS NORTON -	66,067	8'6	5'5	7'0	10'2	2'3	47	13	5	2	-	-	-	-	2	-	1	-	-	1	-	KINGS NORTON.
SMETHWICK -	60,691	6'9	15'5	2'6	7'7	1'7	30	9	5	1	-	-	-	-	1	-	1	-	-	-	-	SMETHWICK.
ASTON MANOR -	80,363	11'7	15'6	21'4	24'7	15'6	52	38	29	1	-	-	-	-	-	-	24	-	-	-	-	ASTON MANOR.
COVENTRY -	73,904	12'7	12'7	9'9	19'8	4'9	44	28	13	6	-	-	-	-	1	-	6	2	3	4	-	COVENTRY.
LEICESTER -	224,186	10'5	9'5	10'9	17'4	4'9	106	75	37	11	-	-	-	-	1	-	20	5	7	11	-	LEICESTER.
GRIMSBY -	66,968	9'3	13'2	16'4	10'1	1'6	37	13	4	2	-	-	-	-	1	-	1	-	3	1	-	GRIMSBY.
NOTTINGHAM -	248,811	13'6	14'5	20'1	23'5	11'1	124	112	54	10	-	-	1	-	4	-	48	2	5	13	2	NOTTINGHAM.
DERBY -	120,449	14'7	12'1	9'1	17'7	5'2	53	41	13	11	-	-	-	1	-	-	11	5	6	13	-	DERBY.
STOCKPORT -	97,008	18'8	17'7	25'8	26'3	15'1	39	49	28	6	2	-	-	-	-	-	26	-	-	3	-	STOCKPORT.
BIRKENHEAD -	114,814	18'6	18'2	19'1	26'8	15'0	81	59	30	4	-	4	-	2	3	-	24	1	4	8	-	BIRKENHEAD.
WALLASEY -	60,354	13'8	11'2	13'0	11'2	4'3	28	13	8	1	-	1	-	-	-	-	4	-	-	2	-	WALLASEY.
LIVERPOOL -	723,430	19'6	20'3	29'8	37'6	19'7	416	521	263	50	1	16	2	1	4	1	248	12	13	84	16	LIVERPOOL.
BOOTLE -	61,755	26'2	18'6	20'3	32'1	19'4	30	38	15	3	-	7	-	-	2	-	14	2	3	6	1	BOOTLE.
ST. HELENS -	88,545	17'1	20'0	27'1	33'6	13'5	51	57	27	3	-	-	1	-	1	1	20	2	3	8	1	ST. HELENS.
WIGAN -	62,800	14'1	10'0	21'6	22'4	4'2	36	27	11	5	-	-	-	-	-	-	5	2	2	2	-	WIGAN.
WARRINGTON -	67,331	13'9	16'3	18'6	19'4	4'6	36	25	11	3	1	-	1	-	-	-	4	-	-	4	-	WARRINGTON.
BOLTON -	175,744	8'9	15'4	13'4	15'1	1'8	83	51	14	17	-	-	-	-	-	1	5	2	3	4	-	BOLTON.
BURY -	58,450	7'1	12'5	10'7	16'1	1'8	26	18	5	4	-	-	-	-	-	-	5	1	1	-	-	BURY.
MANCHESTER†	557,938	16'4	14'6	20'9	25'5	8'6	302	273	118	45	1	8	1	-	4	1	77	7	12	50	5	MANCHESTER†.
SALFORD -	228,963	18'7	17'8	18'7	23'5	9'3	141	103	49	15	-	4	-	3	2	-	32	2	4	17	-	SALFORD.
OLDHAM -	139,497	12'0	17'2	15'0	16'5	3'4	73	44	8	9	-	3	-	2	1	-	3	3	4	5	-	OLDHAM.
ROCHDALE -	85,601	17'1	15'2	14'6	15'2	1'8	25	25	6	8	-	-	-	1	-	-	2	-	-	4	-	ROCHDALE.
BURNLEY -	100,569	11'4	19'7	13'5	17'6	5'2	64	34	19	6	-	-	-	-	2	-	8	-	1	1	-	BURNLEY.
BLACKBURN -	132,134	12'2	10'3	11'0	11'4	1'6	79	29	3	7	-	-	-	1	2	-	1	1	1	7	1	BLACKBURN.
PRESTON -	115,055	10'0	14'5	9'5	14'5	1'4	56	32	8	8	-	-	-	-	-	-	3	1	1	4	-	PRESTON.
BARROW-IN-FURNESS.	59,654	12'2	13'1	9'6	12'2	1'7	28	14	2	1	-	-	-	-	-	1	1	1	1	2	1	BARROW-IN-FURNESS.

TOWNS.	POPULATION estimated to the end of the preceding year 1904.*	DEATH-RATES from all Causes.				Rate from Diseases in Colc. 11-17.		Registered during the year ending 6th AUG., 1904.		The DEATHS registered in the Week included											TOWNS.								
		Week ended				Week ended		BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from								Unrecorded Causes of Death.									
		16th. July, 1904.	23rd. July, 1904.	30th. July, 1904.	6th. Aug., 1904.	11-17. Aug., 1904.	11-17. Aug., 1904.																						
Colc.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Colc.							
HUDDESFIELD.	-	22.5	17.6	16.5	13.2	2.7	30	24	8	3	-	2	-	1	1	-	1	1	2	4	-	HUDDESFIELD.							
HALIFAX.	-	11.6	12.6	12.1	12.6	2.4	44	26	3	9	-	1	-	3	-	-	1	1	3	4	1	HALIFAX.							
BRADFORD.	-	15.2	16.8	18.3	21.2	7.5	109	116	39	17	-	9	2	8	2	-	20	4	4	17	-	BRADFORD.							
LEEDS.	-	14.8	16.6	18.5	21.7	6.3	227	187	71	39	-	5	2	2	2	1	44	2	12	26	-	LEEDS.							
SHEFFIELD.	-	14.0	11.7	13.4	20.0	7.1	236	166	77	29	-	-	1	-	4	2	52	8	10	21	-	SHEFFIELD.							
ROTHERHAM.	-	12.5	9.8	8.0	18.7	5.3	35	21	10	2	-	-	-	1	-	1	4	2	2	1	-	ROTHERHAM.							
YORK.	-	9.6	14.1	14.8	25.0	7.7	42	39	20	7	-	1	-	1	-	-	10	1	2	3	-	YORK.							
HULL.	-	15.6	13.1	16.4	23.4	10.9	130	114	52	18	-	10	-	2	1	-	40	1	7	15	-	HULL.							
MIDDLESBROUGH.	-	19.4	13.5	15.1	17.8	0.5	51	33	10	10	-	-	-	-	-	-	1	1	2	5	2	MIDDLESBROUGH.							
STOCKTON-ON-TREES.	-	11.0	9.0	9.0	12.0	1.0	34	12	3	6	-	-	-	-	-	-	1	-	2	-	-	STOCKTON-ON-TREES.							
WEST HARTLEPOOL.	-	7.5	12.0	13.6	9.8	-	32	13	4	6	-	-	-	-	-	-	5	2	-	3	-	WEST HARTLEPOOL.							
SUNDERLAND.	-	14.8	19.3	13.1	16.9	2.4	86	49	15	9	-	1	1	-	-	-	-	-	-	9	2	SUNDERLAND.							
SOUTH SHIELDS.	-	12.1	12.1	13.1	13.1	1.5	71	27	6	6	-	1	-	-	-	1	1	1	1	3	3	SOUTH SHIELDS.							
GATESHEAD.	-	16.3	11.5	10.6	16.3	2.2	75	37	8	13	1	-	-	-	1	-	3	2	2	8	-	GATESHEAD.							
NEWCASTLE-ON-TYNE.	-	16.7	15.0	16.9	16.7	1.2	115	72	12	15	-	-	-	-	2	-	3	4	7	14	-	NEWCASTLE-ON-TYNE.							
TYNEMOUTH.	-	11.8	15.7	15.7	13.8	-	30	14	3	8	-	-	-	-	-	-	-	-	1	1	-	TYNEMOUTH.							
NEWPORT (MON.).	-	13.8	10.9	10.9	23.3	7.3	27	32	17	4	-	-	2	-	-	-	8	1	1	8	-	NEWPORT (MON.).							
CARDIFF.	-	12.1	10.6	11.8	13.3	2.4	80	45	15	15	-	-	-	-	-	-	8	1	5	9	-	CARDIFF.							
RHONDDA.	-	21.3	19.6	24.7	23.0	9.4	92	54	34	4	-	4	-	-	-	-	18	1	1	-	-	RHONDDA.							
MERTHYR TYDFIL.	-	17.2	16.5	13.6	17.2	3.6	54	24	12	3	-	-	-	-	-	-	5	-	1	1	-	MERTHYR TYDFIL.							
SWANSEA.	-	16.3	12.0	16.3	15.2	1.1	41	28	8	7	-	-	-	1	1	-	-	1	2	1	1	SWANSEA.							
GREATER LONDON.	-	12.4	13.9	15.8	19.9	7.8	3475	2634	1272	390	1	44	3	16	32	8	933	85	168	589	4	GREATER LONDON.							
OUTER RING.	-	11.3	11.9	15.5	20.5	9.4	1173	889	510	100	-	13	1	6	11	1	375	22	47	85	2	OUTER RING.							
8 TOWNS IN OUTER RING.	-	10.6	10.6	14.8	20.1	9.6	550	423	247	37	-	6	-	4	6	-	186	13	27	45	2	8 TOWNS IN OUTER RING.							
REMAINDER OF OUTER RING.	-	11.9	13.1	16.1	20.9	9.2	623	466	263	63	-	7	1	2	5	1	189	9	20	40	-	REMAINDER OF OUTER RING.							
EDINBURGH.	-	13.4	14.9	12.9	13.8	1.7	141	88	13	28	-	1	1	1	3	1	4	5	?	?	2	EDINBURGH.							
GLASGOW.	-	15.3	15.9	14.9	15.2	3.1	494	233	69	43	-	1	-	-	15	-	32	6	?	52	10	GLASGOW.							
DUBLIN.	-	19.3	17.5	17.9	21.2	3.4	188	154	43	37	-	3	1	2	4	-	15	2	5	48	10	DUBLIN.							
BELFAST.	-	16.6	16.3	16.7	15.8	2.5	211	109	32	20	-	-	-	-	2	4	11	2	7	26	?	BELFAST.							

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTY-FIRST Week of each of the Eleven Years, 1894-1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894-1903.*	1904
TOTAL Births -	2695	2624	2623	2395	2335	2577	2701	2844	2719	2481	2696.2	2302
Males - -	1379	1374	1343	1227	1171	1333	1387	1414	1395	1303	1387.0	1161
Females - -	1316	1248	1280	1168	1164	1239	1314	1430	1324	1178	1313.2	1141
TOTAL Deaths -	1464	1806	2058	2202	1586	2200	1768	1747	1164	1149	1778.3	1745
Males - -	775	915	1103	1176	852	1120	921	959	627	640	942.6	930
Females - -	689	891	955	1026	734	1080	847	788	537	509	835.6	815

* The numbers in this column are the average weekly numbers in the thirty-first week of the ten years 1894-1903, raised by 3.723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	May 14.	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	13 Weeks.
TOTAL Births -	2551	2376	2122	2507	2578	2583	2485	2514	2526	2450	2472	2467	2302	31913
TOTAL Deaths -	1454	1349	1274	1179	1187	1142	1143	1148	1154	1152	1320	1423	1745	16670
Ages at Death														
Under 1 year -	289	299	275	237	228	237	216	246	270	278	364	492	762	4193
1-5 years -	203	158	200	176	175	161	165	145	146	145	162	184	228	2238
5-20 " -	77	52	65	64	81	74	61	54	72	60	65	74	72	871
20-40 " -	163	174	159	140	155	163	155	170	143	140	163	156	166	2047
40-60 " -	281	300	226	238	258	225	236	240	241	246	248	216	227	3152
60 yrs. & upwds.	441	366	349	324	290	292	310	293	283	283	318	301	290	4139
Deaths from—														
Small-pox - -	-	-	2	-	-	-	1	1	-	-	1	2	1	8
Measles - -	86	75	83	78	62	65	55	58	53	39	49	36	31	770
Scarlet Fever -	7	5	4	7	4	10	3	7	9	8	4	7	2	77
Diphtheria - -	20	10	14	6	9	7	16	9	7	7	14	5	10	134
Whooping-cough -	44	39	33	32	28	25	17	29	27	29	21	13	21	358
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	1	4	2	1	5	3	5	5	1	5	5	6	7	50
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery	16	21	15	16	26	23	25	24	39	57	161	301	558	1282
All above Diseases -	174	154	153	140	124	133	122	133	136	145	255	370	630	2679
Dis. of Resp. System	116	105	80	73	64	57	64	60	52	62	36	48	54	871
Pneumonia - -	115	105	108	108	93	85	77	86	83	93	84	70	58	1165
Phthisis - -	143	123	145	133	134	162	119	138	132	98	116	113	136	1690
Dis. of Circ. System	206	193	136	148	158	137	156	151	155	156	158	144	134	2032
Violence - -	61	65	54	56	67	47	50	43	54	50	83	83	63	776
Inquest Cases - -	143	151	133	119	131	117	100	115	124	119	152	161	121	1389
Deaths in Institutions	569	498	480	441	436	403	431	435	416	436	511	476	504	6036
TEMPERATURE OF THE AIR.														
Mean - -	49.7	54.0	57.3	56.0	55.9	59.6	58.6	59.7	63.2	68.1	67.1	65.4	68.1	60.2
Mean of Highest -	58.8	63.7	65.9	64.1	65.5	70.8	69.9	71.3	74.3	79.9	79.8	76.9	81.3	70.9
Mean of Lowest -	41.5	44.3	50.5	49.2	48.1	51.4	48.2	48.3	53.1	56.3	55.6	56.4	56.3	50.7
Mean Humidity of the Air.	61	65	86	84	75	72	68	67	70	62	61	75	65	72
Rain-fall (in inches) -	0.29	0.35	0.30	0.71	0.12	0.27	0.17	0.15	0.22	0.01	0.04	1.83	0.08	4.54
Registered Sunshine (in hours).	14.0	58.5	15.0	28.7	39.3	44.9	46.8	68.9	50.9	84.7	74.9	34.6	67.8	629.0
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	99	96	118	96	95	80	83	74	71	62	51	46	32	77
Scarlet Fever - -	1600	1630	1663	1673	1647	1630	1629	1631	1685	1698	1754	1784	1758	1676
Diphtheria - -	777	767	758	748	721	696	671	684	721	764	767	770	786	741
Typhus - -	2	1	-	-	-	-	1	1	-	-	-	-	-	-
Enteric Fever - -	53	56	51	52	65	68	74	62	60	61	58	67	66	61

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Olund, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Formerly described as "Simple Continued Fever."

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 6th August, 1904.

The DEATHS registered during the Week include																			
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths from															Deaths in Public Institutions (Excluding those of Deaths under 1 Year of Age.)
				Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.			
LONDON - - -	4,536,429	2302	1745	762	290	1	31	2	10	21	-	7	-	558	63	121	504		
WEST DISTRICTS	805,311	325	293	125	59	-	1	-	2	6	-	-	-	88	13	19	76		
NORTH DISTRICTS	1,056,070	516	318	138	57	-	7	1	3	4	-	1	-	91	10	18	97		
CENTRAL DISTRICTS	209,465	118	84	31	10	-	-	-	-	-	-	-	-	24	6	8	37		
EAST DISTRICTS	715,739	450	387	187	50	-	10	-	2	4	-	2	-	145	16	41	131		
SOUTH DISTRICTS	1,749,844	913	627	279	102	-	13	1	3	7	-	4	-	208	18	35	127		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	36	2	12	1	-	-	-	-	-	-	-	2	-	-	36		
WEST DISTRICTS.																			
St. Mary Paddington } G. & W.	93,178	43	24	11	5	-	-	-	-	-	-	-	-	4	1	2	2		
W ^{2H} }																			
St. John Paddington H - - G.	33,617	7	15	1	3	-	-	-	-	-	-	-	-	1	1	2	8		
North-West Paddington - - C.	17,181	11	5	4	1	-	-	-	-	-	-	-	-	2	-	-	-		
Kensington Town 2W, w, 2H G, W. & C.	128,037	51	59	23	14	-	1	-	-	1	-	-	-	14	1	1	28		
Brompton 2H - - W. & C.	48,591	6	6	2	2	-	-	-	-	-	-	-	-	2	-	-	1		
North Hammersmith W, w, H } W. & G.	49,192	23	19	11	4	-	-	-	-	1	-	-	-	9	-	-	4		
South Hammersmith w, 2H }	63,047	21	24	8	8	-	-	-	-	-	-	-	-	5	-	-	1		
North-west Fulham W } W. & C.	45,180	29	32	15	5	-	-	-	-	2	-	-	-	13	1	2	10		
North-east Fulham F }	46,405	17	16	7	3	-	-	-	1	-	-	-	-	4	2	2	1		
South Fulham W }	45,704	25	29	21	1	-	-	-	-	-	-	-	-	20	1	1	-		
Chelsea North W, w, 3H - - C.	42,514	22	22	5	6	-	-	-	1	1	-	-	-	1	-	2	11		
Chelsea South W, 2H - - C.	31,328	10	8	3	2	-	-	-	-	-	-	-	-	3	2	2	2		
May Fair and Knightsbridge C. & G.	28,743	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Belgrave W, 2H - - C.	55,815	20	15	5	1	-	-	-	-	-	-	-	-	2	3	3	6		
St. Margaret & St. John 4H - C.	43,698	19	15	8	3	-	-	-	-	-	-	-	-	6	1	2	3		
St. James Westminster } N. & G.	21,588	7	3	1	1	-	-	-	-	-	-	-	-	2	-	-	-		
W, H }																			
St. Anne Soho 5H - - N.	11,493	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
NORTH DISTRICTS																			
All Souls Marylebone 8H - W.	35,391	12	11	2	6	-	-	-	-	-	-	-	-	-	-	-	4		
Rectory Marylebone W G. & W.	19,849	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. Mary Marylebone 4H G. & W.	18,099	40	5	2	-	-	-	-	-	-	-	-	-	2	-	1	1		
Christchurch Marylebone H- W.	39,536	19	17	7	3	-	1	-	-	-	-	-	-	8	1	2	-		
St. John Marylebone 3H - W.	20,426	5	2	1	1	-	-	-	-	-	-	-	-	1	-	-	-		
Hampstead W, K, 3H - N. & W.	81,942	33	16	2	3	-	-	1	-	-	-	1	-	1	1	-	7		
West St. Pancras 2H - - W.	60,562	24	12	6	1	-	-	-	-	-	-	-	-	3	-	-	2		
Tottenham-court w, 6H N. & W.	21,258	9	12	1	5	-	-	-	-	-	-	-	-	-	-	-	11		
Gray's Inn Lane 4H - - N.	34,449	16	10	5	3	-	-	-	-	-	-	-	-	3	1	1	4		
East St. Pancras W, 2H - - N.	60,320	33	23	10	4	-	-	-	-	-	-	-	-	5	1	3	7		
North St. Pancras 2W - - N.	58,728	26	17	9	-	-	-	-	-	1	-	-	-	6	-	-	4		
Tufnell W - - - N.	31,995	20	20	5	8	-	2	-	-	-	-	-	-	-	-	-	13		
Upper Holloway 2W, w, 2H - N.	33,978	19	18	4	3	-	1	-	-	-	-	-	-	-	-	1	13		
Tollington W - - - N.	33,922	16	4	1	1	-	1	-	-	-	-	-	-	-	-	-	-		
Lower Holloway - - - N.	41,424	22	10	9	-	-	-	-	-	1	-	-	-	5	-	1	-		
Barnsbury - - - - N.	54,478	24	12	6	1	-	-	-	-	1	1	-	-	4	1	1	-		
Islington South-east F - - N.	75,397	34	17	9	2	-	-	-	-	-	-	-	-	6	-	-	-		
Highbury 2H - - - N.	63,797	33	9	5	2	-	-	-	-	-	-	-	-	3	-	2	-		
Stoke Newington H - - - N.	51,247	23	9	5	2	-	-	-	-	-	-	-	-	4	1	1	-		
North Hackney - - - E. & N.	50,560	18	8	3	4	-	-	-	-	1	-	-	-	2	-	-	-		
Central Hackney 2w, F - E. & N.	50,536	19	23	13	2	-	1	-	2	-	-	-	-	12	1	-	3		
South-west Hackney 3H E. & N.	59,921	32	13	8	2	-	-	-	-	-	-	-	-	4	1	1	9		
South-east Hackney 2W, w, H E. & N.	58,255	37	45	25	4	-	1	-	-	-	-	-	-	20	2	4	19		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G, signified Graad Junction Company; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River; E, East London; and K, the Kent Company.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 6th August, 1904—continued.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	The DEATHS registered during the Week include														Deaths in Public Institutions.	Uncertified Causes of Death.	
			Total DEATHS.	Deaths of															
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from													
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhœa.	Violence.	Inquest Cases.			
CENTRAL DISTRICTS.																			
Billes and Bloomsbury W,2H N.	31,436	21	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
and W,4H - - - N. & C. and Union Workhouse, Edmonton-	21,874	4	7	-	-	-	-	-	-	-	-	-	-	-	2	3	5	-	
born W,6H - - - N. th Clerkenwell - - - N. th Clerkenwell H - - - N. bury 3H,L - - - N. born Union Workhouse, } itcham - - - - - }	29,612 28,676 35,028 36,116 - -	15 13 25 23 - -	17 9 7 14 -	6 8 5 6 -	1 1 2 2 -	-	-	-	-	-	-	-	-	9 7 3 4 -	1 - - - -	-	10 - - - -	-	
Botolph H - - - N. & E. Sepulchre and Allhallows } 2H - - - - - } N. of London Asylum, Stone - -	10,299 16,824 - -	7 5 - -	2 25 -	1 4 -	- 5 -	-	-	-	-	-	-	-	-	-	-	3 3 -	- 21 -	- - -	
EAST DISTRICTS.																			
reditch South H,L - E. & N. ton New Town w,H - - N. ton Old Town - - - N. gerston W- - - N & E. reditch Union Workhouse, Wood } reen - - - - - }	16,369 29,761 26,504 46,003 - -	9 20 17 27 - -	3 17 14 28 -	1 6 9 5 -	1 6 - - -	-	-	-	-	1	-	-	-	-	-	1 4 2 -	- 7 - 14 -	- - - -	
anal Green North 2H - E. anal Green South - - E. anal Green East 2W,H,L - E.	51,514 33,472 44,694	29 23 31	20 10 30	15 7 13	- 1 4	-	1	-	-	1	-	-	-	9 2 5	- - 3	- - 5	5 14 -	- - -	
alfields - - - E. & N. End New Town W,H - E. Edman's Fields - - - E.	27,969 28,718 22,081	12 22 12	2 42 4	1 14 2	- 4 1	-	-	-	1	-	-	-	-	- 12 1	- 4 1	- 7 1	- 41 -	- - -	
George and St. John 2W E. dwell and Ratcliff W,H E. & N. ehouse - - - - E.	49,068 25,568 32,369	23 11 18	20 18 12	10 11 6	5 - -	-	-	-	-	-	-	-	-	8 6 3	- - 1	- - 1	5 11 -	7 - -	
End Old Town South- } estern* H - - - E. End Old Town North- } estern* W,v - - - E.	63,698 49,129	52 24	24 38	15 19	- 9	-	1	-	1	-	-	-	-	15 14	- -	- 1	- 10	- -	
r L - - - E. mley 3w,H - - - E. lar W,w - - - E.	41,989 68,319 58,514	18 40 42	35 50 20	18 19 13	4 8 2	-	1 1 2	-	-	-	-	1	-	18 23 11	2 3 -	2 7 1	2 20 -	- - -	

On 1st May, 1904, the sub-districts of Mile End Old Town West and Mile End Old Town East were dissolved and merged into two new sub-districts as above.

501
 Population, Births, and Deaths in London Sub-Districts.
 TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 6th August, 1904—continued.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include													
				Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from											
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.	
SOUTH DISTRICTS.																	
Christchurch Southwark W, HL & S.	11,283	7	4	1	1	-	-	-	-	-	-	-	-	-	1	1	1
St. Saviour Southwark H - S.	12,056	7	14	4	1	-	1	-	-	-	-	1	-	-	4	-	1
Kent-road - S. & L.	21,904	14	6	4	-	-	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr } S. & L.	39,094	22	18	9	1	-	-	-	-	1	-	-	-	-	9	-	-
West W, 2H, L - - -	49,022	29	30	18	2	-	1	-	-	-	-	-	-	-	13	1	1
Newington North - S. & L.	49,022	29	30	18	2	-	-	-	-	-	-	-	-	-	-	1	2
Newington South W - S. & L.	72,841	43	22	16	1	-	1	-	-	-	-	-	-	-	7	1	-
St. Olave 2W - - - S.	9,817	9	8	4	2	-	1	-	-	-	-	-	-	-	3	2	3
Bermondsey W - - - S.	82,483	41	25	15	3	-	-	-	-	-	-	-	-	-	14	1	1
Rotherhithe W, F - - S. & K.	38,460	14	15	9	3	-	-	-	-	-	-	-	-	-	6	1	1
Waterloo-road 2H - L. & S.	27,440	19	14	4	-	-	2	-	-	-	-	-	-	-	2	2	2
Lambeth Church 1st H L. & S.	18,423	9	22	8	1	-	-	-	-	1	-	-	-	-	6	2	2
Lambeth Church 2nd 2W L. & S.	39,818	31	23	13	2	-	1	-	-	-	-	-	-	-	10	-	11
Kennington 1st H - S. & L.	53,198	42	23	10	2	-	-	-	-	-	-	-	-	-	9	-	-
Kennington 2nd H - S. & L.	42,896	19	13	8	1	-	-	-	-	1	-	-	-	-	5	-	-
Brixton F - - - L. & S.	84,232	33	20	9	2	-	-	1	-	-	-	1	-	-	4	-	-
Norwood W, H - - - L.	35,888	15	10	4	2	-	2	-	-	-	-	-	-	-	4	-	-
East Battersea H - - S.	72,203	36	17	7	5	-	-	-	-	-	-	-	-	-	7	-	1
North-west Battersea - - S.	49,666	28	12	3	1	-	-	-	-	-	-	-	-	-	3	-	-
South-west Battersea W, H - S.	47,048	14	24	3	10	-	1	-	-	-	-	1	-	-	1	-	14
Clapham 2H - - - S.	51,361	23	10	4	1	-	-	-	-	-	-	-	-	-	5	-	-
Streatham* W, 2w, 2F, 2L - L.	88,019	40	30	13	7	-	-	-	-	2	-	-	-	-	10	-	1
Springfield 2W, L - - S.	27,959	14	8	5	-	-	-	-	-	-	-	-	-	-	5	-	-
Southfields H - - - S.	40,444	24	15	8	3	-	-	-	-	-	-	-	-	-	9	-	-
Putney - - - - S.	24,139	9	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich - - - L. & S.	13,359	9	4	1	3	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South W, w S. & L.	40,206	21	19	5	6	-	-	-	-	-	-	-	-	-	2	-	14
Camberwell North W, 2L S. & L.	65,584	28	28	13	4	-	-	-	-	-	-	-	-	-	8	2	8
St. George - - - L. & S.	47,331	23	16	8	1	-	-	-	-	-	-	-	-	-	9	-	-
Peckham 2W, w - S., L. & K.	92,859	53	32	19	3	-	1	-	-	2	-	-	-	-	15	1	1
Deptford North - - - K.	37,613	17	6	2	-	-	-	-	-	-	-	-	-	-	3	-	1
Deptford Central F - - K.	45,481	32	14	2	5	-	-	-	-	-	-	-	-	-	1	1	2
Deptford South - - - K.	34,626	15	4	3	-	-	-	-	-	-	-	-	-	-	1	-	-
Greenwich West 2H - - K.	23,456	9	6	1	3	-	-	-	-	-	-	-	-	-	-	-	1
Greenwich East 2W, H - K.	43,859	29	32	14	6	-	1	-	-	2	-	1	-	-	8	1	2
Eltham w, H - - - K.	7,226	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee w, H - - - - K.	25,490	15	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham W, w, F - - K.	58,355	37	13	7	4	-	-	-	-	-	-	-	-	-	2	-	5
Sydenham H - - - L.	43,653	13	8	3	4	-	-	-	-	-	-	-	-	-	-	1	-
Charlton F, 2H - - - K.	21,134	11	11	4	3	-	1	-	1	-	-	-	-	-	3	-	3
Woolwich 4H - - - K.	41,825	23	10	6	1	-	-	-	-	1	-	-	-	-	4	-	1
Plumstead West W - - K.	18,063	10	6	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Plumstead East 2W, H - K.	50,264	20	26	10	6	-	-	-	-	-	-	-	-	-	8	2	4
London County Asy., Banstead -	-	-	6	-	2	-	-	-	-	-	-	-	-	-	-	-	6
Manor Asylum, Epsom - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1
Horton Asylum, Epsom - - -	-	-	8	-	3	-	-	-	-	-	-	-	-	-	-	-	8
Lon. Co. Asy. Epilep. Colony, Epsom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Caterham	-	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5
London County Asy., Cane Hill -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.A.B. Hospitals, Dartford -	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	1
Met. Asy. for Imbeciles, Darenth -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Dartford } Heath -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
London County Asylum, Hanwell -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Central London Sick Asy., Hendon -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
London County Asy., Colney Hatch -	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	4
M.A.B. North-Eastern Hospital -	-	-	2	1	-	-	-	-	-	-	-	-	-	-	1	-	2
M.A.B. Northern Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Leavesden -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Claybury -	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* On 1st June, 1904, changes were made in the boundary between Streatham sub-district and Mitcham sub-district (38

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 6th August, 1904.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- mer- ated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include														
					Deaths of		Deaths from												
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
LONDON—OUTER RING	368,580	2,044,973	1173	889	510	100	-	13	1	6	11	1	375	22	47	85	2		
Carshalton <i>w, 2F, 2H</i>	12,228	32,997	17	5	1	3	-	-	-	-	-	-	1	-	-	-	-		
Epsom, <i>part of</i> * <i>W, w, 2F, H</i>	10,423	15,548	7	7	-	3	-	-	-	-	-	-	-	1	1	3	-		
Godstone, <i>part of</i> * <i>W, F</i>	2,754	2,692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Coulsdon	11,069	8,166	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
South Croydon <i>w</i>	4,200	49,309	24	10	6	2	-	-	-	-	-	-	3	-	-	2	-		
West Croydon <i>3W, F, H</i>	2,168	42,888	28	18	2	4	-	-	-	1	-	-	-	2	3	9	-		
North Croydon <i>H</i>	2,644	41,698	21	5	1	2	-	-	-	-	-	-	-	-	-	-	-		
Penge <i>w</i>	770	22,465	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-		
Mitcham <i>w</i>	11,689	30,015	20	8	4	1	-	-	-	-	-	-	2	-	1	-	-		
Wimbledon <i>F, 3H</i>	3,221	41,652	18	4	1	2	-	-	-	-	-	-	-	-	-	-	-		
Kingston <i>W, H</i>	6,224	42,068	26	16	7	2	-	-	-	-	-	-	4	2	2	3	-		
Surbiton <i>F, H</i>	3,046	15,017	4	6	2	1	-	-	-	-	-	-	8	-	-	-	-		
Esher, <i>part of</i> * <i>H</i>	5,402	13,100	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-		
Hampton <i>H, L</i>	4,564	23,456	19	10	7	1	-	-	-	-	1	-	1	-	-	1	-		
Richmond <i>W, H</i>	2,162	28,865	5	6	2	1	-	-	-	-	-	-	3	-	-	1	-		
Mortlake <i>F</i>	2,847	20,623	22	8	7	-	-	-	-	-	-	-	6	-	-	-	-		
Bromley <i>I, 2H</i>	4,703	27,354	14	10	7	-	-	-	-	-	-	-	5	-	1	3	-		
Beckenham <i>H</i>	7,825	28,497	18	8	6	1	-	1	-	-	-	-	2	-	-	-	-		
Orpington, <i>part of</i> * <i>W</i>	10,113	8,857	3	5	-	2	-	-	-	-	-	-	-	-	-	3	-		
Chislehurst <i>2H</i>	7,333	16,446	4	3	1	-	-	-	-	-	-	-	1	-	-	-	-		
Bexley <i>F, H</i>	8,678	21,151	7	10	6	1	-	-	-	-	1	-	5	-	-	-	-		
Erith <i>F, H</i>	3,854	25,296	16	9	8	-	-	-	-	-	-	-	2	-	1	-	-		
Dartford <i>W, F, part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Sunbury <i>w</i>	11,054	18,683	12	11	5	3	-	-	-	-	-	-	4	-	-	-	-		
Staines <i>W, H</i>	13,277	16,178	11	6	2	1	-	-	-	-	-	-	2	-	1	-	-		
Hillingdon <i>W, F, H</i>	6,035	13,661	10	8	3	3	-	-	-	-	-	-	1	-	1	2	-		
Uxbridge	12,757	8,984	5	3	1	1	-	-	-	-	-	-	1	-	-	-	-		
Hayes <i>w, F, H</i>	8,066	16,358	14	7	4	2	-	-	-	-	-	-	2	-	-	-	-		
Isleworth <i>3W, 2F, H</i>	6,859	30,863	22	25	13	1	-	-	-	-	-	-	3	2	2	2	-		
Twickenham <i>F, H</i>	2,421	20,991	16	8	7	-	-	-	-	-	-	-	5	-	-	-	-		
Brentford <i>2F, 2H, L</i>	4,319	45,289	27	24	19	2	-	-	-	1	-	-	18	-	-	1	-		
Chiswick <i>H</i>	1,249	29,809	19	12	4	4	-	-	1	-	-	-	1	-	-	-	-		
Acton <i>w, 3H</i>	6,132	48,914	39	39	33	3	-	-	-	-	-	-	26	-	-	-	-		
Harrow <i>F, H</i>	13,809	25,523	13	4	-	2	-	-	-	-	-	-	1	-	1	-	-		
Edgware <i>F, 2H</i>	6,994	4,521	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Willesden <i>W, F, 2H</i>	4,384	114,811	78	37	20	2	-	-	-	-	-	-	12	-	2	2	-		
Hendon <i>W, F</i>	8,382	22,450	16	7	2	1	-	2	1	-	-	-	1	1	1	1	-		
South Mimms <i>2F, H</i>	17,755	7,308	5	1	1	-	-	-	-	-	-	-	-	-	-	1	-		
Barnet <i>W, 3H</i>	3,324	17,970	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-		
Finchley <i>F, 2H</i>	4,688	33,692	14	13	3	5	-	-	-	-	-	-	2	-	2	-	-		
Hornsey <i>F, H</i>	2,875	72,056	33	16	7	4	-	-	-	-	-	-	4	-	1	-	-		
Wood Green <i>H</i>	1,625	34,233	23	7	4	-	-	-	-	1	-	-	3	-	-	-	-		
West Tottenham <i>F</i>	996	48,853	37	6	5	-	-	-	-	1	1	-	1	-	-	-	-		
East Tottenham <i>F, H</i>	2,017	53,888	35	24	16	-	-	-	-	-	-	-	11	2	3	7	-		
Edmonton <i>W, w, 2F</i>	7,491	61,892	35	49	31	-	-	1	-	1	1	1	27	2	6	2	-		
Enfield <i>2W, F, H</i>	12,601	42,738	20	34	22	3	-	1	-	-	-	-	24	-	-	1	-		
Waltham Abbey	11,017	6,549	5	1	1	-	-	-	-	-	-	-	1	-	-	-	-		
Cheshunt <i>F, H</i>	8,479	12,292	10	2	1	-	-	-	-	-	-	-	-	-	-	-	-		
Hatfield, <i>part of</i> * <i>W</i>	3,305	604	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Bushey <i>H</i>	9,333	9,173	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-		
Watford <i>W, 2F part of</i> *	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-		
Stratford <i>H</i>	1,072	44,827	18	26	16	4	-	-	-	-	1	-	14	2	5	2	-		
Plaistow <i>F, 2H</i>	1,249	90,921	54	58	44	1	-	-	-	-	1	-	32	-	1	3	1		
Canning Town <i>H</i>	1,556	70,718	41	47	23	4	-	-	-	-	-	-	23	4	5	1	-		
Forest Gate <i>w</i>	806	60,892	19	22	14	1	-	1	-	-	-	-	16	-	-	-	-		
North East Ham <i>w</i>	1,333	58,676	39	12	8	1	-	2	-	-	-	-	6	-	-	-	-		
South East Ham <i>3F</i>	1,993	37,342	23	36	24	-	-	-	-	-	-	-	22	1	1	1	-		
Wanstead <i>F</i>	1,679	9,179	2	1	1	-	-	-	-	-	-	-	1	-	-	-	-		
South Leyton <i>2W</i>	631	50,467	20	32	16	6	-	-	-	-	1	-	13	-	-	9	-		
North Leyton <i>W, w, F</i>	1,963	48,445	21	34	13	5	-	2	-	-	-	-	8	1	2	15	1		
Walthamstow <i>3H, L</i>	6,504	108,929	71	50	32	6	-	1	-	-	2	-	27	1	2	1	-		
Chigwell, <i>part of</i> * <i>2F, 4H</i>	11,778	16,397	8	8	3	2	-	-	-	2	-	-	-	-	-	3	-		
Epping <i>W, F, part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Romford, <i>part of</i> * <i>W, 2F</i>	6,556	6,091	10	8	6	1	-	-	-	-	-	-	1	-	-	3	-		
Ilford <i>F, L</i>	8,496	41,234	36	32	23	2	-	1	-	-	1	-	11	-	-	-	-		
Barking Town <i>F</i>	3,803	21,547	12	14	9	-	-	-	-	-	-	-	9	-	-	-	-		
Middlesex County Asylum, Wandsworth.	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-		
Banstead Asylum	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-		
North-Eastern Hosp., Tot- tenham.	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-		

ne parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer are as follows:—30: 2, excepting Astead parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher sh; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting ydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious ases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

See note * on preceding page.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping- cough.	Fever.
CALCUTTA (including SUBURBS)	847,796	June 25	-	332	20·3	1	1	-	1	-	111
BOMBAY - -	776,006	July 19	345	569	38·1	6	4	-	-	-	103
MADRAS - -	509,346	" 1	420	332	32·6	-	1	-	-	-	83
PARIS - - -	2,660,559	" 30	1076	895	17·4	2	6	1	1*	6	2
BRUSSELS - -	575,896	" 30	208	164	14·5	-	2	-	-	1	-
ANTWERP - -	281,376	" 30	170	95	17·2	1	2	-	-	1	2
AMSTERDAM -	547,370	" 23	249	139	13·2	-	5	-	1*	2	1
COPENHAGEN -	420,000	" 30	243	128	15·9	-	2	1	-	6	-
STOCKHOLM -	305,115	" 23	119	71	11·9	-	1	3	-	2	-
CHRISTIANIA -	225,709	" 30	127	48	11·2	-	-	-	1*	-	-
ST. PETERSBURG	1,248,643	" 23	546	573	23·9	1	18	9	17*	1	10
MOSCOW - -	1,093,410	" 23	-	639	30·5	5	30	8	8*	1	1
BERLIN - - -	1,960,909	" 16	932	608	16·2	-	10	10	6*	4	3
HAMBURG - -	751,642	" 30	-	213	14·7	-	1	1	4*	7	-
BRESLAU - -	445,403	" 30	-	229	26·8	-	-	2	-	-	-
MUNICH - - -	520,000	" 30	-	223	22·3	-	1	2	-	5	2
VIENNA - - -	1,779,669	" 30	903	664	19·2	-	15	4	7*	1	-
PRAGUE - - -	423,990	" 23	190	219	26·7	-	2	-	-	1	2
BUDA-PESTH -	813,399	" 30	-	-	-	-	-	-	-	-	-
TRIESTE - - -	187,251	" 23	106	107	29·2	-	-	2	-	2	-
ROME - - - -	496,201	May 21	235	183	19·1	-	2	-	-	-	3
VENICE - - -	166,288	July 23	100	99	31·0	-	5	-	-	-	2
CAIRO - - - -	624,338	May 13	436	479	40·0	2	24	1	5*	-	13
ALEXANDRIA -	349,300	" 13	229	260	38·8	-	9	-	2*	-	12
NEW YORK - -	3,838,024	July 23	1877	1726	23·5	-	7	3	25*	5	13
PHILADELPHIA -	1,408,154	" 9	-	444	16·4	-	1	2	5*	1	7
BOSTON - - -	617,950	" 9	-	172	14·5	-	1	-	5*	-	2

* Including deaths from croup.

† Including 22 deaths from plague in Calcutta, 58 in Bombay, and 4 in Alexandria.

‡ Including 19 deaths from cholera in Calcutta, and 1 in Paris.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 6th August, 1904.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	91·0	53·0	68·8	0·08	BRADFORD - -	81·6	53·0	65·3	0
BRIGHTON - -	81·4	56·0	68·4	0·17	LEEDS - - - -	85·0	54·0	67·1	0
PORTSMOUTH -	78·0	54·0	66·2	0·42	HULL - - - - -	84·0	55·0	67·6	0
NORWICH - - -	-	-	-	-	TYNEMOUTH - -	79·0	51·0	64·5	0
PLYMOUTH - -	74·4	54·4	63·5	0·15					
BRISTOL - - -	81·7	52·0	64·2	0·33	EDINBURGH - -	75·1	52·2	61·8	1
BIRMINGHAM -	81·8	52·4	64·5	0·44	GLASGOW - - -	76·2	52·8	63·0	1
NOTTINGHAM -	85·1	52·2	66·7	0·32					
LIVERPOOL - -	82·0	54·0	65·3	0·29	DUBLIN { Phoenix Park, Fitz- william Square,†	74·8	49·2	61·5	0
MANCHESTER -	82·3	48·3	64·2	0·61		77·7	54·5	63·6	0
PRESTON - - -	77·3	55·0	64·5	1·03					
HUDDERSFIELD -	81·5	51·0	64·7	0·28	BELFAST - - -	-	-	-	-

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1·8 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D. Dublin.

1904. MONTH AND DAY	Phases of the Moon.	BARO- METER.		TEMPERATURE.				Difference between this and Dew Point Temperature.				Of the Radiation.		Wind as deduced from Anemometers.				Rain collected in a cistern where surface is 5 inches above the ground.								
		Mean daily reading (Cor- rected to 32° Fahren- heit).	High- est.	Of the Air.		Of the Dew point	Degree of Hu- midity (Sat- uration equals 100).	Highest in Sun's Rays.	Lowest in Grass.	General Direction.		Pressure on the Square Foot.		Robinson's.												
				Low- est.	Daily Range.					Mean daily value.	Dif- ference from Average value, 50 years.	A.M.	P.M.	Great- est.	Least, hourly obs.	Horizontal of the Air Day.	Depart- ure at the end of 16 years.									
JULY.																										
SUNDAY - 31	..	28-903	78-3	57-0	21-3	65-6	+	3-3	53-7	11-9	23-8	0-4	66	138-2	55-0	64-09	WSW. & W.	WSW., S.W.	lbs. 1-8	0-0	0-1	Miles. 236	- 6	in. 0-02	4-0	
MONDAY - 1	In Equator.	29-980	79-0	56-2	22-8	66-9	+	3-7	54-0	11-9	24-5	1-4	66	148-3	49-9	64-20	SW. WSW. & W.	SW. & S.	0-5	0-0	0-0	163	- 81	0-00	6-0	
TUESDAY - 2	..	30-009	83-0	53-0	39-0	68-0	+	5-9	54-8	13-2	26-0	0-6	63	150-2	44-9	64-30	SW. & S.	S.	1-1	0-0	0-0	128	- 119	0-00	0-0	
WEDNESDAY - 3	..	30-017	87-4	54-0	33-4	72-5	+	10-4	55-0	17-5	30-1	1-3	54	152-2	46-0	64-49	Variable.	S. & S.E.	1-5	0-0	0-1	138	- 112	0-00	0-0	
THURSDAY - 4	Last Qr.	29-817	91-0	57-3	33-7	74-4	+	12-2	56-4	18-0	32-9	1-9	54	146-8	45-6	64-74	SE. S. & SW.	SW. W. & S.	4-0	0-0	0-4	239	- 14	0-06	8-5	
FRIDAY - 5	..	29-839	78-6	59-7	18-9	67-9	+	5-6	56-1	11-8	23-8	1-5	66	144-1	53-5	64-90	SW. WSW. & W.	WSW. & S.	2-2	0-0	0-2	277	+ 21	0-00	1-5	
SATURDAY - 6	..	29-810	71-9	57-1	14-8	62-7	+	0-3	58-4	4-3	16-2	2-9	86	112-0	51-8	64-99	SW. & W.	WSW. & W.	6-5	0-0	0-9	417	+ 159	0-00	7-2	
MEANS	-	29-911	81-3	56-3	25-0	68-1	+	5-9	55-5	12-7	25-3	1-4	65	141-7	49-5	64-53	SW.		Sum 1598	Sum - 152	Sum 0-08	3-9	
No. of Column	-	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	

The results apply to the civil day, or from midnight to midnight.
The height of the column of the barometer is 159 feet above the mean level of the sea ; no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M. ; noon ; 3h. P. M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer combined the corrected mean of the readings of the maximum and minimum thermometers forming the mean daily value of temperature of the air (column 8). The mean daily dew-point temperature and degree of humidity by Gladstone's Hygrometrical Tables, daily values of the dry and wet bulb thermometers of Gladstone's Hygrometrical Tables, the average temperature of the air is that derived from a discussion of the observations made Greenwell during the 50 years ending 1880, and that of horizontal movement of the air from a discussion of the aneromeric records for the 16 years ending 1876.

"In each of columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average. It are not corrected for the index error of the thermometer. The values given are uncorrected.

This cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable, 28 derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29-84 in. at the beginning of the week to 30-06 in. by 8h. A.M. on August 3rd; decreased to 29-74 in. by 3h. A.M. on the 5th; increased to 29-88 in. by 11h. P.M. on the same day; decreased to 29-77 in. by 3h. P.M. on the 6th, and increased to 29-86 in. by midnight on the same day.

DATE.	Registered Sun above horizon in hours.	Electricity.	(For explanation of symbols, see Note.)	Remarks.
JULY.				
SUNDAY - 31	9-4	15-4	w. P. throughout.	Fine with little cloud. Partial solar halo with parhelion in afternoon.
MONDAY - 1	9-1	15-4	w. P. till 20h.; m. P. afterwards.	Fine with variable amount of cloud threatening in afternoon. Partial solar halo visible occasionally in afternoon.
TUESDAY - 2	13-1	15-3	m. P. till 5h.; w. P. afterwards.	Very fine and warm with little cloud; very fine night.
WEDNESDAY - 3	14-2	15-3	w. P. throughout.	Very fine and hot; little cloud in afternoon; cloudless night.
THURSDAY - 4	10-0	15-2	w. P. generally.	Exceedingly hot morning; gradually clouded in afternoon with slight thunder-storm before sunset.
FRIDAY - 5	10-6	15-1	w. P. throughout.	Fine but cloudy generally at intervals Solar halo in evening.
SATURDAY - 6	1-4	15-1	w. P. throughout.	Generally cloudy until late in afternoon. Solar halo about 10h.; brisk wind in afternoon.
No. of Col.-	28	99		

27

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 30th July, 1904.*

BOROUGHS,	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Chicken-pox.	
WEST.												
Paddington- - - -	146,975	-	7	3	-	1	-	-	1	-	4	
Kensington - - - -	179,236	-	7	5	-	1	-	-	-	1	13	
Hammersmith - - -	117,412	-	3	2	-	2	-	-	1	-	7	
Fulham - - - -	152,482	-	5	4	-	-	-	-	6	-	10	
Chelsea - - - -	74,329	-	1	-	-	-	-	-	2	-	3	
City of Westminster-	177,321	-	6	2	-	2	-	-	3	-	5	
NORTH.												
St. Marylebone - - -	130,337	-	4	4	-	-	-	-	8	-	13	
Hampstead - - - -	86,663	-	2	-	-	-	-	-	-	-	1	
St. Pancras- - - -	235,936	1	24	6	-	1	-	-	7	-	8	
Islington - - - -	341,044	-	40	4	-	2	-	-	1	-	24	
Stoke Newington - - -	52,445	-	3	1	-	1	-	-	1	-	2	
Hackney - - - -	226,266	-	18	10	-	2	-	-	3	-	12	
CENTRAL.												
Holborn - - - -	57,161	-	6	-	-	1	-	-	1	-	-	
Finsbury - - - -	98,958	2	5	2	-	1	-	-	1	-	11	
City of London - - -	23,482	-	-	1	-	1	-	-	-	-	1	
EAST.												
Shoreditch - - - -	117,033	4	4	5	-	-	-	-	2	-	7	
Bethnal Green - - -	130,207	-	21	10	-	2	-	-	4	-	5	
Stepney - - - -	303,791	1	29	24	-	3	-	-	14	-	24	
Poplar- - - -	169,905	-	8	5	-	-	-	-	5	-	18	
SOUTH.												
Southwark- - - -	207,937	-	13	10	-	-	-	-	7	2	11	
Bermondsey - - - -	129,397	-	7	4	-	1	-	-	9	-	5	
Lambeth - - - -	310,359	-	7	6	-	3	-	-	4	-	15	
Battersea - - - -	175,465	-	6	6	-	1	-	-	3	-	14	
Wandsworth - - - -	257,448	-	10	7	-	2	-	-	3	1	14	
Camberwell - - - -	268,384	-	11	8	-	2	-	-	9	-	21	
Deptford - - - -	113,509	-	11	12	-	-	-	-	2	1	11	
Greenwich - - - -	101,651	-	3	-	-	-	-	-	1	-	4	
Lewisham - - - -	140,401	-	7	3	-	1	-	-	-	-	7	
Woolwich - - - -	123,416	-	9	1	-	1	-	-	2	-	6	
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-	
ADMINISTRATIVE COUNTY OF LONDON. }		4,648,950	8	277	145	-	31	-	-	100	5	276
AGES.												
Ages 0-1 - - - -	-	-	2	3	2	-	-	-	3	-	32	
" 1-5 - - - -	-	-	1	87	50	-	1	-	7	-	137	
" 5- - - - -	-	-	1	115	59	-	2	-	5	-	90	
" 10- - - - -	-	-	-	39	17	-	2	-	4	-	7	
" 15- - - - -	-	-	1	15	6	-	3	-	7	-	4	
" 20- - - - -	-	-	1	9	4	-	8	-	6	1	4	
" 25- - - - -	-	-	1	6	2	-	8	-	17	4	1	
" 35- - - - -	-	-	-	2	3	-	3	-	12	-	1	
" 45- - - - -	-	-	-	-	-	-	3	-	19	-	-	
" 55- - - - -	-	-	1	1	1	-	1	-	6	-	-	
" 65 and upwards - -	-	-	-	-	1	-	-	-	13	-	-	
Age not stated - - -	-	-	-	-	-	-	-	-	1	-	-	

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

THE UNIVERSITY OF CHICAGO
LIBRARY

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
By DARLING & SON, LTD., 34-40, BACON STREET, E

1904.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 32. 1904. VOL. LXV.] WEEK ENDED SATURDAY, AUG. 13. [Price 1½d.

General Register Office, Somerset House,
August 15th, 1904.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 22·1 per 1000 of their aggregate population, which is estimated† at 15,271,287 persons in the middle of this year. In the preceding three weeks the rates had been 14·1, 16·4, and 19·8. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 32·4 in Aston Manor, 33·0 in East Ham, 34·6 in York, 35·5 in Bootle, 35·7 in Wigan, 36·7 in Leyton, and 37·7 in Liverpool; from *measles*, 1·2 in Brighton and in Hull, 1·6 in Stockport and in Salford, and 4·2 in Bootle; from *whooping-cough*, 1·7 in Bootle and in Rhondda, 2·7 in Huddersfield, and 4·0 in Burton upon Trent; and from *diarrhœa*, 14·0 in Burnley, 15·1 in Birmingham, 16·2 in Hull, 16·4 in Walthamstow, 16·6 in West Ham, 17·8 in East Ham, 18·0 in York, 18·5 in Liverpool, 18·6 in Bootle, 21·4 in Aston Manor, and 21·6 in Leyton. One death from *small-pox* was registered in London, 1 in Coventry, and 1 in Stockport, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2730 BIRTHS and 1912 DEATHS were registered. Allowing for increase of population, the births were 269 and the deaths 170 above the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 14·8, 16·0, and 19·6 in the preceding three weeks, further rose last week to 21·4. During the four weeks ended on Saturday last the death-rate averaged 18·0 per 1000, being 1·2 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, and in certain local Small-pox Hospitals, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1912 deaths included 1 from small-pox, 36 from measles, 10 from scarlet fever, 7 from diphtheria, 21 from whooping-cough, 2 from enteric fever, and 687 from diarrhoea, but not one death from typhus or from ill-defined pyrexia; thus, 764 deaths were referred to these diseases in the aggregate, being 303 above the corrected average weekly number.

The death from *small-pox* belonged to the Borough of Shoreditch. The deaths from *measles*, which had been 49, 36, and 31 in the preceding three weeks, rose again last week to 36, but were 3 below the corrected average; 4 deaths belonged to Shoreditch and 4 to Wandsworth. The deaths from *scarlet fever*, which had been 4, 7, and 2 in the preceding three weeks, rose again last week to 10, but were 3 below the corrected average. The deaths from *diphtheria*, which had been 14, 5, and 10 in the preceding three weeks, fell again last week to 7, and were 28 below the corrected average. The deaths from *whooping-cough*, which had been 21, 13, and 21 in the preceding three weeks, were 21 last week, and were 9 below the corrected average; 5 deaths belonged to Lambeth and 4 to Southwark. The fatal cases of *enteric fever*, which had been 5, 6, and 7 in the preceding three weeks, fell last week to 2, and were 8 below the corrected average. The deaths from *diarrhoea*, which had been 161, 301, and 558 in the preceding three weeks, further rose last week to 687, and were 354 above the corrected average; 51 deaths belonged to Stepney, 48 to Southwark, 47 to Lambeth, 40 to Camberwell, 38 to Islington, 37 to Hackney, and 35 to Fulham and to Battersea. Of the 687 deaths from diarrhoea, 660 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 30 more deaths at this age.

Different forms of *violence* caused 62 deaths, concerning all but 1 of which inquests were held. Of these 62 deaths, 9 were cases of suicide, while the remaining 53 were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, 12 to drowning, 2 to burns and scalds, 1 to heat stroke, and 9 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 21 cases of small-pox, 1763 of scarlet fever, 780 of diphtheria, and 71 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, no cases, against 6, 7, and 2; of scarlet fever, 189 cases, against 234, 243, and 166; of diphtheria, 105 cases, against 127, 127, and 115; and of enteric fever, 16 cases, against 12, 20, and 9. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended August 6th.

GREATER LONDON.

In Greater London 4153 births and 2941 deaths were registered. Allowing for increase of population these numbers are 506 and 471 above the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 4 deaths from diphtheria, 6 from whooping-cough, and 254 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.90 inches, and that of the Thermometer 61° 0, the latter being 1° 5 below the week's average in the 50 years 1841-90. The general direction of the wind was variable, the horizontal movement of the air being 18 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 62.2 hours; the measured rainfall amounted to 0.06 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

The Deaths registered in the Week include

TOWNS.	Cols.	DEATH-RATES FROM ALL CAUSES.										Rate from Diseases in 1904.		Registered Deaths in Week ended 13th Aug., 1904.		Deaths from										Deaths in Public Institutions.		Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
		Week ended					Week ended 13th Aug., 1904.	6.	7.	8.	Infants under 1 Year of Age.		Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unidentified Causes of Death.	TOWNS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
		23rd July, 1904.	30th July, 1904.	6th Aug., 1904.	13th Aug., 1904.	BIRTHS.					DEATHS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	22.	23.	24.	25.	26.	27.	28.	29.	30.	31.	32.	33.	34.	35.	36.	37.	38.	39.	40.	41.	42.	43.	44.	45.	46.	47.	48.	49.	50.	51.	52.	53.	54.	55.	56.	57.	58.	59.	60.	61.	62.	63.	64.	65.	66.	67.	68.	69.	70.	71.	72.	73.	74.	75.	76.	77.	78.	79.	80.	81.	82.	83.	84.	85.	86.	87.	88.	89.	90.	91.	92.	93.	94.	95.	96.	97.	98.	99.	100.	101.	102.	103.	104.	105.	106.	107.	108.	109.	110.	111.	112.	113.	114.	115.	116.	117.	118.	119.	120.	121.	122.	123.	124.	125.	126.	127.	128.	129.	130.	131.	132.	133.	134.	135.	136.	137.	138.	139.	140.	141.	142.	143.	144.	145.	146.	147.	148.	149.	150.	151.	152.	153.	154.	155.	156.	157.	158.	159.	160.	161.	162.	163.	164.	165.	166.	167.	168.	169.	170.	171.	172.	173.	174.	175.	176.	177.	178.	179.	180.	181.	182.	183.	184.	185.	186.	187.	188.	189.	190.	191.	192.	193.	194.	195.	196.	197.	198.	199.	200.	201.	202.	203.	204.	205.	206.	207.	208.	209.	210.	211.	212.	213.	214.	215.	216.	217.	218.	219.	220.	221.	222.	223.	224.	225.	226.	227.	228.	229.	230.	231.	232.	233.	234.	235.	236.	237.	238.	239.	240.	241.	242.	243.	244.	245.	246.	247.	248.	249.	250.	251.	252.	253.	254.	255.	256.	257.	258.	259.	260.	261.	262.	263.	264.	265.	266.	267.	268.	269.	270.	271.	272.	273.	274.	275.	276.	277.	278.	279.	280.	281.	282.	283.	284.	285.	286.	287.	288.	289.	290.	291.	292.	293.	294.	295.	296.	297.	298.	299.	300.	301.	302.	303.	304.	305.	306.	307.	308.	309.	310.	311.	312.	313.	314.	315.	316.	317.	318.	319.	320.	321.	322.	323.	324.	325.	326.	327.	328.	329.	330.	331.	332.	333.	334.	335.	336.	337.	338.	339.	340.	341.	342.	343.	344.	345.	346.	347.	348.	349.	350.	351.	352.	353.	354.	355.	356.	357.	358.	359.	360.	361.	362.	363.	364.	365.	366.	367.	368.	369.	370.	371.	372.	373.	374.	375.	376.	377.	378.	379.	380.	381.	382.	383.	384.	385.	386.	387.	388.	389.	390.	391.	392.	393.	394.	395.	396.	397.	398.	399.	400.	401.	402.	403.	404.	405.	406.	407.	408.	409.	410.	411.	412.	413.	414.	415.	416.	417.	418.	419.	420.	421.	422.	423.	424.	425.	426.	427.	428.	429.	430.	431.	432.	433.	434.	435.	436.	437.	438.	439.	440.	441.	442.	443.	444.	445.	446.	447.	448.	449.	450.	451.	452.	453.	454.	455.	456.	457.	458.	459.	460.	461.	462.	463.	464.	465.	466.	467.	468.	469.	470.	471.	472.	473.	474.	475.	476.	477.	478.	479.	480.	481.	482.	483.	484.	485.	486.	487.	488.	489.	490.	491.	492.	493.	494.	495.	496.	497.	498.	499.	500.	501.	502.	503.	504.	505.	506.	507.	508.	509.	510.	511.	512.	513.	514.	515.	516.	517.	518.	519.	520.	521.	522.	523.	524.	525.	526.	527.	528.	529.	530.	531.	532.	533.	534.	535.	536.	537.	538.	539.	540.	541.	542.	543.	544.	545.	546.	547.	548.	549.	550.	551.	552.	553.	554.	555.	556.	557.	558.	559.	560.	561.	562.	563.	564.	565.	566.	567.	568.	569.	570.	571.	572.	573.	574.	575.	576.	577.	578.	579.	580.	581.	582.	583.	584.	585.	586.	587.	588.	589.	590.	591.	592.	593.	594.	595.	596.	597.	598.	599.	600.	601.	602.	603.	604.	605.	606.	607.	608.	609.	610.	611.	612.	613.	614.	615.	616.	617.	618.	619.	620.	621.	622.	623.	624.	625.	626.	627.	628.	629.	630.	631.	632.	633.	634.	635.	636.	637.	638.	639.	640.	641.	642.	643.	644.	645.	646.	647.	648.	649.	650.	651.	652.	653.	654.	655.	656.	657.	658.	659.	660.	661.	662.	663.	664.	665.	666.	667.	668.	669.	670.	671.	672.	673.	674.	675.	676.	677.	678.	679.	680.	681.	682.	683.	684.	685.	686.	687.	688.	689.	690.	691.	692.	693.	694.	695.	696.	697.	698.	699.	700.	701.	702.	703.	704.	705.	706.	707.	708.	709.	710.	711.	712.	713.	714.	715.	716.	717.	718.	719.	720.	721.	722.	723.	724.	725.	726.	727.	728.	729.	730.	731.	732.	733.	734.	735.	736.	737.	738.	739.	740.	741.	742.	743.	744.	745.	746.	747.	748.	749.	750.	751.	752.	753.	754.	755.	756.	757.	758.	759.	760.	761.	762.	763.	764.	765.	766.	767.	768.	769.	770.	771.	772.	773.	774.	775.	776.	777.	778.	779.	780.	781.	782.	783.	784.	785.	786.	787.	788.	789.	790.	791.	792.	793.	794.	795.	796.	797.	798.	799.	800.	801.	802.	803.	804.	805.	806.	807.	808.	809.	810.	811.	812.	813.	814.	815.	816.	817.	818.	819.	820.	821.	822.	823.	824.	825.	826.	827.	828.	829.	830.	831.	832.	833.	834.	835.	836.	837.	838.	839.	840.	841.	842.	843.	844.	845.	846.	847.	848.	849.	850.	851.	852.	853.	854.	855.	856.	857.	858.	859.	860.	861.	862.	863.	864.	865.	866.	867.	868.	869.	870.	871.	872.	873.	874.	875.	876.	877.	878.	879.	880.	881.	882.	883.	884.	885.	886.	887.	888.	889.	890.	891.	892.	893.	894.	895.	896.	897.	898.	899.	900.	901.	902.	903.	904.	905.	906.	907.	908.	909.	910.	911.	912.	913.	914.	915.	916.	917.	918.	919.	920.	921.	922.	923.	924.	925.	926.	927.	928.	929.	930.	931.	932.	933.	934.	935.	936.	937.	938.	939.	940.	941.	942.	943.	944.	945.	946.	947.	948.	949.	950.	951.	952.	953.	954.	955.	956.	957.	958.	959.	960.	961.	962.	963.	964.	965.	966.	967.	968.	969.	970.	971.	972.	973.	974.	975.	976.	977.	978.	979.	980.	981.	982.	983.	984.	985.	986.	987.	988.	989.	990.	991.	992.	993.	994.	995.	996.	997.	998.	999.	1000.	1001.	1002.	1003.	1004.	1005.	1006.	1007.	1008.	1009.	1010.	1011.	1012.	1013.	1014.	1015.	1016.	1017.	1018.	1019.	1020.	1021.	1022.	1023.	1024.	1025.	1026.	1027.	1028.	1029.	1030.	1031.	1032.	1033.	1034.	1035.	1036.	1037.	1038.	1039.	1040.	1041.	1042.	1043.	1044.	1045.	1046.	1047.	1048.	1049.	1050.	1051.	1052.	1053.	1054.	1055.	1056.	1057.	1058.	1059.	1060.	1061.	1062.	1063.	1064.	1065.	1066.	1067.	1068.	1069.	1070.	1071.	1072.	1073.	1074.	1075.	1076.	1077.	1078.	1079.	1080.	1081.	1082.	1083.	1084.	1085.	1086.	1087.	1088.	1089.	1090.	1091.	1092.	1093.	1094.	1095.	1096.	1097.	1098.	1099.	1100.	1101.	1102.	1103.	1104.	1105.	1106.	1107.	1108.	1109.	1110.	1111.	1112.	1113.	1114.	1115.	1116.	1117.	1118.	1119.	1120.	1121.	1122.	1123.	1124.	1125.	1126.	1127.	1128.	1129.	1130.	1131.	1132.	1133.	1134.	1135.	1136.	1137.	1138.	1139.	1140.	1141.	1142.	1143.	1144.	1145.	1146.	1147.	1148.	1149.	1150.	1151.	1152.	1153.	1154.	1155.	1156.	1157.	1158.	1159.	1160.	1161.	1162.	1163.	1164.	1165.	1166.	1167.	1168.	1169.	1170.	1171.	1172.	1173.	1174.	1175.	1176.	1177.	1178.	1179.	1180.	1181.	1182.	1183.	1184.	1185.	1186.	1187.	1188.	1189.	1190.	1191.	1192.	1193.	1194.	1195.	1196.	1197.	1198.	1199.	1200.	1201.	1202.	1203.	1204.	1205.	1206.	1207.	1208.	1209.	1210.	1211.	1212.	1213.	1214.	1215.	1216.	1217.	1218.	1219.	1220.	1221.	1222.	1223.	1224.	1225.	1226.	1227.	1228.	1229.	1230.	1231.	1232.	1233.	1234.	1235.	1236.	1237.	1238.	1239.	1240.	1241.	1242.	1243.	1244.	1245.	1246.	1247.	1248.	1249.	1250.	1251.	1252.	1253.	1254.	1255.	1256.	1257.	1258.	1259.	1260.	1261.	1262.	1263.	1264.	1265.	1266.	1267.	1268.	1269.	1270.	1271.	1272.	1273.	1274.	1275.	1276.	1277.	1278.	1279.	1280.	1281.	1282.	1283.	1284.	1285.	1286.	1287.	1288.	1289.	1290.	1291.	1292.	1293.	1294.	1295.	1296.	1297.	1298.	1299.	1300.	1301.	1302.	1303.	1304.	1305.	1306.	1307.	1308.	1309.	1310.	1311.	1312.	1313.	1314.	1315.	1316.	1317.	1318.	1319.	1320.	1321.	1322.	1323.	1324.	1325.	1326.	1327.	1328.	1329.	1330.	1331.	1332.	1333.	1334.	1335.	1336.	1337.	1338.	1339.	1340.	1341.	1342.	1343.	1344.	1345.	1346.	1347.	1348.	1349.	1350.	1351.	1352.	1353.	1354.	1355.	1356.	1357.	1358.	1359.	1360.	1361.	1362.	1363.	1364.	1365.	1366.	1367.	1368.	1369.	1370.	1371.	1372.	1373.	1374.	1375.	1376.	1377.	1378.	1379.	1380.	1381.	1382.	1383.	1384.	1385.	1386.	1387.	1388.	1389.	1390.	1391.	1392.	1393.	1394.	1395.	1396.	1397.	1398.	1399.	1400.	1401.	1402.	1403.	1404.	1405.	1406.	1407.	1408.	1409.	1410.	1411.	1412.	1413.	1414.	1415.	1416.	1417.	1418.	1419.	1420.	1421.	1422.	1423.	1424.	1425.	1426.	1427.	1428.	1429.	1430.	1431.	1432.	1433.	1434.	1435.	1436.	1437.	1438.	1439.	1440.	1441.	1442.	1443.	1444.	1445.	1446.	1447.	1448.	1449.	1450.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTY-SECOND Week of each of the Eleven Years, 1894-1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894-1903.*	1904
TOTAL Births -	2200	2340	2291	2728	2807	2214	2332	2322	1929	2533	2460.9	2730
Males -	1073	1216	1145	1385	1391	1139	1188	1240	940	1329	1219.9	1366
Females -	1122	1124	1146	1343	1416	1075	1144	1082	989	1204	1241.0	1361
TOTAL Deaths -	1450	1601	1790	2246	1772	2068	1804	1636	1176	1255	1742.3	1913
Males -	747	870	972	1187	932	1130	1015	882	607	650	932.6	992
Females -	703	731	818	1059	840	938	789	754	569	605	809.7	920

* The numbers in this column are the average weekly numbers in the thirty-second week of the ten years 1894-1903, raised by 3.723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	May 21.	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	13 Weeks.
TOTAL Births -	2376	2122	2507	2578	2583	2465	2514	2526	2450	2472	2167	2302	2730	32092
TOTAL Deaths -	1349	1274	1179	1187	1142	1143	1148	1154	1152	1320	1423	1745	1912	17128
Deaths at														
Under 1 year -	299	275	237	228	237	216	246	270	278	364	492	762	929	4833
1-5 years -	158	200	176	175	151	165	145	146	145	162	184	228	244	2379
5-20 " -	52	65	64	81	74	61	54	72	60	65	74	72	75	869
20-40 " -	174	159	140	155	163	155	170	143	140	163	156	166	132	2016
40-60 " -	309	226	238	258	225	236	240	241	246	248	216	227	263	3164
60 yrs. & upwds.	366	349	324	290	292	310	293	282	283	318	301	290	269	3967
Deaths from—														
Small-pox -	-	2	-	-	-	1	1	-	-	1	2	1	1	9
Measles -	75	83	78	62	65	55	58	53	39	49	36	31	36	720
Scarlet Fever -	5	4	7	4	10	3	7	8	4	7	2	10	80	80
Diphtheria -	10	14	6	9	7	16	9	7	14	5	10	7	121	121
Whooping-cough -	39	33	32	28	25	17	29	27	29	21	13	21	21	335
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	4	2	1	5	3	5	5	1	5	5	6	7	2	51
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery	21	15	16	26	23	25	24	39	57	161	301	558	687	1933
All above Diseases -	154	153	140	134	133	122	133	136	145	255	370	630	764	3269
Dis. of Resp. System	105	80	73	64	57	64	60	52	62	36	48	54	47	802
Pneumonia -	105	108	108	93	85	77	86	83	93	84	70	58	74	1124
Phthisis -	123	145	133	134	162	119	136	132	98	116	113	136	110	1657
Dis. of Circ. System	193	136	148	158	137	156	151	155	156	158	144	134	115	1941
Violence -	65	54	56	67	47	50	43	54	50	83	83	63	62	777
Inquest Cases -	151	133	119	134	117	100	115	124	119	152	161	121	143	1694
Deaths in Institutions	498	480	441	436	403	431	435	416	436	511	476	504	498	5965
TEMPERATURE OF THE AIR.														
Mean -	54.0	57.3	56.0	55.9	59.6	58.6	59.7	63.2	68.1	67.1	65.4	68.7	61.0	61.1
Mean of Highest -	63.7	65.9	64.1	65.5	70.8	69.9	71.3	74.3	79.9	79.8	76.9	81.3	72.1	72.0
Mean of Lowest -	44.3	50.5	49.2	48.1	51.4	48.2	48.3	53.1	56.3	55.6	56.4	56.3	51.1	51.4
Mean Humidity of the Air -	65	86	84	75	72	68	67	70	62	61	75	65	66	70
Rain-fall (in inches) -	0.35	0.30	0.71	0.12	0.27	0.17	0.15	0.22	0.01	0.04	1.83	0.08	0.06	4.31
Registered Sunshine (in hours) -	58.5	15.0	28.7	39.3	44.9	46.8	68.9	50.9	84.7	74.9	34.6	67.8	62.2	677.2
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox -	96	118	96	95	80	83	74	71	62	51	46	32	21	71
Scarlet Fever -	1630	1663	1673	1647	1630	1629	1631	1685	1698	1754	1784	1758	1763	1688
Diphtheria -	767	753	748	721	696	671	684	721	764	767	770	786	780	741
Typhus -	1	-	-	-	-	1	1	-	-	-	-	-	-	-
Enteric Fever -	56	51	52	65	68	74	62	60	61	58	67	66	71	62

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Gresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Cluett, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-SECOND Week of the Year 1904.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 32nd week of the year 1903.	1904—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 32nd week of the year 1904.	1904—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES - - -	1255	1912	929	244	75	132	263	269	Meningitis (not tuberc.)	10	19	10	6	1	1	1	
									Insanity, Gen. Par. of	13	12	-	-	-	2	9	
									Insane - - -	5	7	-	-	-	-	3	
Small-pox* - - -	-	1	1	-	-	-	-	-	Epilepsy - - -	30	30	28	2	-	-	2	
Cowpox - - - -	-	-	-	-	-	-	-	-	Convulsions - - -	1	2	-	-	-	-	2	
Measles (Morbilli) -	24	36	7	27	2	-	-	-	Locomotor Ataxy -	5	4	-	-	-	-	2	
Scarlet Fever - - -	8	10	1	6	3	-	-	-	Paraplegia, Dis. of Cord	18	14	1	1	-	1	3	
Typhus - - - -	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	31	26	-	-	2	4	8	
Plague - - - -	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis-	38	22	-	-	-	-	9	
Influenza - - - -	4	-	-	-	-	-	-	-	Cerebr. Hæm. Thromb. -	7	10	-	1	-	-	3	
Whooping-cough - -	15	21	12	9	-	-	-	-	Apoplexy, Hemiplegia -	5	1	-	-	-	-	1	
Diphtheria - - -	11	7	1	4	2	-	-	-	Aneurysm - - -	-	-	-	-	-	-	-	
Cerebro Spinal Fever	-	-	-	-	-	-	-	-	Embolism, Thrombosis }	59	56	1	-	1	6	18	
Pyæmia,† (Origin un- }	-	-	-	-	-	-	-	-	(not cerebral) - - -	-	-	-	-	-	-	-	
certain) - - - -	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.	-	-	-	-	-	-	-	
Enteric Fever - - -	4	2	-	-	-	1	1	-	Croup (not Spasm : nor }	-	1	-	1	-	-	-	
Asiatic Cholera - -	-	-	-	-	-	-	-	-	Membr. - - -	46	31	5	4	-	-	5	
Epidemic Diarrhoea }	73	442	358	79	-	-	2	3	Bronchitis - - -	-	-	-	-	-	-	-	
(Infective Enteritis)	-	-	-	-	-	-	-	-	Asthma, Emphysema -	3	2	-	-	-	-	2	
Diarrhoea, Dysentery	66	245	196	27	1	2	5	14	Pleurisy - - -	10	13	1	1	1	2	4	
Tetanus - - - -	3	1	-	-	-	-	-	-	Respiratory Dis. (other)	-	-	-	-	-	-	-	
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy - -	-	-	-	-	-	-	-	
Glanders - - - -	-	-	-	-	-	-	-	-	Enteritis (not Epid.) -	8	51	36	5	3	1	4	
Anthrax (Splenic Fever)-	-	-	-	-	-	-	-	-	Gastro-Enteritis - -	20	33	27	3	1	1	-	
Venereal Dis. - - -	3	10	8	-	-	2	-	-	Peritonitis (not Puerp.)	3	2	-	-	-	-	1	
Puerperal Septicæmia	1	3	-	-	-	3	-	-	Cirrhosis of Liver - -	15	18	-	-	1	4	10	
Puerperal Pyæmia - -	-	-	-	-	-	-	-	-	Liver Dis. (other) -	6	2	-	-	-	-	9	
Puerperal Fever - -	2	-	-	-	-	-	-	-	Digestive Dis., Other -	43	49	17	2	5	3	9	
Infective Endocarditis	5	2	-	-	2	-	-	-	Nephritis, Acute - - -	6	9	-	-	2	2	-	
Lobar - - - -	3	8	-	1	-	2	3	2	Bright's Dis., Albumin- }	27	27	-	-	-	3	11	
Broncho- - - -	28	45	12	18	3	2	4	6	uria - - -	7	10	-	-	-	-	2	
Epidemic - - - -	-	-	-	-	-	-	-	-	Urinary Sys., Other Dis.	-	-	-	-	-	-	-	
Not defined - - -	32	21	3	4	2	2	6	4	Generative Organs Dis.	4	6	-	-	1	2	2	
Erysipelas - - - -	5	3	2	-	-	-	1	-	Childbirth (Accid. of)	5	2	-	-	-	2	-	
Septicæmia (not Puer- }	2	-	-	-	-	-	-	-	Old Age - - - -	35	31	-	-	-	-	3	
peral) - - - -	-	-	-	-	-	-	-	-	Other Diseases - - -	85	115	85	8	7	3	7	
Pyæmia (not Puerperal)	-	1	1	-	-	-	-	-	ACCIDENT.								
Other Infective Conditions	15	15	3	3	3	2	2	2	By Railways - - -	1	2	-	-	-	-	2	
Tuberculous Phthisis -	65	61	1	1	7	26	24	2	By Vehicles and Horses-	4	5	-	-	2	-	1	
" Phthisis" - - - -	70	49	1	-	3	24	19	2	In Ships, Boats, Docks,	1	1	-	-	-	-	1	
Tuberculous Meningitis	23	25	13	12	-	-	-	-	(exclusive of Drown-	-	-	-	-	-	-	-	
Tuberculous Peritonitis	8	22	11	5	4	2	-	-	ing) - - - -	2	-	-	-	-	-	-	
Tabes Mesenterica - -	5	9	8	1	-	-	-	-	In Building Operations -	-	1	-	-	-	-	-	
Tuberculous Dis. (other)-	12	18	3	7	2	4	1	1	In Conflagrations - -	-	-	-	-	-	-	-	
Scrofula - - - -	-	1	-	1	-	-	-	-	By Burns, Scalds, Ex-	4	2	-	2	-	-	-	
Alcoholism - - - -	12	12	-	-	-	2	8	2	plosions - - -	6	12	-	-	6	2	2	
Rheumatic Fever - -	6	4	-	-	1	2	1	-	By Drowning - - -	6	9	9	-	-	-	-	
Gout - - - -	1	1	-	-	-	-	-	1	By Suffocation in Bed -	-	-	-	-	-	-	-	
Carcinoma - - - -	66	54	-	-	-	4	27	23	By Poisons or Poisonous	-	-	-	-	-	-	-	
Sarcoma - - - -	8	5	-	-	2	1	1	1	Vapours - - - -	-	-	-	-	-	-	-	
Cancer (undefined) -	29	42	-	-	2	1	24	15	Other Deaths by Acci-	16	21	4	3	2	3	7	
Diabetes Mellitus - -	9	6	-	-	-	1	1	4	dent - - - -	-	-	-	-	-	-	-	
Premature Birth - -	37	63	63	-	-	-	-	-	VIOLENCE OTHER THAN								
									ACCIDENTAL.								
									Homicide - - - -	4	-	-	-	-	-	-	
									Suicide - - - -	10	9	-	-	-	4	3	
									Execution - - - -	1	-	-	-	-	-	-	

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

18
Population, Births, and Deaths in London Sub-Districts.
TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 13th August, 1904.

The DEATHS registered during the Week include																			
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	Deaths of														Inquest Cases.	Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhœa.	Violence.				
LONDON - - -	4,536,429	2730	1912	929	269	1	36	10	7	21	-	2	-	687	62	148	498		
WEST DISTRICTS	805,311	384	314	157	51	-	-	-	-	6	-	-	-	113	7	22	82		
NORTH DISTRICTS	1,056,070	589	401	194	60	-	8	3	1	1	-	1	-	122	16	39	102		
CENTRAL DISTRICTS	209,465	117	107	47	11	-	2	-	-	2	-	-	-	32	7	9	44		
EAST DISTRICTS -	715,739	519	343	168	41	-	11	1	1	2	-	1	-	129	16	36	109		
SOUTH DISTRICTS	1,749,844	1121	728	362	102	-	15	3	5	10	-	-	-	290	16	42	142		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	19	1	4	1	-	3	-	-	-	-	-	1	-	-	19		
WEST DISTRICTS.																			
St. Mary Paddington } G. & W.	93,178	54	34	18	1	-	-	-	-	-	-	-	-	18	-	1	11		
W,2H																			
St. John Paddington } H - G.	33,617	10	15	3	3	-	-	-	-	-	-	-	-	2	-	-	12		
North-West Paddington } - C.	17,181	13	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
Kensington Town 2W,w,2H G.,W.&C.	128,037	56	56	23	15	-	-	-	-	1	-	-	-	21	1	3	15		
Brompton 2H - - W. & C.	48,591	13	5	-	2	-	-	-	-	-	-	-	-	-	1	1	1		
North Hammersmith W,w,H } W.&G.	49,192	26	26	17	3	-	-	-	-	-	-	-	-	10	1	2	-		
South Hammersmith w,2H } W.&G.	63,047	29	26	16	5	-	-	-	-	2	-	-	-	11	2	3	5		
North-west Fulham W } W. & C.	45,180	40	26	14	-	-	-	-	-	-	-	-	-	15	-	2	16		
North-east Fulham F } W. & C.	48,405	30	19	9	4	-	-	-	-	-	-	-	-	9	-	1	-		
South Fulham W } W. & C.	45,704	25	19	16	1	-	-	-	-	1	-	-	-	10	1	1	-		
Chelsea North W,w,3H - - C.	42,514	16	27	9	6	-	-	-	-	2	-	-	-	2	1	4	13		
Chelsea South W,2H - - C.	31,328	21	12	6	2	-	-	-	-	-	-	-	-	4	-	-	3		
May Fair and Knightsbridge C. & G.	28,743	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Belgrave W,2H - - C.	56,815	14	24	13	5	-	-	-	-	-	-	-	-	6	-	2	11		
St. Margaret & St. John 4H - C.	43,698	25	18	9	4	-	-	-	-	-	-	-	-	4	-	2	3		
St. James Westminster } N. & G.	21,588	7	3	2	-	-	-	-	-	-	-	-	-	1	-	-	2		
W,H																			
St. Anne Soho 5H - - N.	11,493	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
NORTH DISTRICTS																			
All Souls Marylebone 8H - W.	35,391	10	12	-	2	-	-	-	-	-	-	1	-	-	-	-	9		
Rectory Marylebone W G. & W.	19,849	4	3	3	-	-	-	-	-	-	-	-	-	-	-	1	1		
St. Mary Marylebone 4H G. & W.	18,099	23	5	2	2	-	-	-	-	-	-	-	-	1	1	1	-		
Christchurch Marylebone H- W.	39,536	23	11	7	-	-	-	-	-	-	-	-	-	7	1	1	-		
St. John Marylebone 3H - W.	20,426	6	5	2	2	-	-	-	-	-	-	-	-	1	-	-	1		
Hampstead W,F,6H - N. & W.	81,942	25	21	8	5	-	2	1	-	-	-	-	-	3	1	1	10		
West St. Pancras 2H - - W.	60,562	37	36	17	9	-	-	-	-	-	-	-	-	12	2	4	5		
Tottenham-court w,6H N. & W.	21,268	8	6	1	-	-	-	-	-	-	-	-	-	-	-	-	6		
Gray's Inn Lane 4H - - N.	34,449	13	19	6	2	-	-	-	-	-	-	-	-	7	4	7	11		
East St. Pancras W,2H - - N.	60,320	39	32	18	5	-	2	-	-	-	-	-	-	5	3	4	6		
North St. Pancras 2W - - N.	58,728	36	25	16	3	-	-	-	-	-	-	-	-	8	-	1	6		
Tufnell W - - N.	31,995	16	21	3	5	-	2	-	-	-	-	-	-	2	-	2	12		
Upper Holloway 2W,w,2H - N.	33,978	25	15	5	3	-	-	-	-	-	-	-	-	3	1	1	9		
Tollington W - - N.	33,922	15	7	5	1	-	-	1	-	-	-	-	-	2	-	-	-		
Lower Holloway - - N.	41,424	27	17	13	-	-	1	-	-	-	-	-	-	12	-	1	-		
Barnsbury - - N.	44,478	41	20	13	1	-	-	-	-	-	-	-	-	9	-	-	-		
Islington South-east F - - N.	75,397	39	21	12	3	-	1	-	-	-	-	-	-	4	1	3	-		
Highbury 2H - - N.	63,797	18	6	4	1	-	-	-	-	-	-	-	-	3	-	-	-		
Stoke Newington H - - N.	51,247	28	16	6	3	-	-	-	-	-	-	-	-	3	-	1	-		
North Hackney - - E. & N.	50,560	34	13	4	2	-	-	-	-	1	-	-	-	4	1	2	-		
Central Hackney 2w,F - E. & N.	50,536	35	18	12	2	-	-	-	-	-	-	-	-	10	-	3	1		
South-west Hackney 3H - E. & N.	59,921	45	27	16	1	-	-	-	-	-	-	-	-	12	-	2	11		
South-east Hackney 2W,w,H E. & N.	58,255	42	45	22	7	-	2	-	-	-	-	-	-	14	1	4	15		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifier Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

REGISTRATION SUB-DISTRICTS.

On 1st May, 1904, the sub-districts of Mile End Old Town West and Mile End Old Town East were dissolved and divided into two new sub-districts as above.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., in each SUB-DISTRICT during the Week ended Saturday, 13th August, 1904—continued.

REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include											In- quest Cases.	
					Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from										
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhœa.		Violence.
SOUTH DISTRICTS.																	
Christchurch Southwark	W,HL&S.	11,263	5	5	1	2	-	-	-	1	-	-	-	-	1	-	1
St Saviour Southwark	H - S.	12,056	9	22	8	2	-	-	-	-	-	-	-	-	6	1	2
Kent-road	- - S. & L.	21,904	18	14	7	2	-	-	-	-	-	-	-	-	5	-	-
St. George the Martyr	} S. & L.	39,094	39	23	17	-	-	1	-	-	3	-	-	-	13	1	2
West W,2H,L		- -															
Newington North	- S. & L.	49,022	36	23	17	1	-	-	-	-	1	-	-	-	12	-	3
Newington South	W - S. & L.	72,841	38	37	24	7	-	-	-	-	-	-	-	-	12	-	1
St. Olave	2W - - - S.	9,817	8	8	5	-	-	-	-	-	-	-	-	-	5	1	1
Bermondsey	W - - - S.	82,483	62	25	11	2	-	-	-	-	-	-	-	-	11	-	1
Rotherhithe	W,F - - S. & K.	38,460	34	15	8	4	-	-	-	-	-	-	-	-	3	-	1
Waterloo-road	2H - L. & S.	27,440	27	8	5	-	-	2	-	-	-	-	-	-	5	-	-
Lambeth Church 1st	H W L. & S.	18,423	17	28	10	3	-	-	-	1	-	-	-	-	11	-	1
Lambeth Church 2nd	2W L. & S.	39,818	34	30	11	5	-	-	-	-	1	-	-	-	10	1	4
Kennington 1st	H - S. & L.	53,198	35	17	8	1	-	-	-	-	-	-	-	-	8	-	-
Kennington 2nd	H - S. & L.	42,896	25	8	5	-	-	-	-	-	-	-	-	-	3	-	-
Brixton	F - - L. & S.	84,232	39	26	11	4	-	-	-	-	2	-	-	-	6	-	2
Norwood	W,H - - L.	35,888	15	12	6	1	-	-	-	-	1	-	-	-	6	-	-
East Battersea	H - - S.	72,203	42	36	20	2	-	1	-	-	-	-	-	-	19	-	1
North-west Battersea	- - S.	49,656	34	21	15	2	-	-	-	-	-	-	-	-	12	-	1
South-west Battersea	W,H - S.	47,048	17	18	3	7	-	2	-	-	-	-	-	-	2	1	2
Clapham	2H - - S.	51,361	38	15	6	4	-	-	-	-	-	-	-	-	4	-	-
Streatham*	W,2w,2F,2L - L.	88,019	47	26	13	4	-	1	1	1	-	-	-	-	9	-	-
Springfield	2W,L - - S.	27,959	24	3	1	-	-	-	-	-	-	-	-	-	1	-	-
Southfields	H - - S.	40,444	25	23	18	1	-	2	-	-	-	-	-	-	11	-	1
Putney	- - - S.	24,139	17	9	7	2	-	-	-	-	-	-	-	-	5	-	-
Dulwich	- - L. & S.	13,359	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Camberwell South	W,w S. & L.	40,206	14	25	4	9	-	1	-	-	-	-	-	-	4	-	1
Camberwell North	W,2L S. & L.	65,584	33	34	14	5	-	-	-	-	-	-	-	-	11	3	3
St. George	- - L. & S.	47,331	39	13	8	1	-	-	-	-	-	-	-	-	7	-	-
Peckham	2W,w - S., L. & K.	92,859	63	36	16	4	-	-	-	-	-	-	-	-	18	-	-
Deptford North	- - - K.	37,613	27	13	7	2	-	-	-	-	-	-	-	-	7	-	-
Deptford Central	F - - K.	45,481	29	19	11	2	-	1	-	-	-	-	-	-	9	-	1
Deptford South	- - - K.	34,625	15	10	5	3	-	-	-	-	-	-	-	-	4	-	-
Greenwich West	2H - - K.	23,456	13	8	6	1	-	-	-	-	-	-	-	-	6	1	1
Greenwich East	2W,H - - K.	43,859	37	25	9	3	-	2	-	-	1	-	-	-	8	3	4
Eltham	w,H - - - K.	7,226	7	3	2	2	-	-	-	-	-	-	-	-	1	-	-
Lee	wH - - - K.	25,490	6	5	2	3	-	-	-	-	-	-	-	-	1	1	1
Lewisham	W w,F - - K.	58,352	44	27	14	6	-	1	1	-	-	-	-	-	13	-	-
Sydenham	H - - - L.	43,663	27	5	1	1	-	-	-	-	-	-	-	-	1	-	-
Charlton	F,2H - - - K.	21,134	6	5	2	1	-	-	-	1	1	-	-	-	-	-	-
Woolwich	4H - - - K.	41,625	25	15	10	-	-	-	-	1	1	-	-	-	-	-	-
Plumstead West	W - - - K.	18,063	5	5	3	-	-	-	-	-	-	-	-	-	7	1	3
Plumstead East	2W,H - - K.	50,264	42	27	11	4	-	1	-	1	-	-	-	-	11	2	2
London County Asy., Banstead	- -	-	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-
Manor Asylum, Epsom	- -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton Asylum, Epsom	- -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lon. Co. Asy. Epilep. Colony, Epsom	- -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Caterham	- -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Cane Hill	- -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
M.A.B. Hospitals, Dartford	- -	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Darenth	- -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Dartford	} Heath	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Dartford		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Hanwell	- -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asy., Hendon	- -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Colney Hatch	- -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
M.A.B. North-Eastern Hospital	- -	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
M.A.B. Northern Hospital	- -	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Leavesden	- -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Claybury	- -	-	-	4	-	2	-	-	-	-	-	-	-	-	1	-	-

* On 1st June, 1904, changes were made in the boundary between Streatham sub-district and Mitcham sub-district.

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 13th August, 1904.

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- mer- ated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths of												
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING	368,580	2,044,973	1423	1029	606	117	-	9	-	6	10	2	527	21	44	81	1
1 Carshalton w,2F,2H	12,228	32,997	20	14	6	2	-	-	-	2	1	-	1	1	1	3	-
2 Epsom, part of* W,w,2F,H	10,423	15,548	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Godstone, part of* W,F	2,754	2,692	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Coulsdon	11,069	8,166	2	3	1	-	-	-	-	-	-	-	1	2	2	-	-
2 South Croydon w	4,200	49,319	29	8	4	1	-	-	-	-	-	-	3	-	1	-	-
3 West Croydon 3W,F,H	2,168	42,888	24	17	7	1	-	1	-	-	-	-	4	-	1	6	-
2 North Croydon H	2,644	41,698	34	13	7	3	-	-	-	-	-	-	3	-	-	-	-
5 Penge w	770	22,465	11	6	2	2	-	-	-	-	-	-	1	-	-	-	-
6 Mitcham† w	11,689	30,015	28	15	12	1	-	-	1	-	-	-	8	-	-	-	-
1 Wimbledon F,3H	3,221	41,652	31	11	7	2	-	-	-	-	-	-	6	-	-	-	-
2 Kingston W,H	6,224	42,468	30	20	8	8	-	-	-	-	-	-	5	-	2	7	-
3 Surbiton F,H	3,046	15,017	11	3	-	-	-	-	-	-	-	-	2	-	2	1	-
4 Esher, part of* H	5,402	13,100	7	11	3	2	-	-	-	-	-	-	2	-	2	2	-
5 Hampton H,L	4,564	23,456	15	10	7	1	-	-	-	-	-	-	4	1	2	2	-
1 Richmond W,H	2,162	28,865	10	8	4	-	-	-	-	-	-	-	3	-	1	2	-
2 Mortlake F	2,847	20,628	21	12	8	-	-	-	-	-	-	-	6	-	-	-	-
1 Bromley F,2H	4,703	27,354	18	10	4	1	-	-	-	-	-	-	4	-	-	2	-
2 Beckenham H	7,825	28,497	11	6	4	1	-	-	-	-	-	-	2	-	-	-	-
3 Orpington, part of* W	10,113	9,857	7	4	2	-	-	-	-	-	-	-	1	-	-	1	-
4 Chislehurst 2H	7,333	16,446	9	3	1	1	-	-	-	-	-	-	1	-	-	-	-
1 Bexley F,H	8,678	21,151	10	11	7	1	-	-	-	-	-	-	7	-	-	-	-
2 Erith F,H	3,854	25,296	18	19	10	1	-	-	-	-	-	-	10	-	3	-	-
3 Dartford W,F, part of*	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
1 Sunbury w	11,054	18,683	10	14	9	2	-	-	-	-	-	-	6	-	2	1	-
2 Staines W,H	13,277	15,178	11	5	5	-	-	-	-	-	-	-	3	-	1	-	-
1 Hillingdon W,F,H	6,035	13,661	5	5	-	4	-	-	-	-	-	-	-	-	-	1	-
2 Uxbridge	12,757	8,984	8	1	1	-	-	-	-	-	-	-	1	-	-	-	-
3 Hayes w,F,H	8,066	16,358	20	13	9	2	-	-	-	1	-	-	8	1	1	-	-
1 Isleworth 3W,2F,H	6,859	30,863	24	21	11	4	-	-	-	-	-	-	6	-	-	5	-
2 Twickenham F,H	2,421	20,991	17	11	9	1	-	-	-	1	-	-	6	-	-	-	-
3 Brentford 2F,2H,L	4,319	48,289	42	33	21	4	-	-	-	-	-	-	26	-	-	-	-
4 Chiswick H	1,249	29,809	20	13	5	1	-	-	-	-	-	-	6	-	1	-	-
5 Acton w,3H	6,132	48,914	38	32	19	5	-	-	-	-	-	-	22	-	-	-	-
1 Harrow F,H	13,809	25,523	20	6	3	1	-	-	-	-	-	-	2	-	-	-	-
2 Edgware F,2H	6,994	4,521	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3 Willesden W,F,2H	4,384	114,811	85	52	25	5	-	-	-	-	-	-	28	2	4	2	-
4 Hendon W,F	8,382	22,450	16	7	5	2	-	-	-	-	-	-	2	1	1	-	-
1 South Mimms 2F,H	17,755	7,308	-	2	2	-	-	-	-	-	-	-	1	-	-	-	-
2 Barnet W,3H	3,324	17,970	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-
3 Finchley F,2H	4,688	33,692	19	13	8	2	-	-	-	-	2	-	3	-	-	-	-
1 Hornsey F,H	2,875	72,056	35	12	5	2	-	-	-	-	-	-	4	-	-	-	-
2 Wood Green H	1,625	34,233	27	12	8	1	-	-	-	1	-	-	8	-	-	-	-
3 West Tottenham F	996	48,853	42	15	14	-	-	-	-	-	-	-	12	-	1	-	-
4 East Tottenham F,H	2,017	53,683	43	28	19	1	-	1	-	1	-	-	15	-	2	3	-
5 Edmonton W,w,2F	7,491	61,892	56	44	27	5	-	-	-	-	-	-	23	-	3	7	-
6 Enfield 2W,F,H	12,601	42,738	34	30	20	1	-	-	-	-	-	-	19	-	2	3	-
7 Waltham Abbey	11,017	6,549	5	3	2	1	-	-	-	-	-	-	2	-	-	-	-
8 Cheshunt F,H	8,479	12,292	6	4	3	1	-	-	-	-	-	-	2	-	-	-	-
1 Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Bushey H	9,333	9,173	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3 Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Stratford H	1,072	44,827	26	28	19	2	-	-	-	-	2	-	14	-	-	3	-
2 Plaistow F,2H	1,249	90,921	70	58	31	5	-	1	-	-	-	-	37	-	-	3	-
3 Canning Town H	1,556	70,718	70	44	33	3	-	-	-	-	-	-	31	1	3	-	-
4 Forest Gate w	806	60,892	26	29	18	4	-	-	-	-	-	-	18	-	-	-	-
5 North East Ham w	1,333	58,676	30	35	21	2	-	-	-	1	-	-	16	1	1	1	-
6 South East Ham 3F	1,993	37,342	39	33	23	2	-	3	-	-	-	-	24	-	-	-	-
7 Wanstead F	1,679	9,179	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8 South Leyton 2W	631	50,467	25	50	23	11	-	1	-	-	1	-	31	-	-	9	1
9 North Leyton W,w,F	1,963	48,445	27	49	20	8	-	1	-	1	-	-	17	-	-	16	-
10 Walthamstow 3H,L	6,504	108,929	89	63	43	4	-	1	-	-	-	-	38	1	4	-	-
1 Chigwell, part of* 2FAH	11,778	16,397	14	6	4	2	-	-	-	-	-	-	3	1	1	1	-
2 Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Romford, part of* W,2F	6,556	6,091	6	5	4	-	-	-	-	-	-	-	1	-	-	-	-
2 Ilford F,L	8,496	41,234	26	32	19	1	-	-	-	-	-	-	13	1	1	1	-
3 Barking Town F	3,803	21,547	23	10	7	-	-	-	-	-	1	-	6	-	-	-	-
Eastern Hosp., Hackney	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-
Middlesex County Asylum, Wandsworth.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

The parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Syden Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

See note * on preceding page.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping- cough.	Fever.
CALCUTTA (including SUBURBS)	847,706	July 2	-	338	20·7	1	-	-	-	-	103
BOMBAY -	776,006	" 26	411	562	37·7	5	2	-	-	-	102
MADRAS -	509,346	" 8	-	-	-	-	-	-	-	-	-
PARIS -	2,660,559	August 6	1156	928	18·0	1	8	3	2*	17	-
BRUSSELS -	575,896	" 6	223	186	16·5	-	-	-	-	1	-
ANTWERP -	281,376	" 6	147	102	18·5	-	1	-	-	-	-
AMSTERDAM -	547,370	July 30	278	140	13·3	-	7	-	-	3	-
COPENHAGEN -	420,000	August 6	248	137	17·0	-	-	-	-	3	-
STOCKHOLM -	305,115	July 30	160	88	14·8	-	1	-	1*	2	-
CHRISTIANIA -	225,709	August 6	120	66	15·3	-	-	-	-	2	-
ST. PETERSBURG	1,248,643	July 30	612	546	22·8	-	20	13	12*	2	14
MOSCOW -	1,093,410	" 30	-	580	27·7	2	27	5	7*	1	-
BERLIN -	1,960,909	" 23	947	680	18·1	-	9	4	1*	9	-
HAMBURG -	751,842	August 6	-	313	21·6	-	1	-	2*	5	-
BRESLAU -	445,403	" 6	-	292	34·2	-	2	1	2	-	-
MUNICH -	520,000	" 6	-	247	24·7	-	7	1	1*	1	-
VIENNA -	1,779,869	" 6	866	681	19·7	-	9	-	10*	6	-
PRAGUE -	423,990	July 30	184	159	19·4	-	-	-	1*	-	-
BUDA-PESTH -	813,399	August 6	385	289	18·5	-	5	9	4	1	-
TRIESTE -	187,251	July 30	123	100	27·8	-	1	-	-	2	-
ROME -	496,201	May 28	222	206	21·5	-	4	-	-	1	-
VENICE -	166,288	July 30	94	68	21·3	-	7	-	-	-	-
CAIRO -	624,338	May 20	-	-	-	-	-	-	-	-	-
ALEXANDRIA -	349,300	" 20	-	-	-	-	-	-	-	-	-
NEW YORK -	3,838,024	July 30	2101	1520	20·7	-	8	8	24*	3	13
PHILADELPHIA -	1,408,154	" 16	-	483	17·8	-	-	2	7*	-	10
BOSTON -	617,950	" 16	-	142	12·0	-	-	-	3*	1	-

* Including deaths from croup.

† Including 9 deaths from plague in Calcutta, and 57 in Bombay.

‡ Including 20 deaths from cholera in Calcutta, and 1 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 13th August, 1904

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			R
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	75·0	45·4	61·6	0·06	BRADFORD -	70·0	51·0	59·1	
BRIGHTON -	?	46·1	63·5	0·09	LEEDS -	72·0	49·0	59·7	
PORTSMOUTH -	73·0	49·0	62·2	0·19	HULL -	72·0	46·0	58·3	
NORWICH -	72·8	45·0	60·5	0·10	TYNEMOUTH -	70·0	46·0	56·9	
PLYMOUTH -	68·1	46·8	59·4	0·89					
BRISTOL -	71·7	46·5	58·8	0·59	EDINBURGH -	66·3	46·9	56·3	
BIRMINGHAM -	69·0	47·6	57·7	0·09	GLASGOW -	67·8	46·0	57·0	
NOTTINGHAM -	70·3	46·1	57·9	0·17					
LIVERPOOL	70·0	48·0	58·1	0·54	DUBLIN { Phoenix Park. Fitz- william Square.†	68·1	45·4	57·1	
MANCHESTER -	69·1	44·4	56·9	1·09		70·0	48·2	59·1	
PRESTON -	66·0	50·6	57·8	1·12					
HUDDERSFIELD -	67·0	48·0	57·1	0·72	BELFAST -	-	-	-	

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1·7° Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D. Dublin.

DATE	ELECTRICITY. (For explanation of symbols, see Note.)	GENERAL REMARKS.	Registered Sun above Horizon, in hours.	Sum in hours.
AUGUST.				
SUNDAY - 7	w. P. throughout.	Fine but generally cloudy. Partial solar halo at 6h. P.M.	73	151
MONDAY - 8	m. P. generally.	Cloudy in early morning; fine with varying amount of cloud during the day; almost cloudless at night.	11-2	150
TUESDAY - 9	m. P. generally.	Very fine; almost cloudless until afternoon; variably cloudy in evening.	9-3	149
WEDNESDAY - 10	w. P. in morning; m. P. afterwards.	Fine with varying amounts of thin cloud. Solar halo in morning.	7-3	149
THURSDAY - 11	w. P. in morning; m. P. afterwards.	Overcast generally; light showers until afternoon; then suddenly cleared and remained nearly cloudless all night.	17	148
FRIDAY - 12	w. P. in morning; m. P. afterwards.	Fine but cloudy in forenoon; very fine in afternoon; cloudless night.	12-5	148
SATURDAY - 13	w. P. throughout.	Fine throughout with little cloud. Bright solar halo lasting some hours.	12-9	147
			Sum 69-2	1042
of Oct. -	2.		28	29

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 6th August, 1904.*

BOROUGH.	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Chicken-pox.
WEST.											
Paddington - - -	146,975	-	5	12	-	-	-	-	1	-	4
Kensington - - -	179,236	-	7	5	-	1	-	1	3	1	5
Hammersmith - - -	117,412	-	6	6	-	-	-	-	7	1	3
Fulham - - -	152,482	-	1	1	-	1	-	-	1	1	12
Chelsea - - -	74,329	-	1	12	-	1	-	-	-	-	5
City of Westminster - -	177,321	-	2	1	-	3	-	-	2	-	3
NORTH.											
St. Marylebone - - -	130,337	-	7	1	-	-	-	-	3	-	11
Hampstead - - -	86,663	-	2	1	-	-	-	-	-	-	3
St. Pancras - - -	235,936	-	16	1	-	12	-	-	6	-	8
Islington - - -	341,044	-	17	6	-	2	-	-	4	-	14
Stoke Newington - - -	52,445	-	4	1	-	-	-	-	2	-	2
Hackney - - -	226,266	-	17	12	-	-	-	-	3	-	15
CENTRAL.											
Holborn - - -	57,161	-	3	-	-	-	-	-	3	-	3
Finsbury - - -	98,958	-	4	-	-	1	-	-	4	-	5
City of London - - -	23,482	-	-	-	-	-	-	-	-	-	-
EAST.											
Shoreditch - - -	117,033	-	2	2	-	-	-	-	2	-	10
Bethnal Green - - -	130,207	-	11	11	-	3	-	-	4	1	9
Stepney - - -	303,791	-	21	19	-	2	-	-	12	-	20
Poplar - - -	169,905	-	5	13	-	1	-	-	3	-	9
SOUTH.											
Southwark - - -	207,937	-	4	4	-	-	-	-	4	-	7
Bermondsey - - -	129,397	-	3	6	-	-	-	-	3	-	5
Lambeth - - -	310,359	-	5	2	-	1	-	-	3	1	16
Battersea - - -	175,465	-	12	3	-	2	-	-	2	-	3
Wandsworth - - -	257,448	-	10	5	-	2	-	-	4	-	21
Camberwell - - -	268,384	-	7	5	-	1	-	-	2	2	16
Deptford - - -	113,509	-	12	8	-	-	-	-	2	1	8
Greenwich - - -	101,651	-	2	-	-	2	-	-	-	-	8
Lewisham - - -	140,401	-	6	2	-	1	-	-	-	-	9
Woolwich - - -	123,416	-	11	2	-	-	-	-	3	-	4
Port of London - - -	-	1	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,648,950											
		1	203	122	-	27	-	1	83	8	238
Ages											
0-1 - - -	-	-	2	1	-	-	-	-	4	-	29
1-5 - - -	-	-	60	68	-	1	-	-	1	-	127
" 5- - - -	-	-	83	33	-	1	-	-	4	-	58
" 10- - - -	-	-	23	4	-	4	-	-	3	-	18
" 15- - - -	1	9	1	1	-	2	-	-	4	-	2
" 20- - - -	-	7	6	-	-	3	-	-	7	1	3
" 25- - - -	-	11	5	-	-	7	-	-	10	5	-
" 35- - - -	-	6	4	-	-	6	-	-	13	2	-
" 45- - - -	-	2	-	-	-	1	-	1	20	-	1
" 55- - - -	-	-	-	-	-	2	-	-	12	-	-
" 65 and upwards - - -	-	-	-	-	-	-	-	-	4	-	-
Age not stated - - -	-	-	-	-	-	-	-	-	1	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1904.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

~~~~~

**By Authority of the Registrar General.**

~~~~~

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 33. 1904. VOL. LXV.] WEEK ENDED SATURDAY, AUG. 20. [Price 1½d.

General Register Office, Somerset House,
August 22nd, 1904.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 22·7 per 1000 of their aggregate population, which is estimated† at 15,271,287 persons in the middle of this year. In the preceding three weeks the rates had been 16·4, 19·8, and 22·1. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *all causes*, 31·0 in Hanley, 31·4 in Tynemouth, 31·8 in St. Helens, 32·1 in Salford, 32·3 in Tottenham, 33·4 in York, 34·0 in Wigan, 34·6 in Bootle, and 39·1 in Liverpool; from *measles*, 1·3 in Rhondda, 1·5 in Bradford, 2·0 in Blackburn, 2·7 in Huddersfield, and 3·9 in Halifax; and from *diarrhœa*, 14·0 in Grimsby, 14·1 in Leyton and in Wigan, 14·3 in Reading, 14·6 in West Ham, 16·6 in Tottenham and in Hull, 17·4 in East Ham, 17·7 in Bootle, 18·0 in York, and 18·5 in Liverpool.

LONDON.*

In LONDON 2525 BIRTHS and 1923 DEATHS were registered. Allowing for increase of population, the births were 235 below and the deaths 168 above the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 16·0, 19·6, and 21·4 in the preceding three weeks, further rose last week to 21·6. During the four weeks ended on Saturday last the death-rate averaged 19·7 per 1000, being equal to the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, and in certain local Small-pox Hospitals, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1923 deaths included 42 from measles, 4 from scarlet fever, 9 from diphtheria, 17 from whooping-cough, 6 from enteric fever, and 705 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 783 deaths were referred to these diseases in the aggregate, being 342 above the corrected average weekly number.

The deaths from *measles*, which had been 36, 31, and 36 in the preceding three weeks, rose again last week to 42, and were 7 above the corrected average; 6 deaths belonged to Islington, 6 to Shoreditch and 5 each to St. Pancras and Lambeth. The deaths from *scarlet fever*, which had been 7, 2, and 10 in the preceding three weeks, fell again last week to 4, and were 10 below the corrected average. The deaths from *diphtheria*, which had been 5, 10, and 7 in the preceding three weeks, were 9 last week, and were 25 below the corrected average. The deaths from *whooping-cough*, which had been 13, 21, and 21 in the preceding three weeks, were 17 last week, and were 13 below the corrected average. The fatal cases of *enteric fever*, which had been 6, 7, and 2 in the preceding three weeks, were 6 last week, and were 5 below the corrected average. The deaths from *diarrhoea*, which had been 301, 558, and 687 in the preceding three weeks, further rose last week to 705, and were 391 above the corrected average; 54 deaths belonged to Stepney, 45 to Hackney, 44 to Wandsworth, 42 to Lambeth, 40 to Camberwell, 34 each to Islington and Southwark, 33 to Poplar, 32 each to Fulham and St. Pancras, 31 to Shoreditch, and 30 to Bermondsey. Of the 705 deaths from diarrhoea, 682 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 43 more deaths at this age. The deaths attributed directly to *influenza* numbered 4, having been 2, 1, and 0 in the preceding three weeks. The death of a female, aged 44 years, was certified, after an inquest, as caused by *ptomaine poisoning*, due to eating fried fish.

Different forms of *violence* caused 56 deaths, concerning all but 2 of which inquests were held. Of these 56 deaths, 8 were cases of suicide, while the remaining 48 were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, 7 to burns and scalds, 5 to drowning, 2 to heat stroke, 2 to the effects of anæsthetics administered for surgical purposes, 1 to suffocation, due to poisoning by illuminating gas, and 6 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 18 cases of small-pox, 1745 of scarlet fever, 795 of diphtheria, and 89 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 2 cases, against 7, 2, and 0; of scarlet fever, 198 cases, against 243, 166, and 189; of diphtheria, 121 cases, against 127, 115, and 105; and of enteric fever, 42 cases, against 20, 9, and 16. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended August 13th.

GREATER LONDON.

In Greater London 3904 births and 2888 deaths were registered. Allowing for increase of population these numbers are 179 below and 386 above the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 7 deaths from measles, 1 from diphtheria, 5 from whooping-cough, 1 from fever, and 186 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·75 inches, and that of the Thermometer 59·5, the latter being 2·3 below the week's average in the 50 years 1841-90. The general direction of the wind was South-westerly, the horizontal movement of the air being 45 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 38·7 hours; the measured rainfall amounted to 0·47 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease; but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.		POPULATION estimated to the middle of the Year 1904.*		Deaths registered in 1904.				Registered during the week ended 20th Aug., 1904.		Deaths of		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Infants under 1 year of age.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
				Week ended				11-17.		Persons aged 60 years and upwards.		Deaths from						Deaths in Public		Causes of Death.	
		</																			

† These towns are included within the area of Greater London.

* See note † on first page of this return.

TOWNS.	POPULATION estimated to the middle of the Year 1904.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered Deaths during the Week ended 20th Aug., 1904.		The DEATHS registered in the Week include											TOWNS.			
		Week ended				11-17.		20th AUG., 1904.		Deaths of						Deaths from						Deaths in Public Institutions.	Unidentified Causes of Death.	
		30th AUG., 1904.				11-17.		20th AUG., 1904.		Infants under 1 Year of Age.	Persons aged 16 to 60 years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.					
		30th July, 1904.	6th Aug., 1904.	13th Aug., 1904.	20th Aug., 1904.	30th July, 1904.	6th Aug., 1904.	13th Aug., 1904.	20th Aug., 1904.											Births.				
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.		
HUDDESFIELD.	-	94,925	18'5	13'2	15'9	19'2	5'5	46	35	18	8	5	-	-	1	-	4	-	1	5	-	HUDDESFIELD.		
HALIFAX.	-	107,580	12'1	12'6	10'7	17'0	6'3	32	35	12	-	8	-	-	-	1	4	-	-	7	2	HALIFAX.		
BRADFORD.	-	285,089	18'3	21'2	18'3	17'0	5'5	137	93	24	23	8	-	3	1	-	18	2	3	21	-	BRADFORD.		
LEEDS.	-	450,142	18'5	21'7	23'9	23'5	8'5	265	203	114	36	2	1	-	-	-	70	8	17	17	-	LEEDS.		
SHEFFIELD.	-	432,940	13'4	20'0	21'2	22'4	9'8	262	186	95	25	-	2	-	2	-	77	4	4	23	1	SHEFFIELD.		
ROTHERHAM.	-	58,498	8'0	18'7	15'2	19'6	9'8	36	22	15	3	-	-	-	-	1	10	-	-	1	1	ROTHERHAM.		
YORK.	-	81,268	14'8	25'0	34'6	33'4	19'2	66	52	35	3	-	-	1	-	1	28	1	1	4	-	YORK.		
HULL.	-	253,865	16'4	23'4	31'2	29'0	17'7	173	141	85	19	4	-	1	-	-	81	2	5	15	1	HULL.		
MIDDLESBROUGH.	-	96,684	15'1	17'8	24'8	18'3	5'9	47	34	10	6	1	1	1	-	-	8	-	-	5	-	MIDDLESBROUGH.		
STOCKTON-ON-TEES.	-	52,192	9'0	12'0	13'0	17'0	1'0	31	17	5	4	-	-	1	-	-	-	1	1	-	-	STOCKTON-ON-TEES.		
WEST HARTLEPOOL.	-	69,251	13'6	9'8	10'5	10'5	1'5	38	14	4	3	-	-	1	-	-	1	2	2	3	-	WEST HARTLEPOOL.		
SUNDERLAND.	-	151,157	13'1	16'9	18'3	15'2	3'8	102	44	20	11	-	1	-	2	-	8	1	3	4	1	SUNDERLAND.		
SOUTH SHIELDS.	-	107,334	13'1	13'1	6'8	17'0	1'9	63	35	8	6	-	2	-	1	-	1	-	-	3	4	SOUTH SHIELDS.		
GATESHEAD.	-	118,067	10'6	16'3	11'5	22'1	7'1	78	50	25	3	-	-	-	-	-	16	2	2	2	2	GATESHEAD.		
NEWCASTLE-ON-TYNE.	-	225,362	16'9	16'7	21'5	19'0	5'1	125	82	32	11	-	1	-	4	-	16	4	9	13	-	NEWCASTLE-ON-TYNE.		
TYNEMOUTH.	-	53,060	15'7	13'8	18'7	31'4	3'9	31	32	12	10	-	-	1	-	-	3	1	2	3	2	TYNEMOUTH.		
NEWPORT (MON.).	-	71,543	10'9	23'3	16'8	26'2	5'8	57	36	16	7	-	-	-	1	-	7	2	3	7	-	NEWPORT (MON.).		
CARDIFF.	-	176,313	11'8	13'3	16'6	17'2	5'9	103	58	30	8	-	1	-	-	1	18	2	3	4	-	CARDIFF.		
RHONDDA.	-	122,310	24'7	23'0	31'1	30'7	15'8	77	72	44	8	-	3	-	1	-	31	-	-	2	-	RHONDDA.		
MERTHYR TYDFIL.	-	72,745	13'6	17'2	22'2	20'1	9'3	60	28	18	4	-	-	-	1	2	10	-	-	2	-	MERTHYR TYDFIL.		
SWANSEA.	-	95,931	16'3	15'2	16'8	27'7	6'0	63	51	22	2	-	1	-	-	1	9	5	8	9	1	SWANSEA.		
GREATER LONDON.	-	6,907,756	15'8	19'9	22'2	21'8	9'6	3904	2888	1502	415	-	58	4	13	25	11	1159	76	192	600	5	GREATER LONDON.	
OUTER RING.	-	2,258,806	15'5	20'5	23'8	22'3	11'2	1379	965	585	127	-	16	-	4	8	5	454	20	47	94	-	OUTER RING.	
8 TOWNS IN OUTER RING.	-	1,098,639	14'8	20'1	25'3	25'2	13'6	719	530	342	58	-	9	-	3	3	4	268	8	26	50	-	8 TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING.	-	1,160,167	16'1	20'9	22'3	19'6	9'0	680	435	243	69	-	7	-	1	5	1	183	12	21	44	-	REMAINDER OF OUTER RING.	
EDINBURGH.	-	331,977	12'9	13'8	15'2	14'8	1'4	152	94	18	29	-	1	2	1	1	-	4	5	?	35	1	EDINBURGH.	
GLASGOW.	-	798,357	14'9	15'2	17'4	19'2	3'9	433	294	82	52	-	3	1	-	11	-	44	13	?	67	13	GLASGOW.	
DUBLIN.†	-	378,494	17'9	21'2	27'0	24'5	5'9	260	178	60	27	-	4	-	1	3	2	33	4	7	57	9	DUBLIN.†	
BELFAST.†	-	368,680	16'7	15'8	18'6	18'6	2'9	205	128	46	14	-	1	-	-	2	1	16	2	6	23	?	BELFAST.†	

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTY-THIRD Week of each of the Eleven Years, 1894–1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894–1903.*	1904
TOTAL Births -	2665	2646	2624	2662	2489	2671	2821	2659	2821	2748	2750.6	2625
Males - -	1356	1340	1324	1334	1280	1412	1301	1339	1340	1331	1385.4	1315
Females - -	1309	1306	1300	1328	1209	1259	1320	1320	1481	1417	1374.2	1210
TOTAL Deaths -	1428	1459	1666	2074	2019	2208	1706	1705	1385	1272	1755.2	1923
Males - -	741	770	830	1038	1025	1167	894	882	773	661	921.2	1027
Females - -	687	689	786	986	994	1041	812	823	612	611	834.0	896

* The numbers in this column are the average weekly numbers in the thirty-third week of the ten years 1894–1903, raised by 3.723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	May 28.	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	13 Weeks
TOTAL Births -	2122	2507	2578	2583	2465	2514	2526	2450	2472	2467	2302	2730	2525	32241
TOTAL Deaths -	1274	1179	1187	1142	1143	1143	1151	1152	1320	1423	1745	1912	1923	17702
Ages at Death														
Under 1 year -	275	237	228	237	216	246	270	278	364	492	762	929	917	5451
1–5 years -	200	176	175	151	165	145	146	145	162	184	228	244	245	2366
5–20 " -	65	64	81	74	61	54	72	60	65	74	72	75	51	868
20–40 " -	159	140	155	163	155	170	143	140	163	156	166	132	158	2000
40–60 " -	226	238	258	225	236	240	241	246	248	216	227	263	264	3128
60 yrs. & upwds.	349	324	290	292	310	293	282	283	318	301	290	269	283	3889
Deaths from—														
Small-pox† -	2	-	-	-	1	1	-	-	1	2	1	1	-	9
Measles - -	83	78	62	65	55	58	53	39	49	36	31	36	42	687
Scarlet Fever -	4	7	4	10	3	7	9	8	4	7	2	10	4	79
Diphtheria - -	14	6	9	7	16	9	7	7	14	5	10	7	9	120
Whooping-cough -	33	32	28	25	17	29	27	20	21	13	21	21	17	313
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	2	1	5	3	5	5	1	5	5	6	7	2	6	53
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery	15	16	26	23	25	24	39	57	161	301	558	687	705	2637
All above Diseases -	153	140	134	133	122	133	136	145	255	370	630	764	783	3898
Dis. of Resp. System	80	73	64	57	64	60	52	62	36	48	54	47	40	737
Pneumonia - -	108	108	93	85	77	86	83	93	84	70	58	74	66	1085
Phthisis - -	145	133	134	162	119	136	132	98	116	113	136	110	133	1667
Dis. of Circ. System -	136	148	153	137	156	161	155	156	158	144	134	115	137	1885
Violence - -	54	56	67	47	50	43	54	50	83	83	63	62	56	768
Inquest Cases - -	133	119	134	117	100	115	124	119	152	161	121	148	145	1688
Deaths in Institutions	480	441	436	403	431	435	416	436	511	476	504	498	506	5673
TEMPERATURE OF THE AIR.														
Mean - -	57.3	56.0	55.9	59.6	58.6	59.7	63.2	68.1	67.1	65.4	68.1	61.0	59.5	61.5
Mean of Highest -	65.9	64.1	65.5	70.8	69.9	71.3	74.3	79.9	79.8	76.9	81.3	72.1	69.6	72.4
Mean of Lowest -	50.5	49.2	48.1	51.4	48.2	48.3	53.1	56.3	55.6	56.4	56.3	51.1	51.6	52.0
Mean Humidity of the Air.	86	84	75	72	68	67	70	62	61	75	65	66	75	71
Rain-fall (in inches) -	0.30	0.71	0.12	0.27	0.17	0.15	0.22	0.01	0.04	1.83	0.08	0.06	0.47	4.43
Registered Sunshine (in hours).	15.0	28.7	39.3	44.9	46.8	68.9	50.9	84.7	74.9	34.6	67.8	62.2	38.7	657.4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	118	96	95	80	83	74	71	62	51	46	32	21	18	65
Scarlet Fever -	1663	1673	1647	1630	1629	1631	1685	1698	1754	1784	1758	1763	1745	1687
Diphtheria - -	758	748	721	696	671	684	721	764	767	770	786	780	795	743
Typhus - -	-	-	-	-	1	1	1	-	-	-	-	-	-	-
Enteric Fever -	51	52	85	68	74	62	60	61	58	67	66	71	89	65

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 20th August, 1904.

The DEATHS registered during the Week include																		
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of		Deaths from												Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.		
LONDON - - -	4,536,429	2525	1923	917	288	-	42	4	9	17	-	6	-	705	56	145	506	
WEST DISTRICTS - - -	805,311	361	284	120	63	-	1	-	-	3	-	-	-	105	8	19	76	
NORTH DISTRICTS - - -	1,056,070	529	404	180	68	-	12	-	-	3	3	3	-	128	17	35	107	
CENTRAL DISTRICTS - - -	209,465	105	100	47	8	-	4	-	-	-	-	-	-	37	2	6	46	
EAST DISTRICTS - - -	715,739	485	367	179	41	-	10	-	-	3	5	5	-	145	14	45	114	
SOUTH DISTRICTS - - -	1,749,844	1045	747	391	103	-	15	4	3	3	5	5	1	289	15	40	142	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	21	-	5	-	-	-	-	1	-	-	-	1	-	-	21	
WEST DISTRICTS.																		
St. Mary Paddington } G. & W.	93,178	54	31	15	7	-	-	-	-	-	-	-	-	15	1	-	3	
W.2H																		
St. John Paddington H - - G.	33,617	11	15	4	4	-	-	-	-	-	-	-	-	3	-	1	5	
North-West Paddington - - C.	17,181	5	4	3	-	-	-	-	-	-	-	-	-	4	-	-	-	
Kensington Town 2W, w.2H G. & W. & C.	128,037	53	46	18	16	-	-	-	-	-	-	-	-	12	-	1	15	
Brompton 2H - - W. & C.	48,591	14	3	1	-	-	-	-	-	-	-	-	-	-	1	1	1	
North Hammersmith W, w.2H } W. & G.	49,192	25	26	17	3	-	-	-	-	1	-	-	-	16	1	4	-	
South Hammersmith w.2H	63,047	26	23	6	6	-	-	-	-	-	-	-	-	5	1	3	8	
North-west Fulham W	45,180	37	38	13	7	-	-	-	-	1	-	-	-	18	1	1	13	
North-east Fulham F } W. & C.	46,405	28	11	6	3	-	-	-	-	-	-	-	-	3	-	1	-	
South Fulham W	45,704	28	17	12	1	-	-	-	-	-	-	-	-	9	-	-	-	
Chelsea North W, w.3H - - C.	42,514	12	16	4	4	-	-	-	-	1	-	-	-	3	-	1	12	
Chelsea South W.2H - - C.	31,328	13	9	4	2	-	-	-	-	-	-	-	-	4	-	-	3	
May Fair and Knightsbridge C. & G.	28,743	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
Belgrave W.2H - - C.	55,815	28	20	3	5	-	1	-	-	-	-	-	-	2	2	3	11	
St. Margaret & St. John 4H - C.	43,698	17	17	8	2	-	-	-	-	-	-	-	-	11	-	-	6	
St. James Westminster } N. & G.	21,588	5	4	-	2	-	-	-	-	-	-	-	-	-	1	2	-	
W.H																		
St. Anne Soho 5H - - N.	11,493	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
NORTH DISTRICTS																		
All Souls Marylebone 8H - W.	35,391	10	14	6	2	-	-	-	-	-	-	-	-	4	1	6	3	
Rectory Marylebone W G. & W.	19,849	12	2	-	1	-	-	-	-	-	-	-	-	1	1	1	2	
St. Mary Marylebone 4H G. & W.	18,099	31	7	4	2	-	-	-	-	-	-	-	-	3	-	1	1	
Christchurch Marylebone H- W.	39,536	18	11	9	1	-	-	-	-	-	-	-	-	8	1	1	-	
St. John Marylebone 3H - W.	20,426	10	6	1	1	-	-	-	-	-	-	-	-	1	1	1	2	
Hampstead W, F. 6H - N. & W.	81,942	31	28	7	7	-	-	-	-	-	-	2	-	2	-	1	11	
West St. Pancras 2H - - W.	60,562	35	20	11	3	-	3	-	-	-	-	-	-	9	-	-	4	
Tottenham-court w.6H - N. & W.	21,258	10	14	3	2	-	-	-	-	-	-	-	-	3	1	1	7	
Gray's Inn Lane 4H - N.	34,449	14	16	5	2	-	-	-	-	-	-	-	-	6	1	1	3	
East St. Pancras W.3H - N.	60,320	27	38	16	5	-	5	-	-	-	-	-	-	6	1	3	14	
North St. Pancras 2W - N.	58,728	25	27	15	4	-	-	-	-	-	-	1	-	6	1	2	6	
Tufnell W - - - N.	31,995	19	20	5	4	-	3	-	-	-	1	-	-	2	1	1	15	
Upper Holloway 2W, w.2H - N.	33,978	10	25	2	8	-	-	-	-	-	-	-	-	2	2	4	17	
Tollington W - - - N.	33,922	18	6	6	-	-	-	-	-	-	-	-	-	4	-	-	-	
Lower Holloway - - - N.	41,424	13	18	8	3	-	1	-	-	1	-	-	-	8	1	2	-	
Barnsbury - - - N.	54,478	34	16	8	3	-	1	-	-	-	-	-	-	9	-	-	-	
Islington South-east F - N.	75,397	36	20	11	2	-	-	-	-	1	-	-	-	6	1	2	-	
Highbury 2H - - - N.	63,797	29	9	4	2	-	1	-	-	-	-	-	-	2	-	1	-	
Stoke Newington H - - - N.	51,247	19	8	4	4	-	-	-	-	-	-	-	-	2	-	1	-	
North Hackney - - - E. & N.	50,560	25	15	4	3	-	-	-	-	2	-	-	-	4	3	3	1	
Central Hackney 2w, F - E. & N.	50,536	23	14	9	1	-	-	-	-	1	-	-	-	5	-	3	1	
South-west Hackney 3H E. & N.	59,921	39	35	18	6	-	-	-	-	-	-	-	-	14	1	1	12	
South-east Hackney 2W, w, H E. & N.	58,265	41	35	24	2	-	1	-	-	-	-	-	-	21	-	-	9	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

Fig. 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 20th August, 1904—continued.

REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total Births.	The DEATHS registered during the Week include														Deaths in Public Institutions.	Un- ver- tified Causes of Death.
			Total Deaths.	Deaths of		Deaths from												
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhœa.	Violence.	Inquest Cases.		
CENTRAL DISTRICTS.																		
Giles and Bloomsbury W,2H N.	31,436	10	4	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-
nd W,4H - - - N. & C.	21,674	5	10	1	1	-	-	-	-	-	-	-	1	-	-	1	9	-
nd Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
born W,6H - - - N.	29,612	16	29	20	-	-	2	-	-	-	1	-	-	-	18	-	1	20
th Clerkenwell - - - N.	28,676	14	10	6	1	-	-	-	-	-	-	-	-	-	7	-	-	-
th Clerkenwell H - - - N.	35,028	18	12	7	2	-	1	-	-	-	-	-	-	-	5	1	2	-
sbury 3H,L - - - N.	36,116	35	16	9	1	-	1	-	-	-	-	-	-	-	7	-	2	-
born Union Workhouse, } itcham - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
otolph H - - - N. & E.	10,299	3	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Sepulchre and Allhallows } 2H - - - - - }	16,624	4	16	3	-	-	-	-	-	-	-	-	-	-	1	1	14	-
of London Asylum, Stone - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
reditch South H,L - E. & N.	16,369	5	7	4	-	-	1	-	-	-	-	-	-	5	-	1	-	-
ton New Town w,H - - N.	29,761	15	14	7	5	-	-	-	-	-	-	-	-	6	1	3	6	-
ton Old Town - - - N.	26,504	14	19	12	1	-	-	-	-	-	-	-	-	9	-	1	-	-
ggerston W - - - N. & E.	46,003	36	40	14	9	-	5	-	-	1	-	-	-	10	-	1	12	-
reditch Union Workhouse, Wood } reen - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
hnal Green North 2H - E.	51,514	48	21	13	-	-	-	-	-	-	-	-	-	11	1	1	4	-
hnal Green South - - E.	33,472	29	10	8	1	-	-	-	-	-	-	-	-	3	-	1	-	-
hnal Green East 2W,H,L - E.	44,604	26	23	7	5	-	1	-	-	-	-	-	-	8	-	-	12	-
talfields - - - E. & N.	27,969	19	6	3	1	-	-	-	-	-	-	-	-	1	-	1	-	-
e End New Town W,H - E.	28,718	25	48	15	3	-	1	-	2	-	-	-	-	12	4	7	40	-
adman's Fields - - - E.	22,081	6	4	3	-	-	-	-	-	-	-	-	-	2	-	-	-	-
George and St. John 2W E.	40,068	36	20	6	2	-	-	-	-	-	-	-	-	7	1	2	6	-
dwell and Ratcliff W,H E. & N.	25,568	8	18	11	-	-	-	-	-	-	-	-	-	12	-	-	11	-
ehouse - - - - - E.	32,369	19	9	7	1	-	1	-	-	1	-	-	-	4	1	3	-	-
e End Old Town South- } estern* H - - - - }	63,698	50	21	13	-	-	1	-	-	-	-	-	-	10	-	4	-	-
e End Old Town North- } estern* W,w - - - - }	49,129	38	25	10	6	-	-	-	-	1	-	-	-	12	1	3	8	-
v L - - - - - E.	41,989	27	19	12	2	-	-	-	-	-	-	-	-	9	2	3	-	-
mley 3w,H - - - E.	68,319	43	38	17	4	-	-	-	-	1	-	-	-	13	1	7	15	-
lar W,w - - - - E.	68,514	41	25	17	1	-	-	-	-	1	-	-	-	11	2	7	-	-

On 1st May, 1904, the sub-districts of Mile End Old Town West and Mile End Old Town East were dissolved and med into two new sub-districts as above.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 20th August, 1904—continued.

REGISTRATION SUB-DISTRICTS.		Enu- me- rated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include												Inquest Cases	Deaths in Public Institutions.
					Deaths of		Deaths from											
					Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhœa.	Violence.		
SOUTH DISTRICTS.																		
Christchurch Southwark	W,HL.&S.	11,263	4	1	1	-	-	-	-	-	-	-	-	-	5	-	23	
St Saviour Southwark	H - S.	12,056	6	25	3	-	-	-	-	1	-	-	-	-	2	3	-	
Kent-road	- S. & L.	21,904	19	7	3	1	-	-	-	-	-	-	-	-	4	1	-	
St. George the Martyr	} S. & L.	39,094	29	22	11	2	-	2	-	-	-	-	-	-	5	-	8	
West W,2H,L		- -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Newington North	- S. & L.	49,022	40	17	12	1	-	1	-	-	-	-	-	-	8	-	-	
Newington South	W - S. & L.	72,841	44	33	21	3	-	-	-	-	-	-	-	-	17	-	1	
St. Olave	2W - - - S.	9,817	12	3	1	1	-	-	-	-	-	-	-	-	1	-	-	
Bermondsey	W - - - S.	82,483	68	35	23	2	-	1	-	-	1	-	-	-	22	1	1	
Rotherhithe	W,F - - S. & K.	38,460	14	26	8	5	-	-	-	-	-	-	-	-	5	2	7	
Waterloo-road	2H - L. & S.	27,440	18	16	12	1	-	2	-	-	-	-	-	-	4	-	2	
Lambeth Church 1st	H L. & S.	18,423	15	14	1	-	-	-	-	-	-	-	-	-	1	1	10	
Lambeth Church 2nd	2W L. & S.	39,818	23	23	7	6	-	-	-	-	1	-	-	-	5	3	16	
Kennington 1st	H - S. & L.	53,198	43	20	10	3	-	2	-	-	-	-	-	-	9	1	1	
Kennington 2nd	H - S. & L.	42,896	17	17	12	1	-	-	-	-	-	-	-	-	9	-	1	
Brixton	F - L. & S.	84,232	51	20	10	4	-	-	-	-	-	-	-	-	6	1	1	
Norwood	W,H - - L.	35,888	15	7	6	-	-	1	-	-	-	-	-	-	4	-	-	
East Battersea	H - - S.	72,203	36	24	17	1	-	-	-	-	-	-	-	-	8	1	-	
North-west Battersea	- - S.	49,656	44	23	15	1	-	-	-	-	-	-	-	-	14	-	-	
South-west Battersea	W,H - - S.	47,048	19	19	8	8	-	1	-	-	-	-	-	-	3	-	9	
Clapham	2H - - S.	51,361	22	20	8	6	-	-	-	-	-	-	-	-	5	3	-	
Streatham*	W,2w,2F,2L - L.	88,019	54	43	22	10	-	1	-	1	-	-	-	-	18	-	7	
Springfield	2W,L - - S.	27,959	19	11	8	1	-	-	-	-	-	-	-	-	6	1	2	
Southfields	H - - S.	40,444	27	23	15	3	-	-	-	-	-	-	-	-	13	-	-	
Putney	- - - S.	24,139	6	10	2	2	-	-	-	-	-	-	-	-	2	1	-	
Dulwich	- - L. & S.	13,359	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
Camberwell South	W,w S. & L.	40,206	28	20	7	5	-	1	-	-	-	-	-	-	5	-	12	
Camberwell North	W,2L S. & L.	65,584	34	28	12	6	-	-	-	-	-	-	-	-	7	1	13	
St. George	- L. & S.	47,331	26	14	11	1	-	-	-	-	-	-	-	-	6	-	-	
Peckham	2W,w - S., L. & K.	92,859	48	46	30	5	-	1	-	-	1	-	-	-	22	3	3	
Deptford North	- - K.	37,613	29	17	10	2	-	-	-	-	-	-	-	-	10	-	-	
Deptford Central	F - - K.	45,481	30	25	15	4	-	1	-	-	-	-	-	-	13	-	-	
Deptford South	- - K.	34,625	16	8	4	-	-	-	-	-	-	-	-	-	5	-	-	
Greenwich West	2H - - K.	23,456	10	9	6	-	-	-	-	-	-	-	-	-	3	-	-	
Greenwich East	2W,H - - K.	43,859	25	23	11	4	-	1	-	-	-	-	-	-	7	1	11	
Eltham	w,H- - - K.	7,226	4	2	2	-	-	-	-	-	-	-	-	-	1	-	-	
Lee	wH- - - K.	25,490	10	2	1	2	-	-	-	-	-	-	-	-	1	-	-	
Lewisham	Ww,F - - K.	58,352	37	30	17	2	-	-	2	-	-	-	-	-	12	-	10	
Sydenham	H - - L.	43,653	26	10	5	2	-	-	-	-	-	-	-	-	4	-	-	
Charlton	F,2H - - K.	21,134	5	11	3	-	-	-	-	2	1	-	1	-	1	-	4	
Woolwich	4H- - - K.	41,625	27	11	5	1	-	-	-	-	-	-	-	-	4	-	1	
Plumstead West	W - - K.	18,063	6	2	1	-	-	-	-	-	-	-	-	-	1	-	5	
Plumstead East	2W,H - - K.	50,264	37	28	14	6	-	-	-	-	1	-	-	-	13	-	-	
London County Asy.,Banstead	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	
Manor Asylum, Epsom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Horton Asylum, Epsom	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	3	
Lon. Co. Asy. Epilep. Colony, Epsom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Met. Asy. for Imbeciles, Catterham	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	
London County Asy., Cane Hill	-	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	4	
M.A.B. Hospitals, Dartford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Met. Asy. for Imbeciles, Darenth	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	
London County Asylum, Dartford	} Heath	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
London County Asylum, Hanwell		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Central London Sick Asy., Hendon	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	
London County Asy., Colney Hatch	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	3	
M.A.B. North-Eastern Hospital	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	
M.A.B. Northern Hospital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	
Met. Asy. for Imbeciles, Leavesden	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
London County Asylum, Claybury	-	-	-	4	-	-	-	-	-	-	-	-	-	-	1	-	-	

* On 1st June, 1904, changes were made in the boundary between Streatham sub-district and Mitcham sub-district (38)

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, SPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 20th August, 1904.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- mer- ated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include														
					Deaths of		Deaths from												
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
LONDON—OUTER RING	368,580	2,044,973	1379	965	585	127	-	16	-	4	8	5	454	20	47	94	-		
Carshalton <i>w</i> , 2 <i>F</i> 2 <i>H</i>	12,228	32,997	13	4	2	2	-	-	-	-	-	-	-	1	2	-	-		
Epsom, part of* <i>W</i> , <i>w</i> 2 <i>F</i> , <i>H</i>	10,423	15,548	6	5	1	2	-	-	-	-	-	-	-	-	-	3	-		
Godstone, part of* <i>W</i> , <i>F</i>	2,754	2,692	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
Coulsdon	11,069	21,166	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
South Croydon <i>w</i>	4,200	49,319	22	13	7	1	-	-	-	-	-	-	3	-	-	-	-		
West Croydon 3 <i>W</i> , <i>F</i> , <i>H</i>	2,168	42,888	27	27	15	5	-	1	-	-	-	-	5	2	3	9	-		
North Croydon <i>H</i>	2,641	41,688	26	16	10	4	-	-	-	-	-	-	9	-	-	-	-		
Penge <i>w</i>	770	22,465	7	9	2	3	-	-	-	-	1	-	1	-	-	-	-		
Mitcham <i>w</i>	11,689	50,015	16	10	8	-	-	-	-	-	-	-	6	-	-	-	-		
Wimbledon <i>F</i> , 3 <i>H</i>	3,221	41,652	24	18	12	3	-	-	-	-	-	-	8	-	-	1	-		
Kingston <i>W</i> , <i>H</i>	6,224	42,168	22	21	10	4	-	-	-	-	-	-	8	-	2	6	-		
Surbiton <i>F</i> , <i>H</i>	3,046	15,017	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-		
Esher, part of* <i>H</i>	5,402	13,100	4	3	1	1	-	-	-	-	-	-	-	1	1	-	-		
Hampton <i>H</i> , <i>L</i>	4,564	23,456	22	10	7	2	-	-	-	-	1	-	3	-	-	-	-		
Richmond <i>W</i> , <i>H</i>	2,162	28,865	8	10	3	2	-	-	-	-	-	-	2	1	3	5	-		
Mortlake <i>F</i>	2,847	20,628	19	13	6	2	-	-	-	-	-	-	5	2	2	-	-		
Bromley <i>F</i> , 2 <i>H</i>	4,703	27,354	17	4	1	3	-	-	-	-	-	-	1	-	-	1	-		
Beckenham <i>H</i>	7,825	28,497	13	5	3	1	-	-	-	-	-	-	1	1	1	2	-		
Orpington, part of* <i>W</i>	10,113	9,857	12	5	4	1	-	-	-	-	-	-	1	-	-	-	-		
Chislehurst 2 <i>H</i>	7,333	16,446	6	7	3	1	-	-	-	-	-	-	3	-	-	-	-		
Bexley <i>F</i> , <i>H</i>	8,678	21,151	22	11	8	-	-	-	-	-	-	-	6	-	-	-	-		
Erith <i>F</i> , <i>H</i>	3,854	25,296	19	11	5	3	-	-	-	-	-	-	3	2	2	-	-		
Dartford <i>W</i> , <i>F</i> , part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Sunbury <i>w</i>	11,054	18,683	12	8	4	1	-	-	-	-	-	-	3	-	-	-	-		
Staines <i>W</i> , <i>H</i>	13,277	15,178	9	5	3	1	-	-	-	-	-	-	3	-	-	-	-		
Hillingdon <i>W</i> , <i>F</i> , <i>H</i>	6,035	13,661	9	6	1	1	-	-	-	-	-	-	1	-	-	3	-		
Uxbridge	12,757	8,984	6	5	4	-	-	-	-	-	-	-	3	-	-	-	-		
Hayes <i>w</i> , <i>F</i> , <i>H</i>	8,066	16,358	17	6	4	-	-	1	-	-	-	-	-	1	1	-	-		
Isleworth 3 <i>W</i> 2 <i>F</i> , <i>H</i>	6,859	30,863	12	8	3	1	-	-	-	-	-	-	-	-	-	3	-		
Twickenham <i>F</i> , <i>H</i>	2,421	20,991	21	11	5	3	-	-	-	-	-	-	3	-	-	2	-		
Brentford 2 <i>F</i> 2 <i>H</i> , <i>L</i>	4,319	48,289	31	30	21	7	-	-	-	-	-	-	20	-	-	-	-		
Chiswick <i>H</i>	1,249	29,809	25	11	8	2	-	-	-	-	-	-	4	-	-	-	-		
Acton <i>w</i> , 3 <i>H</i>	6,132	48,914	37	32	22	3	-	-	-	-	1	-	18	1	1	-	-		
Harrow <i>F</i> , <i>H</i>	13,809	25,523	13	5	4	-	-	-	-	-	-	-	2	-	-	-	-		
Edgware <i>F</i> , 2 <i>H</i>	6,994	4,521	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
Willesden <i>W</i> , <i>F</i> , 2 <i>H</i>	4,384	114,811	83	53	37	2	-	-	-	-	-	-	30	1	1	3	-		
Hendon <i>W</i> , <i>F</i>	8,382	22,450	12	7	6	-	-	-	-	-	-	-	4	-	1	-	-		
South Mimms 2 <i>F</i> , <i>H</i>	17,755	7,308	2	2	-	-	-	-	-	-	-	-	1	-	-	-	-		
Barnet <i>W</i> , 3 <i>H</i>	3,324	17,970	4	2	1	-	-	-	-	-	-	-	2	-	-	-	-		
Finchley <i>F</i> , 2 <i>H</i>	4,688	33,692	18	13	10	2	-	-	-	-	-	-	6	-	-	-	-		
Hornsey <i>F</i> , <i>H</i>	2,875	72,056	32	17	8	3	-	-	-	-	1	1	5	-	1	1	-		
Wood Green <i>H</i>	1,625	34,233	36	14	9	2	-	-	-	-	-	-	7	1	1	1	-		
West Tottenham <i>F</i>	996	48,853	29	27	20	4	-	-	-	-	-	-	14	-	3	-	-		
East Tottenham <i>F</i> , <i>H</i>	2,017	53,688	43	48	29	6	-	-	-	-	1	1	25	1	4	11	-		
Edmonton <i>W</i> , <i>w</i> , 2 <i>F</i>	7,491	61,892	39	32	11	8	-	3	-	-	1	-	15	-	1	5	-		
Enfield 2 <i>W</i> , <i>F</i> , <i>H</i>	12,601	42,738	22	21	12	-	-	-	-	-	-	-	14	-	-	1	-		
Waltham Abbey	11,017	6,549	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-		
Cheshunt <i>F</i> , <i>H</i>	8,479	12,292	12	4	1	-	-	-	-	-	-	-	2	-	-	-	-		
Hatfield, part of* <i>W</i>	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Bushey <i>H</i>	9,333	9,173	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-		
Watford <i>W</i> , 2 <i>F</i> , part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Stratford <i>H</i>	1,072	44,827	32	12	8	1	-	-	-	-	-	-	8	-	1	-	-		
Plaistow <i>F</i> , 2 <i>H</i>	1,249	90,921	89	65	43	2	-	1	-	-	1	2	39	1	1	4	-		
Canning Town <i>H</i>	1,558	70,718	72	40	28	4	-	1	-	-	-	-	21	1	4	1	-		
Forest Gate <i>w</i>	806	60,892	22	24	17	5	-	-	-	-	-	-	13	-	1	-	-		
North East Ham <i>w</i>	1,333	58,676	46	35	23	3	-	3	-	-	-	-	14	1	2	-	-		
South East Ham 3 <i>F</i>	1,993	37,342	39	32	23	1	-	2	-	-	-	-	25	-	-	-	-		
Wanstead <i>F</i>	1,679	9,179	4	2	1	-	-	-	-	-	-	-	1	-	-	-	-		
South Leyton 2 <i>W</i>	631	50,467	35	37	21	8	-	1	-	-	-	-	17	-	-	9	-		
North Leyton <i>W</i> , <i>w</i> , <i>F</i>	1,963	48,445	34	37	19	3	-	1	-	-	-	-	13	1	1	12	-		
Walthamstow 3 <i>H</i> , <i>L</i>	6,504	108,929	92	56	45	1	-	-	-	-	1	-	36	-	1	-	-		
Chigwell, part of* 2 <i>F</i> , <i>H</i>	11,778	16,397	9	3	3	-	-	-	-	-	-	-	1	-	-	-	-		
Epping <i>W</i> , <i>F</i> , part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Romford, part of* <i>W</i> , 2 <i>F</i>	6,556	6,091	5	4	-	-	-	1	-	-	-	-	1	-	-	1	-		
Ilford <i>F</i> , <i>L</i>	8,496	41,234	31	28	17	5	-	2	-	-	-	-	14	1	2	4	-		
Barking Town <i>F</i>	3,803	21,547	20	11	4	3	-	-	-	-	1	-	5	-	-	-	-		
Middlesex County Asylum, Wandsworth.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-		
North-Eastern Hosp., Tottenham.	-	-	-	2	-	-	-	-	-	-	2	-	-	-	-	2	-		

parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes, 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

* note on preceding page.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping- cough.	Fever.
CALCUTTA (including SUBURBS)	847,796	July 9	-	327	20·0	1	-	-	-	-	115†
BOMBAY -	776,006	August 2	394	581	38·9	8	4	-	-	-	91†
MADRAS -	509,346	July 15	427	340	34·7	-	-	-	-	-	89
PARIS -	2,660,559	August 13	955	804	15·7	1	5	-	9*	6	4
BRUSSELS -	575,896	" 13	192	183	16·2	-	1	-	-	1	1
ANTWERP -	281,376	" 13	110	105	19·0	-	2	-	-	2	1
AMSTERDAM -	547,370	" 6	274	163	15·5	-	2	-	-	-	-
COPENHAGEN -	420,000	" 13	223	122	15·1	-	-	-	-	2	-
STOCKHOLM -	305,115	" 6	121	91	15·3	-	-	-	-	1	-
CHRISTIANIA -	225,709	" 13	115	62	14·4	-	-	-	-	-	-
ST. PETERSBURG	1,248,043	" 6	517	577	24·1	2	11	19	7	3	13
MOSCOW -	1,093,410	" 6	-	596	28·5	6	26	10	5	1	2
BERLIN -	1,960,909	July 30	950	661	17·5	-	7	13	6*	14	4
HAMBURG -	751,842	August 13	-	289	20·0	-	3	2	3*	5	-
BRESLAU -	445,403	" 13	-	-	-	-	-	-	-	-	-
MUNICH -	520,000	" 13	-	218	21·8	-	1	-	3*	2	-
VIENNA -	1,779,869	" 13	970	623	18·0	-	9	2	1*	-	1
PRAGUE -	423,990	" 6	182	166	20·2	-	1	-	1*	3	-
BUDA-PESTH -	813,399	" 13	399	292	18·7	-	1	5	6*	3	3
TRIESTE -	187,251	" 6	-	-	-	-	-	-	-	-	-
ROME -	496,201	June 25	204	198	20·7	-	3	-	1	-	4
VENICE -	166,288	August 6	78	66	20·7	-	3	-	-	-	1
CAIRO -	624,338	May 27	-	-	-	-	-	-	-	-	-
ALEXANDRIA -	349,300	" 27	-	-	-	-	-	-	-	-	-
NEW YORK -	3,838,024	August 6	-	-	-	-	-	-	-	-	-
PHILADELPHIA -	1,408,154	July 23	-	482	17·8	-	2	1	4	2	11
BOSTON -	617,950	" 23	-	-	-	-	-	-	-	-	-

* Including deaths from croup.

† Including 18 deaths from plague in Calcutta, and 55 in Bombay.

‡ Including 9 deaths from cholera in Calcutta, and 23 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 20th August, 1904.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	75·0	45·5	60·6	0·47	BRADFORD -	68·2	46·2	57·4	0·
BRIGHTON -	74·6	49·0	61·2	0·34	LEEDS -	71·0	47·0	59·6	1·
PORTSMOUTH -	69·0	48·5	61·5	0·61	HULL -	70·0	44·0	57·5	1·
NORWICH -	72·0	48·0	59·1	0·51	TYNEMOUTH -	66·0	43·0	54·9	0·
PLYMOUTH -	66·9	47·0	59·1	1·29					
BRISTOL -	66·8	51·0	59·5	0·79	EDINBURGH -	65·9	43·5	54·6	1·
BIRMINGHAM -	68·5	46·4	57·5	0·44	GLASGOW -	66·8	41·0	54·5	0·
NOTTINGHAM -	69·9	47·3	57·5	1·20					
LIVERPOOL -	68·0	50·0	57·4	1·12	DUBLIN { Phoenix Park.	68·6	39·3	55·8	0·
OBSERVATORY. }	68·0	50·0	57·4	1·12	{ Fitz- william	70·9	44·8	58·1	0·
MANCHESTER -	67·5	45·8	56·3	1·24	{ Square.†				
PRESTON -	66·2	49·8	57·1	0·96	BELFAST -	-	-	-	-
HUDDERSFIELD -	67·0	45·2	55·6	2·05					

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of the return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher's returns up to the 31st March, 1902, for the corresponding period to the above was 1·7 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D. Dublin.

1904. MONTH AND DAY		Phases of the Moon.	BARO-METER.		TEMPERATURE.				TEMPERATURE.				Wind as deduced from Anemometers.				Rain collected in Gauge whose receiving surface above the ground.											
			Mean daily reading of re- rected and re- duced to Fahren- heit.)	In Equator.	Of the Air.				Difference between the Air Temperature and Dew Point Temperature.		Of radiation.		Of the Earth 3 feet below Surface.		General Direction.			Oiler's.		Pressure on the Square Foot.		Robinson's.						
					High- est.	Low- est.	Daily Range.	Mean daily value.	De- Parture from Average of 50 years.	Mean daily value.	Great- est.	Least.	Highest in Shade Rays.	Lowest on Grass.	A.M.	P.M.		Great- est.	Least.	Mean of 24 hours.	Horizontal Movement of the Air on each Day.	Depart- ure from Average of 16 years.						
AUGUST.	14	SUNDAY	in.	287650	75.0	55.5	19.5	64.7	0	55.6	9.1	0	0	19.1	3.6	73	138.0	45.4	0	38.73	SSW, SW. & WSW.	SW. & WSW.	lbs. 85	0.0	0.9	Miles. 477	+236	19.4
	15	MONDAY	..	287664	72.2	55.5	16.7	62.0	- 0.1	51.8	10.2	23.8	3.5	69	129.4	68	129.4	52.6	0	38.70	W. & WSW.	W. & WSW.	21.2	0.0	1.8	639	+401	10.8
	16	TUESDAY	..	289924	71.2	50.3	20.9	60.1	- 1.9	50.1	10.0	19.8	1.0	70	120.0	42.0	38.50	42.0	0	38.50	WSW. & W.	W. & WSW.	0.7	0.0	0.0	158	- 76	1.0
	17	WEDNESDAY	..	287586	68.8	53.6	12.2	57.9	- 3.9	56.6	1.3	6.3	0.8	96	102.0	51.8	38.32	51.8	0	38.32	SW, S. & SSE.	S. & WSW.	3.5	0.0	0.2	268	+ 37	4.0
	18	THURSDAY	First Quarter.	287730	66.9	51.5	15.4	58.1	- 3.5	48.2	9.9	19.3	1.2	70	118.0	48.4	38.15	48.4	0	38.15	WNW. & NNW.	NNW. & WNW.	4.3	0.0	0.5	403	+175	6.5
	19	FRIDAY	..	287793	68.2	49.5	18.7	58.3	- 3.1	46.6	11.7	21.6	1.9	65	131.0	43.3	38.86	43.3	0	38.86	W. & WNW.	W. & WNW. & NNW.	3.5	0.0	0.2	314	+ 88	8.5
	20	SATURDAY	..	289902	67.6	45.5	22.1	55.6	- 5.7	49.1	6.5	20.1	0.9	79	114.5	36.8	38.53	36.8	0	38.53	Variable & N.	N. & variable.	0.2	0.0	0.0	100	-125	0.0
	-	MEANS	-	287750	68.6	51.6	17.9	59.5	- 2.3	51.1	8.4	18.6	1.8	75	121.8	45.8	38.26	45.8	0	38.26	WSW.	WSW.	Sum 2369	+736	6.7
	-	No. of Column	3	4	5	6	7	8		10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	Sum 2369	25	26	

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 159 feet above the mean level of the sea ;

the height of the observation point, and a correction has been applied to the readings to reduce to sea level. The means of the observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 7 are not corrected for the index error of the thermometer.

- "lower", than the average. The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—F, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable. The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument showing the aggregate number of bright sunshine on each day. The numbers in column 29, showing the barometer decreased from 29.82 in. at the beginning of the week to 29.58 in. by the A.M. on the 15th; increased to 29.95 in. by 9h. A.M. on the 16th; decreased to 29.47 in. by 6h. P.M. on the 17th; and increased to 29.93 in. by midnight on the 20th.

GENERAL REMARKS,

DATE.		ECLIPSE, OR (For explanation of symbols, see Note.	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
AUGUST.					
SUNDAY	- 14	w. P. generally.	45	147	Generally cloudy with strong wind; sharp shower in afternoon.
MONDAY	- 15	w. P. throughout.	97	146	Variably cloudy until 9h. P.M.; very strong wind until 6h. P.M.; clear after 9h. P.M.
TUESDAY	- 16	w. P. generally.	34	145	Clear until 3h. A.M.; afterwards thin cloud prevalent until evening, when it became overcast generally.
WEDNESDAY	17	w. P. generally.	15	145	Overcast; continuous rain between 6h. A.M. and 1h. P.M.; fine with little cloud after 6h. P.M.
THURSDAY	- 18	w. P. until noon; m. P. generally afterwards.	69	144	Fine and partially cloudy; brisk wind; variably cloudy evening until 9h. 30m. P.M.; then almost cloudless.
FRIDAY	- 19	w. P. in forenoon; m. P. in afternoon.	72	144	Very little cloud until 9h. 30m. A.M.; fine and partially cloudy until noon, gradually becoming very cloudy.
SATURDAY	- 20	w. P. in forenoon; m. P. in afternoon.	55	143	Fine and partially cloudy; hazy generally. Solar halo in forenoon.
			Sum 387	Sum 1014	
No. of Col.		-	28	29	

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 13th August, 1904.*

BOROUGH.		Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Chicken-pox.
WEST.												
Paddington-	- - -	146,975	-	5	7	-	1	-	-	-	-	3
Kensington -	- - -	179,238	-	4	3	-	-	-	-	2	-	6
Hammersmith -	- - -	117,412	-	3	3	-	-	-	-	2	-	4
Fulham -	- - -	152,482	-	8	2	-	1	-	-	6	-	15
Chelsea -	- - -	74,329	-	1	-	-	-	-	-	2	-	3
City of Westminster -	-	177,321	-	3	3	-	-	-	-	3	-	1
NORTH.												
St. Marylebone -	- - -	130,337	-	6	2	-	4	-	-	6	-	9
Hampstead -	- - -	86,663	-	1	3	-	1	-	-	-	-	2
St. Pancras -	- - -	235,936	-	18	7	-	2	-	-	8	1	7
Islington -	- - -	341,044	-	26	10	-	4	-	-	9	1	9
Stoke Newington -	- - -	52,445	-	3	2	-	2	-	-	2	-	5
Hackney -	- - -	226,266	-	12	10	-	1	-	-	7	-	10
CENTRAL.												
Holborn -	- - -	57,161	-	1	-	-	-	-	-	1	-	1
Finsbury -	- - -	98,958	-	4	5	-	2	-	-	3	-	6
City of London -	- - -	23,482	-	3	2	-	1	-	-	1	-	1
EAST.												
Shoreditch -	- - -	117,033	-	3	1	-	2	-	-	-	-	3
Bethnal Green -	- - -	130,207	-	11	3	-	-	-	-	6	-	7
Stepney -	- - -	303,791	-	24	13	-	5	-	-	19	-	28
Poplar -	- - -	169,905	-	8	18	-	-	-	-	-	1	11
SOUTH.												
Southwark -	- - -	207,937	-	7	4	-	3	-	-	4	-	9
Bermondsey -	- - -	129,397	-	4	-	-	-	-	-	3	-	4
Lambeth -	- - -	310,359	-	12	4	-	4	-	-	5	-	5
Battersea -	- - -	175,465	-	4	7	-	-	-	-	2	-	12
Wandsworth -	- - -	257,448	-	4	8	-	-	-	-	6	-	11
Camberwell -	- - -	268,384	-	8	1	-	2	-	-	5	-	14
Deptford -	- - -	113,509	-	8	3	-	1	-	-	1	-	5
Greenwich -	- - -	101,851	-	1	6	-	1	-	-	-	-	4
Lewisham -	- - -	140,401	-	8	2	-	-	-	-	-	-	11
Woolwich -	- - -	123,416	-	5	4	-	1	-	-	-	-	8
Port of London -	- - -	-	-	-	-	-	1	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.		4,648,950	-	205	132	-	39	-	-	103	4	214
Ages 0-1			-	2	3	-	-	-	-	5	-	23
" 1-5			-	63	46	-	1	-	-	4	-	112
" 5-			-	82	36	-	1	-	-	2	-	57
" 10-			-	27	20	-	4	-	-	9	-	14
" 15-			-	15	12	-	5	-	-	8	-	5
" 20-			-	8	2	-	8	-	-	5	1	-
" 25-			-	7	8	-	9	-	-	11	3	1
" 35-			-	-	3	-	6	-	-	25	-	-
" 45-			-	-	1	-	4	-	-	17	-	1
" 55-			-	-	-	-	1	-	-	10	-	-
" 65 and upwards			-	-	-	-	-	-	-	7	-	-
Age not stated			-	1	1	-	-	-	-	-	-	1

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING JULY, 1904.

*Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
4th August, 1904.*

SIR,

I HAVE to report to you the results of the chemical analysis and physical examination of the water supplied to London, by the Metropolitan Water Board and the New River Company, during the month of July.

Thirteen samples were taken in the New River Company's area and the same number from each of the Water Board's districts, making altogether a total of 104 samples for the month.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

DISTRICTS.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Ni- trates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
THAMES.										
Chelsea - - -	{ July 4th, Cab Rank, Victoria Street, near Christ Church. }	18·2	28·48	·132	·015	0	·232	·247	1·60	20·0
West Middlesex -	{ July 4th, Cab Rank, Riding House Street. }	17·3	25·30	·135	·014	0	·194	·208	1·55	18·4
Southwark - -	{ July 4th, Cab Rank, Southwark Street, near Hop Exchange. }	18·1	27·60	·115	·012	0	·207	·219	1·55	19·7
Grand Junction -	{ July 4th, Cab Rank, Shepherd's Bush Green. }	19·0	26·60	·105	·011	0	·224	·235	1·55	19·7
Lambeth - - -	{ July 4th, Cab Rank, St. George's Road, Southwark. }	18·7	26·32	·135	·013	0	·210	·223	1·55	18·6
LEA, WELLS, & C.										
New River - -	{ July 4th, Cab Rank, by St. Clement Dane's Church. }	18·0	29·54	·057	·008	0	·200	·206	1·80	20·2
East London - -	{ July 4th, Tap on main at Lea Bridge Works. }	18·0	27·68	·098	·012	0	·179	·191	1·80	19·0
DEEP WELL.										
Kent- - - -	{ July 4th, Cab Rank, by Woolwich Arsenal Station. }	14·0	45·80	·048	·004	0	·623	·627	3·30	29·2
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The water collected in the "Chelsea" district of the Water Board on the 4th July at the cab rank in Victoria Street had a temperature of 18·2° C.; 100,000 lbs. of it contained 28·48 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained ·132 lb. of carbon and ·015 lb. of nitrogen. The above quantity of water also contained ·232 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was ·247 lb. The above weight of water also contained 1·6 lb. of chlorine and 20·0 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7 and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on the 4th July were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied from each of the Metropolitan District Works was:—Kent 0·9, New River 1·1, East London 1·9, Grand Junction 2·0, Southwark 2·2, and Chelsea, West Middlesex and Lambeth 2·5.

The filtered Thames water distributed on the 4th July from the five district works of the Water Board contained, in each case, less organic matter than in June, and the average proportion of organic impurity for the five supplies was the lowest recorded this year. All the samples were clear and of good quality.

The New River Company's supply, obtained chiefly from the River Lea and wells, contained only a very small amount of organic matter and was clear and of very good quality. The filtered Lea supply, distributed from the Water Board's East London district works at Lea Bridge, contained somewhat less organic matter than the supplies obtained from the Thames; it was clear and of very good quality.

The deep-well water sent out from the "Kent" district works was, as usual, of high organic purity and excellent quality.

Seen through a stratum two feet deep the Kent water was colourless, and that from the New River works nearly colourless; the supplies distributed from the other district works exhibited a very pale yellow colour.

In addition to the above analytical examination, the 104 samples of water, collected during July at various places in the districts supplied by the Water Board and the New River Company, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded. The following results were obtained:—

RESULTS IN PARTS PER 100,000.

DISTRICTS.	“Oxygen consumed,”						“Albuminoid Ammonia.”		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)			Max.	Min.	Mean.
	Max.	Min.	Mean.	Max.	Min.	Mean.			
THAMES.									
Chelsea	·073	·050	·058	·084	·053	·066	·007	·0055	·006
West Middlesex	·072	·058	·064	·082	·062	·070	·0065	·006	·0065
Southwark	·0 9	·053	·062	·077	·060	·068	·0065	·0055	·006
Grand Junction	·066	·053	·059	·075	·060	·067	·0065	·0055	·006
Lambeth	·073	·055	·064	·080	·062	·070	·007	·0055	·006
LEA, WELLS, &C.									
New River	·031	·019	·024	·031	·022	·026	·003	·002	·0025
East London	·059	·040	·047	·066	·044	·053	·0065	·0045	·0055
DEEP WELLS.									
Kent	·011	·007	·009	·012	·008	·010	·0015	·001	·0015

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

The heavy rains which occurred in the Thames valley in May and June caused an increase in the proportion of organic matter in all the filtered Thames waters during the latter month, but by the beginning of July the river had recovered its good condition, and the above results show that the five Thames supplies, distributed from the Water Board's district works, were of uniform good quality throughout the month. The average proportion of organic matter in the whole of the Thames supplies for July was the lowest recorded up to the present time this year.

The New River Company's filtered Lea and well water contained only a small amount of organic matter, and this supply has now for upwards of three months maintained a very uniform good quality.

All the samples collected in the Water Board's East London district were of good quality, and the average proportion of organic matter found was slightly less than that present in the filtered Thames water supplies.

All the samples of deep-well water drawn in the Water Board's Kent district were of high organic purity and excellent quality.

All the samples collected in the West Middlesex, New River, and Kent districts were clear, but in the cases of the other districts on a few occasions the samples contained very minute amounts of rust-stained suspended matter.

I am, Sir,

Your obedient Servant,

pp. T. E. THORPE.

C. H. BURGE.

The Registrar-General,

Somerset House, W.C.

RETURNS OF LONDON WATER DISTRICTS.

The following is an account of the number of services and the average daily amount of water supplied during the month of July, 1904. The supply was in the ratio of 261 gallons to one service.

DISTRICTS.	Number of Services.		Daily Supply of Water in Gallons.	
	JULY, 1903.	JULY, 1904.	JULY, 1903.	JULY, 1904.
TOTAL SUPPLY - - -	970,521	990,569	239,307,499	258,253,377
From Thames - - - - -	460,802	470,595	127,890,831	137,449,290
From Lea and from other Sources -	509,719	519,974	111,416,668	120,904,087
THAMES.				
Chelsea - - - - -	39,532	39,866	13,456,129	14,285,161
West Middlesex - - - - -	89,968	91,145	26,298,364	28,841,084
Southwark and Vauxhall - - -	128,342	129,606	34,775,375	35,783,782
Grand Junction - - - - -	73,773	76,639	19,890,511	21,829,950
Lambeth - - - - -	129,187	133,139	33,470,452	36,709,313
LEA AND OTHER SOURCES.				
New River - - - - -	178,327	180,701	46,613,010	48,483,250
East London - - - - -	224,283	229,215	44,336,000	49,915,000
Kent - - - - -	107,109	110,058	20,467,658	22,505,837

Note.—The Return for July, 1904, as compared with that for the corresponding month of 1903, shows an increase of 20,048 services, and of 19,045,878 gallons of water supplied daily. Owing to changes of area, the returns for 1904 are not strictly comparable with those for 1903.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1904.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 34. 1904. VOL. LXV.] WEEK ENDED SATURDAY, AUG. 27. [Price 1½d.

*General Register Office, Somerset House,
August 29th, 1904.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 20·5 per 1000 of their aggregate population, which is estimated† at 15,271,287 persons in the middle of this year. In the preceding three weeks the rates had been 19·8, 22·1, and 22·7. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *all causes*, 27·2 in East Ham, 27·3 in Rhondda, 29·3 in Plymouth, 29·4 in Liverpool, 29·5 in Birkenhead, 30·4 in Bootle, 31·6 in Wigan, 31·8 in Hanley, and 33·5 in Salford; from *measles*, 1·6 in Hanley, in West Bromwich, and in Grimsby, 1·7 in Rhondda, 2·7 in Huddersfield, 3·2 in Plymouth, 3·4 in Bootle, and 3·6 in Birkenhead; from *scarlet fever*, 1·7 in Northampton and in Barrow in Furness, and 2·4 in Hanley; from *whooping-cough*, 2·0 in Great Yarmouth; and from *diarrhæa*, 12·3 in Salford, 12·7 in Bootle, 13·1 in Walsall, 13·4 in Liverpool, 14·1 in York, 14·8 in Hull, 15·5 in Walthamstow, and 16·5 in East Ham. One death from *small-pox* was registered in Bury and one in Salford, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2575 BIRTHS and 1682 DEATHS were registered. Allowing for increase of population, the births were 80 below and the deaths 49 above the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 19·6, 21·4, and 21·6 in the preceding three weeks, fell again last week to 18·9. During the four weeks ended on Saturday last the death-rate averaged 20·4 per 1000, being 1·0 per 1000 above the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, and in certain local Small-pox Hospitals, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1682 deaths included 30 from measles, 9 from scarlet fever, 19 from diphtheria, 20 from whooping-cough, 4 from enteric fever, and 483 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 565 deaths were referred to these diseases in the aggregate, being 174 above the corrected average weekly number.

The deaths from *measles*, which had been 31, 36, and 42 in the preceding three weeks, fell last week to 30, the corrected average being 32; 5 deaths belonged to the Borough of Poplar and 4 to Lambeth. The deaths from *scarlet fever*, which had been 2, 10, and 4 in the preceding three weeks, rose again last week to 9, but were 5 below the corrected average. The deaths from *diphtheria*, which had been 10, 7, and 9 in the preceding three weeks, rose again last week to 19, but were 10 below the corrected average; 5 deaths belonged to Woolwich and 4 to Stepney. The deaths from *whooping-cough*, which had been 21, 21, and 17 in the preceding three weeks, were 20 last week, and were 6 below the corrected average. The fatal cases of *enteric fever*, which had been 7, 2, and 6 in the preceding three weeks, were 4 last week, and were 9 below the corrected average. The deaths from *diarrhoea*, which had been 558, 687, and 705 in the preceding three weeks, fell again last week to 483, but were 207 above the corrected average; 39 deaths belonged to Islington, 34 to Camberwell, 28 to Stepney, 27 to Wandsworth, and 25 each to Hackney, Southwark, and Lambeth. Of the 483 deaths from diarrhoea, 465 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 29 more deaths at this age. One death was attributed directly to *influenza*, the deaths in the preceding three weeks having been 1, 0, and 4. The death of a female, aged 54 years, was certified, after an inquest, as caused by *ptomaine poisoning*, due to eating bad fish.

Different forms of *violence* caused 46 deaths, concerning all but 2 of which inquests were held. Of these 46 deaths, 7 were cases of suicide, and 4 of homicide, while the remaining 35 were attributed to accident or negligence. Two of these latter were referred to vehicles in the streets, 5 to drowning, 2 to burns and scalds, 2 to the effects of anæsthetics administered for surgical purposes, and 7 (including 6 of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 13 cases of small-pox, 1781 of scarlet fever, 813 of diphtheria, and 121 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, no cases, against 2, 0, and 2; of scarlet fever, 263 cases, against 166, 189, and 198; of diphtheria, 130 cases, against 115, 105, and 121; and of enteric fever, 46 cases, against 9, 16, and 42. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended August 20th.

GREATER LONDON.

In Greater London 3936 births and 2539 deaths were registered. Allowing for increase of population these numbers are 5 below, and 190 above the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 3 deaths from measles, 1 from diphtheria, 4 from whooping-cough, 1 from fever, and 170 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·86 inches, and that of the Thermometer 57°·6, the latter being 3°·3 below the week's average in the 50 years 1841-90. The general direction of the wind was North-easterly, the horizontal movement of the air being 2 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 40·6 hours; the measured rainfall amounted to 0·22 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	POPULATION estimated to the middle of the Year 1904.*	DEATH-RATES from all Diseases					Registered during the Week ended 27th Aug., 1904.		The DEATHS registered in the Week include											TOWNS.				
		Week ended					6th Aug., 1904.	13th Aug., 1904.	20th Aug., 1904.	27th Aug., 1904.	Week ended 27th Aug., 1904.	BIRTHS.	DEATHS.	Deaths from										
		1.	2.	3.	4.	5.								6.	7.	8.	9.	10.	11.		12.	13.	14.	15.
76 TOWNS		15,271,287	19.8	22.1	22.7	20.5	7.8	8659	5999	2754	1010	2	126	32	45	83	19	1934	145	323	1062	49	21.	76 TOWNS.
LONDON -	4,648,950	19.6	21.4	21.6	18.9	6.3	2575	1682	739	321	-	-	30	9	19	20	4	483	46	115	517	3	20.	LONDON.
CROYDON -	144,419	10.8	14.1	19.9	17.7	6.9	72	49	25	7	-	-	1	-	1	1	1	15	-	2	11	-	19.	CROYDON.
WILLESDEN -	132,566	14.6	20.5	20.8	15.7	8.7	80	40	25	5	-	-	-	-	-	-	-	20	1	2	2	-	18.	WILLESDEN.
HORNSEY -	81,221	10.9	9.0	12.2	7.7	1.9	29	12	6	4	-	-	-	-	-	-	-	3	-	1	-	-	17.	HORNSEY.
TOTTENHAM -	112,981	12.5	19.4	32.3	20.8	10.2	71	45	26	4	-	-	-	1	-	-	-	21	-	1	5	-	16.	TOTTENHAM.
WEST HAM -	288,424	30.7	30.6	28.0	23.7	12.3	217	131	71	17	-	-	3	-	1	-	-	64	1	3	21	-	15.	WEST HAM.
EAST HAM -	116,902	21.9	30.3	30.3	27.2	17.4	73	61	40	7	-	-	-	1	-	-	-	37	1	1	7	-	20.	EAST HAM.
LEYTON -	110,844	20.2	36.7	27.8	19.8	12.7	86	42	26	4	-	-	-	-	-	-	-	25	-	1	1	-	19.	LEYTON.
WALTHAMSTOW -	111,282	23.4	30.9	23.9	26.2	16.4	59	56	40	5	-	-	1	1	-	-	-	33	1	3	6	-	18.	WALTHAMSTOW.
HASTINGS -	66,503	12.5	10.2	11.8	13.3	2.4	22	17	4	7	-	-	-	-	-	-	-	3	-	1	4	-	17.	HASTINGS.
BRIGHTON -	126,266	12.4	12.8	17.3	16.1	2.1	53	39	4	17	-	-	2	-	-	-	-	3	2	3	16	-	16.	BRIGHTON.
PORTSMOUTH -	198,098	11.8	17.4	23.2	17.1	6.1	110	65	27	13	-	-	-	-	2	-	-	21	2	4	10	-	15.	PORTSMOUTH.
BOURNEMOUTH -	64,645	14.5	12.9	12.1	11.3	2.4	23	14	3	7	-	-	-	-	-	-	-	3	-	1	1	-	14.	BOURNEMOUTH.
SOUTHAMPTON -	112,500	6.5	15.3	19.5	12.5	5.1	52	27	15	4	-	-	-	-	-	1	-	10	-	-	6	-	13.	SOUTHAMPTON.
READING -	76,373	15.7	22.5	25.3	21.2	7.5	29	31	16	5	-	-	-	-	-	-	-	11	-	1	5	-	12.	READING.
NORTHAMPTON -	91,146	12.6	21.7	15.4	21.2	7.4	39	37	11	10	-	-	-	3	-	-	-	10	2	2	4	1	11.	NORTHAMPTON.
IPSWICH -	69,805	12.0	19.4	26.9	17.2	3.0	31	23	7	4	-	-	-	-	-	-	-	4	-	-	2	-	10.	IPSWICH.
GREAT YARMOUTH -	52,069	14.0	22.0	20.0	19.0	7.0	30	19	8	7	-	-	-	-	-	2	-	5	-	-	1	-	9.	GREAT YARMOUTH.
NORWICH -	115,538	15.3	28.4	22.1	22.6	9.5	79	50	23	15	-	-	-	-	1	1	-	18	-	2	8	-	8.	NORWICH.
PLYMOUTH -	114,003	14.6	13.7	17.8	29.3	11.9	51	64	29	13	-	-	-	-	-	-	-	18	-	3	7	-	7.	PLYMOUTH.
DEVONPORT -	75,334	11.1	10.4	11.8	15.2	2.8	28	22	9	3	-	-	-	-	-	-	-	4	-	3	3	-	6.	DEVONPORT.
BRISTOL -	343,204	11.9	15.2	16.0	15.8	3.6	178	104	43	24	-	-	-	-	1	2	-	20	1	5	9	-	5.	BRISTOL.
HANLEY -	63,932	21.2	26.1	31.0	31.8	13.9	32	39	21	3	-	-	2	3	1	-	-	11	1	2	8	-	4.	HANLEY.
BURTON-ON-TRENT -	51,934	15.1	15.1	12.0	19.1	5.0	23	19	5	4	-	-	-	-	-	1	-	4	1	2	1	-	3.	BURTON-ON-TRENT.
WOLVERHAMPTON -	98,194	14.9	19.6	28.7	22.3	11.7	49	42	25	7	-	-	-	-	-	-	-	22	1	3	2	-	2.	WOLVERHAMPTON.
WALSALL -	91,432	20.5	30.2	18.8	25.1	14.3	64	44	25	7	-	-	-	-	-	-	-	23	-	3	2	-	1.	WALSALL.
HANDSWORTH -	59,634	14.9	14.0	9.6	17.5	8.7	23	20	15	3	-	-	-	-	-	-	-	10	-	-	1	-	0.	HANDSWORTH.
WEST BROMWICH -	67,186	14.7	12.4	13.2	17.1	5.4	47	22	6	6	-	-	-	-	-	-	-	5	2	4	4	-	4.	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES during the Week ended Saturday, 27th August, 1904, and DEATH-RATES during the preceding three weeks.

TOWNS.	Cols.	POPULATION to the middle of the Year 1904.*	DEATH-RATES from all Causes.					Rate from Diseases in Towns, 11-17.		Registered Deaths during the week ended 27th Aug., 1904.		The DEATHS registered in the Week include										TOWNS.																		
			Week ended			13th Aug., 1904.	20th Aug., 1904.	27th Aug., 1904.	BIRTHS.	DEATHS.	Deaths of Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.		Unidentified Causes of Death.																	
			2.	3.	4.																			5.	6.															
																										1.														
BIRMINGHAM -	-	587,965	23.7	31.2	24.4	21.5	10.7	290	222	118	23	-	2	-	-	3	-	103	5	7	30	2	20.	18.	17.	16.	15.	14.	13.	12.	11.	10.	9.	8.	7.	21.	BIRMINGHAM.			
KINGS NORTON -	-	60,967	10.2	10.2	7.8	12.5	3.1	36	16	12	3	-	-	-	-	-	-	4	1	1	1	1	1	30.	5	7	-	-	-	-	-	-	-	-	-	2	KINGS NORTON.			
SMETHWICK -	-	60,691	7.7	15.5	12.9	15.5	9.5	31	18	12	1	-	-	-	-	1	-	10	1	1	1	1	3	20.	5	7	-	-	-	-	-	-	-	-	-	-	2	SMETHWICK.		
ASTON MANOR -	-	80,363	24.7	32.4	24.0	26.0	5.2	48	40	20	7	-	-	-	-	1	-	7	-	-	-	-	3	20.	5	7	-	-	-	-	-	-	-	-	-	-	-	2	ASTON MANOR.	
COVENTRY -	-	73,904	19.8	11.3	14.1	12.7	4.9	44	18	7	2	-	-	-	-	1	-	5	-	-	-	-	3	20.	5	7	-	-	-	-	-	-	-	-	-	-	-	3	COVENTRY.	
LEICESTER -	-	224,186	17.4	17.4	21.2	19.1	7.2	127	82	46	16	-	-	-	-	1	-	29	3	4	5	1	5	20.	3	4	-	-	-	-	-	-	-	-	-	-	1	LEICESTER.		
GRIMSBY -	-	60,958	10.1	16.4	25.7	21.0	10.9	35	27	18	1	-	-	-	-	1	-	11	-	-	-	-	5	20.	3	4	-	-	-	-	-	-	-	-	-	-	-	1	GRIMSBY.	
NOTTINGHAM -	-	248,811	23.5	28.1	23.9	19.7	8.2	141	94	43	21	-	-	-	-	1	1	36	4	6	11	2	20.	3	4	-	-	-	-	-	-	-	-	-	-	-	2	NOTTINGHAM.		
DERBY -	-	120,449	17.7	14.3	19.0	13.4	4.3	63	31	10	7	-	-	-	-	-	1	8	-	-	-	-	11	20.	3	4	-	-	-	-	-	-	-	-	-	-	-	1	DERBY.	
STOCKPORT -	-	97,008	23.3	28.0	29.6	16.7	8.1	52	31	15	4	-	-	-	-	-	-	13	-	1	5	-	5	20.	3	4	-	-	-	-	-	-	-	-	-	-	-	5	STOCKPORT.	
BIRKENHEAD -	-	114,814	26.8	21.3	30.4	29.5	15.0	78	65	32	8	-	-	-	-	-	2	22	2	4	3	-	5	20.	3	4	-	-	-	-	-	-	-	-	-	-	-	-	3	BIRKENHEAD.
WALLASEY -	-	60,354	11.2	17.3	19.9	13.0	5.2	32	15	8	1	-	-	-	-	-	-	6	2	3	-	-	-	8	20.	3	4	-	-	-	-	-	-	-	-	-	-	-	3	WALLASEY.
LIVERPOOL -	-	723,430	37.6	37.7	39.1	29.4	15.3	502	408	176	53	-	-	-	-	16	1	188	7	17	78	8	20.	3	4	-	-	-	-	-	-	-	-	-	-	-	-	8	LIVERPOOL.	
BOOTLE -	-	61,755	32.1	35.5	34.6	30.4	16.9	43	36	18	4	-	-	-	-	4	-	15	1	1	4	-	-	8	20.	3	4	-	-	-	-	-	-	-	-	-	-	-	4	BOOTLE.
ST. HELENS -	-	88,845	33.6	27.1	31.8	25.9	12.4	60	44	23	3	-	-	-	-	1	-	18	1	-	2	-	-	8	20.	3	4	-	-	-	-	-	-	-	-	-	-	-	2	ST. HELENS.
WIGAN -	-	62,800	22.4	35.7	34.0	31.6	10.8	42	38	19	3	-	-	-	-	1	-	12	1	1	3	1	5	20.	3	4	-	-	-	-	-	-	-	-	-	-	-	1	WIGAN.	
WARRINGTON -	-	67,331	19.4	20.9	20.9	20.1	10.1	46	26	14	4	-	-	-	-	-	1	11	-	-	2	1	5	20.	3	4	-	-	-	-	-	-	-	-	-	-	-	1	WARRINGTON.	
BOLTON -	-	175,744	15.1	13.4	16.9	17.2	4.2	78	58	27	10	-	-	-	-	-	-	11	2	-	6	1	5	20.	3	4	-	-	-	-	-	-	-	-	-	-	-	1	BOLTON.	
BURY -	-	58,450	16.1	12.5	18.7	23.2	7.1	25	26	7	5	1	-	-	-	1	-	7	2	2	5	-	-	5	20.	3	4	-	-	-	-	-	-	-	-	-	-	-	1	BURY.
MANCHESTER† -	-	557,938	25.5	23.6	26.9	24.3	9.0	355	260	113	38	-	-	-	-	2	2	86	4	7	44	1	-	5	20.	3	4	-	-	-	-	-	-	-	-	-	-	1	MANCHESTER†.	
SALFORD -	-	228,983	23.5	28.0	32.1	33.5	15.5	154	147	73	14	1	-	-	-	6	-	54	2	11	20	-	-	5	20.	3	4	-	-	-	-	-	-	-	-	-	-	1	SALFORD.	
OLDHAM -	-	139,497	16.5	16.5	17.2	16.1	2.2	67	43	9	12	-	-	-	-	-	-	5	3	4	9	-	-	5	20.	3	4	-	-	-	-	-	-	-	-	-	-	9	OLDHAM.	
ROCHDALE -	-	85,601	15.2	17.1	15.2	16.4	4.3	38	27	11	5	-	-	-	-	-	-	7	-	-	3	-	-	5	20.	3	4	-	-	-	-	-	-	-	-	-	-	3	ROCHDALE.	
BURNLEY -	-	100,569	17.6	31.1	24.4	22.3	6.7	48	43	18	5	-	-	-	-	1	-	11	-	3	4	-	-	5	20.	3	4	-	-	-	-	-	-	-	-	-	-	4	BURNLEY.	
BLACKBURN -	-	132,134	11.4	10.7	10.7	11.0	0.8	77	28	9	5	-	-	-	-	-	-	1	1	1	1	-	-	5	20.	3	4	-	-	-	-	-	-	-	-	-	-	1	BLACKBURN.	
PRESTON -	-	115,055	14.5	15.9	16.8	19.5	4.1	32	43	11	9	-	-	-	-	1	1	5	3	3	3	2	-	5	20.	3	4	-	-	-	-	-	-	-	-	-	-	2	PRESTON.	

TOWNS.	POPULATION estimated middle of the year 1904.*	Causes.				Diseases in 1907.	Deaths from												Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.	
		Week ended					Registered Deaths Week ended 27th Aug., 1904.															
		1904.																				
		6th Aug., 1904.	13th Aug., 1904.	20th Aug., 1904.	27th Aug., 1904.																	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDESFIELD.	-	13'2	15'9	19'2	22'5	6'0	44	41	9	14	-	5	-	-	-	-	6	2	4	3	-	HUDDESFIELD.
HALIFAX.	-	12'6	10'7	17'0	11'1	1'9	42	23	6	10	-	2	-	-	-	-	2	2	3	3	-	HALIFAX.
BRADFORD.	-	21'2	18'3	17'0	21'4	4'9	110	117	37	24	-	2	-	3	1	-	21	6	12	24	-	BRADFORD.
LEEDS.	-	21'7	23'9	23'5	19'6	5'9	257	169	75	33	-	4	-	-	3	1	43	1	6	18	3	LEEDS.
SHEFFIELD.	-	20'0	21'2	22'4	22'0	8'2	238	183	87	25	-	-	-	1	5	2	60	6	6	26	6	SHEFFIELD.
ROTHERHAM.	-	18'7	15'2	19'6	15'2	5'3	36	17	8	2	-	-	-	-	-	-	6	-	-	1	1	ROTHERHAM.
YORK.	-	81,268	25'0	34'6	33'4	25'7	41	40	21	6	-	-	-	1	-	-	22	-	-	5	-	YORK.
HULL.	-	253,865	23'4	31'2	29'0	26'5	178	129	68	15	-	2	1	2	3	1	72	4	6	13	1	HULL.
MIDDLESBROUGH.	-	96,884	17'8	24'8	18'3	24'3	59	45	28	2	-	1	-	-	-	-	22	-	-	1	1	MIDDLESBROUGH.
STOCKTON-ON-TEES.	-	52,192	12'0	13'0	17'0	14'0	26	14	8	1	-	-	1	-	-	-	4	-	-	1	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL.	-	69,251	9'8	10'5	10'5	12'0	36	16	4	7	-	-	-	-	-	-	3	-	-	1	-	WEST HARTLEPOOL.
SUNDERLAND.	-	151,157	16'9	18'3	15'2	19'3	86	56	26	9	-	-	-	-	2	-	17	1	4	6	-	SUNDERLAND.
SOUTH SHIELDS.	-	107,334	13'1	6'8	17'0	10'2	70	21	8	3	-	-	-	-	-	-	2	-	-	1	2	SOUTH SHIELDS.
GATESHEAD.	-	118,067	16'3	11'5	22'1	24'3	76	55	29	10	-	1	-	-	1	-	17	3	3	1	5	GATESHEAD.
NEWCASTLE-ON-TYNE.	-	225,362	16'7	21'5	19'0	21'1	143	91	35	16	-	-	-	-	3	-	13	4	10	19	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH.	-	53,060	13'8	18'7	31'4	25'6	35	26	11	8	-	-	-	-	1	1	8	1	1	3	-	TYNEMOUTH.
NEWPORT (MON.).	-	71,543	23'3	16'8	26'2	17'5	39	24	13	3	-	-	-	-	-	-	7	1	6	5	-	NEWPORT (MON.).
CARDIFF.	-	176,313	13'3	16'6	17'2	19'8	111	67	35	5	-	2	-	-	1	-	24	1	6	2	1	CARDIFF.
RHONDDA.	-	122,310	23'0	31'1	30'7	27'3	114	64	36	4	-	4	1	-	1	2	21	4	4	2	1	RHONDDA.
MERTHYR TYDFIL.	-	72,745	17'2	22'2	20'1	25'1	58	35	25	6	-	-	-	-	-	-	11	-	-	-	-	MERTHYR TYDFIL.
SWANSEA.	-	95,931	15'2	16'8	27'7	26'1	60	48	21	10	-	-	-	-	1	-	14	3	4	6	1	SWANSEA.
GREATER LONDON.	-	6,907,756	19'9	22'2	21'8	19'2	3936	2639	1232	442	-	40	12	23	27	6	871	57	145	603	3	GREATER LONDON.
OUTER RING.	-	2,258,806	20'5	23'8	22'3	19'8	1361	857	513	121	-	10	3	4	7	2	388	11	30	83	-	OUTER RING.
8 TOWNS IN OUTER RING.	-	1,068,639	20'1	25'3	25'2	20'7	687	436	259	53	-	7	3	3	3	1	218	4	14	53	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	-	1,160,167	20'9	22'3	19'6	18'9	574	421	251	68	-	3	-	1	4	1	170	7	16	33	-	REMAINDER OF OUTER RING.
EDINBURGH.	-	331,977	13'8	15'2	14'8	16'8	133	107	22	35	-	4	-	-	4	1	8	2	?	37	4	EDINBURGH.
GLASGOW.	-	798,357	15'2	17'4	19'2	17'4	489	267	71	43	-	2	3	-	17	1	37	12	?	64	10	GLASGOW.
DUBLIN†.	-	378,994	21'2	27'0	24'5	23'5	286	171	64	32	-	7	1	1	4	1	35	2	4	62	5	DUBLIN†.
BELFAST†.	-	368,680	15'8	18'6	18'6	17'4	196	120	27	18	-	1	1	1	1	2	17	9	12	30	?	BELFAST†.

See note on first page of this return.

Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTY-FOURTH Week of each of the Eleven Years, 1894-1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894-1903.*	1904
TOTAL Births -	2378	2448	2498	2718	2551	2646	2677	2643	2568	2473	2655·3	2575
Males - -	1201	1235	1254	1409	1283	1354	1349	1347	1316	1255	1348·7	1323
Females - -	1177	1213	1244	1309	1268	1292	1328	1296	1252	1218	1306·6	1252
TOTAL Deaths -	1284	1430	1426	1748	1856	2100	1691	1676	1269	1266	1633·2	1682
Males - -	633	705	720	924	985	1104	905	895	676	668	852·1	878
Females - -	651	725	706	824	871	996	786	781	593	598	781·1	804

* The numbers in this column are the average weekly numbers in the thirty-fourth week of the ten years 1894-1903, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	June 4.	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	13 Weeks.
TOTAL Births -	2507	2578	2583	2465	2514	2526	2450	2472	2467	2302	2730	2525	2575	32694
TOTAL Deaths -	1179	1187	1142	1143	1148	1154	1152	1320	1423	1745	1912	1923	1682	18110
Deaths at														
Under 1 year -	237	228	237	216	246	270	278	364	402	762	929	917	739	5915
1-5 years -	176	175	151	165	145	146	145	162	184	228	244	245	181	2347
5-20 " -	64	81	74	61	54	72	60	65	74	72	75	61	71	874
20-40 " -	140	155	163	155	170	143	140	163	156	166	132	158	166	2007
40-60 " -	238	258	225	236	240	241	246	248	216	227	263	264	204	3106
60 yrs. & upwards.	324	290	292	310	293	282	283	318	301	290	269	288	321	3861
Deaths from—														
Small-pox† - -	-	-	-	1	1	-	-	1	2	1	1	-	-	7
Measles - -	78	62	65	55	58	53	39	49	36	31	36	42	30	634
Scarlet Fever - -	7	4	10	3	7	9	8	4	7	2	10	4	9	84
Diphtheria - -	6	9	7	16	9	7	7	14	5	10	7	9	19	125
Whooping-cough -	32	28	25	17	29	27	29	21	13	21	21	17	20	300
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	1	5	3	5	5	1	5	5	6	7	2	6	4	55
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery	16	26	23	25	24	39	57	161	301	558	687	705	483	3105
All above Diseases -	140	134	133	122	133	136	145	255	370	630	764	783	565	4310
Dis. of Resp. System	73	64	57	64	60	52	62	36	48	54	47	40	35	692
Pneumonia - -	108	93	85	77	86	83	93	84	70	58	74	66	66	1043
Phthisis - -	133	134	162	119	136	132	98	116	113	136	110	133	127	1619
Dis. of Circ. System -	148	158	137	156	151	155	156	158	144	134	115	137	147	1896
Violence - -	56	67	47	50	43	54	50	83	83	63	62	56	46	760
Inquest Cases - -	119	134	117	100	115	124	119	152	161	121	143	145	115	1670
Deaths in Institutions	441	436	403	431	435	416	436	511	476	504	498	506	517	6010
TEMPERATURE OF THE AIR.														
Mean - -	56·0	55·9	59·6	58·6	59·7	63·2	68·1	67·1	65·4	68·1	61·0	59·5	57·6	61·5
Mean of Highest -	64·1	65·5	70·8	69·9	71·3	74·3	79·9	79·8	78·9	81·3	72·1	69·6	68·7	72·6
Mean of Lowest -	49·2	48·1	51·4	48·2	48·3	53·1	56·3	55·6	56·4	56·3	51·1	51·6	48·9	51·3
Mean Humidity of the Air.	84	75	72	68	67	70	62	61	75	65	66	75	76	70
Rain-fall (in inches) -	0·71	0·12	0·27	0·17	0·15	0·22	0·01	0·04	1·83	0·08	0·06	0·47	0·22	4·35
Registered Sunshine (in hours).	28·7	39·3	44·9	46·8	68·9	50·9	84·7	74·9	34·6	67·8	62·2	38·7	40·6	683·0
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox - -	96	95	80	83	74	71	62	51	46	32	21	18	13	57
Scarlet Fever - -	1673	1647	1630	1629	1631	1685	1698	1764	1784	1758	1763	1745	1781	1706
Diphtheria - -	748	721	696	671	684	721	764	767	770	786	780	795	813	747
Typhus - -	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Enteric Fever - -	52	65	68	74	62	60	61	58	67	66	71	89	121	70

* The Metropolitan Asylum and London Fever Hospitals.
† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cunn Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-FOURTH Week of the Year 1904.

terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 34th week of the year 1903.	1904—Deaths of Persons of the Ages						CAUSES OF DEATH.	Deaths in the 34th week of the year 1903.	1904—Deaths of Persons of the Ages							
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.			60 years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
L CAUSES	1266	1682	739	181	71	166	204	321	Meningitis (not tuberc.)	14	17	5	2	4	4	2	
									Insanity, Gen. Par. of	14	9	-	-	-	4	3	
									Insane -	8	3	1	-	-	-	-	
									Epilepsy -	21	25	23	2	-	-	-	
									Convulsions -	1	-	-	-	-	-	-	
									Locomotor Ataxy -	2	6	-	-	2	1	2	
									Paraplegia, Dis. of Cord	17	16	-	-	1	3	12	
									Nervous Sys. (other dis.)								
									Valv. Dis., Endocarditis-	36	37	-	-	3	2	14	
									Cerebr. Ham. Thromb.	27	19	-	-	-	1	5	
									Apoplexy, Hemiplegia -	12	11	-	-	-	4	7	
									Aneurysm -	2	4	-	-	3	-	1	
									Embolism, Thrombosis }	-	1	-	-	-	-	1	
									(not cerebral)								
									Heart & Blood Vessel Dis.	55	75	-	1	7	7	16	
									Croup (not Spasm : nor	-	-	-	-	-	-	-	
									Memb.) -	-	-	-	-	-	-	-	
									Bronchitis -	40	30	4	1	-	2	5	
									Asthma, Emphysema -	4	2	-	-	1	-	-	
									Pleurisy -	2	3	2	-	-	-	1	
									Respiratory Dis. (other)								
									Tonsillitis, Quinsy -	-	-	-	-	-	-	-	
									Enteritis (not Epid.) -	24	37	29	3	1	1	2	
									Gastro-Enteritis -	19	32	25	4	-	-	3	
									Peritonitis (not Puerp.) -	7	2	1	-	1	-	-	
									Cirrhosis of Liver -	10	13	-	-	-	2	5	
									Liver Dis. (other) -	2	7	-	-	-	2	3	
									Digestive Dis., Other -	20	35	13	1	6	1	9	
									Nephritis, Acute -	5	8	-	-	-	3	3	
									Bright's Dis., Albumin-	30	26	-	-	-	2	15	
									uria -	5	5	-	-	-	-	5	
									Urinary Sys., Other Dis.	3	7	-	-	-	3	3	
									Generative Organs Dis. -	3	7	-	-	-	2	-	
									Childbirth (Accid. of) -	39	47	-	-	-	-	47	
									Old Age -	100	121	93	4	9	2	4	
									Other Diseases -								
									ACCIDENT.								
									By Railways -	1	2	-	-	-	2	-	
									By Vehicles and Horses-	5	2	-	1	-	1	-	
									In Ships, Boats, Docks,	1	-	-	-	-	-	-	
									(exclusive of Drown-								
									ing) -								
									In Building Operations-	1	1	-	-	-	1	-	
									In Conflagrations -	-	-	-	-	-	-	-	
									By Burns, Scalds, Ex-	2	2	-	1	-	-	1	
									plosions -	2	5	-	-	-	-	2	
									By Drowning -	7	7	6	1	-	1	2	
									By Suffocation in Bed -	-	2	-	-	-	-	-	
									By Poisons or Poisonous	-	2	-	-	1	1	-	
									Vapours -	19	14	2	-	-	2	2	
									Other Deaths by Acci-								
									dent -								
									VIOLENCE OTHER THAN								
									ACCIDENTAL.								
									Homicide -	1	4	2	2	-	-	-	
									Suicide -	9	7	-	-	-	4	2	
									Execution -	-	-	-	-	-	-	1	

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 27th August, 1904.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	The DEATHS registered during the Week include															Inquest Cases.	Deaths in Public Institutions.	
			Total Deaths.	Deaths of		Deaths from														
				Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (or Origin un- certain).	Diarrhoea.	Violence.					
LONDON - - -	4,530,429	2575	1682	739	321	-	30	9	19	20	-	4	-	483	46	115	517			
WEST DISTRICTS - - -	805,311	390	259	104	42	-	3	1	-	6	-	-	-	65	6	14	81			
NORTH DISTRICTS - - -	1,056,070	549	370	149	97	-	5	3	5	1	-	1	-	101	13	22	131			
CENTRAL DISTRICTS - - -	209,465	108	85	29	5	-	1	1	1	3	-	-	-	18	9	14	35			
EAST DISTRICTS - - -	715,739	504	305	146	53	-	8	-	2	23	-	1	-	79	8	31	104			
SOUTH DISTRICTS - - -	1,749,844	1024	638	311	119	-	13	2	10	7	-	2	-	218	10	31	141			
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	25	-	5	-	-	2	1	-	-	-	-	2	-	-	25			
WEST DISTRICTS.																				
St. Mary Paddington } G. & W.	93,178	53	36	21	6	-	-	-	-	-	-	-	-	14	-	4	2			
W. 2H																				
St. John Paddington H - - G.	33,617	10	9	3	1	-	-	-	-	-	-	-	-	2	-	-	8			
North-West Paddington - - C.	17,181	14	6	3	1	-	-	-	-	1	-	-	-	1	-	2	-			
Kensington Town 2W, w, 2H G. & W. & C.	128,037	50	50	17	11	-	-	-	-	1	-	-	-	14	-	-	20			
Brompton 2H - - W. & C.	48,591	8	7	3	1	-	1	-	-	-	-	-	-	-	1	1	-			
North Hammersmith W, w, 2H } W. & G.	49,192	39	18	7	2	-	-	-	-	1	-	-	-	3	1	1	1			
South Hammersmith w, 2H	63,047	37	17	10	3	-	1	-	-	-	-	-	-	6	-	-	6			
North-west Fulham W } W. & C.	45,180	45	27	13	1	-	-	-	-	2	-	-	-	7	-	1	8			
North-east Fulham F	46,405	24	11	4	1	-	-	1	-	-	-	-	-	3	-	-	1			
South Fulham W	45,704	30	10	7	2	-	-	-	-	-	-	-	-	5	1	1	-			
Chelsea North W, w, 3H - - C.	42,514	10	20	2	4	-	-	-	-	1	-	-	-	1	-	1	12			
Chelsea South W, 2H - - C.	31,328	18	15	6	4	-	-	-	-	-	-	-	-	4	-	-	5			
May Fair and Knightsbridge O. & G.	28,743	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Belgrave W, 2H - - C.	55,815	23	15	4	3	-	-	-	-	-	-	-	-	1	2	2	9			
St. Margaret & St. John 4H - C.	43,698	16	12	4	1	-	1	-	-	-	-	-	-	4	1	1	8			
St. James Westminster } N. & G.	21,588	10	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1			
W. H																				
St. Anne Soho 5H - - N.	11,493	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
NORTH DISTRICTS.																				
All Souls Marylebone 8H - W.	35,391	17	13	2	1	-	-	-	-	-	-	-	-	1	2	2	8			
Hectory Marylebone W G. & W.	19,849	4	2	-	1	-	-	-	-	-	-	-	-	-	1	-	2			
St. Mary Marylebone 4H G. & W.	18,099	35	6	5	1	-	-	-	-	-	-	-	-	2	-	-	-			
Christchurch Marylebone H- W.	39,536	21	15	6	3	-	-	-	1	-	-	-	-	5	1	1	-			
St. John Marylebone 3H - W.	20,426	2	4	2	2	-	-	-	-	-	-	-	-	2	-	-	-			
Hampstead W, F, 3H - N. & W.	81,942	30	25	7	7	-	-	3	-	-	-	-	-	1	1	1	11			
West St. Pancras 2H - - W.	60,562	24	16	10	2	-	-	-	-	-	-	1	-	7	-	1	4			
Tottenham-court w, 6H N. & W.	21,268	6	10	-	5	-	-	-	-	-	-	-	-	-	-	1	10			
Gray's Inn Lane 4H - N.	34,449	18	6	-	1	-	-	-	-	1	-	-	-	-	1	1	5			
East St. Pancras W, 2H - - N.	60,320	43	18	5	8	-	2	-	-	-	-	-	-	3	2	2	11			
North St. Pancras 2W - - N.	58,728	29	32	13	7	-	-	-	-	1	-	-	-	12	-	-	16			
Tufnell W - - N.	31,995	18	29	3	18	-	2	-	-	-	-	-	-	1	1	2	24			
Upper Holloway 2W, w, 2H - N.	33,978	21	19	4	5	-	-	-	-	-	-	-	-	4	1	-	14			
Tollington W - - N.	33,922	11	7	5	1	-	-	-	-	-	-	-	-	2	-	-	-			
Lower Holloway - - N.	41,424	13	16	7	2	-	-	-	-	-	-	-	-	8	1	3	-			
Barnsbury - - N.	54,478	33	23	13	2	-	-	-	1	-	-	-	-	10	-	-	-			
Islington South-east F - - N.	75,397	41	19	10	6	-	-	-	-	-	-	-	-	9	-	-	-			
Highbury 2H - - N.	63,797	33	16	5	3	-	-	-	-	-	-	-	-	5	-	-	-			
Stoke Newington H - - N.	51,247	25	10	3	4	-	-	-	1	-	-	-	-	4	-	1	-			
North Hackney - - E. & N.	50,560	25	16	10	5	-	-	-	-	-	-	-	-	4	-	1	-			
Central Hackney 2w, F - E. & N.	50,538	20	13	6	2	-	-	-	1	-	-	-	-	6	1	2	1			
South-west Hackney 3H E. & N.	59,921	45	27	17	6	-	-	-	-	-	-	-	-	7	-	1	10			
South-east Hackney 2W, w, H E. & N.	58,255	35	28	16	5	-	1	-	-	-	-	-	-	8	1	2	14			

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there; namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G, signifying Grand Junction Company; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River; E, East London; and K, the Kent Company.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered each SUB-DISTRICT during the Week ended Saturday, 27th August, 1904—continued.

ADMINISTRATION SUB-DISTRICTS,	Enu- merated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include														
				Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhoea.	Violence.			
CENTRAL DISTRICTS.																		
Leicester and Bloomsbury W,2H N.	31,436	19	5	2	1	-	-	-	-	-	-	-	-	1	-	1	1	-
St. Pancras W,4H - - - N. & C.	21,874	2	9	-	1	-	-	-	-	-	-	-	-	-	3	3	6	-
St. Pancras Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Pancras W,6H - - - N.	29,612	14	25	9	1	-	1	1	-	2	-	-	-	7	1	1	15	-
St. Pancras Clerkenwell - - - N.	28,676	16	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-
St. Pancras Clerkenwell H - - - N.	35,028	19	12	7	1	-	-	-	-	-	-	-	-	5	1	2	-	-
St. Pancras W,3H,L - - - N.	36,116	28	15	8	1	-	-	-	-	-	-	-	-	5	1	2	-	-
St. Pancras Union Workhouse, } St. Pancras Union Workhouse, }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Pancras H - - - N. & E.	10,299	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Pancras and Allhallows } St. Pancras } N.	16,624	6	16	1	-	-	-	-	1	1	-	-	-	-	3	3	13	-
St. Pancras of London Asylum, Stone - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
St. Pancras South H,L - - E. & N.	16,369	15	8	3	1	-	-	-	-	-	-	-	-	2	-	2	1	-
St. Pancras New Town W,H - - N.	29,761	17	14	4	7	-	-	-	-	-	-	-	-	2	-	1	9	-
St. Pancras Old Town - - - N.	26,504	18	12	7	-	-	-	-	-	-	-	-	-	4	-	1	-	-
St. Pancras W - - - N & E.	46,003	39	23	10	4	-	1	-	-	1	-	-	-	5	1	2	6	-
St. Pancras Union Workhouse, Wood } St. Pancras Union Workhouse, Wood }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Pancras Green North 2H - - E.	51,514	37	28	15	2	-	1	-	1	-	-	-	-	8	1	4	8	-
St. Pancras Green South - - - E.	33,472	22	12	8	2	-	-	-	-	-	-	-	-	6	-	1	-	1
St. Pancras Green East 2W,H,L - E.	44,694	35	27	11	5	-	-	-	-	-	-	-	-	8	1	3	10	-
St. Pancras Fields - - - E. & N.	27,969	12	4	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-
St. Pancras End New Town W,H - - E.	28,718	24	34	11	6	-	-	-	1	-	-	-	-	3	-	2	30	-
St. Pancras Finsbury Fields - - - E.	22,081	13	2	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-
St. Pancras George and St. John 2W E.	49,068	42	15	11	3	-	-	-	-	-	-	-	-	3	-	2	5	-
St. Pancras Well and Ratcliff W,H E. & N.	25,568	15	13	5	1	-	-	-	-	-	-	-	-	6	-	1	6	-
St. Pancras Union Workhouse - - - E.	32,369	23	15	9	4	-	-	-	-	-	-	-	-	5	1	4	-	-
St. Pancras End Old Town South- } St. Pancras Eastern* H - - - E.	63,698	52	14	10	2	-	-	-	-	-	-	-	-	7	1	1	-	-
St. Pancras End Old Town North- } St. Pancras Eastern* W,w - - - E.	49,129	24	10	8	1	-	1	-	-	-	-	-	-	2	1	3	3	-
St. Pancras Finsbury Fields - - - E.	41,989	18	10	4	-	-	1	-	-	-	-	-	-	4	-	-	-	-
St. Pancras Finsbury Fields 3W,H - - - E.	68,319	60	42	18	10	-	4	-	-	2	-	1	-	8	1	4	23	-
St. Pancras Finsbury Fields W,w - - - E.	68,514	38	22	8	5	-	-	-	-	-	-	-	-	3	1	3	3	-

On 1st May, 1904, the sub-districts of Mile End Old Town West and Mile End Old Town East were dissolved and redivided into two new sub-districts as above.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL- MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., regis- in each SUB-DISTRICT during the Week ended Saturday, 27th August, 1904—continued.

REGISTRATION SUB-DISTRICTS.	Enu- me- rated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include													Deaths in Public Institutions.
				Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from											
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.	
SOUTH DISTRICTS.																	
Christchurch Southwark W, HL & S.	11,263	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Saviour Southwark H - S.	12,056	11	15	6	1	-	-	-	-	-	-	-	-	-	6	-	1
Kent-road - - - S. & L.	21,904	11	7	5	-	-	-	-	-	-	-	-	-	-	4	-	9
St. George the Martyr } S. & L.	39,094	19	13	10	-	-	-	-	-	1	-	-	-	-	5	-	7
West W, 2H, L - - -																	
Newington North - - S. & L.	49,022	26	9	5	2	-	1	-	-	-	-	-	-	-	4	-	-
Newington South W - S. & L.	72,841	49	19	10	4	-	-	-	-	-	-	-	-	-	5	-	1
St. Olave 2W - - - S.	9,817	9	5	4	1	-	-	-	-	1	-	-	-	-	-	1	1
Bermondsey W - - - S.	82,483	51	25	12	4	-	2	-	-	-	-	-	-	-	10	-	1
Rotherhithe W, F - - S. & K.	38,460	26	22	12	6	-	-	-	-	-	-	-	-	-	9	-	9
Waterloo-road 2H - - L. & S.	27,440	32	10	5	1	-	-	-	-	-	-	-	-	-	2	3	4
Lambeth Church 1st H L. & S.	18,423	8	16	4	1	-	-	-	-	-	-	-	-	-	2	1	10
Lambeth Church 2nd 2W L. & S.	39,818	30	20	9	3	-	1	-	-	-	-	-	-	-	5	-	10
Kennington 1st H - - S. & L.	53,198	31	12	6	1	-	1	-	-	1	-	-	-	-	6	-	1
Kennington 2nd H - - S. & L.	42,896	23	14	7	3	-	1	-	-	-	-	-	-	-	6	-	3
Brixton F - - - L. & S.	84,232	32	28	11	8	-	1	-	-	-	-	-	-	-	6	-	2
Norwood W, H - - - L.	35,888	13	7	4	2	-	-	-	-	-	-	-	-	-	1	-	-
East Battersea H - - S.	72,203	48	24	19	-	-	1	-	-	1	-	-	-	-	12	-	-
North-west Battersea - - S.	49,656	36	16	9	-	-	-	-	-	-	-	-	-	-	8	-	-
South-west Battersea W, H - S.	47,048	19	17	1	6	-	1	-	-	1	-	-	-	-	-	1	2
Clapham 2H - - - S.	51,361	31	20	8	3	-	-	-	-	-	-	-	-	-	6	-	10
Streatham* W, 2w, 2F, 2L - L.	88,019	52	25	11	7	-	-	-	-	1	1	-	-	-	7	-	5
Springfield 2W, L - - S.	27,959	14	9	5	1	-	-	-	-	-	-	1	-	-	3	-	1
Southfields H - - - S.	40,444	28	20	10	4	-	-	-	-	-	-	-	-	-	7	-	1
Putney - - - - S.	24,139	18	8	7	-	-	-	-	-	-	-	-	-	-	3	-	-
Dulwich - - - L. & S.	13,359	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Camberwell South W, S. & L.	40,206	24	30	12	9	-	-	-	-	-	-	-	-	-	9	-	16
Camberwell North W, 2L S. & L.	65,584	28	21	10	6	-	-	-	-	1	-	-	-	-	8	-	7
St. George - - - L. & S.	47,331	37	16	8	2	-	1	-	-	-	-	-	-	-	6	-	-
Peckham 2W, w - - S., L. & K.	92,859	58	27	18	3	-	1	-	-	-	-	-	-	-	11	-	2
Deptford North - - - K.	37,613	15	12	4	3	-	-	-	-	-	-	-	-	-	5	1	1
Deptford Central F - - K.	45,481	30	17	13	3	-	-	-	-	-	-	-	-	-	8	1	1
Deptford South - - - K.	34,625	13	7	4	1	-	-	-	-	-	-	-	-	-	2	-	-
Greenwich West 2H - - K.	23,456	16	7	3	-	-	1	-	-	-	-	-	-	-	-	1	1
Greenwich East 2W, H - K.	43,859	29	28	12	5	-	-	-	-	-	-	-	-	-	11	1	2
Eltham w, H - - - K.	7,226	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Lee w, H - - - K.	25,490	13	5	3	1	-	-	-	-	-	-	-	-	-	1	-	1
Lewisham W, w, F - - K.	58,352	39	37	15	10	-	1	2	2	-	-	-	-	-	10	-	15
Sydenham H - - - L.	43,653	18	10	5	2	-	-	-	-	-	-	-	-	-	4	-	-
Charlton F, 2H - - - K.	21,134	12	13	2	1	-	-	-	-	-	-	-	-	-	3	-	9
Woolwich 4H - - - K.	41,625	23	18	11	3	-	-	-	7	-	-	1	-	-	10	-	2
Plumstead West W - - K.	18,063	9	2	1	1	-	-	-	-	-	-	-	-	-	1	-	-
Plumstead East 2W, H - K.	50,264	27	23	10	8	-	-	-	-	-	-	-	-	-	10	-	6
London County Asy., Banstead -	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2
Manor Asylum, Epsom - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton Asylum, Epsom - - -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Lon. Co. Asy. Epilep. Colony, Epsom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Caterham	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Cane Hill -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	1	-	3
M.A.B. Hospitals, Dartford - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Darenth	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	4
London County Asylum, Dartford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Heath - - - -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3
London County Asylum, Hanwell	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Central London Sick Asy., Hendon	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
London County Asy., Colney Hatch	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
M.A.B. North-Eastern Hospital -	-	-	3	-	-	-	-	2	1	-	-	-	-	-	-	-	3
M.A.B. Northern Hospital - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Leavesden	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
London County Asylum, Claybury	-	-	4	-	2	-	-	-	-	-	-	-	-	-	1	-	4

* On 1st June, 1904, changes were made in the boundary between Streatham sub-district and Mitcham sub-district (38)

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 27th August, 1904.

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths of												
					1 Infants under Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING	368,580	2,044,973	1361	857	513	121	-	10	3	4	7	2	388	11	30	86	-
1 Carshalton <i>w</i> 2F, 2H	12,228	32,997	17	9	4	3	-	-	-	-	-	-	-	-	-	-	-
2 Epsom, part of* <i>W</i> , <i>w</i> 2F, <i>H</i>	10,423	15,548	12	5	3	3	-	-	-	-	-	-	-	-	-	-	-
1 Godstone, part of* <i>W</i> , <i>F</i>	2,754	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Coulsdon	11,069	8,166	3	3	1	1	-	-	-	-	-	-	2	-	-	-	-
2 South Croydon <i>w</i>	4,200	49,309	26	17	10	1	-	1	-	-	-	-	5	-	2	-	-
2 West Croydon 3 <i>W</i> , <i>F</i> , <i>H</i>	2,168	42,888	37	22	7	2	-	-	-	1	1	1	4	-	-	12	-
2 North Croydon <i>H</i>	2,644	41,698	9	12	8	3	-	-	-	-	-	-	6	-	-	1	-
5 Penge <i>w</i>	770	22,465	10	8	5	2	-	-	-	-	-	-	4	-	-	-	-
6 Mitcham <i>w</i>	11,689	30,015	21	14	9	2	-	-	-	-	-	-	9	-	-	-	-
1 Wimbledon <i>F</i> , 3 <i>H</i>	3,221	41,652	21	15	8	1	-	-	-	-	1	-	6	-	1	1	-
2 Kingston <i>W</i> , <i>H</i>	6,224	42,668	25	20	11	4	-	-	-	-	-	-	5	-	-	5	-
1 Surbiton <i>F</i> , <i>H</i>	3,046	15,017	13	6	4	-	-	1	-	-	-	-	2	-	-	1	-
4 Esher, part of* <i>H</i>	5,402	13,100	10	5	3	-	-	-	-	-	-	-	1	-	-	1	-
4 Hampton <i>H</i> , <i>L</i>	4,564	23,456	14	9	5	2	-	-	-	-	-	-	3	-	-	-	-
1 Richmond <i>W</i> , <i>H</i>	2,162	28,865	14	10	3	3	-	-	-	-	-	-	2	-	2	-	-
2 Mortlake <i>F</i>	2,847	20,628	13	9	4	4	-	-	-	-	-	-	3	-	1	-	-
1 Bromley <i>F</i> , 2 <i>H</i>	4,703	27,354	15	8	6	1	-	-	-	-	-	-	5	-	1	-	-
2 Beckenham <i>H</i>	7,825	28,497	22	8	7	1	-	-	-	-	-	-	2	-	-	-	-
1 Orpington, part of* <i>W</i>	10,113	9,857	6	6	2	4	-	-	-	-	-	-	1	-	2	-	-
1 Chislehurst 2 <i>H</i>	7,333	16,446	17	7	4	2	-	-	-	-	-	-	2	-	1	-	-
1 Bexley <i>F</i> , <i>H</i>	8,678	21,151	10	8	3	3	-	-	-	-	1	-	2	-	-	-	-
2 Erith <i>F</i> , <i>H</i>	3,854	25,396	16	9	5	1	-	-	-	-	-	1	2	-	-	1	-
1 Dartford <i>W</i> , <i>F</i> , part of*	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
1 Sunbury <i>w</i>	11,054	18,683	8	9	8	-	-	-	-	-	-	-	6	-	-	-	-
2 Staines <i>W</i> , <i>H</i>	13,277	15,178	8	3	2	-	-	-	-	-	-	-	1	-	-	-	-
1 Hillingdon <i>W</i> , <i>F</i> , <i>H</i>	6,035	13,661	6	5	4	1	-	-	-	-	-	-	3	-	-	-	-
2 Uxbridge	12,757	8,984	3	2	1	-	-	-	-	-	-	-	2	-	-	-	-
1 Hayes <i>w</i> , <i>F</i> , <i>H</i>	8,066	16,358	9	11	7	2	-	-	-	-	-	-	1	-	-	-	-
1 Isleworth 3 <i>W</i> , 2 <i>F</i> , <i>H</i>	6,859	30,863	17	21	11	3	-	1	-	-	-	-	8	1	1	9	-
2 Twickenham <i>F</i> , <i>H</i>	2,421	20,991	6	5	3	1	-	-	-	-	-	-	3	-	-	-	-
1 Brentford 2 <i>F</i> , 2 <i>H</i> , <i>L</i>	4,319	48,289	31	22	15	3	-	-	-	-	-	-	11	1	1	-	-
1 Chiswick <i>H</i>	1,249	29,809	14	7	6	-	-	-	-	-	-	-	1	1	1	-	-
5 Acton <i>w</i> , 3 <i>H</i>	6,132	48,914	39	33	26	3	-	-	-	-	1	-	23	-	1	-	-
1 Harrow <i>F</i> , <i>H</i>	13,809	25,523	23	10	6	2	-	-	-	-	-	-	1	1	1	-	-
2 Edgware <i>F</i> , 2 <i>H</i>	6,994	4,521	2	4	1	1	-	1	-	-	-	-	-	-	-	-	-
4 Willesden <i>W</i> , <i>F</i> , 2 <i>H</i>	4,384	114,811	80	40	25	5	-	1	-	1	-	-	20	1	2	2	-
1 Hendon <i>W</i> , <i>F</i>	8,382	22,450	16	12	8	2	-	-	-	-	-	-	6	-	-	1	-
1 South Mimms 2 <i>F</i> , <i>H</i>	17,755	7,308	3	3	3	-	-	-	-	-	-	-	-	-	-	-	-
2 Barnet <i>W</i> , 3 <i>H</i>	3,324	17,970	10	3	2	-	-	-	-	-	-	-	3	-	-	-	-
1 Finchley <i>F</i> , 2 <i>H</i>	4,688	33,692	18	11	5	3	-	-	-	-	-	-	-	-	-	-	-
1 Hornsey <i>F</i> , <i>H</i>	2,875	72,056	29	12	6	4	-	-	-	-	-	-	3	-	1	-	-
2 Wood Green <i>H</i>	1,625	34,233	20	11	6	1	-	-	-	-	1	-	4	-	-	-	-
2 West Tottenham <i>F</i>	996	48,853	35	19	14	2	-	-	-	-	-	-	11	-	-	-	-
4 East Tottenham <i>F</i> , <i>H</i>	2,017	53,688	36	25	13	-	-	-	-	-	-	-	12	-	1	4	-
6 Edmonton <i>W</i> , <i>w</i> 2 <i>F</i>	7,491	61,822	48	24	8	6	-	-	-	-	-	-	8	2	5	5	-
7 Enfield 2 <i>W</i> , <i>F</i> , <i>H</i>	12,601	42,738	27	14	11	1	-	-	-	-	-	-	9	-	-	-	-
8 Waltham Abbey	11,017	6,549	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Cheshunt <i>F</i> , <i>H</i>	8,479	12,292	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Hatfield, part of* <i>W</i>	3,305	864	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Bushey <i>H</i>	9,333	9,173	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
2 Watford <i>W</i> , 2 <i>F</i> part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Stratford <i>H</i>	1,072	44,827	35	26	12	6	-	-	-	-	-	-	9	-	-	3	-
2 Plaistow <i>F</i> , 3 <i>H</i>	1,249	90,921	76	38	24	1	-	1	-	-	1	-	21	-	-	-	-
2 Canning Town <i>H</i>	1,558	70,718	69	41	29	4	-	-	-	-	-	-	26	1	3	1	-
4 Forest Gate <i>w</i>	806	60,892	37	9	5	3	-	-	-	-	-	-	4	-	-	-	-
5 North East Ham <i>w</i>	1,333	58,676	39	33	24	2	-	-	-	-	-	-	20	1	1	1	-
6 South East Ham 3 <i>F</i>	1,993	37,342	34	23	16	3	-	-	1	-	-	-	17	-	1	-	-
7 Wanstead <i>F</i>	1,579	9,179	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
7 South Leyton 2 <i>W</i>	631	50,467	51	29	12	6	-	2	-	-	-	-	10	-	-	12	-
8 North Leyton <i>W</i> , <i>w</i> , <i>F</i>	1,963	48,445	33	39	16	5	-	-	2	-	-	-	16	-	-	15	-
10 Walthamstow 3 <i>H</i> , <i>L</i>	6,504	108,929	73	57	43	6	-	-	-	-	1	-	33	2	1	5	1
1 Chigwell, part of* 2 <i>F</i> , <i>H</i>	11,778	16,397	11	9	6	-	-	-	1	-	-	-	4	-	-	1	-
2 Epping <i>W</i> , <i>F</i> , part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Romford, part of* <i>W</i> , 2 <i>F</i>	6,556	6,091	9	7	5	-	-	-	-	-	1	-	6	-	-	1	-
2 Ilford <i>F</i> , <i>L</i>	8,496	41,234	37	19	13	2	-	-	-	-	-	-	12	-	-	-	-
3 Barking Town <i>F</i>	3,803	21,547	21	5	3	1	-	-	-	-	-	-	2	-	-	-	-
1 Eastern Hosp., Hackney	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
1 London County Asylum, Banstead.	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
1 N.E. Hospital, Tottenham	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-

The parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Wydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

See note * on preceding page.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended		BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
							Small-pox	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrheal
CALCUTTA (including SUBURBS)	847,798	July	16	-	350	21'4	1	-	-	2	-	118†	
BOMBAY - -	776,008	August	9	394	677	45'4	8	2	-	-	-	90†	
MADRAS - -	509,346	July	22	448	306	31'2	-	1	?	?	?	86	
PARIS - - -	2,660,559	August	20	1063	771	15'0	1	6	-	3*	10	3	
BRUSSELS - -	575,896	"	20	217	158	14'1	-	2	-	-	1	-	
ANTWERP - -	281,376	"	20	158	113	20'5	-	-	-	-	1	-	
AMSTERDAM -	547,370	"	13	287	126	12'0	-	4	-	-	3	-	
COPENHAGEN -	420,000	"	20	212	113	14'0	-	4	-	1*	2	-	
STOCKHOLM -	306,115	"	13	155	73	12'3	-	-	1	1*	1	-	
CHRISTIANIA -	225,709	"	20	114	62	14'4	-	-	-	1	1	-	
ST. PETERSBURG	1,248,643	"	13	444	560	23'4	2	12	14	16	3	12	
MOSCOW - -	1,093,410	"	13	-	-	-	-	-	-	-	-	-	
BERLIN - - -	1,960,909	"	6	882	903	24'0	-	19	9	6*	14	1	
HAMBURG - -	751,842	"	20	-	300	20'7	-	1	-	-	5	1	
BRESLAU - -	445,403	"	20	-	-	-	-	-	-	-	-	-	
MUNICH - - -	520,000	"	20	-	228	22'8	-	1	-	-	1	1	
VIENNA - - -	1,779,669	"	20	911	655	18'9	-	5	2	7*	1	5	
PRAGUE - - -	423,990	"	13	160	159	19'4	-	1	-	1*	2	-	
BUDA-PESTH -	813,399	"	20	328	264	16'8	1	1	6	5	1	2	
TRIESTE - - -	187,251	"	6	119	91	24'8	-	-	-	-	-	-	
ROME - - -	496,201	July	2	186	181	18'9	-	2	-	1	-	3	
VENICE - - -	166,288	August	13	71	82	25'7	-	3	-	-	-	5	
CAIRO - - -	624,338	May	27	-	-	-	-	-	-	-	-	-	
ALEXANDRIA -	349,300	"	27	-	-	-	-	-	-	-	-	-	
NEW YORK - -	3,838,024	August	6	2210	1439	19'6	-	6	2	33*	2	13	
PHILADELPHIA -	1,408,154	July	30	-	434	16'0	-	3	-	2	2	9	
BOSTON - - -	617,950	"	30	-	207	17'4	-	2	-	4*	1	2	

* Including deaths from croup.

† Including 5 deaths from plague in Calcutta, and 51 in Bombay.

‡ Including 7 deaths from cholera in Calcutta, 31 in Bombay, and one in Paris.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 27th August, 1901.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	72'7	43'5	58'8	0'22	BRADFORD - -	67'0	43'2	54'3	1'2
BRIGHTON - -	69'2	47'2	58'8	0'53	LEEDS - - -	69'0	45'0	55'6	1'3
PORTSMOUTH - -	71'2	45'5	58'5	0'67	HULL - - -	69'0	38'0	54'1	1'2
NORWICH - - -	68'8	42'0	56'9	0'90	TYNEMOUTH - -	66'0	41'0	53'5	1'1
PLYMOUTH - -	65'7	47'1	57'7	0'94					
BRISTOL - - -	70'0	42'6	56'0	0'47	EDINBURGH - -	62'4	42'5	53'0	0'2
BIRMINGHAM - -	71'8	44'0	54'6	0'83	GLASGOW - - -	-	-	-	-
NOTTINGHAM -	69'8	39'9	54'4	1'16					
LIVERPOOL - -	64'0	48'0	55'0	1'45	DUELIN { Phoenix Park.	70'7	40'4	54'6	0'5
OBSERVATORY.	66'6	41'8	53'7	1'62	DUPLICATE { Fitz- william	71'9	44'6	56'4	0'5
MANCHESTER -	65'5	45'5	54'5	1'39	Square.†				
PRESTON - - -	65'2	42'0	53'1	2'11	BELFAST - - -	-	-	-	-
HUDDERSFIELD -									

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of the return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1'6 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D. Dublin.

[illegible]

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 139 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometric Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1876. In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and

- "lower," than the average. The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: -P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable. The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day. The reading of the barometer decreased from 29.93 in. at the beginning of the week to 29.46 in. by 5h. P.M. on the 22nd; increased to 29.95 in. by 10h. P.M. on the 23rd; decreased to 29.88 in. by 5h. P.M. on the 24th; increased to 30.01 in. by 9h. A.M. on the 25th; decreased to 29.80 in. by 5h. P.M. on the 26th; and increased to 30.02 in. by midnight on the 27th. ERRATA.—Report for the week ending 1904, August 6, Col. 4, July 31, *for* "29.93 in." read "29.90 in."

DATE.		ELECTRICITY. (If Symbols of Storms used, see Note.)	Registered Rainfall, in hours.	Registered Thunder, in hours.	GENERAL REMARKS.
AUGUST.					
SUNDAY	- 21	w. P. generally.	4.5	14.2	Fine and partially cloudy till noon; overcast afterwards with rain between 6h. and 7h. P.M. Solar halo observed in forenoon.
MONDAY	- 22	w. P. till 11h. A.M.; v. P. and s. N. afterwards. m. P. principally afterwards.	0.9	14.2	Generally overcast; showery; lightning and thunder in afternoon. Solar halo observed at 1h. P.M.
TUESDAY	- 23	w. P. till 9h. A.M.; m. P. principally afterwards.	0.6	14.1	Generally overcast; occasional slight showers; lightning at night.
WEDNESDAY	- 24	w. P. generally till 9h. A.M.; s. P. till 7h. P.M.; m. P. afterwards.	10.8	14.0	Very fine generally with occasional cloudy intervals; slight shower at 7h. P.M. Lunar halo at night.
THURSDAY	- 25	w. P. till 9h. A.M.; s. P. till 2h. P.M.; w. P. generally afterwards.	6.6	14.0	Very fine generally with small amounts of cloud till afternoon; overcast afterwards. Solar halo observed at intervals during the day.
FRIDAY	- 26	w. P. generally till 4h. P.M.; s. P. till 6h. P.M.; m. P. afterwards.	6.3	13.9	Overcast, with occasional misty rain, in morning; fine and partially cloudy afterwards. Lunar halo observed at 10h. P.M.
SATURDAY	- 27	w. P. till 9h. A.M.; m. P. afterwards.	10.9	13.9	Very fine; the amount of cloud was usually small. Partial lunar halo with paraselenæ observed between 9h. and 11h. P.M.
No. of Col.	-		Sum 40.6	Sum 98.3	
	-		28	29	

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 20th August, 1904.*

BOROUGH.	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Chicken-pox.
WEST.											
Paddington- - - -	146,975	-	3	2	-	-	-	-	-	-	2
Kensington - - - -	179,236	-	12	3	-	-	-	-	4	-	1
Hammersmith - - -	117,412	-	5	1	-	-	-	-	3	1	3
Fulham - - - - -	152,482	-	12	4	-	-	-	-	6	-	4
Chelsea - - - - -	74,329	-	1	1	-	-	-	-	-	-	-
City of Westminster-	177,321	-	8	3	-	-	-	-	4	-	2
NORTH.											
St. Marylebone - - -	130,337	-	2	3	-	1	-	-	4	-	3
Hampstead - - - -	86,663	-	1	12	-	-	-	-	-	-	4
St. Pancras - - - -	235,936	-	18	9	-	6	-	-	9	-	3
Islington - - - - -	341,044	-	23	9	-	5	-	-	7	-	15
Stoke Newington - -	52,445	-	3	2	-	1	-	-	1	-	-
Hackney - - - - -	226,266	1	13	7	-	6	-	-	7	-	4
CENTRAL.											
Holborn - - - - -	57,161	-	2	1	-	-	-	-	2	-	-
Finsbury - - - - -	98,958	-	8	2	-	1	-	-	4	-	7
City of London - - -	23,482	-	1	-	-	-	-	-	-	-	-
EAST.											
Shoreditch - - - -	117,033	-	3	5	-	-	-	-	4	-	3
Bethnal Green - - -	130,207	-	11	4	-	1	-	-	4	-	2
Stepney - - - - -	303,791	-	19	37	-	5	-	-	9	-	14
Poplar - - - - -	169,905	-	5	12	-	1	-	-	4	-	4
SOUTH.											
Southwark- - - - -	207,937	-	8	6	-	-	-	-	5	-	8
Bermondsey - - - -	129,397	-	4	2	-	1	-	-	5	-	3
Lambeth - - - - -	310,359	-	9	3	-	2	-	-	2	1	10
Battersea - - - - -	175,466	-	8	1	-	-	-	-	3	-	3
Wandsworth - - - -	257,448	-	11	4	-	2	-	-	6	-	12
Camberwell - - - -	268,384	-	9	3	-	4	-	-	9	-	9
Deptford - - - - -	113,509	-	10	6	-	2	-	-	4	1	2
Greenwich - - - - -	101,651	-	1	7	-	2	-	-	1	1	2
Lewisham - - - - -	140,401	-	3	2	-	-	-	-	2	-	14
Woolwich - - - - -	123,416	-	12	4	-	2	-	-	-	-	-
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.											
4,648,950		1	204	145	-	45	-	-	109	4	134
Ages											
0-1 - - - - -	-	-	-	4	-	-	-	-	6	-	23
" 1-5 - - - - -	-	-	73	54	-	1	-	-	2	-	71
" 5- - - - -	-	-	84	32	-	7	-	-	7	-	26
" 10- - - - -	-	-	28	23	-	7	-	-	9	-	11
" 15- - - - -	1	13	8	-	-	4	-	-	6	-	2
" 20- - - - -	-	2	11	-	-	12	-	-	5	-	1
" 25- - - - -	-	4	8	-	-	8	-	-	17	4	-
" 35- - - - -	-	-	4	-	-	4	-	-	21	-	-
" 45- - - - -	-	-	1	-	-	2	-	-	19	-	-
" 55- - - - -	-	-	-	-	-	-	-	-	13	-	-
" 65 and upwards	-	-	-	-	-	-	-	-	4	-	-
Age not stated	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE.
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1904.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 35. 1904. VOL. LXV.] WEEK ENDED SATURDAY, SEPT. 3. [Price 1½d.

General Register Office, Somerset House,
September 5th, 1904.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 18·2 per 1000 of their aggregate population, which is estimated† at 15,271,287 persons in the middle of this year. In the preceding three weeks the rates had been 22·1, 22·7, and 20·5. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 26·3 in Stockport and in Hull, 26·6 in Salford, 27·2 in Liverpool, 27·4 in Plymouth, 27·5 in Middlesbrough, 28·5 in Hanley, and 28·7 in Bootle; from *measles*, 1·8 in Plymouth and 2·5 in Bootle; from *diphtheria*, 1·8 in Rochdale; from *whooping-cough*, 2·7 in Norwich, 3·0 in Burton upon Trent, and 3·9 in Grimsby; and from *diarrhoea*, 8·0 in Newport (Mon.), 8·1 in Stockport, 8·3 in York, 8·6 in Middlesbrough, 9·3 in Liverpool, 10·3 in Hull, 10·6 in Hanley, 11·6 in Warrington, 11·8 in Bootle, and 12·5 in Wigan. One death from *small-pox* was registered in Warrington, one in Preston, and one in Gateshead, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2160 BIRTHS and 1459 DEATHS were registered. Allowing for increase of population, the births were 532 and the deaths 119 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 21·4, 21·6, and 18·9 in the preceding three weeks, fell last week to 16·4. During the four weeks ended on Saturday last the death-rate averaged 19·6 per 1000, being 0·7 per 1000 above the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, and in certain local Small-pox Hospitals, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1459 deaths included 15 from measles, 6 from scarlet fever, 8 from diphtheria, 25 from whooping-cough, 12 from enteric fever, and 338 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 404 deaths were referred to these diseases in the aggregate, being 50 above the corrected average weekly number.

The deaths from *measles*, which had been 36, 42, and 30 in the preceding three weeks, further fell last week to 15, and were 9 below the corrected average; 6 deaths belonged to the Borough of Islington. The deaths from *scarlet fever*, which had been 10, 4, and 9 in the preceding three weeks, were 6 last week, and were 5 below the corrected average. The deaths from *diphtheria*, which had been 7, 9, and 19 in the preceding three weeks, fell last week to 8, and were 19 below the corrected average. The deaths from *whooping-cough*, which had been 21, 17, and 20 in the preceding three weeks, further rose last week to 25, the corrected average being 27; 5 deaths belonged to Lambeth and 4 to Stepney. The fatal cases of *enteric fever*, which had been 2, 6, and 4 in the preceding three weeks, rose last week to 12, being equal to the corrected average; 3 deaths belonged to Hackney and 3 to Bermondsey. The deaths from *diarrhœa*, which had been 687, 705, and 483 in the preceding three weeks, further fell last week to 338, but were 87 above the corrected average; 29 deaths belonged to Islington, 22 each to Lambeth and Battersea, 21 to Hackney, 18 to Bermondsey, 17 to St. Pancras, 16 to Camberwell, and 15 each to Stepney and Southwark. Of the 338 deaths from diarrhœa, 318 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 32 more deaths at this age. The deaths attributed directly to *influenza* numbered 2, having been 0, 4, and 1 in the preceding three weeks. Two deaths were caused by *ptomaine poisoning*, due to eating fried fish and unsound food respectively.

Different forms of *violence* caused 47 deaths, concerning all but 2 of which inquests were held. Of these 47 deaths, 11 were cases of suicide, and 2 of homicide, while the remaining 34 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, 4 to drowning, 2 to sunstroke, 1 to the effects of an anæsthetic administered for surgical purposes, and 5 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 9 cases of small-pox, 1819 of scarlet fever, 827 of diphtheria, and 135 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 2 cases, against 0, 2, and 0; of scarlet fever, 266 cases, against 189, 198, and 263; of diphtheria, 127 cases, against 105, 121, and 130; and of enteric fever, 35 cases, against 16, 40, and 46. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended August 27th.

GREATER LONDON.

In Greater London 3320 births and 2122 deaths were registered. Allowing for increase of population these numbers are 651 and 152 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 5 deaths from measles, 5 from diphtheria, 6 from whooping-cough, 1 from "fever," and 95 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.83 inches, and that of the Thermometer 61.0, the latter being 1.0 above the week's average in the 50 years 1841-90. The direction of the wind was variable, the horizontal movement of the air being 17 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 39.0 hours; the measured rainfall amounted to 1.01 inches.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS	Cols.	POPULATION estimated at the middle of the year 1904*	DEATH-RATES from all Causes.					Rate from all Causes in Col. 11-17.		Registered Deaths in Week ended 3rd Sept., 1904.		Deaths from										The DEATHS registered in the Week include										TOWNS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
			Week ended					11-17.		Deaths in Week ended 3rd Sept., 1904.		Deaths from										The DEATHS registered in the Week include																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
			Week ended					11-17.		Deaths in Week ended 3rd Sept., 1904.		Deaths from										The DEATHS registered in the Week include																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
			13th Aug., 1904.	20th Aug., 1904.	27th Aug., 1904.	3rd Sept., 1904.	Week ended 3rd Sept., 1904.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Unidentified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
76 TOWNS		15,271,287	22'1	22'7	20'5	18'2	5'6	8109	5335	2058	1129	3	83	31	39	91	38	1351	162	327	1136	39	76 TOWNS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			

* These towns are included within the area of Greater London.

* See note † on first page of this 10 urn.

TOWNS.	POPULATION estimated to the end of the Year 1904.*	Week ended			in 1904.		Deaths during the week ending 3rd Sept., 1904.			Deaths from										Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
		13th Aug., 1904.	20th Aug., 1904.	27th Sept., 1904.	Week ended 3rd Sept., 1904.	BIRTHS.	DEATHS.	Infants under 1 year of age.	Persons aged 40 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diphtheria.	Violence.	Inquest Cases.				
COLS.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	COLS.
HUDDESFIELD.	94,925	15'9	19'2	22'5	15'4	1'1	61	28	5	10	-	1	-	-	-	-	1	2	2	3	-	HUDDESFIELD.
HALIFAX.	107,580	10'7	17'0	11'1	11'6	1'0	40	24	3	10	-	-	-	-	1	-	1	1	3	4	2	HALIFAX.
BRADFORD.	285,089	18'3	17'0	21'4	17'0	3'5	102	93	27	23	-	1	-	-	1	-	14	1	7	29	-	BRADFORD.
LEEDS.	450,142	23'9	23'5	19'6	15'6	4'7	247	135	53	31	-	3	1	-	4	1	32	1	3	14	-	LEEDS.
SHEFFIELD.	432,940	21'2	22'4	22'0	19'3	5'8	283	160	64	26	-	-	2	2	5	1	38	4	8	27	1	SHEFFIELD.
ROTHERHAM.	58,498	15'2	19'6	15'2	15'2	5'3	35	17	9	4	-	1	-	-	-	-	5	1	2	2	-	ROTHERHAM.
YORK.	31,268	34'6	33'4	25'7	19'2	9'6	41	30	15	6	-	-	2	-	-	-	13	1	3	8	-	YORK.
HULL.	253,885	31'2	29'0	26'5	26'3	11'3	155	128	56	20	-	3	-	-	1	1	50	3	7	13	1	HULL.
MIDDLESBROUGH.	96,684	24'8	18'3	24'3	27'5	9'2	55	51	17	16	-	-	1	-	-	-	16	2	2	8	-	MIDDLESBROUGH.
STOCKTON-ON-TEES.	52,192	13'0	17'0	14'0	23'0	2'0	38	23	6	5	-	-	-	-	-	-	2	-	-	3	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL.	69,251	10'5	10'5	12'0	15'1	2'3	35	20	5	5	-	-	-	1	-	-	2	1	2	4	-	WEST HARTLEPOOL.
SUNDERLAND.	151,157	18'3	15'2	19'3	19'7	1'1	104	57	21	9	-	1	-	1	-	-	10	4	5	10	-	SUNDERLAND.
SOUTH SHIELDS.	107,334	6'8	17'0	10'2	18'0	3'4	70	37	12	8	-	2	1	-	1	-	3	2	2	6	-	SOUTH SHIELDS.
GATESHEAD.	118,067	11'5	22'1	24'3	25'2	8'4	67	57	22	10	1	-	2	-	1	1	14	1	3	5	2	GATESHEAD.
NEWCASTLE-ON-TYNE.	225,362	21'5	19'0	21'1	21'7	3'9	137	94	32	15	-	2	2	-	3	-	10	5	6	24	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH.	53,060	18'7	31'4	25'6	25'6	7'9	35	26	10	6	-	-	-	1	-	-	7	1	1	3	1	TYNEMOUTH.
NEWPORT (MON.).	71,543	16'8	26'2	17'5	18'9	8'0	48	26	11	3	-	-	-	-	-	-	11	-	-	2	-	NEWPORT (MON.).
CARDIFF.	176,313	16'6	17'2	19'8	19'2	4'1	105	65	23	16	-	-	1	-	2	1	10	1	6	10	-	CARDIFF.
RHONDDA.	122,310	31'1	30'7	27'3	20'9	8'1	76	49	26	3	-	-	2	-	-	1	16	2	2	-	-	RHONDDA.
MERTHYR TYDFIL.	72,745	22'2	20'1	25'1	22'9	7'2	37	32	17	4	-	-	-	1	2	-	7	1	2	1	-	MERTHYR TYDFIL.
SWANSEA.	95,931	16'8	27'7	26'1	18'5	5'4	57	34	12	10	-	-	-	1	1	-	8	1	3	1	-	SWANSEA.
GREATER LONDON.	6,907,756	22'2	21'8	19'2	16'0	4'8	3320	2122	833	487	-	23	7	14	34	16	538	66	153	534	3	GREATER LONDON.
OUTER RING.	2,258,806	23'8	22'3	19'8	15'3	5'3	1160	663	289	144	-	8	1	6	9	4	200	19	35	88	2	OUTER RING.
8 TOWNS IN OUTER RING.	1,098,639	25'3	25'2	20'7	15'1	5'5	567	318	143	74	-	3	1	1	3	3	105	13	20	50	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,160,167	22'3	19'6	18'9	15'5	5'0	593	345	146	70	-	5	-	5	6	1	95	6	15	38	1	REMAINDER OF OUTER RING.
EDINBURGH.	331,977	15'2	14'8	16'8	12'1	1'3	126	77	17	19	-	-	-	1	3	3	1	7	?	?	3	EDINBURGH.
GLASGOW.	793,357	17'4	19'2	17'4	18'5	3'9	485	284	81	51	1	3	1	2	16	2	34	10	?	?	13	GLASGOW.
DUBLIN.	378,984	27'0	24'5	23'5	19'9	4'0	254	145	51	29	-	1	-	-	1	1	26	5	7	39	3	DUBLIN.
BELFAST.	358,680	18'6	18'6	17'4	18'0	3'9	181	124	41	22	-	4	-	-	2	3	18	3	6	16	?	BELFAST.

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTY-FIFTH Week of each of the Eleven Years, 1894–1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894–1903.*	1904
TOTAL Births -	2704	2617	2651	2468	2650	2532	2763	2483	2633	2454	2692.1	2160
Males - -	1428	1328	1346	1259	1371	1331	1443	1284	1328	1248	1386.3	1171
Females - -	1276	1289	1305	1209	1279	1201	1320	1199	1305	1206	1305.8	989
TOTAL Deaths -	1198	1336	1369	1452	1898	1931	1776	1623	1385	1245	1577.9	1450
Males - -	622	692	746	748	977	996	943	866	779	662	833.0	767
Females - -	576	644	623	704	921	935	833	757	606	583	744.9	683

* The numbers in this column are the average weekly numbers in the thirty-fifth week of the ten years 1894–1903, raised by 3.723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	June 11.	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	13 Weeks
TOTAL Births -	2578	2583	2465	2514	2526	2450	2472	2467	2302	2730	2525	2575	2160	32347
TOTAL Deaths -	1187	1142	1143	1148	1154	1152	1320	1423	1745	1912	1923	1682	1459	18390
Ages at Death {														
Under 1 year -	228	237	216	246	270	278	364	492	762	929	917	739	544	6225
1–5 years -	175	151	165	145	146	145	162	184	238	244	245	181	135	2300
5–20 " -	81	74	61	54	72	60	65	71	72	75	51	71	60	870
20–40 " -	155	163	155	170	143	140	163	156	166	132	158	166	149	2016
40–60 " -	258	225	236	240	241	246	248	216	227	263	261	204	228	3096
(60 yrs. & upwds.)	290	292	310	293	282	283	318	301	290	269	288	321	343	3880
Deaths from—														
Small-pox - -	-	-	1	1	-	-	1	2	1	1	-	-	-	57
Measles - -	62	65	55	58	53	39	49	36	31	36	42	30	15	871
Scarlet Fever - -	4	10	3	7	9	8	4	7	2	10	4	9	6	230
Diphtheria - -	9	7	16	9	7	7	14	5	10	7	9	19	8	127
Whooping-cough -	28	25	17	29	27	29	21	13	21	21	17	20	25	293
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	6
Enteric Fever - -	5	3	5	5	1	5	5	6	7	2	6	4	12	68
Pyrexia (origin uncertain) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery	26	23	25	24	39	57	161	301	558	687	705	483	333	3427
All above Diseases -	134	133	122	133	136	145	255	370	630	764	783	565	404	4574
Dis. of Resp. System -														
Pneumonia - -	93	85	77	86	83	93	84	70	58	74	66	66	59	663
Phthisis - -	134	162	119	136	132	98	116	113	136	110	133	127	105	1624
Dis. of Circ. System -	158	137	156	151	155	156	158	144	134	115	137	147	161	1905
Violence - -	67	47	50	43	54	50	83	83	63	62	56	46	47	751
Inquest Cases - -	134	117	100	115	124	119	152	161	121	148	145	115	118	1688
Deaths in Institutions	436	403	431	435	416	436	511	476	504	498	506	517	496	6065
TEMPERATURE OF THE AIR.														
Mean - -	55.9	59.6	58.6	59.7	63.2	68.1	67.1	65.4	68.1	61.0	59.5	57.6	61.0	61.9
Mean of Highest -	65.5	70.8	69.9	71.3	74.3	79.9	79.8	76.9	81.3	72.1	69.6	68.7	71.2	73.2
Mean of Lowest -	48.1	51.4	48.2	48.3	53.1	56.3	55.6	56.4	56.3	51.1	51.6	48.9	51.8	52.1
Mean Humidity of the Air.	75	72	68	67	70	62	61	75	65	66	75	76	75	70
Rain-fall (in inches) -	0.12	0.27	0.17	0.15	0.22	0.01	0.04	1.83	0.08	0.06	0.47	0.22	1.01	4.65
Registered Sunshine (in hours)	39.3	44.9	46.8	68.9	50.9	84.7	74.9	34.6	67.8	63.2	38.7	40.6	39.0	683.5
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox - -	95	80	83	74	71	62	51	46	32	21	18	13	9	50
Scarlet Fever - -	1647	1630	1629	1631	1685	1698	1754	1784	1768	1763	1745	1781	1819	1717
Diphtheria - -	721	696	671	684	721	764	787	770	786	780	795	813	827	755
Typhus - -	-	-	1	1	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	65	68	74	62	60	61	58	67	66	71	89	121	135	77

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.L.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and F. Scobberby, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Preston; Manchester, H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-FIFTH Week of the Year 1904.

The terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 35th week of the year 1903.	1904—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 35th week of the year 1903.	1904—Deaths of Persons of the Ages							
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.	
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.				
ALL CAUSES - - -	1245	1459	544	135	60	149	228	343	Meningitis (not tuberc.)	15	19	7	6	2	1	1	2	
									Insanity, Gen. Par. of	8	7	-	-	-	1	4	2	
									Insane - - -	7	6	-	-	-	-	2	2	
Small-pox* - - -	1	-	-	-	-	-	-	-	Epilepsy - - -	22	21	1	-	-	-	-	-	
Cowpox - - -	-	-	-	-	-	-	-	-	Convulsions - - -	1	1	-	-	-	-	-	-	
Measles (Morbilli) -	12	15	7	8	-	-	-	-	Locomotor Ataxy -	4	3	-	1	-	-	-	-	
Scarlet Fever - - -	3	6	1	3	2	-	-	-	Paraplegia, Dis. of Cord	16	22	1	-	1	1	9	10	
Typhus - - -	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	36	28	-	-	2	6	8	13	
Plague - - -	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis-	15	35	-	-	-	3	9	23	
Influenza - - -	1	2	-	-	-	-	1	1	Cerebr. Hem. Thromb.-	16	21	-	-	-	-	7	14	
Whooping-cough - -	12	25	16	9	-	-	-	-	Apoplexy, Hemiplegia -	4	5	-	-	-	1	3	1	
Diphtheria - - -	14	8	-	6	2	-	-	-	Aneurysm - - -	-	-	-	-	-	-	-	-	
Cerebro Spinal Fever	-	-	-	-	-	-	-	-	Embolism, Thrombosis }	-	-	-	-	-	-	-	-	
<i>Pyæmia</i> ,† (Origin un- }	-	-	-	-	-	-	-	-	(not cerebral) -	58	72	-	1	4	7	15	48	
Enteric Fever - - -	6	12	-	-	2	8	2	-	Heart & Blood Vessel Dis.	2	-	-	-	-	-	-	-	
Asiatic Cholera - -	-	-	-	-	-	-	-	-	Croup (not Spasm: nor }	36	38	5	1	-	-	3	28	
Epidemic Diarrhœa }	109	216	185	27	1	-	3	-	Membr. - - -	2	2	-	-	-	-	-	-	
(Infective Enteritis)	-	-	-	-	-	-	-	-	Bronchitis - - -	2	2	-	-	-	-	-	-	
Diarrhœa, Dysentery -	87	122	95	11	1	1	5	9	Asthma, Emphysema -	2	1	-	-	1	-	-	-	
Tetanus - - -	-	2	2	-	-	-	-	-	Pleurisy - - -	2	1	-	-	1	-	-	-	
Rabies, <i>Hydrophobia</i> -	-	-	-	-	-	-	-	-	Respiratory Dis. (other)	11	8	-	1	-	1	3	-	
Glanders - - -	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy -	-	-	-	-	-	-	-	-	
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-	Enteritis (not Epid.) -	15	29	21	-	-	2	4	-	
Venereal Dis. - - -	10	5	3	-	1	-	1	1	<i>Gastro-Enteritis</i> - -	18	32	25	7	-	-	-	-	
Puerperal Septicæmia -	1	1	-	-	1	-	-	-	Peritonitis (not Puerp.)	2	3	-	-	1	-	1	-	
Puerperal Pyæmia - -	-	1	-	-	1	-	-	-	Cirrhosis of Liver - -	14	10	-	-	-	2	3	-	
Puerperal Fever - - -	2	2	-	-	2	-	-	-	Liver Dis. (other) - -	2	8	-	-	-	1	1	2	
Infective Endocarditis	5	1	-	-	1	-	-	-	Digestive Dis., Other -	29	37	5	3	6	8	7	-	
Pneumonia {	Lobar - - -	6	7	-	-	3	2	2	Nephritis, Acute - - -	6	6	-	-	-	2	3	-	
	Broncho- - -	28	25	7	10	2	1	4	Bright's Dis., Albumin-	26	33	-	-	2	3	15	1	
	Epidemic - - -	-	-	-	-	-	-	-	uria - - -	9	10	-	-	-	-	2	-	
Not defined - - -	36	27	2	5	2	2	10	6	Urinary Sys., Other Dis.	3	5	-	-	-	5	-	-	
Erysipelas - - -	5	4	1	-	-	1	2	-	Generative Organs Dis.-	8	2	-	-	-	2	-	-	
Septicæmia (not Puer- }	-	4	-	-	-	2	2	-	Childbirth (Accid. of)	48	45	-	-	-	-	-	4	
Pyæmia (not Puerperal)	-	-	-	-	-	-	-	-	Old Age - - -	89	88	65	8	3	6	3	-	
Other Infective Conditions	7	7	3	1	-	2	1	-	Other Diseases - - -	-	-	-	-	-	-	-	-	
Tuberculous Phthisis -	48	54	-	3	6	20	22	3	ACCIDENT.									
" Phthisis " - - -	61	51	1	-	4	26	15	5	By Railways - - -	4	3	-	-	1	2	-	-	
Tuberculous Meningitis-	17	15	5	8	1	-	1	-	By Vehicles and Horses-	8	6	1	1	3	-	-	-	
Tuberculous Peritonitis-	14	16	9	4	2	-	1	-	In Ships, Boats, Docks,	1	-	-	-	-	-	-	-	
<i>Tabes Mesenterica</i> - -	9	2	1	1	-	-	-	-	(exclusive of Drown-	-	-	-	-	-	-	-	-	
Tuberculous Dis. (other)-	12	19	8	6	3	1	-	1	ing) - - -	1	-	-	-	-	-	-	-	
<i>Scrofula</i> - - -	-	1	1	-	-	-	-	-	In Building Operations-	1	-	-	-	-	-	-	-	
Alcoholism - - -	9	9	-	-	-	5	4	-	In Conflagrations - -	-	-	-	-	-	-	-	-	
Rheumatic Fever - - -	4	4	-	-	2	1	1	-	By Burns, Scalds, Ex-	3	1	-	1	-	-	-	-	
Gout - - -	2	4	-	-	-	-	2	2	plosions - - -	3	4	1	-	1	1	1	1	
Carcinoma - - -	53	65	-	-	-	2	27	36	By Drowning - - -	8	5	5	-	-	-	-	-	
Sarcoma - - -	7	4	-	1	-	-	2	1	By Suffocation in Bed -	1	1	-	-	-	1	-	-	
Cancer (undefined) - -	30	32	-	-	-	-	10	22	By Poisons or Poisonous	1	1	-	-	-	1	-	-	
Diabetes Mellitus - -	6	9	-	-	-	3	2	4	Vapours - - -	13	14	3	1	2	2	4	-	
Premature Birth - - -	48	37	37	-	-	-	-	-	Other Deaths by Acci-	-	-	-	-	-	-	-	-	
									dent - - -	-	-	-	-	-	-	-	-	
									VIOLENCE OTHER THAN									
									ACCIDENTAL.									
									Homicide - - -	1	2	-	-	-	-	2	-	
									Suicide - - -	17	11	-	-	-	-	4	4	
									Execution - - -	-	-	-	-	-	-	-	-	

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 3rd September, 1904.

The DEATHS registered during the Week include																		
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total DEATHS.	Deaths of														Deaths in Public Institutions.
				Deaths from														
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhœa.	Violence.	Inquest Cases.		
LONDON - - -	4,536,429	2160	1459	544	343	-	15	6	8	25	-	12	-	338	47	118	496	
WEST DISTRICTS - - -	805,311	322	229	83	62	-	1	1	1	4	-	-	-	49	4	15	79	
NORTH DISTRICTS - - -	1,056,070	477	308	118	66	-	6	1	2	4	-	6	-	72	14	24	97	
CENTRAL DISTRICTS - - -	209,465	113	76	23	13	-	3	-	-	-	-	-	-	13	3	5	40	
EAST DISTRICTS - - -	715,739	382	233	93	48	-	-	-	2	6	-	1	-	49	12	36	83	
SOUTH DISTRICTS - - -	1,749,844	866	578	227	139	-	5	4	3	11	-	5	-	151	14	38	162	
METROPOLITAN HOSPITALS } AND ASYLUMS OUTSIDE } REGISTRATION LONDON* }	-	-	35	-	15	-	-	-	-	-	-	-	-	4	-	-	35	
WEST DISTRICTS.																		
St. Mary Paddington } G. & W.	93,178	27	24	10	6	-	-	-	-	-	-	-	-	8	-	3	4	
W _{2H}																		
St. John Paddington H - - G.	33,617	8	9	2	2	-	-	-	-	-	-	-	-	1	1	1	5	
North-West Paddington - - C.	17,181	10	2	2	-	-	-	-	-	-	-	-	-	2	-	-	-	
KensingtonTown 2W, w _{2H} G. & W. & C.	128,037	53	44	15	14	-	-	-	-	-	-	-	-	9	-	2	18	
Brompton 2H - - W. & C.	48,591	6	6	1	3	-	-	-	-	-	-	-	-	1	-	-	2	
North Hammersmith W, w _{2H} } W. & G.	49,192	18	12	6	2	-	-	-	-	1	-	-	-	3	-	1	-	
South Hammersmith w _{2H} }	63,047	36	23	8	7	-	-	-	-	1	-	-	-	5	1	2	6	
North-west Fulham W }	45,180	43	25	18	5	-	-	-	-	1	-	-	-	9	-	-	13	
North-east Fulham F }	46,405	21	12	5	1	-	1	1	1	-	-	-	-	1	-	1	3	
South Fulham W }	45,704	32	10	5	1	-	-	-	-	1	-	-	-	2	-	-	-	
Chelsea North W, w _{3H} - - C.	42,514	17	20	3	8	-	-	-	-	-	-	-	-	1	-	-	13	
Chelsea South W _{2H} - - C.	31,328	9	11	6	4	-	-	-	-	-	-	-	-	4	-	1	1	
May Fair and Knightsbridge C. & G.	28,743	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Belgrave W _{2H} - - C.	55,815	13	15	-	2	-	-	-	-	-	-	-	-	-	2	3	10	
St. Margaret & St. John 4H - C.	43,698	19	5	1	2	-	-	-	-	-	-	-	-	1	-	1	3	
St. James Westminster } N. & G.	21,588	4	6	1	4	-	-	-	-	-	-	-	-	2	-	-	2	
W _{2H}																		
St. Anne Soho 5H - - N.	11,493	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	
NORTH DISTRICTS.																		
All Souls Marylebone 8H - W.	35,391	9	12	2	4	-	-	-	-	-	-	-	-	1	1	1	8	
Rectory Marylebone W G. & W.	19,849	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. Mary Marylebone 4H G. & W.	18,099	36	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
Christchurch Marylebone H - W.	39,536	18	4	3	1	-	-	-	-	-	-	-	-	2	-	-	-	
St. John Marylebone 3H - W.	20,426	9	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
Hampstead W, P, 8H - N. & W.	81,942	25	23	6	4	-	-	1	-	-	-	3	-	1	1	1	11	
West St. Pancras 2H - - W.	60,562	30	18	8	7	-	-	-	-	1	-	-	-	4	-	-	2	
Pottenham-court w _{6H} N. & W.	21,258	6	14	1	3	-	-	-	-	-	-	-	-	-	-	2	10	
Gray's Inn Lane 4H - - N.	34,449	14	11	6	-	-	-	-	2	-	-	-	-	6	1	1	4	
East St. Pancras W _{2H} - - N.	60,320	28	19	5	4	-	1	-	-	1	-	-	-	3	1	2	5	
North St. Pancras 2W - - N.	58,728	27	19	8	6	-	-	-	-	-	-	-	-	4	-	1	7	
Tufnell W - - - N.	31,995	18	26	6	9	-	3	-	-	-	-	-	-	4	1	1	18	
Upper Holloway 2W, w _{2H} - N.	33,978	20	14	2	3	-	-	-	-	-	-	-	-	1	2	2	11	
Follington W - - - N.	33,922	9	4	3	-	-	-	-	-	-	-	-	-	1	-	-	-	
Lower Holloway - - - N.	41,424	21	9	1	5	-	-	-	-	-	-	-	-	2	-	-	-	
Barnsbury - - - N.	54,478	23	15	10	-	-	1	-	-	-	-	-	-	8	2	2	-	
Alington South-east F - - N.	75,397	27	20	11	2	-	1	-	-	1	-	-	-	5	1	3	-	
Highbury 2H - - - N.	63,797	38	12	7	2	-	-	-	-	-	-	-	-	5	-	-	-	
Stoke Newington H - - N.	51,247	15	12	4	2	-	-	-	-	1	-	-	-	3	1	1	-	
North Hackney - - - E. & N.	50,560	16	12	8	2	-	-	-	-	-	-	-	-	6	-	-	-	
Central Hackney 2w, F - E. & N.	50,538	26	11	5	2	-	-	-	-	-	-	2	-	3	-	2	1	
South-west Hackney 3H - E. & N.	59,921	30	21	11	1	-	-	-	-	-	-	-	-	7	2	2	7	
South-east Hackney 2W, w, H E. & N.	58,255	29	25	10	4	-	-	-	-	-	-	1	-	6	1	3	13	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G, signifies Grand Junction Company; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River; E, East London; and K, the Kent Company.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 3rd September, 1904—continued.

POPULATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include																													
				Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.															
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin uncertain).	Diarrhoea.	Violence.																		
CENTRAL DISTRICTS.																																	
and Bloomsbury W,2H N.	31,436	20	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2																
W,4H - - - N. & C. Union Workhouse, Edmonton-	21,874	5	15	1	6	-	-	-	-	-	-	-	-	-	2	2	11																
W,8H - - - N. erkenwell - - - N. erkenwell H - - - N. 3H,L - - - N. Union Workhouse, }	29,612 28,676 35,028 36,116 -	11 10 20 43 -	14 9 9 9 2	8 12 12 5 -	- 3 2 1 1	- - - - -	- - 12 - -	- - - - -	- - - - -	- - - - -	- - - - -	7 1 4 1 -	- - - - -	- - - - -	- - - - -	12 1 - 2 2	- - - - -																
oh H - - - N. & E. chre and Allhallows } N. ondon Asylum, Stone - -	10,299 16,824 -	3 1 -	1 14 -	- 4 -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- 1 -	- - -	- - -	11 - -	- - -																
EAST DISTRICTS.																																	
h South* H,L - E. & N. h North-West* W,w,L N. h North-East* - N. & E. Union Workhouse, Wood }	46,362 36,127 36,148 -	47	33	11	11	-	-	-	-	-	-	-	5	1	4	15	-																
reen North 2H - - E. reen South - - - E. reen East 2W,H,L - E.	51,514 33,472 44,694																	32 17 20	17 3 10	9 1 4	3 - 2	- - -	- - -	- - -	1 - -	- - -	- - -	7 - 2	1 - 2	1 - 2	2 - 3	- - -	
as - - - E. & N. New Town W,H - - E. s Fields - - - E.	27,969 28,718 22,081																	9 15 11	- 39 6	- 10 5	- 4 -	- - -	- - -	- - -	- 1 -	- 1 -	- - -	- - -	- 6 1	- 1 -	- 1 3	- 33 -	- - -
and St. John 2W E. and Ratcliff W,H E. & N. - - - E.	49,068 25,568 32,369																	25 9 18	13 14 12	5 9 6	1 - 3	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- 6 2	- 1 1	4 2 3	4 7 -	- - -
Old Town South- } H - - - E. Old Town North- } W,w - - - E.	63,698 49,129	45 28	13 23	4 11	4 7	- -	- -	- -	1 -	- 3	- -	- -	- -	1 5	6 2	- 5	- 8																
- - - E. 3w,H - - - E. w - - - E.	41,989 68,319 68,514	27 45 34	10 25 15	6 5 7	1 9 3	- - -	- - -	- - -	- - -	1 - -	- - -	- 1 -	- - -	6 3 4	- 2 -	- 2 3	1 9 1																

At September, 1904, the four sub-districts of Shoreditch district were dissolved and formed into three new sub-districts above.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., in each SUB-DISTRICT during the Week ended Saturday, 3rd September, 1904—continued.

REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include													Inquest Cases.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
					Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhoea.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
SOUTH DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					

* On 1st June, 1904, changes were made in the boundary between Streatham sub-district and Mitcham sub-district.

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 3rd September, 1904.

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths from												
					Deaths of	Deaths from											
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING	368,580	2,044,973	1160	663	289	144	-	8	1	6	9	4	200	19	35	88	2
1 Carshalton <i>w</i> 2F, 2H	12,228	32,997	9	6	2	4	-	-	-	-	-	-	-	-	-	-	-
2 Epsom, part of* <i>W</i> , <i>w</i> 2F, <i>H</i>	10,423	15,548	7	6	-	4	-	-	-	-	-	-	-	-	-	5	-
1 Godstone, part of* <i>W</i> , <i>F</i>	2,764	2,692	2	2	2	-	-	-	-	-	-	-	2	-	-	-	-
1 Coulsdon	11,069	41,166	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-
2 South Croydon <i>w</i>	4,200	49,319	23	6	5	-	-	-	-	-	-	-	2	-	-	-	-
3 West Croydon 3W, <i>F</i> , <i>H</i>	2,168	42,888	20	21	8	10	-	-	-	-	-	-	3	1	1	10	-
3 North Croydon <i>H</i>	2,644	41,688	18	11	4	5	-	-	-	-	-	-	3	3	1	1	-
6 Penge <i>w</i>	770	22,465	13	6	3	2	-	-	-	-	1	-	2	2	-	-	-
6 Mitcham† <i>w</i>	11,689	30,015	21	9	5	2	-	-	-	-	1	-	2	2	-	-	-
1 Wimbledon <i>F</i> , 3H	3,221	41,652	16	11	8	1	-	1	-	1	-	-	4	-	1	1	-
2 Kingston <i>W</i> , <i>H</i>	8,224	42,168	19	16	6	1	-	-	1	1	-	-	5	-	-	-	-
3 Surbiton <i>F</i> , <i>H</i>	3,046	15,017	3	7	2	3	-	-	-	-	1	-	1	-	-	1	-
4 Esher, part of* <i>H</i>	5,402	13,100	3	5	5	-	-	-	-	-	-	-	-	-	-	-	-
5 Hampton <i>H</i> , <i>L</i>	4,564	23,456	7	6	2	-	-	-	-	-	1	-	1	-	-	-	-
1 Richmond <i>W</i> , <i>H</i>	2,162	28,865	8	7	1	-	-	-	-	-	-	-	2	-	-	4	-
2 Mortlake <i>F</i>	2,847	20,628	20	4	1	2	-	-	-	-	-	-	1	-	-	-	-
1 Bromley <i>F</i> , 2H	4,703	27,354	12	4	2	1	-	-	-	-	-	-	2	-	-	-	-
2 Beckenham <i>H</i>	7,825	28,497	10	6	2	1	-	-	-	-	-	-	-	-	-	-	-
3 Orpington, part of* <i>W</i>	10,113	9,857	4	5	3	1	-	-	-	-	-	-	3	-	-	-	-
4 Chislehurst 2H	7,333	16,446	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-
1 Bexley <i>F</i> , <i>H</i>	8,678	21,151	12	3	-	1	-	-	-	-	-	-	-	-	-	-	-
2 Erith <i>F</i> , <i>H</i>	3,854	25,296	16	6	3	-	-	-	-	-	-	-	3	1	1	-	-
3 Dartford <i>W</i> , <i>F</i> , part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Sunbury <i>w</i>	11,054	18,683	8	4	3	1	-	-	-	-	-	-	2	-	-	-	-
2 Staines <i>W</i> , <i>H</i>	13,277	15,178	7	5	2	1	-	-	-	-	-	-	-	-	-	2	-
1 Hillingdon <i>W</i> , <i>F</i> , <i>H</i>	6,035	13,661	7	5	2	-	-	-	-	-	-	-	1	1	1	-	-
2 Uxbridge	12,757	8,984	7	4	2	-	-	-	-	-	-	-	-	1	1	-	-
3 Hayes <i>w</i> , <i>F</i> , <i>H</i>	8,066	16,358	18	7	4	-	-	-	-	-	-	-	1	1	1	-	1
1 Isleworth 3W, 2F, <i>H</i>	6,859	30,863	20	15	8	2	-	-	-	1	-	-	3	1	1	3	-
2 Twickenham <i>F</i> , <i>H</i>	2,421	20,991	17	7	2	3	-	-	-	-	-	-	2	2	1	-	-
3 Brentford 2F, 2H, <i>L</i>	4,319	45,289	29	14	6	7	-	-	-	-	-	-	3	2	1	1	-
4 Chiswick <i>H</i>	1,249	29,809	17	3	1	1	-	1	-	-	-	-	-	-	1	-	-
5 Acton <i>w</i> , 3H	6,132	48,914	42	19	9	1	-	-	-	-	-	-	7	-	-	1	-
1 Harrow <i>F</i> , <i>H</i>	13,809	25,523	12	3	1	-	-	-	-	-	-	-	1	-	-	-	-
2 Edgware <i>F</i> , 2H	6,994	4,521	1	3	-	1	-	1	-	-	-	-	-	-	-	-	-
3 Willesden <i>W</i> , <i>F</i> , 2H	4,384	114,811	81	33	17	4	-	-	-	-	-	-	9	-	1	2	-
4 Hendon <i>W</i> , <i>F</i>	8,382	22,450	12	3	1	2	-	-	-	-	-	-	1	-	-	-	-
1 South Mimms 2F, <i>H</i>	17,755	7,308	7	2	1	-	-	-	-	-	-	-	2	-	-	-	-
2 Barnet <i>W</i> , 3H	3,324	17,970	7	3	2	1	-	-	-	-	-	-	-	-	-	1	-
3 Finchley <i>F</i> , 2H	4,688	33,692	21	12	7	2	-	-	-	-	-	-	4	-	3	-	-
1 Hornsey <i>F</i> , <i>H</i>	2,875	72,056	32	10	5	1	-	-	-	-	1	-	2	2	3	-	-
2 Wood Green <i>H</i>	1,625	34,233	19	16	7	3	-	-	-	-	-	-	4	-	1	-	-
3 West Tottenham <i>F</i>	996	48,853	30	7	3	3	-	1	-	-	-	-	2	1	1	-	-
4 East Tottenham <i>F</i> , <i>H</i>	2,017	53,688	24	21	11	1	-	-	-	-	-	-	9	-	1	3	-
5 Edmonton <i>W</i> , <i>w</i> 2F	7,491	61,892	39	39	16	7	-	1	-	-	1	-	10	-	3	11	-
6 Enfield 2W, <i>F</i> , <i>H</i>	12,601	42,738	22	13	4	-	-	-	-	-	-	-	4	-	-	-	-
7 Waltham Abbey	11,017	6,549	3	3	-	2	-	-	-	-	-	-	-	-	-	-	-
8 Cheshunt <i>F</i> , <i>H</i>	8,479	12,292	4	6	3	1	-	-	-	-	-	-	3	-	-	-	-
1 Hatfield, part of* <i>W</i>	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 Bushey <i>H</i>	9,333	9,173	5	3	1	1	-	-	-	-	1	-	1	-	-	-	-
1 Watford <i>W</i> 2F, part of*	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
2 Stratford <i>H</i>	1,072	44,827	21	13	3	5	-	-	-	-	-	-	3	1	1	1	-
3 Plaistow <i>F</i> , 3H	1,249	80,921	62	34	21	4	-	-	-	-	1	-	15	3	4	4	1
4 Canning Town <i>H</i>	1,556	70,718	55	21	13	1	-	-	-	-	-	-	1	9	-	-	-
5 Forest Gate <i>w</i>	806	60,892	21	15	6	6	-	-	-	-	-	-	-	6	-	-	-
6 North East Ham <i>w</i>	1,333	58,676	37	15	8	4	-	-	-	-	-	-	7	-	-	-	-
7 South East Ham 3F	1,993	37,342	27	17	6	5	-	-	-	-	-	-	6	1	1	1	-
8 Wanstead <i>F</i>	1,679	9,179	6	3	2	-	-	-	-	-	-	-	2	-	-	-	-
9 South Leyton 2W	631	50,467	29	28	9	11	-	1	-	-	-	1	8	2	3	12	-
10 North Leyton <i>W</i> , <i>w</i> , <i>F</i>	1,963	48,445	25	26	9	7	-	-	-	1	-	1	7	-	-	10	-
1 Walthamstow 3H, <i>L</i>	6,504	108,929	69	40	20	5	-	-	-	-	1	-	17	2	3	1	-
1 Chigwell, part of* 2F, <i>H</i>	11,778	16,397	10	4	-	1	-	-	-	1	-	-	1	-	-	1	-
2 Epping <i>W</i> , <i>F</i> , part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1 Romford, part of* <i>W</i> , 2F	6,556	6,091	2	4	2	2	-	-	-	-	-	-	1	-	-	-	-
2 Ilford <i>F</i> , <i>L</i>	8,486	41,234	30	22	5	6	-	1	-	-	1	1	7	-	-	7	-
3 Barking Town <i>F</i>	3,803	21,547	20	7	3	-	-	-	-	-	-	-	3	-	1	-	-
Middlesex County Asylum, Wandsworth.	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	3	-
N.E. Hospital, Tottenham	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-

The parts of sub-districts included within that portion of the Metropolitan Police District which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chislehurst, Uddham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Heydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

See note * on preceding page.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoeal Diseases.
CALCUTTA (including SUBURBS)	847,796	July 23	-	367	22·5	-	-	-	2	-	124†	
BOMBAY - -	776,006	August 16	394	662	44·4	1	4	-	-	-	100†	115
MADRAS - -	509,346	July 29	421	321	32·7	-	1	-	-	-	79	60
PARIS - - -	2,660,559	August 27	951	800	15·6	-	11	2	5*	11	3	104
BRUSSELS - -	575,896	" 27	215	175	15·5	-	1	-	2*	1	2	35
ANTWERP - -	281,376	" 27	132	95	17·2	-	2	-	-	-	-	45
AMSTERDAM -	547,370	" 20	322	143	13·6	-	4	-	-	2	1	32
COPENHAGEN -	420,000	" 27	221	128	15·9	-	-	-	1*	4	-	25
STOCKHOLM -	305,115	" 20	161	65	10·9	-	-	-	-	-	-	4
CHRISTIANIA -	225,709	" 27	118	50	11·6	-	-	1	-	-	-	8
ST. PETERSBURG	1,248,643	" 20	513	573	23·9	2	14	6	14*	4	14	83
MOSCOW - -	1,093,410	" 13	-	557	26·6	1	13	2	6*	3	2	159
BERLIN - - -	1,960,909	" 13	934	861	22·9	-	3	10	9*	11	1	343
HAMBURG - -	751,842	" 27	-	255	17·6	-	1	-	2*	4	4	58
BRESLAU - -	445,403	" 27	-	260	30·4	-	2	-	-	-	2	67
MUNICH - - -	520,000	" 27	-	244	24·4	-	-	-	1*	1	1	80
VIENNA - - -	1,779,869	" 27	838	563	16·3	-	8	2	3*	-	3	121
PRAGUE - - -	423,990	" 20	190	179	21·8	-	1	-	2*	2	1	27
BUDA-PESTH -	813,399	" 27	404	255	16·3	-	3	5	2*	-	4	33
TRIESTE - - -	187,251	" 13	116	103	23·1	-	1	2	-	1	1	20
		" 20	130	88	24·0	-	-	1	-	2	-	11
ROME - - -	496,201	July 9	195	179	18·7	-	2	-	1*	1	4	36
VENICE - - -	166,288	August 20	95	68	-	-	1	-	-	1	1	10
CAIRO - - -	624,338	-	-	-	-	-	-	-	-	-	-	-
ALEXANDRIA -	349,300	-	-	-	-	-	-	-	-	-	-	-
NEW YORK - -	3,838,024	August 13	2030	1418	19·3	1	7	2	23*	4	18	339
PHILADELPHIA -	1,408,154	" 6	-	428	15·8	-	2	3	5*	1	5	95
BOSTON - - -	617,950	" 6	-	250	21·0	-	1	-	1*	-	5	32

* Including deaths from croup.

† Including 6 deaths from plague in Calcutta, and 44 in Bombay.

‡ Including 13 deaths from cholera in Calcutta, and 33 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 3rd September, 1904.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	81·9	49·5	61·5	1·01	BRADFORD - -	78·6	52·4	62·6	0·18
BRIGHTON - -	73·2	52·8	61·7	0·73	LEEDS - - -	80·0	50·0	63·9	0·27
PORTSMOUTH -	75·0	53·0	62·6	0·59	HULL - - -	79·0	48·0	61·3	0·71
NORWICH - - -	-	-	-	-	TYNEMOUTH -	76·0	50·0	60·2	0·23
PLYMOUTH - -	73·0	52·9	61·4	0·42					
BRISTOL - - -	78·0	46·4	60·2	0·82	EDINBURGH - -	72·3	47·3	59·4	0·32
BIRMINGHAM -	77·1	50·8	60·9	0·33	GLASGOW - - -	78·9	49·5	60·8	1·01
NOTTINGHAM -	81·1	50·3	63·1	0·57					
LIVERPOOL - -	78·0	52·0	61·5	0·82	DUBLIN { Phoenix Park. Fitz- william Square.†	73·3	46·9	58·8	0·84
OBSERVATORY. }						74·0	50·5	61·1	1·00
MANCHESTER -	77·4	48·8	60·5	0·74					
PRESTON - - -	74·0	49·5	61·0	0·66	BELFAST - - -	71·1	50·1	53·9	1·11
HUDDERSFIELD -	76·6	51·0	60·7	0·19					

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1·25 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D. Dublin.

Meteorological Observations.

[Under the Superintendence of the Astronomer Royal.]

1904.		MONTH AND DAY		Phases of the Moon.		TEMPERATURE.				Difference between the Air Temperature and Dew Point.				TEMPERATURE.		Wind as deduced from Anemometers.				Rain collected in a gauge whose surface is above the level of the ground.			
						Of the Air.		Of the Dew Point.		Of the Air.		Of the Dew Point.		Of Radiation.		Of the Earth's Surface.		General Direction.				Oiler's.	
BAROMETER.	Mean daily reading reduced to 32° Fahr. (60° F. cent.)	High-est.	Low-est.	Daily Range.	Mean daily value.	De- parture from Average of 50 years.	Mean daily value.	Great- est.	Least.	Highest in Sun's Rays.	Lowest on the Grass.	Degrees of Humidity (Sat- uration 100°).	Degrees of Humidity (Sat- uration 100°).	Of the Earth's Surface.	Of Radiation.	General Direction.	P.M.	Great- est.	Least.	Mean of 24 hours.	Horizontal Movement of the Air on each Day.	Depar- ture from Average of 16 years.	
AUGUST.																							
SUNDAY - 28	In Equator.	30.026	78.5	49.5	29.0	65.4	+ 48	50.7	14.7	24.6	1.0	59	140.6	40.2	61.22	SW., calm SE. & SE.	SSE. & SE.	1.6	0.0	0.0	0.0	117	- 117
MONDAY - 29	..	29.883	79.9	51.6	28.3	66.0	+ 57	52.8	13.2	25.0	1.3	63	137.3	39.8	61.32	SE., ENE. & ESE.	SE., ESE. & E.	1.6	0.0	0.1	0.1	63	- 63
TUESDAY - 30	..	29.661	81.9	52.6	29.3	66.9	+ 68	56.8	10.1	23.6	0.8	70	140.2	41.1	61.50	E., ESE. & SE.	S., SW. & WSW.	1.1	0.0	0.1	0.1	185	- 62
WEDNESDAY - 31	..	29.617	60.9	53.2	7.7	56.3	- 36	54.4	1.9	6.1	0.4	93	84.5	46.0	61.48	SW. & WSW.	W., NNW. & NNW.	1.2	0.0	0.0	0.0	179	- 71
THURSDAY - 1	..	29.882	62.8	53.0	9.8	56.6	- 31	52.5	4.1	8.6	2.0	86	87.0	47.3	61.55	NNW. & N.	NNW. & NNW.	1.5	0.0	0.2	0.2	271	+ 18
FRIDAY - 2	..	29.978	69.5	51.4	18.1	59.1	- 0.6	51.5	7.6	17.1	2.4	76	117.0	43.6	61.42	WSW. & SW.	W., WSW. & SW.	0.6	0.0	0.0	0.0	189	- 67
SATURDAY - 3	Last Quarter.	29.800	64.8	51.0	13.8	56.9	- 27	51.3	5.6	11.5	2.4	81	101.7	42.1	61.13	SW. & NNW.	SW. & NNW.	2.5	0.0	0.3	0.3	316	+ 58
MEANS	-	29.834	71.2	51.8	19.4	61.0	+ 1.0	52.9	8.2	16.6	1.5	75	115.5	42.9	61.37	Variable		Sum 1445	Sum -304	
No. of Column	-	3	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1888 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 18 years ending 1876. In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average. The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: - P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable. The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day. The reading of the barometer increased from 30.02 in. at the beginning of the week to 30.05 in. by 9h. A.M. on August 28th; decreased to 29.90 in. by 10h. A.M. on August 31st; increased to 30.01 in. by 9h. A.M. on September 2nd; decreased to 29.74 in. by 11h. A.M. on September 3rd; and increased to 29.95 in. by midnight on the same day. ETRATA. - Report for week ending 1904, August 6. Cols. 2 and 24, August 3, for "138"

GENERAL REMARKS.	
Very fine with small amounts of cloud till evening; cloudless at night.	
Generally cloudless; a very fine day.	
Cloudless in early morning; fine and partially cloudy afterwards with slight shower at 7h. 30m. P.M.; lightning observed in evening.	
Generally overcast; nearly continuous rain after 8h. 30m. A.M. Lunar halo observed in early morning.	
Generally overcast; fine in evening; frequent rain till 1h. 10m. P.M.	
Generally overcast; occasional fine intervals.	
Generally overcast with frequent rain till afternoon; very fine after 2h. P.M. Parhelia observed at and about 5h. P.M.	
SUM	
Sum 390	95.2

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 27th August, 1904.*

BOROUGHES.	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Chicken-pox.
WEST.											
Paddington- - - -	148,975	-	1	-	-	3	-	-	5	1	6
Kensington - - - -	179,236	-	1	-	-	2	-	-	1	-	3
Hammersmith - - -	117,412	-	5	6	-	1	-	-	3	1	2
Fulham - - - -	152,482	-	1	4	-	-	-	-	4	-	7
Chelsea - - - -	74,329	-	1	-	-	1	-	-	4	-	1
City of Westminster-	177,321	-	5	3	-	-	-	-	2	-	5
NORTH.											
St. Marylebone - - -	130,337	-	14	2	-	3	-	-	5	-	3
Hampstead - - - -	86,663	-	1	1	-	1	-	-	2	-	5
St. Pancras- - - -	235,936	-	15	6	-	10	-	-	2	-	2
Islington - - - -	341,044	-	28	4	-	4	-	-	2	-	8
Stoke Newington - -	52,445	-	6	-	-	-	-	-	2	1	3
Hackney - - - -	226,266	-	12	17	-	17	-	-	5	1	9
CENTRAL.											
Holborn - - - -	57,161	-	3	-	-	-	-	-	2	-	1
Finsbury - - - -	98,958	-	5	3	-	2	-	-	3	-	7
City of London - - -	23,482	-	1	1	-	-	-	-	1	-	-
EAST.											
Shoreditch - - - -	117,033	-	9	7	-	3	-	-	5	-	7
Bethnal Green - - -	130,207	-	17	12	-	2	-	-	6	-	3
Stepney - - - -	303,791	1	32	30	-	7	-	-	17	-	25
Poplar- - - -	169,905	-	11	21	-	5	-	-	1	-	6
SOUTH.											
Southwark- - - -	207,937	-	21	6	-	2	-	-	5	-	2
Bermondsey - - - -	129,297	-	7	8	-	-	-	-	5	-	2
Lambeth - - - -	310,259	-	8	9	-	3	-	-	10	-	5
Battersea - - - -	175,465	-	9	1	-	2	-	-	2	1	5
Wandsworth - - - -	257,448	-	8	3	-	1	-	-	-	-	8
Camberwell - - - -	268,384	-	16	2	-	5	1	-	10	1	5
Deptford - - - -	113,509	-	7	2	-	2	-	-	5	-	3
Greenwich- - - -	101,651	-	6	6	-	1	-	-	3	-	5
Lewisham - - - -	140,401	-	5	-	-	-	-	-	-	-	5
Woolwich - - - -	123,416	-	11	6	-	-	-	-	2	-	2
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.											
	4,648,950	1	268	162	-	77	1	-	118	6	144
Ages											
0-1 - - - -	-	-	5	4	-	-	-	-	3	-	23
" 1-5 - - - -	-	-	82	63	-	4	-	-	8	-	78
" 5- - - - -	-	-	118	48	-	6	1	-	3	-	26
" 10- - - - -	-	-	38	20	-	12	-	-	4	-	7
" 15- - - - -	-	-	10	8	-	18	-	-	5	-	5
" 20- - - - -	-	1	8	6	-	8	-	-	6	1	3
" 25- - - - -	-	-	5	7	-	19	-	-	13	2	1
" 35- - - - -	-	-	2	3	-	7	-	-	21	3	-
" 45- - - - -	-	-	-	2	-	2	-	-	26	-	-
" 55- - - - -	-	-	-	-	-	-	-	-	13	-	1
" 65 and upwards -	-	-	-	-	-	1	-	-	16	-	-
Age not stated - -	-	-	-	1	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1904.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 36. 1904. VOL. LXV.] WEEK ENDED SATURDAY, SEPT. 10. [Price 1½d.

General Register Office, Somerset House,
September 12th, 1904.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 17·5 per 1000 of their aggregate population, which is estimated† at 15,271,287 persons in the middle of this year. In the preceding three weeks the rates had been 22·7, 20·5, and 18·2. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *all causes*, 25·0 in Rotherham, 25·3 in St. Helens, 26·5 in Tynemouth, 28·4 in Plymouth, 29·9 in Wigan, 31·8 in Hanley, and 33·0 in Great Yarmouth; from *measles*, 1·4 in Plymouth; from *diphtheria*, 1·5 in Bradford and in West Hartlepool, 1·6 in Hanley, and 1·7 in Bootle; from *whooping-cough*, 1·6 in West Bromwich and 3·0 in Great Yarmouth; and from *diarrhœa*, 8·2 in Preston and in Hull, 8·3 in Wigan, 8·6 in Grimsby and in Liverpool, 9·0 in Great Yarmouth, 9·3 in Burnley, 10·1 in Bootle, 10·5 in Plymouth, and 12·2 in Hanley. Two deaths from *small-pox* were registered in Salford, 1 in Manchester, and 1 in Newcastle on Tyne, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2504 BIRTHS and 1354 DEATHS were registered. Allowing for increase of population, the births were 97 and the deaths 207 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 21·6, 18·9, and 16·4 in the preceding three weeks, further fell last week to 15·2. During the four weeks ended on Saturday last the death-rate averaged 18·0 per 1000, being 0·3 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, and in certain local Small-pox Hospitals, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1354 deaths included 8 from measles, 2 from scarlet fever, 20 from diphtheria, 16 from whooping-cough, 8 from enteric fever, and 258 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 312 deaths were referred to these diseases in the aggregate, being 21 below the corrected average weekly number.

The deaths from *measles*, which had been 42, 30, and 15 in the preceding three weeks, further fell last week to 8, and were 13 below the corrected average. The deaths from *scarlet fever*, which had been 4, 9, and 6 in the preceding three weeks, fell last week to 2, the corrected average being 11. The deaths from *diphtheria*, which had been 9, 19, and 8 in the preceding three weeks, rose last week to 20, but were 8 below the corrected average; 4 deaths belonged to the Borough of Bethnal Green, and 3 to Hackney. The deaths from *whooping-cough*, which had been 17, 20, and 25 in the preceding three weeks, fell last week to 16, and were 12 below the corrected average; 3 deaths belonged to Lambeth. The fatal cases of *enteric fever*, which had been 6, 4, and 12 in the preceding three weeks, were 8 last week, and were 8 below the corrected average. The deaths from *diarrhœa*, which had been 705, 483, and 338 in the preceding three weeks, further fell last week to 258, but were 31 above the corrected average; 25 deaths belonged to Stepney, 20 to Poplar, 18 to Lambeth, 16 to Islington, 15 to Woolwich, and 14 each to Southwark and Greenwich. Of the 258 deaths from diarrhœa, 233 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 11 more deaths at this age. The deaths attributed directly to *influenza* numbered 2, having been 4, 1, and 2 in the preceding three weeks.

Different forms of *violence* caused 40 deaths, concerning all of which inquests were held. Of these 40 deaths, 10 were cases of suicide, while the remaining 30 were attributed to accident or negligence. Ten of these latter were referred to drowning, 1 to a fall from a bicycle, 1 to scalds, 1 to the effects of an anæsthetic administered for surgical purposes, and 5 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 8 cases of small-pox, 1816 of scarlet fever, 814 of diphtheria, 1 of typhus, and 158 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 2 cases, against 2, 0, and 2; of scarlet fever, 234 cases, against 198, 263, and 266; of diphtheria, 104 cases, against 121, 130, and 127; and of enteric fever, 41 cases, against 40, 46, and 35. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended September 3rd.

GREATER LONDON.

In Greater London 3767 births and 1916 deaths were registered. Allowing for increase of population these numbers are 101 and 297 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 2 deaths from measles, 1 from scarlet fever, 2 from diphtheria, 4 from whooping-cough, 2 from "fever," and 65 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·89 inches, and that of the Thermometer 57·0, the latter being 1·9 below the week's average in the 50 years 1841-90. The general direction of the wind was South-westerly, the horizontal movement of the air being 17 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 41·3 hours; the measured rainfall amounted to 0·36 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

[illegible]

* See note † on first page of this return.

* See note † on first page of this return.

TABLE I (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES during the Week ended Saturday, 10th September, 1904, and DEATH-RATES during the preceding three weeks.

TOWNS.	Cols.	POPULATION estimated to the middle of the Year 1904.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the Week ended 10th Sept., 1904.		The Deaths registered in the Week include										TOWNS.					
			Week ended				Week ended		BIRTHS.	DEATHS.	Deaths of				Deaths from							Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
			20th Aug., 1904.	27th Aug., 1904.	3rd Sept., 1904.	10th Sept., 1904.	6th Sept., 1904.	13th Sept., 1904.			Persons aged under 1 Year.	and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.						
																						11.	12.	13.	14.	15.
													9.	10.	11.	12.	13.	14.	15.	16.						
BIRMINGHAM -	-	537,965	24'4	21'5	15'7	17'5	5'5	318	181	67	32	-	-	3	1	1	6	-	46	9	9	9	32	3	BIRMINGHAM.	
KINGS NORTON -	-	66,367	7'8	12'5	7'8	9'4	-	49	12	2	4	-	-	-	-	-	-	-	-	-	2	2	-	-	KINGS NORTON.	
SMETHWICK -	-	60,691	12'9	15'5	12'0	8'6	1'7	34	10	5	2	-	-	-	-	-	-	-	2	-	-	-	-	1	SMETHWICK.	
ASTON MANOR -	-	80,363	24'0	26'0	13'0	13'6	5'2	43	21	6	6	-	-	-	-	1	1	-	6	-	-	-	-	-	ASTON MANOR.	
COVENTRY -	-	73,904	14'1	12'7	14'1	16'2	4'9	40	23	11	6	-	-	-	-	-	-	-	5	1	2	4	-	-	COVENTRY.	
LEICESTER -	-	224,186	21'2	19'1	18'4	14'7	6'0	106	63	31	16	-	-	-	-	-	-	-	1	25	2	3	8	1	LEICESTER.	
GRIMSBY -	-	68,958	25'7	21'0	23'4	20'2	8'6	39	26	17	2	-	-	-	-	-	-	-	11	1	1	1	-	-	GRIMSBY.	
NOTTINGHAM -	-	248,811	23'9	19'7	13'6	19'1	4'8	136	91	32	24	-	-	1	-	-	1	3	18	2	5	20	1	NOTTINGHAM.		
DERBY -	-	120,449	19'0	13'4	8'2	18'6	5'6	63	43	19	7	-	-	-	-	2	-	-	11	2	8	6	-	-	DERBY.	
STOCKPORT -	-	87,008	29'6	16'7	26'3	20'4	9'1	44	38	14	6	-	-	2	-	2	-	-	13	-	-	-	5	1	STOCKPORT.	
BIRKENHEAD -	-	114,814	30'4	29'5	20'4	23'2	5'9	88	51	23	12	-	-	1	-	-	2	-	10	2	4	5	-	-	BIRKENHEAD.	
WALLASEY -	-	60,354	19'9	13'0	17'3	21'6	6'9	27	25	4	8	-	-	-	-	-	-	-	1	7	1	1	4	-	-	WALLASEY.
LIVERPOOL -	-	723,430	39'1	29'4	27'2	24'7	10'7	441	343	126	47	-	-	11	5	4	2	6	120	9	14	83	4	-	LIVERPOOL.	
BOOTLE -	-	61,755	34'6	30'4	28'7	23'6	12'7	33	28	11	4	-	-	-	1	2	-	-	12	1	1	6	-	-	BOOTLE.	
ST. HELENS -	-	88,545	31'8	25'9	19'4	25'3	8'2	67	43	16	9	-	-	-	-	-	-	-	1	13	1	1	5	4	-	ST. HELENS.
WIGAN -	-	62,800	34'0	31'6	25'7	29'9	9'1	34	36	16	6	-	-	-	-	-	1	-	10	2	2	5	-	-	WIGAN.	
WARRINGTON -	-	67,331	20'9	20'1	24'8	20'1	8'5	52	26	13	3	-	-	-	-	-	1	-	10	1	1	1	-	-	WARRINGTON.	
BOLTON -	-	175,744	16'9	17'2	13'6	18'4	5'3	107	62	28	18	-	-	-	-	-	-	-	18	3	3	2	1	-	BOLTON.	
BURY -	-	68,450	18'7	23'2	23'2	13'4	2'7	24	15	5	5	-	-	-	-	-	-	-	-	-	-	-	1	-	BURY.	
MANCHESTER† -	-	557,988	26'9	24'3	24'6	21'2	5'3	337	227	88	39	1	4	-	-	-	-	-	46	4	4	10	47	5	MANCHESTER.†	
SALFORD -	-	228,983	32'1	33'5	26'6	23'7	8'2	129	104	43	19	2	3	1	1	1	4	-	25	4	8	22	1	-	SALFORD.	
OLDHAM -	-	139,497	17'2	16'1	15'3	16'8	3'4	85	45	10	10	-	-	2	-	1	-	-	6	2	4	13	-	-	OLDHAM.	
ROCHDALE -	-	85,601	15'2	16'4	16'4	15'8	6'1	37	26	10	6	-	-	-	1	-	-	-	1	8	1	1	1	-	-	ROCHDALE.
BURNLEY -	-	100,569	24'4	22'3	19'2	24'4	10'9	71	47	21	8	-	-	1	1	-	-	1	18	-	1	1	1	-	-	BURNLEY.
BLACKBURN -	-	132,134	10'7	11'0	11'0	17'8	4'3	70	45	21	10	-	-	-	-	-	2	-	9	-	-	3	-	-	BLACKBURN.	
PRESTON -	-	115,055	16'8	19'5	22'2	21'3	8'6	52	47	21	11	-	-	-	1	-	-	-	18	-	-	-	3	2	-	PRESTON.
BARROW-IN-FURNESS.	-	56,654	12'2	14'0	14'0	17'5	3'5	43	20	7	5	-	-	-	-	1	-	-	3	-	-	-	1	-	-	BARROW-IN-FURNESS.

TOWNS.	POPULATION estimated to the middle of the Year 1904.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the Week ended 10th Sept., 1904.		The DEATHS registered in the Week include											TOWNS,		
		Week ended				Week ended		BIRTHS.	DEATHS.														
		20th Aug., 1904.	27th Aug., 1904.	3rd Sept., 1904.	10th Sept., 1904.	11-17.																	
		Cols.	1.	2.	3.	4.	5.			6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.		17.	18.
HUDDESFIELD -	94,925	19'2	22'5	15'4	14'3	3'3	44	26	7	5	-	-	-	-	-	-	1	5	1	2	6	-	HUDDESFIELD.
HALIFAX -	107,580	17'0	11'1	11'6	15'0	2'4	32	31	6	6	-	-	1	1	-	-	1	2	1	2	9	1	HALIFAX.
BRADFORD -	285,089	17'0	21'4	17'0	16'5	6'0	102	90	28	23	-	-	2	2	8	2	2	18	4	6	23	2	BRADFORD.
LEEDS -	450,142	23'5	19'6	15'6	14'2	3'9	204	123	47	23	-	-	2	2	-	1	4	27	5	8	18	1	LEEDS.
SHEFFIELD -	432,940	22'4	22'0	19'3	22'6	6'9	264	188	77	36	-	-	1	1	1	1	3	50	2	7	25	3	SHEFFIELD.
ROTHERHAM -	58,498	19'6	15'2	15'2	25'0	8'0	42	28	13	5	-	-	-	-	-	1	-	8	1	1	4	-	ROTHERHAM.
YORK -	81,268	33'4	25'7	19'2	17'3	5'1	44	27	11	5	-	-	-	1	-	-	-	7	1	1	4	-	YORK.
HULL -	263,865	29'0	26'5	26'3	21'2	8'8	177	103	39	20	-	-	1	1	2	-	-	40	3	6	14	-	HULL.
MIDDLESBROUGH -	96,684	18'3	24'3	27'5	23'7	7'6	59	44	18	3	-	-	-	-	-	1	1	11	1	1	7	-	MIDDLESBROUGH.
STOCKTON-ON-TREES	52,192	17'0	14'0	23'0	21'0	5'0	33	21	7	3	-	-	-	1	-	-	-	4	-	-	2	-	STOCKTON-ON-TREES.
WEST HARTLEPOOL	69,251	10'5	12'0	15'1	12'8	3'0	48	17	6	1	-	-	-	2	-	-	-	2	-	1	2	-	WEST HARTLEPOOL.
SUNDERLAND -	151,157	15'2	19'3	19'7	18'3	4'1	95	53	25	7	-	-	-	-	2	-	-	9	-	-	5	-	SUNDERLAND.
SOUTH SHIELDS	107,334	17'0	10'2	18'0	16'5	3'9	84	34	14	3	-	-	-	-	2	-	1	5	1	2	5	3	SOUTH SHIELDS.
GATESHEAD -	118,067	23'1	24'3	25'2	22'5	7'1	75	51	22	7	-	-	-	-	-	-	-	15	2	2	1	2	GATESHEAD.
NEWCASTLE-ON-TYNE	225,362	19'0	21'1	21'7	19'4	4'6	137	84	29	11	1	1	1	-	1	-	1	16	3	8	16	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH -	53,060	31'4	25'6	25'6	26'5	5'9	29	27	9	8	-	-	-	-	-	-	-	6	-	-	2	1	TYNEMOUTH.
NEWPORT (MON.) -	71,543	26'2	17'5	18'9	15'3	2'2	35	21	6	6	-	-	-	-	-	-	3	2	3	2	2	-	NEWPORT (MON.).
CARDIFF -	176,313	17'2	19'8	19'2	15'1	3'0	103	51	20	9	-	-	-	-	2	-	8	-	2	2	2	-	CARDIFF.
RHONDDA -	122,810	30'7	27'3	20'9	24'3	5'5	91	57	32	6	-	-	-	-	-	-	13	3	3	3	-	-	RHONDDA.
MERTHYR TYDFIL	72,745	20'1	25'1	22'9	20'1	5'0	55	28	16	4	-	-	-	-	-	-	7	-	2	2	-	1	MERTHYR TYDFIL.
SWANSEA -	95,931	27'7	26'1	18'5	15'8	4'9	67	29	14	6	-	-	-	-	-	-	9	-	1	2	-	-	SWANSEA.
GREATER LONDON -	6,907,756	21'8	19'2	16'0	14'5	3'7	3767	1916	684	433	-	-	10	5	27	24	12	412	57	161	558	7	GREATER LONDON.
OUTER RING -	2,258,806	22'3	19'8	15'3	13'0	4'1	1263	562	236	124	-	-	2	3	7	8	4	154	17	37	67	2	OUTER RING.
8 TOWNS IN OUTER RING	1,098,639	25'2	20'7	15'1	13'8	4'8	601	291	131	64	-	-	-	2	5	4	2	89	6	19	37	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	1,160,167	19'6	18'9	15'5	12'2	3'4	662	271	105	60	-	-	2	1	2	4	2	65	11	13	30	2	REMAINDER OF OUTER RING.
EDINBURGH -	331,977	14'8	16'8	12'1	14'0	2'2	154	89	30	26	-	-	1	-	2	3	1	7	3	?	22	4	EDINBURGH.
GLASGOW -	793,357	19'2	17'4	18'5	15'1	2'6	423	231	54	42	-	-	4	1	2	9	2	22	9	?	55	9	GLASGOW.
DUBLIN† -	378,994	24'5	23'5	19'9	20'8	4'4	182	151	51	34	-	-	1	-	-	4	1	26	-	1	48	6	DUBLIN†.
BELFAST† -	358,680	18'6	17'4	18'0	18'5	3'2	196	127	43	24	-	-	1	1	-	1	3	16	2	7	17	?	BELFAST†.

* Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTY-SIXTH Week of each of the Eleven Years, 1894-1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894-1903.*	1904
TOTAL Births -	2369	2486	2449	2655	2446	2412	2628	2582	2515	2505	2601.1	2504
Males -	1293	1246	1281	1374	1222	1212	1307	1369	1280	1300	1327.1	1291
Females -	1166	1240	1168	1281	1224	1230	1321	1213	1235	1205	1274.0	1213
TOTAL Deaths -	1175	1358	1308	1391	2007	1934	1582	1471	1477	1344	1560.7	1354
Males -	629	704	685	708	1049	967	861	759	786	735	817.6	754
Females -	546	654	623	683	958	967	721	712	691	609	743.1	600

* The numbers in this column are the average weekly numbers in the thirty-sixth week of the ten years 1894-1903, raised by 3.723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	June 18.	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.*	Sept. 5.	Sept. 10.	13 Weeks.
TOTAL Births -	2583	2465	2514	2526	2450	2472	2467	2302	2730	2525	2575	2160	2504	32273
TOTAL Deaths -	1142	1143	1148	1151	1152	1320	1423	1745	1912	1923	1682	1459	1354	18557
Ages at Death														
Under 1 year -	237	216	246	270	278	364	492	762	929	917	739	544	448	6442
1-5 years -	151	165	145	146	145	162	184	228	244	245	181	135	124	2255
5-20 " -	74	61	54	72	60	65	71	72	75	61	71	80	59	843
20-40 " -	163	155	170	143	140	163	156	166	132	158	166	149	148	2009
40-60 " -	225	236	240	241	246	248	216	227	263	264	204	228	266	3104
(60 yrs. & upwds.	292	310	293	283	283	318	301	290	269	288	321	343	309	3899
Deaths from—														
Small-pox -	-	1	1	-	-	1	2	-	1	-	-	-	-	7
Measles -	65	55	58	53	39	49	36	31	36	42	30	15	8	517
Scarlet Fever -	10	3	7	9	8	4	7	2	10	4	9	6	2	81
Diphtheria -	7	16	9	7	7	14	5	10	7	9	19	8	20	138
Whooping-cough -	25	17	29	27	29	21	13	21	21	17	20	25	16	281
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	3	5	5	1	5	5	6	7	2	6	4	12	8	69
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery	23	25	24	39	57	161	301	558	687	705	483	338	258	3659
All above Diseases -	133	122	133	136	145	255	370	630	764	783	565	404	312	4752
Dis. of Resp. System	57	64	60	52	62	84	48	54	47	40	35	49	61	665
Pneumonia -	85	77	86	83	93	84	70	58	74	66	66	59	68	909
Phthisis -	162	119	136	132	98	116	113	136	110	133	127	105	122	1609
Dis. of Circ. System	137	156	151	155	156	158	144	134	115	137	147	161	160	1911
Violence -	47	50	43	54	50	83	83	63	62	56	46	47	40	724
Inquest Cases	117	100	115	124	119	152	161	121	148	145	115	118	124	1659
Deaths in Institutions	403	431	435	416	436	511	476	504	498	506	517	496	491	6120
TEMPERATURE OF THE AIR.	o	o	o	o	o	o	o	o	o	o	o	o	o	o
Mean -	59.6	58.6	59.7	63.2	68.1	67.1	65.4	68.1	61.0	59.5	57.6	61.0	57.0	62.0
Mean of Highest	70.8	69.9	71.3	74.3	79.9	79.8	76.9	81.3	72.1	69.6	68.7	71.2	67.0	73.3
Mean of Lowest	51.4	48.2	48.3	53.1	56.3	55.6	56.4	56.3	51.1	51.6	48.9	51.8	48.6	52.1
Mean Humidity of the Air.	72	68	67	70	62	61	75	65	66	75	76	75	77	70
Rain-fall (in inches) -	0.27	0.17	0.15	0.22	0.01	0.04	1.83	0.08	0.06	0.47	0.22	1.01	0.36	4.89
Registered Sunshine (in hours).	44.9	46.8	68.9	50.9	84.7	74.9	34.6	67.8	62.2	38.7	40.6	39.0	41.3	695.3
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox -	80	83	74	71	62	51	46	32	21	18	13	9	8	44
Scarlet Fever -	1630	1629	1631	1685	1698	1754	1784	1758	1763	1745	1781	1820	1816	1730
Diphtheria -	696	671	684	721	764	767	770	786	780	795	813	825	814	760
Typhus -	-	1	1	-	-	-	-	-	-	-	-	-	1	-
Enteric Fever -	63	74	62	60	61	58	67	66	71	89	121	135	158	84

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and F. Boobhyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunna, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 2. LONDON.—DEATHS Registered in the THIRTY-SIXTH Week of the Year 1904.

Names printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 36th week of the year 1903.	1904—Deaths of Persons of the Ages							Deaths in the 36th week of the year 1904.	1904—Deaths of Persons of the Ages							
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.	
			0-1.	1-5.	5-20.						0-1.	1-5.	5-20.				
CAUSES	1344	1354	448	124	59	148	263	309		17	7	4	—	1	1	1	—
										14	8	—	—	—	3	3	—
										6	5	—	—	—	2	2	1
										22	19	18	1	—	—	—	—
										1	1	—	—	—	—	1	—
										6	2	—	—	1	—	1	—
										14	20	3	—	—	3	2	12
										30	37	—	—	2	6	16	13
										21	27	—	—	—	—	7	20
										11	9	—	—	—	—	1	8
										2	3	—	—	—	—	3	—
										—	5	—	—	—	1	2	2
										67	79	—	3	3	8	24	41
										—	—	—	—	—	—	—	—
										—	—	—	—	—	—	—	—
										34	51	12	5	1	1	5	27
										1	3	—	—	—	—	1	2
										2	—	—	—	—	—	—	—
										15	7	1	1	—	—	2	3
										1	—	—	—	—	—	—	—
										19	15	12	2	—	—	—	1
										16	11	11	—	—	—	—	—
										3	—	—	—	—	—	—	—
										17	14	—	—	—	—	1	7
										6	10	—	—	—	—	1	5
										38	44	5	2	8	8	9	12
										7	3	—	—	1	—	2	—
										25	28	—	—	2	5	12	9
										8	11	—	1	—	1	2	7
										5	4	—	—	1	—	3	—
										5	4	—	—	—	4	—	—
										29	42	—	—	—	—	—	42
										114	103	81	10	2	2	5	3

In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 10th September, 1904.

The DEATHS registered during the Week include																		
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of		Deaths from												Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.		
LONDON - - -	4,536,429	2504	1354	448	309	-	8	2	20	16	-	8	-	258	40	124	491	
WEST DISTRICTS - - -	805,311	387	212	62	47	-	1	2	-	2	-	-	-	32	7	22	79	
NORTH DISTRICTS - - -	1,056,070	567	311	90	81	-	2	-	8	4	-	2	-	41	7	17	110	
CENTRAL DISTRICTS - - -	209,465	103	66	21	11	-	1	-	-	-	-	1	-	13	3	6	36	
EAST DISTRICTS - - -	715,739	481	236	89	50	-	-	-	3	1	-	1	-	58	10	37	92	
SOUTH DISTRICTS - - -	1,749,844	966	501	186	109	-	2	-	5	9	-	4	-	111	13	42	146	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	28	-	11	-	-	-	4	-	-	-	-	3	-	-	28	
WEST DISTRICTS.																		
St. Mary Paddington } G. & W.	93,178	53	16	7	1	-	-	-	-	-	-	-	-	4	2	2	4	
W,2H																		
St. John Paddington H - - G.	33,617	7	9	-	2	-	-	-	-	-	-	-	-	-	-	2	5	
North-West Paddington - - C.	17,181	4	9	5	-	-	-	-	-	-	-	-	-	3	-	1	-	
Kensington Town 2W,w,2H G,W.&C.	128,037	44	47	12	12	-	1	-	-	-	-	-	-	9	1	5	21	
Brompton 2H - - W. & C.	48,591	9	4	-	1	-	-	-	-	-	-	-	-	-	-	-	1	
North Hammersmith W,w,H } W.&G.	49,192	30	7	2	1	-	-	-	-	-	-	-	-	-	-	1	-	
South Hammersmith w,2H	63,047	43	14	5	4	-	-	-	-	1	-	-	-	3	-	1	4	
North-west Fulham W } W. & C.	45,180	51	18	10	3	-	-	-	-	-	-	-	-	3	-	-	5	
North-east Fulham F	46,405	35	15	8	2	-	-	2	-	-	-	-	-	3	-	1	2	
South Fulham W	45,704	31	6	5	-	-	-	-	-	-	-	-	-	4	-	-	-	
Chelsea North W,w,3H - - C.	42,514	17	25	5	8	-	-	-	-	1	-	-	-	3	-	-	19	
Chelsea South W,2H - - C.	31,328	12	7	2	3	-	-	-	-	-	-	-	-	-	-	1	-	
May Fair and Knightsbridge C. & G.	28,743	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
Belgrave W,2H - - C.	56,815	18	20	1	6	-	-	-	-	-	-	-	-	-	2	3	14	
St. Margaret & St. John 4H - C.	43,698	19	10	-	2	-	-	-	-	-	-	-	-	-	2	2	2	
St. James Westminster } N. & G.	21,588	9	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
W,H																		
St. Anne Soho 5H - - N.	11,493	2	3	-	2	-	-	-	-	-	-	-	-	-	-	1	2	
NORTH DISTRICTS.																		
All Souls Marylebone 8H - W.	35,391	9	16	2	2	-	-	-	1	-	-	-	-	-	1	1	10	
Rectory Marylebone W G. & W.	19,849	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
St. Mary Marylebone 4H G. & W.	18,099	29	8	5	2	-	-	-	-	-	-	-	-	2	-	-	-	
Christchurch Marylebone H- W.	39,536	9	12	5	3	-	-	-	-	-	-	-	-	2	1	1	-	
St. John Marylebone 3H - W.	20,426	6	5	1	2	-	-	-	-	-	-	-	-	-	-	1	-	
Hampstead W,F,6H - N. & W.	81,942	27	18	6	4	-	-	-	1	-	-	1	-	2	-	1	7	
West St. Pancras 2H - - W.	80,562	19	13	5	3	-	-	-	-	-	-	-	-	3	1	1	1	
Tottenham-court w,6H N. & W.	21,268	15	17	4	5	-	-	-	-	-	-	-	-	-	-	2	13	
Gray's Inn Lane 4H - - N.	34,449	21	13	2	1	-	-	-	1	-	-	-	-	1	-	-	8	
East St. Pancras W,2H - - N.	80,320	45	15	6	2	-	-	-	-	-	-	-	-	2	1	2	2	
North St. Pancras 2W - - N.	58,728	31	15	5	3	-	1	-	-	1	-	-	-	1	-	1	6	
Clifnell W- - - N.	31,995	22	15	1	8	-	-	-	-	-	-	-	-	1	1	1	10	
Upper Holloway 2W,w,2H - - N.	33,978	28	34	4	13	-	1	-	-	-	-	-	-	2	1	3	26	
Polington W- - - N.	33,922	12	7	3	3	-	-	-	-	-	-	-	-	3	-	-	-	
Lower Holloway - - - N.	41,424	24	12	8	1	-	-	-	-	-	-	-	-	5	-	-	-	
Barnsbury - - - N.	54,478	36	14	4	2	-	-	-	-	1	-	-	-	3	-	-	-	
Islington South-east F- - N.	75,397	46	12	6	3	-	-	-	-	-	-	-	-	2	1	1	-	
Highbury 2H - - - N.	63,797	23	8	2	4	-	-	-	-	-	-	-	-	-	-	1	-	
Stoke Newington H - - N.	51,247	22	15	4	3	-	-	-	-	-	-	-	-	2	-	-	-	
North Hackney - - E. & N.	50,560	21	6	1	4	-	-	-	-	-	-	-	-	1	-	-	-	
Central Hackney 2w,F - E. & N.	50,536	34	10	-	2	-	-	-	5	1	-	1	-	-	-	-	6	
South-west Hackney 3H E. & N.	59,921	32	20	6	4	-	-	-	-	-	-	-	-	6	-	-	9	
South-east Hackney 2W,w,H E. & N.	58,265	54	25	10	7	-	-	-	-	-	-	-	-	3	-	1	19	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Companies which supply the different Sub-districts:—G. signifies Grand Junction Company; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent Company.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 10th September, 1904—continued.

REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include														Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of		Deaths from														
				Infants under 1 Year of Age.	Persons aged 40 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhœa.	Violence.					
CENTRAL DISTRICTS.																				
Hile and Bloomsbury W,2H N.	31,436	25	6	3	2	-	-	-	-	-	-	-	-	1	-	1	1	-		
and W,4H - - - N. & C. and Union Workhouse, Edmonton -	21,674	3	16	4	3	-	-	-	-	-	-	-	-	2	-	-	13	-		
born W,6H - - - N.	29,612	7	9	5	-	-	-	-	-	-	-	-	-	4	-	-	8	-		
th Clerkenwell - - - N.	28,676	14	4	2	1	-	-	-	-	-	-	-	-	2	-	-	-	-		
th Clerkenwell H - - - N.	35,028	17	6	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
sbury 3H,L - - - N.	36,116	29	8	2	2	-	-	-	-	-	-	-	-	1	1	2	-	-		
born Union Workhouse, } Richam - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Botolph H - - - N. & E.	10,299	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Sepulchre and Allhallows } 7,2H - - - N.	16,324	4	16	2	2	-	-	-	-	-	-	1	-	1	2	3	14	-		
of London Asylum, Stone - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
EAST DISTRICTS.																				
reditch South* H,L - E. & N.	46,362	19	7	2	-	-	-	-	-	-	-	-	-	1	1	2	-	-		
reditch North-West* W,w,L N.	36,127	26	11	4	3	-	-	-	-	-	-	-	-	3	-	4	7	-		
reditch North-East* - N. & E.	36,148	22	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
reditch Union Workhouse, Wood } Green - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
hnal Green North 2H - E.	51,514	31	13	7	1	-	-	-	-	-	-	-	-	5	1	3	4	-		
hnal Green South - - E.	33,472	28	6	1	2	-	-	-	-	-	-	-	-	-	-	2	-	-		
hnal Green East 2W,H,L - E.	44,694	35	19	6	6	-	-	-	-	-	-	-	-	2	1	1	8	-		
talfields - - - E. & N.	27,969	13	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
le End New Town W,H - E.	28,718	16	33	11	5	-	1	-	2	-	-	-	-	4	1	4	31	-		
odman's Fields - - - E.	22,081	10	5	2	1	-	-	-	-	-	-	-	-	1	1	2	-	-		
George and St. John 2W E.	49,068	33	19	9	3	-	1	-	-	-	-	-	-	4	-	4	4	-		
adwell and Ratcliff W,H,E. & N.	25,568	21	7	3	-	-	-	-	-	-	-	-	-	-	1	1	4	-		
nehouse - - - E.	32,869	21	10	6	1	-	-	-	-	-	-	-	-	4	1	1	-	-		
le End Old Town South- } Western H - - - E.	63,698	51	16	7	4	-	-	-	-	-	-	-	-	5	-	3	1	-		
le End Old Town North- } Eastern W,w - - - E.	49,129	32	25	9	10	-	-	-	-	-	-	1	-	7	1	3	13	-		
w L - - - E.	41,989	23	8	4	1	-	-	-	-	-	-	-	-	5	-	1	-	-		
msley 3w,H - - - E.	68,319	43	34	12	8	-	-	-	1	1	-	-	-	12	1	4	19	-		
plar W,w - - - E.	58,614	57	13	4	3	-	-	-	-	-	-	-	-	5	1	2	1	-		

* On 1st September, 1904, the four sub-districts of Shoreditch district were dissolved and formed into three new sub-districts as above.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 10th September, 1904—continued.

		The DEATHS registered during the Week include														
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	Deaths of		Deaths from										Inquest Cases
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	
SOUTH DISTRICTS.																
Christchurch Southwark W,HL&S.	11,263	10	1	-	-	-	-	-	-	-	-	-	-	-	1	1
St. Saviour Southwark H - S.	12,056	6	16	4	1	-	-	-	-	-	-	-	-	-	1	3
Kent-road - - - S. & L.	21,904	13	5	1	2	-	-	-	-	-	-	-	-	-	-	-
St. George the Martyr } S. & L.	39,094	18	17	8	1	-	-	-	-	1	-	-	-	7	-	1
West W,2H,L - - - }																
Newington North - - S. & L.	49,022	43	12	4	1	-	-	-	-	1	-	-	-	2	-	1
Newington South W - S. & L.	72,841	41	16	9	1	-	-	-	-	-	-	-	-	4	-	1
St. Olave 2W - - - S.	9,817	4	3	1	-	-	-	-	-	-	-	-	-	-	-	1
Bermondsey W - - - S.	82,483	41	10	2	3	-	-	-	-	-	-	1	-	2	-	1
Rotherhithe W,F - - S. & K.	38,460	16	22	9	7	-	-	-	-	-	-	-	-	4	-	1
Waterloo-road 2H - - L. & S.	27,440	23	4	2	-	-	-	-	-	-	-	-	-	-	1	1
Lambeth Church 1st H L. & S.	18,423	7	17	5	2	-	-	-	-	-	-	-	-	-	-	1
Lambeth Church 2nd 2W L. & S.	39,818	30	20	7	4	-	-	-	-	-	-	-	-	5	-	-
Kennington 1st H - - S. & L.	53,198	31	10	4	2	-	-	-	-	-	-	-	-	3	-	1
Kennington 2nd H - - S. & L.	42,896	16	9	3	2	-	-	-	-	1	-	-	-	1	-	1
Brixton F - - - L. & S.	84,232	43	18	8	4	-	-	-	-	1	-	-	-	5	-	-
Norwood W,H - - - L.	35,888	14	6	3	2	-	-	-	-	-	-	-	-	2	1	1
East Battersea H - - S.	72,203	36	16	7	2	-	-	-	-	2	-	1	-	2	1	2
North-west Battersea - - S.	49,656	20	9	4	1	-	-	-	-	-	-	-	-	2	1	2
South-west Battersea W,H - S.	47,048	12	20	2	10	-	1	-	-	-	-	-	-	2	-	1
Clapham 2H - - - S.	51,361	41	9	4	3	-	-	-	-	-	-	-	-	1	-	1
Streatham* W,2w,2F,2L - L.	88,019	65	27	9	10	-	-	-	2	-	-	-	-	3	-	1
Springfield 2W,L - - S.	27,959	15	4	1	2	-	-	-	-	-	-	-	-	1	-	1
Southfields H - - - S.	40,444	25	5	1	1	-	-	-	-	-	-	-	-	2	-	-
Putney - - - - S.	24,139	11	4	1	3	-	-	-	-	-	-	-	-	-	-	-
Dulwich - - - L. & S.	13,359	2	4	3	-	-	-	-	-	-	-	-	-	-	1	1
Camberwell South W,w S. & L.	40,206	21	24	7	12	-	-	-	-	-	-	-	-	6	-	2
Camberwell North W,2L S. & L.	65,584	34	28	11	1	-	-	-	-	1	-	-	-	3	2	3
St. George - - - L. & S.	47,331	28	8	3	1	-	-	-	-	-	-	-	-	2	1	2
Peckham 2W,w - - S., L. & K.	92,859	49	21	7	5	-	-	-	-	-	-	-	-	1	1	4
Deptford North - - - K.	37,613	24	10	7	1	-	-	-	-	-	-	-	-	4	-	-
Deptford Central F - - K.	45,481	24	13	7	3	-	-	-	-	-	-	-	-	5	-	-
Deptford South - - - K.	34,825	17	4	2	-	-	-	-	-	-	-	-	-	2	-	-
Greenwich West 2H - - K.	23,456	10	8	3	3	-	-	-	-	-	-	-	-	3	-	-
Greenwich East 2W,H - K.	43,859	26	25	8	6	-	-	-	-	-	-	-	-	9	-	1
Eltham w,H - - - K.	7,226	4	4	2	1	-	-	-	-	-	-	-	-	1	-	-
Lee w,H - - - K.	25,490	7	4	2	1	-	-	-	-	-	-	-	-	-	-	-
Lewisham W,w,F - - K.	58,352	44	23	9	4	-	1	-	2	1	-	-	-	6	1	2
Sydenham H - - - L.	43,653	22	9	4	2	-	-	-	-	-	-	-	-	1	-	2
Charlton F,2H - - - K.	21,134	9	7	1	-	-	-	-	-	-	-	1	-	2	-	-
Woolwich 4H - - - K.	41,825	26	12	3	1	-	-	-	1	-	-	1	-	4	1	3
Plumstead West W - - K.	18,063	8	2	1	-	-	-	-	-	-	-	-	-	2	-	-
Plumstead East 2W,H - K.	50,264	50	15	7	4	-	-	-	-	1	-	-	-	8	-	-
London County Asy.,Banstead -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Manor Asylum, Epsom - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton Asylum, Epsom - - -	-	-	4	-	1	-	-	-	-	-	-	-	-	-	-	-
Lon. Co. Asy. Epilep. Colony, Epsom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Caterham	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Cane Hill -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-
M.A.B. Hospitals, Dartford - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Darenth -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Dartford } Heath -	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-
London County Asylum, Hanwell -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asy., Hendon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Colney Hatch	-	-	3	-	2	-	-	-	-	-	-	-	-	1	-	-
M.A.B. North-Eastern Hospital -	-	-	4	-	-	-	-	-	4	-	-	-	-	-	-	-
M.A.B. Northern Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Leavesden	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Claybury	-	-	4	-	1	-	-	-	-	-	-	-	-	1	-	-

* On 1st June, 1904, changes were made in the boundary between Streatham sub-district and Mitcham sub-district (3)

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSE HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 10th September, 1904.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include														
					Deaths of		Deaths from												
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
LONDON—OUTER RING	368,580	2,044,973	1263	562	236	124	-	2	3	7	8	4	154	17	37	67	2		
Carshalton W,2F,2H	12,228	32,997	16	4	2	1	-	-	-	-	-	-	3	-	-	-	-		
Epsom, part of* W,w,2F,H	10,423	15,548	4	4	2	1	-	-	-	-	-	-	3	-	1	-	-		
Godstone, part of* W,F	2,754	2,692	-	2	1	-	-	-	-	-	-	-	1	-	-	-	-		
Coulsdon - - -	11,089	8,166	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
South Croydon W	4,200	49,319	23	18	10	6	-	-	-	1	-	-	5	-	1	-	-		
West Croydon 3W,F,H	2,168	42,888	23	20	7	7	-	-	-	1	-	-	3	1	1	-	-		
North Croydon H	2,644	41,698	25	14	7	4	-	-	-	-	-	-	3	-	1	-	-		
Penge W - - -	770	22,465	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Mitcham W - -	11,689	30,015	29	5	1	1	-	-	-	1	-	-	1	-	-	-	-		
Wimbledon F,3H	3,221	41,652	31	11	4	3	-	1	-	-	-	2	1	-	-	1	-		
Kingston W,H -	6,324	42,068	29	24	11	10	-	-	-	-	-	-	3	-	2	7	-		
Surbiton F,H -	3,046	15,017	3	1	-	1	-	-	-	-	-	-	-	-	1	-	-		
Esher, part of* H	5,402	13,100	13	1	-	-	-	-	-	-	-	-	-	-	1	1	-		
Hampton H,L -	4,564	23,456	18	9	4	-	-	-	-	-	-	-	2	1	1	-	-		
Richmond W,H -	2,132	28,865	11	10	2	1	-	-	-	-	-	-	1	-	-	3	-		
Mortlake F - -	2,847	20,628	21	2	1	1	-	-	-	-	-	-	1	-	-	-	-		
Bromley F,2H -	4,703	27,354	18	7	4	2	-	-	-	-	1	-	3	-	2	-	-		
Beckenham H - -	7,825	28,497	14	9	4	1	-	-	-	-	-	-	2	-	-	1	-		
Orpington, part of* W	10,113	9,857	1	4	2	1	-	-	-	-	-	-	2	-	-	1	-		
Chislehurst 2H -	7,333	16,446	8	3	1	1	-	-	-	-	-	-	1	-	-	-	-		
Bexley F,H - -	8,678	21,151	9	3	-	-	-	-	-	-	-	-	-	1	1	-	-		
Erith F,H - - -	3,854	25,296	21	2	2	-	-	-	-	-	-	-	2	-	-	-	-		
Dartford W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Sunbury W - - -	11,054	18,683	10	7	5	2	-	-	-	-	-	-	1	-	-	-	-		
Staines W,H - -	13,277	15,178	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-		
Hillingdon W,F,H	6,035	13,661	11	5	2	1	-	-	-	-	-	-	1	-	-	-	-		
Uxbridge - - -	12,767	8,984	9	3	1	-	-	-	-	-	-	-	-	-	-	-	-		
Hayes W,F,H - -	8,066	16,358	18	6	1	2	-	-	-	1	-	-	-	1	-	-	-		
Isleworth 3W,2F,H	6,859	30,863	19	13	4	4	-	-	-	-	-	-	4	1	1	4	-		
Twickenham F,H	2,421	20,991	19	4	3	-	-	-	-	-	-	-	3	-	-	-	-		
Brentford 2F,2H,L	4,319	48,289	27	17	4	4	-	1	-	-	-	-	2	2	2	3	-		
Chiswick H - - -	1,249	29,809	19	3	-	-	-	-	-	-	-	-	-	-	-	-	-		
Acton W,3H - -	6,132	48,914	39	19	11	2	-	-	-	1	-	-	9	-	-	-	-		
Harrow F,H - - -	13,809	25,523	20	6	3	2	-	-	-	-	-	-	3	-	1	-	-		
Edgware F,2H -	6,994	4,521	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-		
Willesden W,F,2H	4,384	114,811	74	20	11	5	-	-	-	2	-	-	6	-	1	1	-		
Hendon W,F - -	8,362	22,450	10	2	2	-	-	-	-	-	-	-	1	-	-	-	-		
South Mimms 2F,H	17,755	7,308	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Barnet W,3H - -	3,324	17,070	9	3	1	2	-	-	-	-	-	-	-	-	-	1	-		
Finchley F,2H -	4,688	33,692	21	6	1	2	-	-	-	-	-	-	1	-	-	-	-		
Hornsey F,H - -	2,875	72,056	35	7	2	5	-	-	-	-	-	-	1	-	-	-	-		
Wood Green H - -	1,625	34,233	15	14	6	2	-	-	-	1	-	-	4	-	-	1	-		
West Tottenham F	996	48,353	33	13	7	2	-	-	-	-	-	-	2	1	1	-	-		
East Tottenham F,H	2,017	53,688	35	21	8	3	-	-	-	1	-	-	1	3	4	-	-		
Edmonton W,w,2F	7,491	61,892	43	21	7	7	-	1	-	1	-	-	3	-	1	7	-		
Enfield 2W,F,H -	12,601	42,738	18	9	3	3	-	-	-	-	-	-	2	-	1	-	-		
Waltham Abbey -	11,017	6,549	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cheshunt F,H - -	8,479	12,292	6	3	1	-	-	-	-	-	-	-	1	-	-	-	-		
Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Bushey H - - -	9,333	9,173	7	1	1	-	-	-	-	1	-	-	-	-	-	-	-		
Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Stratford H - - -	1,072	44,827	27	9	6	-	-	-	-	-	-	-	6	1	1	1	-		
Plaistow F,2H - -	1,249	90,921	63	33	13	6	-	-	1	-	-	-	13	1	2	3	-		
Canning Town H	1,558	70,718	52	29	15	3	-	-	-	-	-	-	15	1	3	1	-		
Forest Gate W -	808	60,892	26	15	4	6	-	-	-	-	-	-	4	-	-	-	-		
North East Ham W	1,333	58,676	39	15	7	2	-	-	-	-	-	-	2	-	-	-	-		
South East Ham 3F	1,993	37,342	27	14	6	2	-	-	-	-	-	1	7	-	2	-	-		
Wanstead F - - -	1,679	9,179	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
South Leyton 2W -	651	50,467	32	14	5	3	-	-	-	-	-	-	7	-	-	3	-		
North Leyton W,w,F	1,963	48,445	25	24	10	4	-	-	-	1	1	-	4	1	1	11	-		
Walthamstow 3H,L	6,504	108,929	73	25	14	3	-	-	1	1	1	-	9	-	-	1	1		
Chigwell, part of* 2F,H	11,778	16,397	8	4	1	-	-	-	-	-	-	-	-	1	1	2	-		
Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Romford, part of* W,2F	6,556	6,091	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
Ilford F,L - - -	8,496	41,234	28	9	1	4	-	-	-	-	-	-	-	-	-	-	-		
Barking Town F -	5,803	21,547	12	5	2	-	-	-	-	-	-	-	2	1	1	-	-		
Middlesex County Asylum, Wandsworth.	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	3	-		

Parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes, 39: 4, excepting Esher; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.
note * on preceding page.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping- cough.	Fever.
CALCUTTA (including SUBURBS)	847,796	July 30	-	341	20·9	-	1	-	2	-	121½
BOMBAY -	776,006	August 23	399	628	42·1	1	1	-	-	-	107½
MADRAS -	509,346	" 5	415	361	36·8	-	-	?	?	?	97
PARIS -	2,660,559	September 3	999	803	15·6	1	3	2	2*	10	7
BRUSSELS -	575,896	" 3	215	179	15·8	-	3	-	3*	4	-
ANTWERP -	281,376	" 3	159	78	14·1	-	3	-	-	1	1
AMSTERDAM -	547,370	August 27	284	133	12·7	-	2	-	-	1	2
COPENHAGEN -	420,000	September 3	222	104	12·9	-	1	-	-	3	1
STOCKHOLM -	305,115	August 27	130	64	10·8	-	-	-	2*	1	1
CHRISTIANIA -	225,709	September 3	88	54	12·6	-	-	-	1*	2	-
ST. PETERSBURG	1,243,643	August 27	461	482	20·1	2	3	5	8*	2	6
MOSCOW -	1,093,410	" 20	-	612	29·2	2	10	7	13*	-	2
BERLIN -	1,960,909	" 20	926	781	20·7	-	9	14	4*	17	3
HAMBURG -	751,842	September 3	-	246	17·0	-	1	-	2*	3	2
BRESLAU -	445,493	" 3	-	196	22·9	-	1	1	1	-	-
MUNICH -	520,000	" 3	-	213	21·3	-	-	-	1*	2	-
VIENNA -	1,779,869	" 3	-	-	-	-	-	-	-	-	-
PRAGUE -	423,990	August 27	175	189	23·1	-	-	-	2*	1	4
BUDA-PESTH -	813,399	September 3	-	-	-	-	-	-	-	-	-
TRIESTE -	187,251	August 27	122	75	20·5	-	-	1	-	2	-
ROME -	496,201	July 23	198	215	22·5	-	1	1	-	2	4½
VENICE -	166,288	August 27	81	59	18·5	-	-	-	-	1	-
CAIRO -	624,338	-	-	-	-	-	-	-	-	-	-
ALEXANDRIA -	349,300	-	-	-	-	-	-	-	-	-	-
NEW YORK -	3,838,024	August 20	1968	1291	17·6	-	7	5	26*	2	20
PHILADELPHIA -	1,408,154	" 13	-	441	16·3	-	1	-	5*	3	11
BOSTON -	617,950	" 13	-	236	19·9	-	-	-	4*	1	2

* Including deaths from croup.

† Including 6 deaths from plague in Calcutta, and 50 in Bombay.

‡ Including 2 deaths from cholera in Calcutta, and 12 in Bombay.

§ Including 3 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 10th September, 1904.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rain in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	74·6	42·2	57·8	0·36	BRADFORD -	71·0	45·0	57·6	0·1
BRIGHTON -	69·0	47·1	58·7	0·52	LEEDS -	74·0	45·0	57·5	0·1
PORTSMOUTH -	68·0	46·0	58·2	0·33	HULL -	74·0	40·0	57·7	0·0
NORWICH -	72·0	42·8	58·6	0·52	TYNEMOUTH -	71·0	44·0	53·0	0·0
PLYMOUTH -	65·8	45·0	58·1	0·69					
BRISTOL -	68·0	41·0	56·8	0·42	EDINBURGH -	64·5	45·4	54·9	0·1
BIRMINGHAM -	69·1	43·6	56·4	0·16	GLASGOW -	67·5	44·5	56·1	1·1
NOTTINGHAM -	74·2	42·1	57·4	0·08					
LIVERPOOL -	68·0	47·0	57·0	1·07	DUBLIN { Phoenix Park.	68·3	39·0	55·5	0·1
OBSERVATORY.	69·0	41·3	56·0	0·31	WILLIAM Square.†	71·6	47·2	57·9	0·1
MANCHESTER -	65·3	48·5	57·0	0·45					
PRESTON -	72·0	44·2	56·5	0·04	BELFAST -	63·1	44·6	55·1	0·1
Huddersfield -									

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1·4° Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D. Dublin.

1904.	MONTH AND DAY	Phases of the Moon.	daily reading (corrected and reduced to 32° Fahr. heat).	Of the Air.				De- parture from Average of 50 years.	Of the New Moon.				of Hu- midity (Sat- uration 100).	Of Radiation.		Of the Earth's surface below the Surface.	General Direction.		Pressure on the Square Foot.		Robinson's.		Gauge whose receiving surface is at the same level as the Ground.		
				High- est.	Low- est.	Daily Range.	Mean value.		Mean daily value.	Great- est.	Least.	Highest in Sun's rays.		Lowest on the Grass.	A.M.		P.M.	Great- est.	Least.	Mean of 24 hours.	Horizontal Movement of the Air on each Day.	Dag- ger's Average of 16 years.			
SEPTEMBER																									
SUNDAY	- 4	Greatest Dec. N.	in.	71.6	42.2	29.4	55.9	- 3.5	46.2	9.7	23.3	1.8	70	123.3	33.0	61.09	WSW. & SE. S. & S.	NNW. & W. SW. & W.	1.1	0.0	0.0	157	in. -104	2.0	
MONDAY	- 5	..	29.789	74.6	52.2	22.4	63.8	+ 4.5	52.3	11.5	18.9	4.0	66	131.9	44.1	60.85	SSW. & S. SSW. & W.	SSW. & W. SSW. & W.	2.3	0.0	0.2	268	+ 4	6.5	
TUESDAY	- 6	..	29.797	64.3	53.2	11.1	56.5	- 2.6	53.8	2.7	8.3	0.2	91	74.0	48.5	60.59	SSW. & W. SSW. & W.	SSW. & W. SSW. & W.	1.9	0.0	0.1	206	- 60	3.5	
WEDNESDAY	- 7	..	29.906	68.1	49.8	18.3	57.3	- 1.1	50.2	7.6	17.5	0.6	76	118.8	42.2	60.62	SW. & W. SW. & W.	WSW. & W. WSW. & W.	1.7	0.0	0.1	233	- 36	0.0	
THURSDAY	- 8	..	29.902	59.1	47.5	11.6	54.1	- 4.6	53.5	1.6	6.8	0.9	95	80.0	39.7	60.40	SSW. & W. SSW. & W.	SSW. & W. SSW. & W.	2.9	0.0	0.2	264	- 7	7.0	
FRIDAY	- 9	Perigee, New.	29.910	65.9	50.0	15.9	56.5	- 2.0	48.1	10.4	19.6	1.9	68	109.3	43.1	60.21	SSW. & W. SSW. & W.	SSW. & W. SSW. & W.	1.6	0.0	0.1	244	- 30	3.0	
SATURDAY	- 10	In Equator	29.930	65.6	45.2	20.4	54.5	- 3.8	47.0	7.5	17.5	0.0	76	111.2	38.9	60.20	WSW. & W. WSW. & W.	NNW. & WNW. W.	0.7	0.0	0.0	197	- 80	0.0	
MEANS	-		29.886	67.0	48.6	18.4	57.0	- 1.9	49.7	7.3	16.0	1.3	77	106.9	41.4	60.57	SW.		Sum 1569	Sum 0.36	3.1	
No. of Columns	-	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea ; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M. ; noon ; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1863 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's hygrometrical tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 30 years ending 1886, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1876.

In reading columns 8 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: -P. positive ; N. negative ; w. weak ; m. moderate ; s. strong ; and v. variable.

The numbers in column 23, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased to 29.45 in. at the beginning of the week to 29.67 in. by 3h. A.M. on the 6th ; increased to 30.01 in. by 10h. P.M. on the 7th ; decreased to 29.64 in. by 1h. A.M. on the 9th ; and increased to 30.01 in. by midnight on the 10th.

GENERAL REMARKS.

Very fine throughout ; the amount of cloud was usually small.

Very fine ; small amounts of cloud at times. Cloudless in early morning ; generally overcast afterwards with frequent rain between 9h. A.M. and 5h. P.M.

Fine and partially cloudy with occasional showers till evening ; cloudless at night.

Fine in early morning ; overcast afterwards with frequent rain till 7h. P.M.

Generally overcast till noon ; fine and partially cloudy afterwards.

Very fine generally ; partially cloudy.

DATE.	EXPLANATION OF SYMBOLS, see Note.	Registered Sunshine in hours.				Sun above Horizon in hours.				GENERAL REMARKS.			
		High. est.	Low. est.	Daily Range.	Mean value.	De- parture from Average of 50 years.	Mean daily value.	Great. est.	Least.				
SEPTEMBER													
4	m. P. till 1h. A.M. ; w. P. afterwards.	107		133						Very fine throughout ; the amount of cloud was usually small.			
5	w. P. throughout.	121		133						Very fine ; small amounts of cloud at times.			
6	w. P. till 9h. A.M. ; v. P. and s. N. till 6h. P.M. ; m. P. till 10h. P.M. ; w. P. afterwards.	01		132						Cloudless in early morning ; generally overcast afterwards with frequent rain between 9h. A.M. and 5h. P.M.			
7	w. P. till 9h. A.M. ; m. P. till noon ; loss of Register till 5h. P.M. ; v. P. and v. N. till 8h. P.M. ; m. P. afterwards.	88		132						Fine and partially cloudy with occasional showers till evening ; cloudless at night.			
8	m. P. till 2h. A.M. ; w. P. till 7h. A.M. ; v. N. and w. P. till 11h. A.M. ; w. P. afterwards.	00		131						Fine in early morning ; overcast afterwards with frequent rain till 7h. P.M.			
9	w. P. till 8h. A.M. ; m. P. generally afterwards.	52		130						Generally overcast till noon ; fine and partially cloudy afterwards.			
10	w. P. till 9h. A.M. ; s. P. till 6h. P.M. ; m. P. afterwards.	44		130						Very fine generally ; partially cloudy.			
MEANS		Sum 41.3		Sum 921									
No. of Columns	-	28		29									

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 3rd September, 1904.*

BOROUGH.	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Chicken-pox.
WEST.											
Paddington- - - -	146,975	-	11	3	-	1	-	-	1	-	2
Kensington - - - -	179,236	-	4	4	-	-	-	-	2	-	23
Hammersmith - - -	117,412	-	6	12	-	4	-	-	6	-	22
Fulham - - - - -	152,482	-	7	8	-	1	-	-	4	-	9
Chelsea - - - - -	74,329	-	1	1	-	-	-	-	-	1	1
City of Westminster-	177,321	-	9	2	-	-	-	-	2	-	1
NORTH.											
St. Marylebone - - -	130,337	-	6	-	-	1	-	-	3	-	4
Hampstead - - - -	86,663	-	6	1	-	3	-	-	-	-	1
St. Pancras - - - -	235,936	-	34	4	-	8	-	-	7	-	7
Islington - - - - -	341,044	-	23	3	-	3	-	-	5	-	11
Stoke Newington - - -	52,445	-	1	1	-	1	-	-	-	1	2
Hackney - - - - -	226,266	-	24	8	-	2	-	-	5	-	5
CENTRAL.											
Holborn - - - - -	57,161	-	3	1	-	3	-	-	2	-	1
Finsbury - - - - -	98,958	-	7	6	-	-	-	-	3	-	2
City of London - - -	23,482	-	-	-	-	-	-	-	-	-	-
EAST.											
Shoreditch - - - - -	117,033	-	8	6	-	2	-	-	3	-	11
Bethnal Green - - - -	130,207	-	20	11	-	-	-	-	4	-	8
Stepney - - - - -	303,791	-	24	20	-	7	-	-	14	-	14
Poplar- - - - -	169,905	-	18	17	-	4	-	-	5	-	4
SOUTH.											
Southwark- - - - -	207,937	-	11	11	-	2	-	-	7	-	5
Bermondsey - - - - -	129,397	-	6	2	-	7	-	-	5	-	2
Lambeth - - - - -	310,359	-	9	7	-	4	-	-	2	1	3
Battersea - - - - -	175,465	-	4	7	-	1	-	-	1	-	9
Wandsworth - - - - -	257,448	-	10	5	-	-	-	-	3	-	14
Camberwell - - - - -	268,384	1	18	5	-	3	-	-	6	1	8
Deptford - - - - -	113,509	-	6	-	-	-	-	-	2	-	2
Greenwich - - - - -	101,651	-	3	1	-	-	-	-	2	-	2
Lewisham - - - - -	140,401	-	6	5	-	1	-	-	2	-	2
Woolwich - - - - -	123,416	-	10	2	-	-	-	-	-	-	3
Port of London - - -	-	-	-	-	-	1	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.		4,648,950	1	308	143	-	59	-	-	94	4
AGES.											
Ages 0-1 - - - - -	-	-	4	4	-	-	-	-	2	-	14
" 1-5 - - - - -	-	-	108	53	-	3	-	-	4	-	79
" 5- - - - -	-	1	127	47	-	4	-	-	1	-	25
" 10- - - - -	-	-	47	17	-	9	-	-	5	-	8
" 15- - - - -	-	-	4	6	-	8	-	-	6	-	5
" 20- - - - -	-	-	11	5	-	11	-	-	7	2	2
" 25- - - - -	-	-	5	7	-	13	-	-	14	2	5
" 35- - - - -	-	-	1	4	-	4	-	-	9	-	-
" 45- - - - -	-	-	-	-	-	6	-	-	23	-	-
" 55- - - - -	-	-	-	-	-	-	-	-	11	-	-
" 65 and upwards - -	-	-	-	-	-	1	-	-	12	-	-
Age not stated - - -	-	-	1	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING AUGUST, 1904.

*Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
6th September, 1904.*

SIR,

I HAVE to report to you the results of the chemical analysis and physical examination of the water supplied to London by the Water Board during the month of August.

Thirteen samples were taken in each of the eight districts, making a total of 104 samples examined during the month.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

DISTRICTS.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Ni- trates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
THAMES.										
Chelsea - - - -	{ August 15th, Cab Rank, Fulham Road, near Hospital for Women. }	20·0	25·12	·122	·013	0	·163	·176	1·6	17·7
West Middlesex - -	{ August 15th, Cab Rank, Uxbridge Road, by Holland Park. }	19·7	25·30	·146	·012	0	·144	·156	1·6	18·1
Southwark - - - -	{ August 15th, Drinking Fountain, Victoria Circus, Battersea. }	19·3	27·32	·137	·013	0	·173	·186	1·55	19·6
Grand Junction - -	{ August 15th, Cab Rank, Kensington Park Road. }	19·5	26·28	·119	·012	0	·165	·177	1·65	18·3
Lambeth - - - -	{ August 15th, Cab Rank, Waterloo Road, opposite St. John's Church. }	19·7	25·00	·125	·014	0	·153	·167	1·6	18·6
LEA AND WELLS.										
New River - - - -	{ August 15th, Cab Rank, Tottenham Court Road. }	17·8	30·56	·060	·006	0	·199	·205	1·75	20·3
LEA, THAMES, AND HAN- WORTH WELLS.										
East London - - - -	{ August 15th, Cab Rank, High Street, Shoreditch. }	19·5	31·02	·114	·012	0	·360	·372	1·85	20·9
DEEP WELLS.										
Kent - - - -	{ August 15th, Cab Rank, New Cross Station, Jerningham Road. }	13·0	38·40	·036	·004	0	·545	·549	2·0	27·2
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The water collected in the "Chelsea" district of the Water Board on the 15th August at the cab rank in Fulham Road had a temperature of 20·0° C.; 100,000 lbs. of it contained 25·12 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained ·122 lb. of carbon and ·013 lb. of nitrogen. The above quantity of water also contained ·163 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was ·176 lb. The above weight of water also contained 1·6 lb. of chlorine and 17·7 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7 and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on the 15th August were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied from each of the District Works was:—Kent 0·7, New River 1·1, East London 2·1, Grand Junction 2·2, Chelsea 2·3, Lambeth 2·4, Southwark 2·5, and West Middlesex 2·7.

The water distributed in the five districts supplied with filtered Thames water was of good quality; all the samples taken on August 15th were clear, and the mean proportion of organic matter found was very similar to that recorded in the corresponding examination in the previous month.

The filtered Lea and deep-well water distributed from the New River district works was clear and of very good quality.

The water taken in the East London district on the 15th contained a small proportion of water obtained from the Hanworth gravel wells; the supply was clear and of good quality.

The deep-well water sent out from the "Kent" district works was, as usual, of great organic purity and excellent quality.

Seen through a stratum two feet deep the waters distributed in the different districts presented the following appearances:—Kent, colourless; New River, nearly colourless; and the Chelsea, West Middlesex, Southwark, Grand Junction, Lambeth, and East London supplies had a very pale yellow tint.

In addition to the above analytical examination, the 104 samples of water, collected during August at various places in the districts supplied by the Water Board have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded. The following results were obtained:—

RESULTS IN PARTS PER 100,000.

DISTRICTS.	"Oxygen consumed."						"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)					
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
THAMES.									
Chelsea	·059	·051	·056	·064	·057	·062	·0065	·0055	·006
West Middlesex	·069	·059	·062	·074	·063	·069	·007	·006	·0065
Southwark	·076	·058	·067	·082	·062	·073	·007	·0055	·0065
Grand Junction	·069	·056	·061	·076	·061	·069	·007	·0055	·0065
Lambeth	·071	·062	·066	·079	·069	·073	·0075	·006	·007
LEA, WELLS, & C.									
New River	·035	·022	·028	·041	·025	·030	·004	·002	·003
LEA, THAMES AND HAN- WORTH WELLS.									
East London	·062	·050	·057	·068	·057	·063	·0065	·0055	·006
DEEP WELLS.									
Kent	·009	·006	·008	·010	·008	·009	·0015	·001	·0015

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

An examination of the above figures shows that the filtered Thames water, distributed from five of the district works, was of a very uniform character, with respect to the proportion of organic matter it contained, during the whole month, and from reference to previous records it is evident that the Thames-derived supply was well up to its best summer quality.

The filtered Lea and deep-well water supplied in the New River district exhibited a slight rise in the amount of organic matter in the early part of the month, but by the 20th it had again fallen to the low proportion which had been found in this supply during the three months ending July 31st. The New River water was of very good quality during the whole of August, for even the maximum proportion of organic impurity found was no more than half of that recorded in the case of the Thames-derived water.

The East London district supply obtained chiefly from the River Lea, but supplemented with filtered water obtained from the Thames and wells, maintained its good quality during the whole month, and the average proportion of organic impurity found was slightly less than in the water obtained exclusively from the River Thames.

The thirteen samples of deep-well water taken in the Kent district were of uniform high organic purity and excellent quality.

All the samples drawn in the Kent, New River, Chelsea, West Middlesex, and Grand Junction districts were clear, but in the cases of the Southwark, Lambeth, and East London district supplies, on some occasions the samples contained minute amounts of rust-stained suspended matter.

I am, Sir,

Your obedient Servant,

pp. T. E. THORPE.

C. H. BURGE.

The Registrar-General,

Somerset House, W.C.

RETURNS OF LONDON WATER DISTRICTS.

The following is an account of the number of services and the average daily amount of water supplied during the month of August, 1904, exclusive of supply to the Urban District Councils of Tottenham and Enfield. The supply was in the ratio of 240 gallons to one service.

DISTRICTS.	Number of Services.		Average Daily Supply of Water in Gallons.	
	AUGUST, 1903.	AUGUST, 1904.	AUGUST, 1903.	AUGUST, 1904.
TOTAL SUPPLY - - -	972,376	992,215	212,366,474	237,999,015
From Thames - - - -	461,643	471,254	111,872,171	126,062,965
From Lea and from other Sources -	510,733	520,961	100,494,303	111,936,050
THAMES.				
Chelsea - - - - -	39,581	39,866	11,581,613	12,787,419
West Middlesex - - - - -	89,969	91,087	22,328,174	25,399,597
Southwark and Vauxhall - - -	128,450	129,706	31,688,838	35,059,938
Grand Junction - - - - -	74,180	77,110	16,383,994	18,149,492
Lambeth - - - - -	129,463	133,485	29,884,552	34,666,519
LEA AND OTHER SOURCES.				
New River - - - - -	178,623	180,912	40,509,687	45,615,467
East London - - - - -	224,699	229,730	41,594,000	45,409,000
Kent - - - - -	107,411	110,319	18,390,616	20,911,583

Note.—The Return for August, 1904, as compared with that for the corresponding month of 1903, shows an increase of 19,839 services, and of 25,632,541 gallons of water supplied daily. Owing to changes of area, the returns for 1904 are not strictly comparable with those for 1903.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1904.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

~~~~~

By Authority of the Registrar General.

~~~~~

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE E.C.

No. 37. 1904. VOL. LXV.] WEEK ENDED SATURDAY, SEPT. 17. [Price 1½d.

*General Register Office, Somerset House,
September 19th, 1904.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 17·0 per 1000 of their aggregate population, which is estimated† at 15,271,287 persons in the middle of this year. In the preceding three weeks the rates had been 20·5, 18·2, and 17·5. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 24·0 in Walsall, 24·7 in Stockport, 24·8 in Warrington, 25·1 in Hull, 25·5 in Sunderland, 26·1 in Hanley, 27·8 in Salford, and 31·6 in Wigan; from *whooping-cough*, 1·2 in Bristol, 1·7 in Wigan, 2·0 in Great Yarmouth, and 2·6 in Barrow in Furness; and from *diarrhoea*, 7·1 in Gateshead, 7·5 in Ipswich and in Wigan, 7·8 in Hull, 8·5 in Warrington, 9·3 in Burnley and in Sunderland, and 12·2 in Hanley. Three deaths from *small-pox* were registered in Oldham, 1 in Preston, and 1 in Gateshead, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2514 BIRTHS and 1360 DEATHS were registered. Allowing for increase of population, the births were 109 and the deaths 132 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 18·9, 16·4, and 15·2 in the preceding three weeks, was 15·3 last week. During the four weeks ended on Saturday last the death-rate averaged 16·5 per 1000, being 1·1 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, and in certain local Small-pox Hospitals, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1360 deaths included 8 from measles, 14 from scarlet fever, 9 from diphtheria, 16 from whooping-cough, 9 from enteric fever, and 189 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 245 deaths were referred to these diseases in the aggregate, being 44 below the corrected average weekly number.

The deaths from *measles*, which had been 30, 15, and 8 in the preceding three weeks, were 8 last week, and were 8 below the corrected average. The deaths from *scarlet fever*, which had been 9, 6, and 2 in the preceding three weeks, rose last week to 14, and were 2 above the corrected average. The deaths from *diphtheria*, which had been 19, 8, and 20 in the preceding three weeks, fell last week to 9, and were 24 below the corrected average; 3 deaths belonged to the Borough of Poplar. The deaths from *whooping-cough*, which had been 20, 25, and 16 in the preceding three weeks, were 16 last week, and were 10 below the corrected average; 3 deaths belonged to Islington. The fatal cases of *enteric fever*, which had been 4, 12, and 8 in the preceding three weeks, were 9 last week, and were 6 below the corrected average; 2 deaths belonged to Hackney and 2 to Bermondsey. The deaths from *diarrhoea*, which had been 483, 338, and 258 in the preceding three weeks, further fell last week to 189, the corrected average being 185; 16 deaths belonged to Islington, 13 to Stepney, and 11 each to Lambeth, Lewisham and Woolwich. Of the 189 deaths from diarrhoea, 166 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 15 more deaths at this age. The deaths attributed directly to *influenza* numbered 3, having been 1, 2, and 2 in the preceding three weeks. The death of a male, aged 35, was certified as due to *plumbism*.

Different forms of *violence* caused 46 deaths, concerning all but 1 of which inquests were held. Of these 46 deaths, 8 were cases of suicide, and 2 of homicide, while the remaining 36 were attributed to accident or negligence. Eight of these latter were referred to vehicles in the streets, 4 to burns and scalds, 3 to building operations, 2 to drowning, and 5 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 5 cases of small-pox, 1929 of scarlet fever, 832 of diphtheria, 1 of typhus, and 187 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 1 case, against 0, 2, and 2; of scarlet fever, 340 cases, against 263, 266, and 234; of diphtheria, 134 cases, against 130, 127, and 104; and of enteric fever, 49 cases, against 46, 35, and 41. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended September 10th.

GREATER LONDON.

In Greater London 3827 births and 1904 deaths were registered. Allowing for increase of population these numbers are 32 and 195 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 1 death from scarlet fever, 4 from diphtheria, 6 from whooping-cough, 2 from "fever," and 47 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·85 inches, and that of the Thermometer 56°·4, the latter being 1°·3 below the week's average in the 50 years 1841-90. The general direction of the wind was variable, the horizontal movement of the air being 32 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 37·1 hours; the measured rainfall amounted to 0·24 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

The deaths registered in the week include

Diseases

Causes

Population

TOWNS

TOWNS	Cols.	POPULATION estimated to the middle of the Year 1904.*	Week ended 17th Sept., 1904.				Deaths during the week ended 17th Sept., 1904.	Deaths from										Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.			
			in Cols. 11-17.					Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.						
			27th Aug., 1904.	3rd Sept., 1904.	10th Sept., 1904.	17th Sept., 1904.															Infants under 1 Year of Age.		
76 TOWNS		15,271,287	20'5	18'2	17'5	17'0	4'1	8464	4989	1756	1043	5	45	33	48	73	39	949	159	304	1120	49	76 TOWNS.
LONDON -	-	4,648,950	18'9	16'4	15'2	15'3	2'7	2514	1360	401	346	-	-	8	14	13	9	189	46	104	529	3	LONDON.
(CROYDON -	-	144,419	17'7	12'3	18'1	17'3	1'8	54	48	17	10	-	1	-	1	-	-	3	2	3	18	-	(CROYDON.
WILLESDEN -	-	132,666	15'7	13'0	8'3	10'6	2'8	97	27	14	6	-	-	-	-	-	-	6	-	1	4	-	WILLESDEN.
HORNSEY -	-	81,221	7'7	6'4	5'1	12'8	2'6	41	20	5	6	-	-	-	-	-	-	2	-	1	1	-	HORNSEY.
TOTTENHAM -	-	112,981	20'8	14'8	17'1	14'3	1'8	77	31	7	7	-	-	-	1	1	1	2	1	3	8	-	TOTTENHAM.
WEST HAM -	-	288,424	23'7	18'8	16'5	14'3	4'5	199	79	28	10	-	1	1	1	2	2	19	4	7	16	-	WEST HAM.
EAST HAM -	-	116,902	27'2	15'2	13'8	6'7	1'3	81	15	3	4	-	-	-	-	-	-	3	1	1	1	-	EAST HAM.
LEYTON -	-	110,844	19'8	16'9	13'2	13'2	2'4	52	28	10	5	-	1	-	-	-	-	4	-	-	4	-	LEYTON.
(WALTHAMSTOW -	-	111,282	26'2	16'4	11'7	8'9	1'9	81	19	8	4	-	-	1	-	-	-	2	-	-	1	-	(WALTHAMSTOW.
HASTINGS -	-	68,503	13'3	17'2	14'1	7'1	0'8	18	9	2	5	-	-	-	-	-	-	1	-	-	2	-	HASTINGS.
BRIGHTON -	-	126,286	16'1	17'3	14'0	16'1	2'1	68	39	10	13	-	-	-	1	-	-	1	3	-	16	-	BRIGHTON.
PORTSMOUTH -	-	198,038	17'1	20'8	20'8	18'4	5'5	112	70	28	21	-	-	-	1	-	1	19	3	6	8	-	PORTSMOUTH.
BOURNEMOUTH -	-	64,645	11'3	16'1	16'1	9'7	1'6	21	12	4	3	-	-	-	1	-	-	1	-	-	2	-	BOURNEMOUTH.
SOUTHAMPTON -	-	112,500	12'5	11'1	15'3	12'5	5'6	54	27	11	4	-	-	-	-	1	-	11	-	2	3	-	SOUTHAMPTON.
READING -	-	76,373	21'2	13'7	16'4	9'6	0'7	32	14	5	4	-	-	-	-	-	-	1	-	4	1	-	READING.
NORTHAMPTON -	-	91,146	21'2	18'9	15'4	14'9	2'9	45	26	11	8	-	-	-	-	-	-	4	-	2	2	-	NORTHAMPTON.
IPSWICH -	-	69,805	17'2	14'9	17'9	18'7	7'5	37	25	13	5	-	-	-	-	-	-	10	-	1	3	-	IPSWICH.
GREAT YARMOUTH -	-	52,099	19'0	21'0	33'0	23'0	6'0	24	23	11	7	-	-	-	-	2	-	4	2	2	2	-	GREAT YARMOUTH.
NORWICH -	-	115,538	22'6	19'9	14'0	17'6	3'2	52	39	11	10	-	-	-	-	-	2	5	1	3	9	1	NORWICH.
PLYMOUTH -	-	114,003	29'3	27'4	28'4	17'8	6'4	43	39	16	11	-	1	-	-	-	-	13	4	5	10	-	PLYMOUTH.
DEVONPORT -	-	75,334	15'2	18'0	17'3	18'7	4'8	30	27	11	5	-	-	-	-	-	1	6	1	2	3	1	DEVONPORT.
BRISTOL -	-	343,204	15'8	15'5	13'7	16'6	3'0	177	109	29	33	-	-	-	1	8	1	10	5	13	18	-	BRISTOL.
HANLEY -	-	63,932	31'8	28'5	31'8	26'1	13'9	53	32	18	2	-	-	-	2	-	-	15	-	1	1	-	HANLEY.
BURTON-ON-TRENT -	-	51,934	19'1	15'1	16'1	9'0	1'0	22	9	2	2	-	-	-	-	1	-	-	-	-	3	-	BURTON-ON-TRENT.
WOLVERHAMPTON -	-	98,194	22'3	24'4	15'4	13'8	6'9	53	26	11	7	-	-	-	-	-	-	13	1	3	4	-	WOLVERHAMPTON.
WALSALL -	-	91,432	25'1	20'0	13'7	24'0	8'0	56	42	13	13	-	-	-	-	-	-	11	1	1	3	-	WALSALL.
HANDSWORTH -	-	59,634	17'5	13'1	9'6	6'1	0'9	33	7	3	1	-	-	-	-	-	-	1	1	1	3	-	HANDSWORTH.
WEST BROMWICH -	-	67,186	17'1	17'9	17'9	17'9	4'7	46	23	13	4	-	-	-	-	-	-	6	-	-	4	-	WEST BROMWICH.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BITES, DEATHS and DEATH-RATES during the Week ended Saturday, 17th September, 1904, and DEATH-RATES during the preceding three weeks.

TOWNS.	COLS.	POPULATION estimated to the middle of the Year 1904.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the week ended 17th Sept., 1904.		Deaths of Persons aged under 1 Year of Age.		Deaths from								The DEATHS registered in the Week include					TOWNS.									
			Week ended				6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.												
			27th Aug., 1904.	3rd Sept., 1904.	10th Sept., 1904.	17th Sept., 1904.																		Small-pox.	Measles.		Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Cause of Death.
BIRMINGHAM	-	537,905	21'5	15'7	17'5	17'5	4'7	324	181	67	36	-	1	-	2	3	-	42	6	8	36	3	BIRMINGHAM.												
KINGS NORTON.	-	66,667	12'5	7'8	9'4	13'3	-	44	17	5	5	-	-	-	-	-	-	-	-	-	1	-	KINGS NORTON.												
SMETHWICK	-	60,691	15'5	12'0	8'6	10'3	3'4	31	12	9	2	-	-	-	-	1	-	3	-	1	-	-	SMETHWICK.												
ASTON MANOR	-	80,363	26'0	13'0	13'6	11'7	1'9	43	18	9	3	-	-	-	-	1	-	2	-	2	-	1	ASTON MANOR.												
COVENTRY	-	73,904	12'7	14'1	16'2	12'0	2'8	40	17	8	4	-	-	-	1	-	-	3	2	2	2	2	COVENTRY.												
LEICESTER	-	224,186	19'1	18'4	14'7	16'5	6'5	113	71	31	8	-	-	-	-	3	-	25	1	5	8	1	LEICESTER.												
GRIMSBY	-	66,958	21'0	23'4	20'2	18'7	6'2	41	24	11	3	-	-	-	1	-	1	6	2	3	2	-	GRIMSBY.												
NOTTINGHAM	-	248,811	19'7	13'6	19'1	14'5	2'9	138	69	24	11	-	-	-	2	3	-	9	3	4	13	-	NOTTINGHAM.												
DERBY	-	120,449	13'4	8'2	18'6	14'3	2'2	55	33	10	6	-	-	-	-	1	-	4	2	6	5	-	DERBY.												
STOCKPORT	-	97,008	16'7	26'3	20'4	24'7	4'8	52	46	13	9	-	1	1	-	1	-	6	3	5	10	-	STOCKPORT.												
BIRKENHEAD	-	114,814	29'5	20'4	23'2	19'5	7'3	58	43	27	5	-	2	-	-	1	-	13	1	2	4	-	BIRKENHEAD.												
WALLASEY	-	60,354	13'0	17'3	21'6	10'4	3'5	34	12	6	1	-	-	-	-	-	-	3	-	-	1	-	WALLASEY.												
LIVERPOOL	-	723,430	29'4	27'2	24'7	22'3	7'2	444	310	97	55	-	-	1	5	2	1	77	14	18	77	8	LIVERPOOL.												
BOOTLE	-	61,755	30'4	28'7	23'6	17'7	5'1	55	21	7	5	-	2	-	-	-	-	4	-	-	4	2	BOOTLE.												
ST. HELENS	-	88,545	25'9	19'4	25'3	20'6	3'5	50	35	14	4	-	-	-	-	1	1	4	-	-	5	-	ST. HELENS.												
WIGAN	-	62,800	31'6	25'7	29'9	31'6	9'1	42	38	21	6	-	-	-	-	2	-	9	1	2	1	-	WIGAN.												
WARRINGTON	-	67,331	20'1	24'8	20'1	24'8	9'3	40	32	9	5	-	1	-	-	-	-	11	1	1	3	5	WARRINGTON.												
BOLTON	-	175,744	17'2	13'6	18'4	14'5	3'9	83	49	19	7	-	-	-	-	-	-	12	1	2	4	-	BOLTON.												
BURY	-	58,450	23'2	23'2	13'4	18'7	1'8	20	21	4	6	-	-	-	-	-	-	2	-	2	-	-	BURY.												
MANCHESTER†	-	557,938	24'3	24'6	21'2	20'9	4'3	338	214	86	28	-	-	-	3	-	2	1	40	5	8	46	3	MANCHESTER.†											
SALFORD	-	228,983	33'5	26'6	23'7	27'8	7'5	144	122	50	19	-	5	-	-	1	1	24	6	9	23	-	SALFORD.												
OLDHAM	-	139,497	16'1	15'3	16'8	19'8	6'0	52	53	12	13	-	-	-	1	-	-	1	9	1	8	-	OLDHAM.												
ROCHDALE	-	85,601	16'4	16'4	15'8	21'3	3'7	32	35	5	13	-	-	-	-	1	-	1	3	-	5	1	ROCHDALE.												
BURNLEY	-	100,569	22'3	19'2	24'4	22'8	9'3	43	44	16	4	-	-	-	-	-	-	18	1	1	5	-	BURNLEY.												
BLACKBURN	-	132,134	11'0	11'0	17'8	16'2	3'9	50	41	20	8	-	-	-	1	-	1	8	1	2	3	-	BLACKBURN.												
PRESTON	-	115,055	19'5	22'2	21'3	19'0	8'2	62	42	18	4	1	-	-	-	-	-	-	-	-	-	1	-	PRESTON.											
BARROW-IN-F	-	59,454	14'0	14'0	17'5	18'4	6'1	38	21	6	1	-	-	-	-	-	-	15	-	-	3	1	BARROW-IN-F.												

TOWNS.	POPULATION estimated to the middle of the Year 1904.*	Week ended				5.	during the week ended 17th Sept., 1904.		Deaths of		Deaths from								Deaths in Public Institutions.	Unrecorded Causes of Death.	TOWNS.	
		11-17.					7.	8.	9.	10.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.				Inquest Cases.
		27th Aug., 1904.	3rd Sept., 1904.	10th Sept., 1904.	17th Sept., 1904.																	
COLS.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	COLS.
HUDDESFIELD	-	94,925	22'5	15'4	14'3	11'5	48	21	7	7	-	-	-	-	-	-	3	2	2	4	-	HUDDESFIELD.
HALIFAX	-	107,580	11'1	11'6	15'0	13'1	41	27	9	9	-	-	-	1	-	-	3	-	1	1	1	HALIFAX.
BRADFORD	-	285,089	21'4	17'0	16'5	18'5	115	101	29	19	-	-	-	3	4	1	16	3	6	18	-	BRADFORD.
LEEDS	-	450,142	19'6	15'6	14'2	15'6	254	135	42	28	-	2	1	1	1	1	20	3	6	15	-	LEEDS.
SHEFFIELD	-	432,940	22'0	19'3	22'6	20'2	260	168	64	41	-	-	1	2	3	2	32	6	10	35	1	SHEFFIELD.
ROTHERHAM	-	58,498	15'2	15'2	25'0	20'5	37	23	12	3	-	-	-	-	1	-	7	2	2	3	2	ROTHERHAM.
YORK	-	81,268	25'7	19'2	17'3	18'6	50	29	15	3	-	-	-	-	-	-	7	-	4	4	-	YORK.
HULL	-	253,865	26'5	26'3	21'2	25'1	161	122	55	19	-	1	-	2	-	5	38	1	3	22	-	HULL.
MIDDLESBROUGH	-	96,684	24'3	27'5	23'7	17'8	69	33	14	6	-	-	-	-	-	1	9	2	3	8	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	-	52,192	14'0	23'0	21'0	23'0	23	23	6	5	-	-	-	-	-	1	5	1	1	-	1	STOCKTON-ON-TEES.
WEST HARTLEPOOL	-	68,251	12'0	15'1	12'8	16'6	43	22	9	2	-	-	-	1	-	-	2	1	3	3	-	WEST HARTLEPOOL.
SUNDERLAND	-	151,157	19'3	19'7	18'3	25'5	95	74	35	8	-	-	-	-	1	1	27	3	3	10	1	SUNDERLAND.
SOUTH SHIELDS	-	107,334	10'2	18'0	16'5	22'8	57	47	10	14	-	-	-	-	1	-	1	1	1	7	3	SOUTH SHIELDS.
GATESHEAD	-	118,067	24'3	25'2	22'5	19'4	75	44	25	3	1	2	-	-	-	-	16	-	-	1	2	GATESHEAD.
NEWCASTLE-ON-TYNE	-	225,362	21'1	21'7	19'4	19'9	124	86	28	12	-	2	1	1	1	-	11	1	6	17	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH	-	53,060	25'6	25'6	26'5	21'3	36	22	10	1	-	-	-	-	-	-	4	1	1	2	-	TYNEMOUTH.
NEWPORT (MON.)	-	71,543	17'5	18'9	15'3	13'8	50	19	5	4	-	-	-	-	-	-	5	1	2	3	-	NEWPORT (MON.).
CARDIFF	-	176,313	19'8	19'2	15'1	12'1	97	41	12	8	-	1	-	-	-	1	1	2	2	8	-	CARDIFF.
RHONDDA	-	122,310	27'3	20'9	24'3	15'8	88	37	18	4	-	-	-	-	-	-	13	3	2	1	-	RHONDDA.
MERTHYR TYDFIL	-	72,745	25'1	22'9	20'1	20'8	47	29	15	3	-	-	-	-	-	-	7	1	3	2	1	MERTHYR TYDFIL.
SWANSEA	-	95,931	26'1	18'5	15'8	21'7	56	40	14	11	-	-	-	1	-	-	4	2	2	6	1	SWANSEA.
GREATER LONDON	-	6,907,756	19'2	16'0	14'5	14'4	3827	1904	539	484	-	11	16	17	27	15	276	63	143	613	4	GREATER LONDON.
OUTER RING	-	2,258,806	19'8	15'3	13'0	12'6	1313	544	188	133	-	3	2	8	11	6	87	17	39	84	1	OUTER RING.
8 TOWNS IN OUTER RING	-	1,098,639	20'7	15'1	13'8	12'7	682	267	92	52	-	3	1	4	5	4	40	8	16	53	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	-	1,160,167	18'9	15'5	12'2	12'5	631	277	96	86	-	-	1	4	6	2	47	9	23	31	1	REMAINDER OF OUTER RING.
EDINBURGH	-	331,977	16'8	12'1	14'0	15'1	175	96	12	27	-	1	-	2	4	-	4	4	?	30	4	EDINBURGH.
GLASGOW	-	798,357	17'4	18'5	15'1	17'8	447	272	80	50	1	2	-	2	6	2	42	10	?	64	10	GLASGOW.
DUBLIN†	-	378,994	23'5	19'9	20'8	16'8	177	122	43	20	-	-	-	1	-	2	14	2	4	45	2	DUBLIN†.
BELFAST†	-	368,680	17'4	18'0	18'5	17'9	233	123	38	18	-	2	-	-	1	4	14	4	5	23	?	BELFAST†.

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTY-SEVENTH Week of each of the Eleven Years, 1894-1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894-1903.*	1904
TOTAL Births -	2569	2557	2440	2633	2499	2675	2519	2442	2370	2584	2622.9	2514
Males - -	1251	1289	1217	1353	1266	1382	1296	1227	1251	1319	1332.9	1287
Females - -	1318	1268	1223	1280	1233	1293	1223	1215	1119	1265	1290.0	1227
TOTAL Deaths -	1241	1298	1251	1378	1832	1643	1470	1398	1471	1402	1491.9	1360
Males - -	624	659	633	740	972	883	789	753	786	736	791.4	703
Females - -	617	639	568	638	860	760	681	640	685	666	700.5	657

* The numbers in this column are the average weekly numbers in the thirty-seventh week of the ten years 1894-1903, raised by 3.723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	June 25.	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	13 Weeks
TOTAL Births -	2465	2514	2536	2450	2472	2467	2302	2730	2525	2575	2160	2504	2514	32204
TOTAL Deaths -	1143	1148	1154	1152	1320	1423	1745	1912	1923	1682	1459	1354	1360	18775
Ages at Death {														
Under 1 year -	216	246	270	278	364	492	762	929	917	739	544	448	401	6606
1-5 years -	165	145	146	145	162	184	228	244	245	181	135	124	116	2220
5-20 " -	61	54	72	60	65	74	72	75	61	71	60	59	62	886
20-40 " -	155	170	143	140	163	156	166	132	158	166	149	148	140	2026
40-60 " -	236	240	241	246	248	216	227	263	264	204	228	266	255	3134
60 yrs. & upwds	310	293	282	283	318	301	290	269	288	321	343	309	346	3953
Deaths from—														
Small-pox† -	1	1	-	-	1	2	1	1	-	-	-	-	-	460
Measles - -	55	58	53	39	49	36	31	36	42	30	15	8	8	85
Scarlet Fever -	3	7	9	8	14	7	5	10	4	9	6	2	14	140
Diphtheria -	16	9	7	7	14	5	10	7	9	19	8	20	9	272
Whooping-cough -	17	29	27	29	21	13	21	21	17	20	25	16	16	75
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	5	5	1	5	5	6	7	2	6	4	12	8	9	75
Pyæmia (origin uncertain) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery	25	24	30	57	161	301	558	687	705	483	338	258	189	3825
All above Diseases -	122	133	136	145	255	370	630	764	783	565	404	312	245	4364
Dis. of Resp. System -	64	60	52	62	36	48	54	47	40	35	49	61	59	667
Pneumonia - -	77	86	83	93	84	70	58	74	66	66	59	68	82	966
Phthisis - -	119	136	132	98	116	113	136	110	133	127	105	122	141	1588
Dis. of Circ. System -	156	151	155	156	158	144	134	115	137	147	161	160	156	1930
Violence - -	50	43	54	50	83	83	63	62	56	46	47	40	46	722
Inquest Cases -	100	115	124	119	152	161	121	148	145	115	118	124	104	1646
Deaths in Institutions	431	435	416	436	511	476	504	498	506	517	496	491	529	6242
TEMPERATURE OF THE AIR.														
Mean - -	58.6	59.7	63.2	68.1	67.1	65.4	68.1	61.0	59.5	57.6	61.0	57.0	56.4	61.7
Mean of Highest -	69.9	71.3	74.3	79.9	79.8	76.9	81.3	72.1	69.6	68.7	71.2	67.0	66.2	72.9
Mean of Lowest -	48.2	48.3	53.1	56.3	55.6	59.4	56.3	51.1	51.6	48.9	51.8	48.6	47.9	51.4
Mean Humidity of the Air.	68	67	70	62	61	75	65	66	75	76	75	77	81	71
Rain-fall (in inches) -	0.17	0.15	0.22	0.01	0.04	1.83	0.08	0.06	0.47	0.22	1.01	0.36	0.24	4.86
Registered Sunshine (in hours).	46.8	68.9	50.9	84.7	74.9	34.6	67.8	62.2	38.7	40.6	39.0	41.3	37.1	687.6
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	83	74	71	62	51	46	32	21	18	13	9	8	5	38
Scarlet Fever -	1629	1631	1685	1698	1754	1784	1758	1763	1745	1781	1820	1816	1929	1753
Diphtheria -	671	684	721	764	767	770	786	780	795	813	825	814	832	771
Typhus - -	1	1	-	-	-	-	-	-	-	-	-	1	1	1
Enteric Fever -	74	62	60	61	53	67	66	71	89	121	135	158	187	93

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Preswiche, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-SEVENTH Week of the Year 1904.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 37th week of the year 1903.	1904—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 37th week of the year 1903.	1904—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			30 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			30 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES	1402	1360	401	116	62	180	255	346	Meningitis (not tuberc.)	15	15	6	3	2	1	2	1
									Insanity, Gen. Par. of	9	14	-	-	-	5	5	4
									Insane - - -	10	4	-	-	1	3	-	-
Small-pox*	1	-	-	-	-	-	-	-	Epilepsy - - -	19	24	24	-	-	-	-	-
Scalp-pox - - -	-	-	-	-	-	-	-	-	Convulsions - - -	9	1	-	-	-	-	1	-
Measles (Morbilli) -	13	8	1	7	-	-	-	-	Locomotor Ataxy -	19	2	-	-	-	-	1	-
Scarlet Fever - - -	3	14	-	12	2	-	-	-	Paraplegia, Dis. of Cord	18	13	-	-	1	2	4	6
Typhus - - -	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	53	35	-	1	2	7	10	15
Plague - - -	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis-	24	40	-	-	-	-	13	27
Influenza - - -	3	3	-	-	2	-	1	-	Cerebr. Hæm. Thromb.-	15	14	-	-	-	-	8	8
Whooping-cough - -	20	16	5	10	1	-	-	-	Apoplexy, Hemiplegia	4	4	-	-	-	2	2	-
Diphtheria - - -	9	9	2	6	1	-	-	-	Aneurysm - - -	-	1	-	-	-	1	-	-
Cerebro Spinal Fever	-	-	-	-	-	-	-	-	Embolism, Thrombosis }	66	62	-	-	4	5	14	39
Pyrexia,† (Origin un-	-	-	-	-	-	-	-	-	(not cerebral) }	-	-	-	-	-	-	-	-
certain) - - -	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.	-	1	-	-	-	-	-	-
Enteric Fever - - -	5	9	-	-	2	4	3	-	Croup (not Spasm: nor	-	1	-	1	-	-	-	-
Asiatic Cholera - - -	-	-	-	-	-	-	-	-	Membr.) - - -	46	48	6	2	-	1	9	30
Epidemic Diarrhoea }	123	112	94	14	1	-	1	2	Bronchitis - - -	4	2	-	-	-	1	-	-
(Infective Enteritis) }	-	-	-	-	-	-	-	-	Asthma, Emphysema -	7	8	1	2	-	-	2	3
Diarrhoea, Dysentery	94	77	52	6	-	4	6	9	Pleurisy - - -	-	-	-	-	-	-	-	-
Tetanus - - -	3	1	1	-	-	-	-	-	Respiratory Dis. (other)	-	1	-	-	-	-	-	-
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy -	24	10	5	-	-	2	-	3
Glanders - - -	-	-	-	-	-	-	-	-	Enteritis (not Epid.) -	12	18	14	1	1	-	-	2
Anthrax (Splenic Fever)	-	-	-	-	-	-	-	-	Gastro-Enteritis - -	5	3	-	-	1	1	1	-
Veneral Dis. - - -	9	11	7	-	-	1	2	1	Furunculitis (not Puerp.)	16	14	-	-	-	2	6	6
Puerperal Septicæmia	4	4	-	-	-	4	-	-	Cirrhosis of Liver - -	5	5	-	-	-	-	2	3
Puerperal Pyæmia - -	-	-	-	-	-	-	-	-	Liver Dis. (other) - -	38	37	10	2	3	5	9	8
Puerperal Fever - - -	-	-	-	-	-	-	-	-	Digestive Dis., Other -	6	8	-	1	3	2	-	2
Infective Endocarditis	2	2	-	-	1	1	-	-	Bright's Dis., Albumin-	36	32	-	1	1	4	13	13
Lobar - - -	5	15	1	1	2	2	5	4	uria - - -	12	9	-	-	1	1	3	4
Broncho - - -	27	28	7	16	1	-	-	4	Urinary Sys., Other Dis.	5	4	1	-	-	1	2	-
Epidemic - - -	-	-	-	-	-	-	-	-	Generative Organs Dis.	3	6	-	-	-	6	-	-
Not defined - - -	40	39	7	5	2	6	11	8	Childbirth (Acid. of) -	41	60	-	-	-	-	-	60
Erysipelas - - -	5	6	1	-	-	1	3	1	Old Age - - -	125	78	55	9	-	6	1	7
Septicæmia (not Puer-	-	-	-	-	-	-	-	-	Other Diseases - - -								
peral) - - -	-	-	-	-	-	-	-	-									
Pyæmia (not Puerperal)	-	-	-	-	-	-	-	-	ACCIDENT.								
Other Infective Conditions	10	9	1	-	1	4	2	1	By Railways - - -	1	2	-	-	-	-	1	1
Tuberculous Phthisis -	76	80	-	1	2	40	31	6	By Vehicles and Horses-	4	8	-	-	2	2	-	2
" Phthisis" - - -	59	61	-	-	7	26	22	6	In Ships, Boats, Docks,	-	1	-	-	-	1	-	-
Tuberculous Meningitis	13	14	5	3	5	1	-	-	(exclusive of Drown-	-	-	-	-	-	-	-	-
Tuberculous Peritonitis	9	16	6	4	3	3	-	-	ing) - - -	-	3	-	-	-	-	2	1
Tabs Mesenterica - - -	11	9	8	1	-	-	-	-	In Building Operations-	-	-	-	-	-	-	-	-
Tuberculous Dis. (other)-	21	18	7	3	3	2	2	1	In Conflagrations - -	-	-	-	-	-	-	-	-
Scrofula - - -	-	1	1	-	-	-	-	-	By Burns, Scalds, Ex-	-	4	1	-	1	1	1	-
Alcoholism - - -	15	10	-	-	-	4	6	-	plosions - - -	-	-	-	-	-	-	-	-
Rheumatic Fever - - -	2	2	-	-	1	-	1	-	By Drowning - - -	3	2	-	-	-	2	-	-
Gout - - -	2	2	-	-	-	-	2	-	By Suffocation in Bed -	2	5	5	-	-	-	-	-
Carcinoma - - -	54	57	-	-	-	2	24	31	By Poisons or Poisonous	5	1	-	1	-	-	-	-
Sarcoma - - -	7	6	-	-	1	-	3	2	Vapours - - -	-	-	-	-	-	-	-	-
Cancer (undefined) - -	40	31	-	-	1	3	12	15	Other Deaths by Acci-	14	10	2	2	2	1	1	2
Diabetes Mellitus - - -	4	7	-	-	-	1	4	2	dent - - -								
Premature Birth - - -	50	64	64	-	-	-	-	-									
									VIOLENCE OTHER THAN								
									ACCIDENTAL.								
									Homicide - - -	-	2	1	-	-	-	-	1
									Suicide - - -	7	8	-	-	-	4	2	2
									Execution - - -	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 17th September, 1904.

The DEATHS registered during the Week include																	
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of		Deaths from											Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia† (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.	
LONDON - - -	4,536,420	2514	1360	401	346	-	8	14	9	16	-	9	-	189	46	104	529
WEST DISTRICTS - - -	805,311	352	198	54	61	-	-	-	-	5	-	-	-	30	4	12	85
NORTH DISTRICTS - - -	1,056,070	556	307	75	86	-	2	2	-	5	-	3	-	33	15	23	109
CENTRAL DISTRICTS - - -	209,465	122	74	17	11	-	2	1	-	2	-	1	-	13	4	5	49
EAST DISTRICTS - - -	715,739	463	247	86	41	-	4	8	6	1	-	4	-	33	12	29	107
SOUTH DISTRICTS - - -	1,749,844	1021	566	168	138	-	-	-	-	-	-	-	-	76	11	30	151
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	28	1	9	-	-	2	1	-	-	1	-	4	-	-	28
WEST DISTRICTS.																	
St. Mary Paddington } G. & W.	93,178	48	21	10	7	-	-	-	-	-	-	-	-	5	1	3	5
W, 2H																	
St. John Paddington H - - G.	33,617	8	14	2	3	-	-	-	-	-	-	-	-	1	-	1	8
North-West Paddington - - C.	17,181	8	5	2	-	-	-	-	-	-	-	-	-	3	-	1	-
Kensington Town 2W, w, 2H G. & W. & C.	128,037	56	39	9	13	-	-	-	-	1	-	-	-	7	-	2	18
Brompton 2H - - W. & C.	48,591	11	5	1	1	-	-	-	-	1	-	-	-	-	1	1	2
North Hammersmith W, w, H } W. & G.	49,192	24	7	3	3	-	-	-	-	-	-	-	-	-	-	-	-
South Hammersmith w, 2H } W. & G.	63,047	32	14	5	3	-	-	-	-	1	-	-	-	1	1	1	6
North-west Fulham W } W. & C.	45,180	46	20	7	3	-	-	-	-	-	-	-	-	2	-	-	12
North-east Fulham F } W. & C.	46,405	21	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-
South Fulham W } W. & C.	45,704	35	9	2	3	-	-	-	-	1	-	-	-	2	-	1	-
Chelsea North W, w, 3H - - C.	42,514	10	20	4	9	-	-	-	-	-	-	-	-	4	-	-	17
Chelsea South W, 2H - - C.	31,328	17	8	2	5	-	-	-	-	-	-	-	-	3	-	-	2
May Fair and Knightsbridge C. & G.	28,743	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave W, 2H - - C.	55,815	15	15	1	3	-	-	-	-	1	-	-	-	-	1	1	9
St. Margaret & St. John 4H - C.	43,698	12	10	4	2	-	-	-	-	-	-	-	-	2	-	1	5
St. James Westminster } N. & G.	21,588	5	3	-	2	-	-	-	-	-	-	-	-	-	-	-	1
W, H																	
St. Anne Soho 5H - - N.	11,493	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone 8H - - W.	35,391	11	14	-	6	-	-	-	-	-	-	-	-	-	1	1	10
Rectory Marylebone W G. & W.	19,849	8	4	2	1	-	-	-	-	-	-	-	-	-	1	1	1
St. Mary Marylebone 4H G. & W.	18,090	38	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone H- W.	39,536	27	6	5	-	-	-	-	-	-	-	-	-	2	-	1	-
St. John Marylebone 3H - - W.	20,426	12	4	1	1	-	-	-	-	-	-	-	-	-	-	-	1
Hampstead W, L, 3H - N. & W.	81,942	26	25	6	7	-	-	2	-	-	-	-	-	1	1	2	12
West St. Pancras 2H - - W.	60,562	33	19	7	-	-	-	-	-	-	-	-	-	3	2	3	2
Tottenham-court w, 6H N. & W.	21,258	3	13	2	3	-	-	-	-	-	-	-	-	-	1	2	10
Gray's Inn Lane 4H - - N.	34,449	14	5	2	1	-	-	-	-	-	-	-	-	1	4	4	3
East St. Pancras W, 2H - - N.	60,320	35	24	1	13	-	-	-	-	1	-	-	-	3	-	1	13
North St. Pancras 2W - - N.	58,728	28	13	3	4	-	1	-	-	-	-	-	-	1	-	-	6
Tufnell W. - - N.	31,905	19	26	3	9	-	-	-	-	-	-	-	-	-	-	-	20
Upper Holloway 2W, w, 2H - - N.	33,978	15	11	2	1	-	-	-	-	1	-	-	-	-	-	-	10
Tollington W. - - N.	33,922	17	13	3	4	-	-	-	-	-	-	-	-	2	-	1	-
Lower Holloway - - N.	41,424	21	15	7	3	-	-	-	-	-	-	-	-	5	-	2	-
Barnsbury - - N.	54,478	37	4	2	-	-	-	-	-	-	-	-	-	1	-	-	-
Islington South-east F - - N.	75,397	39	22	6	6	-	-	-	-	-	-	-	-	2	-	-	-
Highbury 2H - - N.	63,797	28	11	2	3	-	-	-	-	-	-	-	-	3	-	-	-
Stoke Newington H - - N.	51,247	25	8	1	3	-	-	-	-	-	-	-	-	-	-	-	-
North Hackney - - E. & N.	50,560	28	16	7	6	-	-	-	-	-	-	-	-	1	-	-	-
Central Hackney 2w, F - E. & N.	50,538	22	11	5	1	-	1	-	-	-	-	3	-	2	-	-	4
South-west Hackney 3H E. & N.	59,921	25	15	3	3	-	-	-	-	-	-	-	-	2	3	4	6
South-east Hackney 2W, w, H E. & N.	58,255	42	25	5	9	-	-	-	-	-	-	-	-	3	2	5	11

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G. signifies Grand Junction; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered each SUB-DISTRICT during the Week ended Saturday, 17th September, 1904—continued.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include														Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
				Deaths of		Deaths from																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
CENTRAL DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													</

On 1st September, 1904, the four sub-districts of Shoreditch district were dissolved and formed into three new sub-districts as above.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLE, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 17th September, 1904.—continued.

		The DEATHS registered during the Week include															
REGISTRATION SUB-DISTRICTS.		Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of		Deaths from										Inquest Cases
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Euteric (or Typhoid) Fever.	Pyrexia (Ofem un- certain).	Diarrhoea.	Violence.	
SOUTH DISTRICTS.																	
Christchurch Southwark	W,H,L.&S.	11,283	7	2	-	2	-	-	-	-	-	-	-	-	-	1	
St Saviour Southwark	H - S.	12,058	8	20	5	4	-	-	-	-	-	-	-	-	-	1	
Kent-road	- S. & L.	21,904	11	5	4	4	-	-	-	-	-	-	-	-	-	1	
St. George the Martyr	} S. & L.	39,091	15	14	6	2	-	-	-	-	-	-	-	-	-	1	
West W,2H,L	- }	49,022	31	4	2	2	-	-	-	-	-	-	-	-	-	1	
Newington North	- S. & L.	49,022	31	4	2	2	-	-	-	-	-	-	-	-	-	1	
Newington South	W - S. & L.	72,841	51	8	3	1	-	-	-	-	-	-	-	-	-	1	
St. Olave	2W - - - S.	9,817	7	2	1	1	-	-	-	-	-	-	-	-	1	1	
Bermondsey	W - - - S.	82,483	52	14	7	2	-	-	-	-	-	-	-	-	-	1	
Rotherhithe	W,F - - S. & K.	38,460	24	14	2	5	-	-	-	-	-	-	-	-	-	1	
Waterloo-road	2H - L. & S.	27,440	31	9	4	1	-	-	-	-	-	-	-	-	2	1	
Lambeth Church 1st	H - L. & S.	18,423	13	19	5	1	-	-	-	-	-	-	-	-	4	1	
Lambeth Church 2nd	2W - L. & S.	39,818	32	20	4	7	-	-	-	-	-	-	-	-	2	1	
Kennington 1st	H - S. & L.	63,198	27	6	3	-	-	-	-	-	-	-	-	-	-	1	
Kennington 2nd	H - S. & L.	42,896	11	16	4	8	-	-	-	-	-	-	-	-	1	2	
Brixton	F - L. & S.	84,232	33	16	5	3	-	-	4	-	-	-	-	-	-	1	
Norwood	W,H - - L.	35,888	12	6	2	3	-	-	-	1	-	-	-	-	-	1	
East Battersea	H - - S.	72,203	53	17	9	5	-	-	-	-	-	-	-	-	1	1	
North-west Battersea	- - S.	49,656	34	14	9	2	-	-	-	-	-	-	-	-	6	1	
South-west Battersea	W,H - S.	47,048	20	31	5	14	-	-	-	-	-	-	-	-	1	3	
Clapham	2H - - S.	51,361	33	5	1	1	-	-	-	-	-	-	-	-	-	2	
Streatham	W,2w,2F,2L - L.	88,019	45	32	12	12	-	1	-	-	1	-	-	-	3	2	
Springfield	2W,L - - S.	27,959	21	7	2	3	-	-	-	-	-	-	-	-	2	1	
Southfields	H - - S.	40,444	18	6	2	-	-	1	-	-	-	-	-	-	-	1	
Putney	- - - S.	24,139	9	3	1	-	-	-	-	-	-	-	-	-	-	1	
Dulwich	- - L. & S.	13,359	5	1	-	1	-	-	-	-	-	-	-	-	-	1	
Camberwell South	W,w - S. & L.	40,206	19	21	2	12	-	-	-	-	-	-	-	-	-	1	
Camberwell North	W,2L - S. & L.	65,584	46	27	11	6	-	-	-	-	-	-	-	-	1	1	
St. George	- - L. & S.	47,331	33	6	1	2	-	-	-	-	-	-	-	-	1	1	
Peckham	2W,w - S., L. & K.	92,859	52	25	10	8	-	-	-	-	-	-	-	-	4	1	
Deptford North	- - K.	37,613	27	4	2	1	-	-	-	-	-	-	-	-	-	1	
Deptford Central	F - - K.	45,481	25	11	4	3	-	1	-	-	-	-	-	-	2	1	
Deptford South	- - K.	34,625	11	6	5	-	-	-	-	1	-	-	-	-	1	1	
Greenwich West	2H - - K.	23,466	18	5	2	1	-	1	-	-	-	-	-	-	1	1	
Greenwich East	2W,H - - K.	43,859	31	29	4	12	-	1	-	-	-	-	-	-	2	2	
Eltham	w,H - - K.	7,226	6	1	-	1	-	-	-	-	-	-	-	-	-	1	
Lee	wH - - K.	25,490	12	3	-	1	-	-	-	-	-	-	-	-	-	1	
Lewisham	Ww,F - - K.	58,352	46	28	11	6	-	-	2	1	-	-	-	-	9	1	
Sydenham	H - - L.	43,653	17	9	2	4	-	-	-	-	-	1	-	-	2	1	
Charlton	F,2H - - K.	21,134	11	11	2	-	-	-	1	3	-	-	-	-	-	1	
Woolwich	4H - - K.	41,625	19	10	3	3	-	-	-	-	-	-	-	-	2	1	
Plumstead West	W - - K.	18,063	6	1	-	-	-	-	-	-	-	-	-	-	-	1	
Plumstead East	2W,H - - K.	50,264	59	18	11	1	-	-	-	-	-	-	-	-	9	1	
London County Asy.,Banstead	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	1	
Manor Asylum, Epsom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Horton Asylum, Epsom	-	-	-	4	-	1	-	-	-	-	-	-	-	-	-	1	
Lon. Co. Asy. Epilep. Colony, Epsom	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	
Met. Asy. for Imbeciles, Caterham	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	1	
London County Asy., Cane Hill	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	1	
M.A.B. Hospitals, Dartford	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Met. Asy. for Imbeciles, Darenth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
London County Asylum, Dartford	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	1	
Heath	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
London County Asylum, Hanwell	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-	1	
Central London Sick Asy., Hendon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
London County Asy., Colney Hatch	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	1	
M.A.B. North-Eastern Hospital	-	-	-	4	-	1	-	-	2	1	-	1	-	-	-	1	
M.A.B. Northern Hospital	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Met. Asy. for Imbeciles, Leavesden	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	1	
London County Asylum, Claybury	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSE HOSPITALS, and ASYLUMS).—AREA: POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 17th September, 1904.

					The DEATHS registered in the Week include															
REGISTRATION SUB-DISTRICTS.		Area in Acres.	Enume- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths of		Deaths from												
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unidentified Causes of		
LONDON—OUTER RING		368,589	2,044,973	1313	544	188	138	-	3	2	8	11	6	87	17	39	84	1		
1	Carshalton <i>w, 2F, 3H</i>	12,228	32,997	14	7	2	2	-	-	-	-	-	-	1	-	-	1	-		
2	Epsom, <i>part of</i> * <i>W, w, 2F, H</i>	10,423	15,548	8	4	-	4	-	-	-	-	-	-	-	-	-	2	-		
1	Godstone, <i>part of</i> * <i>W, F</i>	2,754	2,692	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-		
1	Coulsdon	11,069	41,066	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	South Croydon <i>w</i>	4,200	49,319	19	14	5	3	-	-	-	-	-	-	1	1	2	-	-		
3	West Croydon <i>3W, F, H</i>	2,168	42,868	22	21	9	4	-	1	-	1	-	-	1	-	-	12	-		
4	North Croydon <i>H</i>	2,644	41,868	13	13	3	3	-	-	-	-	-	-	1	1	1	3	-		
5	Penge <i>w</i>	770	22,465	8	5	2	2	-	-	-	-	-	-	1	-	-	-	-		
6	Mitcham <i>w</i>	11,689	30,015	27	8	3	2	-	-	-	-	-	-	1	-	-	-	-		
1	Wimbledon <i>F, 3H</i>	3,221	41,521	17	9	2	1	-	-	-	1	1	-	1	-	-	1	-		
2	Kingston <i>W, H</i>	6,224	42,018	32	12	4	4	-	-	-	-	-	-	1	-	1	4	-		
3	Surbiton <i>F, H</i>	3,046	15,017	9	6	1	2	-	-	-	-	-	-	-	-	1	1	-		
4	Esher, <i>part of</i> * <i>H</i>	5,402	13,100	6	3	1	1	-	-	-	-	-	-	-	-	-	-	-		
5	Hampton <i>H, L</i>	4,564	23,466	9	3	1	1	-	-	-	-	-	-	1	-	-	-	-		
1	Richmond <i>W, H</i>	2,162	28,865	5	7	3	1	-	-	-	-	-	-	3	-	-	1	-		
2	Mortlake <i>F</i>	2,847	20,628	13	7	3	2	-	-	-	-	-	-	-	1	2	-	-		
1	Bromley <i>F, 3H</i>	4,703	27,354	26	10	6	1	-	-	-	-	-	-	1	-	1	1	-		
2	Beckenham <i>H</i>	7,825	28,497	11	9	3	3	-	-	-	-	-	-	-	1	2	-	-		
3	Orpington, <i>part of</i> * <i>W</i>	10,113	9,857	7	8	4	3	-	-	-	-	-	-	2	-	1	4	-		
4	Chislehurst <i>2H</i>	7,333	16,446	10	2	1	1	-	-	-	-	-	-	1	-	-	-	-		
1	Bexley <i>F, H</i>	8,678	21,151	14	5	-	2	-	-	-	-	-	-	-	1	1	-	-		
2	Erith <i>F, H</i>	3,854	25,296	19	6	2	3	-	-	-	-	-	-	1	2	2	-	-		
3	Dartford <i>W, F, part of</i> *	-	-	-	3	-	1	-	-	-	-	-	-	-	-	-	3	-		
1	Sunbury <i>w</i>	11,054	18,683	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-		
2	Staines <i>W, H</i>	13,277	15,178	5	3	1	1	-	-	-	-	-	-	2	-	-	1	-		
1	Hillingdon <i>W, F, H</i>	6,035	13,661	3	3	2	1	-	-	-	-	-	-	1	-	-	-	-		
2	Uxbridge	12,757	8,984	5	3	2	1	-	-	-	-	-	-	2	-	-	-	-		
3	Hayes <i>w, F, H</i>	8,066	16,358	15	4	2	1	-	-	-	-	-	-	1	-	-	-	-		
1	Isleworth <i>3W, 2F, H</i>	6,859	30,863	15	14	4	4	-	-	-	-	-	-	1	-	1	3	1		
2	Twickenham <i>F, H</i>	2,421	20,991	13	3	1	1	-	-	-	-	-	-	-	-	-	-	-		
3	Brentford <i>2F, 2H, L</i>	4,319	48,289	28	9	4	3	-	-	-	1	-	-	2	-	-	1	-		
4	Chiswick <i>H</i>	1,249	29,809	9	7	-	2	-	-	-	-	-	-	-	-	1	-	-		
5	Acton <i>w, 3H</i>	6,132	48,914	35	17	7	5	-	-	1	-	1	-	4	2	2	-	-		
1	Harrow <i>F, H</i>	13,809	25,523	20	6	4	1	-	-	-	-	-	-	3	-	-	-	-		
2	Edgware <i>F, 3H</i>	6,994	4,521	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-		
3	Willesden <i>W, F, 2H</i>	4,334	114,811	97	27	14	6	-	-	-	-	-	1	6	-	1	4	-		
4	Hendon <i>W, F</i>	8,382	22,460	9	4	2	1	-	-	-	-	-	-	-	-	-	1	-		
1	South Mimms <i>2F, H</i>	17,755	7,308	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-		
2	Barnet <i>W, 3H</i>	3,324	17,970	14	6	1	5	-	-	-	-	-	-	-	-	-	2	-		
3	Finchley <i>F, 2H</i>	4,688	33,692	25	9	3	4	-	-	-	-	-	-	1	-	-	-	-		
1	Hornsey <i>F, H</i>	2,875	72,056	41	20	5	6	-	-	-	1	1	-	2	-	1	1	-		
2	Wood Green <i>H</i>	1,625	34,233	23	6	2	-	-	-	-	-	-	-	-	-	-	-	-		
3	West Tottenham <i>F</i>	996	48,853	34	8	2	1	-	-	-	1	1	-	-	-	-	-	-		
4	East Tottenham <i>F, H</i>	2,017	53,668	43	18	5	4	-	-	1	1	1	1	1	1	3	3	-		
5	Edmonton <i>W, w, 2F</i>	7,491	61,892	40	22	8	2	-	-	-	1	1	1	8	-	2	6	-		
6	Enfield <i>2W, F, H</i>	12,601	42,738	35	15	4	7	-	-	-	1	2	-	3	-	-	1	-		
7	Waltham Abbey	11,017	6,549	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
8	Cheshunt <i>F, H</i>	8,479	12,292	8	2	1	1	-	-	-	-	-	-	-	-	-	-	-		
1	Hatfield, <i>part of</i> * <i>W</i>	3,305	864	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2	Bushey <i>H</i>	9,333	9,173	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-		
3	Watford <i>W, 2F, part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1	Stratford <i>H</i>	1,072	44,827	24	15	8	2	-	-	-	-	-	-	5	2	4	-	-		
2	Plaistow <i>F, 3H</i>	1,249	90,921	97	20	10	-	-	-	-	1	1	-	8	1	1	5	-		
3	Canning Town <i>H</i>	1,558	70,718	52	24	5	3	-	-	1	-	1	1	4	1	2	2	-		
4	Forest Gate <i>w</i>	806	60,892	26	11	4	3	-	-	-	-	-	-	2	-	-	-	-		
5	North East Ham <i>w</i>	1,333	58,676	43	8	1	3	-	-	-	-	-	-	1	1	1	-	-		
6	South East Ham <i>2F</i>	1,993	37,342	38	6	2	1	-	-	-	-	-	-	2	-	-	-	-		
7	Wanstead <i>F</i>	9,179	9,179	5	1	-	1	-	-	-	-	-	-	-	1	1	-	-		
8	South Leyton <i>2W</i>	631	50,467	30	13	8	1	-	1	-	-	-	-	3	-	-	4	-		
9	North Leyton <i>W, w, F</i>	1,963	48,445	22	23	3	5	-	-	-	-	-	1	1	-	-	8	-		
0	Walthamstow <i>3H, L</i>	6,504	108,929	90	21	9	5	-	1	-	1	-	-	2	-	-	-	-		
1	Chigwell, <i>part of</i> * <i>2F, H</i>	11,778	16,397	5	2	-	1	-	-	-	-	-	-	-	1	1	-	-		
2	Epping <i>W, F, part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
1	Romford, <i>part of</i> * <i>W, 2F</i>	6,556	6,091	4	2	1	1	-	-	-	-	-	-	1	-	-	-	-		
2	Ilford <i>F, L</i>	8,496	41,234	27	13	4	3	-	-	-	1	-	-	2	-	-	4	-		
3	Barking Town <i>F</i>	3,803	21,547	19	6	2	1	-	-	-	-	-	1	-	-	-	-	-		
Middlesex County Asylum, Wandsworth.		-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-		

The parts of sub-districts included within that portion of the Metropolitan Police District, which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Croydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping cough.	Fever.	Diarrhoea
CALCUTTA (including SUBURBS)	847,796	August 6	-	361	22.1	-	-	-	-	-	-	135†
BOMBAY - -	776,006	" 30	382	693	46.4	3	-	-	-	-	-	119†
MADRAS - -	509,346	" 12	422	342	34.9	-	-	?	?	?	-	78
PARIS - - -	2,660,559	September 10	986	691	13.4	3	3	-	5 ^a	7	9	-
BRUSSELS - -	575,896	" 10	218	152	13.5	-	2	-	-	4	-	-
ANTWERP - -	281,376	" 10	142	72	13.1	-	4	-	-	1	1	-
AMSTERDAM -	547,370	" 3	289	121	11.5	-	3	-	1 ^a	1	1	-
COPENHAGEN -	420,000	" 10	242	122	15.1	-	-	-	-	7	-	-
STOCKHOLM -	305,115	" 3	130	82	13.3	-	-	3	1 ^a	2	-	-
CHRISTIANIA -	225,709	" 10	130	56	13.0	-	-	-	1 ^a	-	1	-
ST. PETERSBURG	1,248,643	" 3	408	532	22.2	-	9	11	14 ^a	3	10	-
MOSCOW - - -	1,093,410	" 3	-	552	26.3	2	3	5	3 ^a	4	3	-
BERLIN - - -	1,960,909	August 27	874	769	20.4	-	3	9	5 ^a	12	3	-
HAMBURG - -	751,842	September 10	-	246	17.0	-	-	-	2 ^a	1	1	-
BRESLAU - - -	445,403	" 10	-	212	21.8	-	1	-	-	?	-	-
MUNICH - - -	520,000	" 10	-	199	19.9	-	1	1	2 ^a	2	1	-
VIENNA - - -	1,779,669	" 3	849	542	15.7	-	5	1	6 ^a	2	1	-
		" 10	1024	530	15.3	-	3	1	6 ^a	2	1	-
PRAGUE - - -	423,990	" 3	180	147	17.9	-	-	2	-	2	-	-
BUDA-PESTH -	813,399	" 3	356	276	17.3	-	2	8	6 ^a	2	3	-
		" 10	416	268	17.1	-	3	9	2 ^a	1	7	-
TRIESTE - - -	187,251	" 3	122	86	23.5	-	-	1	-	-	1	-
ROME - - -	496,201	July 30	209	187	19.5	-	2	1	-	-	8	-
VENICE - - -	166,283	September 3	57	46	14.4	-	1	-	1 ^a	-	1	-
CAIRO - - -	624,338	May 20	439	492	41.1	2	38	-	10 ^a	?	20	-
ALEXANDRIA -	349,300	" 20	228	287	42.8	1	1	-	2 ^a	-	6†	-
NEW YORK - -	3,838,024	August 27	1958	1335	18.2	-	4	2	25 ^a	6	27	-
PHILADELPHIA -	1,408,154	" 20	-	420	15.5	-	1	4	7 ^a	5	11	-
BOSTON - - -	617,950	" 20	-	217	18.3	-	2	-	-	3	5	-

* Including deaths from croup.

† Including 8 deaths from plague in Calcutta, 59 in Bombay, and 2 in Alexandria.

‡ Including 4 deaths from cholera in Calcutta, and 39 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 17th September, 1904.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rain in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	71.4	41.2	57.0	0.24	BRADFORD - -	67.8	43.0	55.6	0.†
BRIGHTON - -	69.6	48.2	59.3	0.72	LEEDS - - -	70.0	45.0	57.4	0.†
PORTSMOUTH -	68.0	49.0	59.1	0.90	HULL - - -	65.0	43.0	54.6	0.†
NORWICH - - -	69.0	43.6	57.0	0.17	TYNEMOUTH -	63.0	43.0	52.8	0
PLYMOUTH - -	64.5	48.1	56.3	1.16					
BRISTOL - - -	70.0	43.7	57.2	0.88	EDINBURGH - -	68.4	43.8	53.3	0.†
BIRMINGHAM -	67.4	44.2	56.1	0.64	GLASGOW - - -	69.2	38.0	55.0	0
NOTTINGHAM -	68.4	37.2	56.9	0.26					
LIVERPOOL - -	67.0	47.0	56.4	0.34					
OBSERVATORY. }	68.9	41.7	55.9	0.23	DUBLIN { Phoenix Park. Fitz- william Square.†	66.9	48.9	57.9	1.†
MANCHESTER -	67.5	43.3	56.4	0.04					
PRESTON - - -	66.8	41.5	54.4	0.09	BELFAST - - -	63.1	40.1	54.0	0
HUDDERSFIELD -									

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1.23 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D. Dublin.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 10th September, 1904.*

BOROUGHES,	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Chicken-pox.
WEST.											
Paddington- - - -	146,975	-	11	3	-	1	-	-	3	-	4
Kensington- - - -	179,236	-	2	2	-	1	-	-	4	-	4
Hammersmith- - -	117,412	-	4	3	-	-	-	-	-	-	4
Fulham- - - - -	152,482	-	3	12	-	-	-	-	2	-	2
Chelsea- - - - -	74,329	-	-	1	-	1	-	-	3	-	-
City of Westminster- -	177,321	-	8	3	-	1	-	-	2	-	2
NORTH.											
St. Marylebone- - -	130,337	-	2	3	-	4	-	-	4	-	8
Hampstead- - - -	86,663	-	1	1	-	1	-	-	2	2	3
St. Pancras- - - -	235,936	-	30	7	-	13	-	-	8	-	1
Islington- - - - -	341,044	-	22	8	1	7	-	-	5	1	7
Stoke Newington- - -	52,445	-	3	-	-	-	-	-	1	-	-
Hackney- - - - -	226,266	-	16	11	-	10	-	-	5	-	8
CENTRAL.											
Holborn- - - - -	57,161	-	4	-	-	3	-	-	2	-	2
Finsbury- - - - -	98,958	-	12	5	-	-	-	-	6	1	1
City of London- - - -	23,482	-	-	1	-	-	-	-	-	-	1
EAST.											
Shoreditch- - - - -	117,033	-	4	5	-	3	-	-	5	-	8
Bethnal Green- - - -	130,207	-	17	9	-	3	-	-	8	-	8
Stepney- - - - -	303,791	-	31	25	-	9	-	-	10	-	21
Poplar- - - - -	169,905	-	18	20	-	3	-	-	3	-	3
SOUTH.											
Southwark- - - - -	207,937	-	12	3	-	4	-	-	5	-	5
Bermondsey- - - - -	129,397	-	6	2	-	2	-	-	-	-	6
Lambeth- - - - -	310,359	-	11	4	-	3	1	-	7	-	4
Battersea- - - - -	175,465	-	-	2	-	-	-	-	4	-	4
Wandsworth- - - - -	257,448	1	15	7	-	5	-	-	8	-	12
Camberwell- - - - -	268,384	1	10	5	-	1	-	-	8	-	7
Deptford- - - - -	113,509	-	9	5	-	1	-	-	3	-	6
Greenwich- - - - -	101,651	-	1	1	-	2	-	-	3	-	2
Lewisham- - - - -	140,401	-	8	1	-	-	-	-	1	-	7
Woolwich- - - - -	123,416	1	7	1	-	-	-	-	2	-	7
Port of London- - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.											
4,648,950		3	267	137	1	78	1	-	113	4	147
AGES.											
Ages 0-1- - - - -	-	-	-	4	-	1	-	-	2	-	29
" 1-5- - - - -	-	-	84	49	-	-	-	-	5	-	68
" 5- - - - -	1	122	44	-	9	1	-	-	6	-	41
" 10- - - - -	-	40	9	-	16	-	-	-	5	-	6
" 15- - - - -	1	12	8	-	11	-	-	-	4	-	2
" 20- - - - -	-	5	10	1	13	-	-	-	7	1	1
" 25- - - - -	1	2	6	-	16	-	-	-	15	3	-
" 35- - - - -	-	2	6	-	8	-	-	-	24	-	-
" 45- - - - -	-	-	-	-	4	-	-	-	22	-	-
" 55- - - - -	-	-	-	-	-	-	-	-	18	-	-
" 65 and upwards	-	-	1	-	-	-	-	-	5	-	-
Age not stated- - - -	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1904.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 38. 1904. VOL. LXV.] WEEK ENDED SATURDAY, SEPT. 24. [Price 1½d.

*General Register Office, Somerset House,
September 26th, 1904.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 16·0 per 1000 of their aggregate population, which is estimated† at 15,271,287 persons in the middle of this year. In the preceding three weeks the rates had been 18·2, 17·5, and 17·0. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *all causes*, 21·8 in Burnley, 22·2 in Merthyr Tydfil, 23·1 in Sunderland, 23·2 in Rotherham, 23·7 in Salford and in Middlesbrough, 24·6 in Bolton, and 25·3 in Hanley; from *measles*, 1·8 in Birkenhead; from *whooping-cough*, 1·5 in South Shields, 1·6 in Grimsby, and 2·1 in Rhondda; and from *diarrhœa*, 5·3 in Wolverhampton and in West Hartlepool, 5·7 in Merthyr Tydfil, 5·9 in Middlesbrough and in Tynemouth, 6·0 in Hull, 6·2 in Grimsby and in Burnley, 7·2 in Sunderland, 7·4 in Bolton, 9·0 in Hanley, and 10·1 in Warrington. One death from *small-pox* was registered in Oldham and 1 in Stockton on Tees, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2272 BIRTHS and 1223 DEATHS were registered. Allowing for increase of population, the births were 304 and the deaths 265 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 16·4, 15·2, and 15·3 in the preceding three weeks, fell last week to 13·7. During the four weeks ended on Saturday last the death-rate averaged 15·2 per 1000, being 2·0 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, and in certain local Small-pox Hospitals, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1223 deaths included 6 from measles, 3 from scarlet fever, 19 from diphtheria, 5 from whooping-cough, 13 from enteric fever, and 108 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 154 deaths were referred to these diseases in the aggregate, being 98 below the corrected average weekly number.

The deaths from *measles*, which had been 15, 8, and 8 in the preceding three weeks, were 6 last week, and were 9 below the corrected average; 3 deaths belonged to the Borough of St. Pancras. The deaths from *scarlet fever*, which had been 6, 2, and 14 in the preceding three weeks, fell last week to 3, the corrected average being 11. The deaths from *diphtheria*, which had been 8, 20, and 9 in the preceding three weeks, rose last week to 19, but were 15 below the corrected average; 4 deaths belonged to Stepney and 3 to Bethnal Green. The deaths from *whooping-cough*, which had been 25, 16, and 16 in the preceding three weeks, fell last week to 5, the corrected average being 24. The fatal cases of *enteric fever*, which had been 12, 8, and 9 in the preceding three weeks, rose last week to 13, but were 3 below the corrected average. The deaths from *diarrhoea*, which had been 338, 258, and 189 in the preceding three weeks, further fell last week to 108, and were 42 below the corrected average; 10 deaths belonged to Stepney, 10 to Bermondsey, 9 to Hackney, 8 to Islington, 7 to Lambeth, and 6 to Woolwich. Of the 108 deaths from diarrhoea, 102 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 9 more deaths at this age. The deaths attributed directly to *influenza* numbered 2, having been 2, 2, and 3 in the preceding three weeks.

Different forms of *violence* caused 45 deaths, concerning all of which inquests were held. Of these 45 deaths, 7 were cases of suicide, and 2 of homicide, while the remaining 36 were attributed to accident or negligence. Three of these latter were referred to vehicles in the streets, 8 to drowning, 3 to building operations, 1 to the effects of an anæsthetic administered for surgical purposes, and 6 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 5 cases of small-pox, 1969 of scarlet fever, 834 of diphtheria, 1 of typhus, and 204 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, no case, against 2, 2, and 1; of scarlet fever, 284 cases, against 266, 234, and 340; of diphtheria, 144 cases, against 127, 104, and 134; and of enteric fever, 37 cases, against 35, 41, and 49. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended September 17th.

GREATER LONDON.

In Greater London 3479 births and 1759 deaths were registered. Allowing for increase of population these numbers are 353 and 314 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 1 death from scarlet fever, 7 from diphtheria, 2 from whooping-cough, 5 from "fever," and 26 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·99 inches, and that of the Thermometer 53°·6, the latter being 2°·3 below the week's average in the 50 years 1841-90. The general direction of the wind was North-easterly, the horizontal movement of the air being 10 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 52·7 hours; the measured rainfall amounted to 0·20 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	POPULATION estimated in the middle of the Year 1904.*	DEATH-RATES from all Causes.				Rate from Births and Deaths in Cols.		The DEATHS registered in the Week include										TOWNS.				
		Week ended				11-17.		Registered during the Week ended 24th Sept., 1904.	Deaths of													
		3rd Sept., 1904.	10th Sept., 1904.	17th Sept., 1904.	24th Sept., 1904.	Week ending 24th Sept., 1904.	7.		8.	Infants under 1 Year of Age.	Persons aged 15 and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.		Dysentery.	Violence.	Inquest Cases.	Deaths in Public Institutions.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
76 TOWNS	15,271,287	18'2	17'5	17'0	16'0	3'3	8234	4688	1546	1082	2	37	24	53	50	51	754	159	320	1072	39	76 TOWNS.
LONDON -	4,648,950	16'4	15'2	15'3	13'7	1'7	2272	1223	305	335	-	6	3	19	5	13	108	45	110	475	2	LONDON.
CROYDON -	144,419	12'3	18'1	17'3	14'1	2'5	67	39	13	7	-	-	-	-	-	1	6	1	2	6	-	CROYDON.
WILLESDEN -	132,666	13'0	8'3	10'6	8'3	0'8	75	21	7	7	-	-	-	-	-	-	2	-	1	2	-	WILLESDEN.
HORNEY -	81,221	6'4	5'1	12'8	7'1	0'6	28	11	4	4	-	-	-	-	-	-	1	-	1	-	-	HORNEY.
TOTTENHAM -	112,981	14'8	17'1	14'3	11'5	2'8	68	25	7	6	-	-	-	2	-	-	4	1	2	4	-	TOTTENHAM.
WEST HAM -	283,424	18'8	16'5	14'3	16'5	3'6	181	91	28	16	-	-	2	-	2	-	16	3	8	17	-	WEST HAM.
EAST HAM -	116,902	15'2	13'8	6'7	11'6	1'8	58	26	11	5	-	-	-	-	1	-	3	-	2	2	1	EAST HAM.
LEYTON -	110,844	16'9	13'2	13'2	15'1	2'4	59	32	12	7	-	-	1	-	1	-	3	1	2	4	-	LEYTON.
WALTHAMSTOW -	111,282	16'4	11'7	8'9	10'3	1'9	65	22	3	6	-	-	-	1	-	1	2	1	3	6	-	WALTHAMSTOW.
HASTINGS -	68,603	17'2	14'1	7'1	15'7	3'9	29	20	7	8	-	-	-	1	-	-	4	2	3	7	-	HASTINGS.
BRIGHTON -	126,286	17'3	14'0	16'1	17'8	2'1	57	43	9	18	-	-	-	-	1	-	4	2	7	7	-	BRIGHTON.
PORTSMOUTH -	198,038	20'8	20'8	18'4	20'8	5'3	134	79	28	18	-	-	1	2	-	-	16	3	3	11	1	PORTSMOUTH.
BOURNEMOUTH -	64,645	16'1	16'1	9'7	16'1	-	16	20	-	9	-	-	-	-	-	-	-	2	3	5	-	BOURNEMOUTH.
SOUTHAMPTON -	112,500	11'1	15'3	12'5	18'1	4'6	61	39	13	10	-	-	-	-	-	-	10	-	2	6	-	SOUTHAMPTON.
READING -	76,373	13'7	16'4	9'6	11'6	2'0	41	17	4	5	-	-	-	-	-	-	3	-	-	2	-	READING.
NORTHAMPTON -	91,146	18'9	15'4	14'9	13'7	2'3	30	24	5	9	-	-	-	-	-	-	4	2	2	6	-	NORTHAMPTON.
IPSWICH -	69,805	14'9	17'9	18'7	17'9	3'7	31	24	7	4	-	-	-	-	-	-	5	1	1	5	-	IPSWICH.
GREAT YARMOUTH -	52,099	21'0	33'0	23'0	20'0	4'0	33	20	11	8	-	-	-	-	-	-	4	-	1	-	-	GREAT YARMOUTH.
NORWICH -	115,638	19'9	14'0	17'6	13'1	4'1	66	29	11	8	-	-	-	-	2	-	6	-	2	3	-	NORWICH.
PLYMOUTH -	114,003	27'4	28'4	17'8	20'6	4'1	57	45	12	13	-	1	-	1	-	1	7	2	3	6	1	PLYMOUTH.
DEVONPORT -	75,334	18'0	17'3	18'7	21'5	2'8	37	31	11	11	-	-	-	-	-	1	3	1	4	1	-	DEVONPORT.
BRISTOL -	343,204	15'5	13'7	16'6	10'9	1'4	161	72	23	19	-	-	-	-	1	1	7	3	4	17	-	BRISTOL.
HANLEY -	63,932	28'5	31'8	26'1	25'3	10'6	39	31	14	4	-	1	-	1	-	-	11	1	1	2	1	HANLEY.
BURTON-ON-TRENT -	51,934	15'1	16'1	9'0	7'0	1'0	26	7	4	-	-	-	-	-	-	-	-	1	1	2	1	BURTON-ON-TRENT.
WOLVERHAMPTON -	98,194	24'4	15'4	13'8	17'5	5'8	53	33	15	9	-	-	-	-	-	-	-	1	2	2	-	WOLVERHAMPTON.
WALSALL -	91,432	20'0	13'7	24'0	14'3	4'6	49	25	11	4	-	-	-	1	1	1	10	1	1	3	-	WALSALL.
HANDSWORTH -	59,634	13'1	9'6	6'1	13'1	0'9	23	15	5	4	-	-	-	-	-	-	6	1	1	1	-	HANDSWORTH.
WEST BROMWICH -	67,186	17'9	17'9	17'9	16'3	4'7	37	21	10	2	-	-	1	-	-	-	5	-	-	1	-	WEST BROMWICH.

These towns are included within the area of Greater London.

* See note † on first page of this return

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES during the Week ended Saturday, 24th September, 1904, and DEATH-RATES during the preceding three weeks.

TOWNS.	The DEATHS registered in the Week include										TOWNS.										
	Registered during the Week ended 24th Sept., 1904.		Deaths of				Deaths from					Inquest Cases.		Deaths in Public Institutions.	Uncertified Causes of Death.						
	BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.		Diarrhoea.	Violence.								
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM -	537,965	15.7	17.5	17.5	16.6	3.7	304	67	37	-	1	-	-	4	-	33	7	7	37	3	BIRMINGHAM.
KINGS NORTON -	66,667	7.8	9.4	13.3	13.3	2.3	39	4	3	-	-	-	2	1	-	-	-	-	1	-	KINGS NORTON.
SMETHWICK -	60,691	12.0	8.6	10.3	12.0	3.4	49	9	1	-	-	-	-	-	-	4	-	-	-	-	SMETHWICK.
ASTON MANOR -	80,363	13.0	13.6	11.7	13.0	1.9	46	10	3	-	-	1	-	-	-	2	-	-	3	-	ASTON MANOR.
COVENTRY -	73,904	14.1	16.2	12.0	16.2	2.1	47	10	9	-	-	-	-	-	-	3	-	1	4	1	COVENTRY.
LEICESTER -	224,186	18.4	14.7	16.5	15.1	3.3	138	21	19	-	-	-	-	-	1	13	1	3	15	-	LEICESTER.
GRIMSBY -	66,958	23.4	20.2	18.7	21.0	8.6	39	12	5	-	-	-	1	2	-	8	-	2	7	-	GRIMSBY.
NOTTINGHAM -	248,811	13.6	19.1	14.5	14.9	3.4	116	18	24	-	-	-	1	-	3	12	4	7	15	1	NOTTINGHAM.
DERBY -	120,449	8.2	18.6	14.3	11.7	1.3	63	5	4	-	-	-	1	-	-	2	-	-	-	-	DERBY.
STOCKPORT -	97,008	26.3	20.4	24.7	16.1	5.4	36	12	6	-	-	1	-	-	1	8	1	2	3	-	STOCKPORT.
BIRKENHEAD -	114,814	20.4	23.2	19.5	20.0	5.9	81	15	12	-	4	-	-	2	-	7	4	6	7	-	BIRKENHEAD.
WALLASEY -	60,354	17.3	21.6	10.4	13.8	2.6	35	5	5	-	-	-	-	-	-	3	1	2	3	-	WALLASEY.
LIVERPOOL -	723,430	27.2	24.7	22.3	21.6	5.8	505	91	43	-	7	2	3	4	3	61	12	16	86	11	LIVERPOOL.
BOOTLE -	61,755	28.7	23.6	17.7	16.0	5.1	36	19	3	-	1	-	1	1	-	3	1	1	3	-	BOOTLE.
ST. HELENS -	88,545	19.4	25.3	20.6	17.7	2.9	78	30	9	-	-	-	-	-	1	4	-	1	4	-	ST. HELENS.
WIGAN -	62,800	25.7	29.9	31.6	16.6	0.8	50	5	4	-	-	-	-	-	-	1	1	1	5	-	WIGAN.
WARRINGTON -	67,331	24.8	20.1	24.8	21.7	10.8	30	28	9	6	-	1	-	-	-	13	-	-	3	1	WARRINGTON.
BOLTON -	175,744	13.6	18.4	14.5	24.6	8.3	92	37	16	-	-	-	2	-	1	25	2	6	6	-	BOLTON.
BURY -	58,450	23.2	13.4	18.7	12.5	3.6	20	14	7	-	-	-	-	-	-	4	-	-	2	-	BURY.
MANCHESTER†	557,938	24.6	21.2	20.0	18.9	3.6	322	68	36	-	2	3	-	-	1	5	5	8	43	3	MANCHESTER.†
SALFORD -	228,983	26.6	23.7	27.8	23.7	4.1	123	40	16	-	4	-	3	-	-	11	5	14	18	-	SALFORD.
OLDHAM -	139,497	15.3	16.8	19.8	17.2	6.4	71	46	21	5	1	-	1	1	2	11	-	-	5	1	OLDHAM.
ROCHDALE -	85,601	16.4	15.8	21.3	14.6	0.6	28	24	8	9	-	-	-	-	-	1	1	3	7	-	ROCHDALE.
BURNLEY -	100,569	19.2	24.4	22.8	21.8	6.2	63	42	13	15	-	-	-	-	-	12	3	5	6	-	BURNLEY.
BLACKBURN -	132,134	11.0	17.8	16.2	16.6	3.9	66	42	18	10	-	-	1	-	-	9	3	3	3	1	BLACKBURN.
PRESTON -	115,055	22.2	21.3	19.0	17.7	5.0	57	39	13	11	-	-	-	-	-	8	1	6	2	2	PRESTON.
BARROW-IN-FURTH -	69,054	14.0	17.5	18.4	10.5	2.6	32	13	4	-	-	-	-	-	-	9	-	1	-	-	BARROW-IN-FURTH.

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTY-EIGHTH Week of each of the Eleven Years, 1894–1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894–1903.*	1904
TOTAL Births -	2358	2541	2537	2492	2574	2531	2448	2355	2508	2403	2576·2	2272
Males - -	1224	1278	1308	1287	1323	1302	1235	1191	1329	1225	1315·5	1123
Females - -	1134	1263	1229	1225	1251	1229	1213	1164	1269	1178	1260·7	1149
TOTAL Deaths -	1211	1346	1238	1341	1863	1649	1449	1360	1520	1365	1487·6	1223
Males - -	647	703	621	701	1001	859	768	747	850	718	789·9	643
Females - -	564	643	617	640	862	790	681	613	670	647	697·7	580

* The numbers in this column are the average weekly numbers in the thirty-eighth week of the ten years 1894–1903, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	July 2.	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	13 Weeks.
TOTAL Births -	2514	2526	2450	2472	2467	2802	2730	2525	2575	2160	2504	2514	2272	32011
TOTAL Deaths -	1148	1154	1152	1320	1423	1745	1912	1923	1682	1459	1354	1360	1223	18855
Ages at Death {														
Under 1 year -	246	270	278	364	492	762	929	917	739	544	448	401	305	6695
1–5 years -	145	146	145	162	184	228	244	245	181	135	124	116	113	2168
5–20 " -	54	72	60	65	74	72	75	51	71	60	59	62	76	851
20–40 " -	170	143	140	163	156	166	132	158	166	149	143	150	159	2030
40–60 " -	240	241	246	248	216	227	263	264	204	228	266	255	235	3133
60 yrs. & upwds. -	293	282	283	318	301	290	269	288	321	343	309	346	335	3978
Deaths from—														
Small-pox† - -	1	-	-	1	2	1	1	-	-	-	-	-	-	6
Measles - -	58	53	39	49	36	31	36	42	30	15	8	8	6	411
Scarlet Fever - -	7	9	8	4	7	2	10	4	9	6	2	14	3	85
Diphtheria - -	9	7	7	14	5	10	7	9	19	8	20	9	19	143
Whooping-cough -	29	27	29	21	13	21	21	17	20	25	16	16	5	260
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	5	1	5	5	6	7	2	6	4	12	8	9	13	83
Pyæmia (origin uncertain) -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Diarrhoea, Dysentery -	24	39	57	161	301	558	687	705	483	338	258	189	108	3908
All above Diseases -	133	136	145	255	370	630	764	783	565	404	312	245	154	4896
Dis. of Resp. System														
Pneumonia - -	60	52	62	36	48	54	47	40	35	49	61	59	72	675
Phthisis - -	86	83	93	84	70	58	74	66	66	59	68	82	97	986
Dis. of Circ. System -	136	132	98	116	113	136	110	133	127	105	122	141	142	1611
Violence - -	151	155	156	158	144	134	115	137	147	161	160	156	150	1924
Inquest Cases - -	43	54	50	83	83	63	62	56	46	47	40	46	45	718
Deaths in Institutions -	115	124	119	152	168	121	148	145	115	118	124	104	110	1656
	435	416	436	511	476	504	497	506	517	496	491	529	475	6289
TEMPERATURE OF THE AIR.														
Mean - -	59·7	63·2	68·1	67·1	65·4	68·1	61·0	59·5	57·6	61·0	57·0	58·4	53·6	61·4
Mean of Highest - -	71·3	74·3	79·9	79·8	76·9	81·3	72·1	69·6	68·7	71·2	67·0	66·2	61·3	72·3
Mean of Lowest - -	48·3	53·1	56·3	55·6	56·4	56·3	51·1	51·6	48·9	51·8	48·6	47·9	46·1	51·7
Mean Humidity of the Air.	67	70	62	61	75	65	66	75	76	75	77	81	70	71
Rain-fall (in inches) -	0·15	0·22	0·01	0·04	1·83	0·08	0·06	0·47	0·22	1·01	0·36	0·24	0·20	4·89
Registered Sunshine (in hours).	68·9	50·9	84·7	74·9	34·6	67·8	62·2	38·7	40·6	39·0	41·3	37·1	52·7	693·4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS AT THE END OF EACH WEEK.														Means.
Small-pox - -	74	71	62	51	46	32	21	18	13	9	8	5	5	32
Scarlet Fever - -	1631	1685	1698	1764	1784	1758	1763	1745	1781	1820	1816	1929	1969	1779
Diphtheria - -	684	721	764	767	770	786	780	795	813	825	814	832	834	763
Typhus - -	1	-	-	-	-	-	-	-	-	-	1	1	1	-
Enteric Fever - -	62	60	61	58	67	66	71	89	121	135	158	187	204	103

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Means Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-EIGHTH Week of the Year 1904.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.		Deaths in the 38th week of the year 1903.	1904—Deaths of Persons of the Ages							CAUSES OF DEATH.		Deaths in the 38th week of the year 1903.	1904—Deaths of Persons of the Ages								
			ALL AGES.										ALL AGES.								
			0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.	0-1.				1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.				
CAUSES	1365	1223	305	113	76	159	235	335	Meningitis (not tuberc.)	11	8	5	2	1	-	-	-	-	-	-	-
									Insanity, Gen. Par. of	10	6	-	-	-	-	-	-	-	-	-	-
									Insane -	3	6	-	-	1	2	-	-	-	-	-	3
									Epilepsy -	20	16	16	-	-	-	-	-	-	-	-	-
									Convulsions -	1	4	-	-	-	-	-	-	-	-	-	-
									Locomotor Ataxy -	1	5	1	-	-	-	-	-	-	-	-	-
									Paraplegia, Dis. of Cord	1	5	1	-	-	-	-	-	-	-	-	1
									Nervous Sys. (other dis.)	25	17	2	-	3	-	3	3	9	-	-	-
									Valv. Dis., Endocarditis-	42	37	-	-	7	7	9	14	-	-	-	-
									Cerebr. Ham. Thromb.-	35	27	-	-	-	2	11	14	-	-	-	-
									Apoplexy, Hemiplegia -	16	14	-	-	-	-	3	11	-	-	-	-
									Aneurysm -	4	7	-	-	-	2	3	5	-	-	-	-
									Embolism, Thrombosis }	1	-	-	-	-	-	-	-	-	-	-	
									(not cerebral) -	1	-	-	-	-	-	-	-	-	-	-	
									Heart & Blood Vessel Dis.	77	65	-	-	4	4	14	43	-	-	-	-
									Croup (not Spasm : nor	-	-	-	-	-	-	-	-	-	-	-	
									Membr.) -	-	-	-	-	-	-	-	-	-	-	-	
									Bronchitis -	46	59	10	7	-	2	4	36	-	-	-	-
									Asthma, Emphysema -	1	-	-	-	-	-	-	-	-	-	-	
									Pleurisy -	-	1	-	-	-	-	1	-	-	-	-	
									Respiratory Dis. (other)	10	12	1	4	1	2	2	2	-	-	-	-
									Tonsillitis, Quinsy -	-	-	-	-	-	-	-	-	-	-	-	
									Enteritis (not Epid.) -	15	13	7	2	-	-	-	1	3	-	-	-
									Gastro-Enteritis -	8	16	9	-	1	-	2	4	-	-	-	-
									Feritinitis (not Puerp.) -	3	3	-	-	-	-	-	-	-	-	-	
									Cirrhosis of Liver -	17	16	-	-	-	3	10	3	-	-	-	-
									Liver Dis. (other) -	6	4	-	-	-	2	1	1	-	-	-	-
									Digestive Dis., Other -	43	24	4	-	5	5	6	4	-	-	-	-
									Nephritis, Acute -	6	2	-	-	1	1	-	-	-	-	-	-
									Bright's Dis., Albumin-	27	31	-	-	1	3	12	15	-	-	-	-
									uria -	8	10	-	-	-	-	2	8	-	-	-	-
									Urinary Sys., Other Dis.	-	-	-	-	-	-	-	-	-	-	-	
									Generative Organs Dis.-	2	1	-	-	-	1	-	-	-	-	-	-
									Childbirth (Accid. of)	3	4	-	-	-	3	1	-	-	-	-	-
									Old Age -	37	40	-	-	-	-	-	40	-	-	-	-
									Other Diseases -	124	97	70	6	2	5	7	7	-	-	-	-
ACCIDENT.																					
									By Railways -	2	1	-	-	-	1	-	-	-	-	-	-
									By Vehicles and Horses-	8	3	-	1	1	-	1	-	-	-	-	-
									In Ships, Boats, Docks,-	1	-	-	-	-	-	-	-	-	-	-	-
									(exclusive of Drown-	-	-	-	-	-	-	-	-	-	-	-	-
									ing) -	2	3	-	-	-	1	2	-	-	-	-	-
									In Building Operations -	1	-	-	-	-	-	-	-	-	-	-	-
									In Conflagrations -	4	1	-	1	-	-	-	-	-	-	-	-
									By Burns, Scalds, Ex-	8	8	-	-	-	2	2	2	2	-	-	-
									plosions -	8	6	6	-	-	-	-	-	-	-	-	-
									By Drowning -	3	4	-	1	-	1	1	1	-	-	-	-
									By Suffocation in Bed -	-	-	-	-	-	-	-	-	-	-	-	-
									By Poisons or Poisonous	-	-	-	-	-	-	-	-	-	-	-	-
									Vapours -	15	10	2	2	-	-	3	3	-	-	-	-
									Other Deaths by Acci-	-	-	-	-	-	-	-	-	-	-	-	-
									dent -	-	-	-	-	-	-	-	-	-	-	-	-
VIOLENCE OTHER THAN ACCIDENTAL.																					
									Homicide -	2	1	-	-	-	1	-	-	-	-	-	-
									Suicide -	12	7	-	-	-	-	5	1	-	-	-	-
									Execution -	-	-	-	-	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 24th September, 1904.

The DEATHS registered during the Week include																			
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of														Inquest Cases.	Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from													
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Euteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhœa.	Violence.				
LONDON - - -	4,536,429	2272	1223	305	335	-	6	3	19	5	-	13	-	108	45	110	475		
WEST DISTRICTS	805,311	360	187	46	61	-	-	1	2	-	-	1	-	15	7	16	83		
NORTH DISTRICTS	1,056,070	464	269	60	79	-	4	-	4	-	-	5	-	19	10	29	36		
CENTRAL DISTRICTS	209,465	100	60	17	11	-	-	-	-	1	-	-	-	6	5	7	29		
EAST DISTRICTS -	715,739	455	234	67	51	-	-	3	9	2	-	-	-	24	8	27	104		
SOUTH DISTRICTS	1,749,844	893	452	114	123	-	2	1	2	2	-	5	-	43	15	31	152		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	21	1	10	-	-	1	1	-	-	1	-	1	-	-	21		
WEST DISTRICTS.																			
St. Mary Paddington } G. & W.	93,178	43	26	9	6	-	-	-	-	-	-	-	-	3	-	-	14		
W ² H																			
St. John Paddington H - - G.	33,617	4	10	1	1	-	-	-	-	-	-	-	-	1	2	2	4		
North-West Paddington - - C.	17,181	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Kensington Town 2W, w ² H G., W. & C.	128,037	61	40	10	16	-	-	-	-	-	-	-	-	1	1	4	18		
Brompton 2H - - W. & C.	48,591	10	6	1	4	-	-	-	-	-	-	-	-	1	-	1	1		
North Hammersmith W, w ² H } W. & G.	49,192	35	7	3	1	-	-	-	-	-	-	-	-	1	-	1	-		
South Hammersmith w ² H	63,047	29	14	3	3	-	-	-	-	-	-	-	-	1	1	2	7		
North-west Fulham W } W. & C.	45,180	37	12	3	5	-	-	-	-	-	-	-	-	2	-	7	7		
North-east Fulham F	46,405	30	8	3	-	-	-	1	2	-	-	-	-	1	-	-	3		
South Fulham W	45,704	32	10	4	5	-	-	-	-	-	-	-	-	1	-	-	-		
Chelsea North W, w ³ H - - C.	42,514	13	24	3	12	-	-	-	-	-	-	-	-	1	2	4	16		
Chelsea South W ² H - - C.	31,328	19	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
May Fair and Knightsbridge C. & G.	28,743	5	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-		
Belgrave W ² H - - G.	55,815	19	16	5	4	-	-	-	-	-	-	-	-	2	-	-	7		
St. Margaret & St. John 4H - C.	43,698	17	6	-	1	-	-	-	-	-	-	1	-	1	2	5	5		
St. James Westminster } N. & G.	21,588	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
W ² H																			
St. Anne Soho 5H - - - N.	11,493	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
NORTH DISTRICTS.																			
All Souls Marylebone 8H - W.	35,391	9	12	2	3	-	-	-	-	-	-	-	-	1	1	8	-		
Rectory Marylebone W G. & W.	19,849	6	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
St. Mary Marylebone 4H G. & W.	18,099	37	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
Christchurch Marylebone H- W.	39,536	25	6	2	1	-	-	-	-	-	-	-	-	1	-	1	2		
St. John Marylebone 3H - W.	20,426	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Hampstead W, F, 3H - N. & W.	81,942	27	22	2	7	-	-	-	-	-	-	2	-	-	1	2	13		
West St. Pancras 2H - - W.	60,562	30	15	4	1	-	-	-	-	-	-	-	-	-	-	2	2		
Tottenham-court w, 6H N. & W.	21,268	3	6	-	2	-	-	-	-	-	-	-	-	-	-	2	6		
Gray's Inn Lane 4H - - N.	34,449	21	11	3	1	-	-	4	-	-	-	-	-	1	1	1	4		
East St. Pancras W, 2H - - N.	60,320	29	21	4	8	-	4	-	1	-	-	-	-	1	-	1	14		
North St. Pancras 2W - - N.	58,728	26	13	3	7	-	-	-	-	-	-	-	-	-	-	1	4		
Tufnell W- - - N.	31,995	15	16	2	8	-	-	-	-	-	-	-	-	-	1	1	9		
Upper Holloway 2W, w ² H - - N.	33,978	18	15	2	3	-	-	-	-	-	-	1	-	1	2	2	8		
Tollington W - - - N.	33,922	10	5	2	-	-	-	-	-	-	-	-	-	2	-	-	-		
Lower Holloway - - - N.	41,424	9	9	2	2	-	-	-	-	-	-	-	-	1	-	-	-		
Barnsbury - - - N.	54,478	29	11	6	-	-	-	-	-	-	-	-	-	3	-	-	-		
Islington South-east F - - N.	75,397	27	20	2	12	-	-	-	-	-	-	-	-	1	3	-	-		
Highbury 2H - - - N.	63,797	28	8	1	1	-	-	-	-	-	-	1	-	1	2	-	-		
Stoke Newington H - - N.	51,247	24	9	1	1	-	-	-	-	-	-	-	-	-	-	2	-		
North Hackney - - - E. & N.	50,560	22	14	5	5	-	-	-	-	-	-	-	-	3	-	1	4		
Central Hackney 2w, F - E. & N.	50,533	19	12	1	3	-	-	-	3	-	-	1	-	-	3	3	4		
South-west Hackney 3H - E. & N.	59,921	23	17	5	6	-	-	-	-	-	-	-	-	2	-	3	7		
South-east Hackney 2W, w, H E. & N.	58,265	21	20	8	6	-	-	-	-	-	-	-	-	4	-	-	-		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G, signifi- Grand Junction; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River E, East London; and K, the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

NE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 24th September, 1904—continued.

REGISTRATION SUB-DISTRICTS,	Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include															Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of		Deaths from										Inquest Cases.				
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Erysipelas (or Typhoid Fever).	Pyrexia (Origin uncertain).	Diarrhoea.	Violence.					
CENTRAL DISTRICTS.																				
St. Giles and Bloomsbury W, 2H N.	31,436	17	3	2	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	
St. Giles W, 4H - - - N. & C.	21,674	6	9	1	3	-	-	-	-	-	1	-	-	-	-	-	-	6	-	
St. Giles Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Giles W, 6H - - - N.	29,612	11	13	5	12	-	-	-	-	-	-	-	-	-	4	-	-	8	-	
St. Giles Clerkenwell - - - N.	28,676	11	4	12	12	-	-	-	-	-	-	-	-	-	1	-	1	-	-	
St. Giles Clerkenwell H - - - N.	35,028	15	7	12	12	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
St. Giles W, 3H, L - - - N.	36,116	34	8	4	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	
St. Giles Union Workhouse, } St. Giles - - - - - }	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	
St. Giles W, 2H - - - N. & E.	10,299	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Giles W, 2H - - - N.	16,624	4	13	1	-	-	-	-	-	-	-	-	-	-	-	3	3	11	-	
St. Giles of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EAST DISTRICTS.																				
St. Giles South* H, L - E. & N.	46,362	18	7	2	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	
St. Giles North-West* W, L N.	36,127	28	19	5	3	-	-	-	-	-	-	1	-	2	-	-	-	10	-	
St. Giles North-East* - N. & E.	36,148	21	6	2	1	-	-	-	-	-	1	-	-	1	1	1	-	-	-	
St. Giles Union Workhouse, Wood } St. Giles - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Giles Green North 2H - E.	51,514	44	17	8	1	-	-	-	-	-	-	-	-	-	2	1	2	4	-	
St. Giles Green South - - E.	33,472	19	10	5	1	-	-	-	-	-	-	-	-	-	1	-	1	9	-	
St. Giles Green East 2W, H, L - E.	44,694	18	17	1	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
St. Giles W, 2H - - - E. & N.	27,969	9	5	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
St. Giles End New Town W, H - E.	28,718	17	39	11	2	-	-	-	2	-	-	-	-	-	2	2	6	38	-	
St. Giles Man's Fields - - - E.	22,081	17	2	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
St. Giles George and St. John 2W E.	49,068	35	16	3	5	-	-	-	-	-	-	-	-	-	2	-	1	6	-	
St. Giles Well and Ratcliff W, H E. & N.	25,568	17	13	4	1	-	-	-	-	-	-	-	-	-	2	-	1	7	-	
St. Giles W, 2H - - - E.	32,369	22	7	2	3	-	-	-	-	-	-	-	-	-	1	1	1	-	-	
St. Giles End Old Town South- } St. Giles W, 2H - - - } E.	63,698	55	8	3	2	-	-	-	-	-	-	-	-	-	1	-	3	-	-	
St. Giles End Old Town North- } St. Giles W, 2H - - - } E.	49,129	38	21	1	10	-	-	-	-	-	-	-	-	-	1	-	1	11	-	
St. Giles W, 2H - - - E.	41,989	30	4	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	
St. Giles W, 2H - - - E.	68,319	41	31	9	10	-	-	-	-	-	1	1	-	-	3	1	3	18	-	
St. Giles W, 2H - - - E.	58,514	26	12	4	4	-	-	-	-	-	-	-	-	-	2	2	4	1	-	

On 1st September, 1904, the four sub-districts of Shoreditch district were dissolved and formed into three new sub-districts as above.

6. LONDON.—OUTER RING (excluding DEATHS OF LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 24th September, 1904.

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths from												
					Deaths of												
					Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING	368,580	2,044,973	1207	536	160	151	-	-	4	10	6	7	63	18	38	77	3
Carshalton w,2F,2H	12,238	32,997	17	7	-	2	-	-	-	2	-	-	-	-	1	4	-
Epsom, part of* W,w,2F,H-	10,423	15,548	8	3	-	3	-	-	-	-	-	-	-	-	-	1	-
Godstone, part of* W,F	2,754	2,692	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Coulsdon	11,069	8,166	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-
South Croydon w	4,200	49,319	16	8	4	1	-	-	-	-	-	1	2	-	-	-	-
West Croydon 3W,F,H	2,168	42,888	28	19	4	5	-	-	-	-	-	-	3	1	2	6	-
North Croydon H	2,644	41,668	23	12	5	2	-	-	-	-	-	-	1	-	-	-	-
Penge w	770	22,465	8	4	-	1	-	-	1	-	-	-	-	-	1	-	-
Mitcham w	11,689	30,015	25	7	2	1	-	-	-	-	-	-	2	-	-	-	-
Wimbledon F,3H	3,221	41,652	17	5	2	2	-	-	-	-	-	-	1	-	1	-	-
Kingston W,H	6,224	42,068	24	15	3	7	-	-	-	-	-	-	2	-	2	3	-
Surbiton F,H	3,046	15,017	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Esher, part of* H	5,402	13,100	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Hampton H,L	4,564	23,456	16	10	4	1	-	-	1	-	-	-	-	1	1	-	-
Richmond W,H	2,162	28,865	5	10	1	6	-	-	-	-	1	-	-	1	1	3	-
Mortlake F	2,847	20,628	15	3	1	1	-	-	-	-	-	-	1	1	1	-	-
Bromley F,2H	4,703	27,354	11	8	3	3	-	-	-	1	-	-	-	-	-	2	-
Beckenham H	7,825	28,497	16	2	2	-	-	-	-	-	-	-	1	-	-	-	-
Orpington, part of* W	10,113	9,857	3	3	-	1	-	-	-	-	-	-	-	-	-	1	-
Chislehurst 2H	7,333	16,446	6	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Bexley F,H	8,678	21,151	16	7	3	2	-	-	-	-	-	-	-	2	2	-	-
Erith F,H	3,854	25,296	20	6	2	3	-	-	-	-	-	1	1	1	1	-	-
Dartford W,F, part of*	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-
Sunbury w	11,054	18,683	10	11	5	3	-	-	-	-	-	-	-	-	-	-	1
Staines W,H	13,277	15,178	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Hillingdon W,F,H	6,035	13,661	11	3	1	2	-	-	-	-	-	-	-	-	-	1	-
Uxbridge	12,757	8,984	3	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Hayes w,F,H	8,066	16,358	9	2	-	-	-	-	-	-	-	-	-	1	-	-	-
Isleworth 3W,2F,H	8,850	30,863	13	11	-	7	-	-	-	-	1	-	-	-	-	6	-
Twickenham F,H	2,421	20,991	22	6	-	3	-	-	-	-	-	-	-	-	-	-	1
Brentford 2F,2H,L	4,319	48,289	24	16	1	7	-	-	1	-	2	-	-	1	1	4	-
Chiswick H	1,249	29,809	14	7	4	2	-	-	-	-	-	-	-	-	-	-	-
Acton w,3H	6,132	48,914	43	16	8	2	-	-	-	-	-	-	4	3	3	-	-
Harrow F,H	13,809	25,523	12	4	2	1	-	-	-	-	-	-	2	-	-	-	-
Edgware F,2H	6,994	4,521	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Willesden W,F,2H	4,384	114,811	75	21	7	7	-	-	-	-	-	-	2	-	1	2	-
Hendon W,F	8,382	22,460	13	10	3	3	-	-	-	-	-	-	-	-	-	1	-
South Mimms 2F,H	17,755	7,308	3	3	2	1	-	-	-	-	-	-	-	-	-	-	-
Barnet W,3H	3,324	17,970	5	4	1	2	-	-	-	-	-	-	-	-	-	-	-
Finchley F,2H	4,688	33,692	15	11	-	4	-	-	-	-	-	-	-	-	1	2	-
Hornsey F,H	2,875	72,056	28	10	4	3	-	-	-	-	-	-	1	-	-	-	-
Wood Green H	1,625	34,233	22	11	7	1	-	-	-	1	1	-	2	-	-	-	-
West Tottenham F	996	48,853	27	10	4	2	-	-	-	-	-	-	1	-	1	-	-
East Tottenham F,H	2,017	53,688	41	12	4	4	-	-	-	-	-	-	3	1	1	1	-
Edmonton W,w,2F	7,491	61,892	48	16	5	4	-	-	-	-	-	-	2	-	1	4	-
Enfield 2W,F,H	12,601	42,738	17	7	-	2	-	-	1	-	-	-	1	-	-	1	-
Waltham Abbey	11,017	6,549	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cheshunt F,H	8,479	12,292	9	6	3	2	-	-	-	-	-	-	3	-	-	1	-
Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey H	9,333	9,173	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-
Watford W,2F part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford H	1,072	44,827	24	13	4	1	-	-	-	-	-	-	3	-	-	1	-
Plaistow F,2H	1,249	90,921	70	26	9	3	-	-	2	-	2	-	6	-	2	2	-
Canning Town H	1,556	70,718	55	30	12	3	-	-	-	-	-	-	5	3	5	1	-
Forest Gate w	806	60,892	32	9	2	3	-	-	-	-	-	-	1	-	-	-	-
North East Ham w	1,333	58,676	30	13	5	3	-	-	-	-	1	-	-	-	-	-	1
South East Ham 2F	1,993	57,342	28	11	5	1	-	-	-	-	-	-	2	-	1	-	-
Wanstead F	1,679	9,179	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-
South Leyton 2W	631	50,467	31	22	3	8	-	1	-	1	-	-	1	-	2	9	-
North Leyton W,w,F	1,963	48,445	28	27	11	6	-	-	-	-	1	-	4	1	2	12	-
Walthamstow 3H,L	6,504	108,929	76	16	3	4	-	-	-	-	-	-	2	1	2	-	-
Chigwell, part of* 2FAH	11,778	16,397	10	3	-	1	-	-	-	1	-	-	-	-	-	1	-
Epping W,F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, part of* W,2F	6,556	8,091	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Ilford F,L	8,496	41,234	34	13	3	5	-	-	-	-	-	1	2	-	-	4	-
Barking Town F	3,803	21,547	14	3	1	1	-	-	-	-	-	-	1	-	1	-	-
City of London Asylum, Stone.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
N.E. Hospital, Tottenham	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-	2	-

Some parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chislefield, Oudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Esher parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.
CALCUTTA (including SUBURBS)	847,796	August 13	-	378	23·1	-	1	-	3	-	119†
BOMBAY - -	776,006	September 6	389	611	40·9	-	-	-	1	-	102†
MADRAS - -	509,346	August 19	392	409	41·7	-	-	?	?	?	104
PARIS - - -	2,660,559	September 17	1043	692	13·4	-	3	-	2 ⁵	4	2
BRUSSELS - -	575,896	" 17	221	169	15·0	-	1	-	-	-	1
ANTWERP - -	281,376	" 17	132	80	14·5	-	1	-	-	-	1
AMSTERDAM -	547,370	" 10	276	133	12·6	-	1	-	-	5	1
COPENHAGEN -	420,000	" 17	214	127	15·8	-	1	-	-	5	-
STOCKHOLM -	305,115	" 10	129	62	10·4	-	-	1	-	-	-
CHRISTIANIA -	225,709	" 17	106	64	14·9	-	-	-	1 ⁸	-	-
ST. PETERSBURG	1,248,643	" 10	581	461	19·3	-	3	11	11 ²	4	14
MOSCOW - -	1,093,410	" 10	-	614	29·3	1	9	7	8 ³	4	2
BERLIN - - -	1,960,909	" 3	853	742	19·7	-	6	13	4 ⁸	10	5
HAMBURG - -	751,842	" 17	-	251	17·4	-	1	1	3 ²	3	-
BRESLAU - -	445,403	" 17	-	197	23·0	-	1	-	1 ⁸	?	-
MUNICH - - -	520,000	" 17	-	179	17·9	-	1	-	1 ⁸	2	-
VIENNA - - -	1,779,869	" 17	910	514	14·9	-	2	3	6 ²	-	1
PRAGUE - - -	423,990	" 10	193	154	18·8	-	-	-	1 ⁸	1	-
BUDA-PESTH -	813,399	" 17	392	247	15·8	-	2	8	5 ⁸	-	4
TRIESTE - - -	187,251	" 10	129	94	25·7	-	-	1	-	1	4
ROME - - -	496,201	August 6	222	150	15·7	-	-	-	-	-	5
VENICE - - -	166,288	September 10	-	-	-	-	-	-	-	-	-
CAIRO - - -	624,338	May 27	428	574	47·9	1	30	-	6 ²	?	16
ALEXANDRIA -	349,300	" 27	215	317	47·3	3	36	-	4 ³	?	7†
NEW YORK - -	3,838,024	September 3	1638	1274	17·3	-	3	5	28 ⁸	5	13
PHILADELPHIA -	1,408,154	August 27	-	422	15·6	-	1	-	4 ³	2	8
BOSTON - - -	617,950	" 27	-	152	12·8	-	-	-	2 ²	-	1

* Including deaths from croup.

† Including 3 deaths from plague in Calcutta, 51 in Bombay, and one in Alexandria.

‡ Including 4 deaths from cholera in Calcutta, and 18 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 24th September, 1904.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rain- fall Inch.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	64·1	40·5	53·7	0·20	BRADFORD - -	67·4	44·8	54·8	0·
BRIGHTON - -	67·8	44·1	57·0	0·05	LEEDS - - -	71·0	44·0	56·1	0·
PORTSMOUTH - -	67·0	45·7	56·5	0·63	HULL - - -	64·0	39·0	53·1	0·
NORWICH - - -	66·0	44·2	54·5	0·55	TYNEMOUTH - -	63·0	48·0	53·6	0·
PLYMOUTH - -	64·9	46·1	56·0	0·00					
BRISTOL - - -	68·7	38·0	52·9	0·03	EDINBURGH - -	67·8	41·6	52·9	0·
BIRMINGHAM - -	66·2	40·1	51·0	0·15	GLASGOW - - -	70·0	35·5	53·6	0·
NOTTINGHAM - -	66·9	42·1	54·7	0·35					
LIVERPOOL - -	66·0	45·0	54·5	0·04	DUBLIN { Phoenix Park, Fitz- william Square.†	66·8	37·9	52·6	-
MANCHESTER - -	69·8	41·7	54·9	0·02		63·0	44·3	55·5	-
PRESTON - - -	67·0	45·0	55·1	0·00					
HUDDERSFIELD -	66·5	36·0	52·2	0·08	BELFAST - - -	61·1	42·6	54·3	-

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1·2° Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D. Dublin.

1904. MONTH AND DAY		BARO- METER.		TEMPERATURE.				TEMPERATURE.				TEMPERATURE.				Wind as deduced from Anemometers.				Rain collected in a gauge receiving surfaces 5 inches above Average of level of Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
		Phases of the Moon.	Mean and re- ading (cor- rected and re- duced to Fahr- heit).	High- est.	Low- est.	Daily Range.	Mean daily value.	De- parture from average value.	Mean daily value.	Great- est.	Least.	Degree of satu- ration (Satur- ation equals 100).	Of Radiation.	Of the Earth 3 feet below Surface.	General Direction.	Oiler's.		Pressure on the Square Foot.				Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
			in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 17th September, 1904.*

BOROUGHS,	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever.	Diphtheria (Includ- ing Membranous Group).	Typhus.	Enteric Fever	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Chicken-pox.
WEST.											
Paddington- - - -	146,975	-	17	2	-	1	-	-	3	-	9
Kensington - - - -	179,236	-	6	2	-	2	1	-	2	-	3
Hammersmith - - -	117,412	-	7	6	-	1	-	-	1	-	2
Fulham - - - - -	152,482	-	9	1	-	3	-	-	-	-	3
Chelsea - - - - -	74,329	-	-	1	-	-	-	-	-	-	2
City of Westminster- -	177,321	-	5	1	-	2	-	-	-	-	1
NORTH.											
St. Marylebone - - -	130,337	-	7	5	-	3	-	-	4	-	4
Hampstead - - - - -	86,663	-	3	1	-	1	-	-	2	-	1
St. Pancras - - - -	235,936	-	19	5	-	6	-	-	7	-	4
Islington - - - - -	341,044	-	28	8	-	-	-	-	10	-	5
Stoke Newington - - -	52,445	-	11	4	-	-	-	-	2	-	2
Hackney - - - - -	226,266	-	40	6	-	8	-	-	9	1	10
CENTRAL.											
Holborn - - - - -	57,161	-	3	1	-	-	-	-	-	-	-
Finsbury - - - - -	98,958	-	6	2	-	1	-	-	3	-	2
City of London - - -	23,482	-	2	1	-	-	-	-	2	-	-
EAST.											
Shoreditch - - - - -	117,033	-	12	2	-	1	-	-	7	1	4
Bethnal Green - - -	130,207	-	31	5	-	1	-	-	7	-	7
Stepney - - - - -	303,791	-	43	22	-	11	-	-	11	-	19
Poplar- - - - -	169,905	-	10	11	-	5	-	-	3	-	8
SOUTH.											
Southwark- - - - -	207,937	-	21	5	-	2	-	-	6	-	4
Bermondsey - - - -	129,397	-	12	6	-	8	-	-	5	-	7
Lambeth - - - - -	310,359	-	8	10	-	5	-	-	3	-	3
Battersea - - - - -	175,465	-	11	6	-	2	-	-	2	-	3
Wandsworth - - - -	257,448	-	17	11	-	4	-	-	5	-	7
Camberwell - - - -	268,384	1	24	10	-	4	-	-	8	-	9
Deptford - - - - -	113,509	-	5	6	-	1	-	-	1	-	3
Greenwich - - - - -	101,651	-	4	2	-	-	-	-	2	-	4
Lewisham - - - - -	140,401	-	3	-	-	1	-	-	2	-	3
Woolwich - - - - -	123,416	-	10	1	-	2	-	-	-	1	1
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.											
4,648,950		1	374	143	-	82	1	-	107	3	138
AGES.											
Ages 0-1 - - - - -	-	-	5	3	-	-	-	-	3	-	18
" 1-5 - - - - -	-	-	123	57	-	2	-	-	3	-	62
" 5- - - - -	-	-	162	49	-	14	-	-	5	-	40
" 10- - - - -	-	-	48	13	-	8	-	-	2	-	12
" 15- - - - -	-	-	15	11	-	11	-	-	8	-	3
" 20- - - - -	1	9	1	-	9	-	-	-	9	1	1
" 25- - - - -	-	9	6	-	26	1	-	-	16	2	2
" 35- - - - -	-	1	3	-	7	-	-	-	20	-	-
" 45- - - - -	-	2	-	-	3	-	-	-	21	-	-
" 55- - - - -	-	-	-	-	1	-	-	-	11	-	-
" 65 and upwards - -	-	-	-	-	1	-	-	-	9	-	-
Age not stated - - -	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1904.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

~~~~~

By Authority of the Registrar General.

~~~~~

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 39. 1904. VOL. LXV.] WEEK ENDED SATURDAY, OCT. 1. [Price 1½d.

*General Register Office, Somerset House,
October 3rd, 1904.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·6 per 1000 of their aggregate population, which is estimated† at 15,271,287 persons in the middle of this year. In the preceding three weeks the rates had been 17·5, 17·0, and 16·0. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *all causes*, 21·0 in Stockton on Tees, 22·1 in Salford, 22·6 in Liverpool and West Hartlepool, 23·3 in Blackburn, 23·5 in Sunderland, 23·6 in Preston, 25·7 in Wigan, and 26·5 in St. Helens; from *measles*, 1·5 in Liverpool, 1·6 in Grimsby, and 2·0 in Tynemouth; from *diphtheria*, 1·6 in Swansea, 1·8 in Portsmouth, and 2·0 in Stockton on Tees; and from *diarrhœa*, 5·0 in Stockton on Tees, 5·2 in Sunderland, 5·4 in Warrington, 5·6 in Bolton, 5·7 in Burnley, 7·3 in Preston, and 7·5 in Blackburn. One death from *small-pox* was registered in Gateshead, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2537 BIRTHS and 1279 DEATHS were registered. Allowing for increase of population, the births were 3 above and the deaths 178 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 15·2, 15·3, and 13·7 in the preceding three weeks, rose last week to 14·3. During the four weeks ended on Saturday last the death-rate averaged 14·6 per 1000, being 2·2 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1279 deaths included 17 from measles, 9 from scarlet fever, 16 from diphtheria, 9 from whooping-cough, 10 from enteric fever, 2 from ill-defined pyrexia, and 84 from diarrhœa, but not one death from small-pox or from typhus; thus, 147 deaths were referred to these diseases in the aggregate, being 77 below the corrected average weekly number.

The deaths from *measles*, which had been 8, 8, and 6 in the preceding three weeks, rose last week to 17, and were 2 above the corrected average; 4 deaths belonged to the Borough of Islington, and 3 to St. Pancras. The deaths from *scarlet fever*, which had been 2, 14, and 3 in the preceding three weeks, rose last week to 9, but were 4 below the corrected average. The deaths from *diphtheria*, which had been 20, 9, and 19 in the preceding three weeks, fell last week to 16, and were 27 below the corrected average. The deaths from *whooping-cough*, which had been 16, 16, and 5 in the preceding three weeks, rose last week to 9, and were 14 below the corrected average. The fatal cases of *enteric fever*, which had been 8, 9, and 13 in the preceding three weeks, were 10 last week, and were 5 below the corrected average; 4 deaths belonged to Stepney. The deaths from *diarrhœa*, which had been 258, 189, and 108 in the preceding three weeks, further fell last week to 84, and were 30 below the corrected average; 8 deaths belonged to Islington, 7 to Lambeth, 6 each to Bethnal Green, Southwark, Bermondsey, and Camberwell, and 5 to Stepney. Of the 84 deaths from diarrhœa, 81 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 13 more deaths at this age. The deaths attributed directly to *influenza* numbered 9, having been 2, 3, and 2 in the preceding three weeks. The death of a female, aged 34 years, was certified after inquest as caused by eating stale mushrooms.

Different forms of *violence* caused 49 deaths, concerning all but 1 of which inquests were held. Of these 49 deaths, 8 were cases of suicide, while the remaining 41 were attributed to accident or negligence. Four of these latter were referred to vehicles in the streets, 5 to burns and scalds, 2 to drowning, 1 to poisoning by coal gas, and 8 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3 cases of small-pox, 2158 of scarlet fever, 878 of diphtheria, 1 of typhus, and 237 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, no case, against 2, 1, and 0; of scarlet fever, 406 cases, against 234, 340, and 284; of diphtheria, 150 cases, against 104, 134, and 143; and of enteric fever, 51 cases, against 41, 49, and 37. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended September 24th.

GREATER LONDON.

In Greater London 3757 births and 1722 deaths were registered. Allowing for increase of population these numbers are 21 above and 298 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 3 deaths from measles, 3 from diphtheria, 2 from whooping-cough, 1 from "fever," and 11 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.82 inches, and that of the Thermometer 52°.1, the latter being 2°.6 below the week's average in the 50 years 1841-90. The general direction of the wind was variable, the horizontal movement of the air being 35 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 28.1 hours; the measured rainfall amounted to 0.14 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	Cols.	POPULATION estimated to the middle of the Year 1904.*	DEATH-RATES from all Causes.				Rate from Diseases in Colic, 11-17.		Registered Marriages, Week-ended 1st Oct., 1904.		The DEATHS registered in the Week include											TOWNS.	
			Week ended				1st Oct., 1904.	BIRTHS.	DEATHS.	Deaths of		Deaths from						Inquest Cases.	Deaths in Public Institutions.	Unverified Causes of Death.			
			10th Sept., 1904.							Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-Pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Typhoid.				Violence.		
			17th Sept., 1904.	24th Sept., 1904.	1st Oct., 1904.	Week ended 1st Oct., 1904.																	
76 TOWNS		15,271,287	17'5	17'0	16'0	15'6	2'9	8401	4571	1331	1121	1	66	43	72	45	42	568	161	331	1063	45	76 TOWNS.
LONDON -	-	4,648,950	15'2	15'3	13'7	14'3	1'6	2537	1279	311	338	-	17	9	16	9	12	84	49	125	494	2	LONDON.
{ CROYDON.	-	144,419	18'1	17'3	14'1	9'7	2'2	72	27	11	8	-	-	1	-	-	-	5	2	3	4	-	{ CROYDON.
WILLESDEN -	-	132,866	8'3	10'6	8'3	7'9	1'6	77	20	7	2	-	-	-	-	-	1	3	1	1	3	-	WILLESDEN.
HORNSEY -	-	81,221	5'1	12'8	7'1	6'4	-	29	10	-	2	-	-	-	-	-	-	-	-	2	3	-	HORNSEY.
{ TOTTENHAM.	-	112,681	17'1	14'3	11'5	12'9	1'8	72	28	7	6	-	1	-	1	-	-	2	3	6	3	-	{ TOTTENHAM.
WEST HAM -	-	268,424	16'5	14'3	16'5	12'8	2'9	177	71	21	16	-	-	-	-	2	1	13	5	6	18	-	WEST HAM.
EAST HAM -	-	116,902	13'8	6'7	11'6	10'7	2'2	80	24	8	6	-	-	-	1	1	1	2	-	4	4	-	EAST HAM.
LEYTON -	-	110,844	13'2	13'2	15'1	9'4	1'4	69	20	5	9	-	-	-	1	-	-	2	-	2	2	-	LEYTON.
{ WALTHAMSTOW.	-	111,282	11'7	8'9	10'3	12'7	2'3	63	27	11	5	-	-	-	1	-	-	4	2	3	3	-	{ WALTHAMSTOW.
HASTINGS -	-	66,503	14'1	7'1	15'7	17'2	2'4	27	22	3	13	-	-	-	1	1	1	1	1	1	4	-	HASTINGS.
BRIGHTON -	-	126,283	14'0	16'1	17'8	12'8	2'1	50	31	7	7	-	-	-	1	-	-	4	-	2	7	-	BRIGHTON.
PORTSMOUTH -	-	198,038	20'8	18'4	20'8	18'2	3'9	93	69	16	18	-	-	-	7	1	-	7	1	3	8	1	PORTSMOUTH.
BOURNEMOUTH -	-	64,645	16'1	9'7	16'1	10'5	0'8	22	13	1	5	-	-	-	-	-	-	1	-	-	1	-	BOURNEMOUTH.
SOUTHAMPTON -	-	112,500	15'3	12'5	18'1	17'1	1'4	54	37	7	18	-	-	-	-	1	-	2	1	4	3	-	SOUTHAMPTON.
READING -	-	76,373	16'4	9'6	11'6	9'6	2'0	38	14	5	5	-	-	-	-	-	-	2	-	-	1	-	READING.
NORTHAMPTON -	-	91,146	15'4	14'9	13'7	12'9	2'9	37	21	4	7	-	-	2	-	-	1	2	-	1	4	-	NORTHAMPTON.
IPSWICH -	-	69,805	17'9	18'7	17'9	17'2	2'2	30	23	6	9	-	-	-	-	-	-	3	-	-	4	1	IPSWICH.
GREAT YARMOUTH -	-	52,099	33'0	23'0	20'0	15'0	4'0	26	15	6	1	-	-	-	-	1	-	3	1	-	1	1	GREAT YARMOUTH.
NORWICH -	-	115,638	14'0	17'6	13'1	15'3	2'3	68	34	6	17	-	-	-	-	1	2	2	-	-	8	-	NORWICH.
PLYMOUTH -	-	114,003	28'4	17'8	20'6	15'6	1'8	61	34	7	11	-	-	1	-	-	-	3	-	1	8	-	PLYMOUTH.
DEVONPORT -	-	75,334	17'3	18'7	21'5	9'7	0'7	44	14	7	1	-	-	-	1	-	-	-	-	-	1	-	DEVONPORT.
BRISTOL -	-	343,204	13'7	16'6	10'9	13'4	0'9	164	83	24	26	-	-	-	1	-	-	5	1	8	18	-	BRISTOL.
HANLEY -	-	63,892	31'8	26'1	25'3	14'7	4'1	37	18	9	4	-	1	-	-	-	-	4	-	-	1	-	HANLEY.
BURTON-ON-TRENT -	-	51,484	16'1	9'0	7'0	12'0	2'0	23	12	-	5	-	-	-	1	-	-	-	-	-	4	1	BURTON-ON-TRENT.
WOLVERHAMPTON -	-	98,184	15'4	13'8	17'5	14'3	4'2	45	27	8	10	-	-	-	1	-	-	1	6	1	6	-	WOLVERHAMPTON.
WALSALL -	-	91,432	13'7	24'0	14'3	17'1	4'6	53	30	9	6	-	2	-	1	-	-	4	1	2	4	-	WALSALL.
HANDSWORTH -	-	59,634	9'6	6'1	13'1	8'7	-	31	10	4	2	-	-	-	-	-	-	-	1	1	1	-	HANDSWORTH.
WEST BROMWICH -	-	67,186	17'9	17'9	16'3	16'3	5'4	40	21	9	4	-	-	-	1	-	-	6	1	1	4	-	WEST BROMWICH.

* See note † on first page of this return

† These towns are included within the area of Greater London

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES during the Week ended Saturday, 1st October, 1904, and DEATH-RATES during the preceding three weeks.

TOWNS.	COLS.	POPULATION estimated to the middle of the year 1904.*	DEATH-RATES FROM all Causes.					RATES FROM Diseases in COLS. 11-17.		Registered during the Week ended 1st Oct., 1904.		The DEATHS registered in the Week include													TOWNS.
			Week ended					Week ended 11-17.		BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
			10th Sept., 1904.	17th Sept., 1904.	24th Sept., 1904.	1st Oct., 1904.	Week ended 11-17.	11-17.	1st Oct., 1904.																
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	COLS.				
BIRMINGHAM -	-	537,965	17.5	17.5	16.6	15.1	2.2	333	156	55	35	-	1	1	2	3	1	15	6	7	47	4	BIRMINGHAM.		
KINGS NORTON -	-	60,367	9.4	13.3	13.3	7.8	0.8	29	10	2	3	-	-	-	-	-	-	-	1	1	-	1	-	KINGS NORTON.	
SMETHWICK -	-	60,681	8.6	10.3	12.0	8.6	1.7	36	10	5	3	-	-	1	-	-	-	-	-	-	-	1	1	SMETHWICK.	
ASTON MANOR -	-	80,363	13.6	11.7	13.0	9.7	0.6	40	15	5	5	-	-	-	-	-	-	-	-	-	-	-	-	ASTON MANOR.	
COVENTRY -	-	73,904	16.2	12.0	16.2	16.2	2.8	35	23	8	8	-	-	1	-	-	2	2	3	-	-	-	-	COVENTRY.	
LEICESTER -	-	224,186	14.7	16.5	15.1	11.6	3.3	122	50	16	13	-	-	1	2	2	9	1	3	7	-	-	-	LEICESTER.	
GRIMSBY -	-	66,958	20.2	18.7	21.0	17.9	5.5	47	23	8	6	-	-	2	1	-	4	2	2	-	1	-	-	GRIMSBY.	
NOTTINGHAM -	-	248,811	19.1	14.5	14.9	15.3	3.6	144	73	23	17	-	-	1	3	-	10	1	1	11	1	-	-	NOTTINGHAM.	
DERBY -	-	120,449	18.6	14.3	11.7	10.4	2.2	59	24	3	7	-	-	-	-	-	4	-	1	5	-	-	-	DERBY.	
STOCKPORT -	-	97,008	20.4	24.7	16.1	14.5	1.1	44	27	7	2	-	-	-	-	-	2	2	4	-	-	4	-	STOCKPORT.	
BIRKENHEAD -	-	114,814	23.2	19.5	20.0	16.3	4.5	68	36	11	9	-	-	-	-	-	7	1	2	6	-	-	-	BIRKENHEAD.	
WALLASEY -	-	60,354	21.6	10.4	13.8	14.7	3.5	35	17	6	2	-	-	1	-	-	2	2	4	2	-	-	-	WALLASEY.	
LIVERPOOL -	-	723,430	24.7	22.3	21.6	22.6	5.6	455	314	104	55	-	-	-	3	3	46	13	20	73	6	-	-	LIVERPOOL.	
BOOTLE -	-	61,755	23.6	17.7	16.0	20.3	3.4	43	24	8	7	-	-	-	-	-	4	-	-	7	2	-	-	BOOTLE.	
ST. HELENS -	-	88,545	25.3	20.6	17.7	26.5	4.1	62	45	15	12	-	-	-	-	-	7	2	3	7	2	-	-	ST. HELENS.	
WIGAN -	-	62,800	29.9	31.6	16.6	25.7	2.5	47	31	10	2	-	-	-	-	-	3	-	1	-	-	-	-	WIGAN.	
WARRINGTON -	-	67,331	20.1	24.8	21.7	17.8	7.0	43	23	11	5	-	-	-	-	-	7	-	-	1	-	-	-	WARRINGTON.	
BOLTON -	-	175,744	18.4	14.5	24.6	19.9	5.6	74	67	22	16	-	-	-	-	-	19	-	5	4	-	-	-	BOLTON.	
BURY -	-	58,450	13.4	18.7	12.5	19.6	0.9	23	22	2	4	-	-	-	-	-	1	4	4	8	1	-	-	BURY.	
MANCHESTER† -	-	557,898	21.2	19.9	18.9	16.8	3.0	332	180	57	36	-	-	-	2	1	7	13	5	2	45	2	-	MANCHESTER.†	
SALFORD -	-	228,983	23.7	27.8	23.7	22.1	6.1	143	97	28	18	-	-	3	5	-	2	2	5	22	-	-	-	SALFORD.	
OLDHAM -	-	139,487	16.8	19.8	17.2	18.3	3.0	76	49	15	13	-	-	-	1	-	2	2	4	8	-	-	-	OLDHAM.	
ROCHDALE -	-	85,601	15.8	21.3	14.6	13.4	2.4	40	22	4	10	-	-	-	-	-	1	1	2	2	-	-	-	ROCHDALE.	
BURNLEY -	-	100,569	24.4	22.8	21.8	19.2	6.2	49	37	15	11	-	-	-	-	-	11	-	1	4	-	-	-	BURNLEY.	
BLACKBURN -	-	132,134	17.8	16.2	16.6	23.3	7.9	41	59	25	14	-	-	-	-	-	19	1	1	4	3	-	-	BLACKBURN.	
PRESTON -	-	115,055	21.3	19.0	17.7	23.6	8.2	53	52	20	14	-	-	-	-	-	16	1	1	4	2	-	-	PRESTON.	

TOWNS.	POPULATION estimated to the middle of the Year 1904.*	Week ended				in 1904. 11-17.	During the Week ended 1st Oct., 1904.		Deaths of		Deaths from								Deaths in Public Institutions.		Unidentified Causes of Death.		TOWNS,		
		10th Sept., 1904.		24th Sept., 1904.			1st Oct., 1904.		BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Dysentery.	Violence.	Inquest Cases.	20.		21.	Cols.
		10th Sept., 1904.	17th Sept., 1904.	24th Sept., 1904.	1st Oct., 1904.		Week ended 1st Oct., 1904.																		
HUDERSFIELD	94,925	14'3	11'5	15'9	15'4	4'4	41	28	4	8	-	-	-	2	2	-	-	4	1	1	5	-	21.	HUDERSFIELD.	
HALIFAX	107,580	15'0	13'1	11'6	13'6	2'9	39	28	4	8	-	-	2	1	-	-	3	2	2	6	2	2	2	HALIFAX.	
BRADFORD	285,089	16'5	18'5	17'4	16'3	5'5	113	89	24	24	-	-	2	1	2	2	21	4	9	24	1	24	1	BRADFORD.	
LEEDS	450,142	14'2	15'6	15'3	16'2	2'1	221	140	43	33	-	-	-	2	-	1	15	6	14	27	1	27	1	LEEDS.	
SHEFFIELD	432,940	22'6	20'2	18'4	16'6	4'0	233	138	46	34	-	-	-	3	1	2	25	4	10	23	3	23	3	SHEFFIELD.	
ROTHERHAM	58,498	25'0	20'5	23'2	16'0	4'5	36	18	6	3	-	-	-	-	-	-	5	1	1	1	1	1	1	ROTHERHAM.	
YORK	81,268	17'3	18'6	10'9	13'5	1'3	45	21	8	6	-	-	-	-	-	-	2	1	1	4	-	-	-	YORK.	
HULL	253,865	21'2	25'1	18'7	18'9	6'2	143	92	35	25	-	-	2	-	1	2	3	22	1	3	16	1	1	HULL.	
MIDDLESBROUGH	96,684	23'7	17'8	23'7	15'6	4'3	74	29	6	3	-	-	-	-	2	-	7	1	2	1	2	-	1	MIDDLESBROUGH.	
STOCKTON-ON-TEES	52,192	21'0	23'0	17'0	21'0	7'0	38	21	11	4	-	-	-	-	1	-	5	-	1	2	-	-	-	STOCKTON-ON-TEES.	
WEST HARTLEPOOL	69,251	12'8	16'6	14'3	22'6	2'3	43	30	13	4	-	-	-	-	1	-	2	-	-	1	-	-	-	WEST HARTLEPOOL.	
SUNDERLAND	151,157	18'3	25'5	23'1	23'5	5'9	98	68	25	10	-	-	1	-	1	-	15	2	4	9	1	9	1	SUNDERLAND.	
SOUTH SHIELDS	107,334	16'5	22'8	20'9	16'0	4'9	70	33	12	5	-	-	-	1	-	2	-	7	2	2	3	1	3	1	SOUTH SHIELDS.
GATESHEAD	118,067	22'5	19'4	17'2	17'7	3'5	75	40	15	8	-	1	1	1	-	-	5	2	2	5	2	5	2	2	GATESHEAD.
NEWCASTLE-ON-TYNE	225,362	19'4	19'9	19'4	17'1	1'9	124	74	20	18	-	-	-	2	2	-	4	7	10	15	-	15	-	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH	53,060	26'5	21'6	21'6	15'7	2'9	34	16	2	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	TYNEMOUTH.
NEWPORT (MON.)	71,543	15'3	13'8	15'3	16'0	4'4	42	22	13	3	-	-	-	-	-	-	5	1	4	2	-	-	-	-	NEWPORT (MON.).
CARDIFF	176,313	15'1	12'1	14'8	14'8	1'5	113	50	13	12	-	-	-	-	1	1	1	2	3	4	7	-	-	-	CARDIFF.
RHONDDA	122,310	24'3	15'8	19'6	13'2	1'7	90	31	10	5	-	-	-	-	-	-	1	3	-	2	1	2	1	-	RHONDDA.
MERTHYR TYDFIL	72,745	20'1	20'8	22'2	15'1	4'3	51	21	8	5	-	-	-	-	-	1	-	5	1	1	2	-	-	-	MERTHYR TYDFIL.
SWANSEA	95,931	15'8	21'7	13'0	19'0	2'2	52	35	4	11	-	-	-	-	3	-	-	1	-	1	11	1	1	-	SWANSEA.
GREATER LONDON	6,907,756	14'5	14'4	13'3	13'0	1'6	3757	1722	448	454	-	-	21	10	23	14	16	126	69	162	563	2	2	2	GREATER LONDON.
OUTER RING	2,258,806	13'0	12'6	12'4	10'2	1'5	1220	443	137	116	-	-	4	1	7	5	4	42	20	37	69	-	-	-	OUTER RING.
8 TOWNS IN OUTER RING	1,098,639	13'8	12'7	12'7	10'8	2'0	639	227	70	54	-	-	1	1	4	3	3	31	14	21	37	-	-	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	1,160,167	12'2	12'5	12'1	9'7	0'9	581	216	67	62	-	-	3	-	3	2	1	11	6	16	32	-	-	-	REMAINDER OF OUTER RING.
EDINBURGH	331,977	14'0	15'1	16'8	14'8	2'4	145	94	24	31	-	-	-	-	1	5	-	9	1	?	24	4	4	4	EDINBURGH.
GLASGOW	798,357	15'1	17'8	15'9	16'3	3'2	397	249	72	57	-	-	-	3	-	15	3	28	12	?	61	7	7	7	GLASGOW.
DUBLIN†	378,994	20'8	16'8	25'9	19'0	2'6	258	138	37	27	-	-	-	-	-	1	2	16	5	8	50	5	5	5	DUBLIN†.
BELFAST†	353,680	18'5	17'9	16'8	17'6	2'3	197	121	32	17	-	-	2	-	-	2	2	10	4	7	26	?	?	?	BELFAST†.

* See note on first page of this volume.

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the THIRTY-NINTH Week of each of the Eleven Years, 1894-1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894-1903.*	1904
TOTAL Births -	2403	2618	2316	2503	2614	2599	2230	2581	2457	2296	2533.5	2537
Males - -	1243	1378	1200	1246	1299	1223	1138	1317	1216	1186	1290.9	1285
Females - -	1160	1240	1116	1257	1315	1176	1101	1264	1241	1110	1242.6	1252
TOTAL Deaths -	1277	1532	1234	1313	1700	1456	1471	1304	1489	1244	1457.3	1279
Males - -	675	784	637	707	930	752	709	892	782	680	762.2	673
Females - -	602	748	627	606	770	704	762	612	707	564	695.1	606

* The numbers in this column are the average weekly numbers in the thirty-ninth week of the ten years 1894-1903, raised by 3.723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	July 9.	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	13 Weeks.
TOTAL Births -	2526	2450	2472	2467	2302	2730	2525	2575	2160	2504	2514	2272	2537	32034
TOTAL Deaths -	1154	1152	1320	1423	1745	1912	1923	1682	1459	1354	1360	1223	1279	18986
Ages at Death -														
Under 1 year -	270	278	364	492	762	929	917	739	544	448	401	305	311	6760
1-6 years -	146	145	162	184	228	244	245	181	135	124	116	113	118	2141
5-20 " -	72	60	65	74	72	75	61	71	60	59	62	76	53	850
20-40 " -	143	140	163	156	166	132	158	166	149	148	180	159	177	2037
40-60 " -	241	246	248	216	227	263	264	204	228	266	255	235	282	3175
60 yrs. & upwds.	282	283	318	301	290	269	288	321	343	309	346	335	338	4023
Deaths from—														
Small-pox -	-	-	1	2	1	1	-	-	-	-	-	-	-	5
Measles -	53	39	49	36	31	36	42	30	15	8	8	6	17	370
Scarlet Fever -	9	8	4	7	2	10	4	9	6	2	14	3	9	87
Diphtheria -	7	7	14	5	10	7	9	19	8	20	9	19	16	150
Whooping-cough -	27	29	21	13	21	21	17	20	25	16	16	5	9	240
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	1	5	5	6	7	2	6	4	12	8	9	13	10	88
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	-	-	-	2	2
Diarrhoea, Dysentery	39	57	161	301	558	687	705	483	338	258	189	108	84	3968
All above Diseases -	136	145	255	370	630	764	783	565	404	312	245	154	147	4910
Dis. of Resp. System -	52	62	36	48	54	47	40	35	49	61	59	72	85	700
Pneumonia -	83	93	84	70	58	74	66	66	59	68	82	97	82	982
Phthisis -	132	98	116	113	136	110	133	127	105	122	141	142	152	1827
Dis. of Circ. System -	155	156	158	144	134	115	137	147	161	180	156	150	152	1925
Violence -	54	50	83	83	63	62	56	46	47	40	46	45	49	724
Inquest Cases -	124	119	152	161	121	148	145	115	118	124	104	110	125	1666
Deaths in Institutions	416	436	511	476	504	497	506	517	496	491	529	475	494	6348
TEMPERATURE OF THE AIR.														
Mean -	63.2	68.1	67.1	65.4	68.1	61.0	59.5	57.6	61.0	57.0	56.4	53.6	52.1	60.8
Mean of Highest -	74.3	79.9	79.8	76.9	81.3	72.1	69.6	68.7	71.2	67.0	66.2	61.3	63.2	71.7
Mean of Lowest -	53.1	58.3	55.6	56.4	56.3	51.1	51.6	48.9	51.8	48.6	47.9	46.1	42.5	51.2
Mean Humidity of the Air.	70	62	61	75	65	66	75	76	75	77	81	70	87	72
Rain-fall (in inches) -	0.22	0.01	0.04	1.83	0.08	0.06	0.47	0.22	1.01	0.36	0.24	0.20	0.14	4.88
Registered Sunshine (in hours).	50.9	84.7	74.9	34.6	67.8	62.2	38.7	40.6	39.0	41.3	37.1	52.7	28.1	652.6
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox -	71	62	51	46	32	21	18	13	9	8	5	5	3	26
Scarlet Fever -	1685	1698	1754	1784	1758	1763	1745	1781	1820	1816	1929	1969	2158	1820
Diphtheria -	721	764	767	770	786	780	795	813	825	814	832	833	878	798
Typhus -	-	-	-	-	-	-	-	-	-	1	1	1	1	-
Enteric Fever -	60	61	58	67	66	71	89	121	135	158	187	204	237	116

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE B.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.I.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the THIRTY-NINTH Week of the Year 1904.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 39th week of the year 1903.	1904—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 39th week of the year 1903.	1904—Deaths of Persons of the Ages							
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.				60 years and upwards.	ALL AGES.	Under 20.			40 and under 60.	60 years and upwards.	
			0-1.	1-5.	5-20.		0-1.	1-5.					5-20.					
CAUSES	1244	1279	311	118	53	177	282	338	Meningitis (not tuberc.)	16	13	4	4	2	-	2	1	
									Insanity, Gen. Par. of	5	20	-	-	-	3	9	8	
									Insane	7	4	-	-	-	-	-	-	
									Epilepsy	18	19	19	-	-	2	1	-	
									Convulsions	3	3	-	-	-	-	-	-	
									Locomotor Ataxy	2	5	1	-	-	1	2	1	
									Paraplegia, Dis. of Cord	21	12	1	-	-	3	8	-	
									Nervous Sys. (other dis.)									
									Valv. Dis., Endocarditis	36	34	-	-	1	10	7	16	
									Cerebr. Hæm. Thromb.	25	21	-	-	-	-	5	19	
									Apoplexy, Hemiplegia	12	17	-	-	-	-	3	11	
									Aneurysm	5	6	-	-	-	2	1	3	
									Embolism, Thrombosis	-	-	-	-	-	-	-	-	
									(not cerebral)	-	-	-	-	-	-	-	-	
									Heart & Blood Vessel Dis.	58	71	-	-	1	10	20	40	
									Croup (not Spasm: nor Memb.)	-	2	1	1	-	-	-	-	
									Bronchitis	60	73	17	3	1	3	12	37	
									Asthma, Emphysema	2	1	-	-	-	-	1	-	
									Pleurisy	-	3	-	-	-	1	-	2	
									Respiratory Dis. (other)	12	6	2	-	1	-	-	3	
									Tonsillitis, Quinsy	-	-	-	-	-	-	-	-	
									Enteritis (not Epid.)	9	18	10	3	-	1	3	1	
									Gastro-Enteritis	14	15	10	3	-	-	-	-	
									Peritonitis (not Puerp.)	2	2	-	1	-	-	-	-	
									Cirrhosis of Liver	16	10	-	-	-	-	6	4	
									Liver Dis. (other)	6	3	1	-	-	-	2	-	
									Digestive Dis., Other	32	44	7	2	5	9	12	9	
									Nephritis, Acute	8	8	-	3	1	2	-	2	
									Bright's Dis., Albuminuria	24	29	-	-	1	3	14	11	
									Urinary Sys., Other Dis.	8	9	-	-	-	1	4	4	
									Generative Organs Dis.	7	2	-	-	-	-	2	-	
									Childbirth (Accid. of)	4	7	-	-	-	7	-	-	
									Old Age	44	56	-	-	-	-	-	56	
									Other Diseases	86	91	65	11	-	3	6	6	
									ACCIDENT.									
									By Railways	-	1	-	-	-	1	-	-	
									By Vehicles and Horses	8	4	-	1	2	-	1	-	
									In Ships, Boats, Docks, (exclusive of Drowning)	1	1	-	-	-	-	1	-	
									In Building Operations	3	-	-	-	-	-	-	-	
									In Conflagrations	-	-	-	-	-	-	-	-	
									By Burns, Scalds, Explosions	3	5	-	3	1	1	-	-	
									By Drowning	4	2	-	-	-	-	2	-	
									By Suffocation in Bed	7	8	8	-	-	-	-	-	
									By Poisons or Poisonous Vapours	4	1	-	-	-	-	-	1	
									Other Deaths by Accident	8	19	3	1	2	3	5	5	
									VIOLENCE OTHER THAN ACCIDENTAL.									
									Homicide	2	-	-	-	-	-	-	-	
									Suicide	9	8	-	-	-	3	4	1	
									Execution	-	-	-	-	-	-	-	-	

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 1st October, 1904.

The DEATHS registered during the Week include																
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of		Deaths from										Inquest Cases.
				Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhoea.	Violence.	
LONDON - - -	4,536,429	2537	1279	311	338	-	17	9	16	9	-	10	2	84	49	125
WEST DISTRICTS	805,311	357	219	42	60	-	-	1	2	3	-	1	1	7	8	19
NORTH DISTRICTS	1,056,070	502	277	62	74	-	8	-	3	1	-	4	-	13	12	24
CENTRAL DISTRICTS	209,465	108	71	17	20	-	-	-	1	1	-	-	-	5	4	10
EAST DISTRICTS	715,739	511	238	69	55	-	12	-	5	3	-	3	-	19	11	33
SOUTH DISTRICTS	1,749,844	1059	430	121	122	-	7	3	5	3	-	1	1	40	13	33
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	44	-	7	-	-	5	2	-	-	2	-	-	1	1
WEST DISTRICTS.																
St. Mary Paddington } G. & W.	93,178	44	29	6	10	-	-	-	-	1	-	-	-	1	-	-
W,2H																
St. John Paddington H - - G.	33,617	9	13	1	6	-	-	-	-	-	-	-	-	-	1	1
North-West Paddington - - C.	17,181	10	4	1	-	-	-	-	-	-	-	-	-	1	1	1
Kensington Town 2W,w,2H G,W.&C.	128,037	67	28	6	7	-	-	-	-	-	-	-	-	1	-	1
Brompton 2H - - W. & C.	48,591	9	5	-	1	-	-	-	-	-	-	-	-	-	1	1
North Hammersmith W,w,H } W.&G.	49,192	28	5	1	1	-	-	-	-	-	-	-	-	-	-	-
South Hammersmith w,2H } W.&G.	63,047	40	16	4	3	-	-	-	-	-	-	-	-	-	1	2
North-west Fulham W } W. & C.	45,180	36	25	7	6	-	-	-	-	-	-	-	-	1	2	2
North-east Fulham F } W. & C.	46,405	21	19	7	3	-	-	1	2	-	-	1	-	2	1	2
South Fulham W } W. & C.	45,704	27	8	2	1	-	-	-	-	1	-	-	-	-	-	3
Chelsea North W,w,3H - - C.	42,514	14	24	1	10	-	-	-	-	1	-	-	-	-	-	-
Chelsea South W,2H - - C.	31,328	14	10	3	3	-	-	-	-	-	-	-	-	1	-	1
May Fair and Knightsbridge C. & G.	28,743	2	2	-	-	-	-	-	-	-	-	-	-	-	-	1
Belgrave W,2H - - C.	55,815	18	8	-	3	-	-	-	-	-	-	-	-	-	-	-
St. Margaret & St. John 4H - C.	43,698	12	17	3	3	-	-	-	-	-	-	-	1	-	1	3
St. James Westminster } N. & G.	21,588	2	5	-	3	-	-	-	-	-	-	-	-	-	-	-
W,H																
St. Anne Soho 5H - - N.	11,493	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																
All Souls Marylebone 8H - W.	35,391	15	15	1	2	-	-	-	-	-	-	-	-	-	-	2
Rectory Marylebone W G. & W.	19,849	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone 4H G. & W.	18,099	37	4	1	1	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone H- W.	39,536	21	6	2	2	-	-	-	-	-	-	-	-	1	-	1
St. John Marylebone 3H - W.	20,426	7	3	2	1	-	-	-	-	-	-	-	-	-	-	-
Hampstead W,F,6H - N. & W.	81,942	24	19	4	7	-	-	-	-	-	-	-	-	-	1	1
West St. Pancras 2H - - W.	60,562	29	9	2	4	-	-	-	-	-	-	-	-	-	-	2
Tottenham-court w,6H - N. & W.	21,258	2	11	1	1	-	-	-	-	-	-	-	-	-	-	-
Gray's Inn Lane 4H - - N.	34,449	7	12	1	4	-	-	-	-	-	-	1	-	1	-	-
East St. Pancras W,2H - - N.	60,320	41	17	4	2	-	3	-	-	-	-	-	-	-	1	-
North St. Pancras 2W - - N.	58,728	23	11	2	5	-	-	-	-	-	-	1	-	-	-	-
Tufnell W- - - N.	31,995	13	21	5	4	-	3	-	-	-	-	-	-	-	2	3
Upper Holloway 2W,w,2H - N.	33,978	18	20	5	3	-	-	-	-	-	-	-	-	2	1	2
Tollington W- - - N.	33,922	19	5	1	2	-	-	-	-	-	-	-	-	-	1	2
Lower Holloway - - - N.	41,424	23	13	5	2	-	-	-	-	-	-	-	-	3	-	-
Barnsbury - - - N.	54,478	29	9	5	3	-	-	-	-	-	-	-	-	1	-	-
Islington South-east F - - N.	75,397	30	20	4	6	-	1	-	-	-	-	1	-	1	3	6
Highbury 2H - - - N.	63,797	21	14	3	5	-	-	-	-	-	-	-	-	-	1	-
Stoke Newington H - - N.	51,247	17	14	4	5	-	-	-	-	-	-	-	-	1	-	-
North Hackney - - E. & N.	50,560	27	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney 2w,F - E. & N.	50,536	26	13	-	7	-	-	-	3	-	-	1	-	-	-	1
South-west Hackney 3H - E. & N.	58,921	36	12	4	3	-	-	-	-	1	-	-	-	-	2	2
South-east Hackney 2W,w,H E. & N.	58,265	31	25	6	4	-	1	-	-	-	-	-	-	2	1	2

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated the namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Dis-
trict than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a
district contains more than one institution of either kind, the number is indicated by a figure prefixed to
letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G, signi-
Grand Junction; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New Ri-
E, East London; and K, the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 1st October, 1904—continued.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include																Deaths in Public Institutions.	Un- certified Causes of Death.
				Deaths of		Deaths from										Inquest Cases.					
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhœa.	Violence.						
CENTRAL DISTRICTS.																					
Hilles and Bloomsbury W,2H N.	31,436	15	5	1	3	-	-	-	-	1	-	-	-	-	-	-	-	1	-		
nd W,4H - - - N. & C.	21,674	6	11	1	2	-	-	-	-	-	-	-	-	1	2	4	5	1	-		
nd Union Workhouse, Edmonton-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
born W,6H - - - N.	29,612	19	10	4	-	-	-	-	-	-	-	-	-	-	-	-	-	8	-		
ch Clerkenwell - - - N.	28,676	15	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
ch Clerkenwell H - - - N.	35,028	17	9	3	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-		
bury 3H, L - - - N.	36,116	29	7	4	1	-	-	-	-	-	-	-	-	-	-	3	-	-	-		
born Union Workhouse, }	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	3	-		
itcham - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
otolph H - - - N. & E.	10,299	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
epulchre and Allhallows } N.	16,624	5	19	3	6	-	-	-	1	-	-	-	-	-	2	5	14	-	-		
2H - - - - - }	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-		
of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
EAST DISTRICTS.																					
editch South* H, L - E. & N.	46,362	30	8	5	1	-	-	-	-	-	-	-	-	2	3	3	-	-	-		
editch North-West* W, v, H N.	36,127	32	20	4	7	-	-	-	-	-	-	-	-	1	-	1	12	-	-		
editch North-East* - N. & E.	36,148	19	4	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-		
editch Union Workhouse, Wood }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
en - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
nal Green North 2H - E.	51,514	35	19	7	3	-	-	-	-	-	-	-	-	2	-	2	5	-	-		
nal Green South - - - E.	33,472	25	12	4	3	-	1	-	-	-	-	-	-	2	-	-	-	-	-		
nal Green East 2W, H, L - E.	44,694	29	22	6	9	-	-	-	1	-	-	-	-	-	3	6	14	-	-		
lfelds - - - E. & N.	27,969	16	3	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-		
End New Town W, H - E.	28,718	29	32	5	6	-	-	-	1	-	-	2	-	4	-	5	29	-	-		
lman's Fields - - - E.	22,081	16	5	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-		
George and St. John 2W E.	49,068	38	16	7	5	-	-	-	-	-	-	-	-	-	1	3	7	-	-		
well and Ratcliff W, H, E. & N.	25,568	20	14	5	2	-	-	-	-	-	-	-	-	4	-	1	8	-	-		
house - - - E.	32,369	15	5	2	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-		
End Old Town South- }	63,698	62	10	5	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-		
estern H - - - E.																					
End Old Town North- }	49,129	26	15	2	6	-	-	-	-	-	-	-	-	-	1	1	7	-	-		
estern W, v - - - E.																					
L - - - E.	41,989	22	11	2	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-		
ley 3w, H - - - E.	68,319	57	29	5	5	-	-	-	1	-	-	1	-	1	2	4	13	-	-		
ar W, v - - - E.	58,514	40	13	5	2	-	1	-	-	-	-	-	-	1	-	2	1	-	-		

On 1st September, 1904, the four sub-districts of Shoreditch district were dissolved and formed into three new sub-districts as above.

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 1st October, 1904.

The DEATHS registered in the Week include																	
REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths of		Deaths from										
					Infants under 1 Year of Age.	Persons aged 60 Years & upwds.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes of Death.
LONDON—OUTER RING	368,580	2,044,973	1220	443	137	116	-	4	1	7	5	4	42	20	37	69	-
Carshalton <i>w, 2F, 2H</i>	12,228	32,997	9	5	1	-	-	-	-	2	-	-	-	-	-	2	-
Epsom, part of * <i>W, w, 2F, H</i>	10,423	15,548	3	3	-	3	-	-	-	-	-	-	-	-	-	2	-
Godstone, part of * <i>W, F</i>	2,754	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Coulsdon	11,069	8,166	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-
South Croydon <i>w</i>	4,200	49,319	20	5	4	-	-	-	-	-	-	-	2	-	-	-	-
West Croydon <i>3W, F, H</i>	2,168	42,888	22	15	3	6	-	-	1	-	-	-	2	-	1	8	-
North Croydon <i>H</i>	2,644	41,698	30	11	4	4	-	-	-	-	-	-	1	2	1	2	-
Penge <i>w</i>	770	22,465	4	2	1	-	-	-	-	-	-	-	-	-	1	-	-
Mitcham <i>w</i>	11,689	30,015	20	4	2	-	-	-	-	-	-	-	-	-	-	-	-
Wimbledon <i>F, 3H</i>	3,221	41,652	17	3	1	1	-	-	-	-	-	-	-	-	-	-	-
Kingston <i>W, H</i>	6,224	42,068	16	13	2	5	-	-	-	-	-	-	-	2	4	5	-
Surbiton <i>F, H</i>	3,046	15,017	3	5	-	3	-	-	-	-	-	-	-	-	-	-	-
Esher, part of * <i>H</i>	5,402	13,100	4	3	-	1	-	-	-	-	-	-	-	-	1	2	-
Hampton <i>H, L</i>	4,664	23,456	11	7	2	2	-	-	-	-	-	-	-	1	1	-	-
Richmond <i>W, H</i>	2,162	28,865	6	7	2	3	-	1	-	-	-	-	1	-	-	-	-
Mortlake <i>F</i>	2,847	20,628	11	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Bromley <i>F, 2H</i>	4,703	27,354	15	3	-	1	-	-	-	-	-	-	-	-	-	2	-
Beckenham <i>H</i>	7,825	28,497	13	5	2	1	-	-	-	-	-	-	-	-	-	-	-
Orpington, part of * <i>W</i>	10,113	9,867	3	5	1	3	-	-	-	-	-	-	-	-	1	4	-
Chislehurst <i>2H</i>	7,333	16,446	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bexley <i>F, H</i>	8,678	21,151	13	4	2	1	-	-	-	-	-	-	-	-	-	-	-
Erith <i>F, H</i>	3,854	25,296	18	4	2	2	-	-	-	-	-	-	-	-	1	-	-
Dartford <i>W, F, part of *</i>	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Sunbury <i>w</i>	11,054	18,683	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-
Staines <i>W, H</i>	13,277	15,178	15	4	3	-	-	-	-	-	-	-	-	-	-	1	-
Hillingdon <i>W, F, H</i>	6,035	13,661	4	5	2	3	-	-	-	-	-	-	1	-	-	1	-
Uxbridge	12,757	8,984	4	2	-	1	-	1	-	-	-	-	-	-	-	-	-
Hayes <i>w, F, H</i>	8,066	16,358	12	5	3	1	-	-	-	-	-	-	-	-	-	-	-
Isleworth <i>3W, 2F, H</i>	6,859	30,863	31	8	4	1	-	-	-	-	-	-	2	-	-	2	-
Twickenham <i>F, H</i>	2,421	20,991	13	2	2	-	-	-	-	-	-	-	-	-	-	-	-
Brentford <i>2F, 2H, L</i>	4,319	48,289	30	7	2	3	-	-	-	1	-	-	2	-	-	1	-
Chiswick <i>H</i>	1,249	29,809	16	11	2	2	-	-	-	1	-	-	-	-	-	-	-
Acton <i>w, 3H</i>	6,132	48,914	30	10	5	2	-	-	-	-	-	-	1	-	-	-	-
Harrow <i>F, H</i>	13,809	25,523	17	5	4	-	-	-	-	-	-	-	1	-	-	-	-
Edgware <i>F, 2H</i>	6,994	4,521	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Willesden <i>W, F, 2H</i>	4,384	114,811	77	20	7	2	-	-	-	-	-	1	3	1	1	3	-
Hendon <i>W, F</i>	8,382	22,450	17	8	2	2	-	-	-	-	-	-	-	-	-	-	-
South Mimms <i>2F, H</i>	17,755	7,308	6	2	1	1	-	-	-	-	-	-	-	-	1	-	-
Barnet <i>W, 3H</i>	3,324	17,070	11	5	2	1	-	-	-	-	-	-	-	-	-	-	-
Finchley <i>F, 2H</i>	4,688	33,692	21	8	4	2	-	-	-	-	-	-	-	-	1	-	-
Hornsey <i>F, H</i>	2,875	72,056	29	10	-	2	-	-	-	-	-	-	-	1	2	-	-
Wood Green <i>H</i>	1,625	34,233	12	9	2	4	-	-	-	-	-	-	-	-	2	2	-
West Tottenham <i>F</i>	996	48,853	33	13	2	3	-	-	-	-	-	-	2	1	2	-	-
East Tottenham <i>F, H</i>	2,017	53,688	39	13	5	3	-	1	-	-	-	-	-	2	4	1	-
Edmonton <i>W, w, 2F</i>	7,491	61,892	38	11	2	3	-	-	-	-	-	-	-	-	1	4	-
Enfield <i>2W, F, H</i>	12,601	42,738	35	7	2	1	-	-	-	-	-	-	1	-	-	-	-
Waltham Abbey	11,017	6,549	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cheshunt <i>F, H</i>	8,479	12,292	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hatfield, part of * <i>W</i>	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey <i>H</i>	9,333	9,173	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Watford <i>W, 2F part of *</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford <i>H</i>	1,072	44,827	22	18	6	4	-	-	-	2	-	-	2	2	2	2	3
Plaistow <i>F, 2H</i>	1,249	90,921	66	17	7	2	-	-	-	-	-	-	1	2	2	2	3
Canning Town <i>H</i>	1,555	70,718	53	19	7	3	-	-	-	-	-	-	-	7	1	1	-
Forest Gate <i>w</i>	806	60,892	36	5	1	2	-	-	-	-	-	-	-	-	1	-	-
North East Ham <i>w</i>	1,333	58,676	46	14	4	3	-	-	-	1	1	2	-	-	-	-	-
South East Ham <i>2F</i>	1,993	37,342	34	7	3	2	-	-	-	1	-	-	-	-	-	-	1
Wanstead <i>F</i>	1,679	9,179	6	1	-	1	-	-	-	-	-	-	-	-	-	-	-
South Leyton <i>2W</i>	631	50,467	31	10	2	4	-	-	-	-	-	-	1	-	-	-	3
North Leyton <i>W, w, F</i>	1,963	48,445	38	22	4	10	-	-	-	1	-	-	-	1	-	11	-
Walthamstow <i>3H, L</i>	6,504	108,929	72	25	11	5	-	-	-	1	-	-	4	2	3	1	-
Chigwell, part of * <i>2F, 4H</i>	11,778	16,397	15	7	1	2	-	-	-	-	-	-	-	1	1	2	-
Epping <i>W, F, part of *</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, part of * <i>W, 2F</i>	6,556	6,091	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
Ilford <i>F, L</i>	8,496	41,234	27	12	3	4	-	-	-	-	1	-	1	-	-	5	-
Barking Town <i>F</i>	3,303	21,547	16	4	1	-	-	1	-	-	1	1	1	-	-	1	-
London County Lunatic Asylum, Colney Hatch.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-
North-Eastern Hosp., Tot- tenham.	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-

The parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4, excepting Esher; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Don Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping- cough.	Fever.
CALCUTTA (including SUBURBS)	847,796	August 20	-	377	23'1	2	1	-	-	1	13
BOMBAY - -	776,006	September 13	415	594	39'8	1	1	-	-	1	112†
MADRAS - -	509,346	August 26	467	344	35'1	-	-	?	?	?	98
PARIS - - -	2,660,559	September 24	1059	770	15'0	2	4	3	2*	6	6
BRUSSELS - -	575,896	" 24	214	131	11'6	1	3	-	-	1	-
ANTWERP - -	281,376	" 24	125	80	14'5	-	4	-	-	-	-
AMSTERDAM -	547,370	" 17	268	140	13'3	-	2	-	-	4	2
COPENHAGEN -	420,000	" 24	220	125	15'5	-	3	-	-	3	1
STOCKHOLM -	305,115	" 17	142	63	10'6	-	-	-	-	4	-
CHRISTIANIA -	225,709	" 24	163	38	10'7	-	-	1	-	1	-
ST. PETERSBURG	1,248,643	" 17	651	510	21'3	1	5	6	9*	2	16
MOSCOW - -	1,093,410	" 17	-	604	28'8	1	10	11	8*	4	3
BERLIN - - -	1,960,909	" 10	888	708	18'8	-	4	9	5*	8	6
HAMBURG - -	751,842	" 24	-	261	18'1	-	-	3	4*	3	-
BRESLAU - -	445,403	" 24	-	180	21'1	-	-	-	1*	?	-
MUNICH - - -	520,000	" 24	-	174	17'4	-	2	-	-	1	-
VIENNA - - -	1,779,869	" 24	977	484	11'0	-	4	-	8*	-	1
PRAGUE - - -	423,990	" 17	195	175	21'3	-	-	1	-	2	3
BUDA-PESTH -	813,399	" 24	410	229	14'6	-	5	11	3*	1	5
TRIESTE - - -	187,351	" 17	129	94	25'7	-	-	1	-	1	4
ROME - - -	496,201	August 13	209	183	19'1	-	1	1	1*	-	6
VENICE - - -	166,288	September 17	93	51	16'0	-	-	-	1*	-	-
CAIRO - - -	624,338	June 3	446	591	49'4	5	29	-	9*	?	20
ALEXANDRIA -	349,300	" 3	218	268	40'0	1	42	-	-	?	4†
NEW YORK - -	3,838,024	September 10	2329	1309	17'8	-	8	2	25*	3	21
PHILADELPHIA	1,408,154	" 3	-	371	13'7	-	-	1	3*	2	10
BOSTON - - -	617,950	" 3	-	199	16'8	-	-	-	3*	1	4

* Including deaths from croup.

† Including 3 deaths from plague in Calcutta, 62 in Bombay, and one in Alexandria.

‡ Including 4 deaths from cholera in Calcutta, and 4 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 1st October, 1904.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	65'7	38'8	52'8	0'14	BRADFORD - -	62'0	41'2	53'0	0'0
BRIGHTON - -	66'8	44'7	56'2	0'32	LEEDS - - -	65'0	42'0	53'8	0'0
PORTSMOUTH -	66'3	43'0	55'5	0'46	HULL - - -	65'0	39'0	52'5	0'0
NORWICH - - -	66'0	38'0	52'5	0'57	TYNEMOUTH -	63'0	42'0	51'7	0'0
PLYMOUTH - -	66'0	42'2	54'6	0'93					
BRISTOL - - -	68'0	39'4	53'7	0'36	EDINBURGH - -	61'4	44'0	51'0	0'0
BIRMINGHAM -	65'8	39'9	52'0	0'61	GLASGOW - - -	64'5	37'0	51'6	0'0
NOTTINGHAM -	63'3	40'6	51'9	0'84					
LIVERPOOL - -	63'0	40'0	52'3	0'63	DUBLIN { Phoenix Park.	65'1	34'6	50'6	0'0
MANCHESTER -	64'6	42'6	52'5	0'67	{ Fitz- william Square.†	64'0	41'1	52'8	0'0
PRESTON - - -	61'0	45'5	53'0	0'74					
HUDDERSFIELD	60'5	39'0	51'3	0'24	BELFAST - - -	64'1	38'1	52'3	0'0

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of the return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher's returns up to the 31st March, 1902, for the corresponding period to the above was 1°·1 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D. Dublin.

1904.

1904.		Phases of the Moon.	Mean daily reading (corrected and reduced to 32° Fahrenheit).	Of the Air.				Of the Dew Point Temperature.				Degree of Humidity (Saturation 100).				Of Radiation.		Of the Earth 3 feet below the Surface.	Osler's.				Robinson's.				Gauge in a place where receiving surfaces are exposed to the wind & the force of the Ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
MONTH AND DAY	in.			°	°	°	°	°	°	°	°	°	°	°	°	°	°		°	°	°	°	°	°	°	°		°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

GENERAL REMARKS.

DATE.	ELUCIDATION (For explanation of symbols see Note).	Registered Sunshine in hours.	Horizon in hours.	Remarks.
SUNDAY - 25	w. P. till 10h. A.M.; m. P. afterwards.	1.3	12.0	Generally overcast till evening; very fine with little cloud at night; slight gloom and fog during afternoon.
MONDAY - 26	m. P. till 11h. A.M.; w. P. till 5h. P.M.; m. P. afterwards.	8.1	11.9	Cloudless with slight fog in morning; very fine with variable amounts of cloud afterwards.
TUESDAY - 27	v. P. till noon; w. P. with occasional m. P. afterwards.	6.2	11.9	Cloudless with fog in morning; very fine generally afterwards.
WEDNESDAY - 28	m. P. till 6h. A.M.; w. P. generally afterwards.	3.5	11.8	Fog prevalent till 10h. A.M.; fine and partially cloudy afterwards. Solar halo with parhelic circle observed in afternoon, and lunar halo with parhelic arc at night.
THURSDAY - 29	w. P. till 10h. A.M.; m. P. afterwards.	7.3	11.7	Cloudy and foggy in morning; very fine with little cloud generally till afternoon; cloudless afterwards.
FRIDAY - 30	m. P. generally till 11h. A.M.; w. P. afterwards.	1.2	11.7	Foggy in morning; fine but cloudy with solar halo at intervals till afternoon; overcast afterwards with frequent rain after 6h. P.M.
OCTOBER SATURDAY - 1	w. P. till 3h. P.M.; m. P. afterwards.	0.5	11.6	Overcast till afternoon with frequent slight rain till 1h. P.M.; fine and partially cloudy till evening; cloudless at night.
MEANS	-	Sum 28.1	Sum 82.6	Sum 28
No. of Col.	-	27	28	29

The results apply to the civil day or from midnight to midnight.
The height of the eastern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1880, and that of horizontal movement of the air from a discussion of the anemometric records for the 18 years ending 1876.
In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.
The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.
The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: - P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.
The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.
The reading of the barometer decreased from 29.71 in. at the beginning of the week to 29.62 in. by 4h. P.M. on Sept. 25th; increased to 30.01 in. by 10h. A.M. on Sept. 29th; decreased to 29.56 in. by 8h. A.M. on Oct. 1; and increased to 29.80 in. by midnight on the same day.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 24th September, 1904.*

BOROUGHS,	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Chicken-pox.
WEST.											
Paddington- - - -	146,975	-	9	4	-	1	-	-	6	-	7
Kensington - - - -	179,236	-	4	2	-	3	-	-	3	-	2
Hammersmith - - -	117,412	-	7	3	-	-	-	-	3	-	-
Fulham - - - - -	152,482	-	7	13	-	1	-	-	5	-	6
Chelsea - - - - -	74,329	-	-	3	-	1	-	-	-	-	-
City of Westminster-	177,321	-	8	3	-	1	-	-	3	-	2
NORTH.											
St. Marylebone - - -	130,337	-	5	3	-	1	-	-	6	-	3
Hampstead - - - -	86,663	-	2	1	-	1	-	-	5	-	3
St. Pancras - - - -	235,936	-	24	7	-	6	-	-	8	-	7
Islington - - - - -	341,044	-	32	8	-	5	-	-	5	-	5
Stoke Newington - - -	52,445	-	4	4	-	-	-	-	1	-	-
Hackney - - - - -	226,266	-	17	13	-	13	-	-	7	-	10
CENTRAL.											
Holborn - - - - -	57,161	-	1	1	-	-	-	-	5	1	1
Finsbury - - - - -	98,958	-	8	2	-	1	-	-	4	-	1
City of London - - -	23,482	-	1	-	-	-	-	-	-	-	1
EAST.											
Shoreditch - - - -	117,033	-	4	6	-	1	-	-	9	-	-
Bethnal Green - - -	130,207	-	21	8	-	3	-	-	2	-	6
Stepney - - - - -	303,791	-	35	22	-	7	-	-	17	3	14
Poplar- - - - -	169,905	-	10	24	-	5	-	-	6	-	7
SOUTH.											
Southwark- - - - -	207,937	-	9	2	-	3	-	-	7	1	4
Bermondsey - - - -	129,397	-	10	4	-	-	-	-	5	-	4
Lambeth - - - - -	310,359	-	14	5	-	2	-	-	7	-	9
Battersea - - - - -	175,465	-	9	8	-	3	-	-	4	-	5
Wandsworth - - - -	257,448	-	20	5	-	2	-	-	3	-	11
Camberwell - - - -	268,384	-	36	11	-	3	-	-	5	-	7
Deptford - - - - -	113,509	-	4	10	-	1	-	-	5	-	3
Greenwich - - - - -	101,651	-	9	1	-	1	-	-	-	-	6
Lewisham - - - - -	140,401	-	10	-	-	-	-	-	-	-	4
Woolwich - - - - -	123,416	-	7	2	-	2	-	-	-	-	6
Port of London - - -	-	-	-	-	-	1	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,648,950											
		-	327	175	-	68	-	-	131	5	135
Ages											
0-1 - - - - -	-	-	-	2	-	-	-	-	6	-	16
" 1-5 - - - - -	-	-	96	77	-	3	-	-	3	-	63
" 5- - - - -	-	-	146	59	-	8	-	-	9	-	41
" 10- - - - -	-	-	58	19	-	10	-	-	10	-	9
" 15- - - - -	-	-	12	4	-	7	-	-	8	-	2
" 20- - - - -	-	-	5	5	-	9	-	-	9	4	3
" 25- - - - -	-	-	7	6	-	19	-	-	27	-	1
" 35- - - - -	-	-	3	3	-	8	-	-	19	1	-
" 45- - - - -	-	-	-	-	-	2	-	-	22	-	-
" 55- - - - -	-	-	-	-	-	1	-	-	11	-	-
" 65 and upwards	-	-	-	-	-	1	-	-	7	-	-
Age not stated - - -	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1904.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 40. 1904. VOL. LXV.] WEEK ENDED SATURDAY, OCT. 8. [Price 1½d.

*General Register Office, Somerset House,
October 10th, 1904.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·1 per 1000 of their aggregate population, which is estimated† at 15,271,287 persons in the middle of this year. In the preceding three weeks the rates had been 17·0, 16·0, and 15·6. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *all causes*, 20·0 in Great Yarmouth, 20·2 in West Bromwich, 20·5 in Walsall, 20·7 in Liverpool, 21·0 in Middlesbrough, 21·3 in Burnley and in Preston, 21·5 in Stockport, and 24·4 in Salford; from *measles*, 1·4 in Salford and 2·3 in Birkenhead; from *scarlet fever*, 1·5 in Halifax and 1·6 in Hanley; from *diphtheria*, 2·2 in East Ham; from *whooping-cough*, 1·5 in South Shields; and from *diarrhœa*, 4·1 in Preston, 4·6 in Walsall, 5·7 in Burnley, and 6·2 in Warrington. Two deaths from *small-pox* were registered in Oldham, 1 in Bury, and 1 in Gateshead, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2470 BIRTHS and 1243 DEATHS were registered. Allowing for increase of population, the births were 114 and the deaths 183 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 15·3, 13·7, and 14·3 in the preceding three weeks, fell last week to 13·9. During the four weeks ended on Saturday last the death-rate averaged 14·3 per 1000, being 2·2 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 8, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1243 deaths included 14 from measles, 4 from scarlet fever, 20 from diphtheria, 7 from whooping-cough, 9 from enteric fever, and 52 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 106 deaths were referred to these diseases in the aggregate, being 86 below the corrected average weekly number.

The deaths from *measles*, which had been 8, 6, and 17 in the preceding three weeks, fell last week to 14, the corrected average being 13; 3 deaths belonged to the Borough of St. Pancras. The deaths from *scarlet fever*, which had been 14, 3, and 9 in the preceding three weeks, fell last week to 4, and were 10 below the corrected average. The deaths from *diphtheria*, which had been 9, 19, and 16 in the preceding three weeks, rose last week to 20, but were 24 below the corrected average. The deaths from *whooping-cough*, which had been 16, 5, and 9 in the preceding three weeks, were 7 last week, and were 8 below the corrected average. The fatal cases of *enteric fever*, which had been 9, 13, and 10 in the preceding three weeks, were 9 last week, and were 9 below the corrected average. The deaths from *diarrhœa*, which had been 189, 108, and 84 in the preceding three weeks, further fell last week to 52, and were 36 below the corrected average; 6 deaths belonged to Stepney, 6 to Southwark, 5 to Camberwell, and 4 each to Fulham, Finsbury, and Shoreditch. Of the 52 deaths from diarrhœa, 45 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 9 more deaths at this age. The deaths attributed directly to *influenza* numbered 10, having been 3, 2, and 9 in the preceding three weeks. The death of a child, aged 3 years, was certified after inquest as due to *ptomaine poisoning*, caused by eating stale shrimps.

Different forms of *violence* caused 51 deaths, concerning all of which inquests were held. Of these 51 deaths, 8 were cases of suicide, while the remaining 43 were attributed to accident or negligence. Three of these latter were referred to vehicles in the streets, 5 to burns and scalds, 4 to drowning, 1 while under the influence of an anæsthetic administered for surgical purposes, and 9 (including 8 of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 2 cases of small-pox, 2341 of scarlet fever, 892 of diphtheria, and 239 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 1 case, against 1, 0, and 0; of scarlet fever, 409 cases, against 340, 284, and 406; of diphtheria, 129 cases, against 134, 143, and 150; and of enteric fever, 26 cases, against 49, 37, and 51. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended October 1st.

GREATER LONDON.

In Greater London 3700 births and 1736 deaths were registered. Allowing for increase of population these numbers are 133 and 245 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 2 deaths from measles, 1 from scarlet fever, 6 from diphtheria, 3 from whooping-cough, 2 from "fever," and 12 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.80 inches, and that of the Thermometer 50.3, the latter being 2.6 below the week's average in the 50 years 1841-90. The general direction of the wind was variable, the horizontal movement of the air being 27 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 17.5 hours; the measured rainfall amounted to 0.86 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

The Deaths registered in the Week include

Deaths from

Deaths of

Persons aged

under 1 year

of age

and upwards

Small-pox.

Measles.

Scarlet Fever.

Diphtheria.

Whooping-cough.

Fever.

Diarrhoea.

Violence.

Inquest Cases.

Deaths in Public

Institutions.

Unceftified

Causes of Death.

TOWNS.

76 TOWNS.

LONDON.

(CROYDON.

WILLESDEN.

HORSEY.

TOTTENHAM.

WEST HAM.

EAST HAM.

LEYTON.

(WALTHAMSTOW.

HASTINGS.

BRIGHTON.

PORTSMOUTH.

BOURNEMOUTH.

SOUTHAMPTON.

READING.

NORTHAMPTON.

IPSWICH.

GREAT YARMOUTH.

NORWICH.

PLYMOUTH.

DEVONPORT.

BRISTOL.

HANLEY.

BURTON-ON-TRENT.

WOLVERHAMPTON.

WALSALL.

HANDSWORTH.

WEST BROMWICH.

1.

2.

3.

4.

5.

6.

7.

8.

9.

10.

11.

12.

13.

14.

15.

16.

17.

18.

19.

20.

21.

Cols.

15,271,287

4,648,960

144,419

132,566

81,221

112,981

283,424

116,902

110,844

111,282

66,503

126,286

188,038

64,645

112,500

78,373

91,146

68,805

52,099

115,538

114,003

75,334

343,204

63,932

51,934

98,194

91,432

59,634

67,186

170

157

173

106

128

143

143

67

89

71

157

184

97

125

96

149

187

230

176

178

187

166

261

90

138

240

61

179

156

160

137

141

83

115

165

107

127

172

178

208

161

125

96

149

230

176

178

187

166

261

90

138

240

61

179

156

160

137

141

83

115

165

107

127

172

178

208

161

125

96

149

230

176

178

187

166

261

90

138

240

61

179

156

160

137

141

83

115

165

107

127

172

178

208

161

125

96

149

230

176

178

187

166

261

90

138

240

61

179

156

160

137

141

83

115

165

107

127

172

178

208

161

125

96

149

230

176

178

187

166

261

90

138

240

61

179

156

160

137

141

83

115

165

107

127

172

178

208

161

125

96

149

230

176

178

187

166

261

90

138

240

61

179

156

160

137

141

83

115

165

107

127

172

178

208

161

125

96

149

230

176

178

187

166

261

90

138

240

61

179

156

160

137

141

83

115

165

107

127

172

178

208

161

125

96

149

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES during the Week ended Saturday, 8th October, 1904, and DEATH-RATES during the preceding three weeks.

TOWNS.	Cols.	POPULATION estimated to the middle of the Year 1904.*	DEATH-RATES from all Causes.				Rate from: Diseases during the Week ended 11-17.		Registered during the Week ended 8th Oct., 1904.		The DEATHS registered in the Week include										Deaths from		Inquest Cases.		Deaths in Public Institutions.		Causes of Death.		
			Week ended				11-17.		BIRTHS.	DEATHS.																			
			17th Sept., 1904.				8th Oct., 1904.				Under 1 Year of Age.	Persons Aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.									
			17th Sept., 1904.	24th Sept., 1904.	1st Oct., 1904.	8th Oct., 1904.	Week ended 8th Oct., 1904.	Week ended 8th Oct., 1904.																					
1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	TOWNS.							
BIRMINGHAM -	17.5	16.6	15.1	16.1	1.1	365	166	50	39	-	1	-	-	1	2	7	9	10	40	1	BIRMINGHAM.								
KINGS NORTON -	13.3	13.3	7.8	11.7	1.6	44	15	6	5	-	1	-	-	-	1	-	-	-	2	-	KINGS NORTON.								
SMETHWICK -	10.3	12.0	8.6	10.3	-	39	12	5	1	-	-	-	-	-	-	-	-	-	-	-	SMETHWICK.								
ASTON MANOR -	11.7	13.0	9.7	8.4	0.6	49	13	4	4	-	-	-	-	-	-	1	1	2	-	-	ASTON MANOR.								
COVENTRY -	12.0	16.2	16.2	16.2	1.4	45	23	6	4	-	-	-	-	-	1	1	1	2	3	-	COVENTRY.								
LEICESTER -	16.5	15.1	11.6	11.2	2.3	102	48	17	12	-	-	-	-	1	1	8	-	3	8	-	LEICESTER.								
GRIMSBY -	18.7	21.0	17.9	14.8	4.7	47	19	6	4	-	1	-	-	-	1	4	1	2	4	-	GRIMSBY.								
NOTTINGHAM -	14.5	14.9	15.3	13.2	1.3	146	63	13	24	-	-	-	2	1	-	3	3	5	8	-	NOTTINGHAM.								
DERBY -	14.3	11.7	10.4	12.6	1.7	47	29	9	6	-	-	-	-	-	-	4	2	3	2	-	DERBY.								
STOCKPORT -	24.7	16.1	14.5	21.5	3.2	51	40	11	7	-	1	1	-	-	-	4	-	1	2	-	STOCKPORT.								
BIRKENHEAD -	19.5	20.0	16.3	19.5	4.1	85	43	19	7	-	5	-	-	-	-	4	2	3	5	-	BIRKENHEAD.								
WALLASEY -	10.4	13.8	14.7	15.6	3.5	42	18	5	6	-	-	-	1	-	-	3	2	2	1	1	WALLASEY.								
LIVERPOOL -	22.3	21.6	22.6	20.7	4.6	428	287	72	53	-	14	2	8	2	6	32	8	12	81	8	LIVERPOOL.								
BOOTLE -	17.7	16.0	20.3	15.2	3.4	30	18	8	2	-	-	1	-	-	-	3	-	-	2	-	BOOTLE.								
ST. HELENS -	20.6	17.7	26.5	17.7	2.4	84	30	12	6	-	-	-	1	-	-	3	-	-	1	1	ST. HELENS.								
WIGAN -	31.6	16.6	25.7	17.4	3.3	41	21	8	2	-	1	-	-	-	1	2	-	1	1	1	WIGAN.								
WARRINGTON -	24.8	21.7	17.8	14.7	7.7	44	19	7	2	-	-	1	-	-	1	8	-	-	2	1	WARRINGTON.								
BOLTON -	14.5	24.6	19.9	14.2	3.9	92	48	18	6	-	-	-	-	-	1	11	-	-	7	-	BOLTON.								
BURY -	18.7	12.5	19.6	14.3	2.7	25	16	4	6	1	-	-	-	-	1	1	1	2	4	1	BURY.								
MANCHESTER† -	27.8	23.7	22.1	24.4	5.5	348	211	70	34	-	1	3	1	4	3	21	4	15	53	4	MANCHESTER.†								
SALFORD -	19.9	18.8	16.8	19.7	3.1	136	107	40	17	-	6	3	4	1	1	9	1	2	22	-	SALFORD.								
OLDHAM -	21.3	14.6	13.4	17.1	1.8	67	48	13	13	2	-	-	2	1	1	6	1	3	5	-	OLDHAM.								
ROCHDALE -	19.8	17.2	18.3	17.9	4.5	28	28	6	11	-	-	1	-	-	-	2	-	1	2	-	ROCHDALE.								
BURNLEY -	22.8	21.8	19.2	21.3	7.3	48	41	18	4	-	1	-	1	-	-	11	-	1	5	1	BURNLEY.								
BLACKBURN -	16.2	16.6	23.3	16.2	4.3	68	41	17	9	-	-	-	-	1	-	10	1	1	2	1	BLACKBURN.								
PRESTON -	19.0	17.7	23.6	21.3	4.1	44	47	23	9	-	-	-	-	-	-	9	-	-	5	3	PRESTON.								
BARROW-IN-FURNESS.	18.4	10.5	19.2	8.7	1.7	45	10	2	3	-	-	-	-	-	1	1	-	-	-	1	BARROW-IN-FURNESS.								

TOWNS.	Cols.	POPULATION as to the middle of the Year 1904.*				Week ended		In Coll.		Deaths of		Deaths from								Deaths in Public Institutions.		Causes of Death.		TOWNS.
		17th Sept., 1904.		24th Sept., 1904.		Week ended 8th Oct., 1904.	Week ended 8th October, 1904.	BIRTHS. DEATHS.		Infants under 1 Year of Age.	Persons aged 50 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhoid.	Typhus.	Dysentery.	Violence.	Inquest Cases.			
		1.	2.	3.	4.	5.	6.	7.	8.															
HUDDESFIELD	-	94,925	11'5	15'9	15'4	17'6	2'7	45	32	7	10	-	2	-	2	-	-	1	-	1	4	1	1	HUDDESFIELD.
HALEFAX	-	107,580	13'1	11'6	13'6	14'1	1'9	59	29	3	8	-	1	3	-	-	-	-	3	4	6	1	1	HALEFAX.
BRADFORD	-	285,089	18'5	17'4	16'3	16'1	2'4	105	88	16	28	-	-	1	4	1	1	6	2	4	16	-	-	BRADFORD.
LEEDS	-	450,142	15'6	15'3	16'2	14'0	1'2	241	121	43	27	-	-	-	-	-	2	8	4	10	23	-	-	LEEDS.
SHEFFIELD	-	432,940	20'2	18'4	16'6	13'9	2'8	269	115	36	27	-	-	4	1	2	2	14	5	9	28	-	-	SHEFFIELD.
ROTHERHAM	-	58,498	20'5	23'2	16'0	16'0	1'8	40	18	7	2	-	-	-	-	-	-	2	1	1	4	-	-	ROTHERHAM.
YORK	-	81,268	18'6	10'9	13'5	16'0	1'9	41	25	6	8	-	1	-	-	-	1	1	1	3	3	-	-	YORK.
HULL	-	253,865	25'1	18'7	18'9	19'3	4'3	148	94	31	21	-	4	-	3	-	1	13	5	8	14	-	-	HULL.
MIDDLESBROUGH	-	98,684	17'8	23'7	15'6	21'0	4'3	70	39	21	1	-	-	-	1	1	-	6	2	3	4	1	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	-	52,192	23'0	17'0	21'0	18'0	4'0	32	18	5	4	-	-	1	1	-	-	2	2	2	4	-	-	STOCKTON-ON-TEES.
WEST HARLEPOOL	-	68,251	16'6	14'3	22'6	15'8	3'0	39	21	4	5	-	-	-	-	-	1	3	1	2	5	-	-	WEST HARLEPOOL.
SUNDERLAND	-	151,157	25'5	23'1	23'5	16'5	3'8	90	45	12	14	-	-	-	1	1	1	8	2	2	6	2	-	SUNDERLAND.
SOUTH SHIELDS	-	107,334	22'8	20'9	16'0	16'0	3'4	74	33	10	6	-	-	-	-	3	-	4	1	2	3	-	-	SOUTH SHIELDS.
GATESHEAD	-	118,067	19'4	17'2	17'7	15'5	2'2	67	35	13	6	1	1	1	-	-	-	2	1	1	2	1	-	GATESHEAD.
NEWCASTLE-ON-TYNE	-	225,362	19'9	19'4	17'1	19'9	1'2	134	86	25	25	-	1	-	-	2	-	2	5	9	23	-	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH	-	53,060	21'6	21'6	15'7	19'7	1'0	42	20	6	6	-	1	-	-	-	-	-	2	3	3	2	-	TYNEMOUTH.
NEWPORT (MON.)	-	71,543	13'8	15'3	16'0	11'7	1'5	54	16	8	3	-	-	-	1	-	-	1	-	1	3	-	-	NEWPORT (MON.).
CARDIFF	-	176,313	12'1	14'8	14'8	12'7	2'4	98	43	12	10	-	-	-	-	2	2	4	3	2	7	-	-	CARDIFF.
RHONDDA	-	122,310	15'8	19'6	13'2	12'4	2'6	101	29	14	3	-	-	1	-	1	-	4	2	3	1	-	-	RHONDDA.
MERTHYR TYDFIL	-	72,745	20'8	22'2	15'1	16'5	1'4	47	23	9	8	-	-	-	-	-	-	2	1	2	3	-	-	MERTHYR TYDFIL.
SWANSEA	-	95,631	21'7	13'0	19'0	13'0	2'7	63	24	10	2	-	-	1	-	-	-	4	2	3	3	-	-	SWANSEA.
GREATER LONDON	-	6,907,756	14'4	13'3	13'0	13'1	1'2	3700	1736	429	462	-	16	6	35	10	16	79	73	182	586	5	-	GREATER LONDON.
OUTER RING	-	2,258,806	12'6	12'4	10'2	11'4	1'3	1230	493	142	122	-	2	2	15	3	7	27	22	43	94	-	-	OUTER RING.
8 TOWNS IN OUTER RING	-	1,098,639	12'7	12'7	10'8	11'4	1'4	616	240	72	52	-	-	1	9	-	5	15	13	23	51	-	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	-	1,160,167	12'5	12'1	9'7	11'4	1'2	614	253	70	70	-	2	1	6	3	2	12	9	20	43	-	-	REMAINDER OF OUTER RING.
EDINBURGH	-	331,977	15'1	16'8	14'8	12'7	1'7	145	81	19	22	-	-	-	-	2	1	8	2	?	15	7	-	EDINBURGH.
GLASGOW	-	798,357	17'8	15'9	16'3	15'2	2'0	468	233	51	50	-	1	1	1	10	-	18	15	?	56	3	-	GLASGOW.
DUBLIN†	-	376,994	16'8	25'9	19'0	17'5	2'1	178	127	29	30	-	-	1	-	3	1	10	3	6	49	1	-	DUBLIN†.
BELFAST†	-	368,680	17'9	16'8	17'6	19'2	2'6	213	132	33	21	-	5	-	-	1	5	7	1	6	20	?	-	BELFAST†.

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the FORTIETH Week of each of the Eleven Years, 1894-1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894-1903.*	1904
TOTAL Births -	2532	2447	2844	2460	2554	2540	2319	2499	2335	2378	2583·5	2470
Males - -	1312	1228	1473	1252	1277	1285	1150	1269	1204	1209	1313·0	1210
Females - -	1220	1219	1371	1208	1277	1255	1169	1230	1131	1169	1270·5	1260
TOTAL Deaths -	1287	1342	1276	1324	1620	1564	1391	1280	1381	1283	1426·0	1210
Males - -	640	697	646	695	814	799	719	665	707	662	730·6	610
Females - -	647	645	630	629	806	765	672	615	674	621	695·4	600

* The numbers in this column are the average weekly numbers in the fortieth week of the ten years 1894-1903, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	July 16.	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	13 Weeks
TOTAL Births -	2450	2472	2467	2302	2730	2525	2575	2160	2504	2514	2272	2537	2470	319
TOTAL Deaths -	1152	1320	1423	1745	1912	1923	1682	1459	1354	1360	1223	1279	1243	190
Ages at Death														
Under 1 year -	278	364	492	762	929	917	739	544	448	401	305	311	287	67
1-5 years -	145	162	184	228	244	245	181	135	124	116	113	118	102	20
5-20 " -	60	65	74	72	75	51	71	60	59	62	76	53	56	8
20-40 " -	140	163	156	166	132	158	166	149	148	180	159	177	187	20
40-60 " -	246	248	216	227	263	264	204	228	266	255	235	282	271	32
60 yrs. & upwds.	283	318	301	290	269	288	321	343	309	346	335	338	340	40
Deaths from—														
Small-pox† - -	-	1	2	1	1	-	-	-	-	-	-	-	-	-
Measles - -	39	49	36	31	36	42	30	15	8	8	6	17	14	3
Scarlet Fever - -	8	4	7	2	10	4	9	6	2	14	3	9	4	1
Diphtheria - -	7	14	5	10	7	9	19	8	20	9	19	16	20	1
Whooping-cough - -	29	21	13	21	21	17	20	25	16	16	5	9	7	2
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	5	5	6	7	2	6	4	12	8	9	13	10	9	-
Pyæmia (origin uncertain). - -	-	-	-	-	-	-	-	-	-	-	-	2	-	-
Diarrhœa, Dysentery -	57	161	301	558	687	705	483	338	258	189	108	84	52	39
All above Diseases -	145	255	370	630	764	783	565	404	312	245	154	147	106	46
Dis. of Resp. System -	62	36	48	54	47	40	35	49	61	59	72	85	85	7
Pneumonia - -	93	84	70	58	74	66	66	59	68	82	97	82	81	9
Phthisis - -	98	116	113	136	110	133	127	105	122	141	142	152	150	16
Dis. of Circ. System -	156	158	144	134	115	137	147	161	160	156	150	152	157	16
Violence - -	50	83	83	63	62	56	46	47	40	46	45	49	51	7
Inquest Cases - -	119	152	161	121	148	145	115	118	124	104	110	125	139	16
Deaths in Institutions -	436	511	476	504	497	506	517	496	491	529	475	494	492	64
TEMPERATURE OF THE AIR.														
Mean - -	68·1	67·1	65·4	68·1	61·0	59·5	57·6	61·0	57·0	56·4	53·6	52·1	50·3	5
Mean of Highest - -	79·9	79·8	76·9	81·3	72·1	69·6	68·7	71·2	67·0	66·2	61·3	63·2	58·0	7
Mean of Lowest - -	56·3	55·6	56·4	56·3	51·1	51·6	48·9	51·8	48·6	47·9	46·1	42·5	43·3	5
Mean Humidity of the Air. - -	62	61	75	65	66	75	76	75	77	81	70	87	81	-
Rain-fall (in inches) -	0·01	0·04	1·83	0·08	0·06	0·47	0·22	1·01	0·36	0·24	0·20	0·14	0·86	5
Registered Sunshine (in hours). -	34·7	74·9	34·6	67·8	62·2	38·7	40·6	39·0	41·3	37·1	52·7	28·1	17·5	61
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox - -	62	51	46	32	21	18	13	9	8	5	3	2	-	Mean
Scarlet Fever - -	1698	1754	1784	1758	1763	1745	1781	1820	1816	1929	1969	2158	2341	16
Diphtheria - -	764	767	770	786	780	795	813	825	814	832	833	878	892	18
Typhus - -	-	-	-	-	-	-	-	-	1	1	1	1	-	1
Enteric Fever - -	61	58	67	66	71	89	121	135	158	187	204	237	239	1

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholm Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cahn Lippincott, Esq., F.R.S. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R.S. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.I. Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the FORTIETH Week of the Year 1904.
Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 40th week of the year 1903.	1904—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 40th week of the year 1903.	1904—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
CAUSES - - -	1283	1243	287	102	56	187	271	340	Meningitis (not tuberc.)	13	14	4	6	1	2	-	1
									Insanity, Gen. Par. of	14	15	-	-	-	5	5	-
									Insane - - -	2	10	-	-	1	1	6	2
Ill-pox*	-	-	-	-	-	-	-	-	Epilepsy - - -	23	21	20	1	-	-	-	-
Pox - - -	-	-	-	-	-	-	-	-	Convulsions - - -	2	1	-	-	-	-	1	-
Measles (Morbilli) -	9	14	3	11	-	-	-	-	Locomotor Ataxy -	1	7	-	-	-	-	3	4
Scarlet Fever - - -	10	4	-	1	3	-	-	-	Paraplegia, Dis. of Cord	18	14	1	-	1	1	2	9
Diphtheria - - -	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	31	35	-	-	3	12	11	9
Erysipelas - - -	-	-	-	-	-	-	-	-	Cerebr. Hem. Thromb.-	27	28	-	-	-	1	11	16
Typhoid Fever - - -	-	-	-	-	-	-	-	-	Apoplexy, Hemiplegia -	11	12	-	-	-	-	2	10
Typhus - - -	-	-	-	-	-	-	-	-	Aneurysm - - -	4	4	-	-	-	-	1	3
Erysipelas - - -	4	10	1	-	1	2	3	3	Embolism, Thrombosis }	-	-	-	-	-	-	-	-
Whooping-cough - -	9	7	2	5	-	-	-	-	(not cerebral) }	-	-	-	-	-	-	-	-
Diphtheria - - -	13	20	2	13	5	-	-	-	Heart & Blood Vessel Dis.	64	78	-	-	4	7	21	46
Erysipelas - - -	-	-	-	-	-	-	-	-	Croup (not Spasm : nor	-	-	-	-	-	-	-	-
Scarlet Fever - - -	-	-	-	-	-	-	-	-	Memb.) - - -	-	-	-	-	-	-	-	-
Typhoid Fever - - -	-	-	-	-	-	-	-	-	Bronchitis - - -	57	63	15	5	-	-	14	29
Typhus - - -	-	-	-	-	-	-	-	-	Asthma, Emphysema -	1	8	-	-	-	1	-	7
Erysipelas - - -	13	9	-	-	3	5	1	-	Pleurisy - - -	4	6	-	-	-	1	4	1
Scarlet Fever - - -	-	-	-	-	-	-	-	-	Respiratory Dis. (other)	7	8	4	1	-	-	-	3
Typhoid Fever - - -	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy -	1	-	-	-	-	-	-	-
Typhus - - -	73	31	26	5	-	-	-	-	Enteritis (not Epid.) -	18	14	10	1	-	1	1	1
Erysipelas - - -	59	21	13	1	-	-	1	6	Gastro-Enteritis - -	7	11	7	2	-	-	-	2
Scarlet Fever - - -	3	1	1	-	-	-	-	-	Peritonitis (not Puerp.)	3	2	-	-	1	1	-	-
Typhoid Fever - - -	-	-	-	-	-	-	-	-	Cirrhosis of Liver - -	13	10	-	-	-	-	6	4
Typhus - - -	-	-	-	-	-	-	-	-	Liver Dis. (other) - -	9	7	-	-	-	1	3	3
Erysipelas - - -	-	-	-	-	-	-	-	-	Digestive Dis., Other -	36	38	7	2	5	4	13	7
Scarlet Fever - - -	-	-	-	-	-	-	-	-	Nephritis, Acute - - -	5	4	-	-	-	-	3	1
Typhoid Fever - - -	9	8	4	-	-	2	2	-	Bright's Dis., Albumin-	26	32	-	-	-	3	13	16
Typhus - - -	3	4	-	-	-	4	-	-	uria - - -	9	7	-	-	-	-	2	5
Erysipelas - - -	-	-	-	-	-	-	-	-	Urinary Sys., Other Dis.	4	5	1	1	-	-	2	1
Scarlet Fever - - -	1	1	-	-	-	1	-	-	Generative Organs Dis.-	3	4	-	-	-	4	-	-
Typhoid Fever - - -	2	6	-	-	4	1	1	-	Childbirth (Accid. of)	35	42	-	-	-	-	-	42
Typhus - - -	4	9	1	-	1	2	2	3	Old Age - - -	113	104	75	12	3	2	7	5
Erysipelas - - -	36	30	10	9	1	3	-	7	Other Diseases - - -	-	-	-	-	-	-	-	-
Scarlet Fever - - -	-	-	-	-	-	-	-	-	ACCIDENT.								
Typhoid Fever - - -	38	42	4	1	1	9	19	8	By Railways - - -	3	3	-	-	-	2	1	-
Typhus - - -	8	7	2	-	-	1	1	3	By Vehicles and Horses-	4	3	-	-	-	1	1	1
Erysipelas - - -	-	-	-	-	-	-	-	-	In Ships, Boats, Docks,	1	-	-	-	-	-	-	-
Scarlet Fever - - -	69	77	1	1	4	40	26	5	(exclusive of Drown-	-	-	-	-	-	-	-	-
Typhoid Fever - - -	71	73	-	-	3	37	26	7	ing) - - -	-	-	-	-	-	-	-	-
Typhus - - -	24	9	3	5	1	-	-	-	In Building Operations-	-	-	-	-	-	-	-	-
Erysipelas - - -	17	8	1	1	3	2	1	-	In Conflagrations - -	-	-	-	-	-	-	-	-
Scarlet Fever - - -	1	7	6	1	-	-	-	-	By Burns, Scalds, Ex-	1	5	1	4	-	-	-	-
Typhoid Fever - - -	17	8	1	1	3	2	1	-	plosions - - -	8	4	-	-	-	1	3	-
Typhus - - -	1	7	6	1	-	-	-	-	By Drowning - - -	7	9	8	1	-	-	-	-
Erysipelas - - -	17	17	5	4	1	5	1	1	By Suffocation in Bed -	-	3	-	-	-	-	2	1
Scarlet Fever - - -	-	1	-	1	-	-	-	-	By Poisons or Poisonous	-	-	-	-	-	-	-	-
Typhoid Fever - - -	10	13	-	-	-	4	8	1	Vapours - - -	14	16	-	6	-	1	4	5
Typhus - - -	5	4	-	2	1	1	-	-	Other Deaths by Acci-	-	-	-	-	-	-	-	-
Erysipelas - - -	2	3	-	-	-	-	-	3	dent - - -	-	-	-	-	-	-	-	-
Scarlet Fever - - -	50	45	-	-	-	7	15	23	VIOLENCE OTHER THAN								
Typhoid Fever - - -	4	11	-	-	1	3	4	3	ACCIDENTAL.								
Typhus - - -	53	34	-	-	-	1	11	22	Homicide - - -	2	-	-	-	-	-	-	-
Erysipelas - - -	4	4	-	-	-	1	3	3	Suicide - - -	14	8	-	-	1	2	4	1
Scarlet Fever - - -	41	49	49	-	-	-	-	-	Execution - - -	-	-	-	-	-	-	-	-

In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
 * Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 8th October, 1904.

The DEATHS registered during the Week include																			
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	Deaths of														In- quest Cases.	Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from													
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia† (Origin un- certain).	Diarrhoea.	Violence.				
LONDON - - -	4,536,429	2470	1243	287	340	-	14	4	20	7	-	9	-	52	51	139	492		
WEST DISTRICTS	805,311	336	180	47	57	-	-	-	2	1	-	-	-	6	7	21	62		
NORTH DISTRICTS	1,056,070	548	286	60	83	-	4	-	4	-	-	1	-	7	16	36	104		
CENTRAL DISTRICTS	209,465	100	76	21	17	-	1	-	-	1	-	1	-	6	4	8	40		
EAST DISTRICTS -	715,739	491	218	50	52	-	4	-	1	2	-	-	-	13	13	37	102		
SOUTH DISTRICTS	1,749,844	995	444	108	119	-	5	2	11	3	-	7	-	20	10	33	145		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	39	1	12	-	-	2	2	-	-	-	-	-	1	1	39		
WEST DISTRICTS.																			
St. Mary Paddington } G. & W.	93,178	43	23	3	6	-	-	-	-	1	-	-	-	1	-	4	5		
W2H																			
St. John Paddington H - - G.	33,617	5	11	1	2	-	-	-	-	-	-	-	-	-	-	1	6		
North-West Paddington - - C.	17,181	1	3	2	1	-	-	-	-	-	-	-	-	-	1	1	-		
Kensington Town 2W, w, 2H G., W. & C.	128,037	55	38	6	18	-	-	-	-	-	-	-	-	-	2	5	17		
Brompton 2H - - W. & C.	48,591	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
North Hammersmith W, w, H } W. & G.	49,192	29	8	1	3	-	-	-	-	-	-	-	-	-	-	-	1		
South Hammersmith w, 2H } W. & G.	63,047	33	13	6	3	-	-	-	-	-	-	-	-	-	-	2	4		
North-west Fulham W } W. & C.	45,180	37	15	9	3	-	-	-	-	-	-	-	-	2	1	3	4		
North-east Fulham F } W. & C.	46,405	28	12	4	1	-	-	-	2	-	-	-	-	1	2	2	2		
South Fulham W } W. & C.	45,704	29	8	3	4	-	-	-	-	-	-	-	-	1	-	1	-		
Chelsea North W, w, 3H - - C.	42,514	15	17	2	7	-	-	-	-	-	-	-	-	-	-	1	12		
Chelsea South W2H - - C.	31,328	10	5	2	2	-	-	-	-	-	-	-	-	-	-	1	1		
May Fair and Knightsbridge C. & G.	28,743	5	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
Belgrave W2H - - C.	55,815	17	11	3	2	-	-	-	-	-	-	-	-	1	-	-	6		
St. Margaret & St. John 4H - C.	43,698	10	8	1	3	-	-	-	-	-	-	-	-	-	1	1	3		
St. James Westminster } N. & G.	21,588	6	3	2	-	-	-	-	-	-	-	-	-	-	-	2	-		
W, H																			
St. Anne Soho 5H - - N.	11,493	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
NORTH DISTRICTS.																			
All Souls Marylebone 8H - W.	35,391	8	15	3	3	-	-	-	1	-	-	-	-	-	1	3	6		
Rectory Marylebone W G. & W.	19,849	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1		
St. Mary Marylebone 4H G. & W.	18,099	36	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Christchurch Marylebone H - W.	39,536	13	9	1	2	-	-	-	-	-	-	-	-	-	-	1	-		
St. John Marylebone 3H - W.	20,426	5	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-		
Hampstead W, F, 6H - N. & W.	81,942	29	13	3	4	-	-	-	1	-	-	1	-	-	-	1	4		
West St. Pancras 2H - - W.	60,562	27	9	4	3	-	-	-	-	-	-	-	-	-	1	1	-		
Tottenham-court w, 6H N. & W.	21,258	8	11	2	1	-	-	-	-	-	-	-	-	-	1	2	11		
Gray's Inn Lane 4H - - N.	34,449	26	9	1	3	-	-	-	-	-	-	-	-	-	-	1	1		
East St. Pancras W2H - - N.	60,320	43	26	3	11	-	3	-	-	-	-	-	-	3	2	3	10		
North St. Pancras 2W - - N.	58,728	36	26	4	3	-	-	-	-	-	-	-	-	-	1	1	14		
Tufnell W - - - N.	31,995	17	29	4	9	-	-	-	-	-	-	-	-	-	1	2	17		
Upper Holloway 2W, w, 2H - N.	33,978	26	23	7	9	-	-	-	-	-	-	-	-	-	3	4	15		
Tollington W - - - N.	33,922	15	7	2	3	-	-	-	-	-	-	-	-	-	-	-	-		
Lower Holloway - - - N.	41,424	17	6	1	2	-	-	-	-	-	-	-	-	-	1	2	-		
Barnsbury - - - - N.	54,478	30	5	1	1	-	-	-	-	-	-	-	-	-	1	2	-		
Islington South-east F - - N.	75,397	41	13	6	4	-	-	-	-	-	-	-	-	-	1	1	-		
Highbury 2H - - - N.	63,797	28	10	-	6	-	-	-	-	-	-	-	-	-	1	1	1		
Stoke Newington H - - N.	51,247	26	8	5	1	-	-	-	-	-	-	-	-	-	-	-	-		
North Hackney - - - E. & N.	50,560	17	6	-	3	-	-	-	-	-	-	-	-	-	1	2	-		
Central Hackney 2w, F - E. & N.	50,536	24	14	3	3	-	-	-	2	-	-	-	-	1	1	2	3		
South-west Hackney 3H E. & N.	69,921	29	16	3	1	-	-	-	-	-	-	-	-	1	1	2	12		
South-east Hackney 2W, w, H E. & N.	58,255	43	23	5	10	-	1	-	-	-	-	-	-	2	-	3	9		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there: namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G, signifying Grand Junction; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River E, East London; and K, the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 8th October, 1904—continued.

REGISTRATION SUB-DISTRICTS,	Enu- me- rated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of		Deaths from										Inquest Cases.			
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhoea.	Violence.				
CENTRAL DISTRICTS.																			
St Giles and Bloomsbury W, 2H N.	31,436	14	8	3	1	-	-	-	-	-	-	-	-	-	-	1	1	2	
St Andrew W, 4H - - - N. & C.	21,674	4	6	1	1	-	-	-	-	-	-	-	-	-	1	-	-	6	
St Andrew Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St Andrew W, 6H - - - N.	29,612	9	16	5	1	-	-	-	-	-	1	-	-	-	1	-	1	13	
St Andrew Clerkenwell - - - N.	28,676	18	4	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-	
St Andrew Clerkenwell H - - - N.	35,028	30	8	5	3	-	1	-	-	-	-	-	-	-	1	1	1	-	
St Andrew 3H, L - - - N.	36,116	21	8	1	3	-	-	-	-	-	-	-	-	-	1	-	1	-	
St Andrew Union Workhouse, } St Andrew - - - - - }	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	
St Botolph H - - - N. & E.	10,299	3	5	1	2	-	-	-	-	-	-	-	-	-	-	1	1	-	
St Botolph Sepulchre and Allhallows } St Botolph 2H - - - N. }	16,624	1	19	2	5	-	-	-	-	-	-	-	-	-	1	-	2	17	
St Botolph of London Asylum, Stone -	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	
EAST DISTRICTS.																			
St Botolph South* H, L - E. & N.	46,362	28	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	
St Botolph North-West* W, 4H N.	36,127	22	24	5	9	-	-	-	1	-	1	-	-	-	-	1	2	18	
St Botolph North-East* - N. & E.	36,148	27	7	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	
St Botolph Union Workhouse, Wood } St Botolph - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St Botolph Green North 2H - E.	51,514	30	9	2	3	-	2	-	-	-	-	-	-	-	-	-	1	-	
St Botolph Green South - - E.	33,472	26	9	5	-	-	-	-	-	-	-	-	-	-	1	1	3	-	
St Botolph Green East 2W, H, L - E.	44,694	30	20	3	6	-	-	-	-	-	-	-	-	-	2	-	1	13	
St Botolph Fields - - - E. & N.	27,969	14	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
St Botolph End New Town W, H - E.	28,718	23	34	6	3	-	-	-	-	-	-	-	-	-	2	4	7	33	
St Botolph End New Town W, H - E.	22,081	12	2	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	
St Botolph George and St. John 2W E.	40,068	45	8	3	1	-	-	-	-	-	-	-	-	-	-	-	3	2	
St Botolph Well and Ratcliff W, H E. & N.	25,568	13	8	4	-	-	-	-	-	-	-	-	-	-	3	-	2	3	
St Botolph Well and Ratcliff - - - E.	32,369	23	7	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-	
St Botolph End Old Town South- } St Botolph End Old Town South- }	63,698	59	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St Botolph End Old Town North- } St Botolph End Old Town North- }	49,129	24	19	4	7	-	-	-	-	-	1	-	-	-	1	1	2	7	
St Botolph End Old Town North- } St Botolph End Old Town North- }	41,989	24	9	2	1	-	-	-	-	-	-	-	-	-	1	-	1	-	
St Botolph End Old Town North- } St Botolph End Old Town North- }	68,319	50	34	7	10	-	-	-	-	-	1	-	-	-	-	1	5	24	
St Botolph End Old Town North- } St Botolph End Old Town North- }	58,514	41	16	3	8	-	-	-	-	-	-	-	-	-	1	3	5	2	

On 1st September, 1904, the four sub-districts of Shoreditch district were dissolved and formed into three new sub-districts as above.

[illegible]

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 8th October, 1904.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enume- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
					Deaths of		Deaths from											
					1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unclassified Causes of Death.	
LONDON—OUTER RING	368,580	2,044,973	1230	493	142	122	-	2	2	15	3	7	27	22	43	94	-	
Carshalton <i>w,2F,2H</i>	12,228	32,997	15	3	1	2	-	-	-	-	-	-	-	-	-	-	-	
Epsom, <i>part of</i> * <i>W,w,2F,H</i>	10,423	15,548	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	
Godstone, <i>part of</i> * <i>W,F</i>	2,754	2,692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Coulsdon	11,069	8,168	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
South Croydon <i>w</i>	4,200	49,319	19	5	1	1	-	-	-	-	-	-	-	-	-	-	-	
West Croydon <i>3W,F,H</i>	2,168	42,838	29	13	3	2	-	-	-	1	-	-	-	-	-	6	-	
North Croydon <i>H</i>	2,644	41,868	21	11	5	3	-	-	-	-	-	1	-	-	-	-	-	
Penze <i>w</i>	770	22,465	11	5	2	2	-	-	-	-	-	-	-	1	1	-	-	
Mitcham <i>w</i>	11,689	30,015	21	6	-	1	-	-	-	1	-	-	-	-	-	-	-	
Wimbledon <i>F,3H</i>	3,221	41,652	20	9	1	2	-	-	-	-	-	-	-	2	3	3	-	
Kingston <i>W,H</i>	6,224	42,068	16	18	6	2	-	-	-	1	-	-	3	-	1	4	-	
Surbiton <i>F,H</i>	3,046	15,017	3	3	1	2	-	-	-	-	-	-	1	-	-	-	-	
Esher, <i>part of</i> * <i>H</i>	5,402	13,100	5	4	2	-	-	-	-	-	-	-	-	-	-	1	-	
Hampton <i>H,L</i>	4,564	23,456	18	3	2	-	-	-	-	-	1	-	-	-	-	-	-	
Richmond <i>W,H</i>	2,162	28,865	10	6	2	3	-	-	-	-	-	-	-	2	2	1	-	
Mortlake <i>F</i>	2,847	20,638	10	5	1	1	-	-	-	-	-	-	-	-	-	-	-	
Bromley <i>F,2H</i>	4,703	27,354	6	2	1	-	-	-	-	-	-	1	-	-	-	1	-	
Beckenham <i>H</i>	7,825	28,497	10	7	2	3	-	-	-	-	-	-	-	-	-	-	-	
Orpington, <i>part of</i> * <i>W</i>	10,113	9,357	5	3	-	3	-	-	-	-	-	-	-	-	-	3	-	
Chislehurst <i>2H</i>	7,333	16,446	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bexley <i>F,H</i>	8,678	21,151	13	7	2	2	-	-	-	-	-	-	-	-	1	1	-	
Erith <i>F,H</i>	3,854	25,296	27	6	3	2	-	-	-	-	-	-	-	-	-	-	-	
Dartford <i>W,F, part of</i> *	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	
Sunbury <i>w</i>	11,054	18,683	9	2	-	-	-	-	-	-	-	-	-	-	1	-	-	
Staines <i>W,H</i>	13,277	15,178	10	5	4	-	-	-	-	-	-	1	-	-	-	-	-	
Hillingdon <i>W,F,H</i>	6,035	13,661	8	4	1	2	-	-	-	-	-	-	-	-	-	2	-	
Uxbridge	12,757	8,984	5	5	-	2	-	-	1	-	-	-	-	-	-	-	-	
Hayes <i>w,F,H</i>	8,066	16,358	17	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
Isleworth <i>3W,2F,H</i>	6,859	30,863	13	11	1	6	-	-	-	-	-	-	-	1	1	9	-	
Twickenham <i>F,H</i>	2,421	20,991	8	10	2	2	-	-	-	-	-	1	-	-	-	-	-	
Brentford <i>2F,2H,L</i>	4,319	48,289	28	14	3	5	-	-	-	1	-	-	-	1	2	2	-	
Chiswick <i>H</i>	1,249	29,809	19	4	2	-	-	-	-	-	-	-	-	-	-	-	-	
Acton <i>w,3H</i>	6,132	48,914	33	14	6	4	-	-	-	1	-	-	-	-	-	-	-	
Harrow <i>F,H</i>	13,809	25,523	15	8	4	3	-	-	-	-	-	-	-	-	-	-	-	
Edgware <i>F,2H</i>	6,994	4,521	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
Willesden <i>W,F,2H</i>	4,384	114,811	93	29	10	7	-	-	-	-	-	1	-	1	3	4	-	
Hendon <i>W,F</i>	8,382	22,450	15	4	-	1	-	-	-	-	-	-	-	-	-	-	-	
South Mimms <i>2F,H</i>	17,755	7,308	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Barnet <i>W,3H</i>	3,324	17,070	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Finchley <i>F,2H</i>	4,688	33,692	17	5	-	2	-	-	-	-	1	-	-	-	-	-	-	
Hornsey <i>F,H</i>	2,875	72,056	33	4	1	2	-	-	-	-	-	-	-	-	-	1	-	
Wood Green <i>H</i>	1,625	34,233	19	11	3	4	-	-	-	1	1	-	1	-	-	-	-	
West Tottenham <i>F</i>	996	48,853	35	9	3	2	-	-	-	-	-	-	-	1	1	-	-	
East Tottenham <i>F,H</i>	2,017	53,688	40	23	11	5	-	-	-	1	-	-	1	3	3	4	4	
Edmonton <i>W,w,2F</i>	7,491	61,892	52	15	1	3	-	-	-	-	-	-	1	-	2	4	4	
Enfield <i>2W,F,H</i>	12,601	42,738	25	12	5	2	-	-	-	1	-	-	1	1	2	4	-	
Waltham Abbey	11,017	6,549	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
Cheshunt <i>F,H</i>	8,479	12,292	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
Hatfield, <i>part of</i> * <i>W</i>	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bushey <i>H</i>	9,333	9,173	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Watford <i>W,2F part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Stratford <i>H</i>	1,072	44,827	22	12	5	3	-	-	-	-	-	-	3	1	1	3	-	
Plaistow <i>F,3H</i>	1,249	90,921	63	33	12	1	-	-	-	-	1	2	2	2	5	2	-	
Canning Town <i>H</i>	1,558	70,718	45	14	6	5	-	-	-	-	-	-	-	2	4	2	-	
Forest Gate <i>w</i>	806	60,892	37	12	2	4	-	-	-	-	-	-	-	-	-	-	-	
North East Ham <i>w</i>	1,333	58,676	33	8	3	2	-	-	-	-	-	-	-	-	2	-	-	
South East Ham <i>2F</i>	1,993	37,342	26	11	1	2	-	-	-	-	-	-	-	-	-	5	-	
Wanstead <i>F</i>	1,679	9,179	4	2	1	1	-	-	-	-	-	-	1	1	-	-	-	
South Leyton <i>2W</i>	631	50,467	23	7	3	2	-	-	-	-	-	-	1	1	1	1	-	
North Leyton <i>W,w,F</i>	1,963	48,445	29	30	3	9	-	-	-	-	2	1	1	1	2	20	-	
Walthamstow <i>3H,L</i>	6,504	108,929	71	18	5	2	-	-	1	-	1	1	1	2	2	2	-	
Chigwell, <i>part of</i> * <i>2F,4H</i>	11,778	16,397	12	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
Epping <i>W,F, part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Romford, <i>part of</i> * <i>W,2F</i>	6,556	6,091	6	2	1	1	-	-	-	-	-	-	-	-	-	-	-	
Ilford <i>F,L</i>	8,496	41,234	34	14	3	3	-	1	1	1	-	-	1	-	1	2	-	
Barking Town <i>F</i>	3,803	21,547	18	5	-	2	-	-	-	-	-	-	-	-	-	-	-	
Middlesex County Asylum, Wandsworth.	-	-	-	5	-	-	-	-	-	-	-	-	-	-	1	5	-	
N.E. Hospital, Tottenham	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	

parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Ester and 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.
CALCUTTA (including SUBURBS)	847,796	August 27	-	365	22·3	1	-	-	-	-	129†
BOMBAY - -	776,006	September 20	330	635	42·6	2	2	-	-	-	100†
MADRAS - -	509,346	" 2	456	344	35·1	-	1	?	?	?	93
PARIS - - -	2,660,559	October 1	990	787	15·4	1	-	-	3*	4	10
BRUSSELS - -	586,936	" 1	209	152	13·6	-	1	-	2*	-	-
ANTWERP - -	286,695	" 1	135	88	16·0	-	-	-	1*	-	-
AMSTERDAM -	548,160	September 24	274	128	12·2	-	-	-	1*	5	1
COPENHAGEN -	423,000	October 1	227	133	16·4	-	1	1	1*	4	-
STOCKHOLM -	309,196	September 24	159	73	12·3	-	-	-	1*	-	-
CHRISTIANIA -	223,649	October 1	131	58	13·5	-	-	-	2*	1	-
ST. PETERSBURG	1,248,122	September 24	618	519	21·6	3	5	14	17*	6	7
MOSCOW - -	1,092,360	" 24	-	553	26·4	2	6	5	12*	1	1
BERLIN - - -	1,964,315	" 17	897	613	16·2	-	4	9	9*	2	5
HAMBURG - -	751,842	October 1	-	240	16·6	-	3	4	2*	3	-
BRESLAU - -	445,679	" 1	-	190	22·2	-	2	-	1*	?	-
MUNICH - - -	520,000	" 1	-	200	20·0	-	-	-	4*	1	-
VIENNA - - -	1,797,992	" 1	937	500	14·5	-	1	2	3*	-	2
PRAGUE - - -	426,402	September 24	194	160	19·5	-	1	-	-	1	2
BUDA-PESTH -	813,399	October 1	446	268	17·1	-	5	9	4*	-	5
TRIESTE - - -	190,166	" 1	107	77	20·9	-	-	1	-	1	1
ROME - - -	505,371	August 20	255	163	16·8	-	-	-	-	-	9
VENICE - - -	166,288	September 24	85	44	13·8	-	-	-	-	1	1
CAIRO - - -	624,338	June 10	442	560	46·8	1	19	-	3*	?	21
ALEXANDRIA -	349,300	" 10	214	301	44·9	2	72	-	4*	?	8†
NEW YORK - -	3,838,024	September 17	1884	1227	16·7	-	4	4	16*	9	21
PHILADELPHIA -	1,408,154	" 10	-	400	14·8	1	1	4	9*	-	14
BOSTON - - -	617,950	" 10	-	192	16·2	-	-	2	2*	2	3

* Including deaths from croup.

† Including 5 deaths from plague in Calcutta, 51 in Bombay, and 4 in Alexandria.

‡ Including 4 deaths from cholera in Calcutta, and 13 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 8th October, 1901.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	66·5	37·9	50·6	0·86	BRADFORD - -	59·0	36·8	49·4	0·0
BRIGHTON - -	68·2	44·3	55·3	1·21	LEEDS - - -	63·0	39·0	50·9	0·1
PORTSMOUTH - -	?	44·0	?	1·40	HULL - - -	62·0	35·0	49·6	0·1
NORWICH - - -	63·2	36·6	50·3	0·36	TYNEMOUTH - -	60·0	36·0	48·3	0·5
PLYMOUTH - -	62·1	44·2	52·8	1·17					
BRISTOL - - -	62·3	40·0	50·8	0·47	EDINBURGH - -	55·9	36·8	48·3	0·3
BIRMINGHAM - -	61·1	38·6	49·0	0·12	GLASGOW - - -	59·8	38·7	49·6	0·5
NOTTINGHAM - -	60·7	33·1	48·0	0·06					
LIVERPOOL - -	60·0	42·0	50·4	0·73	DUBLIN { Phoenix Park.	59·6	32·9	48·3	0·1
MANCHESTER - -	60·0	33·8	48·6	0·52	DUPLICATE { Fitz- william Square.†	61·4	38·2	50·2	0·1
PRESTON - - -	58·2	37·5	49·4	0·79					
HUDDERSFIELD -	59·0	34·6	48·1	0·44	BELFAST - - -	57·5	35·8	49·2	0·2

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of the return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1·1 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables

† Kindly furnished by Sir J. W. Moore, B.A., M.D. Dublin

[illegible]

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 1st October, 1904.*

BOROUGHES,	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Chicken-pox.
WEST.											
Paddington- - - -	146,975	-	9	4	-	-	-	-	4	-	8
Kensington - - - -	179,236	-	5	5	-	1	-	-	6	-	1
Hammersmith - - -	117,412	-	11	8	-	2	-	-	3	-	1
Fulham - - - - -	162,482	-	10	8	-	1	-	-	4	-	9
Chelsea - - - - -	74,329	-	1	1	-	-	-	-	1	-	-
City of Westminster-	177,321	-	7	1	-	2	-	-	4	-	4
NORTH.											
St. Marylebone - - -	130,337	-	15	2	-	4	-	-	6	-	5
Hampstead - - - -	86,663	-	8	1	-	-	-	-	3	-	6
St. Pancras- - - -	235,936	-	31	5	-	6	-	-	7	-	4
Islington - - - - -	341,044	-	36	8	-	8	-	-	10	-	15
Stoke Newington - -	52,445	-	4	6	-	1	-	-	1	-	2
Hackney - - - - -	226,266	-	32	9	-	14	1	-	7	-	9
CENTRAL.											
Holborn - - - - -	57,161	-	-	-	-	1	-	-	4	-	-
Finsbury - - - - -	98,958	-	13	6	-	-	-	-	4	-	4
City of London - - -	23,482	-	-	3	-	-	-	-	-	-	-
EAST.											
Shoreditch - - - -	117,033	-	8	1	-	-	-	-	5	-	2
Bethnal Green - - -	130,207	-	24	12	-	2	-	-	8	-	9
Stepney - - - - -	303,791	-	30	34	-	10	-	-	19	1	25
Poplar- - - - -	169,905	-	13	15	-	5	-	-	3	-	11
SOUTH.											
Southwark- - - - -	207,937	-	10	3	-	5	-	-	6	-	9
Bermondsey - - - -	129,397	-	16	5	-	4	-	-	4	-	5
Lambeth - - - - -	310,359	-	13	8	-	3	-	-	12	-	8
Battersea - - - - -	175,465	-	9	6	-	2	-	-	2	-	11
Wandsworth - - - -	257,448	-	13	13	-	2	-	-	14	-	16
Camberwell - - - -	268,384	-	43	5	-	3	-	-	9	-	8
Deptford - - - - -	113,509	-	10	3	-	2	-	-	4	-	9
Greenwich - - - - -	101,651	-	5	3	-	1	-	-	-	-	1
Lewisham - - - - -	140,401	-	8	2	-	2	-	-	2	-	9
Woolwich - - - - -	123,416	-	14	3	-	4	-	-	3	-	3
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,648,950											
		-	398	180	-	85	1	-	155	1	194
Ages											
0-1 - - - - -	-	-	1	5	-	-	-	-	8	-	14
" 1-5 - - - - -	-	-	110	71	-	3	-	-	5	-	84
" 5- - - - -	-	-	187	57	-	9	-	-	6	-	66
" 10- - - - -	-	-	61	24	-	13	1	-	8	-	22
" 15- - - - -	-	-	18	11	-	13	-	-	12	-	5
" 20- - - - -	-	-	10	6	-	10	-	-	11	-	3
" 25- - - - -	-	-	11	5	-	18	-	-	19	1	-
" 35- - - - -	-	-	-	-	-	13	-	-	25	-	-
" 45- - - - -	-	-	-	1	-	4	-	-	28	-	-
" 55- - - - -	-	-	-	-	-	1	-	-	22	-	-
" 65 and upwards	-	-	-	-	-	1	-	-	11	-	-
Age not stated - -	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

TABLE 11.—DEATHS of PERSONS BELONGING to the COUNTY of LONDON and the METROPOLITAN BOROUGHs, REGISTERED in the 13 WEEKS ENDED 1st OCTOBER, 1904.

BOROUGHs.	Deaths from											Deaths of Infants under 1 Year of Age.	Deaths under 1 Year to 1000 Births registered.
	ALL CAUSES.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping cough.	Typhus.	Enteric Fever.	Pyæmia* (origin uncertain).	Diarrhoea.	Phthisis.		
COUNTY OF LONDON -	13,352	5	369	87	150	240	-	85	2	3,931	1,577	6,666	208
West.													
PADDINGTON -	484	-	-	4	2	3	-	2	-	105	31	165	201
KENSINGTON -	582	-	3	1	5	5	-	2	-	113	63	180	209
HAMMERSMITH -	428	-	1	1	2	14	-	1	-	96	45	162	203
FULHAM -	629	-	6	-	5	11	-	-	-	177	49	286	232
CHELSEA -	266	-	3	-	1	6	-	-	-	39	27	74	192
CITY OF WESTMINSTER -	538	-	5	3	-	4	-	4	1	55	56	104	151
North.													
ST. MARYLEBONE -	471	-	5	2	3	2	-	-	-	85	38	143	142
HAMPSTEAD -	192	-	-	1	1	-	-	3	-	14	18	42	121
ST. PANCRAS -	998	-	24	8	3	16	-	7	-	157	94	349	232
ISLINGTON -	1,282	-	56	10	6	18	-	4	-	219	107	424	192
STOKE NEWINGTON -	174	-	2	1	2	3	-	-	-	24	23	46	160
HACKNEY -	874	-	15	2	15	9	-	9	-	229	56	357	226
Central.													
HOLBORN -	217	-	9	-	2	5	-	1	-	32	45	51	122
FINSBURY -	555	2	13	4	1	4	-	3	-	100	46	178	208
CITY OF LONDON -	68	-	-	1	1	1	-	-	-	2	11	8	92
East.													
SHOREDITCH -	631	2	19	5	4	10	-	4	-	154	53	269	288
BETHNAL GREEN -	614	1	21	4	14	9	-	2	-	137	50	213	219
STEPNEY -	1,489	-	21	8	26	13	-	11	-	322	124	599	223
POPLAR -	807	-	17	7	13	14	-	5	-	224	63	310	221
South.													
SOUTHWARK -	1,011	-	14	1	4	15	-	2	1	234	122	381	233
BERMONDSEY -	619	-	16	4	6	4	-	8	-	168	48	235	240
LAMBETH -	1,200	-	40	3	7	29	-	1	-	259	101	446	201
BATTERSEA -	668	-	8	5	2	7	-	3	-	151	48	249	204
WANDSWORTH -	858	-	14	3	5	7	-	2	-	193	56	325	191
CAMBERWELL -	1,028	-	16	5	5	13	-	5	-	213	70	391	215
DEPTFORD -	482	-	17	-	5	2	-	1	-	107	44	177	222
GREENWICH -	369	-	17	-	-	7	-	3	-	94	20	134	200
LEWISHAM -	382	-	4	2	1	3	-	1	-	89	29	147	165
WOOLWICH -	456	-	3	2	9	6	-	1	-	139	40	188	212

In the above Table, all deaths of persons in, or on the way to, Hospitals and other Public Institutions, as well as those of persons under treatment in surgical homes, or dying by accident or otherwise in the streets, have been distributed, as far as practicable, to the Boroughs in which the deceased had previously resided. The deaths of 388 London residents who died outside London in the Strand Union Workhouse at Edmonton, the Holborn Union Workhouse at Mitcham, the City of London Lunatic Asylum at Stone, the Shoreditch Union Workhouse at Wood Green, the Central London Sick Asylum at Hendon, and the Metropolitan Hospitals and Asylums, have been similarly distributed. In 634 cases the previous residence was outside London and these have been excluded from the Table.

* Formerly described as "Simple Continued Fever."

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING SEPTEMBER, 1904.

*Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
5th October, 1904.*

SIR,

I HAVE to report to you the results of the chemical analysis and physical examination of the water supplied to London by the Water Board during the month of September.

Thirteen samples were taken in each of the eight districts, making a total of 104 samples for the month.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

DISTRICTS.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Ni- trates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
THAMES.										
Chelsea - - -	{ September 19th, Cab Rank, Horse Guards, Whitehall. }	15.9	26.24	.114	.012	0	.191	.203	1.65	18.6
West Middlesex - -	{ September 19th, Cab Rank, Albert Road, N.W. }	15.6	25.84	.109	.013	0	.191	.204	1.65	18.4
Southwark - - -	{ September 19th, Cab Rank, Stockwell Road, near "The Swan" Public House. }	16.0	27.54	.096	.013	0	.189	.202	1.7	19.4
Grand Junction - -	{ September 19th, Cab Rank, Haymarket, near Charles Street. }	15.6	26.50	.096	.011	0	.226	.237	1.65	18.9
Lambeth - - -	{ September 19th, Cab Rank, Westminster Bridge Road. }	16.0	26.52	.128	.013	0	.179	.192	1.65	18.9
LEA, WELLS, & C.										
New River - - -	{ September 19th, Cab Rank, Bayham Street, Camden Town. }	15.1	31.24	.046	.006	0	.217	.223	1.70	21.9
East London - - -	{ September 19th, Cab Rank, Sydney Street, E. }	17.4	29.14	.079	.010	0	.190	.200	1.85	19.7
DEEP WELLS.										
Kent- - - -	{ September 19th, Police Station, Blackheath Road, S.E. }	13.0	39.52	.044	.004	0	.520	.524	2.2	27.2
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The water collected in the "Chelsea" district of the Water Board, on the 19th September at the Horse Guards' cab rank, had a temperature of 15.9° C.; 100,000 lbs. of it contained 26.24 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained .114 lb. of carbon and .012 lb. of nitrogen. The above quantity of water also contained .191 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was .203 lb. The above weight of water also contained 1.65 lb. of chlorine and 18.6 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on the 19th were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied from each of the District Works was:—Kent 0·8, New River 0·8, East London 1·5, Southwark and Grand Junction 1·8, Chelsea and West Middlesex 2·1, and Lambeth 2·4.

The five filtered supplies sent out from the District Works dealing with Thames water were all of good quality. All the samples collected on the 19th were clear, and the average amount of organic impurity was even slightly less than that found in the previous month.

The filtered Lea and well water supplied from the New River district works on the 19th was clear and of very good quality; it contained a very small proportion of organic matter and in this respect came near to the purity of the Kent district deep-well water. The East London district filtered Lea water was also clear and of good quality.

The deep-well water from the Kent district works was, as usual, of high organic purity and excellent quality.

Seen through a stratum two feet deep the Kent water was colourless, and that from the New River works nearly colourless, and the supplies from the remaining district works had a very pale yellow colour.

In addition to the above analytical examination, the 104 samples of water, collected during September at various places in the districts supplied by the Water Board have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains) has also been recorded. The following results were obtained:—

RESULTS IN PARTS PER 100,000.

DISTRICTS.	"Oxygen consumed."						"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)					
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
THAMES.									
Chelsea	·062	·052	·055	·066	·056	·060	·0065	·005	·006
West Middlesex	·059	·052	·056	·065	·058	·061	·0065	·005	·0055
Southwark	·069	·048	·059	·070	·055	·063	·006	·005	·0055
Grand Junction	·064	·051	·054	·069	·055	·061	·006	·005	·0055
Lambeth	·065	·057	·061	·069	·061	·067	·0065	·006	·006
LEA, WELLS, &C.									
New River	·028	·019	·023	·027	·020	·023	·0025	·002	·0025
LEA, THAMES AND WELLS.									
East London	·054	·047	·051	·061	·048	·052	·006	·0045	·005
DEEP WELLS.									
Kent	·010	·007	·008	·011	·009	·010	·0015	·001	·0015

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

The tabulated results show that the five supplies obtained from the Thames were again of uniform good quality, the average proportion of organic matter present being even slightly less than in August.

All the samples drawn in the New River district contained only small amounts of organic impurity, and were of very good quality.

The East London district water was of good quality, and the mean proportion of organic matter in it was slightly less than in the Thames-derived supplies.

All the samples of deep-well water taken in the Kent district were, as usual, of uniform high organic purity and excellent quality.

All the samples drawn in the Chelsea, West Middlesex, Grand Junction, New River, and Kent districts were clear, but in the cases of the supplies from the remaining district works, on a few occasions, the samples contained minute amounts of rust-stained suspended matter.

I am, Sir,

Your obedient Servant.

T. E. THORPE.

The Registrar-General,

Somerset House, W.C.

RETURNS OF LONDON WATER DISTRICTS.

The following is an account of the number of services and the average daily amount of water supplied during the month of September, 1904, exclusive of supply to the Urban District Councils of Tottenham and Enfield. The supply was in the ratio of 229 gallons to one service.

DISTRICTS.	Number of Services.		Average Daily Supply of Water in Gallons.	
	SEPTEMBER. 1903.	SEPTEMBER. 1904.	SEPTEMBER. 1903.	SEPTEMBER. 1904.
TOTAL SUPPLY - - -	974,620	994,198	219,870,933	227,611,279
From Thames - - - - -	462,880	472,287	116,206,071	120,138,498
From Lea and from other Sources -	511,740	521,911	103,664,912	107,472,781
THAMES.				
Chelsea - - - - -	39,595	39,887	12,012,333	12,538,667
West Middlesex - - - - -	90,216	91,317	23,569,645	24,591,407
Southwark and Vauxhall - - -	128,626	129,834	32,581,452	33,247,000
Grand Junction - - - - -	74,478	77,375	16,718,968	16,986,607
Lambeth - - - - -	129,965	133,874	31,323,673	32,774,817
LEA AND OTHER SOURCES.				
New River - - - - -	178,724	181,194	42,413,789	43,957,916
East London - - - - -	225,286	230,238	42,316,000	44,615,000
Kent - - - - -	107,730	110,479	18,935,123	18,899,865

Note.—The Return for September, 1904, as compared with that for the corresponding month of 1903, shows an increase of 19,578 services, and of 7,740,296 gallons of water supplied daily. Owing to changes of area, the returns for 1904 are not strictly comparable with those for 1903.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 41. 1904. VOL. LXV.] WEEK ENDED SATURDAY, OCT. 15. [Price 1½d.

General Register Office, Somerset House,
October 17th, 1904.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·2 per 1000 of their aggregate population, which is estimated† at 15,271,287 persons in the middle of this year. In the preceding three weeks the rates had been 16·0, 15·6, and 15·1. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were :—from *all causes*, 21·0 in Plymouth and in Stockton on Tees, 1·6 in Tynemouth, 22·3 in Swansea, 22·5 in Warrington, 22·8 in Sunderland, and 27·2 in Merthyr Tydfil; from *measles*, 1·8 in St. Helens and in Salford, 1·9 in Halifax, and 2·3 in Walsall and in Grimsby; from *diphtheria*, 1·3 in Bradford, 1·6 in Stockport, 2·3 in Grimsby, and 3·0 in Stockton on Tees; and from *diarrhœa*, 3·2 in Salford, 3·6 in Merthyr Tydfil, 3·8 in Middlesbrough, 4·0 in Wigan, 5·4 in Preston, and 5·7 in Burnley. One death from *small-pox* was registered in Oldham, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2491 BIRTHS and 1270 DEATHS were registered. Allowing for increase of population, the births were 117 and the deaths 207 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 13·7, 14·3, and 13·9 in the preceding three weeks, rose last week to 14·2. During the four weeks ended on Saturday last the death-rate averaged 14·0 per 1000, being 2·4 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1270 deaths included 15 from measles, 11 from scarlet fever, 17 from diphtheria, 5 from whooping-cough, 15 from enteric fever, and 49 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 112 deaths were referred to these diseases in the aggregate, being 72 below the corrected average weekly number.

The deaths from *measles*, which had been 6, 17, and 14 in the preceding three weeks, were 15 last week, and were 4 below the corrected average; 3 deaths belonged to the Borough of St. Pancras and 3 to Wandsworth. The deaths from *scarlet fever*, which had been 3, 9, and 4 in the preceding three weeks, rose last week to 11, but were 3 below the corrected average; 3 deaths belonged to Stepney. The deaths from *diphtheria*, which had been 19, 16, and 20 in the preceding three weeks, fell last week to 17, and were 26 below the corrected average. The deaths from *whooping-cough*, which had been 5, 9, and 7 in the preceding three weeks, were 5 last week, and were 12 below the corrected average. The fatal cases of *enteric fever*, which had been 13, 10, and 9 in the preceding three weeks, rose last week to 15, but were 3 below the corrected average; 3 deaths belonged to Hackney. The deaths from *diarrhœa*, which had been 108, 84, and 52 in the preceding three weeks, were 49 last week, and were 22 below the corrected average; 5 deaths belonged to Southwark, 5 to Bermondsey, and 4 each to Stepney and Poplar. Of the 49 deaths from diarrhœa, 44 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 5 more deaths at this age. The deaths attributed directly to *influenza* numbered 22, having been 2, 9, and 10 in the preceding three weeks.

Different forms of *violence* caused 41 deaths, concerning all of which inquests were held. Of these 41 deaths, 8 were cases of suicide, while the remaining 33 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, 4 to burns and scalds, 3 to drowning, 2 to the effects of anæsthetics administered for surgical purposes, and 9 (including 8 of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1 case of small-pox, 2516 cases of scarlet fever, 931 of diphtheria, and 242 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, no case, against 0, 0, and 1; of scarlet fever, 377 cases, against 284, 406, and 409; of diphtheria, 150 cases, against 143, 150, and 129; and of enteric fever, 30 cases, against 37, 51, and 26. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended October 8th.

GREATER LONDON.

In Greater London 3865 births and 1732 deaths were registered. Allowing for increase of population these numbers are 8 above and 281 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 4 deaths from measles, 2 from scarlet fever, 3 from diphtheria, 1 from whooping-cough, 2 from "fever," and 4 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 30·07 inches, and that of the Thermometer 47°·8, the latter being 2°·9 below the week's average in the 50 years 1841-90. The general direction of the wind was variable, the horizontal movement of the air being 33 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 25·0 hours; the measured rainfall amounted to 0·02 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	POPULATION estimated to the middle of the Year 1904.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the Week ended 15th Oct., 1904.		The DEATHS registered in the Week include										TOWNS.						
		Week ended				11-17.		Deaths.		Deaths of Persons aged 60 Years and upwards.	Deaths from							Inquest Cases.	Deaths in Public Institutions.		Uncertified Causes of Death.					
		1st Oct., 1904.				Week ended 11-17.		Births.			Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Dysentery.					Violence.				
		24th Sept., 1904.	1st Oct., 1904.	8th Oct., 1904.	15th Oct., 1904.	6.	7.	8.	9.																	10.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.					
76 TOWNS.	15,271,287	16'0	15'6	15'1	15'2	2'0	8691	4439	1160	1077	1	81	46	69	31	55	290	151	321	1079	48					
LONDON -	4,648,950	13'7	14'3	13'9	14'2	1'3	2491	1270	266	358	-	15	11	17	5	15	49	41	125	478	4					
(CROYDON -	144,419	14'1	9'7	10'5	14'1	1'4	94	39	6	18	-	-	-	1	-	2	1	1	3	13	-					
WILLESDEN -	132,568	8'3	7'9	11'8	9'0	0'4	95	23	6	7	-	-	-	-	-	-	1	1	1	4	1					
HORNSEY -	81,221	7'1	6'4	2'6	8'3	-	29	13	2	7	-	-	-	-	-	-	1	1	1	1	-					
TOTTENHAM -	112,981	11'5	12'9	14'8	5'1	0'5	63	11	4	3	-	-	-	-	-	-	1	1	2	2	-					
WEST HAM -	288,424	16'5	12'8	14'3	15'2	1'4	211	84	23	19	-	1	3	-	1	1	3	-	4	20	-					
EAST HAM -	116,802	11'6	10'7	9'8	14'7	0'9	69	33	12	5	-	-	-	-	1	1	1	1	3	2	1					
LEYTON -	110,844	15'1	9'4	10'8	9'9	0'9	54	21	4	6	-	1	-	-	-	-	1	1	1	6	-					
(WALTHAMSTOW -	111,282	10'3	12'7	9'8	8'0	0'9	73	17	8	5	-	-	2	-	-	-	-	-	2	2	-					
HASTINGS -	66,503	15'7	17'2	13'3	11'8	0'8	20	15	3	6	-	-	-	-	-	-	1	1	2	-	-					
BRIGHTON -	126,286	17'8	12'8	14'0	12'4	0'8	73	30	8	13	-	-	-	-	-	-	2	-	-	6	-					
PORTSMOUTH -	198,038	20'8	18'2	14'2	13'7	1'8	139	52	9	12	-	-	2	-	-	2	3	3	15	1	-					
BOURNEMOUTH -	64,645	16'1	10'5	9'7	10'5	0'8	27	13	2	3	-	-	-	-	-	-	1	-	-	4	-					
SOUTHAMPTON -	112,500	18'1	17'1	11'1	12'1	0'9	61	26	2	10	-	-	-	1	-	-	1	-	-	8	-					
READING -	76,373	11'6	9'6	9'6	12'3	0'7	37	18	7	4	-	-	-	1	-	-	-	-	-	2	1					
NORTHAMPTON -	91,146	13'7	12'0	13'7	8'0	0'6	33	14	2	4	-	-	1	-	-	-	-	2	2	4	-					
IPSWICH -	69,805	17'9	17'2	12'0	14'9	1'5	49	20	8	6	-	-	-	1	-	-	1	-	-	2	1					
GREAT YARMOUTH -	52,099	20'0	15'0	20'0	20'0	2'0	35	20	6	8	-	1	-	-	-	1	-	-	1	5	-					
NORWICH -	115,538	13'1	15'3	19'4	13'5	0'5	64	30	8	12	-	-	-	-	-	1	-	3	4	10	-					
PLYMOUTH -	114,003	20'6	15'6	14'6	21'0	2'7	61	46	11	10	-	2	1	-	-	-	3	1	2	13	-					
DEVONPORT -	75,334	21'5	9'7	9'0	7'6	0'7	44	11	4	3	-	-	-	-	1	-	-	1	2	-	-					
BRISTOL -	343,204	10'9	13'4	13'4	12'6	1'2	168	83	16	22	-	3	1	1	1	1	2	3	7	21	-					
HANLEY -	63,932	25'3	14'7	13'9	17'1	3'3	45	21	6	3	-	1	2	-	-	1	-	-	1	1	1					
BURTON-ON-TRENT -	61,934	7'0	12'0	10'0	18'1	1'0	25	18	4	6	-	-	-	1	-	-	3	3	3	3	-					
WOLVERHAMPTON -	98,194	17'5	14'3	19'6	17'0	3'2	52	32	11	8	-	-	-	-	-	-	5	-	2	7	-					
WALSALL -	91,432	14'3	17'1	20'5	15'4	4'0	55	27	4	3	-	4	-	-	-	1	2	2	2	4	-					
HANDSWORTH -	59,634	13'1	8'7	5'2	7'9	-	28	9	3	1	-	-	-	-	-	-	-	1	1	1	-					
WEST BROMWICH -	67,186	16'3	16'3	20'2	10'9	0'8	40	14	3	6	-	-	-	-	-	-	1	1	1	2	-					

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TOWNS.	POPULATION estimated to the middle of the year 1904.*	DEATH-RATES FROM ALL CAUSES.				Registered Deaths during the Week ended 15th Oct., 1904.		Deaths from										TOWNS,	
		Week ended				7.	8.	Deaths of Persons aged under 1 Year of Age.		Deaths from						Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
		24th Sept., 1904.	1st Oct., 1904.	8th Oct., 1904.	15th Oct., 1904.			Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.				
		2.	3.	4.	5.	6.			9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.
Cols.																			Cols.
HUDDESFIELD	- 94,925	15'9	15'4	17'6	19'2	1'6	41	35	6	-	-	-	-	-	2	1	1	2	-
HALIFAX	- 107,580	11'6	13'6	14'1	14'1	3'9	35	29	5	-	4	2	1	-	1	-	-	7	-
BRADFORD	- 285,089	17'4	16'3	16'1	17'0	2'6	103	93	12	-	1	1	7	-	3	2	5	8	-
LEEDS	- 450,142	15'3	16'2	14'0	15'9	1'9	266	137	48	24	-	-	-	1	2	13	5	23	-
SHEFFIELD	- 432,940	18'4	16'6	13'9	17'3	2'6	277	144	49	30	-	1	1	-	4	16	5	8	4
ROTHERHAM	- 58,498	23'2	16'0	16'0	9'8	-	33	11	3	2	-	-	-	-	-	-	1	1	-
YORK	- 81,288	10'9	13'5	16'0	12'8	0'6	29	20	1	4	-	1	-	-	-	-	2	3	-
HULL	- 253,865	18'7	18'9	19'3	19'5	2'7	153	95	28	14	2	3	1	2	5	8	9	20	1
MIDDLESBROUGH	- 90,684	23'7	15'6	21'0	18'3	3'8	79	34	12	8	-	-	-	-	7	-	3	1	-
STOCKTON-ON-TYNE	- 52,182	17'0	21'0	18'0	21'0	5'0	32	21	5	6	-	3	-	-	-	2	1	-	-
WEST HARTLEPOOL	- 69,251	14'3	22'6	15'8	12'8	3'0	44	17	5	3	-	1	-	-	3	1	1	3	-
SUNDERLAND	- 151,157	23'1	23'5	15'5	22'8	3'4	92	66	23	12	-	1	1	1	7	3	5	14	3
SOUTH SHIELDS	- 107,334	20'9	16'0	16'0	20'9	3'9	64	43	6	6	-	-	2	-	6	2	2	3	-
GATESHEAD	- 118,067	17'2	17'7	15'5	12'4	1'3	69	28	11	4	-	-	-	-	3	-	4	2	-
NEWCASTLE-ON-TYNE	- 225,362	19'4	17'1	19'9	16'9	1'2	121	73	16	16	1	2	2	-	-	6	8	13	-
TYNEMOUTH	- 53,060	21'6	15'7	19'7	21'6	2'9	44	22	7	5	1	-	-	-	2	-	-	5	2
NEWPORT (MON.)	- 71,543	15'3	16'0	11'7	14'6	-	36	20	6	5	-	-	-	-	-	2	5	1	1
CARDIFF	- 176,313	14'8	14'8	12'7	8'3	0'6	95	28	7	10	1	-	-	-	1	2	4	6	-
RHONDDA	- 122,310	19'6	13'2	12'4	19'2	2'6	94	45	16	7	-	2	-	-	4	-	-	1	-
MERTHYR TYDFIL	- 72,745	22'2	15'1	16'5	27'2	5'0	53	38	12	6	-	-	-	-	5	-	-	7	-
SWANSEA	- 95,931	13'0	19'0	13'0	22'3	2'7	62	41	18	5	-	-	-	-	-	4	3	2	-
GREATER LONDON	- 6,907,756	13'3	13'0	13'1	13'1	1'1	3665	1732	499	-	21	16	23	7	20	61	162	557	7
OUTER RING	- 2,258,806	12'4	10'2	11'4	10'7	0'8	1374	462	141	-	6	5	6	2	5	12	37	79	3
8 TOWNS IN OUTER RING	- 1,068,639	12'7	10'8	11'4	11'4	0'9	688	241	70	-	2	3	3	1	3	8	5	17	2
REMAINDER OF OUTER RING	- 1,160,167	12'1	9'7	11'4	9'9	0'7	686	221	44	71	4	2	3	1	2	4	10	20	1
EDINBURGH	- 331,977	16'8	14'8	12'7	13'4	2'0	161	85	30	-	-	1	3	5	-	4	?	26	6
GLASGOW	- 798,367	15'9	16'3	15'2	16'6	2'4	498	254	48	-	3	2	2	12	2	15	?	75	11
DUBLIN†	- 378,994	25'9	19'0	17'5	21'6	1'7	202	157	39	-	-	-	-	3	1	8	4	42	11
BELFAST†	- 368,680	17'7	17'6	19'2	16'0	2'2	229	110	20	-	3	-	-	3	1	8	4	10	?

TABLE 2. LONDON.—Births and Deaths Registered in the FORTY-FIRST Week of each of the Eleven Years, 1894-1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894-1903.*	1904
TOTAL Births -	2323	2622	2536	2633	2454	2549	2420	2676	2489	2437	2608.4	2491
Males - -	1184	1355	1344	1347	1219	1317	1198	1368	1287	1266	1336.4	1266
Females - -	1139	1267	1192	1286	1235	1232	1231	1308	1202	1171	1272.0	1225
TOTAL Deaths -	1291	1435	1378	1381	1600	1637	1305	1309	1552	1351	1476.9	1270
Males - -	692	733	743	721	812	882	679	667	775	727	770.8	639
Females - -	599	702	635	660	788	755	626	642	777	624	706.1	631

* The numbers in this column are the average weekly numbers in the forty-first week of the ten years 1894-1903, raised by 3.723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	July 23.	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	13 Weeks.
TOTAL Births -	2472	2467	2302	2730	2525	2575	2160	2504	2514	2272	2537	2470	2491	32019
TOTAL Deaths -	1320	1423	1745	1912	1923	1682	1459	1354	1360	1223	1279	1243	1270	19193
Under 1 year -	364	492	762	929	917	739	544	448	401	305	311	287	266	6765
1-5 years -	162	184	228	244	245	181	135	124	116	113	118	102	121	2073
5-20 " -	65	74	72	75	51	71	60	59	62	76	53	56	74	848
20-40 " -	163	156	166	132	158	166	149	148	180	159	177	187	169	2110
40-60 " -	248	216	227	263	264	204	228	266	255	235	282	271	282	3241
60 yrs. & upwds.	318	301	290	269	288	321	343	309	346	335	338	340	358	4156
Deaths from—														
Small-pox† - -	1	2	1	1	-	-	-	-	-	-	-	-	-	5
Measles - -	49	36	31	36	42	30	15	8	8	6	17	14	15	307
Scarlet Fever - -	14	7	2	10	4	9	6	2	14	3	9	4	11	85
Diphtheria - -	14	5	10	7	9	19	8	20	9	19	16	20	17	173
Whooping-cough - -	21	13	21	21	17	20	25	16	16	5	9	7	5	196
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	5	6	7	2	6	4	12	8	9	13	10	9	15	106
Pyæmia (origin uncertain) -	-	-	-	-	-	-	-	-	-	-	2	-	-	2
Diarrhoea, Dysentery	161	301	558	687	705	483	338	258	180	108	84	52	49	3973
All above Diseases -	255	370	630	764	783	565	404	312	245	154	147	106	112	4847
Dis. of Resp. System	36	48	54	47	40	35	49	61	59	72	85	85	94	765
Pneumonia - -	84	70	58	74	66	66	59	68	82	97	82	81	100	987
Phthisis - -	116	113	136	110	133	127	105	122	141	142	152	150	142	1689
Dis. of Circ. System	158	144	134	115	137	147	161	160	156	150	152	157	179	1950
Violence - -	83	83	63	62	56	46	47	40	46	45	49	51	41	712
Inquest Cases -	152	161	121	148	145	115	118	124	104	110	125	139	125	1687
Deaths in Institutions	511	476	504	497	506	517	496	491	529	475	494	492	478	6466
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - -	67.1	65.4	68.1	61.0	59.5	57.6	61.0	57.0	56.4	53.6	52.1	50.3	47.8	58.2
Mean of Highest -	79.8	76.9	81.3	72.1	69.6	68.7	71.2	67.0	66.2	61.3	63.2	58.0	56.3	68.6
Mean of Lowest -	55.6	56.4	56.3	51.1	51.6	48.9	51.8	48.6	47.9	46.1	42.5	43.3	38.7	49.1
Mean Humidity of the Air.	61	75	65	66	75	76	75	77	81	70	87	81	85	75
Rain-fall (in inches) -	0.04	1.83	0.08	0.06	0.47	0.22	1.01	0.36	0.24	0.20	0.14	0.86	0.02	5.53
Registered Sunshine (in hours).	74.9	34.6	67.8	62.2	38.7	40.6	39.0	41.3	37.1	52.7	28.1	17.5	25.0	559.5
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	51	46	32	21	18	13	9	8	5	5	3	2	1	16
Scarlet Fever - -	1754	1784	1758	1763	1745	1781	1840	1816	1929	1969	2158	2341	2516	1933
Diphtheria - -	767	770	786	780	795	813	825	814	832	833	878	892	931	824
Typhus - -	-	-	-	-	-	-	-	1	1	1	1	1	1	-
Enteric Fever - -	58	67	66	71	89	121	135	158	187	204	237	239	242	144

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 15th October, 1904.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include														Deaths in Public Institutions.	
				Deaths of		Deaths from													
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.			
LONDON - - -	4,536,429	2491	1270	266	358	-	15	11	17	5	-	15	-	49	41	125	478		
WEST DISTRICTS - - -	805,311	356	214	38	64	-	1	1	4	-	-	2	-	11	7	20	84		
NORTH DISTRICTS - - -	1,056,070	517	273	52	80	-	3	1	3	1	-	5	-	1	8	22	105		
CENTRAL DISTRICTS - - -	209,465	111	72	17	17	-	-	-	-	-	-	1	-	2	2	7	35		
EAST DISTRICTS - - -	715,739	475	221	53	52	-	-	-	-	-	-	1	-	12	9	38	87		
SOUTH DISTRICTS - - -	1,749,844	1032	469	106	136	-	7	7	8	12	-	5	-	21	15	38	136		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	31	-	9	-	-	-	2	2	-	1	-	2	-	-	31		
WEST DISTRICTS.																			
St. Mary Paddington } G. & W.	93,178	37	28	4	11	-	-	-	1	-	-	-	-	3	1	3	10		
W, 2H																			
St. John Paddington H - - G.	33,617	6	7	-	4	-	-	-	-	-	-	-	-	-	-	-	4		
North-West Paddington - - C.	17,181	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Kensington Town 2W, w, 2H G., W. & C.	128,037	47	35	5	12	-	-	-	1	-	-	-	-	2	1	4	18		
Brompton 2H - - W. & C.	48,591	10	7	-	3	-	-	-	-	-	-	-	-	-	-	-	2		
North Hammersmith W, w, 2H } W. & G.	49,192	30	11	5	2	-	-	-	-	-	-	-	-	-	-	2	1		
South Hammersmith w, 2H }	63,047	22	19	4	5	-	-	-	-	-	-	-	-	1	1	2	3		
North-west Fulham W }	45,180	44	17	1	7	-	-	-	-	-	-	1	-	-	-	-	14		
North-east Fulham F }	46,405	27	14	3	1	-	1	1	1	-	-	1	-	-	-	-	5		
South Fulham W }	45,704	38	11	4	2	-	-	-	-	-	-	-	-	1	-	1	-		
Chelsea North W, w, 3H - - C.	42,514	22	14	1	4	-	-	-	-	-	-	-	-	1	-	-	10		
Chelsea South W, 2H - - C.	31,328	19	9	2	3	-	-	-	-	-	-	-	-	-	-	-	2		
May Fair and Knightsbridge C. & G.	28,743	6	6	2	1	-	-	-	1	-	-	-	-	-	-	-	-		
Belgrave W, 2H - - C.	55,815	16	15	5	2	-	-	-	-	-	-	-	-	3	1	3	8		
St. Margaret & St. John 4H - - C.	43,698	15	13	2	3	-	-	-	-	-	-	-	-	-	1	2	6		
St. James Westminster } N. & G.	21,588	5	6	-	3	-	-	-	-	-	-	-	-	-	2	3	1		
W, H																			
St. Anne Soho 5H - - - N.	11,493	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
NORTH DISTRICTS.																			
All Souls Marylebone 8H - - W.	35,391	6	5	-	1	-	-	-	-	-	-	-	-	-	-	-	3		
Rectory Marylebone W G. & W.	19,849	9	5	-	2	-	-	-	-	-	-	-	-	-	-	2	1		
St. Mary Marylebone 4H G. & W.	18,099	34	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1		
Christchurch Marylebone H- W.	59,536	16	6	1	2	-	-	-	-	-	-	-	-	-	1	1	-		
St. John Marylebone 3H - - W.	20,426	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Hampstead W, F, 8H - - N. & W.	81,942	28	18	3	7	-	-	-	1	-	-	2	-	-	-	-	7		
West St. Pancras 2H - - W.	60,562	37	18	5	5	-	-	-	-	-	-	-	-	-	1	3	2		
Tottenham-court w, 6H N. & W.	21,258	8	13	2	2	-	-	-	-	-	-	-	-	-	2	2	10		
Gray's Inn Lane 4H - - N.	34,440	15	10	3	3	-	-	-	-	-	-	-	-	-	-	1	1		
East St. Pancras W, 2H - - N.	60,320	32	25	5	8	-	3	-	-	-	-	-	-	-	-	4	16		
North St. Pancras 2W - - N.	58,728	22	17	2	4	-	-	-	-	-	-	-	-	-	-	1	6		
Tufnell W - - - N.	31,995	16	24	3	9	-	-	-	-	-	-	-	-	-	-	2	15		
Upper Holloway - 2W, w, 2H - - N.	33,978	18	28	4	4	-	-	-	-	-	-	-	-	-	3	3	22		
Tollington W - - - N.	33,922	9	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
Lower Holloway - - - N.	41,424	29	8	3	2	-	-	-	-	-	-	-	-	-	-	-	-		
Barnsbury - - - N.	54,478	36	12	2	6	-	-	-	-	-	-	-	-	-	-	-	-		
Islington South-east F - - N.	75,397	33	14	3	5	-	-	-	-	-	-	-	-	-	-	1	-		
Highbury 2H - - - N.	63,797	30	7	1	4	-	-	-	-	-	-	-	-	-	-	-	-		
Stoke Newington H - - - N.	51,247	20	7	2	3	-	-	-	-	-	-	-	-	-	-	-	-		
North Hackney - - - E. & N.	50,560	23	8	3	2	-	-	-	-	-	-	-	-	-	-	-	-		
Central Hackney 2w, F - - E. & N.	50,536	24	16	3	3	-	-	-	-	2	-	2	-	-	1	2	4		
South-west Hackney 3H E. & N.	59,921	29	6	5	-	-	-	-	-	-	-	-	-	-	-	-	4		
South-east Hackney 2W, w, H E. & N.	58,255	37	19	3	5	-	-	-	1	-	1	-	1	-	-	-	13		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Districts than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G. signifies Grand Junction; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River; E. East London; and K. the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

REGISTRATION SUB-DISTRICTS.

1st September, 1901, the four sub-districts of Shoreditch district were dissolved and formed into three new sub-districts as above.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 15th October, 1904.—continued.

The DEATHS registered during the Week include																			
REGISTRATION SUB-DISTRICTS.	Enu- me- rated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths from														Inquest Cases	Deaths in Public Institutions.
				Deaths of	Deaths from														
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Euteric (or Typhoid) Fever.	Paratyphoid (Origin un- certain).	Diarrhoea.	Violence.				
SOUTH DISTRICTS.																			
Christchurch Southwark W,HL.&S.	11,263	6	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
St. Saviour Southwark H - S.	12,056	10	19	4	1	-	-	-	-	-	-	-	-	-	-	4	14		
Kent-road - - - S. & L.	21,904	12	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
St. George the Martyr West W,HL - - } S. & L.	39,091	23	17	4	3	-	-	-	1	1	-	1	-	1	-	2	5		
Newington North - - S. & L.	49,022	30	10	3	1	-	-	-	-	-	-	-	-	-	1	1	2		
Newington South W - S. & L.	72,541	47	22	5	7	-	-	-	-	-	-	-	-	2	1	2	3		
St. Olave 2W - - - S.	9,817	4	3	1	1	-	-	-	-	-	-	-	-	-	-	-	1		
Bermondsey W - - S.	82,483	43	12	5	3	-	2	-	-	-	-	-	-	-	-	-	-		
Rotherhithe W,F - - S. & K.	38,460	21	10	1	2	-	-	-	-	-	-	-	-	1	-	2	4		
Waterloo-road 2H - - L. & S.	27,440	29	8	3	-	-	-	-	-	-	-	-	-	-	-	1	1		
Lambeth Church 1st H - L. & S.	18,423	18	9	2	-	-	-	-	-	-	-	-	-	-	-	-	7		
Lambeth Church 2nd 2W - L. & S.	39,818	34	18	6	8	-	-	-	1	-	-	-	-	-	-	-	9		
Kennington 1st H - - S. & L.	53,188	36	12	4	3	-	1	-	-	-	-	-	-	-	-	1	1		
Kennington 2nd H - - S. & L.	42,896	24	8	1	4	-	-	-	-	-	-	-	-	-	-	-	1		
Brixton F - - - L. & S.	84,232	46	15	4	2	-	-	1	-	-	-	-	-	-	1	-	1		
Norwood W,H - - - L.	6,888	14	8	1	4	-	-	-	-	-	-	-	-	-	2	2	1		
East Battersea H - - S.	72,203	41	6	-	4	-	-	-	-	-	-	-	-	-	-	-	-		
North-west Battersea - - S.	49,856	25	7	7	1	-	-	-	-	-	-	-	-	2	-	1	-		
South-west Battersea W,H - S.	47,048	21	17	4	6	-	1	-	-	-	-	-	-	-	2	2	14		
Clapham 2H - - - S.	51,381	29	18	1	1	-	-	-	-	-	-	-	-	-	-	1	1		
Streatham W,2w,2F,2L - L.	88,019	51	24	3	15	-	-	-	2	-	-	-	-	-	-	-	6		
Springfield 2W,L - - S.	27,959	29	6	-	3	-	-	-	-	-	-	-	-	-	1	2	-		
Southfields H - - - S.	40,444	29	10	1	2	-	1	-	-	-	-	-	-	-	1	1	-		
Putney - - - S.	24,139	10	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-		
Dulwich - - - L. & S.	13,359	1	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-		
Camberwell South W,w - S. & L.	40,208	21	19	2	7	-	-	-	-	-	-	-	-	1	-	-	16		
Camberwell North W,2L - S. & L.	65,584	42	39	12	10	-	-	-	1	-	-	1	-	-	3	6	17		
St. George - - - L. & S.	47,331	21	10	3	3	-	-	-	-	-	-	-	-	-	-	-	-		
Peckham 2W,w - - S., L. & K.	92,859	52	11	3	4	-	-	-	-	-	-	-	-	2	-	-	-		
Deptford North - - - K.	37,613	19	5	5	-	-	-	-	-	-	-	-	-	-	3	-	-		
Deptford Central F - - K.	45,481	32	9	2	3	-	-	-	-	-	-	-	-	-	1	2	-		
Deptford South - - - K.	34,625	23	5	2	2	-	-	-	-	-	-	-	-	-	-	-	-		
Greenwich West 2H - - K.	23,456	11	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-		
Greenwich East 2W,H - K.	43,859	24	22	2	8	-	-	-	-	-	-	-	-	1	1	1	13		
Eltham w,H - - - K.	7,226	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Lee w,H - - - K.	26,490	7	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
Lewisham W w,F - - K.	58,352	33	21	1	9	-	-	4	1	-	-	-	-	1	-	-	10		
Sydenham H - - - L.	43,853	24	11	2	4	-	2	-	-	-	-	-	-	-	-	-	-		
Charlton F,2H - - - K.	21,134	8	9	2	1	-	-	2	2	-	-	1	-	-	-	-	6		
Woolwich 4H - - - K.	41,825	36	6	2	2	-	-	-	-	-	-	-	-	-	-	1	-		
Plumstead West W - - K.	18,063	11	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Plumstead East 2W,H - K.	50,264	33	20	3	6	-	-	-	1	1	-	-	-	1	-	2	6		
London County Asy.,Banstead - - -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2		
Manor Asylum, Epsom - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1		
Horton Asylum, Epsom - - -	-	-	6	-	2	-	-	-	-	-	-	-	-	1	-	-	6		
Lon. Co. Asy. Epilep. Colony, Epsom -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Met. Asy. for Imbeciles, Caterham -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
London County Asy., Cane Hill -	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	2		
M.A.B. Hospitals, Dartford - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Met. Asy. for Imbeciles, Darenth -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
London County Asylum, Dartford } Heath - - -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1		
London County Asylum, Hanwell -	-	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	5		
Central London Sick Asy., Hendon -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
London County Asy., Colney Hatch -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	3		
M.A.B. North-Eastern Hospital -	-	-	5	-	-	-	-	2	2	-	1	-	-	-	-	-	5		
M.A.B. Northern Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Met. Asy. for Imbeciles, Leavesden -	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
London County Asylum, Claybury -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

Area, Population, Births, Deaths, and Deaths in Outer Ring.

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 15th October, 1904.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
					Deaths of		Deaths from											
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes or Death.	
LONDON—OUTER RING	368,580	2,044,973	1374	462	109	141	-	6	5	6	2	5	12	15	37	79	3	
Carshalton <i>w, F, H</i>	12,228	32,997	13	4	-	-	-	-	-	-	-	-	-	-	-	-	1	
Epsom, part of <i>* W, w, F, H</i>	10,423	15,548	8	3	1	2	-	-	-	-	-	-	-	-	-	-	2	
Godstone, part of <i>* W, F</i>	2,754	2,692	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
Coulsdon	11,069	8,166	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
South Croydon <i>w</i>	4,200	49,309	20	9	-	5	-	-	-	-	-	-	-	-	1	1	-	
West Croydon <i>3W, F, H</i>	2,168	42,888	50	25	3	11	-	-	-	1	-	2	1	-	2	13	-	
North Croydon <i>H</i>	2,644	41,668	24	5	3	2	-	-	-	-	-	-	-	-	-	-	-	
Penge <i>w</i>	770	22,465	11	8	-	3	-	-	-	1	-	-	-	2	2	-	-	
Mitcham <i>w</i>	11,689	30,015	27	5	2	2	-	-	-	-	-	-	-	1	1	1	-	
Wimbledon <i>F, H</i>	3,221	41,652	21	5	1	1	-	-	-	-	1	-	-	-	-	-	-	
Kingston <i>W, H</i>	6,224	42,068	22	11	2	-	-	-	-	-	-	-	-	-	1	5	-	
Surbiton <i>F, H</i>	3,046	15,017	9	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
Esher, part of <i>* H</i>	5,402	13,100	13	5	2	2	-	-	-	-	-	-	-	-	-	-	-	
Hampton <i>H, L</i>	4,564	23,456	7	4	1	-	-	-	-	1	-	-	-	-	-	-	-	
Richmond <i>W, H</i>	2,162	28,865	5	6	1	3	-	-	-	-	-	-	-	-	-	1	1	
Mortlake <i>F</i>	2,847	20,628	21	4	1	2	-	-	-	-	-	-	-	-	-	-	-	
Bromley <i>F, H</i>	4,703	27,354	10	7	-	4	-	-	-	-	-	-	-	1	1	-	-	
Beckenham <i>H</i>	7,825	28,497	5	6	1	3	-	-	-	-	-	-	-	-	-	-	-	
Orpington, part of <i>* W</i>	10,113	9,857	5	2	-	1	-	-	-	-	-	-	-	-	-	1	-	
Chislehurst <i>2H</i>	7,333	16,446	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
Bexley <i>F, H</i>	8,678	21,151	12	5	1	1	-	2	-	-	-	-	1	-	1	-	-	
Erith <i>F, H</i>	3,854	25,296	25	7	1	2	-	-	-	-	-	-	-	-	1	1	-	
Dartford <i>W, F, part of *</i>	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	1	2	
Sunbury <i>w</i>	11,054	18,683	15	8	1	4	-	-	1	-	-	-	-	-	1	-	-	
Staines <i>W, H</i>	13,277	15,178	10	6	-	5	-	-	-	-	-	-	-	-	-	4	-	
Hillingdon <i>W, F, H</i>	6,035	13,661	6	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
Uxbridge	12,757	8,984	13	3	1	-	-	1	-	-	-	-	-	-	-	-	-	
Hayes <i>w, F, H</i>	8,066	16,358	12	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
Isleworth <i>3W, F, H</i>	6,859	30,863	21	8	5	2	-	-	-	-	-	-	-	-	-	-	4	
Twickenham <i>F, H</i>	2,421	20,991	13	3	-	1	-	-	-	-	-	-	-	-	-	-	-	
Brentford <i>2F, H, L</i>	4,319	48,289	29	8	1	2	-	-	1	-	-	-	-	-	-	1	1	
Chiswick <i>H</i>	1,249	29,809	23	6	-	3	-	-	-	-	-	-	-	-	-	-	-	
Acton <i>w, H</i>	6,132	48,914	39	14	6	2	-	-	-	-	1	1	1	1	1	-	1	
Harrow <i>F, H</i>	13,809	25,523	18	4	2	1	-	-	-	-	-	-	-	-	-	-	-	
Edgware <i>F, H</i>	6,994	4,521	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Willesden <i>W, F, H</i>	4,384	114,811	95	23	6	7	-	-	-	-	-	-	1	1	1	4	1	
Hendon <i>W, F</i>	8,382	22,450	20	8	-	3	-	-	-	-	-	-	-	1	1	1	-	
South Mimms <i>2F, H</i>	17,755	7,308	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
Barnet <i>W, H</i>	3,324	17,970	6	3	-	3	-	-	-	-	-	-	-	-	-	-	-	
Finchley <i>F, H</i>	4,688	33,692	17	5	2	-	-	-	-	1	-	-	-	-	1	-	-	
Hornsey <i>F, H</i>	2,875	72,056	29	13	2	7	-	-	-	-	-	-	-	-	1	1	-	
Wood Green <i>H</i>	1,625	34,233	26	5	1	1	-	-	-	-	-	-	-	-	1	1	1	
West Tottenham <i>F</i>	996	48,853	30	1	1	-	-	-	-	-	-	-	-	-	1	1	-	
East Tottenham <i>F, H</i>	2,017	53,688	33	10	3	3	-	-	-	-	-	-	1	-	-	2	-	
Edmonton <i>W, w, F</i>	7,491	61,892	54	17	7	4	-	-	-	1	-	-	1	1	-	1	7	
Enfield <i>2W, F, H</i>	12,601	42,738	36	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
Waltham Abbey	11,017	6,549	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
Cheshunt <i>F, H</i>	8,479	12,292	5	2	-	1	-	-	-	-	-	-	1	-	-	-	-	
Hatfield, part of <i>* W</i>	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bushey <i>H</i>	9,333	9,173	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
Watford <i>W, F, part of *</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Stratford <i>H</i>	1,072	44,827	27	18	7	4	-	1	-	-	-	-	-	-	-	-	-	
Plaistow <i>F, H</i>	1,249	90,921	78	27	4	3	-	-	2	-	-	1	-	-	-	2	6	
Canning Town <i>H</i>	1,558	70,718	70	14	9	1	-	-	-	-	-	-	1	-	-	-	-	
Forest Gate <i>w</i>	806	60,892	36	12	2	5	-	-	1	-	-	-	-	-	-	1	-	
North East Ham <i>w</i>	1,333	58,676	38	19	5	3	-	-	-	-	-	-	-	-	-	-	1	
South East Ham <i>2F</i>	1,993	37,342	31	12	7	1	-	-	-	-	1	-	1	1	1	-	-	
Wanstead <i>F</i>	1,679	9,179	5	3	-	1	-	-	-	-	-	-	-	1	1	-	-	
South Leyton <i>2W</i>	631	50,467	27	8	3	1	-	1	-	-	-	-	1	-	-	-	3	
North Leyton <i>W, w, F</i>	1,963	48,445	27	29	3	12	-	-	-	-	-	-	-	-	-	1	19	
Walthamstow <i>3H, L</i>	6,504	108,929	85	18	7	6	-	-	-	1	-	-	-	-	2	-	-	
Chigwell, part of <i>* 2F, H</i>	11,778	16,397	7	3	-	1	-	-	-	-	1	-	-	-	-	-	1	
Epping <i>W, F, part of *</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Romford, part of <i>* W, F</i>	6,556	6,091	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	
Ilford <i>F, L</i>	8,496	41,234	32	9	1	1	-	-	1	-	-	-	-	-	1	1	-	
Barking Town <i>F</i>	3,803	21,547	15	2	-	1	-	-	-	-	-	-	-	-	1	1	-	

The parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher h; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting rdon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious uses Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping- cough.	Fever.
CALCUTTA (including SUBURBS)	847,796	September 3	-	373	22·8	-	2	-	1	1	123†
BOMBAY -	776,006	" 27	456	663	44·4	2	3	-	-	-	131†
MADRAS -	509,346	" 9	443	316	32·2	-	-	?	?	?	88
PARIS -	2,660,559	October 8	957	791	15·4	-	1	-	3*	5	7
BRUSSELS -	586,936	" 8	219	153	14·0	-	1	-	2*	-	3
ANTWERP -	286,695	" 8	118	65	11·8	-	3	-	2*	1	1
AMSTERDAM -	548,160	" 1	277	141	13·4	-	2	-	1*	8	1
COPENHAGEN -	423,000	" 8	184	125	15·4	-	1	2	-	2	-
STOCKHOLM -	309,496	" 1	158	65	10·9	-	-	1	-	1	1
CHRISTIANIA -	223,649	" 8	117	67	15·6	-	-	1	2*	1	-
ST. PETERSBURG	1,248,122	" 1	480	537	22·4	-	4	11	15*	7	16
MOSCOW -	1,062,360	" 1	-	524	25·0	2	9	8	7*	6	1
BERLIN -	1,964,315	September 24	905	636	16·8	-	2	12	3*	6	2
HAMBURG -	751,842	October 8	-	214	14·8	-	2	7	2*	1	-
BRESLAU -	445,679	" 8	-	194	22·7	-	2	1	2*	?	1
MUNICH -	520,000	" 8	-	200	20·0	-	1	4	4*	2	-
VIENNA -	1,797,992	" 8	921	515	14·7	-	5	-	5*	-	2
PRAGUE -	426,402	" 1	158	162	19·8	-	1	1	-	1	2
BUDA-PESTH -	813,399	" 8	447	241	15·4	-	1	9	3*	1	5
TRIESTE -	190,166	" 8	98	83	22·6	-	-	-	1*	-	2
ROME -	505,371	August 27	216	150	15·5	-	1	-	1*	1	9§
VENICE -	166,288	October 1	74	49	15·4	-	-	-	-	-	-
CAIRO -	624,338	June 17	-	-	-	-	-	-	-	-	-
ALEXANDRIA -	349,300	" 17	-	-	-	-	-	-	-	-	-
NEW YORK -	3,838,024	September 24	1780	1224	16·6	-	3	1	28*	5	19
PHILADELPHIA -	1,408,154	" 17	-	408	15·1	1	-	2	9*	1	15
BOSTON -	617,950	" 17	-	212	17·8	-	-	-	3*	-	4

* Including deaths from croup.

† Including 7 deaths from plague in Calcutta, and 85 in Bombay.

‡ Including 5 deaths from cholera in Calcutta, and 9 in Bombay.

§ Including 5 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 15th October, 1904.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	59·2	31·9	47·5	0·02	BRADFORD -	59·4	33·8	46·7	0·0
BRIGHTON -	62·6	38·1	52·4	0·45	LEEDS -	61·0	33·0	46·7	0·0
PORTSMOUTH -	63·0	41·0	51·9	0·00	HULL -	65·0	30·0	47·2	0·1
NORWICH -	63·2	35·0	49·5	0·00	TYNEMOUTH -	62·0	34·0	46·2	0·0
PLYMOUTH -	62·4	43·0	52·8	0·42					
BRISTOL -	62·4	31·0	49·0	0·09	EDINBURGH -	57·6	37·7	46·8	0·0
BIRMINGHAM -	60·2	37·8	49·4	0·12	GLASGOW -	58·2	28·9	46·9	0·1
NOTTINGHAM -	62·1	28·0	47·4	0·08					
LIVERPOOL	61·0	38·0	49·1	0·09	DUBLIN { Phoenix Park. Fitz- william Square.†	60·7	27·8	47·9	0·0
MANCHESTER	60·8	31·8	47·7	0·12		61·8	36·0	50·7	0·0
PRESTON -	59·3	37·5	48·3	0·20					
HUDDERSFIELD -	60·5	28·3	45·4	0·03	BELFAST -	57·5	31·2	48·0	0·1

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of the return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher's returns up to the 31st March, 1902, for the corresponding period to the above was 1°0 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D. Dublin.

[illegible]

GENERAL REMARKS.

Cloudless with hoar frost in morning; fine and partially cloudy afterwards.

Generally overcast; a shower of rain at 11h. A.M.

Overcast; a very dull gloomy day; occasional sleet-rain in early morning; fog at night.

Overcast with fog in morning; fine but generally cloudy with solar halo at intervals till evening; generally cloudless at night.

Cloudless with hoar frost in morning; fine with variable amounts of cloud afterwards.

Cloudless with hoar frost in morning; very fine with small amounts of cloud generally afterwards. Solar halo in afternoon.

Very fine throughout; hoar frost in morning and at night.

The results apply to the civil day, or from midnight to midnight. The height of the stem of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The wet bulb eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 19 years ending 1875.

In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30.06 in. at the beginning of the week to 30.13 in. by 9h. A.M. on the 9th; decreased to 30.01 in. by 4h. A.M. on the 12th; increased to 30.34 in. by 9h. A.M. on the 13th; and decreased to 29.81 in. by midnight on the 15th.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 8th October, 1904.*

BOROUGHS,	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Chicken-pox.
WEST.											
Paddington- - - -	146,975	-	13	6	-	-	-	-	2	-	7
Kensington - - - -	179,236	-	7	4	-	1	-	-	2	-	3
Hammersmith - - -	117,412	-	11	6	-	2	-	-	1	-	3
Fulham - - - - -	152,482	-	6	9	-	-	-	-	4	1	10
Chelsea - - - - -	74,329	-	-	-	-	1	-	-	1	-	3
City of Westminster-	177,321	-	9	4	-	1	-	-	4	-	3
NORTH.											
St. Marylebone - - -	130,337	-	16	1	-	2	-	-	5	-	4
Hampstead - - - -	86,663	-	8	-	-	1	-	-	1	-	1
St. Pancras - - - -	235,936	-	27	2	-	5	-	-	9	-	9
Islington - - - - -	341,044	-	38	2	-	8	-	-	17	-	10
Stoke Newington - -	52,445	-	8	3	-	2	-	-	2	-	1
Hackney - - - - -	226,266	-	48	11	-	3	-	-	2	1	9
CENTRAL.											
Holborn - - - - -	57,161	-	1	1	-	-	-	-	-	-	1
Finsbury - - - - -	98,958	-	7	3	-	1	-	-	5	-	1
City of London - - -	23,482	-	1	-	-	-	-	-	-	-	1
EAST.											
Shoreditch - - - -	117,033	-	6	4	-	-	-	-	6	-	3
Bethnal Green - - -	130,207	-	24	11	-	4	-	-	9	1	8
Stepney - - - - -	303,791	-	35	18	-	9	-	-	23	-	22
Poplar - - - - -	169,905	-	16	13	-	3	-	-	7	-	8
SOUTH.											
Southwark - - - - -	207,937	-	10	4	-	4	-	-	5	-	7
Bermondsey - - - -	129,397	-	22	4	-	4	-	-	5	-	11
Lambeth - - - - -	310,359	-	23	6	-	2	-	-	3	-	11
Battersea - - - - -	175,485	-	7	2	-	1	-	-	4	-	6
Wandsworth - - - -	257,448	1	22	12	-	2	-	-	5	-	6
Camberwell - - - -	268,384	-	56	4	-	2	-	-	11	-	29
Deptford - - - - -	113,509	-	20	4	-	-	-	-	2	-	11
Greenwich - - - - -	101,651	-	9	3	-	1	-	-	5	-	6
Lewisham - - - - -	140,401	-	13	6	-	1	-	-	4	-	11
Woolwich - - - - -	123,416	-	19	5	-	-	-	-	1	-	22
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.		1	482	152	-	60	-	-	145	3	226
Ages											
0-1 - - - - -	-	-	1	7	-	-	-	-	4	-	18
" 1-5 - - - - -	-	-	143	44	-	2	-	-	9	-	101
" 5- - - - -	-	-	215	61	-	9	-	-	7	-	90
" 10- - - - -	-	-	71	18	-	17	-	-	9	-	12
" 15- - - - -	-	-	26	5	-	3	-	-	16	1	2
" 20- - - - -	-	-	10	3	-	9	-	-	8	-	2
" 25- - - - -	1	13	6	-	11	-	-	-	19	2	-
" 35- - - - -	-	3	7	-	5	-	-	-	23	-	1
" 45- - - - -	-	-	1	-	2	-	-	-	26	-	-
" 55- - - - -	-	-	-	-	1	-	-	-	11	-	-
" 65 and upwards -	-	-	-	-	1	-	-	-	13	-	-
Age not stated - -	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1904.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 42. 1904. VOL. LXV.] WEEK ENDED SATURDAY, OCT. 22. [Price 1½d.

*General Register Office, Somerset House,
October 24th, 1904.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·9 per 1000 of their aggregate population, which is estimated† at 15,271,287 persons in the middle of this year. In the preceding three weeks the rates had been 15·6, 15·1, and 15·2. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 20·3 in Bootle, 20·4 in Stockport, 22·4 in Liverpool, 22·6 in Tynemouth, 23·2 in Salford, 23·3 in Burnley, and 23·7 in Hanley; from *measles*, 2·3 in Walsall, in Grimsby, and in Liverpool, and 3·2 in Plymouth; from *diphtheria*, 2·5 in Salford; and from *diarrhœa*, 2·1 in Rhondda, 2·6 in Oldham and in Burnley, 2·7 in Middlesbrough, and 3·6 in Preston. Two deaths from *small-pox* were registered in Newcastle on Tyne, 1 in Nottingham, 1 in Bury, and 1 in Preston, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2442 BIRTHS and 1476 DEATHS were registered. Allowing for increase of population, the births were 148 and the deaths 7 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 14·3, 13·9, and 14·2 in the preceding three weeks, rose last week to 16·6. During the four weeks ended on Saturday last the death-rate averaged 14·8 per 1000, being 1·6 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1476 deaths included 26 from measles, 6 from scarlet fever, 13 from diphtheria, 11 from whooping-cough, 11 from enteric fever, 1 from ill-defined pyrexia, and 45 from diarrhœa, but not one death from small-pox or from typhus; thus, 113 deaths were referred to these diseases in the aggregate, being 52 below the corrected average weekly number.

The deaths from *measles*, which had been 17, 14, and 15 in the preceding three weeks, rose last week to 26, and were 3 above the corrected average; 4 deaths belonged to the Borough of Lambeth, and 3 each to Islington, Bethnal Green, Bermondsey, and Lewisham. The deaths from *scarlet fever*, which had been 9, 4, and 11 in the preceding three weeks, fell last week to 6, and were 8 below the corrected average; 3 deaths belonged to Islington. The deaths from *diphtheria*, which had been 16, 20, and 17 in the preceding three weeks, fell last week to 13, and were 34 below the corrected average; 4 deaths belonged to Stepney and 3 to Wandsworth. The deaths from *whooping-cough*, which had been 9, 7, and 5 in the preceding three weeks, rose last week to 11, but were 4 below the corrected average. The fatal cases of *enteric fever*, which had been 10, 9, and 15 in the preceding three weeks, were 11 last week, and were 9 below the corrected average. The deaths from *diarrhœa*, which had been 84, 52, and 49 in the preceding three weeks, further fell last week to 45, being equal to the corrected average; 7 deaths belonged to Stepney, 6 to Poplar, and 4 each to Paddington and Southwark. Of the 45 deaths from diarrhœa, 36 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 7 more deaths at this age. The deaths attributed directly to *influenza* numbered 16, having been 9, 10, and 22 in the preceding three weeks. The death of a male, aged 43 years, was certified after inquest as due to *ptomaine poisoning*.

Different forms of *violence* caused 53 deaths, concerning all of which inquests were held. Of these 53 deaths, 5 were cases of suicide, while the remaining 48 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, 8 to conflagrations, 4 to drowning, 1 to the effect of an anæsthetic administered for surgical purposes, and 8 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1 case of small-pox, 2687 cases of scarlet fever, 950 of diphtheria, and 229 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, no case, against 0, 1, and 0; of scarlet fever, 389 cases, against 406, 409, and 377; of diphtheria, 149 cases, against 150, 129, and 150; and of enteric fever, 17 cases, against 51, 26, and 30. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended October 15th.

GREATER LONDON.

In Greater London 3578 births and 1969 deaths were registered. Allowing for increase of population these numbers are 246 and 45 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 6 deaths from measles, 1 from scarlet fever, 3 from diphtheria, 3 from whooping-cough, 3 from "fever," and 6 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.91 inches, and that of the Thermometer 54°.9, the latter being 5°.7 above the week's average in the 50 years 1841-90. The general direction of the wind was variable, the horizontal movement of the air being 19 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 10.0 hours; the measured rainfall amounted to 0.43 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	POPULATION estimated to the middle of the Year 1904.*	DEATH-RATES from all Causes.				Rate from Diseases in 1904.		Registered Deaths during the Week ended 22nd Oct., 1904.		The DEATHS registered in the Week include										Deaths of		Deaths from										Deaths in Public Institutions.		Causes of Death.			
		Week ended				11-17.		Week ended 22nd October, 1904.																													
		1st Oct., 1904.		8th Oct., 1904.		15th Oct., 1904.		22nd Oct., 1904.		Infants under 1 Year of Age.		Persons aged 60 Years and upwards.		Small-pox.		Measles.		Scarlet Fever.				Diphtheria.		Whooping-cough.		Fever.		Diarrhoea.		Violence.		Inquest Cases.		Deaths in Public Institutions.		Uncertified Causes of Death.	
		1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.															
TOWNS	COLS.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.															
76 TOWNS		15,271,287	15'6	15'1	15'2	15'9	1'8	8345	4661	1149	1248	5	127	30	75	42	47	206	159	340	1162	47															
LONDON -	-	4,648,950	14'3	13'9	14'2	16'6	1'3	2442	1476	292	475	-	26	6	13	11	12	45	53	123	588	3															
(CROYDON -	-	144,419	9'7	10'5	14'1	8'7	-	84	24	3	11	-	-	-	-	-	-	-	-	3	4	-															
WILLESDEN -	-	132,568	7'9	11'8	9'0	8'3	0'4	64	21	4	7	-	-	-	-	-	-	-	-	-	2	-															
HORNSEY -	-	81,221	6'4	2'6	8'3	7'1	0'6	20	11	2	5	-	-	-	1	-	-	-	-	-	-	-															
(TOTTENHAM -	-	112,981	12'9	14'8	5'1	11'1	0'5	50	24	9	4	-	-	-	-	-	-	1	-	4	3	-															
WEST HAM -	-	288,424	12'8	14'3	15'2	15'4	0'9	137	85	25	21	-	3	-	-	-	-	2	1	3	18	-															
EAST HAM -	-	116,902	10'7	9'8	14'7	13'4	1'8	66	30	13	3	-	-	-	1	-	-	3	1	3	4	-															
LEYTON -	-	110,844	9'4	10'8	9'9	11'3	0'9	61	24	6	8	-	-	-	-	2	-	-	-	3	-	-															
(WALTHAMSTOW -	-	111,282	12'7	9'8	8'0	11'7	0'9	73	25	8	5	-	-	1	-	1	-	-	1	2	4	-															
HASTINGS -	-	66,503	17'2	13'3	11'8	12'5	0'8	19	16	2	7	-	-	-	-	-	-	1	1	2	6	-															
BRIGHTON -	-	126,286	12'8	14'0	12'4	14'9	0'8	58	36	4	15	-	-	-	1	1	-	-	1	5	8	-															
PORTSMOUTH -	-	198,038	18'2	14'2	13'7	16'3	1'6	112	62	16	18	-	-	-	2	1	-	3	3	7	10	-															
BOURNEMOUTH -	-	64,645	10'5	9'7	10'5	10'5	-	23	13	2	3	-	-	-	-	-	-	-	1	1	3	-															
SOUTHAMPTON -	-	112,500	17'1	11'1	12'1	9'7	0'9	57	21	6	5	-	-	-	-	-	-	1	1	2	5	-															
READING -	-	76,373	9'6	9'6	12'3	8'9	1'4	25	13	3	5	-	-	-	1	-	-	1	1	1	-	-															
NORTHAMPTON -	-	91,146	12'0	13'7	8'0	10'9	0'6	41	19	3	9	-	-	-	-	-	-	1	2	3	5	-															
IPSWICH -	-	69,805	17'2	12'0	14'9	11'2	0'7	38	15	3	7	-	1	-	-	-	-	-	1	1	3	1	-														
GREAT YARMOUTH -	-	52,099	15'0	20'0	20'0	17'0	3'0	38	17	3	4	-	1	-	-	-	-	2	1	2	6	-															
NORWICH -	-	115,538	15'3	19'4	13'5	9'9	0'5	80	22	10	8	-	-	-	-	-	-	-	-	-	3	-															
PLYMOUTH -	-	114,003	15'6	14'6	21'0	11'0	4'1	47	24	6	3	-	7	1	-	-	-	-	-	3	4	-															
DEVONPORT -	-	75,334	9'7	9'0	7'6	11'1	-	51	16	3	6	-	-	-	-	-	-	-	-	1	3	-															
BRISTOL -	-	343,204	13'4	13'4	12'6	14'3	1'4	182	94	20	26	-	4	1	2	1	-	1	3	6	21	-															
HANLEY -	-	63,932	14'7	13'9	17'1	23'7	2'4	46	29	10	6	-	1	-	1	-	-	1	2	2	2	-															
BURTON-ON-TRENT -	-	51,934	12'0	10'0	18'1	14'1	1'0	26	14	1	8	-	-	-	-	-	-	1	1	1	-	-															
WOLVERHAMPTON -	-	98,194	14'3	19'6	17'0	11'2	1'6	52	21	6	6	-	-	-	1	-	-	2	1	1	4	-															
WALSALL -	-	91,432	17'1	20'5	15'4	17'7	2'9	60	31	8	5	-	4	-	-	-	-	-	-	-	1	-															
HANDSWORTH -	-	59,834	8'7	5'2	7'9	8'7	0'9	33	10	4	2	-	-	-	-	-	-	-	-	-	1	-															
WEST BROMWICH -	-	67,186	16'3	20'2	10'9	14'7	2'3	42	19	6	7	-	-	-	-	-	1	2	2	2	5	1															

* See note † on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES during the Week ended Saturday, 22nd October, 1904, and DEATH-RATES during the preceding three weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1904.*	DEATH-RATES from all Causes.					Rate from: Diseases in Colls. 11-17.		Registered during the week ended 22nd Oct., 1904.		The DEATHS registered in the Week include												TOWNS.					
		Week ended					Week ended 22nd Oct., 1904.		Births.	Deaths.		Deaths of																
		1st Oct., 1904.	8th Oct., 1904.	15th Oct., 1904.	22nd Oct., 1904.	29th Oct., 1904.	1st Oct., 1904.	8th Oct., 1904.				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.			Deaths in Public Institutions.	Unsettled Causes of Death.		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.						
BIRMINGHAM	-	537,905	15.1	16.1	14.8	18.7	2.1	319	193	61	34	-	-	1	9	3	1	8	9	13	39	7	BIRMINGHAM.					
KINGS NORTON	-	68,667	7.8	11.7	10.2	9.4	1.6	38	12	1	6	-	-	1	1	-	-	-	-	-	1	-	KINGS NORTON.					
SMETHWICK	-	69,691	8.6	10.3	13.7	8.6	0.9	39	10	-	1	-	-	1	1	-	-	-	-	-	1	-	SMETHWICK.					
ASTON MANOR	-	30,363	9.7	8.4	9.1	13.6	0.6	61	21	13	3	-	-	1	-	-	-	-	-	2	1	-	ASTON MANOR.					
COVENTRY	-	73,904	16.2	16.2	16.2	9.9	-	43	14	5	2	-	-	-	-	-	-	-	1	1	4	-	COVENTRY.					
LEICESTER	-	224,186	11.6	11.2	12.3	14.0	1.9	105	60	18	20	-	-	1	-	1	-	6	1	3	10	1	LEICESTER.					
GRIMSBY	-	86,958	17.9	14.8	17.1	16.4	5.5	26	21	3	6	-	3	-	1	2	1	1	1	2	3	-	GRIMSBY.					
NOTTINGHAM	-	248,811	15.3	13.2	14.0	14.9	1.9	129	71	15	23	1	2	3	-	-	-	3	1	4	17	-	NOTTINGHAM.					
DERBY	-	120,449	10.4	12.6	13.0	13.0	0.4	54	30	2	13	-	-	-	-	-	1	-	4	7	7	-	DERBY.					
STOCKPORT	-	97,008	14.5	21.5	15.1	20.4	3.2	63	38	7	10	-	-	1	1	-	2	2	2	2	9	-	STOCKPORT.					
BIRKENHEAD	-	114,814	16.3	19.5	20.4	18.2	2.7	70	40	16	7	-	4	-	-	-	-	2	-	1	3	-	BIRKENHEAD.					
WALLASEY	-	60,354	14.7	15.6	13.0	11.2	-	33	13	2	6	-	-	-	-	-	-	-	1	1	4	-	WALLASEY.					
LIVERPOOL	-	723,430	22.6	20.7	20.4	22.4	4.5	484	311	80	60	-	32	2	4	4	-	21	4	14	73	10	LIVERPOOL.					
BOOTLE	-	61,755	20.3	15.2	16.0	20.3	4.2	36	24	10	4	-	1	-	2	1	-	1	-	-	2	1	BOOTLE.					
ST. HELENS	-	88,545	26.5	17.7	16.5	11.8	0.6	67	20	9	3	-	-	-	-	-	-	1	-	-	2	1	ST. HELENS.					
WIGAN	-	82,800	25.7	17.4	13.3	8.3	1.7	41	10	2	3	-	-	-	-	-	2	-	-	1	3	-	WIGAN.					
WARRINGTON	-	67,331	17.8	14.7	22.5	13.9	2.3	39	18	7	2	-	-	-	-	-	-	2	-	1	4	-	WARRINGTON.					
BOLTON	-	175,744	19.9	14.2	15.1	17.5	2.4	99	59	11	14	-	-	-	1	-	3	4	4	5	8	-	BOLTON.					
BURY	-	58,450	19.6	14.3	16.9	12.5	2.7	22	14	6	3	1	-	-	-	-	1	1	1	1	3	-	BURY.					
MANCHESTER†	-	557,938	16.8	19.7	16.3	17.3	1.8	328	185	50	46	-	5	2	5	1	3	3	6	12	48	2	MANCHESTER.†					
SALFORD	-	228,983	22.1	24.4	20.3	23.2	6.1	133	102	21	18	-	8	-	11	-	1	7	3	5	21	-	SALFORD.					
OLDHAM	-	139,497	18.3	17.9	16.8	15.0	3.7	51	40	12	13	-	-	1	-	1	1	7	1	1	6	-	OLDHAM.					
ROCHDALE	-	85,601	13.4	17.1	18.9	18.3	-	32	30	9	8	-	-	-	-	-	-	-	2	4	3	1	ROCHDALE.					
BURNLEY	-	100,569	19.2	21.3	19.7	23.3	5.2	39	45	14	11	-	1	2	1	-	1	5	1	3	12	-	BURNLEY.					
BLACKBURN	-	132,134	23.3	26.2	14.2	18.5	1.6	47	47	9	13	-	-	-	-	-	1	3	2	1	3	-	BLACKBURN.					
PRESTON	-	115,055	23.6	21.3	14.0	19.5	5.4	56	43	18	5	1	-	-	-	-	2	8	-	-	5	1	PRESTON.					

TOWNS	POPULATION estimated to the middle of 1904.	DISEASES in Cols. 11-17.				Registered during the year ended 22nd Oct. 1904.		Deaths of		Deaths from								Deaths in Public Institutions.		Causes of Death.	TOWNS.	
		Week ended				Week ended Oct., 1904.	BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Dysentery.	Violence.	Inquest Cases.			
		1st Oct. 1904.	8th Oct. 1904.	15th Oct. 1904.	22nd Oct. 1904.																	
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDESFIELD.	-	15.4	17.6	19.2	16.5	1.1	53	30	2	13	-	-	1	1	-	-	-	1	1	4	-	HUDDESFIELD.
HALIFAX.	-	13.6	14.1	14.1	15.0	2.4	37	31	3	10	-	-	-	1	-	-	-	2	6	-	-	HALIFAX.
BRADFORD.	-	285,089	16.3	16.1	17.0	2.6	88	76	14	18	-	1	-	3	-	3	7	1	6	14	2	BRADFORD.
LEEDS.	-	450,142	16.2	14.0	15.9	14.5	250	125	36	31	-	-	-	2	1	1	1	3	9	15	-	LEEDS.
SHEFFIELD.	-	432,940	16.6	13.9	17.3	15.2	268	126	29	37	-	-	-	-	-	2	9	5	10	30	4	SHEFFIELD.
ROTHERHAM.	-	58,488	16.0	16.0	9.8	0.9	43	10	4	1	-	-	-	-	-	-	1	-	-	2	-	ROTHERHAM.
YORK.	-	81,288	13.5	16.0	12.8	3.2	39	26	4	5	-	2	1	1	-	-	1	1	4	-	-	YORK.
HULL.	-	263,865	18.9	19.3	19.5	19.7	149	96	25	19	-	8	-	-	3	2	8	5	9	13	1	HULL.
MIDDLESBROUGH.	-	96,684	15.6	21.0	18.3	20.0	71	37	14	7	-	1	-	-	-	-	5	1	3	7	-	MIDDLESBROUGH.
STOCKTON-ON-TEES	-	52,192	21.0	18.0	21.0	12.0	36	12	4	4	-	-	1	-	-	-	1	1	2	-	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL	-	69,251	22.6	15.8	12.8	18.1	46	24	12	3	-	-	-	1	1	-	2	-	1	2	-	WEST HARTLEPOOL.
SUNDERLAND.	-	151,157	23.5	15.5	22.8	19.3	2.4	103	56	21	8	2	-	1	2	2	-	1	3	9	3	SUNDERLAND.
SOUTH SHIELDS.	-	107,334	18.0	16.0	20.9	18.0	56	37	13	6	-	-	-	1	-	-	2	1	2	4	3	SOUTH SHIELDS.
GATESHEAD.	-	118,067	17.7	15.5	12.4	15.5	91	35	15	5	-	-	-	1	1	-	3	3	1	1	1	GATESHEAD.
NEWCASTLE-ON-TYNE.	-	225,362	17.1	19.9	16.9	19.4	132	84	23	16	2	1	-	1	2	-	3	2	9	17	1	NEWCASTLE-ON-TYNE.
TYNEMOUTH.	-	53,060	15.7	19.7	21.6	22.6	27	23	7	5	-	2	-	1	-	-	1	1	3	-	-	TYNEMOUTH.
NEWPORT (MON.).	-	71,543	16.0	11.7	14.6	11.7	45	16	3	6	-	-	-	1	-	-	2	-	2	6	-	NEWPORT (MON.).
CARDIFF.	-	176,313	14.8	12.7	8.3	8.9	95	30	12	6	-	-	-	-	-	-	1	2	4	-	-	CARDIFF.
RHONDDA.	-	122,310	13.2	12.4	19.2	14.9	91	35	11	8	-	3	-	-	1	-	5	5	6	-	-	RHONDDA.
MERTHYR TYDFIL.	-	72,745	15.1	16.5	27.2	13.6	48	19	7	2	-	-	-	-	-	-	2	2	4	2	-	MERTHYR TYDFIL.
SWANSEA.	-	95,931	19.0	13.0	22.3	18.5	62	34	7	12	-	-	-	-	-	1	2	2	4	6	1	SWANSEA.
GREATER LONDON.	-	6,907,756	13.0	13.1	13.1	14.9	3578	1969	414	633	-	35	8	18	17	15	53	65	162	665	5	GREATER LONDON.
OUTER RING.	-	2,258,806	10.2	11.4	10.7	11.4	1136	493	122	158	-	9	2	5	6	3	13	12	29	77	2	OUTER RING.
8 TOWNS IN OUTER RING.	-	1,098,639	10.8	11.4	11.4	11.6	555	244	70	64	-	3	1	2	3	-	7	3	15	38	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	-	1,160,167	9.7	11.4	9.9	11.2	561	249	52	94	-	6	1	3	3	3	6	9	14	39	2	REMAINDER OF OUTER RING.
EDINBURGH.	-	331,977	14.8	12.7	13.4	15.7	165	100	33	25	-	-	1	3	-	-	2	1	?	?	5	EDINBURGH.
GLASGOW.	-	798,357	16.3	15.2	18.6	19.9	475	258	77	40	-	3	1	5	15	5	17	8	?	69	5	GLASGOW.
DUBLIN.	-	378,994	19.0	17.5	21.6	24.9	257	181	63	42	-	6	-	1	-	-	11	3	5	57	11	DUBLIN.
BELFAST.	-	368,680	17.6	19.2	16.0	17.7	230	122	29	18	-	1	1	-	1	2	6	3	7	35	?	BELFAST.

TABLE 2. LONDON.—Births and Deaths Registered in the FORTY-SECOND Week of each of the Eleven Years, 1894–1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894–1903.*	1904
TOTAL Births -	2516	2629	2516	2610	2468	2529	2485	2389	2486	2345	2590·3	2442
Males - -	1303	1308	1261	1342	1248	1284	1267	1201	1281	1231	1320·0	1244
Females - -	1213	1321	1255	1268	1220	1245	1218	1188	1205	1114	1270·3	1198
TOTAL Deaths -	1326	1518	1333	1442	1497	1567	1392	1394	1496	1333	1483·0	1476
Males - -	693	766	706	708	795	789	694	700	760	680	756·2	739
Females - -	633	752	627	734	702	778	698	694	736	653	726·8	737

* The numbers in this column are the average weekly numbers in the forty-second week of the ten years 1894–1903, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	July 30.	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	13 Weeks.
TOTAL Births -	2467	2302	2730	2525	2575	2160	2504	2514	2272	2537	2470	2491	2442	31989
TOTAL Deaths -	1423	1745	1912	1923	1682	1459	1354	1360	1223	1279	1243	1270	1476	19349
Ages at Death	Under 1 year -	492	762	929	917	739	544	448	401	306	311	287	267	6695
	1–5 years -	184	228	244	245	181	135	124	116	112	118	102	121	131
	5–20 " -	74	72	75	51	71	60	59	62	76	53	56	74	87
	20–40 " -	156	166	132	158	166	149	148	180	159	177	187	168	212
	40–60 " -	216	227	263	264	204	228	266	255	235	282	271	282	279
	(60 yrs. & upwds.)	301	290	269	288	321	343	309	346	335	338	340	358	475
Deaths from—														
Small-pox†	-	2	1	3	-	-	-	-	-	-	-	-	-	4
Measles - -	36	31	36	42	30	15	8	8	6	17	14	15	26	284
Scarlet Fever - -	7	2	10	4	9	6	2	14	3	9	4	11	6	87
Diphtheria - -	5	10	7	9	19	8	20	9	19	16	20	17	13	172
Whooping-cough - -	13	21	21	17	20	25	16	16	5	9	7	5	11	186
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	6	7	2	6	4	12	8	9	13	10	9	15	11	112
Pyrexia (origin uncertain).	-	-	-	-	-	-	-	-	-	2	-	-	1	3
Diarrhoea, Dysentery	301	558	687	705	483	333	253	189	108	84	52	49	45	3857
All above Diseases -	370	630	764	783	565	404	312	245	154	147	106	112	113	4705
Dis. of Resp. System	48	54	47	40	35	49	61	59	72	85	85	94	127	856
Pneumonia - -	70	58	74	66	66	59	68	82	97	82	81	100	124	1027
Phthisis - -	113	136	110	133	127	105	122	141	142	152	150	142	174	1747
Dis. of Circ. System -	144	134	115	137	147	161	160	156	150	152	157	179	197	1989
Violence - -	83	63	62	56	46	47	40	46	45	49	51	41	53	682
Inquest Cases - -	161	121	148	145	115	118	124	104	110	125	139	125	123	1658
Deaths in Institutions	476	504	497	506	517	496	491	529	475	494	492	478	588	6543
TEMPERATURE OF THE AIR.														
Mean - -	65·4	68·1	61·0	59·5	57·6	61·0	57·0	56·4	53·6	52·1	50·3	47·8	54·9	57·3
Mean of Highest - -	76·9	81·3	72·1	69·6	68·7	71·2	67·0	66·2	61·3	63·2	58·0	56·3	61·3	67·2
Mean of Lowest - -	56·4	56·3	51·1	51·6	48·9	51·8	48·6	47·9	46·1	42·5	43·3	38·7	48·7	48·6
Mean Humidity of the Air.	75	65	66	75	76	75	77	81	70	87	81	85	89	77
Rain-fall (in inches) -	1·83	0·08	0·06	0·47	0·22	1·01	0·36	0·24	0·20	0·14	0·86	0·02	0·43	5·92
Registered Sunshine (in hours).	34·6	67·8	62·2	38·7	40·6	39·0	41·3	37·1	52·7	28·1	17·5	25·0	10·0	494·6
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox - -	46	32	21	18	13	9	8	5	5	3	2	1	1	13
Scarlet Fever - -	1784	1758	1763	1745	1781	1820	1816	1929	1969	2158	2341	2516	2687	2005
Diphtheria - -	770	786	780	795	813	825	814	832	833	878	892	931	950	838
Typhus - -	-	-	-	-	-	-	1	1	1	1	-	-	-	0
Enteric Fever - -	67	66	71	89	121	135	158	187	204	237	239	242	229	157
Means.														

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. G. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Creswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Olunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-SECOND Week of the Year 1904.

terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 42nd week of the year 1903.	1904—Deaths of Persons of the Ages						CAUSES OF DEATH.	Deaths in the 42nd week of the year 1904.	1904—Deaths of Persons of the Ages							
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.			60 years and upwards.	ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES	1333	1476	292	131	87	212	279	475	Meningitis (not tuberc.)	22	17	8	5	3	1	-	-
									Insanity, Gen. Par. of	13	17	-	-	-	5	5	7
									Insane	10	5	-	1	2	-	1	1
Small-pox*	-	-	-	-	-	-	-	-	Epilepsy	16	22	21	1	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-	Convulsions	2	3	-	-	-	-	1	2
Measles (Morbilli)	18	26	6	20	-	-	-	-	Locomotor Ataxy	1	4	-	-	-	-	1	2
Scarlet Fever	7	6	-	4	2	-	-	-	Paraplegia, Dis. of Cord	16	20	1	-	-	2	2	15
Diphtheria	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	32	44	-	-	6	10	8	20
Erysipelas	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis-	30	34	-	-	-	4	14	16
Whooping-cough	10	11	5	6	-	-	-	-	Cerebr. Hæm. Thromb.	16	17	-	-	-	-	3	14
Measles (Morbilli)	18	26	6	20	-	-	-	-	Apoplexy, Hemiplegia	5	5	-	-	-	2	2	1
Scarlet Fever	7	6	-	4	2	-	-	-	Aneurysm	1	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	Embolism, Thrombosis }	71	97	1	1	11	23	60	-
Erysipelas	-	-	-	-	-	-	-	-	(not cerebral)	1	-	-	-	-	-	-	-
Whooping-cough	10	11	5	6	-	-	-	-	Heart & Blood Vessel Dis.	1	-	-	-	-	-	-	-
Measles (Morbilli)	18	26	6	20	-	-	-	-		1	1	1	-	-	-	-	-
Scarlet Fever	7	6	-	4	2	-	-	-	Croup (not Spasm: nor	88	110	25	5	1	1	8	70
Diphtheria	-	-	-	-	-	-	-	-	Membr.)	2	2	-	-	-	1	1	-
Erysipelas	-	-	-	-	-	-	-	-	Bronchitis	1	1	-	-	-	-	-	-
Whooping-cough	10	11	5	6	-	-	-	-	Asthma, Emphysema	12	13	4	1	2	-	1	5
Measles (Morbilli)	18	26	6	20	-	-	-	-	Pleurisy	-	1	-	-	-	-	-	-
Scarlet Fever	7	6	-	4	2	-	-	-	Respiratory Dis. (other)	17	11	7	1	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-		12	9	6	1	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy	5	2	-	-	-	-	1	2
Whooping-cough	10	11	5	6	-	-	-	-	Enteritis (not Epid.)	7	11	-	-	-	-	4	5
Measles (Morbilli)	18	26	6	20	-	-	-	-	Gastro-Enteritis	8	8	1	-	-	-	3	16
Scarlet Fever	7	6	-	4	2	-	-	-	Feritonitis (not Puerp.)	38	45	6	1	5	9	8	16
Diphtheria	-	-	-	-	-	-	-	-	Cirrhosis of Liver	4	7	-	1	-	3	3	-
Erysipelas	-	-	-	-	-	-	-	-	Liver Dis. (other)	34	40	-	-	2	5	17	16
Whooping-cough	10	11	5	6	-	-	-	-	Digestive Dis., Other	11	15	-	1	1	-	1	12
Measles (Morbilli)	18	26	6	20	-	-	-	-		9	2	-	-	-	2	-	-
Scarlet Fever	7	6	-	4	2	-	-	-	Generative Organs Dis.-	5	3	-	-	-	2	1	-
Diphtheria	-	-	-	-	-	-	-	-	Childbirth (Accid. of)	57	59	-	-	-	-	-	59
Erysipelas	-	-	-	-	-	-	-	-	Old Age	104	94	58	8	5	2	10	11
Whooping-cough	10	11	5	6	-	-	-	-	Other Diseases	-	-	-	-	-	-	-	-
Measles (Morbilli)	18	26	6	20	-	-	-	-		-	-	-	-	-	-	-	-
Scarlet Fever	7	6	-	4	2	-	-	-		9	6	-	-	1	2	-	3
Diphtheria	-	-	-	-	-	-	-	-	By Railways	-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	By Vehicles and Horses-	-	-	-	-	-	-	-	-
Whooping-cough	10	11	5	6	-	-	-	-	In Ships, Boats, Docks,	-	-	-	-	-	-	-	-
Measles (Morbilli)	18	26	6	20	-	-	-	-	(exclusive of Drown-	-	-	-	-	-	-	-	-
Scarlet Fever	7	6	-	4	2	-	-	-	ing)	-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	In Building Operations-	2	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	In Conflagrations	-	8	-	-	4	-	2	2
Whooping-cough	10	11	5	6	-	-	-	-	By Burns, Scalds, Ex-	2	2	-	1	-	-	-	-
Measles (Morbilli)	18	26	6	20	-	-	-	-	plosions	6	4	-	-	1	2	1	-
Scarlet Fever	7	6	-	4	2	-	-	-	By Drowning	12	8	8	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-	By Suffocation in Bed	2	1	1	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-	By Poisons or Poisonous	-	-	-	-	-	-	-	-
Whooping-cough	10	11	5	6	-	-	-	-	Vapours	20	19	1	1	3	3	5	6
Measles (Morbilli)	18	26	6	20	-	-	-	-	Other Deaths by Acci-	-	-	-	-	-	-	-	-
Scarlet Fever	7	6	-	4	2	-	-	-	dent	-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-
Whooping-cough	10	11	5	6	-	-	-	-		-	-	-	-	-	-	-	-
Measles (Morbilli)	18	26	6	20	-	-	-	-		-	-	-	-	-	-	-	-
Scarlet Fever	7	6	-	4	2	-	-	-		-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-
Whooping-cough	10	11	5	6	-	-	-	-		-	-	-	-	-	-	-	-
Measles (Morbilli)	18	26	6	20	-	-	-	-		-	-	-	-	-	-	-	-
Scarlet Fever	7	6	-	4	2	-	-	-		-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-
Whooping-cough	10	11	5	6	-	-	-	-		-	-	-	-	-	-	-	-
Measles (Morbilli)	18	26	6	20	-	-	-	-		-	-	-	-	-	-	-	-
Scarlet Fever	7	6	-	4	2	-	-	-		-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-
Whooping-cough	10	11	5	6	-	-	-	-		-	-	-	-	-	-	-	-
Measles (Morbilli)	18	26	6	20	-	-	-	-		-	-	-	-	-	-	-	-
Scarlet Fever	7	6	-	4	2	-	-	-		-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-
Whooping-cough	10	11	5	6	-	-	-	-		-	-	-	-	-	-	-	-
Measles (Morbilli)	18	26	6	20	-	-	-	-		-	-	-	-	-	-	-	-
Scarlet Fever	7	6	-	4	2	-	-	-		-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-
Whooping-cough	10	11	5	6	-	-	-	-		-	-	-	-	-	-	-	-
Measles (Morbilli)	18	26	6	20	-	-	-	-		-	-	-	-	-	-	-	-
Scarlet Fever	7	6	-	4	2	-	-	-		-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-
Whooping-cough	10	11	5	6	-	-	-	-		-	-	-	-	-	-	-	-
Measles (Morbilli)	18	26	6	20	-	-	-	-		-	-	-	-	-	-	-	-
Scarlet Fever	7	6	-	4	2	-	-	-		-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-
Whooping-cough	10	11	5	6	-	-	-	-		-	-	-	-	-	-	-	-
Measles (Morbilli)	18	26	6	20	-	-	-	-		-	-	-	-	-	-	-	-
Scarlet Fever	7	6	-	4	2	-	-	-		-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-
Whooping-cough	10	11	5	6	-	-	-	-		-	-	-	-	-	-	-	-
Measles (Morbilli)	18	26	6	20	-	-	-	-		-	-	-	-	-	-	-	-
Scarlet Fever	7	6	-	4	2	-	-	-		-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-
Erysipelas	-	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-
Whooping-cough	10	11	5	6	-	-	-	-		-	-	-	-	-	-	-	-
Measles (Morbilli)	18	26	6	20	-	-	-	-		-	-	-	-	-	-	-	-
Scarlet Fever	7	6	-	4	2	-	-	-		-	-	-	-	-	-	-	-
Diphtheria	-	-	-	-	-	-	-	-		-	-	-	-				

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 22nd October, 1904.

The DEATHS registered during the Week include																		
REGISTRATION SUB-DISTRICTS.	Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths from														Deaths in Public Institutions.
				Deaths of														
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.		
LONDON - - -	4,536,429	2442	1476	292	475	-	26	6	13	11	-	11	1	45	53	123	588	
WEST DISTRICTS - - -	805,311	360	264	51	91	-	-	1	1	4	-	3	1	9	7	20	107	
NORTH DISTRICTS - - -	1,056,070	506	313	38	108	-	4	-	3	1	-	1	2	15	4	27	117	
CENTRAL DISTRICTS - - -	209,465	100	65	15	17	-	-	-	-	-	-	-	-	2	4	6	32	
EAST DISTRICTS - - -	715,739	495	283	76	71	-	8	-	1	1	-	1	1	15	13	38	132	
SOUTH DISTRICTS - - -	1,749,844	981	509	111	178	-	14	1	8	5	-	4	-	16	13	31	153	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	42	1	10	-	-	4	-	-	-	-	-	1	1	1	42	
WEST DISTRICTS.																		
St. Mary Paddington } G. & W.	93,178	55	34	12	10	-	-	-	-	1	-	1	-	4	-	1	10	
W ² H																		
St. John Paddington H - - G.	33,617	4	11	-	1	-	-	-	-	-	-	1	-	-	-	-	8	
North-West Paddington - - C.	17,181	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
Kensington Town 2W, w ² H G., W. & C.	128,037	49	42	5	19	-	-	-	-	1	-	-	-	-	-	4	23	
Brompton 2H - - W. & C.	48,591	9	15	1	7	-	-	-	-	-	-	1	-	-	2	4	4	
North Hammersmith W, w ² H } W. & G.	49,192	31	10	2	5	-	-	-	-	-	-	-	-	-	-	1	-	
South Hammersmith w ² H	63,047	32	15	1	12	-	-	-	-	-	-	1	-	-	3	5	7	
North-west Fulham W } W. & C.	45,180	40	22	5	7	-	-	-	-	1	-	-	-	2	-	-	13	
North-east Fulham F	46,405	17	14	5	4	-	-	1	1	-	-	-	-	-	-	-	2	
South Fulham W	45,704	35	9	2	3	-	-	-	-	-	-	-	-	1	-	-	-	
Chelsea North W, w ² 3H - - C.	42,514	18	31	3	11	-	-	-	-	-	-	-	-	-	1	1	24	
Chelsea South W ² H - - C.	31,328	15	19	8	5	-	-	-	-	-	-	-	-	1	-	1	3	
May Fair and Knightsbridge C. & G.	28,743	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
Belgrave W ² H - - C.	55,815	26	13	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
St. Margaret & St. John 4H - C.	43,698	14	17	5	8	-	-	-	-	1	-	-	-	1	-	2	4	
St. James Westminster } N. & G.	21,588	5	4	1	2	-	-	-	-	-	-	-	-	-	-	-	1	
W ² H																		
St. Anne Soho 5H - - N.	11,493	6	3	-	1	-	-	-	-	-	-	-	-	-	1	1	2	
NORTH DISTRICTS.																		
All Souls Marylebone 8H - W.	35,391	12	12	-	2	-	-	-	-	-	-	-	-	-	-	-	7	
Rectory Marylebone W G. & W.	19,849	3	4	-	2	-	-	-	-	-	-	-	-	-	1	-	-	
St. Mary Marylebone 4H G. & W.	18,099	38	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
Christchurch Marylebone H- W.	39,536	16	5	1	2	-	-	-	-	-	-	-	-	-	-	-	1	
St. John Marylebone 3H - W.	20,426	6	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Hampstead W, F, 3H - N. & W.	81,942	29	20	2	4	-	-	-	2	-	-	-	-	-	-	-	7	
West St. Pancras 2H - - W.	60,562	28	14	2	6	-	-	-	-	-	-	-	-	-	-	1	1	
Tottenham-court w, 6H N. & W.	21,258	6	15	1	4	-	-	-	-	-	-	-	-	-	-	2	11	
Gray's Inn Lane 4H - - N.	34,449	13	16	3	3	-	-	1	-	-	-	-	-	-	7	7	5	
East St. Pancras W ² H - - N.	60,320	26	14	2	4	-	-	-	-	-	-	-	-	-	1	2	5	
North St. Pancras 2W - - N.	58,728	30	23	4	9	-	-	-	-	-	-	-	-	-	-	-	12	
Tufnell W - - N.	31,995	11	23	3	10	-	-	2	-	-	-	-	-	-	-	-	18	
Upper Holloway 2W, w ² 3H - N.	33,978	13	22	-	3	-	-	-	-	-	-	-	-	-	-	-	20	
Tollington W - - N.	33,923	16	8	2	5	-	-	-	-	-	-	-	-	-	-	1	-	
Lower Holloway - - N.	41,424	22	9	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
Barnsbury - - N.	54,478	39	18	5	5	-	-	1	-	1	-	-	-	-	-	-	-	
Islington South-east F - - N.	75,387	37	16	2	7	-	-	-	-	-	-	-	-	-	1	2	-	
Highbury 2H - - N.	63,797	26	10	-	6	-	-	-	-	-	-	-	-	-	-	-	-	
Stoke Newington H - - N.	51,247	22	14	1	6	-	-	-	1	-	-	1	-	-	1	2	-	
North Hackney - - E. & N.	50,560	22	8	1	4	-	-	-	-	-	-	-	-	-	-	-	-	
Central Hackney 2w, F - E. & N.	50,536	32	9	1	3	-	-	-	-	-	-	1	-	-	-	1	7	
South-west Hackney 3H - E. & N.	59,921	29	19	3	5	-	-	-	-	-	-	-	-	-	-	-	-	
South-east Hackney 2W, w, H E. & N.	53,355	30	27	3	13	-	-	-	-	-	-	-	-	1	-	2	21	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated thereon, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G, signifying Grand Junction; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River; E, East London; and K, the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

REGISTRATION SUB-DISTRICTS.

On 1st September, 1904, the four sub-districts of Shoreditch district were dissolved and formed into three new sub-districts as above.

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 22nd October, 1904.

The DEATHS registered in the Week include																			
REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarhoea.	Violence.					
LONDON—OUTER RING	368,580	2,044,973	1136	493	122	158	-	9	2	5	6	3	13	12	29	77	2		
Carshalton <i>w,2F,2H</i>	12,238	32,997	14	5	2	1	-	-	-	-	-	-	-	2	2	-	-		
Epsom, <i>part of</i> * <i>W,w,2F,H</i>	10,423	15,548	5	7	-	3	-	2	-	-	-	-	-	-	-	2	-		
Godstone, <i>part of</i> * <i>W,F</i>	2,754	2,692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Coulsdon	11,069	8,168	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-		
South Croydon <i>w</i>	4,200	49,309	25	5	1	3	-	-	-	-	-	-	-	-	1	-	-		
West Croydon <i>3W,F,H</i>	2,168	42,888	27	9	1	4	-	-	-	-	-	-	-	-	1	4	-		
North Croydon <i>H</i>	2,644	41,898	32	10	1	4	-	-	-	-	-	-	-	-	1	-	-		
Penge <i>w</i>	770	22,465	7	8	2	3	-	-	-	-	-	-	-	-	-	-	-		
Mitcham <i>w</i>	11,689	30,015	21	6	3	1	-	-	-	-	-	-	-	2	2	-	-		
Wimbledon <i>F,3H</i>	3,221	41,652	29	11	5	4	-	-	-	-	-	1	1	1	1	1	-		
Kingston <i>W,H</i>	6,224	42,068	26	7	1	2	-	-	-	-	-	-	-	-	-	1	-		
Surbiton <i>F,H</i>	3,046	15,017	2	1	-	1	-	-	-	-	-	-	-	1	1	-	-		
Esher, <i>part of</i> * <i>H</i>	5,402	13,100	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-		
Hampton <i>H,L</i>	4,564	23,456	8	6	3	1	-	1	-	-	-	-	1	-	-	-	-		
Richmond <i>W,H</i>	2,162	28,865	13	12	4	3	-	-	-	-	1	-	-	-	2	5	-		
Mortlake <i>F</i>	2,847	20,628	13	5	-	2	-	-	-	-	-	-	-	-	-	-	-		
Bromley <i>F,2H</i>	4,703	27,354	7	6	-	3	-	-	-	-	1	-	-	-	1	2	-		
Beckenham <i>H</i>	7,825	28,497	12	5	2	2	-	-	-	-	-	-	1	-	-	-	-		
Orpington, <i>part of</i> * <i>W</i>	10,113	9,857	7	7	-	3	-	-	-	-	1	-	-	-	-	5	-		
Chislehurst <i>2H</i>	7,333	16,446	5	5	-	2	-	-	-	-	-	1	-	1	1	2	-		
Bexley <i>F,H</i>	8,678	21,151	15	6	4	1	-	-	2	-	-	-	-	-	-	-	-		
Erith <i>F,H</i>	3,854	25,296	12	3	1	2	-	-	-	-	-	-	-	-	-	-	-		
Dartford <i>W,F, part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Sunbury <i>w</i>	11,054	18,683	11	2	-	2	-	-	-	-	-	-	-	-	-	-	-		
Staines <i>W,H</i>	13,277	15,178	9	5	3	2	-	-	-	-	-	-	-	-	-	-	-		
Hillingdon <i>W,F,H</i>	6,035	13,661	11	6	1	2	-	-	-	-	-	-	-	-	-	1	-		
Uxbridge	12,757	8,984	3	3	1	1	-	-	-	-	-	-	-	-	1	-	1		
Hayes <i>w,F,H</i>	8,066	16,358	14	2	-	1	-	1	-	-	-	-	-	-	-	1	-		
Isleworth <i>3W,2F,H</i>	6,859	30,863	20	12	1	7	-	-	-	-	-	-	-	-	-	5	-		
Twickenham <i>F,H</i>	2,421	20,991	14	3	-	2	-	-	-	-	-	-	-	-	-	-	-		
Brentford <i>2F,2H,L</i>	4,319	48,289	29	7	-	2	-	-	-	1	1	-	-	-	-	-	-		
Chiswick <i>H</i>	1,249	29,809	11	7	1	3	-	-	-	-	-	-	-	-	-	-	-		
Acton <i>w,3H</i>	6,132	48,914	44	11	2	2	-	-	-	-	1	-	1	1	1	-	-		
Harrow <i>F,H</i>	13,809	25,523	13	7	-	6	-	-	-	-	-	-	-	-	-	-	1		
Edgware <i>F,2H</i>	6,994	4,521	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Willesden <i>W,F,2H</i>	4,384	114,811	64	21	4	7	-	-	-	-	-	-	1	-	-	2	-		
Hendon <i>W,F</i>	8,382	22,460	9	6	3	1	-	-	-	-	-	-	1	-	-	-	-		
South Mimms <i>2F,H</i>	17,755	7,308	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
Barnet <i>W,3H</i>	3,324	17,970	12	2	-	2	-	-	-	-	-	-	-	-	-	-	-		
Finchley <i>F,2H</i>	4,688	33,692	16	10	1	4	-	-	-	-	-	-	-	-	-	-	-		
Hornsey <i>F,H</i>	2,875	72,056	20	11	2	5	-	-	-	-	-	-	-	-	-	-	-		
Wood Green <i>H</i>	1,625	34,293	14	4	2	-	-	-	-	-	1	-	-	-	-	1	-		
West Tottenham <i>F</i>	996	48,853	23	7	2	-	-	-	-	-	-	-	1	-	-	1	-		
East Tottenham <i>F,H</i>	2,017	53,688	27	17	7	4	-	-	-	-	-	-	-	-	-	4	3		
Edmonton <i>W,w,2F</i>	7,491	61,892	40	21	6	9	-	-	-	-	-	-	1	-	-	7	-		
Enfield <i>2W,F,H</i>	12,601	42,738	20	8	1	2	-	-	-	-	-	-	-	-	-	1	-		
Waltham Abbey	11,017	6,549	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Cheshunt <i>F,H</i>	8,479	12,292	10	2	-	1	-	-	-	-	-	-	-	-	-	-	-		
Hatfield, <i>part of</i> * <i>W</i>	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Bushey <i>H</i>	9,333	9,173	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Watford <i>W,2F part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Stratford <i>H</i>	1,072	44,827	15	8	4	1	-	-	-	-	-	-	1	-	-	-	-		
Plaistow <i>F,2H</i>	1,249	90,921	57	18	8	3	-	1	-	-	-	-	-	-	-	1	1		
Canning Town <i>H</i>	1,556	70,718	48	27	7	5	-	-	-	-	-	-	-	-	1	1	1		
Forest Gate <i>w</i>	806	60,892	17	16	5	6	-	2	-	-	-	-	-	-	-	1	-		
North East Ham <i>w</i>	1,333	58,676	33	11	4	2	-	-	-	-	-	-	-	-	-	1	-		
South East Ham <i>2F</i>	1,993	37,342	33	16	9	-	-	-	-	1	-	-	2	1	2	1	-		
Wanstead <i>F</i>	1,679	9,179	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-		
South Leyton <i>2W</i>	631	50,467	31	19	3	9	-	-	-	-	2	-	-	-	-	-	7		
North Leyton <i>W,w,F</i>	1,963	48,445	30	25	5	4	-	-	-	-	-	-	1	-	-	16	-		
Walthamstow <i>3H,L</i>	6,504	108,929	78	25	7	6	-	-	1	-	1	-	1	2	1	1	-		
Chigwell, <i>part of</i> * <i>2F,2H</i>	11,778	16,397	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-		
Epping <i>W,F, part of</i> *	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1		
Romford, <i>part of</i> * <i>W,2F</i>	6,556	6,091	7	4	-	1	-	-	-	-	-	-	1	-	-	-	3		
Ilford <i>F,L</i>	8,496	41,234	36	11	2	4	-	-	-	-	-	-	-	-	-	-	3		
Barking Town <i>F</i>	3,803	21,547	16	3	1	-	-	-	-	-	-	-	-	-	-	-	-		
Middlesex County Asylum, Wandsworth.	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1		

The parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting don Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Hospitals belonging to the Outer Ring in 43: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.
CALCUTTA (including SUBURBS)	847,796	September 10	-	381	22'1	-	-	-	-	-	118
BOMBAY - -	776,008	October 4	420	685	45'9	4	1	-	-	-	136
MADRAS - -	509,346	September 16	454	355	36'2	-	2	?	?	?	86
PARIS - - -	2,660,559	October 15	983	810	15'7	-	2	1	1*	2	8
BRUSSELS - -	586,936	" 15	204	155	13'7	1	1	-	-	-	1
ANTWERP - -	286,695	" 15	138	85	15'4	-	3	1	-	-	1
AMSTERDAM -	548,160	" 8	286	115	10'9	-	4	-	1*	4	1
COPENHAGEN -	423,000	" 15	228	96	11'8	-	1	1	1*	3	-
STOCKHOLM -	309,496	" 8	128	86	14'4	-	-	-	1*	-	-
CHRISTIANIA -	223,649	" 15	138	28	6'5	-	-	-	-	-	-
ST. PETERSBURG	1,248,122	" 8	593	504	21'1	1	12	12	16*	7	-
MOSCOW - -	1,092,360	" 8	-	517	24'7	2	5	19	13*	6	-
BERLIN - - -	1,964,315	" 1	930	583	15'4	-	3	16	5*	8	-
HAMBURG - -	751,842	" 15	-	213	14'7	-	2	3	3*	1	-
BRESLAU - -	445,679	" 15	-	-	-	-	-	-	-	-	-
MUNICH - - -	520,000	" 15	-	181	18'1	-	1	2	1*	3	-
VIENNA - - -	1,797,992	" 15	979	484	13'9	-	2	-	4*	-	-
PRAGUE - - -	426,402	" 8	155	155	18'9	-	-	-	-	2	-
BUDA-PESTH -	813,399	" 15	501	295	18'9	-	4	10	8*	-	-
TRIESTE - - -	190,166	" 15	133	76	20'7	-	-	1	1*	-	-
ROME - - -	505,371	September 3	217	164	16'9	-	1	-	1*	-	-
VENICE - - -	166,288	October 8	85	60	18'8	-	-	-	-	-	-
CAIRO - - -	624,338	June 17	454	611	51'0	1	25	-	10*	?	-
ALEXANDRIA -	349,300	" 17	186	319	47'6	-	60	-	1*	-	-
NEW YORK - -	3,838,024	October 1	2253	1261	17'1	-	5	1	31*	2	-
PHILADELPHIA -	1,408,154	September 24	-	401	14'8	-	-	-	8*	-	-
BOSTON - - -	617,950	" 24	-	216	18'2	-	-	1	4*	2	-

* Including deaths from croup.

† Including 80 deaths from plague in Bombay, 1 in Madras, and 2 in Alexandria.

‡ Including 5 deaths from cholera in Calcutta, and 7 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 22nd October, 1900

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.		
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*
LONDON (Greenwich)	66'5	36'4	55'0	0'43	BRADFORD - -	62'0	35'0	53'5
BRIGHTON - -	64'6	44'1	57'6	0'47	LEEDS - - -	64'0	35'0	54'7
PORTSMOUTH -	66'0	47'0	56'8	0'41	HULL - - -	65'0	32'0	53'8
NORWICH - - -	66'2	29'4	55'1	0'46	TYNEMOUTH -	64'0	35'0	53'1
PLYMOUTH - -	61'2	43'0	55'3	0'51				
BRISTOL - - -	60'8	39'4	53'8	0'31	EDINBURGH -	57'9	38'8	51'2
BIRMINGHAM -	65'7	41'6	53'9	0'17	GLASGOW - -	61'9	40'5	52'8
NOTTINGHAM -	65'7	37'0	54'8	0'19				
LIVERPOOL - -	61'0	40'0	54'5	0'50	DUBLIN { Phoenix Park. Fitz- william Square.†	63'5	41'7	53'9
MANCHESTER -	59'5	41'8	53'7	1'09		64'0	44'8	55'6
PRESTON - - -	59'2	44'0	54'1	1'38				
HUDDERSFIELD -	61'0	32'3	53'5	0'39	BELFAST - -	62'1	37'9	52'8

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 1'00 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D. Dublin.

[illegible]

The results apply to the civil day, or from midnight to midnight. The height of the ocean of the barometer is 133 feet above the sea level; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1880, and that of horizontal movement of the air from a discussion of the anemometric records for the 18 years ending 1876.

In reading columns 8 and 24 it will be borne in mind that + indicates "*higher*," and - "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer.

The symbols employed are:—E, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.

The numbers in column 23, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29.81 in. at the beginning of the week to 29.86 in. by 11h. A.M. on the 16th; decreased to 29.65 in. by 9h. A.M. on the 17th; increased to 30.30 in. by noon on the 18th; decreased to 29.53 in. by 6h. A.M. on the 22nd; and increased to 29.66 in. by midnight on the same day.

DATE.	ELMOTRICITY. (For explanation of symbols, see Note.)	Registered Sun above horizon, in hours.	Registered Sun above horizon, in hours.	GENERAL REMARKS.
SUNDAY - 16	w. P. generally till 11h. A.M.; m. P. after- wards.	18	106	Generally cloudy; hoar frost in early morning. Solar halo observed in afternoon.
MONDAY - 17	w. P. throughout.	00	106	Overcast; frequent slight rain; very mild; gusty wind in forenoon.
TUESDAY - 18	w. P. till 8h. P.M. Loss of Register afterwards.	26	105	Overcast till 10h. A.M.; fine but generally cloudy afterwards with fog after 10h. P.M. Lunar halo in evening; very mild.
WEDNESDAY - 19	Loss of Register; insurance imperfect.	20	105	Foggy in morning; fine generally till 5h. P.M.; foggy afterwards; very mild.
THURSDAY - 20	w. P. throughout.	10	104	Fog prevalent till 9h. A.M.; fine and partially cloudy afterwards. Solar halo in afternoon; lunar halo in evening; very mild.
FRIDAY - 21	w. P. throughout.	00	103	Generally overcast; a very dull day; slight fog prevalent in morning followed by a little misty rain at intervals; very mild.
SATURDAY - 22	w. P. throughout.	28	102	Generally overcast till noon with rain be- tween 2h. 30 and 9h. A.M.; fine and partially cloudy afterwards.
No. of Col. -	27	Sum 100	Sum 731	

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 15th October, 1904.*

BOROUGHS,	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Chicken-pox.
WEST.											
Paddington- - - -	146,975	-	6	6	-	3	-	-	5	-	9
Kensington - - - -	179,236	-	10	5	-	-	-	-	4	-	4
Hammersmith - - -	117,412	-	6	14	-	-	-	-	1	-	5
Fulham - - - - -	152,482	-	8	9	-	3	-	-	4	-	13
Chelsea - - - - -	74,329	-	4	1	-	1	-	-	4	1	2
City of Westminster-	177,321	-	2	9	-	-	-	-	2	-	11
NORTH.											
St. Marylebone - - -	130,337	-	14	4	-	-	-	-	4	-	7
Hampstead - - - -	86,663	-	7	1	-	-	-	-	3	-	7
St. Pancras- - - - -	235,936	-	18	4	-	-	-	-	9	-	5
Islington - - - - -	341,044	-	39	11	-	6	-	-	11	1	16
Stoke Newington - -	52,445	-	4	2	-	1	-	-	1	-	2
Hackney - - - - -	226,266	-	31	15	-	4	1	-	4	1	8
CENTRAL.											
Holborn - - - - -	57,161	-	3	2	-	-	-	-	3	1	-
Finsbury - - - - -	98,958	-	12	2	-	2	-	-	5	-	4
City of London - - -	23,482	-	-	2	-	-	-	-	1	-	2
EAST.											
Shoreditch - - - - -	117,033	-	13	9	-	1	1	-	8	1	4
Bethnal Green - - -	130,207	-	15	6	-	4	-	-	8	-	11
Stepney - - - - -	303,791	-	58	22	-	2	-	-	18	1	13
Poplar- - - - -	169,905	-	9	9	-	2	-	-	8	-	20
SOUTH.											
Southwark - - - - -	207,937	-	11	6	-	5	-	-	6	-	9
Bermondsey - - - -	123,397	-	11	5	-	3	-	-	2	-	14
Lambeth - - - - -	310,359	-	28	6	-	2	-	-	11	-	6
Battersea - - - - -	175,465	-	8	3	-	-	-	-	4	-	9
Wandsworth - - - -	257,448	-	24	14	-	-	-	-	7	-	25
Camberwell - - - -	268,384	-	41	6	-	4	-	-	15	-	15
Deptford - - - - -	113,509	-	14	3	-	-	-	-	3	-	9
Greenwich - - - - -	101,651	-	5	2	-	4	-	-	2	-	14
Lewisham - - - - -	140,401	-	11	1	-	1	-	-	4	-	5
Woolwich - - - - -	123,416	-	8	2	-	1	-	-	4	-	12
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,648,950											
		-	420	181	-	50	2	-	157	6	266
Ages											
0-1 - - - - -	-	-	6	6	-	1	-	-	4	-	18
" 1-5 - - - - -	-	-	125	56	-	1	1	-	4	-	115
" 5- - - - -	-	-	179	76	-	3	-	-	4	-	102
" 10- - - - -	-	-	64	22	-	14	1	-	13	-	27
" 15- - - - -	-	-	17	6	-	8	-	-	9	-	3
" 20- - - - -	-	-	15	6	-	9	-	-	13	2	-
" 25- - - - -	-	-	11	6	-	10	-	-	26	3	1
" 35- - - - -	-	-	2	2	-	2	-	-	30	1	-
" 45- - - - -	-	-	1	-	-	2	-	-	29	-	-
" 55- - - - -	-	-	-	-	-	-	-	-	15	-	-
" 65 and upwards -	-	-	-	1	-	-	-	-	10	-	-
Age not stated - -	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1904.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 43. 1904. VOL. LXV.] WEEK ENDED SATURDAY, OCT. 29. [Price 1½d.

General Register Office, Somerset House,
October 31st, 1904.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·0 per 1000 of their aggregate population, which is estimated† at 15,271,287 persons in the middle of this year. In the preceding three weeks the rates had been 15·1, 15·2, and 15·9. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks, and also the births, the deaths, several particulars as to causes of death, &c., together with the death-rates from certain epidemic diseases, in the week ended last Saturday.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 19·0 in Great Yarmouth, 19·6 in Hanley, 20·1 in Rochdale, 20·2 in Grimsby, 20·3 in Liverpool, 20·7 in Sunderland, and 21·5 in Merthyr Tydfil; from *measles*, 1·8 in Plymouth and in Liverpool, 2·0 in Tynemouth, 3·4 in Walsall, and 5·5 in Grimsby; from *scarlet fever*, 1·4 in Plymouth; from *diphtheria*, 2·2 in Swansea; from "*fever*," 1·2 in Blackburn; and from *diarrhoea*, 1·4 in Hull, 1·5 in Oldham, 2·2 in Middlesbrough, and 2·3 in West Hartlepool. Two deaths from *small-pox* were registered in Oldham and 1 in Preston, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2585 BIRTHS and 1311 DEATHS were registered. Allowing for increase of population, the births were 32 and the deaths 223 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 13·9, 14·2, and 16·6 in the preceding three weeks, fell last week to 14·7. During the four weeks ended on Saturday last the death-rate averaged 14·9 per 1000, being 1·7 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 8, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1311 deaths included 20 from measles, 8 from scarlet fever, 12 from diphtheria, 7 from whooping-cough, 7 from enteric fever, and 25 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 79 deaths were referred to these diseases in the aggregate, being 82 below the corrected average weekly number.

The deaths from *measles*, which had been 14, 15, and 26 in the preceding three weeks, fell last week to 20, and were 10 below the corrected average; 4 deaths belonged to the Borough of Bermondsey, and 3 each to Shoreditch and Wandsworth. The deaths from *scarlet fever*, which had been 4, 11, and 6 in the preceding three weeks, were 8 last week, and were 6 below the corrected average. The deaths from *diphtheria*, which had been 20, 17, and 13 in the preceding three weeks, were 12 last week, and were 34 below the corrected average. The deaths from *whooping-cough*, which had been 7, 5, and 11 in the preceding three weeks, fell last week to 7, and were 8 below the corrected average. The fatal cases of *enteric fever*, which had been 9, 15, and 11 in the preceding three weeks, fell last week to 7, and were 11 below the corrected average. The deaths from *diarrhoea*, which had been 52, 49, and 45 in the preceding three weeks, further fell last week to 25, and were 12 below the corrected average; 4 deaths belonged to Lambeth, and 3 to Fulham. Of the 25 deaths from diarrhoea, 22 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 4 more deaths at this age. The deaths attributed directly to *influenza* numbered 29, having been 10, 22, and 16 in the preceding three weeks. The death of a boy, aged 13 years, was certified after inquest as due to *ptomaine poisoning* caused by eating fish.

Different forms of *violence* caused 47 deaths, concerning all but 1 of which inquests were held. Of these 47 deaths, 4 were cases of suicide, and 1 of homicide, while the remaining 42 were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, 4 to burns and scalds, 3 to drowning, 3 to the effects of anæsthetics administered for surgical purposes, and 7 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1 case of small-pox, 2725 cases of scarlet fever, 947 of diphtheria, and 225 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, no case, against 1, 0, and 0; of scarlet fever, 305 cases, against 409, 377, and 389; of diphtheria, 129 cases, against 129, 150, and 149; and of enteric fever, 27 cases, against 26, 30, and 17. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended October 22nd.

GREATER LONDON.

In Greater London 3919 births and 1812 deaths were registered. Allowing for increase of population these numbers are 41 above and 262 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 7 deaths from measles, 1 from diphtheria, 3 from whooping-cough, and 4 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·98 inches, and that of the Thermometer 49°·9, the latter being 2°·4 above the week's average in the 50 years 1841-90. The general direction of the wind was variable, the horizontal movement of the air being 34 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 22·9 hours; the measured rainfall amounted to 0·20 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS		POPULATION according to the middle of the Year 1904.*		DEATH-RATES from all CAUSES.				Rate from Diseases in Col. 11-17.		Registered during the Week ended 29th Oct., 1904.		The DEATHS registered in the Week include											TOWNS.				
				Week ended				Week ended 29th Oct., 1904.		BIRTHS, DEATHS.		Deaths of under 1 Year of Age.		Deaths from		Deaths from				Inquest Cases.		Deaths in Public Institutions.		Uncertified Causes of Death.			

* See note on first page of this return.
† These towns are included within the area of Greater London.
‡ The recent extension of the City of Bristol will not be taken into account in the Weekly Returns until next year.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES during the Week ended Saturday, 29th October, 1904, and DEATH-RATES during the preceding three weeks.

TOWNS.	Cols.	POPULATION estimated to the middle of the Year 1904.*	DEATH-RATES from all Causes.				Rate from: Diseases in Cols. 11-17.		Registered during the week ended 29th Oct., 1904.		The DEATHS registered in the Week include										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of		Deaths from										Deaths of	
--------	-------	---	------------------------------	--	--	--	-------------------------------------	--	---	--	---	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--	-------------	--	--	--	--	--	--	--	--	--	-----------	--

TABLE 2. LONDON.—Births and Deaths Registered in the FORTY-THIRD Week of each of the Eleven Years, 1894-1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894-1903.*	1904
TOTAL Births -	2413	2447	2755	2540	2652	2495	2238	2655	2469	2567	2617.0	2585
Males - -	1232	1220	1426	1261	1369	1261	1146	1386	1255	1294	1332.8	1282
Females - -	1181	1227	1329	1279	1283	1234	1092	1269	1214	1273	1284.2	1303
TOTAL Deaths -	1481	1470	1450	1514	1411	1844	1403	1404	1407	1401	1533.5	1311
Males - -	740	744	773	814	725	941	705	748	745	725	794.5	675
Females - -	741	726	677	700	686	903	698	656	632	676	739.0	636

* The numbers in this column are the average weekly numbers in the forty-third week of the ten years 1894-1903. raised by 3.723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Aug. 6.	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	13 Weeks.	
TOTAL Births -	2302	2730	2525	2575	2160	2504	2514	2272	2537	2470	2491	2442	2585	32107	
TOTAL Deaths -	1745	1912	1923	1682	1459	1354	1360	1223	1279	1243	1270	1476	1311	19237	
Ages at Death {	Under 1 year -	762	929	917	739	544	448	401	306	311	287	267	292	289	6492
	1-5 years -	228	244	245	181	135	124	116	112	118	102	121	131	122	1979
	5-20 " -	72	75	51	71	60	59	62	76	53	56	74	87	55	851
	20-40 " -	166	132	158	166	149	148	180	159	177	187	168	212	173	2175
	40-60 " -	227	263	264	204	228	266	255	235	282	271	282	279	286	3342
60 yrs.& upwds.	290	269	288	321	343	309	346	335	338	340	358	475	386	4398	
Deaths from—															
Small-pox† - -	1	1	-	-	-	-	-	-	-	-	-	-	-	2	
Measles - -	31	36	42	30	15	8	8	6	17	14	15	26	20	268	
Scarlet Fever - -	2	10	4	9	6	2	11	3	9	4	11	6	8	88	
Diphtheria - -	10	7	9	19	8	20	9	19	16	20	17	13	12	179	
Whooping-cough - -	21	21	17	20	25	16	16	5	9	7	5	11	7	180	
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Enteric Fever - -	7	2	6	4	12	8	9	13	10	9	15	11	7	113	
Pyæmia (origin un- certain). - -	-	-	-	-	-	-	-	-	2	-	-	1	-	3	
Diarrhoea, Dysentery	558	687	705	483	333	258	189	108	84	52	49	45	25	3581	
All above Diseases -	630	764	783	565	404	312	245	154	147	106	112	113	79	4414	
Dis. of Resp. System															
Pneumonia - -	54	47	40	35	49	61	59	72	85	85	94	127	145	953	
Phthisis - -	58	74	66	66	59	68	82	97	82	81	100	124	144	1101	
Dis. of Circ. System -	136	110	133	127	105	122	141	142	152	150	142	174	144	1778	
Violence - -	134	115	137	147	161	160	156	150	152	157	179	197	182	2027	
Inquest Cases - -	63	62	56	46	47	40	46	45	49	51	41	53	47	646	
Deaths in Institutions	121	148	145	115	118	124	104	110	125	139	125	123	136	1633	
504	497	506	517	496	491	529	475	494	492	479	588	489	6537		
TEMPERATURE OF THE AIR.															
Mean - -	68.1	61.0	59.5	57.6	61.0	57.0	56.4	53.6	52.1	50.3	47.8	54.9	49.9	56.1	
Mean of Highest - -	81.3	72.1	69.6	68.7	71.2	67.0	66.2	61.3	63.2	58.0	56.3	61.3	58.1	65.6	
Mean of Lowest - -	56.3	51.1	51.6	48.9	51.8	48.6	47.9	46.1	42.5	43.3	38.7	48.7	43.1	47.6	
Mean Humidity of the Air.	65	66	75	76	75	77	81	70	87	81	85	89	84	78	
Rain-fall (in inches) -	0.08	0.06	0.47	0.22	1.01	0.36	0.24	0.20	0.14	0.66	0.02	0.43	0.20	4.29	
Registered Sunshine (in hours).	67.8	62.2	38.7	40.6	39.0	41.3	37.1	52.7	28.1	17.5	25.0	10.0	22.9	432.9	
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.															
Small-pox - -	32	21	18	13	9	8	5	5	3	2	1	1	1	9	
Scarlet Fever - -	1758	1763	1745	1781	1820	1816	1929	1969	2158	2341	2516	2687	2725	2078	
Diphtheria - -	786	780	795	813	825	814	832	833	878	892	931	950	947	852	
Typhus - -	-	-	-	-	-	1	1	1	1	-	-	-	-	-	
Enteric Fever - -	66	71	89	121	135	158	187	204	237	239	242	229	225	169	

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witt, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-THIRD Week of the Year 1904.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 43rd week of the year 1903.	1904—Deaths of Persons of the Ages							Deaths in the 43rd week of the year 1903.	1904—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.						0-1.	1-5.	5-20.			
CAUSES	1401	1311	289	122	55	173	286	386								
									Meningitis (not tuberc.)	18	9	6	1	1	-	-
									Insanity, Gen. Par. of	10	16	-	-	-	4	8
									Insane -	4	2	-	-	-	-	-
									Epilepsy -	23	20	19	1	-	-	2
									Convulsions -	3	1	-	-	-	-	1
									Locomotor Ataxy -	7	4	-	-	-	1	1
									Paraplegia, Dis. of Cord	13	11	-	2	1	-	2
									Nervous Sys. (other dis.)	39	57	-	-	6	15	17
									Valv. Dis., Endocarditis-	31	35	-	-	1	2	18
									Cerebr. Hæm. Thromb. -	12	16	-	-	-	-	16
									Apoplexy, Hemiplegia -	6	3	-	-	-	2	1
									Aneurysm -	-	-	-	-	-	-	-
									Embolism, Thrombosis }	72	71	-	-	1	2	16
									(not cerebral) -	2	-	-	-	-	-	-
									Heart & Blood Vessel Dis.	108	128	24	15	-	1	20
									Croup (not Spasm : nor	4	4	-	-	-	-	2
									Membr. -	2	1	-	-	-	-	1
									Bronchitis -	12	12	4	-	-	-	6
									Asthma, Emphysema -	1	-	-	-	-	-	-
									Pleurisy -	1	-	-	-	-	-	-
									Respiratory Dis. (other)	1	-	-	-	-	-	-
									Tonsillitis, Quinsy -	17	9	6	1	-	-	-
									Enteritis (not Epid.) -	7	4	4	-	-	-	-
									Gastro-Enteritis -	2	2	-	-	-	-	-
									Peritonitis (not Puerp.) -	9	11	-	-	-	1	4
									Cirrhosis of Liver -	7	6	-	-	1	1	3
									Liver Dis. (other) -	35	33	7	1	4	6	7
									Digestive Dis., Other -	7	3	-	-	-	-	2
									Nephritis, Acute -	33	35	-	1	1	6	18
									Bright's Dis., Albumin-	10	12	-	-	-	1	3
									uria -	5	4	-	-	-	-	2
									Urinary Sys., Other Dis.	2	2	-	-	-	-	-
									Generative Organs Dis.	47	43	-	-	-	-	43
									Childbirth (Accid. of)	113	94	63	11	2	6	7
									Old Age -	1	2	-	-	-	-	1
									Other Diseases -	8	5	-	1	3	1	-
									By Railways -	1	-	-	-	-	-	-
									By Vehicles and Horses -	1	-	-	-	-	-	-
									In Ships, Boats, Docks,	1	-	-	-	-	-	-
									(exclusive of Drown-	1	-	-	-	-	-	-
									ing) -	3	2	-	-	-	1	1
									In Building Operations -	1	-	-	-	-	-	-
									In Conflagrations -	2	4	-	2	1	-	1
									By Burns, Scalds, Ex-	1	3	-	-	-	-	2
									plosions -	8	7	-	-	-	-	-
									By Drowning -	1	3	-	-	-	-	1
									By Suffocation in Bed -	1	-	-	-	-	-	-
									By Poisons or Poisonous	1	3	-	-	-	2	1
									Vapours -	10	16	-	-	-	1	6
									Other Deaths by Acci-	-	-	-	-	-	-	-
									dent -	-	-	-	-	-	-	-
												</				

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 29th October, 1904.

The DEATHS registered during the Week include																		
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths from														
				Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	
LONDON - - -	4,536,429	2585	1311	239	386	-	20	8	12	7	-	7	-	25	47	136	488	
WEST DISTRICTS	805,311	377	234	52	79	-	1	2	2	-	-	1	-	5	10	22	82	
NORTH DISTRICTS - - -	1,056,070	576	285	58	88	-	1	1	1	3	-	-	-	6	8	25	87	
CENTRAL DISTRICTS - - -	209,465	127	62	16	16	-	1	-	-	1	-	-	-	2	2	6	27	
EAST DISTRICTS - - -	715,739	455	235	53	61	-	7	-	2	-	-	2	-	4	13	42	112	
SOUTH DISTRICTS - - -	1,749,844	1050	460	110	136	-	-	9	3	6	3	-	4	6	14	41	146	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	35	-	6	-	-	2	1	-	-	-	-	2	-	-	35	
WEST DISTRICTS.																		
St. Mary Paddington } G. & W.	93,178	45	25	5	10	-	-	-	-	-	-	1	-	1	-	2	5	
W,2H - - -																		
St. John Paddington H - - G.	33,617	8	11	2	3	-	-	-	1	-	-	-	-	-	1	2	7	
North-West-Paddington - - C.	17,181	6	4	2	1	-	-	-	-	-	-	-	-	-	-	1	-	
Kensington Town 2W,w,2H G.W. & C.	128,037	54	48	12	16	-	-	-	-	-	-	-	-	-	-	2	14	
Brompton 2H - - W. & C.	48,591	11	9	-	4	-	-	-	-	-	-	-	-	-	1	1	2	
North Hammersmith W,w,H } W. & G.	49,192	27	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
South Hammersmith w,2H - -	63,047	47	21	7	5	-	-	-	-	-	-	-	-	-	2	2	7	
North-west Fulham W } W. & C.	45,180	36	24	5	5	-	1	-	-	-	-	-	-	3	2	4	10	
North-east Fulham F - -	46,405	39	9	1	3	-	-	2	1	-	-	-	-	-	-	-	3	
South Fulham W } W. & C.	45,704	25	3	1	1	-	-	-	-	-	-	-	-	1	1	1	-	
Chelsea North W,w,3H - - C.	42,514	18	21	2	11	-	-	-	-	-	-	-	-	-	-	1	15	
Chelsea South W,2H - - C.	31,328	16	11	4	7	-	-	-	-	-	-	-	-	-	-	-	1	
May Fair and Knightsbridge C. & G.	28,743	5	5	-	2	-	-	-	-	-	-	-	-	-	1	2	-	
Belgrave W,2H - - C.	55,815	17	20	5	8	-	-	-	-	-	-	-	-	-	-	2	5	
St. Margaret & St. John 4H - C.	43,698	16	11	4	-	-	-	-	-	-	-	-	-	-	1	1	4	
St. James Westminster } N. & G.	21,588	2	4	2	1	-	-	-	-	-	-	-	-	-	-	1	-	
W,H - - -																		
St. Anne Soho 5H - - N.	11,493	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
NORTH DISTRICTS.																		
All Souls Marylebone 8H - W.	35,391	18	16	2	4	-	-	-	-	-	-	-	-	-	-	-	11	
Rectory Marylebone W G. & W.	19,849	3	4	1	2	-	-	-	-	-	-	-	-	1	-	-	2	
St. Mary Marylebone 4H G. & W.	18,099	38	5	2	3	-	-	-	-	-	-	-	-	-	-	-	1	
Christchurch Marylebone H- W.	39,536	26	7	2	3	-	-	-	-	-	-	-	-	-	-	-	-	
St. John Marylebone 3H - W.	20,426	4	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
Hampstead W,P,3H - N. & W.	81,942	30	18	3	4	-	-	-	-	1	-	-	-	-	-	1	4	
West St. Pancras 2H - - W.	60,562	45	7	1	-	-	-	-	-	-	-	-	-	-	1	2	8	
Tottenham-court w,6H N. & W.	21,258	11	14	2	6	-	-	-	-	-	-	-	-	-	1	-	1	
Gray's Inn Lane 4H - - N.	34,449	25	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
East St. Pancras W,2H - - N.	60,320	35	19	2	7	-	1	-	-	-	-	-	-	1	-	-	6	
North St. Pancras 2W - - N.	58,728	31	15	3	4	-	-	-	-	1	-	-	-	-	-	2	5	
Tufnell W - - N.	31,995	11	27	7	10	-	1	-	-	-	-	-	-	-	1	-	17	
Upper Holloway 2W,w,2H - N.	33,978	14	22	4	8	-	-	-	-	-	1	-	-	-	-	-	12	
Tollington W - - N.	33,922	19	5	1	2	-	-	-	-	-	-	-	-	-	-	1	-	
Lower Holloway - - N.	41,424	26	15	3	2	-	-	-	-	-	-	-	-	-	-	2	-	
Barnsbury - - N.	54,478	23	8	2	2	-	-	-	-	-	-	-	-	-	2	2	-	
Islington South-east F - - N.	75,397	50	12	5	1	-	-	-	-	-	-	-	-	-	1	-	2	
Highbury 2H - - N.	62,797	29	17	2	9	-	-	-	-	-	-	-	-	-	1	-	1	
Stoke Newington H - - N.	51,247	20	14	6	4	-	-	-	-	-	-	-	-	-	-	1	-	
North Hackney - - E. & N.	50,560	14	9	3	2	-	-	-	-	-	1	-	-	-	-	2	-	
Central Hackney 2w,F - E. & N.	50,536	27	8	1	3	-	-	-	1	-	-	-	-	-	1	1	1	
South-west Hackney 3H - E. & N.	59,921	39	14	1	5	-	-	-	-	-	-	-	-	-	3	3	10	
South-east Hackney 2W,w,H E. & N.	58,255	33	23	5	7	-	-	-	-	-	-	-	-	-	1	2	18	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there-
namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other Dis-
trict than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a
district contains more than one institution of either kind, the number is indicated by a figure prefixed to
letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G. signi-
fies Grand Junction; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River
E. East London; and K. the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 29th October, 1904—continued.

REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include															Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of		Deaths from														
				Infants under 1 Year of Age.	Persons aged 40 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.				
CENTRAL DISTRICTS.																				
Hilles and Bloomsbury W,2H N.	31,436	24	6	2	2	-	-	-	-	-	-	-	-	-	-	1	2	2	1	
nd W,4H - - - N. & C.	21,674	7	10	2	1	-	-	-	-	-	-	-	-	-	-	-	-	7	-	
nd Union Workhouse, Edmonton -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
born W,8H - - - N.	29,612	10	9	2	2	-	-	-	-	-	-	-	-	-	1	-	-	7	-	
th Clerkenwell - - - N.	28,676	28	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
th Clerkenwell H - - - N.	35,028	20	9	3	2	-	1	-	-	-	-	-	-	-	-	1	3	-	-	
bury 3H,L - - - N.	36,116	32	9	3	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
born Union Workhouse, } Mcham - - - Workhouse, }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. John's W,2H - - - N. & E.	10,299	1	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. John's and Allhallows } 2H - - - N.	16,624	5	12	4	1	-	-	-	-	1	-	-	-	1	-	-	-	10	-	
of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EAST DISTRICTS.																				
Shoreditch South* H,L - E. & N.	46,362	20	8	2	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	
Shoreditch North-West* W,w,H N.	36,127	21	23	2	8	-	3	-	-	-	-	-	-	-	-	-	4	18	-	
Shoreditch North-East* - N. & E.	36,148	17	10	6	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	
Shoreditch Union Workhouse, Wood } Green - - - Workhouse, }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Paul's Green North 2H - E.	51,514	33	12	2	1	-	-	-	-	-	-	-	-	-	-	-	-	5	-	
St. Paul's Green South - E.	33,472	28	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Paul's Green East 2W,H,L - E.	44,694	28	27	2	8	-	-	-	1	-	-	-	-	-	-	-	1	20	-	
St. Paul's Fields - - - E. & N.	27,969	16	6	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
St. Paul's New Town W,H - E.	28,718	20	34	9	4	-	-	-	-	-	-	1	-	-	-	3	7	32	-	
St. Paul's Fields - - - E.	22,081	9	4	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
St. George and St. John 2W E.	49,068	41	9	2	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	
St. Andrew and Ratchiff W,H E. & N.	25,568	10	5	2	1	-	-	-	-	-	-	-	-	-	-	-	1	2	-	
St. Andrew's - - - E.	32,369	24	6	3	-	-	-	-	-	-	-	-	-	-	-	3	4	-	-	
St. Andrew's End Old Town South- } Western H - - - E.	63,698	56	16	6	3	-	-	-	-	-	-	-	-	1	-	-	2	-	-	
St. Andrew's End Old Town North- } Eastern W,H - - - E.	49,129	38	25	3	10	-	2	-	-	-	-	-	-	-	-	-	3	9	-	
St. Andrew's W,L - - - E.	41,989	15	7	2	1	-	-	-	-	-	-	-	-	-	-	2	2	-	-	
St. Andrew's W,H - - - E.	68,319	53	32	5	14	-	2	-	1	-	-	-	-	-	1	4	13	25	-	
St. Andrew's W,w - - - E.	68,614	26	8	1	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	

On 1st September, 1904, the four sub-districts of Shoreditch district were dissolved and formed into three new sub-districts as above.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-
MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., regist-
in each SUB-DISTRICT during the Week ended Saturday, 29th October, 1904—continued.

[illegible]

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 29th October, 1904.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu- mer- ated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include												
					Deaths of		Deaths from										Inquest Cases, Deaths in Public Institutions, Uncertified Causes of Death.
					Infants, under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	
LONDON—OUTER RING	168,580	2,044,973	1334	501	115	156	-	11	-	3	4	3	7	16	41	74	2
Carshalton <i>w,2F,2H</i>	12,228	32,997	14	3	-	1	-	-	-	-	-	-	-	-	-	-	-
Epston, part of * <i>W,w,2F,H</i>	10,423	15,548	11	5	-	2	-	1	-	-	-	-	-	-	-	3	-
Godstone, part of * <i>W,F</i>	2,754	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Coulsdon	11,069	8,166	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Croydon <i>w</i>	4,200	49,309	30	4	-	3	-	-	-	-	-	-	-	-	-	-	-
West Croydon <i>3W,F,H</i>	2,168	42,888	36	24	5	11	-	-	-	-	-	-	-	-	-	8	-
North Croydon <i>H</i>	2,644	41,698	27	11	2	5	-	-	-	-	1	-	-	2	3	1	-
Penge <i>w</i>	770	22,465	12	3	-	3	-	-	-	-	-	-	-	-	-	-	-
Mitcham <i>w</i>	11,689	30,015	17	11	3	2	-	-	-	1	-	-	-	-	-	-	-
Wimbledon <i>F,3H</i>	3,221	41,652	20	6	3	2	-	-	-	-	-	-	1	-	-	-	-
Kingston <i>W,H</i>	6,224	42,068	12	13	1	4	-	-	-	-	-	-	-	1	2	4	-
Surbiton <i>F,H</i>	3,046	15,017	11	4	2	1	-	-	-	-	-	-	-	-	-	-	-
Esher, part of * <i>H</i>	5,402	13,100	7	6	1	2	-	-	-	-	-	-	-	-	-	1	-
Hampton <i>H,L</i>	4,564	23,456	18	10	4	2	-	2	-	-	-	-	-	-	2	1	-
Richmond <i>W,H</i>	2,162	28,895	7	6	-	2	-	-	-	1	-	-	-	1	1	-	-
Mortlake <i>F</i>	2,847	20,628	16	4	2	-	-	-	-	-	-	-	1	-	1	-	-
Bromley <i>F,2H</i>	4,703	27,354	13	4	1	2	-	-	-	-	-	-	-	-	-	-	-
Beckenham <i>H</i>	7,825	28,497	19	4	1	2	-	-	-	-	-	-	-	-	-	-	-
Orpington, part of * <i>W</i>	10,113	9,857	6	5	1	4	-	-	-	1	-	-	-	-	-	4	-
Chislehurst <i>2H</i>	7,333	16,446	7	3	-	2	-	-	-	-	-	-	-	-	-	1	-
Bexley <i>F,H</i>	8,678	21,151	15	8	2	4	-	1	-	-	-	-	-	1	2	1	-
Erith <i>F,H</i>	3,854	25,296	21	6	1	3	-	-	-	-	-	-	-	-	-	-	-
Dartford <i>W,F, part of *</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sunbury <i>w</i>	11,054	18,883	11	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Staines <i>W,H</i>	13,277	15,178	12	2	-	2	-	-	-	1	-	-	1	-	-	2	-
Hillingdon <i>W,F,H</i>	6,035	13,661	13	3	-	1	-	-	-	-	-	-	-	-	-	-	-
Uxbridge	12,757	8,984	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Hayes <i>w,F,H</i>	8,066	16,358	19	4	2	-	-	-	-	-	-	-	-	-	-	-	-
Isleworth <i>3W,2F,H</i>	6,859	30,863	39	10	-	4	-	-	-	-	-	-	-	-	-	3	-
Twickenham <i>F,H</i>	2,421	20,991	12	5	1	3	-	-	-	-	-	-	-	-	-	1	-
Brentford <i>2F,2H,L</i>	4,319	48,289	29	13	3	3	-	-	-	-	-	-	-	1	1	-	-
Chiswick <i>H</i>	1,249	29,809	11	4	2	-	-	-	-	-	-	-	-	-	1	-	-
Acton <i>w,3H</i>	6,132	48,914	42	11	3	2	-	-	-	-	-	-	-	1	1	1	1
Harrow <i>F,H</i>	13,809	25,523	14	5	1	2	-	-	-	-	-	-	-	-	-	-	-
Edgware <i>F,2H</i>	6,994	4,521	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Willesden <i>W,F,2H</i>	4,384	114,811	86	24	7	5	-	-	-	-	-	-	-	-	-	2	-
Hendon <i>W,F</i>	8,382	22,450	11	6	2	2	-	-	-	-	-	-	-	-	-	-	-
South Mimms <i>2F,H</i>	17,755	7,308	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Barnet <i>W,3H</i>	3,324	17,970	10	10	2	4	-	-	-	-	-	-	-	-	1	1	-
Finchley <i>F,2H</i>	4,688	33,692	20	6	-	3	-	-	-	-	-	-	-	-	-	-	-
Hornsey <i>F,H</i>	2,875	72,056	24	10	1	3	-	-	-	-	-	-	-	-	2	-	-
Wood Green <i>H</i>	1,625	34,233	13	6	1	3	-	-	-	-	-	-	-	-	1	-	-
West Tottenham <i>F</i>	996	48,853	33	7	2	1	-	-	-	-	-	-	1	1	1	-	-
East Tottenham <i>F,H</i>	2,017	53,688	34	28	7	3	-	-	-	1	-	-	-	-	3	8	-
Edmonton <i>W,w,2F</i>	7,491	61,892	44	20	5	9	-	-	-	-	-	-	-	-	3	3	-
Enfield <i>2W,F,H</i>	12,601	42,738	30	5	-	4	-	-	-	-	-	-	-	-	1	1	-
Waltham Abbey	11,017	6,549	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-
Cheshunt <i>F,H</i>	8,479	12,292	7	4	1	3	-	-	-	-	-	-	1	-	-	-	1
Hatfield, part of * <i>W</i>	3,305	684	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey <i>H</i>	9,333	9,173	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Watford <i>W,2F part of *</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Stratford <i>H</i>	1,072	44,827	28	14	4	3	-	-	-	-	-	-	-	2	3	1	-
Plaistow <i>F,2H</i>	1,249	90,921	97	29	11	6	-	-	-	1	-	-	-	1	1	4	-
Canning Town <i>H</i>	1,556	70,718	57	15	6	2	-	-	-	-	-	-	1	-	1	-	-
Forest Gate <i>w</i>	806	60,892	35	10	4	1	-	-	-	-	-	-	-	-	-	-	-
North East Ham <i>w</i>	1,333	58,676	41	11	1	3	-	2	-	-	-	-	-	-	-	-	-
South East Ham <i>2F</i>	1,993	37,342	28	15	7	2	-	-	-	-	1	1	-	-	1	-	-
Wanstead <i>F</i>	1,679	9,179	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Leyton <i>2W</i>	631	50,467	23	9	-	4	-	-	-	-	-	-	-	-	1	2	-
North Leyton <i>W,w,F</i>	1,963	48,445	29	23	4	4	-	-	-	-	-	-	-	1	2	13	-
Walthamstow <i>3H,L</i>	6,504	108,929	84	21	8	8	-	-	-	1	-	-	-	1	2	1	-
Chigwell, part of * <i>2FAH</i>	11,778	16,397	10	3	1	-	-	1	-	-	-	-	-	1	1	-	-
Epping <i>W,F, part of *</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, part of * <i>W,2F</i>	6,556	6,091	3	3	-	2	-	-	-	-	-	-	-	-	-	1	-
Ilford <i>F,L</i>	8,496	41,234	28	7	-	5	-	-	-	-	-	-	-	-	1	2	-
Barking Town <i>F</i>	3,803	21,547	17	6	1	-	-	2	-	-	-	-	-	-	-	-	-
West Ham Workhouse, Hackney.	-	-	-	1	-	1	-	-	-	-	-	-	-	1	1	1	-
N.E. Hospital, Tottenham	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-
London County Asylum, Ilford.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-

The parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes, 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping- cough.	Fever.
CALCUTTA (including SUBURBS)	847,796	September 17	-	305	18·7	-	1	-	-	-	93†
BOMBAY - -	776,006	October 11	520	650	43·6	-	-	-	-	1	120
MADRAS - -	509,346	September 23	433	359	36·6	-	1	?	?	?	100
PARIS - - -	2,660,559	October 22	1027	810	15·7	1	2	1	-	4	4
BRUSSELS - -	586,936	" 22	175	154	13·7	-	1	-	5‡	1	2
ANTWERP - -	286,695	" 22	146	78	14·1	-	5	-	-	-	2
AMSTERDAM -	548,160	" 15	260	140	13·3	-	3	-	1‡	2	-
COPENHAGEN -	423,000	" 22	200	120	14·8	-	1	-	-	3	-
STOCKHOLM -	309,496	" 15	150	74	12·4	-	-	1	1‡	1	2
CHRISTIANIA -	223,649	" 22	132	56	13·0	-	-	-	1‡	2	-
ST. PETERSBURG	1,248,122	" 15	612	490	20·4	1	11	7	20‡	7	8
MOSCOW - -	1,092,360	" 15	-	519	26·2	-	4	12	13‡	6	4
BERLIN - - -	1,964,315	" 8	843	574	15·2	-	6	11	7‡	4	1
HAMBURG - -	751,842	" 22	-	218	15·1	-	2	3	1‡	-	-
BRESLAU - -	445,679	" 22	-	156	18·3	-	-	-	3‡	?	-
MUNICH - - -	520,000	" 22	-	220	22·0	-	2	-	2‡	4	1
VIENNA - - -	1,797,992	" 22	927	529	15·1	-	3	-	9‡	1	2
PRAGUE - - -	426,402	" 15	170	147	17·8	-	1	-	2‡	-	1
BUDA-PESTH -	813,399	" 22	468	251	16·0	-	1	10	12‡	-	-
TRIESTE - - -	190,166	" 22	115	75	20·4	-	-	-	-	-	2
ROME - - -	505,371	September 10	208	170	17·5	-	-	-	2‡	1	7‡
VENICE - - -	166,288	October 15	-	-	-	-	-	-	-	-	-
CAIRO - - -	624,338	June 24	396	540	45·1	3	15	-	6‡	?	19
ALEXANDRIA -	349,300	" 24	219	324	48·4	1	66	-	2‡	?	5†
NEW YORK - -	3,838,024	October 8	2305	1174	16·0	1	3	6	34‡	-	26
PHILADELPHIA -	1,408,154	" 1	-	399	14·7	-	-	1	12‡	1	7
BOSTON - - -	617,950	" 1	-	213	17·9	-	-	-	4‡	1	2

* Including deaths from croup.

† Including 2 deaths from plague in Calcutta, 71 in Bombay, and 3 in Alexandria.

‡ Including 3 deaths from cholera in Calcutta, and 7 in Bombay.

§ Including 2 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 29th October, 1904.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich) }	59·9	36·2	49·6	0·20	BRADFORD - -	56·0	37·6	48·2	0·0
BRIGHTON - -	? 65·4	43·1	? 55·1	0·20	LEEDS - - -	59·0	37·0	48·9	0·0
PORTSMOUTH - -	60·0	39·5	51·7	0·17	HULL - - -	61·0	33·0	49·0	0·0
NORWICH - - -	61·2	36·8	50·5	0·13	TYNEMOUTH - -	59·0	37·0	47·7	0·0
PLYMOUTH - -	62·4	40·0	52 1	0·00					
BRISTOL - - -	63·1	31·0	47·4	0·02	EDINBURGH - -	55·2	41·5	48·5	0·0
BIRMINGHAM - -	54·9	38·9	47·2	0·05	GLASGOW - - -	57·5	37·0	49·6	0·0
NOTTINGHAM -	58·0	33·4	44·9	0·07					
LIVERPOOL - -	55·0	40·0	48·4	0·13	DUBLIN { Phoenix Park.	58·8	29·9	47 6	0·0
OBSERVATORY. }	58·9	34·8	47·3	0·11	DUBLIN { Fitz- william Square.†	59·5	34·3	49·9	0·0
MANCHESTER - -	? 55·0	? 39·0	? 48·7	0·12					
PRESTON - - -	58·0	35·3	47 7	0·10	BELFAST - - -	59·1	36·5	48·4	0·0
HUDDERSFIELD -									

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0·9 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

DATE.	Electricity. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sun above Horizon, in hours.	GENERAL REMARKS.
OCTOBER.				
SUNDAY - 23	w. P. till 7h. P.M.; w. N. and w. P. after- wards.	00	10 ²	Generally overcast; rain in morning and at night; very mild.
MONDAY - 24	w. P. throughout.	13	10 ¹	Generally overcast with occasional slight rain till evening; fine and partially cloudy after 9h. P.M.; very mild.
TUESDAY - 25	w. P. generally; m. P. in evening.	56	100	Very fine generally; the amount of cloud was usually small; slight fog in morning. Lunar halo at night.
WEDNESDAY - 26	w. P. till 10h. A.M.; m. P. till 6h. P.M.; w. P. afterwards.	00	100	Generally cloudy till afternoon; fine after- wards with variable fog after 6h. P.M. Solar halo in afternoon; lunar halo at night.
THURSDAY - 27	w. P. throughout.	07	99	Thick fog prevalent in morning; fine till evening with slight fog in forenoon; cloudy at night; very damp.
FRIDAY - 28	Insulation defec- tive till 9h. A.M.; w. P. afterwards.	76	99	Cloudy till 6h. A.M.; very fine and generally cloudless afterwards.
SATURDAY - 29	w. P. till 2h. P.M.; m. P. till 7h. P.M.; w. P. afterwards.	77	98	Very fine and cloudless with slight excep- tions till 9h. P.M.; cloudy afterwards; hour frost and very slight fog in morning.
		Sum 229	Sum 899	
Nov. of Col. -		28	23	

The numbers in column 23, derived from the Campbell-Stokes Sunshine Instrument, show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 29.86 in. at the beginning of the week to 30.09 in. by 11h. A.M. on the 25th; decreased to 30.01 in. by 3h. A.M. on the 26th; increased to 30.12 in. by 10h. A.M. on the 27th; decreased to 29.98 in. by 6h. A.M. on the 28th; increased to 30.05 in. by 10h. A.M. on the 29th; decreased to 30.01 in. by midnight on the 30th; increased to 30.13 in. by 9h. A.M. on the 31st; and decreased to 30.01 in. by midnight on the same day.

For explanation of symbols, see

DATE.		EXPLANATION. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Sea-borne Horizon, in hours.	GENERAL REMARKS.
SUNDAY	- 23	W. P. till 7h. P.M.; W.N. and W. P. after- wards.	00	102	Generally overcast; rain in morning and at night; very mild.
MONDAY	- 24	W. P. throughout.	13	101	Generally overcast with occasional light rain till evening; fine and partially cloudy after 9h. P.M.; very mild.
TUESDAY	- 25	W. P. generally; m. P. in evening.	56	100	Very fine generally; the amount of cloud was usually small; slight fog in morning. Lunar halo at night.
WEDNESDAY	- 26	W. P. till 10h. A.M.; m. P. till 6h. P.M.; W. P. afterwards.	00	100	Generally cloudy till afternoon; fine after- wards with variable fog after 6h. P.M. Solar halo in afternoon; lunar halo at night.
THURSDAY	- 27	W. P. throughout.	07	99	Thick fog prevalent in morning; fine till evening with slight fog in forenoon; cloudy at night; very damp.
FRIDAY	- 28	Insulation defec- tive till 9h. A.M.; W. P. afterwards.	76	99	Cloudy till 6h. A.M.; very fine and generally cloudless afterwards.
SATURDAY	- 29	W. P. till 2h. P.M.; m. P. till 7h. P.M.; W. P. afterwards.	77	98	Very fine and cloudless with slight excep- tions till 9h. P.M.; cloudy afterwards; hoar frost and very slight fog in morning.
			Sum 229	Sum 899	
No. of Col.	-	27	28	23	

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 22nd October, 1904.*

BOROUGHs,	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Chicken-pox.
WEST.											
Paddington - - - -	146,975	-	8	5	-	3	-	-	4	1	10
Kensington - - - -	179,236	-	5	6	-	2	-	-	1	-	3
Hammersmith - - - -	117,412	-	12	9	-	-	-	-	5	-	4
Fulham - - - -	152,482	-	12	11	-	3	-	-	-	1	9
Chelsea - - - -	74,329	-	3	1	-	-	-	-	-	1	4
City of Westminster -	177,321	-	15	8	-	1	-	-	3	-	7
NORTH.											
St. Marylebone - - -	130,337	-	8	1	-	1	-	-	3	-	4
Hampstead - - - -	86,663	-	11	5	-	2	-	-	1	-	5
St. Pancras - - - -	235,936	-	20	9	-	1	-	-	10	-	9
Islington - - - -	341,044	-	38	7	-	-	-	-	-	-	21
Stoke Newington - - -	52,445	-	10	3	-	-	-	-	9	-	-
Hackney - - - -	226,266	-	30	14	-	3	-	-	6	2	12
CENTRAL.											
Holborn - - - -	57,161	-	3	-	-	-	-	-	1	-	-
Finsbury - - - -	98,958	-	3	2	-	-	-	-	2	-	5
City of London - - -	23,482	-	1	-	-	1	-	-	-	-	-
EAST.											
Shoreditch - - - -	117,033	-	9	5	-	1	-	-	5	-	6
Bethnal Green - - -	130,207	-	20	6	-	-	-	-	9	3	9
Stepney - - - -	303,791	-	48	19	-	7	-	-	16	-	22
Poplar - - - -	169,905	-	18	12	-	6	-	-	8	-	9
SOUTH.											
Southwark - - - -	207,937	-	2	5	-	3	-	-	4	1	10
Bermondsey - - - -	129,397	-	22	9	-	6	-	-	7	-	17
Lambeth - - - -	310,359	-	28	5	-	3	-	-	2	-	15
Battersea - - - -	175,465	-	16	6	-	3	2	-	5	-	11
Wandsworth - - - -	257,448	-	23	14	-	1	1	-	8	-	18
Camberwell - - - -	268,384	-	32	9	-	1	-	-	5	-	15
Deptford - - - -	113,509	-	13	5	-	4	-	-	3	-	6
Greenwich - - - -	101,651	-	11	6	-	3	-	-	-	-	16
Lewisham - - - -	140,401	-	8	5	-	-	-	-	2	-	4
Woolwich - - - -	123,416	-	14	13	-	-	1	-	4	1	9
Port of London - - -	-	-	-	-	-	1	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,648,950											
		-	441	200	-	56	4	-	125	10	260
Ages											
0-1 - - - -	-	-	7	3	-	-	-	-	3	-	19
" 1-5 - - - -	-	-	152	72	-	1	3	-	6	-	107
" 5- - - - -	-	-	180	61	-	4	-	-	3	-	107
" 10- - - - -	-	-	64	29	-	9	1	-	3	-	19
" 15- - - - -	-	-	16	7	-	7	-	-	3	-	3
" 20- - - - -	-	-	12	12	-	8	-	-	8	1	1
" 25- - - - -	-	-	7	8	-	13	-	-	20	7	2
" 35- - - - -	-	-	2	8	-	8	-	-	26	1	1
" 45- - - - -	-	-	1	-	-	5	-	-	29	-	-
" 55- - - - -	-	-	-	-	-	-	-	-	13	-	-
" 65 and upwards -	-	-	-	-	-	1	-	-	11	-	-
Age not stated - - -	-	-	-	-	-	-	-	-	-	1	1

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 1-40, BACON STREET, E.

1904.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 44. 1904. VOL. LXV.] WEEK ENDED SATURDAY, NOV. 5. [Price 1½d.

*General Register Office, Somerset House,
November 7th, 1904.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 14·9 per 1000 of their aggregate population, which is estimated† at 15,271,287 persons in the middle of this year. In the preceding three weeks the rates had been 15·2, 15·9, and 15·0. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 20·0 in Liverpool, 20·2 in West Bromwich, 20·5 in Rotherham, 21·6 in Middlesbrough and in Tynemouth, 21·8 in St. Helens, 22·0 in Stockton on Tees, and 23·8 in South Shields; from *measles*, 2·1 in Liverpool, 2·2 in Middlesbrough, 2·9 in Tynemouth, 4·0 in Stockton on Tees, and 5·5 in Grimsby; from *scarlet fever*, 1·3 in York and 1·6 in West Bromwich; from *diphtheria*, 1·5 in Bradford and in West Hartlepool, 1·7 in Derby, 1·9 in Hornsey, and 2·0 in Stockton on Tees; from *whooping-cough*, 1·1 in Oldham, 1·4 in Sunderland, and 1·5 in South Shields; from "*fever*," 1·2 in Rochdale; and from *diarrhœa*, 1·6 in Hanley and in Middlesbrough, 1·7 in Walsall, 1·8 in Preston, 1·9 in Oldham, and 2·1 in Burnley. One death from *small-pox* was registered in Halifax and 1 in Leeds, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2581 BIRTHS and 1330 DEATHS were registered. Allowing for increase of population, the births were 166 and the deaths 259 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 14·2, 16·6, and 14·7 in the preceding three weeks, was 14·9 last week. During the four weeks ended on Saturday last the death-rate averaged 15·1 per 1000, being 2·0 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1330 deaths included 14 from measles, 13 from scarlet fever, 15 from diphtheria, 4 from whooping-cough, 6 from enteric fever, and 22 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 74 deaths were referred to these diseases in the aggregate, being 86 below the corrected average weekly number.

The deaths from *measles*, which had been 15, 26, and 20 in the preceding three weeks, fell last week to 14, and were 19 below the corrected average. The deaths from *scarlet fever*, which had been 11, 6, and 8 in the preceding three weeks, rose last week to 13, and were equal to the corrected average. The deaths from *diphtheria*, which had been 17, 13, and 12 in the preceding three weeks, were 15 last week, and were 30 below the corrected average; 3 deaths belonged to the Borough of Hammersmith. The deaths from *whooping-cough*, which had been 5, 11, and 7 in the preceding three weeks, fell last week to 4, and were 11 below the corrected average. The fatal cases of *enteric fever*, which had been 15, 11, and 7 in the preceding three weeks, were 6 last week, and were 16 below the corrected average. The deaths from *diarrhoea*, which had been 49, 45, and 25 in the preceding three weeks, further fell last week to 22, and were 8 below the corrected average. Of the 22 deaths from diarrhoea, 17 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 5 more deaths at this age. The deaths attributed directly to *influenza* numbered 25, having been 22, 16, and 29 in the preceding three weeks.

Different forms of *violence* caused 52 deaths, concerning all but 1 of which inquests were held. Of these 52 deaths, 11 were cases of suicide, and 1 of homicide, while the remaining 40 were attributed to accident or negligence. Two of these latter were referred to vehicles in the streets, 7 to burns and scalds, 3 to drowning, and 7 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1 case of small-pox, 2782 cases of scarlet fever, 979 of diphtheria, and 230 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 294 cases, against 377, 389, and 305; of diphtheria, 154 cases, against 150, 149, and 129; and of enteric fever, 35 cases, against 30, 17, and 27. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended October 29th.

GREATER LONDON.

In Greater London 3909 births and 1817 deaths were registered. Allowing for increase of population these numbers are 158 and 326 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 9 deaths from measles, 3 from scarlet fever, 2 from diphtheria, 6 from "fever," and 4 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 30·07 inches, and that of the Thermometer 49°·3, the latter being 2°·8 above the week's average in the 50 years 1841–90. The general direction of the wind was variable, the horizontal movement of the air being 22 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 9·8 hours; the measured rainfall amounted to 0·11 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS	COLS.	POPULATION to the middle of the year 1904.		CAUSES.		DISEASES in 1904.		DEATHS OF		DEATHS FROM		INQUEST CASES.		DEATHS IN PUBLIC INSTITUTIONS.		CAUSES OF DEATH.							
		Week ended		Week ended		11-17.		Persons aged 50 years and upwards.		Deaths from		Violence.		Deaths in Public		Causes of Death.							
		15th Oct., 1904.	22nd Oct., 1904.	29th Oct., 1904.	5th Nov., 1904.	11-17.	5th Nov., 1904.	5th Nov., 1904.	5th Nov., 1904.	5th Nov., 1904.	5th Nov., 1904.	5th Nov., 1904.	5th Nov., 1904.	5th Nov., 1904.	5th Nov., 1904.	5th Nov., 1904.	5th Nov., 1904.						
76 TOWNS	76 TOWNS.	15,271,287	15'2	15'9	15'0	14'9	1'5	8774	4372	1082	1082	2	109	58	72	34	44	106	148	344	1024	37	76 TOWNS.
LONDON -	LONDON.	4,648,950	14'2	16'6	14'7	14'9	0'8	2881	1330	288	387	-	14	13	15	4	6	22	52	137	475	3	LONDON.
(CROYDON -	(CROYDON.	144,419	14'1	8'7	13'7	5'8	-	81	16	2	1	-	-	-	-	-	-	-	-	1	5	-	(CROYDON.
WILLESDEN -	WILLESDEN.	132,666	9'0	8'3	9'4	12'6	0'8	86	32	7	8	-	-	-	3	-	-	-	-	2	4	-	WILLESDEN.
HORNSEY -	HORNSEY.	81,221	8'3	7'1	6'4	6'4	1'9	20	10	1	3	-	-	-	-	-	-	-	-	-	-	-	HORNSEY.
TOTTENHAM -	TOTTENHAM.	112,981	5'1	11'1	16'6	12'5	0'5	64	27	5	10	-	-	1	-	-	-	-	1	3	3	-	TOTTENHAM.
WEST HAM -	WEST HAM.	288,424	15'2	15'4	14'8	15'0	1'8	183	83	26	17	-	1	2	2	1	-	4	1	7	18	-	WEST HAM.
EAST HAM -	EAST HAM.	116,802	14'7	13'4	12'0	10'7	2'2	79	24	12	3	-	3	-	1	-	1	-	1	1	3	-	EAST HAM.
LEYTON -	LEYTON.	110,844	9'9	11'3	8'9	11'8	0'9	60	25	7	10	-	-	-	1	-	-	1	1	1	3	1	LEYTON.
(WALTHAMSTOW -	(WALTHAMSTOW.	111,282	8'0	11'7	9'8	7'0	-	77	15	3	3	-	-	-	-	-	-	-	1	1	4	-	(WALTHAMSTOW.
HASTINGS -	HASTINGS.	66,503	11'8	12'5	15'7	11'0	-	25	14	1	5	-	-	-	-	-	-	-	1	1	-	-	HASTINGS.
BRIGHTON -	BRIGHTON.	126,286	12'4	14'5	16'1	16'1	0'4	56	39	10	16	-	-	-	-	-	-	1	1	2	12	-	BRIGHTON.
PORTSMOUTH -	PORTSMOUTH.	198,038	13'7	16'3	13'4	16'1	1'8	114	61	15	12	-	-	-	4	-	2	1	1	6	13	-	PORTSMOUTH.
BOURNEMOUTH -	BOURNEMOUTH.	64,645	10'5	10'5	13'7	11'3	-	19	14	2	4	-	-	-	-	-	-	-	-	2	2	-	BOURNEMOUTH.
SOUTHAMPTON -	SOUTHAMPTON.	112,500	12'1	9'7	9'3	10'2	-	55	22	5	10	-	-	-	-	-	-	-	1	4	2	-	SOUTHAMPTON.
READING -	READING.	76,373	12'3	8'9	9'6	9'6	0'7	34	14	2	7	-	-	-	1	-	-	-	-	-	4	-	READING.
NORTHAMPTON -	NORTHAMPTON.	91,146	8'0	10'9	13'7	13'2	1'1	29	23	2	8	-	-	2	-	-	-	-	1	1	4	-	NORTHAMPTON.
IPSWICH -	IPSWICH.	69,805	14'9	11'2	17'2	10'5	1'5	41	14	4	3	-	1	-	1	-	-	-	-	2	2	-	IPSWICH.
GREAT YARMOUTH -	GREAT YARMOUTH.	52,089	20'0	17'0	19'0	13'0	1'0	22	13	2	5	-	-	-	1	-	-	-	1	2	1	-	GREAT YARMOUTH.
NORWICH -	NORWICH.	115,538	13'5	9'9	11'7	14'4	2'3	68	32	7	7	-	-	-	-	-	1	2	-	2	6	-	NORWICH.
PLYMOUTH -	PLYMOUTH.	114,003	21'0	11'0	17'4	17'4	1'8	55	38	10	11	-	-	2	-	1	1	-	1	2	9	-	PLYMOUTH.
DEVONPORT -	DEVONPORT.	75,334	7'6	11'1	12'5	11'1	0'7	43	16	2	2	-	-	-	-	-	-	1	-	2	1	-	DEVONPORT.
BRISTOL† -	BRISTOL†.	343,204	12'6	14'3	13'2	14'9	0'9	192	98	16	30	-	2	1	1	1	1	-	4	12	19	-	BRISTOL†.
HANLEY -	HANLEY.	63,932	17'1	23'7	19'6	13'0	2'4	36	16	4	5	-	1	-	-	-	-	2	-	-	4	-	HANLEY.
BURTON-ON-TRENT -	BURTON-ON-TRENT.	51,934	18'1	14'1	8'0	11'0	1'0	35	11	2	5	-	-	-	1	-	-	-	-	-	4	-	BURTON-ON-TRENT.
WOLVERHAMPTON -	WOLVERHAMPTON.	98,194	17'0	11'2	10'1	14'3	3'2	44	27	4	8	-	-	2	1	1	1	1	1	4	4	-	WOLVERHAMPTON.
WALSALL -	WALSALL.	91,432	15'4	17'7	17'1	16'0	2'9	43	28	4	9	-	-	-	1	-	1	3	1	2	5	-	WALSALL.
HANDSWORTH -	HANDSWORTH.	59,634	7'9	8'7	10'5	15'7	-	27	18	5	6	-	-	-	-	-	-	-	-	-	-	-	HANDSWORTH.
WEST BROMWICH -	WEST BROMWICH.	67,186	10'9	14'7	8'5	20'2	2'3	50	26	7	5	-	-	2	-	-	1	-	1	1	6	-	WEST BROMWICH.

† These towns are included within the area of Greater London.

† The recent extension of the City of Bristol will not be taken into account in the Weekly Returns until next year.

* See note † on first page of this return.

† The recent extension of the City of Bristol will not be taken into account in the Weekly Returns until next year.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES during the Week ended Saturday, 5th November, 1904, and DEATH-RATES during the preceding three weeks.

TOWNS	POPULATION estimated to the middle of the year 1904.	DEATH-RATES from all Causes.					Ratio from Diseases in Cols. 11-17.		Registered during the week ended 5th Nov., 1904.		The DEATHS registered in the Week include											TOWNS.		
		Week ended					Ratio from Diseases in Cols. 11-17.		BIRTHS.	DEATHS.	Deaths of					Deaths from					Inquest Cases.		Deaths in Public Institutions.	Uncertified Causes of Death.
		Week ended					Ratio from Diseases in Cols. 11-17.				Deaths of					Deaths from								
		15th Oct., 1904.	22nd Oct., 1904.	29th Oct., 1904.	5th Nov., 1904.	Week ended 5th Nov., 1904.	11-17.	11-17.			Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Dysentery.	Violence.				
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.		
BIRMINGHAM	537,965	14.8	18.7	15.9	17.3	1.6	304	179	49	31	-	1	2	2	-	4	7	5	11	51	6	BIRMINGHAM.		
KINGS NORTON	63,667	10.2	9.4	8.6	10.2	-	49	13	5	3	-	-	-	-	-	-	-	-	-	-	-	KINGS NORTON.		
SMETHWICK	69,691	13.7	8.6	11.2	9.5	0.9	40	11	4	2	-	-	-	-	-	-	1	-	-	1	-	SMETHWICK.		
ASTON MANOR	60,363	9.1	13.6	13.0	15.6	-	44	24	7	6	-	-	-	-	-	-	-	-	-	-	-	ASTON MANOR.		
COVENTRY	73,904	16.2	9.9	10.6	13.4	0.7	42	19	3	9	-	-	1	-	-	-	-	2	2	4	-	COVENTRY.		
LEICESTER	224,186	12.3	14.0	14.7	13.3	0.9	122	57	13	16	-	1	-	-	1	-	2	2	4	14	-	LEICESTER.		
GRIMSEY	66,958	17.1	16.4	20.2	18.7	6.2	39	24	5	1	-	7	1	-	-	2	-	2	3	4	-	GRIMSEY.		
NOTTINGHAM	248,811	14.0	14.9	15.9	14.3	1.5	111	68	21	17	-	1	1	3	-	2	-	3	5	12	-	NOTTINGHAM.		
DERBY	120,449	13.0	13.0	9.1	14.7	2.6	87	34	12	9	-	1	-	4	-	-	2	-	4	8	-	DERBY.		
STOCKPORT	87,008	15.1	20.4	11.8	16.1	-	63	30	10	9	-	-	-	-	-	-	-	1	1	5	-	STOCKPORT.		
BIRKENHEAD	114,314	20.4	18.2	18.2	13.6	1.8	82	30	6	4	-	1	-	1	1	1	-	2	4	5	-	BIRKENHEAD.		
WALLASEY	60,354	13.0	11.2	9.5	10.4	-	37	12	1	4	-	-	-	-	-	-	-	-	-	1	-	WALLASEY.		
LIVERPOOL	723,430	20.4	22.4	20.3	20.0	3.3	486	277	73	53	-	29	6	2	-	2	7	13	17	60	11	LIVERPOOL.		
BOOTLE	61,755	16.0	20.3	18.6	12.7	1.7	38	15	4	2	-	2	-	-	-	-	-	-	-	3	2	BOOTLE.		
ST. HELENS	88,545	16.5	11.8	20.6	21.8	1.8	79	37	13	4	-	-	-	1	1	-	1	2	3	5	1	ST. HELENS.†		
WIGAN	62,800	13.3	8.3	17.4	12.5	2.5	58	15	1	5	-	1	-	-	-	1	-	1	1	1	-	WIGAN.		
WARRINGTON	67,331	22.5	13.9	16.3	16.3	-	30	21	6	6	-	-	-	-	-	-	-	-	1	1	1	WARRINGTON.		
BOLTON	175,744	15.1	17.5	16.6	14.5	2.4	94	49	13	7	-	1	2	1	1	1	2	4	5	7	-	BOLTON.		
BURY	58,450	16.9	12.5	9.8	10.7	0.9	28	12	2	-	-	-	-	-	-	-	-	2	2	2	-	BURY.		
MANCHESTER†	557,938	16.3	17.3	18.7	15.8	1.0	345	169	50	32	-	3	1	1	2	-	4	7	12	34	-	MANCHESTER.†		
SALFORD	228,983	20.3	23.2	18.2	16.9	3.9	150	74	16	12	-	5	2	2	-	3	5	2	3	21	-	SALFORD.		
OLDHAM	139,497	16.8	15.0	16.8	16.8	3.4	76	45	14	12	-	-	-	-	-	3	-	5	2	4	-	OLDHAM.		
ROCHDALE	85,601	18.9	18.3	20.1	13.4	1.2	39	22	4	4	-	-	-	-	-	2	-	2	2	4	-	ROCHDALE.		
BURNLEY	100,569	19.7	23.3	16.6	17.6	4.1	51	34	14	7	-	3	-	-	-	1	4	-	1	3	1	BURNLEY.		
BLACKBURN	132,134	14.2	18.5	15.8	17.4	1.8	50	44	12	9	-	-	-	-	-	2	2	-	2	5	1	BLACKBURN.		
PRESTON	115,055	14.0	19.5	18.1	15.4	1.8	64	34	12	5	-	-	-	-	-	4	2	4	2	1	-	PRESTON.		
BARROW-IN-FURNESS	59,954	18.4	14.0	7.0	7.0	-	34	8	1	3	-	-	-	-	-	-	-	-	-	-	-	BARROW-IN-FURNESS.		

TOWNS.	POPULATION estimated to the middle of the year 1904.	Week ended				during the week ended 5th Nov., 1904.		Deaths of										Deaths from				TOWNS,	
		11-17.				BIRTHS.		DEATHS.		Infants under 1 year of age.	Periods of 60 years and upwards.	Small-pox.	Measles.	Scarlet fever.	Diphtheria.	Whooping-cough.	Kever.	Diarrhea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unrecorded Causes of Death.	TOWNS,
		25th Oct., 1904.	29th Oct., 1904.	5th Nov., 1904.	Week ended 5th Nov., 1904.	7.	8.	9.	10.														
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
HUDDESFIELD.	94,925	19'2	16'5	12'1	14'3	1'1	54	26	-	10	-	-	2	-	-	-	-	1	2	4	1	1	HUDDESFIELD.
HALIFAX.	107,580	14'1	15'0	15'0	11'6	1'9	50	24	8	3	1	1	-	-	1	1	-	2	1	5	1	1	HALIFAX.
BRADFORD.	285,089	17'0	13'9	13'5	15'2	2'9	122	83	15	17	-	-	3	8	1	2	2	-	2	22	2	2	BRADFORD.
LEEDS.	450,142	15'9	14'5	16'2	14'8	0'7	237	128	42	30	1	1	1	4	2	2	1	2	10	25	-	-	LEEDS.
SHEFFIELD.	432,940	17'3	15'2	13'0	14'3	1'6	261	119	36	26	-	-	-	2	1	-	4	4	6	17	1	1	SHEFFIELD.
ROTHERHAM.	53,498	9'8	8'9	13'4	20'5	0'9	36	23	9	5	-	-	-	-	-	-	-	3	4	5	-	-	ROTHERHAM.
YORK.	81,268	12'8	16'7	16'0	14'8	1'3	54	23	3	3	-	-	2	-	-	1	-	1	2	3	-	-	YORK.
HULL.	253,865	19'5	19'7	17'7	17'0	2'7	143	83	23	22	-	6	1	-	1	2	3	4	9	13	2	2	HULL.
MIDDLESBROUGH.	96,684	18'3	20'0	15'6	21'6	5'4	71	40	12	8	-	4	1	1	-	1	3	2	3	5	-	-	MIDDLESBROUGH.
STOCKTON-ON-TEES.	52,192	21'0	12'0	14'0	22'0	8'0	33	22	3	7	-	4	1	2	-	-	1	-	-	3	-	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL.	69,251	12'8	18'1	15'8	11'3	3'0	35	15	5	4	-	1	-	2	-	-	1	-	-	1	-	-	WEST HARTLEPOOL.
SUNDERLAND.	151,157	22'8	19'3	20'7	18'3	1'7	107	53	17	8	-	-	1	-	4	-	-	1	3	9	1	-	SUNDERLAND.
SOUTH SHIELDS.	107,334	20'9	18'0	15'1	23'8	2'4	79	49	8	12	-	2	-	-	3	-	-	2	2	5	1	-	SOUTH SHIELDS.
GATESHEAD.	118,067	12'4	15'5	17'2	11'5	-	74	26	8	7	-	-	-	-	-	-	-	-	-	3	1	-	GATESHEAD.
NEWCASTLE-ON-TYNE.	225,362	16'9	19'4	17'8	15'5	2'3	133	67	17	9	-	5	1	1	2	-	1	3	4	14	-	-	NEWCASTLE-ON-TYNE.
TYNEMOUTH.	53,060	21'6	22'6	18'7	21'6	2'9	35	22	4	6	-	-	-	-	-	-	-	2	2	6	-	-	TYNEMOUTH.
NEWPORT (MON.).	71,543	14'6	11'7	7'3	14'6	2'2	51	20	3	7	-	-	1	-	-	-	1	-	2	4	-	-	NEWPORT (MON.).
CARDIFF.	176,313	8'3	8'9	11'8	12'7	0'6	102	43	8	11	-	1	-	1	-	-	-	-	4	7	-	-	CARDIFF.
RHONDDA.	122,310	19'2	14'9	11'1	12'8	2'1	102	30	17	4	-	1	-	1	1	-	2	-	-	1	-	-	RHONDDA.
MERTHYR TYDFIL.	72,745	27'2	13'6	21'5	7'9	1'4	67	11	5	2	-	-	-	-	-	-	2	-	-	-	-	-	MERTHYR TYDFIL.
SWANSEA.	95,931	22'3	18'5	10'9	12'0	0'5	58	22	8	9	-	-	-	-	-	-	1	-	2	2	-	-	SWANSEA.
GREATER LONDON.	6,907,756	13'1	14'9	13'7	13'7	0'9	3909	1817	407	536	-	27	19	26	5	13	31	63	188	551	5	5	GREATER LONDON.
OUTER RING.	2,258,806	10'7	11'4	11'6	11'2	1'1	1328	487	119	149	-	13	6	11	1	7	9	11	31	79	2	2	OUTER RING.
8 TOWNS IN OUTER RING.	1,098,639	11'4	11'6	12'2	11'0	1'1	659	232	63	55	-	4	3	9	1	1	5	4	16	40	1	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,160,167	9'9	11'2	11'0	11'5	1'1	669	255	56	94	-	9	3	2	-	6	4	7	15	39	1	1	REMAINDER OF OUTER RING.
EDINBURGH.	331,977	13'4	15'7	16'8	15'7	1'9	150	100	27	24	-	-	1	2	4	-	5	2	?	28	8	8	EDINBURGH.
GLASGOW.	798,367	16'6	16'9	16'1	18'5	1'7	439	284	74	62	-	-	-	3	12	1	10	14	?	70	7	7	GLASGOW.
DUBLIN†.	378,994	21'6	24'9	20'6	21'5	1'8	217	156	40	39	-	6	1	-	1	-	5	3	5	52	8	?	DUBLIN†.
BELFAST†.	358,680	16'0	17'7	18'2	17'2	2'0	232	118	35	27	-	6	2	-	-	1	5	4	10	21	?	?	BELFAST†.

* See note † on first page of this return.

† Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the FORTY-FOURTH Week of each of the Eleven Years, 1894-1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894-1903.*	1904
TOTAL Births -	2659	2693	2819	2751	2530	2613	2392	2737	2723	2563	2746.6	2581
Males -	1331	1368	1405	1379	1275	1305	1266	1385	1415	1261	1388.9	1236
Females -	1328	1325	1414	1372	1255	1308	1126	1352	1308	1302	1357.7	1245
TOTAL Deaths -	1372	1789	1709	1585	1394	1626	1466	1516	1433	1426	1588.6	1330
Males -	711	921	873	818	713	838	772	783	747	764	823.5	714
Females -	661	868	836	767	681	788	694	733	686	662	765.1	616

* The numbers in this column are the average weekly numbers in the forty-fourth week of the ten years 1894-1903, raised by 3.723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Aug. 13.	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	13 Weeks
TOTAL Births -	2730	2525	2575	2160	2504	2514	2272	2537	2470	2491	2442	2585	2581	32388
TOTAL Deaths -	1912	1923	1682	1459	1354	1360	1223	1279	1243	1270	1476	1311	1330	18822
Ages at Death														
Under 1 year -	829	917	739	544	448	401	306	311	287	267	292	289	288	6018
1-5 years -	244	245	181	135	124	116	112	118	102	121	131	122	121	1872
5-20 " -	75	51	71	60	59	62	76	53	56	74	87	55	78	857
20-40 " -	132	158	166	149	148	180	159	177	187	168	212	173	170	2179
40-60 " -	263	264	204	228	266	255	282	271	282	279	286	286	3401	
60 yrs. & upwds.	269	288	321	343	309	346	335	338	340	358	475	386	387	4495
Deaths from—														
Small-pox -	1	-	-	-	-	-	-	-	-	-	-	-	-	251
Measles -	36	42	30	15	8	8	6	17	14	15	26	20	14	99
Scarlet Fever -	10	4	9	6	2	14	3	9	4	11	6	8	13	184
Diphtheria -	7	0	19	8	20	9	19	16	20	17	13	12	15	163
Whooping-cough -	21	17	20	25	16	16	5	9	7	5	11	7	4	112
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	3
Enteric Fever -	2	6	4	12	8	9	13	10	9	15	11	7	6	112
Pyæmia (origin uncertain) -	-	-	-	-	-	-	-	2	-	-	1	-	-	3
Diarrhoea, Dysentery -	687	705	483	338	258	189	108	84	52	49	45	25	22	3045
All above Diseases -	764	783	565	404	312	245	154	147	106	112	113	79	74	3858
Dis. of Resp. System	47	40	35	49	61	59	72	85	85	94	127	145	158	1057
Pneumonia -	74	66	66	59	68	82	97	82	81	100	124	144	127	1170
Phthisis -	110	133	127	105	122	141	142	152	150	142	174	144	159	1801
Dis. of Circ. System -	115	137	147	161	160	156	150	152	157	179	197	182	169	2082
Violence -	62	56	46	47	40	46	45	49	51	41	53	47	52	635
Inquest Cases -	148	145	115	118	124	104	110	125	139	125	123	136	137	1649
Deaths in Institutions	497	506	517	496	491	529	475	494	492	479	588	489	475	6552
TEMPERATURE OF THE AIR.														
Mean -	61.0	59.5	57.6	61.0	57.0	56.4	52.1	50.3	47.8	54.9	49.9	49.3	49.3	54.6
Mean of Highest -	72.1	69.6	68.7	71.2	67.0	66.2	61.3	63.2	58.0	56.3	61.3	56.1	53.1	63.4
Mean of Lowest -	51.1	51.6	48.9	51.8	48.6	47.9	46.1	42.5	43.3	38.7	48.7	43.1	45.9	46.8
Mean Humidity of the Air.	66	75	76	75	77	81	70	87	81	85	89	84	84	79
Rain-fall (in inches) -	0.06	0.47	0.22	1.01	0.38	0.24	0.20	0.14	0.86	0.02	0.43	0.20	0.11	4.32
Registered Sunshine (in hours).	62.2	38.7	40.6	39.0	41.3	37.1	52.7	28.1	17.5	25.0	10.0	22.9	9.8	424.9
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox -	21	18	13	9	5	5	3	2	1	1	1	1	1	7
Scarlet Fever -	1763	1745	1781	1820	1816	1929	1969	2158	2341	2516	2687	2725	2782	2156
Diphtheria -	730	795	813	825	814	832	833	878	892	931	950	947	979	867
Typhus -	-	-	-	-	1	1	1	1	-	-	-	-	-	-
Enteric Fever -	71	89	121	135	158	187	204	237	239	242	229	225	230	182

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Creswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Northwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-FOURTH Week of the Year 1904.

Terms printed in *italics* being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 44th week of the year 1903.	1904—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 44th week of the year 1903.	1904—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
ALL CAUSES	1426	1330	288	121	78	170	286	387	Meningitis (not tuberc.)	5	10	6	-	3	-	1	-
									Insanity, Gen. Par. of }	7	14	-	-	-	2	6	6
									Insane -	3	4	-	-	-	-	1	3
Small-pox*	-	-	-	-	-	-	-	-	Epilepsy -	7	17	16	1	-	-	-	-
Cowpox	-	-	-	-	-	-	-	-	Convulsions -	17	6	-	-	-	-	4	2
Measles (Morbilli)	15	14	5	9	-	-	-	-	Locomotor Ataxy -	1	1	-	-	-	-	-	1
Scarlet Fever	13	13	1	5	7	-	-	-	Paraplegia, Dis. of Cord	5	20	-	-	2	4	5	9
Typhus	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	14	-	-	-	-	-	-	-
Plague	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis-	37	34	-	-	3	6	11	14
Influenza -	3	25	1	2	1	4	6	11	Cerebr. Hem. Thromb.	36	31	-	-	-	3	9	19
Whooping-cough	11	4	2	2	-	-	-	-	Apoplexy, Hemiplegia	15	14	-	-	-	1	4	9
Diphtheria	18	15	1	8	6	-	-	-	Aneurysm -	3	8	-	-	-	2	3	3
Cerebro Spinal Fever	1	-	-	-	-	-	-	-	Embolism, Thrombosis }	1	3	-	1	-	-	-	2
Pyæmia,† (Origin un-	-	-	-	-	-	-	-	-	(not cerebral)	98	79	-	-	-	9	25	45
certain)	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.	-	1	-	1	-	-	-	-
Enteric Fever	18	6	-	-	3	2	1	-	Croup (not Spasm : nor	-	108	139	42	16	-	3	15
Asiatic Cholera	-	-	-	-	-	-	-	-	Memb.)	2	6	-	-	-	-	2	4
Epidemic Diarrhoea }	23	7	4	3	-	-	-	-	Bronchitis -	6	3	-	1	1	-	-	1
(Infective Enteritis)	-	-	-	-	-	-	-	-	Asthma, Emphysema -	11	9	3	1	-	2	1	2
Diarrhoea, Dysentery	30	15	6	4	-	-	5	-	Pleurisy -	3	-	-	-	-	-	-	-
Tetanus	1	-	-	-	-	-	-	-	Respiratory Dis. (other)	3	-	-	-	-	-	-	-
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy -	18	7	6	-	-	1	-	-
Glanders	1	-	-	-	-	-	-	-	Enteritis (not Epid.) -	5	6	5	-	-	-	1	1
Anthrax (Splenic Fever)-	-	-	-	-	-	-	-	-	Gastro-Enteritis -	2	4	-	-	2	1	-	1
Venereal Dis. -	8	4	2	-	1	1	-	-	Peritonitis (not Puerp.)	14	10	-	-	-	1	7	2
Puerperal Septicæmia	4	3	-	-	3	-	-	-	Cirrhosis of Liver -	-	6	-	1	1	1	1	2
Puerperal Pyæmia	-	1	-	-	1	-	-	-	Liver Dis. (other) -	43	28	4	-	4	5	4	11
Puerperal Fever	-	1	-	-	1	-	-	-	Digestive Dis., Other	6	11	-	2	3	2	3	1
Infective Endocarditis	1	4	-	-	1	3	-	-	Nephritis, Acute -	35	33	-	-	3	6	11	13
Lobar -	11	12	1	4	1	-	4	2	Bright's Dis., Albumin-	8	12	-	-	-	-	3	9
Broncho-	71	62	29	23	1	-	1	8	uria -	7	3	-	-	3	-	-	-
Epidemic	-	-	-	-	-	-	-	-	Urinary Sys., Other Dis.	5	4	-	-	-	4	-	-
Not defined	63	53	12	5	4	5	15	12	Generative Organs Dis.-	50	40	-	-	-	-	-	40
Erysipelas	3	8	2	-	-	3	3	-	Childbirth (Accid. of)	115	93	74	6	4	1	4	4
Septicæmia (not Puer-)	1	4	-	1	-	1	1	1	Old Age -	-	-	-	-	-	-	-	-
peral)	4	1	-	1	-	-	-	-	Other Diseases -	-	-	-	-	-	-	-	-
Pyæmia (not Puerperal)	9	15	1	2	4	1	3	-	ACCIDENT.	-	-	-	-	-	-	-	-
Other Infective Processes	73	79	1	5	4	34	30	5	By Railways -	4	1	-	-	-	-	1	-
Tuberculous Phthisis	80	80	-	1	7	26	33	13	By Vehicles and Horses	6	2	-	1	1	-	-	-
" Phthisis"	23	14	3	6	3	2	-	-	In Ships, Boats, Docks,	1	2	-	-	-	1	1	-
Tuberculous Meningitis	5	8	2	2	-	2	-	-	(exclusive of Drown-	1	1	-	-	-	-	-	-
Tuberculous Peritonitis	4	3	-	3	-	-	-	-	ing)	1	1	-	-	-	-	-	-
Tubes Mesenterica	16	12	6	2	1	1	2	-	In Building Operations	6	7	2	3	1	-	1	-
Tuberculous Dis. (other)-	-	-	-	-	-	-	-	-	In Conflagrations -	3	3	-	-	-	2	1	-
Scrofula	13	8	-	-	-	3	5	-	By Burns, Scalds, Ex-	6	7	7	-	-	-	-	-
Alcoholism	5	7	-	2	1	3	1	-	plosions -	3	7	7	-	-	-	-	-
Rheumatic Fever	1	-	-	-	-	-	-	-	By Drowning -	3	1	-	-	-	1	-	-
Gout -	53	45	-	-	-	5	23	17	By Suffocation in Bed	3	-	-	-	-	-	-	-
Carcinoma	6	5	-	-	-	1	3	1	By Poisons or Poisonous	14	16	1	-	-	3	5	7
Sarcoma	41	38	-	-	-	2	16	20	Vapours -	-	-	-	-	-	-	-	-
Cancer (undefined)	9	13	-	1	-	3	9	-	Other Deaths by Acci-	-	-	-	-	-	-	-	-
Diabetes Mellitus	54	43	43	-	-	-	-	-	dent -	-	-	-	-	-	-	-	-
Premature Birth	-	-	-	-	-	-	-	-	VIOLENCE OTHER THAN	-	-	-	-	-	-	-	-
									ACCIDENTAL.	-	-	-	-	-	-	-	-
									Homicide -	1	1	-	-	-	-	-	1
									Suicide -	9	11	-	-	1	5	5	-
									Execution -	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 5th November, 1904.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include														In- quest Cases.
				Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from												
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmic (Origin un- certain).	Diarrhoea.	Violence.			
LONDON - - -	4,536,429	2581	1330	288	387	-	14	13	15	4	-	6	-	22	52	137	47	
WEST DISTRICTS - - -	805,311	400	221	43	67	-	-	2	4	-	-	-	-	2	11	16	8	
NORTH DISTRICTS - - -	1,056,070	565	303	58	96	-	1	4	1	-	-	-	-	6	17	35	8	
CENTRAL DISTRICTS - - -	209,465	122	74	19	21	-	1	-	-	-	-	-	-	1	4	7	3	
EAST DISTRICTS - - -	715,739	474	238	51	60	-	3	-	4	1	-	1	-	4	10	37	11	
SOUTH DISTRICTS - - -	1,749,844	1020	469	117	138	-	9	6	6	3	-	4	-	9	10	42	12	
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	25	-	5	-	-	1	-	-	-	1	-	-	-	-	2	
WEST DISTRICTS.																		
St. Mary Paddington } G. & W.	93,178	48	29	10	9	-	-	-	-	-	-	-	-	1	1	1	-	
W ² H - - -																		
St. John Paddington H - - G.	33,617	6	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
North-West Paddington - - C.	17,181	4	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
Kensington Town 2W, w ² H G., W. & C.	128,037	75	50	10	18	-	-	-	-	-	-	-	-	-	1	2	2	
Brompton 2H - - W. & C.	48,591	11	6	1	-	-	-	-	-	-	-	-	-	-	1	2	-	
North Hammersmith W, w ² H } W. & G.	49,192	35	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
South Hammersmith w ² H } W. & G.	63,047	34	20	2	6	-	-	-	1	-	-	-	-	-	1	2	-	
North-west Fulham W } W. & C.	45,180	41	21	5	6	-	-	-	-	-	-	-	-	1	1	2	1	
North-east Fulham F } W. & C.	46,405	23	10	3	1	-	-	2	3	-	-	-	-	-	1	2	-	
South Fulham W } W. & C.	45,704	30	8	1	2	-	-	-	-	-	-	-	-	-	1	1	-	
Chelsea North W, w ² H - - C.	42,514	16	17	1	8	-	-	-	-	-	-	-	-	-	-	-	-	
Chelsea South W ² H - - C.	31,328	15	11	3	3	-	-	-	-	-	-	-	-	-	1	1	-	
May Fair and Knightsbridge C. & G.	28,743	6	4	1	1	-	-	-	-	-	-	-	-	-	1	1	-	
Belgrave W ² H - - C.	55,815	26	19	-	6	-	-	-	-	-	-	-	-	-	2	2	-	
St. Margaret & St. John 4H - C.	43,698	14	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
St. James Westminster } N. & G.	21,588	10	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
W ² H - - -																		
St. Anne Soho 5H - - N.	11,493	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
NORTH DISTRICTS.																		
All Souls Marylebone 8H - W.	35,391	9	13	3	3	-	-	-	-	-	-	-	-	-	1	1	-	
Rectory Marylebone W G. & W.	19,849	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. Mary Marylebone 4H G. & W.	18,099	34	5	2	1	-	-	-	-	-	-	-	-	-	-	1	3	
Christchurch Marylebone H- W.	39,536	15	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. John Marylebone 3H - W.	20,426	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Hampstead W, F, & H - N. & W.	81,942	32	20	2	4	-	-	3	-	-	-	-	-	1	-	-	-	
West St. Pancras 2H - - W.	60,562	23	19	2	8	-	-	-	-	-	-	-	-	-	2	3	-	
Tottenham-court w, 6H - N. & W.	21,258	4	13	4	4	-	-	-	-	-	-	-	-	-	1	2	-	
Gray's Inn Lane 4H - - N.	34,449	20	12	1	5	-	-	-	-	-	-	-	-	-	2	2	-	
East St. Pancras W ² H - - N.	60,320	40	27	4	10	-	-	-	-	-	-	-	-	-	2	4	1	
North St. Pancras 2W - - N.	58,728	23	24	4	9	-	-	-	-	-	-	-	-	1	-	2	-	
Tufnell W - - N.	31,995	13	28	2	12	-	-	-	-	-	-	-	-	1	-	2	2	
Upper Holloway 2W, w ² H - N.	33,978	29	18	-	8	-	-	-	-	-	-	-	-	-	-	2	1	
Tollington W - - N.	33,922	23	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
Lower Holloway - - N.	41,424	22	10	1	3	-	-	-	-	-	-	-	-	1	-	-	-	
Barnsbury - - N.	54,478	36	14	7	2	-	1	-	-	-	-	-	-	1	1	1	-	
Islington South-east F - - N.	75,397	40	12	1	4	-	-	-	1	-	-	-	-	-	-	-	-	
Highbury 2H - - N.	63,797	26	6	1	1	-	-	-	-	-	-	-	-	-	-	1	-	
Stoke Newington H - - N.	51,247	37	12	3	3	-	-	-	-	-	-	-	-	1	1	2	-	
North Hackney - - E. & N.	50,560	20	17	2	6	-	-	-	-	-	-	-	-	-	2	3	-	
Central Hackney 2w, F - E. & N.	50,536	36	11	2	3	-	-	1	-	-	-	-	-	-	-	1	-	
South-west Hackney 3H - E. & N.	59,921	30	11	4	2	-	-	-	-	-	-	-	-	-	3	3	-	
South-east Hackney 2W, w, H E. & N.	58,255	38	18	7	5	-	-	-	-	-	-	-	-	-	1	2	-	

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there-
namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District
than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a
district contains more than one institution of either kind, the number is indicated by a figure prefixed to the
letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G. sign-
Grand Junction; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River.
E. East London; and K. the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered each SUB-DISTRICT during the Week ended Saturday, 5th November, 1904—continued.

REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														
				Deaths of		Deaths from												
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
CENTRAL DISTRICTS.																		
Isle of Dogs and Bloomsbury W,2H N.	31,436	19	5	1	1	-	-	-	-	-	-	-	-	-	1	1	2	-
St. Paul's W,4H - - - N. & C.	21,674	7	15	2	4	-	-	-	-	-	-	-	-	-	1	1	12	1
St. Paul's Union Workhouse, Edmonton -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul's Green W,6H - - - N.	29,612	12	19	5	5	-	-	-	-	-	-	-	-	-	-	-	10	-
St. Paul's Clerkenwell - - - N.	28,676	19	12	5	3	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Paul's Clerkenwell H - - - N.	35,028	23	6	4	2	-	1	-	-	-	-	-	-	-	-	1	-	-
St. Paul's Mary 3H,L - - - N.	36,116	36	5	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-
St. Paul's Union Workhouse, } St. Paul's Ham - - - - - }	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-
St. Paul's Colph H - - - N. & E.	10,299	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul's Pulchre and Allhallows } St. Paul's H - - - - - }	16,324	5	9	1	1	-	-	-	-	-	-	-	-	-	2	3	8	-
St. Paul's London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
St. Paul's South* H,L - E. & N.	46,362	20	6	2	-	-	-	-	-	-	-	-	-	2	1	2	1	-
St. Paul's North-West* W,w,H N.	36,127	19	17	1	7	-	-	-	-	-	-	-	-	-	1	3	11	-
St. Paul's North-East* - N. & E.	36,148	35	8	5	-	-	-	-	-	-	-	-	-	-	-	2	-	-
St. Paul's Union Workhouse, Wood } St. Paul's - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul's Green North 2H - E.	51,514	42	8	-	4	-	-	-	-	-	-	-	-	-	-	-	2	-
St. Paul's Green South - - E.	33,472	28	5	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Paul's Green East 2W,H,L - E.	44,694	19	19	3	8	-	-	-	-	-	-	-	-	-	1	1	14	-
St. Paul's Fields - - - E. & N.	27,969	10	8	3	4	-	-	-	-	-	-	-	-	-	1	2	-	-
St. Paul's New Town W,H - E.	28,718	23	46	8	5	-	1	-	-	2	-	-	-	-	-	3	38	-
St. Paul's Man's Fields - - E.	22,081	12	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Paul's George and St. John 2W E.	49,068	46	16	6	2	-	-	-	-	-	-	-	-	-	1	2	5	-
St. Paul's Bell and Ratcliff W,H,E. & N.	25,568	15	9	3	2	-	1	-	-	-	-	-	-	-	2	3	4	-
St. Paul's House - - - E.	32,369	19	11	4	2	-	-	-	1	-	-	-	-	1	1	2	-	-
St. Paul's Old Town South- } St. Paul's Old Town North- }	63,698	48	12	1	3	-	-	-	-	-	-	-	-	-	-	2	-	-
St. Paul's Old Town North- } St. Paul's W,w - - - }	49,129	27	16	3	5	-	-	-	-	-	1	-	-	-	1	10	-	-
St. Paul's L - - - E.	41,989	21	6	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-
St. Paul's W,w,H - - - E.	68,319	45	37	7	11	-	1	-	1	-	-	-	-	-	1	8	22	-
St. Paul's W,w - - - E.	68,514	45	11	2	3	-	-	-	-	1	-	-	-	1	1	3	3	-

1st September, 1904, the four sub-districts of Shoreditch district were dissolved and formed into three new sub-districts as above.

TABLE 5. (*contd.*) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 5th November, 1904—*continued.*

The DEATHS registered during the Week include																
REGISTRATION SUB-DISTRICTS.	Enu- me- rated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	Deaths of		Deaths from										Inquest Cases
				Infants under 1 Year of Age.	Persons aged 40 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	
SOUTH DISTRICTS.																
Christchurch Southwark W,HL.&S.	11,203	4	3	1	1	-	-	-	-	-	-	-	-	-		
St. Saviour Southwark H - S.	12,056	11	12	3	13	-	-	-	-	-	-	-	-	-		
Kent-road - - - S. & L.	21,904	13	1	1	-	-	-	-	-	-	-	-	-	-		
St. George the Martyr } S. & L.	39,094	21	11	2	2	-	-	-	-	-	-	-	-	3		
West W,2H,L - - }																
Newington North - - S. & L.	49,022	30	18	7	3	-	-	-	-	-	-	-	1	3		
Newington South W - S. & L.	72,841	44	16	3	5	-	-	-	-	-	-	-	-	2		
St. Olave 2W - - - S.	9,817	9	5	1	3	-	-	-	-	-	-	-	-	-		
Bermondsey W - - - S.	82,483	53	20	10	6	-	-	-	-	-	-	-	-	1		
Rotherhithe W,F - - S. & K.	38,460	15	11	2	1	-	2	-	-	-	-	-	-	-		
Waterloo-road 2H - - L. & S.	27,440	30	3	2	1	-	-	-	-	-	-	-	-	-		
Lambeth Church 1st H - L. & S.	18,423	10	16	6	2	-	-	-	-	-	-	-	2	5		
Lambeth Church 2nd 2W - L. & S.	39,818	26	15	2	5	-	-	-	-	-	-	-	-	-		
Kennington 1st H - - S. & L.	53,198	30	16	5	5	-	1	-	-	-	-	-	-	3		
Kennington 2nd H - - S. & L.	42,896	23	7	2	2	-	-	-	-	-	-	-	1	2		
Brixton F - - - L. & S.	84,232	35	20	6	6	-	-	2	1	1	-	-	-	-		
Norwood W,H - - - L.	35,888	23	13	3	6	-	-	-	-	-	-	-	1	-		
East Battersea H - - - S.	72,203	49	19	4	3	-	-	-	-	-	-	-	-	2		
North-west Battersea - - S.	49,656	32	5	1	2	-	-	-	-	-	-	-	-	-		
South-west Battersea W,H - S.	47,048	18	15	4	6	-	-	-	-	-	-	-	1	1		
Clapham 2H - - - S.	51,361	33	9	1	4	-	-	-	-	-	-	-	-	-		
Streatham W,3w,2F,2L - L.	88,019	56	27	3	9	-	1	1	2	-	1	-	-	1		
Springfield 2W,L - - S.	27,959	18	6	1	3	-	-	-	-	-	-	-	-	-		
Southfields H - - - S.	40,444	23	11	4	1	-	1	-	-	-	-	-	1	1		
Putney - - - - S.	24,139	10	4	-	2	-	-	-	-	-	-	-	-	-		
Dulwich - - - L. & S.	13,359	3	2	-	2	-	-	-	-	-	-	-	-	-		
Camberwell South W,w - S. & L.	40,206	24	25	3	13	-	-	-	-	-	-	-	1	-		
Camberwell North W,2L - S. & L.	65,584	18	22	5	1	-	-	-	-	-	-	-	1	3		
St. George - - - L. & S.	47,331	32	7	4	1	-	-	-	-	-	-	-	-	-		
Peckham 2W,w - - S., L. & K.	92,859	46	10	3	2	-	-	-	-	-	-	-	-	-		
Deptford North - - - K.	37,613	28	8	2	2	-	-	-	-	-	-	-	-	1		
Deptford Central F - - K.	45,481	33	10	5	2	-	-	-	-	-	-	-	1	1		
Deptford South - - - K.	34,626	14	5	1	1	-	-	1	-	-	-	-	-	-		
Greenwich West 2H - - K.	23,456	12	4	1	2	-	-	-	-	-	-	-	-	-		
Greenwich East 2W,H - - K.	43,859	35	16	2	8	-	-	-	-	-	-	-	2	3		
Eltham w,H - - - K.	7,226	4	4	1	-	-	1	-	-	-	-	-	-	-		
Lee w,H - - - K.	25,490	11	6	1	4	-	-	-	-	-	-	-	-	-		
Lewisham W,w,F - - K.	58,352	43	17	3	5	-	-	1	1	-	-	-	1	2		
Sydenham H - - - L.	43,653	23	11	2	3	-	2	-	-	1	-	-	-	-		
Charlton F,2H - - - K.	21,134	8	6	-	-	-	-	1	2	-	-	-	-	1		
Woolwich 4H - - - K.	41,625	17	13	4	5	-	1	-	-	-	-	-	1	2		
Plumstead West W - - K.	18,063	7	3	3	-	-	-	-	-	-	-	-	-	-		
Plumstead East 2W,H - - K.	50,264	36	17	3	5	-	-	-	-	-	-	-	1	1		
London County Asy.,Banstead -	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
Manor Asylum, Epsom - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Horton Asylum, Epsom - - -	-	-	4	-	1	-	-	-	-	-	-	-	-	-		
Lon. Co. Asy. Epilep. Colony, Epsom	-	-	-	-	1	-	-	-	-	-	-	-	-	-		
Met. Asy. for Imbeciles, Caterham	-	-	-	-	1	-	-	-	-	-	-	-	-	-		
London County Asy., Cane Hill	-	-	-	-	3	-	-	-	-	-	-	-	-	-		
M.A.B. Hospitals, Dartford -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Met. Asy. for Imbeciles, Darenth	-	-	2	-	-	-	-	-	-	1	-	-	-	-		
London County Asylum, Dartford	-	-	2	-	1	-	-	-	-	-	-	-	-	-		
Heath - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
London County Asylum, Hanwell	-	-	1	-	-	-	-	-	-	-	-	-	-	-		
Central London Sick Asy., Hendon	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
London County Asy., Colney Hatch	-	-	3	-	1	-	-	-	-	-	-	-	-	-		
M.A.B. North-Eastern Hospital -	-	-	2	-	-	-	-	1	-	-	-	-	-	-		
M.A.B. Northern Hospital - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Met. Asy. for Imbeciles, Leavesden	-	-	3	-	1	-	-	-	-	-	-	-	-	-		
London County Asylum, Claybury	-	-	3	-	-	-	-	-	-	-	-	-	-	-		

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSE HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 5th November, 1904.

REGISTRATION SUB-DISTRICTS.	Area in Acres.	Enu-merated Popu-lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include														
					Deaths of		Deaths from												
					Infants, under 1 Year of Age.	Persons aged 15 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
LONDON—OUTER RING	368,580	2,044,973	1328	437	119	149	-	13	6	11	1	7	9	11	31	79			
1 Carshalton W, 2 F, 3 H	12,228	32,997	14	4	-	1	-	-	-	-	-	-	-	-	-	-	1		
2 Epsom, part of* W, W, 2 F, H	10,423	15,548	11	6	-	2	-	3	-	-	-	-	-	-	-	-	-		
1 Godstone, part of* W, F	2,754	2,692	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 Coulsdon	11,069	8,166	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
2 South Croydon W	4,200	49,309	15	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
3 West Croydon 3 W, F, H	2,163	42,888	32	10	1	1	-	-	-	-	-	-	-	-	-	-	-	5	
4 North Croydon H	2,644	41,698	34	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
5 Penze W	770	22,465	13	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
6 Mitcham W	11,689	30,015	20	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
1 Wimbledon F, 3 H	3,221	41,652	25	8	1	3	-	-	-	-	-	-	-	-	-	-	-	-	
2 Kingston W, H	6,224	42,068	22	12	3	4	-	-	-	-	-	-	-	-	-	-	-	-	
3 Surbiton F, H	3,046	15,017	6	4	1	2	-	-	-	-	-	-	3	1	2	-	-	-	
4 Esher, part of* H	5,402	13,100	9	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
6 Hampton H, L	4,564	23,456	13	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
1 Richmond W, H	2,162	28,895	11	8	-	2	-	-	-	-	-	1	-	-	-	-	-	-	
2 Mortlake F	2,747	20,638	14	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
1 Bromptley F, 2 H	4,703	27,354	14	7	-	2	-	1	-	-	-	-	-	-	-	-	-	-	
2 Beckenham H	7,825	28,497	10	7	-	5	-	-	-	-	-	-	-	-	-	-	-	-	
4 Orpington, part of* W	10,113	9,857	5	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
1 Chislehurst 3 H	7,333	16,446	13	6	1	4	-	-	-	-	-	-	-	-	-	-	-	-	
2 Bexley F, H	8,678	21,151	13	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
1 Erith F, H	3,854	25,296	19	11	4	5	-	1	-	-	-	-	-	-	-	-	-	-	
3 Dartford W, F, part of*	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
1 Sunbury W	11,054	18,683	10	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
2 Staines W, H	13,277	15,178	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
1 Hillingdon W, F, H	6,035	13,661	10	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-	
2 Uxbridge	12,757	8,984	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3 Hayes W, F, H	8,066	16,358	13	6	1	1	-	3	-	-	-	-	-	-	-	-	-	-	
1 Isleworth 3 W, 2 F, H	6,859	30,863	24	15	4	7	-	-	-	-	-	-	-	-	-	-	-	-	
2 Twickenham F, H	2,421	20,991	13	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
4 Brentford 2 F, 2 H, L	4,319	48,289	27	11	2	3	-	-	-	-	-	-	-	-	-	-	-	-	
1 Chiswick H	1,249	29,809	20	4	2	2	-	-	-	-	-	1	-	-	-	-	-	-	
2 Acton W, 3 H	6,132	48,914	51	14	4	5	-	-	-	-	-	1	-	-	-	-	-	-	
1 Harrow F, H	13,809	25,523	27	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	
2 Edgware F, 2 H	6,994	4,521	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
4 Willesden W, F, 2 H	4,384	114,811	86	31	7	7	-	-	-	2	-	-	-	-	-	-	-	-	
1 Hendon W, F	8,382	22,450	12	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2 South Mimms 2 F, H	17,755	7,308	2	3	-	3	-	-	-	-	-	1	-	-	-	-	-	-	
1 Barnet W, 3 H	5,324	17,970	3	9	1	6	-	-	-	-	-	-	-	-	-	-	-	-	
2 Finchley F, 2 H	4,688	33,692	11	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-	
1 Hornsey F, H	2,875	72,056	29	10	1	3	-	-	-	3	-	-	-	-	-	-	-	-	
2 Wood Green H	1,625	34,233	16	7	4	-	-	-	-	1	-	-	-	-	-	-	-	-	
4 West Tottenham F	996	48,853	32	11	3	4	-	-	-	-	-	-	-	-	-	-	-	-	
1 East Tottenham F, H	2,017	53,688	32	15	2	5	-	-	-	-	-	-	-	-	-	-	-	-	
2 Edmonton W, W, 2 F	7,491	61,892	61	14	6	3	-	-	-	-	-	-	-	-	-	-	-	-	
4 Enfield 2 W, F, H	12,601	42,738	23	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	
1 Waltham Abbey	11,017	6,549	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
2 Cheshunt F, H	8,479	12,292	3	4	-	2	-	-	1	-	-	-	-	-	-	-	-	-	
1 Hatfield, part of* W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2 Bushey H	9,333	9,173	16	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
1 Watford W, 2 F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
2 Stratford H	1,072	44,827	24	10	1	2	-	1	-	-	-	1	-	-	-	-	-	-	
1 Plaistow F, 2 H	1,249	90,921	75	29	14	3	-	-	2	2	-	-	-	-	-	-	-	-	
2 Canning Town H	1,556	70,718	52	21	10	3	-	-	-	-	-	-	-	-	-	-	-	-	
1 Forest Gate W	806	60,892	32	11	1	5	-	-	-	-	-	-	-	-	-	-	-	-	
2 North East Ham W	1,333	58,676	46	17	8	3	-	3	-	-	-	-	-	-	-	-	-	-	
1 South East Ham 2 F	1,993	37,342	33	6	4	-	-	-	-	1	-	1	-	-	-	-	-	-	
2 Wanstead F	1,679	9,179	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
1 South Leyton 2 W	631	50,467	22	15	2	3	-	-	-	1	-	-	-	-	-	-	-	-	
2 North Leyton W, W, F	1,963	48,445	38	25	6	11	-	-	-	-	-	-	-	-	-	-	-	-	
1 Walthamstow 3 H, L	6,504	108,929	90	18	6	4	-	-	-	-	-	-	-	-	-	-	-	-	
1 Chigwell, part of* 2 F, 4 H	11,778	16,397	4	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	
2 Epping W, F, part of*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1 Romford, part of* W, 2 F	6,556	6,091	1	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
2 Ilford F, L	8,496	41,234	37	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	
1 Barking Town F	3,803	21,547	21	5	1	-	-	1	-	1	-	1	-	-	-	-	-	-	
1 London Fever Hospital Islington.	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
1 S.W. Hospitals, Brixton	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	
1 Middlesex County Asylum, Wandsworth.	-	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
1 N.E. Hospital, Tottenham	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	

The parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes, 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Wydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping- cough.	Fever.
CALCUTTA (including SUBURBS)	847,796	September 24	-	-	-	-	-	-	-	-	-
BOMBAY - -	776,006	October 18	440	620	41·5	3	2	-	-	-	111†
MADRAS - -	509,346	September 30	423	332	33·8	-	1	?	?	?	88
PARIS - - -	2,660,559	October 29	875	748	14·6	2	-	2	2*	3	7
BRUSSELS - -	586,936	" 29	216	128	11·3	-	2	-	1*	-	2
ANTWERP - -	286,695	" 29	133	84	15·2	-	6	-	-	1	-
AMSTERDAM -	548,160	" 22	308	161	15·3	-	4	2	2*	6	1
COPENHAGEN -	423,000	" 29	232	104	12·8	-	1	-	2*	1	-
STOCKHOLM -	309,496	" 22	137	78	13·1	-	-	-	3*	-	2
CHRISTIANIA -	223,649	" 29	117	44	10·2	-	-	-	3*	-	-
ST. PETERSBURG	1,248,122	" 22	757	509	21·3	5	1	14	14*	6	9
MOSCOW - -	1,092,360	" 22	-	536	25·6	-	7	16	12*	2	1
BERLIN - - -	1,964,315	" 15	858	580	15·3	-	4	16	11*	4	4
HAMBURG - -	751,842	" 29	-	181	12·5	-	2	-	7*	1	2
BRESLAU - -	445,679	" 29	-	183	21·4	-	2	-	5*	?	-
MUNICH - - -	520,000	" 29	-	171	17·1	-	-	-	2*	2	2
VIENNA - - -	1,797,992	" 29	853	500	13·6	-	7	2	9*	-	-
PRAGUE - - -	426,402	" 22	182	167	20·2	-	3	-	-	1	1
BUDA-PESTH -	813,399	" 29	399	254	16·3	-	6	10	8*	1	5
TRIESTE - - -	190,166	" 29	100	64	17·4	-	-	1	-	-	-
ROME - - -	505,371	September 17	-	-	-	-	-	-	-	-	-
VENICE - - -	166,288	October 15	74	47	14·7	-	-	-	-	1	1
CAIRO - - -	624,338	July 1	410	469	39·2	2	11	-	3*	?	23
ALEXANDRIA -	349,300	" 1	204	327	48·8	1	52	-	3*	?	6
NEW YORK - -	3,838,024	October 15	2256	1222	16·6	-	6	8	26*	4	26
PHILADELPHIA -	1,408,154	" 8	-	380	14·0	-	-	2	10*	-	5
BOSTON - - -	617,950	" 8	-	188	15·8	-	1	1	1*	-	8

* Including deaths from croup.

† Including 68 deaths from plague in Bombay.

‡ Including 3 deaths from cholera in Bombay, and one in Madras.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 5th November, 1901.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	56·4	44·2	49·5	0·11	BRADFORD - -	55·0	44·0	49·3	0
BRIGHTON - -	56·6	40·9	50·2	0·07	LEEDS - - -	59·0	43·0	50·7	0
PORTSMOUTH - -	56·0	41·0	48·9	0·03	HULL - - -	59·0	40·0	49·1	0
NORWICH - - -	57·6	44·0	49·3	0·09	TYNEMOUTH - -	58·0	42·0	49·8	0
PLYMOUTH - -	60·1	39·9	50·8	0·01					
BRISTOL - - -	57·4	40·0	48·3	0·06	EDINBURGH - -	54·9	38·4	47·4	0
BIRMINGHAM - -	55·4	44·0	47·8	0·06	GLASGOW - - -	56·9	37·0	48·7	0
NOTTINGHAM -	54·9	43·0	48·4	0·06					
LIVERPOOL - -	54·0	43·0	49·3	0·04	DUBLIN { Phoenix Park.	57·3	32·8	49·0	0
MANCHESTER -	53·7	43·8	48·6	0·13	DUBLIN { Fitz- william Square.†	58·0	39·9	51·4	0
PRESTON - - -	54·6	45·3	50·0	0·01					
HUDDERSFIELD -	53·7	43·0	48·1	0·06	BELFAST - - -	56·0	31·8	46·3	0

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0·7° Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D. Dublin.

1904.		MONTH AND DAY		TEMPERATURE.				TEMPERATURE.				TEMPERATURE.				Wind as deduced from Anemometers.				Rain collected in a Gauge whose surface is 6 inches above the Ground.					
Phases of the Moon.	MEER.	Of the Air.		Of the Dew point		Difference between the Air Temperature and Dew Point Temperature.		Degree of the Air's humidity (Saturation (100)).		Of the Earth's Radiation.		Of the Earth's Surface.		Oiler's.		Pressure on the Square Foot.		Robinson's.		Ozone.					
		High-est.	Low-est.	Daily Range.	Mean daily value.	De-Parture from Average of 50 years.	Mean daily value.	Mean daily value.	Greatest.	Least.	Highest in Sun's Rays.	Lowest in the Shade.	A.M.	P.M.	Great-est.	Least.	Mean hourly obs.	Horizontal Movement of the Air above the Ground.	Departure from the Day.						
OCTOBER.				in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°					
SUNDAY - 30	..	28°960	51.3	46.1	52	47.9	+ 0.9	45.0	2.9	6.0	1.7	90	53.0	40.9	53.12	E.	E, ENE. & NE. NE.	lbs. 3.3	lbs. 0.0	0.4	Miles. 336	+ 61	in. 0.00	15	
MONDAY - 31	Last Quarter.	28°973	48.7	46.1	26	47.5	+ 0.7	48.4	1.1	2.1	0.0	96	49.7	44.0	52.86	NE.	NE.	0.5	0.0	0.0	183	- 83	0.10	0.0	
TUESDAY - 1	..	30°136	49.9	45.9	40	48.1	+ 1.4	46.0	2.1	3.6	1.7	93	54.0	42.0	52.63	NE. & NNE.	NE. & NNE.	0.9	0.0	0.0	174	- 103	0.01	0.0	
WEDNESDAY - 2	..	30°311	52.9	46.2	67	49.2	+ 2.7	41.5	7.7	10.0	2.5	75	74.9	44.2	52.58	NE. & NNE.	NE. & NNE.	0.8	0.0	0.0	131	- 146	0.00	0.0	
THURSDAY - 3	..	30°161	56.4	45.5	10.9	50.7	+ 4.4	44.3	6.4	9.3	2.5	79	79.0	42.4	52.47	WSW. & W.	W & WSW.	1.4	0.0	0.1	284	+ 7	0.00	0.0	
FRIDAY - 4	In Equator.	30°068	56.2	44.2	12.0	50.2	+ 4.1	45.5	4.7	8.9	1.8	84	85.6	39.1	52.38	WSW. & W.	W. & WSW.	0.5	0.0	0.0	181	- 97	0.00	0.0	
SATURDAY - 5	Perigee.	28°883	56.1	47.4	8.7	51.4	+ 5.5	41.5	9.9	16.2	3.2	69	79.8	42.0	52.31	WSW. & W.	W. & WSW.	1.0	0.0	0.0	204	- 74	0.00	0.0	
MEANS	-	30°070	53.1	45.9	72	49.3	+ 2.8	44.3	5.0	8.0	1.9	84	68.0	42.1	52.62	NE. & W.	WSW.	Sum 1503	- 435	Sum 0.11	0.2	
No. of Column	-	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea ; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M., noon, 3h. P.M., and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1888 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the minimum and maximum thermometers, forming the mean daily value of the temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1876.

In reading columns 9 and 34 it will be borne in mind that + indicates "higher", and - "lower", than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.

The numbers in column 23 derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer decreased from 30°01 in. at the beginning of the week to 29°94 in. by 4h. A.M. on October 31st; increased to 30°32 in. by 10h. A.M. on November 2nd; decreased to 29°88 in. by 2h. P.M. on November 5th; and was 29°87 in. at midnight on the same day.

Overcast; frequent slight misty rain.

Overcast; frequent misty rain till afternoon; very small range of temperature.

Generally overcast; occasional slight misty rain.

Generally overcast; fine in forenoon.

Overcast till 8h. A.M.; fine but generally cloudy afterwards; mild.

Generally cloudy in morning; fine in forenoon; overcast and very dull afterwards; mild.

Overcast in morning; fine and partially cloudy till evening; overcast at night; very mild.

DATE.		ELECTRICITY.		Registered Sunshine in hour.		Sun above horizon, in hour.		GENERAL REMARKS.	
OCTOBER.									
SUNDAY - 30	w. P. throughout.	0°0	98	98	98	98	98	98	98
MONDAY - 31	w. P. throughout.	0°0	97	97	97	97	97	97	97
NOVEMBER.									
TUESDAY - 1	w. P. throughout.	0°0	96	96	96	96	96	96	96
WEDNESDAY - 2	w. P. till 9h. A.M.; m.P. generally afterwards.	1°1	96	96	96	96	96	96	96
THURSDAY - 3	m. P. till 2h. A.M.; w.P. generally afterwards.	4°2	95	95	95	95	95	95	95
FRIDAY - 4	w. P. generally; m.P. in evening.	2°1	94	94	94	94	94	94	94
SATURDAY - 5	w. P. till 9h. A.M.; m.P. afterwards.	2°4	94	94	94	94	94	94	94
No. of Col.	-	28	29	29	29	29	29	29	29

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 29th October, 1904.*

BOROUGHs,	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Chicken-pox.
WEST.											
Paddington- - - -	146,975	-	8	3	-	2	-	-	2	1	10
Kensington - - - -	179,236	-	6	1	-	3	1	-	5	-	8
Hammersmith - - -	117,412	-	9	8	-	-	-	-	4	-	3
Fulham - - - - -	152,482	-	12	14	-	-	-	-	6	1	10
Chelsea - - - - -	74,329	-	1	6	-	-	-	-	-	-	-
City of Westminster-	177,321	-	12	6	-	1	-	-	2	-	6
NORTH.											
St. Marylebone - - -	130,337	-	2	7	-	2	-	-	5	-	8
Hampstead - - - -	86,663	-	1	3	-	-	-	-	-	-	10
St. Pancras - - - -	235,936	-	12	4	-	2	-	-	11	-	5
Islington - - - - -	341,044	-	23	5	-	3	-	-	18	2	31
Stoke Newington - -	52,445	-	2	2	-	-	-	-	2	-	-
Hackney - - - - -	226,266	-	21	9	-	4	-	-	7	2	16
CENTRAL.											
Holborn - - - - -	57,161	-	3	2	-	1	-	-	2	-	-
Finsbury - - - - -	98,958	-	11	1	-	2	-	-	2	-	1
City of London - - -	23,482	-	1	1	-	1	-	-	-	-	-
EAST.											
Shoreditch - - - -	117,033	-	8	8	-	4	-	-	4	-	4
Bethnal Green - - -	130,207	-	10	13	-	2	-	-	9	-	15
Stepney - - - - -	303,791	-	27	13	-	10	-	-	13	-	19
Poplar - - - - -	169,905	-	14	7	-	5	-	-	4	1	17
SOUTH.											
Southwark - - - - -	207,937	-	4	5	-	2	-	-	23	-	6
Bermondsey - - - -	129,397	-	14	3	-	1	-	-	2	-	14
Lambeth - - - - -	310,359	-	14	7	-	1	-	-	13	1	17
Battersea - - - - -	175,465	-	20	2	-	1	-	-	5	-	10
Wandsworth - - - -	257,448	-	27	4	-	1	-	-	3	-	30
Camberwell - - - -	268,384	-	39	7	-	2	-	-	9	1	13
Deptford - - - - -	113,509	-	20	1	-	1	-	-	3	-	21
Greenwich - - - - -	101,651	-	10	1	-	-	-	-	5	-	11
Lewisham - - - - -	140,401	-	6	2	-	-	-	-	1	1	9
Woolwich - - - - -	123,416	-	5	3	-	-	-	-	7	-	27
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.											
} 4,648,950		-	342	148	-	51	1	-	168	10	321
Ages											
0-1 - - - - -	-	-	4	2	-	-	-	-	4	-	38
" 1-5 - - - - -	-	-	98	46	-	3	-	-	4	-	134
" 5- - - - -	-	-	149	49	-	5	-	-	8	-	126
" 10- - - - -	-	-	54	11	-	6	-	-	11	-	19
" 15- - - - -	-	-	16	5	-	9	-	-	11	1	2
" 20- - - - -	-	-	11	11	-	9	-	-	15	2	-
" 25- - - - -	-	-	9	17	-	7	1	-	22	6	2
" 35- - - - -	-	-	1	3	-	10	-	-	33	1	-
" 45- - - - -	-	-	-	3	-	2	-	-	26	-	-
" 55- - - - -	-	-	-	1	-	-	-	-	21	-	-
" 65 and upwards -	-	-	-	-	-	-	-	-	13	-	-
Age not stated - -	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 24-40, BACON STREET, E.

1904.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 45. 1904. VOL. LXV.] WEEK ENDED SATURDAY, NOV. 12. [Price 1½d.

*General Register Office, Somerset House,
November 14th, 1904.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 15·7 per 1000 of their aggregate population, which is estimated† at 15,271,287 persons in the middle of this year. In the preceding three weeks the rates had been 15·9, 15·0, and 14·9. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 21·0 in Grimsby, 21·8 in St. Helens, 22·4 in Wigan, 22·7 in Middlesbrough, 23·2 in Hull, 24·2 in Halifax, and 25·7 in South Shields; from *measles*, 1·8 in Liverpool, 2·0 in Tynemouth, 3·1 in Burnley, 3·2 in Plymouth, 3·7 in Ipswich, 3·9 in Grimsby, and 6·0 in Stockton on Tees; from *diphtheria*, 1·1 in Portsmouth and 1·6 in Hanley; from "*fever*," 1·3 in York, 1·5 in Halifax, and 1·6 in Grimsby; and from *diarrhoea*, 1·6 in Blackburn and in Middlesbrough. One death from *small-pox* was registered in Leeds, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2476 BIRTHS and 1357 DEATHS were registered. Allowing for increase of population, the births were 210 and the deaths 249 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 16·6, 14·7, and 14·9 in the preceding three weeks, rose last week to 15·2. During the four weeks ended on Saturday last the death-rate averaged 15·4 per 1000, being 2·0 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1357 deaths included 15 from measles, 9 from scarlet fever, 13 from diphtheria, 4 from whooping-cough, 11 from enteric fever, and 27 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 79 deaths were referred to these diseases in the aggregate, being 83 below the corrected average weekly number.

The deaths from *measles*, which had been 26, 20, and 14 in the preceding three weeks, were 15 last week, and were 27 below the corrected average; 6 deaths belonged to the Borough of Bermondsey. The deaths from *scarlet fever*, which had been 6, 8, and 13 in the preceding three weeks, fell last week to 9, and were 5 below the corrected average. The deaths from *diphtheria*, which had been 13, 12, and 15 in the preceding three weeks, were 13 last week, and were 30 below the corrected average. The deaths from *whooping-cough*, which had been 11, 7, and 4 in the preceding three weeks, were again 4 last week, and were 10 below the corrected average. The fatal cases of *enteric fever*, which had been 11, 7, and 6 in the preceding three weeks, rose last week to 11, but were 13 below the corrected average; 3 deaths belonged to Stepney. The deaths from *diarrhoea*, which had been 45, 25, and 22 in the preceding three weeks, rose last week to 27, and were 3 above the corrected average; 4 deaths belonged to Stepney, 3 to Fulham, and 3 to Lambeth. Of the 27 deaths from diarrhoea, 17 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of another death at this age. The deaths attributed directly to *influenza* numbered 24, having been 16, 29, and 25 in the preceding three weeks.

Different forms of *violence* caused 46 deaths, concerning all but 1 of which inquests were held. Of these 46 deaths, 6 were cases of suicide, while the remaining 40 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, 1 to a conflagration, 6 to burns and scalds, 5 to drowning, 2 to the effects of anæsthetics administered for surgical purposes, and 8 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1 case of small-pox, 2843 cases of scarlet fever, 947 of diphtheria, and 224 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of scarlet fever, 294 cases, against 389, 305, and 294; of diphtheria, 119 cases, against 149, 129, and 154; and of enteric fever, 26 cases, against 17, 27, and 35. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended November 5th.

GREATER LONDON.

In Greater London 3770 births and 1895 deaths were registered. Allowing for increase of population these numbers are 187 and 285 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 5 deaths from measles, 2 from scarlet fever, 5 from diphtheria, 1 from whooping-cough, 1 from "fever," and 6 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·74 inches, and that of the Thermometer 48°·8, the latter being 4°·7 above the week's average in the 50 years 1841-90. The general direction of the wind was variable, the horizontal movement of the air being 47 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 11·7 hours; the measured rainfall amounted to 1·4 inches.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS	COLS.	POPULATION estimated in the middle of the Year 1904.*	Week ended during the 12th Nov., 1904.				6.	7.	8.	Deaths from Causes of Death.											TOWNS.		
			Week ended			9.				10.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.					
			22nd Oct., 1904.	3rd Nov., 1904.	12th Nov., 1904.																		
																			BIRTHS.	DEATHS.		Infants under 1 Year of Age.	Petersons aged 60 Years and upwards.
76 TOWNS		15,271,287	15'9	15'0	14'9	15'7	1'3	8260	4606	1114	1173	1	127	34	59	27	55	77	155	338	1094	62	76 TOWNS.
LONDON -		4,848,950	16'6	14'7	14'9	15'2	0'9	2476	1357	306	383	-	15	9	13	4	11	27	46	119	485	5	LONDON.
(CROYDON -		144,419	8'7	13'7	5'8	15'2	0'7	72	42	13	12	-	-	-	-	-	-	-	1	5	8	-	(CROYDON.
WILLESDEN -		132,566	8'3	9'4	12'6	10'2	0'4	105	26	6	8	-	-	-	-	-	-	1	2	8	-	WILLESDEN.	
HORNSEY -		81,221	7'1	6'4	6'4	8'3	-	28	13	1	5	-	-	-	-	-	-	-	2	4	-	-	HORNSEY.
TOTTENHAM -		112,981	11'1	16'6	12'5	13'8	2'3	68	30	8	7	-	3	-	-	-	2	2	4	6	-	-	TOTTENHAM.
WEST HAM -		283,424	15'4	14'8	15'0	14'8	1'1	160	82	27	12	-	1	1	-	-	2	4	8	15	-	-	WEST HAM.
EAST HAM -		116,902	13'4	12'0	10'7	13'4	0'4	81	30	11	8	-	-	-	-	-	-	1	2	5	1	-	EAST HAM.
LEYTON -		110,844	11'3	8'9	11'8	9'9	0'5	67	21	7	6	-	-	-	-	-	-	1	2	3	3	-	LEYTON.
(WALTHAMSTOW -		111,282	11'7	9'8	7'0	12'7	0'5	81	27	12	6	-	-	-	1	-	-	2	5	5	5	-	(WALTHAMSTOW.
HASTINGS -		66,503	12'5	15'7	11'0	12'5	-	29	16	2	7	-	-	-	-	-	-	1	2	1	-	-	HASTINGS.
BRIGHTON -		126,286	14'5	16'1	16'1	11'1	0'4	54	27	3	9	-	-	-	-	-	1	-	2	7	-	-	BRIGHTON.
PORTSMOUTH† -		138,038	16'3	13'4	16'1	17'1	1'6	112	65	8	22	-	-	4	-	1	-	-	3	13	1	-	PORTSMOUTH†
BOURNEMOUTH -		64,645	10'5	13'7	11'3	14'5	-	14	18	3	7	-	-	-	-	-	-	-	-	3	-	-	BOURNEMOUTH.
SOUTHAMPTON -		112,500	9'7	9'3	10'2	15'3	0'5	64	33	7	12	-	-	-	-	-	1	1	3	9	-	-	SOUTHAMPTON.
READING -		76,373	8'9	9'6	9'6	13'0	0'7	41	19	6	2	-	-	-	1	-	-	1	1	5	-	-	READING.
NORTHAMPTON -		91,146	10'9	13'7	13'2	14'9	1'7	44	26	7	6	-	-	2	-	-	1	1	1	4	-	-	NORTHAMPTON.
IPSWICH -		69,805	11'2	17'2	10'5	14'9	3'7	40	20	11	5	-	5	-	-	-	-	1	2	1	-	-	IPSWICH.
GREAT YARMOUTH -		52,089	17'0	19'0	13'0	15'0	1'0	34	15	1	3	-	1	-	-	-	-	1	2	3	-	-	GREAT YARMOUTH.
NORWICH -		115,638	9'9	11'7	14'4	16'2	-	56	36	5	17	-	-	-	-	-	-	3	4	4	-	-	NORWICH.
PLYMOUTH -		114,003	11'0	17'4	17'4	16'5	4'6	57	36	7	10	-	7	1	1	-	1	-	4	3	-	-	PLYMOUTH.
DEVONPORT -		76,334	11'1	12'5	11'1	14'5	-	42	21	3	10	-	-	-	-	-	-	-	4	1	-	-	DEVONPORT.
BRISTOL† -		348,204	14'3	13'2	14'9	15'0	1'1	165	99	25	30	-	1	-	2	2	1	1	5	9	29	-	BRISTOL†
HANLEY -		63,932	23'7	19'6	13'0	17'1	1'6	32	21	6	3	-	-	-	2	-	-	-	1	1	2	-	HANLEY.
BURTON-ON-TRENT -		51,934	14'1	8'0	11'0	5'0	-	35	5	4	1	-	-	-	-	-	-	-	-	1	-	-	BURTON-ON-TRENT.
WOLVERHAMPTON -		98,194	11'2	10'1	14'3	11'7	-	58	22	6	7	-	-	-	-	-	-	-	-	1	9	-	WOLVERHAMPTON.
WALSALL -		91,432	17'7	17'1	16'0	13'1	1'7	52	23	4	8	-	-	-	1	-	-	2	3	3	-	-	WALSALL.
HANDSWORTH -		59,634	8'7	16'5	15'7	13'1	-	23	15	5	6	-	-	-	-	-	-	-	-	3	-	-	HANDSWORTH.
WEST BROMWICH -		67,186	14'7	8'5	20'2	12'4	-	43	16	4	4	-	-	-	-	-	-	-	2	2	4	1	WEST BROMWICH.

† These towns are included within the area of Greater London. The recent extension of these towns will not be taken into account in the Weekly Returns until next year.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES during the week ended Saturday, 12th November, 1904, and DEATH-RATES during the preceding three weeks.

TOWNS	Cols.	POPULATION estimated to the middle of 1904.	DEATH RATES from all Causes.				Ratio from Diseases in 1904.		Registered during the week ended 12th Nov., 1904.		The DEATHS registered in the Week include										TOWNS.				
			Week ended				11-17.		Deaths of Persons aged 60 Years and upwards.	Deaths in Public Institutions.	Unidentified Causes of Death.	Deaths from													
			22nd Oct., 1904.	29th Oct., 1904.	3rd Nov., 1904.	12th Nov., 1904.	Deaths.	Infants under 1 Year of Age.				Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.						
																				7.		8.			
BIRMINGHAM	-	537,965	18.7	15.9	17.3	17.0	1.6	307	175	54	46	-	4	-	5	1	4	2	4	8	12	45	6	BIRMINGHAM.	
KINGS NORTON	-	60,367	9.4	8.6	10.2	10.2	0.8	25	13	2	8	-	-	1	1	-	-	-	-	-	-	-	-	-	KINGS NORTON.
SMETHWICK	-	60,681	8.6	11.2	9.5	13.7	0.9	47	16	3	4	-	-	-	-	-	-	1	1	2	1	2	-	-	SMETHWICK.
ASTON MANOR	-	80,363	13.6	13.0	15.6	8.4	-	46	13	5	3	-	-	-	-	-	-	-	-	-	1	1	1	1	ASTON MANOR.
COVENTRY	-	73,904	9.9	10.6	13.4	12.7	-	31	18	3	2	-	-	-	-	-	-	-	-	1	1	3	-	1	COVENTRY.
LEICESTER	-	224,186	14.0	14.7	13.3	12.3	1.2	128	53	8	13	-	4	-	-	-	1	-	2	3	10	1	1	1	LEICESTER.
GRIMSEY	-	68,958	16.4	20.2	18.7	21.0	6.2	40	27	7	5	-	5	-	-	1	2	-	-	-	2	1	2	1	GRIMSEY.
NOTTINGHAM	-	243,811	14.9	15.9	14.3	12.4	1.7	118	59	15	14	-	2	-	1	1	3	3	3	12	1	12	1	1	NOTTINGHAM.
DERBY	-	120,449	13.0	9.1	14.7	10.4	1.7	58	24	10	5	-	-	-	1	1	2	-	-	-	3	3	-	-	DERBY.
STOCKPORT	-	97,008	20.4	11.8	16.1	16.1	0.5	39	30	8	4	-	1	-	-	-	-	-	1	2	6	-	-	-	STOCKPORT.
BIRKENHEAD	-	114,814	18.2	18.2	13.6	17.7	0.5	87	39	12	15	-	-	1	-	-	-	-	2	4	6	-	-	-	BIRKENHEAD.
WALLASEY	-	60,354	11.2	9.5	10.4	9.5	-	36	11	5	2	-	-	-	-	-	-	-	-	-	1	1	1	1	WALLASEY.
LIVERPOOL	-	723,430	22.4	20.3	20.0	20.9	3.3	455	290	85	49	-	25	5	7	1	5	3	7	18	81	11	11	11	LIVERPOOL.
BOOTLE	-	81,755	20.3	18.6	12.7	12.7	1.7	26	15	2	2	-	1	-	-	1	-	-	2	2	5	1	1	1	BOOTLE.
ST. HELENS	-	88,545	11.8	20.6	21.8	21.8	2.4	61	37	10	7	-	2	1	-	-	1	-	1	1	10	3	3	3	ST. HELENS.
WIGAN†	-	62,800	8.3	17.4	12.5	22.4	0.8	39	27	6	6	-	-	-	-	-	1	-	-	2	2	2	2	-	WIGAN.†
WARRINGTON	-	67,331	13.9	16.3	16.3	14.7	-	36	19	5	3	-	-	-	-	-	-	-	-	1	1	2	2	2	WARRINGTON.
BOLTON	-	175,744	17.5	16.6	14.5	14.5	1.2	72	49	7	10	-	-	-	-	-	2	2	3	6	7	7	7	7	BOLTON.
BURY	-	58,450	12.5	9.8	10.7	19.6	0.9	21	22	4	8	-	-	1	-	-	-	-	-	-	3	1	3	1	BURY.
MANCHESTER†	-	557,938	17.3	18.7	15.8	16.3	1.4	302	174	39	39	-	6	1	1	3	3	1	1	10	13	42	5	5	MANCHESTER.†
SALFORD	-	228,983	23.2	18.2	16.9	15.7	1.8	124	69	12	15	-	5	-	1	1	1	1	-	1	20	1	20	1	SALFORD.
OLDHAM	-	136,497	15.0	15.0	16.8	18.3	1.5	72	49	6	11	-	-	-	1	-	1	2	3	4	8	8	8	8	OLDHAM.
ROCHDALE	-	85,601	18.3	20.1	13.4	17.1	1.8	32	28	6	9	-	-	2	-	1	-	1	-	1	2	2	2	2	ROCHDALE.
BURNLEY	-	100,569	23.3	16.8	17.6	20.2	4.1	56	39	12	6	-	6	1	-	-	1	-	1	1	7	1	7	1	BURNLEY.
BLACKBURN	-	132,134	18.5	15.8	17.4	18.5	2.0	34	47	18	13	-	-	-	-	-	1	4	-	1	5	1	5	1	BLACKBURN.
PRESTON	-	115,055	19.5	18.1	15.4	20.8	1.8	48	46	16	14	-	1	-	-	-	1	-	1	2	5	5	2	2	PRESTON.
BARROW-IN-FURNESS	-	59,654	14.0	7.0	7.0	6.1	-	31	7	-	3	-	-	-	-	-	-	-	-	-	1	1	1	1	BARROW-IN-FURNESS.

TOWNS.	POPULATION estimated middle of the Year 1904.*	Causes.				Diseases during the Week ended 15th Nov., 1904.		Deaths of		Deaths from								TOWNS.			
		Week ended				Week ended		In 1904.		Persons aged under 1 Year of Age.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
		22nd Oct., 1904.	29th Oct., 1904.	5th Nov., 1904.	12th Nov., 1904.	Week ended Nov., 1904.	Week ended Nov., 1904.	Under 1 Year of Age.	10 and upwards.												
		7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.				
HUDDESFIELD.	84,925	16'5	12'1	14'3	17'6	1'1	53	3	9	-	-	1	-	-	1	1	2	3	2	2	HUDDESFIELD.
ALIFAX.	107,580	15'0	15'0	11'6	24'2	2'9	48	12	10	-	1	1	-	-	3	1	2	10	1	1	HALIFAX.
BRADFORD.	285,089	13'9	13'5	15'2	15'4	1'1	127	11	24	-	-	-	3	-	-	5	8	17	2	2	BRADFORD.
LEEDS.	450,142	14'5	16'2	14'8	17'3	0'9	225	39	29	1	1	-	2	-	2	2	5	12	30	-	LEEDS.
SHEFFIELD.	432,940	15'2	13'0	14'3	13'7	1'4	266	114	30	1	2	3	2	1	2	2	4	27	-	-	SHEFFIELD.
ROTHERHAM.	58,498	8'9	13'4	20'5	16'0	0'9	36	18	9	3	-	-	-	-	-	-	-	-	1	1	ROTHERHAM.
YORK.	81,268	16'7	16'0	14'8	12'2	2'6	28	19	3	5	-	2	-	-	-	2	1	4	-	-	YORK.
HULL.	253,865	19'7	17'7	17'0	23'2	3'5	128	113	22	22	7	-	1	4	3	2	3	19	2	2	HULL.
MIDDLESBROUGH.	96,684	20'0	15'6	21'6	22'7	4'3	72	42	9	6	3	-	1	-	3	1	3	6	-	-	MIDDLESBROUGH.
STOCKTON-ON-TEES.	52,192	12'0	14'0	22'0	19'0	8'0	25	19	7	-	6	1	1	-	-	-	1	-	-	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL.	69,251	18'1	15'8	11'3	12'0	0'8	41	16	5	6	-	-	1	-	-	-	-	2	-	-	WEST HARTLEPOOL.
SUNDERLAND.	151,157	19'3	20'7	18'3	20'7	1'9	95	60	14	17	-	-	-	1	-	1	2	3	11	2	SUNDERLAND.
SOUTH SHIELDS.	107,334	18'0	15'1	23'8	25'7	1'9	65	53	13	12	2	-	-	1	-	3	3	6	3	3	SOUTH SHIELDS.
GATESHEAD.	118,067	15'5	17'2	11'5	14'6	0'4	79	33	8	13	-	-	-	-	-	1	3	5	1	1	GATESHEAD.
NEWCASTLE-ON-TYNE.†	225,362	19'4	17'8	15'5	17'8	0'5	142	77	13	16	1	1	-	-	-	-	7	16	-	-	NEWCASTLE-ON-TYNE.†
TYNEMOUTH.	53,060	22'6	18'7	21'6	20'6	2'0	24	21	7	4	2	-	-	-	-	-	1	1	-	-	TYNEMOUTH.
NEWPORT (MON.).	71,543	11'7	7'3	14'6	10'9	0'7	30	15	3	4	-	-	-	1	-	-	1	2	-	-	NEWPORT (MON.).
CARDIFF.	176,313	8'9	11'8	12'7	12'1	1'2	89	41	9	11	2	1	1	-	-	-	3	7	-	-	CARDIFF.
RHONDDA.	122,310	14'9	11'1	12'8	15'8	0'9	81	37	15	3	1	-	-	-	-	1	2	-	-	-	RHONDDA.
MERTHYR TYDFIL.	72,745	13'6	21'5	7'9	17'9	0'7	54	25	7	6	-	-	-	-	-	-	1	1	1	-	MERTHYR TYDFIL.
SWANSEA.	95,931	18'5	10'9	12'0	16'8	1'1	58	31	7	11	-	-	-	-	-	-	1	4	-	-	SWANSEA.
GREATER LONDON.	6,907,756	14'9	13'7	13'7	14'3	0'9	3770	1895	441	525	-	12	20	5	15	40	68	172	574	7	GREATER LONDON.
OUTER RING.	2,258,806	11'4	11'6	11'2	12'4	0'9	1294	538	135	142	-	3	7	1	4	13	22	53	89	2	OUTER RING.
8 TOWNS IN OUTER RING.	1,098,639	11'6	12'2	11'0	12'9	0'8	662	271	85	64	-	1	2	-	3	7	13	31	46	-	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,160,167	11'2	11'0	11'5	12'0	0'9	632	267	50	78	-	2	5	1	1	6	9	22	43	2	REMAINDER OF OUTER RING.
EDINBURGH.	331,977	15'7	16'8	15'7	17'3	1'4	137	110	25	29	-	-	1	4	-	4	7	?	24	7	EDINBURGH.
GLASGOW.	798,357	16'9	16'1	18'5	19'7	2'6	435	302	93	52	-	1	1	14	-	18	9	?	62	9	GLASGOW.
DUBLIN.†	378,894	24'9	20'6	21'5	20'2	1'7	203	147	25	45	-	1	-	-	-	4	5	9	47	7	DUBLIN.†
BELFAST.†	358,880	17'7	18'2	17'2	18'6	3'1	215	138	40	21	-	1	-	1	4	3	-	-	16	?	BELFAST.†

* See note † on first page of this return.

† The recent extension of the City of Newcastle-on-Tyne will not be taken into account in the Weekly Returns until next year.

TABLE 2. LONDON.—Births and Deaths Registered in the FORTY-FIFTH Week of each of the Eleven Years, 1894-1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894-1903.*	1904
TOTAL Births -	2657	2525	2736	2507	2696	2711	2500	2437	2657	2466	2685.6	2476
Males - -	1367	1314	1384	1221	1348	1380	1257	1257	1344	1278	1364.0	1248
Females - -	1290	1211	1352	1286	1348	1331	1243	1180	1313	1188	1321.6	1228
TOTAL Deaths -	1249	1790	1713	1660	1405	1506	1498	1688	1501	1476	1606.2	1357
Males - -	618	910	847	861	763	784	742	899	782	768	830.7	699
Females - -	601	880	866	799	637	722	756	789	719	708	775.5	658

* The numbers in this column are the average weekly numbers in the forty-fifth week of the ten years 1894-1903, raised by 3.723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Aug. 20.	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	13 Weeks
TOTAL Births -	2525	2575	2160	2504	2514	2272	2537	2470	2491	2442	2585	2581	2476	32132
TOTAL Deaths -	1923	1682	1459	1354	1360	1223	1279	1243	1270	1476	1311	1330	1357	18267
Under 1 year -	917	739	544	448	401	306	311	287	267	292	289	288	306	5395
1-5 years -	245	181	135	124	116	112	118	102	121	131	122	121	137	1765
5-20 " -	51	71	60	59	62	76	53	56	74	87	55	78	75	857
20-40 " -	158	166	149	148	180	159	177	187	168	212	173	170	175	2222
40-60 " -	264	204	228	266	255	285	282	271	232	279	286	286	281	3419
60 yrs. & upwds.	288	321	343	309	346	335	338	340	338	475	386	387	383	4609
Deaths from—														
Small-pox† -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - -	42	30	15	8	8	6	17	14	15	26	20	14	15	230
Scarlet Fever -	4	9	6	2	14	3	9	4	11	6	8	13	9	98
Diphtheria - -	9	19	8	20	9	19	16	20	17	13	12	15	13	190
Whooping-cough -	17	20	25	16	16	5	9	7	5	11	7	4	4	146
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	6	4	12	8	9	13	10	9	15	11	7	6	11	121
Pyrexia (origin uncertain) -	-	-	-	-	-	-	2	-	-	1	-	-	-	3
Diarrhoea, Dysentery	705	483	338	253	189	108	84	52	49	45	25	22	27	2385
All above Diseases -	783	565	404	312	245	154	147	106	112	113	79	74	79	3173
Dis. of Resp. System	40	35	49	61	59	72	85	85	94	127	145	158	171	1181
Pneumonia - -	66	66	59	68	82	97	82	81	100	124	144	127	153	1249
Phthisis - -	133	127	105	122	141	142	152	150	142	174	144	159	140	1831
Dis. of Circ. System -	137	147	161	160	156	150	152	157	179	197	182	169	169	2116
Violence - -	56	46	47	40	46	45	49	51	41	53	47	52	46	619
Inquest Cases - -	145	115	118	124	104	110	125	139	125	123	136	137	119	1620
Deaths in Institutions	506	517	496	491	529	475	494	492	479	588	489	475	485	6516
TEMPERATURE OF THE AIR.														
Mean - -	59.5	57.6	61.0	57.0	56.4	53.6	52.1	50.3	47.8	54.9	49.9	49.3	48.8	53.7
Mean of Highest -	69.6	68.7	71.2	67.0	66.2	61.3	63.2	58.0	56.3	61.3	56.1	53.1	54.3	62.0
Mean of Lowest -	51.6	48.9	51.8	48.6	47.9	46.1	42.5	43.3	38.7	48.7	43.1	45.9	43.3	46.2
Mean Humidity of the Air.	75	76	75	77	81	70	87	81	85	89	84	84	83	81
Rain-fall (in inches) -	0.47	0.22	1.01	0.36	0.24	0.20	0.14	0.86	0.02	0.43	0.20	0.11	1.40	5.66
Registered Sunshine (in hours).	38.7	40.6	39.0	41.3	37.1	52.7	28.1	17.5	25.0	10.0	22.9	9.8	11.7	374.4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	18	13	9	8	5	5	3	2	1	1	1	1	1	5
Scarlet Fever -	1745	1781	1820	1816	1929	1969	2158	2341	2516	2687	2725	2782	2843	2239
Diphtheria - -	795	813	825	814	832	833	878	892	931	950	947	979	947	880
Typhus - -	-	-	-	1	1	1	1	-	-	-	-	-	-	0
Enteric Fever -	89	121	135	158	187	204	237	239	242	229	225	230	224	194

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-FIFTH Week of the Year 1904.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.		Deaths in the 45th week of the year 1903.	1904—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 45th week of the year 1903.	1904—Deaths of Persons of the Ages						
			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
				0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
CAUSES	- - -	1476	1357	306	137	75	175	281	383	Meningitis (not tuberc.)	18	7	4	3	-	-	-	
										Insanity, Gen. Par. of } Insane -	16	15	-	-	-	3	8	
										Epilepsy -	4	4	-	-	-	-	3	
										Convulsions -	19	23	19	4	-	-	-	
										Locomotor Ataxy -	2	2	-	-	-	2	-	
										Paraplegia, Dis. of Cord	5	6	-	-	1	-	1	
										Nervous Sys. (other dis.)	19	17	-	1	1	1	9	
										Valv. Dis., Endocarditis-	54	47	-	-	7	6	14	
										Cerebr. Hæm. Thromb.-	34	25	-	-	-	3	5	
										Apoplexy, Hemiplegia -	16	15	-	-	-	1	2	
										Aneurysm -	4	4	-	-	-	1	2	
										Embolism, Thrombosis } (not cerebral) -	3	1	-	-	-	1	-	
										Heart & Blood Vessel Dis.	80	77	-	2	5	4	23	
										Croup (not Spasm: nor Memb.) -	-	1	-	1	-	-	-	
										Bronchitis -	156	148	52	12	1	5	12	
										Asthma, Emphysema -	5	7	-	-	-	-	6	
										Pleurisy -	6	4	-	-	-	1	3	
										Respiratory Dis. (other)	16	13	8	1	-	1	2	
										Tonsillitis, Quinsy -	1	1	-	1	-	-	-	
										Enteritis (not Epid.) -	10	6	2	1	-	-	2	
										Gastro-Enteritis -	5	1	1	-	-	-	-	
										Peritonitis (not Puerp.) -	2	5	-	-	-	3	1	
										Cirrhosis of Liver -	12	6	-	-	-	3	2	
										Liver Dis. (other) -	8	7	-	-	-	2	1	
										Digestive Dis., Other -	30	35	4	2	3	5	9	
										Nephritis, Acute -	3	15	-	-	1	3	8	
										Bright's Dis., Albuminuria -	36	29	-	-	-	6	10	
										Urinary Sys., Other Dis.	7	4	-	-	-	-	1	
										Generative Organs Dis.-	6	2	-	-	-	1	-	
										Childbirth (Accid. of) -	2	2	-	-	-	2	-	
										Old Age -	47	49	-	-	-	-	49	
										Other Diseases -	95	94	62	10	5	4	6	
ACCIDENT.																		
										By Railways -	1	-	-	-	-	-	-	
										By Vehicles and Horses-	2	6	-	-	2	1	2	
										In Ships, Boats, Docks, } (exclusive of Drown- ing)	1	-	-	-	-	-	-	
										In Building Operations -	1	-	-	-	-	-	-	
										In Conflagrations -	-	1	-	-	1	-	-	
										By Burns, Scalds, Ex- } plosions -	7	6	-	4	-	-	2	
										By Drowning -	6	5	-	-	-	1	4	
										By Suffocation in Bed -	18	8	8	-	-	-	-	
										By Poisons or Poisonous } Vapours -	2	2	2	-	-	-	-	
										Other Deaths by Acci- } dent -	12	12	-	-	2	3	5	
VIOLENCE OTHER THAN ACCIDENTAL.																		
										Homicide -	2	-	-	-	-	-	-	
										Suicide -	11	6	-	-	-	2	3	
										Execution -	1	-	-	-	-	-	1	

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 12th November, 1904.

REGISTRATION SUB-DISTRICTS.	Enu- me- rated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include												
				Deaths of		Deaths from										
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.
LONDON - - -	4,536,429	2476	1357	306	383	-	15	9	13	4	-	11	-	27	46	119
WEST DISTRICTS - - -	805,311	376	206	36	64	-	1	2	1	2	-	-	-	5	7	18
NORTH DISTRICTS - - -	1,056,070	511	313	69	87	-	1	1	8	1	-	1	-	1	12	30
CENTRAL DISTRICTS - - -	209,465	140	74	19	17	-	-	-	-	-	-	-	-	3	3	5
EAST DISTRICTS - - -	715,739	473	237	57	56	-	3	-	1	-	-	3	-	7	6	29
SOUTH DISTRICTS - - -	1,749,844	976	489	124	141	-	9	6	3	1	-	5	-	6	18	39
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	38	1	18	-	1	-	-	-	-	2	-	6	-	38
WEST DISTRICTS.																
St. Mary Paddington } G. & W.	93,178	54	21	1	6	-	-	-	-	-	-	-	-	-	-	5
W ^{2H}																
St. John Paddington H - - G.	33,617	5	15	1	7	-	-	-	-	-	-	-	-	-	1	2
North-West Paddington - - C.	17,181	9	4	-	1	-	-	-	-	-	-	-	-	-	-	-
Kensington Town 2W, w ^{2H} G., W. & C.	128,037	49	40	5	17	-	-	-	-	-	-	-	-	-	2	3
Brompton 2H - - - W. & C.	48,591	9	9	1	2	-	-	-	-	-	-	-	-	-	-	20
North Hammersmith W, w ^{2H} } W. & G.	49,192	36	14	6	3	-	-	-	-	-	-	-	-	-	1	1
South Hammersmith w ^{2H} W }	63,047	34	18	4	8	-	1	-	-	-	-	-	-	-	1	3
North-west Fulham W }	45,180	40	17	3	3	-	-	-	-	1	-	-	-	2	1	2
North-east Fulham F }	46,405	38	16	4	1	-	2	1	1	-	-	-	-	1	-	2
South Fulham W }	45,704	30	9	4	3	-	-	-	-	-	-	-	-	-	-	3
Chelsea North W, w ^{2H} - - C.	42,514	24	16	2	7	-	-	-	-	-	-	-	-	-	-	11
Chelsea South W ^{2H} - - C.	31,323	13	5	1	1	-	-	-	-	-	-	-	-	-	1	1
May Fair and Knightsbridge C. & G.	28,743	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-
Belgrave W ^{2H} - - - C.	56,815	10	8	1	1	-	-	-	-	-	-	-	-	1	-	3
St. Margaret & St. John 4H - C.	43,698	16	10	3	2	-	-	-	-	-	-	-	-	1	1	6
St. James Westminster } N. & G.	21,588	2	1	-	1	-	-	-	-	-	-	-	-	-	-	1
W ^{2H}																
St. Anne Soho 5H - - - N.	11,493	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																
All Souls Marylebone 8H - W.	35,391	9	18	1	6	-	-	-	-	-	-	-	-	-	-	1
Rectory Marylebone W G. & W.	19,849	4	2	2	-	-	-	-	-	-	-	-	-	-	1	1
St. Mary Marylebone 4H G. & W.	18,099	34	2	1	1	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone H- W.	39,536	22	6	2	2	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone 3H - W.	20,426	6	4	1	1	-	-	-	-	-	-	-	-	-	-	-
Hampstead W, F, & H - N. & W.	81,942	29	25	6	8	-	-	-	4	-	-	-	-	-	1	1
West St. Pancras 2H - - W.	60,562	25	14	7	2	-	-	-	-	-	-	-	-	-	2	2
Tottenham-court w, & H N. & W.	21,258	9	6	1	1	-	-	-	-	-	-	-	-	-	-	4
Gray's Inn Lane 4H - - N.	34,449	13	10	2	-	-	-	-	-	-	-	-	-	-	-	2
East St. Pancras W ^{2H} - - N.	60,320	32	19	7	4	-	-	-	-	-	-	-	-	1	3	9
North St. Pancras 2W - - N.	58,728	22	24	5	10	-	-	-	-	-	-	-	-	-	1	10
Tufnell W - - - N.	31,995	10	22	1	10	-	-	-	1	-	-	-	-	-	-	1
Upper Holloway 2W, w ^{2H} - N.	33,973	22	23	1	4	-	-	-	-	-	-	-	-	-	3	3
Tollington W - - - N.	33,922	20	8	2	3	-	-	-	-	-	-	1	-	-	1	1
Lower Holloway - - - N.	41,424	29	7	2	1	-	-	-	-	-	-	-	-	-	-	1
Barnsbury - - - N.	54,473	30	7	3	1	-	-	-	-	-	-	-	-	-	1	1
Islington South-east F - - N.	75,397	25	15	6	1	-	-	-	-	-	-	-	-	1	1	2
Highbury 2H - - - N.	63,797	30	17	2	6	-	-	-	-	1	-	-	-	-	1	1
Stoke Newington H - - N.	51,247	17	13	1	6	-	-	-	-	-	-	-	-	-	-	2
North Hackney - - - E. & N.	50,560	18	10	2	4	-	1	-	-	-	-	-	-	-	-	-
Central Hackney 2w, F - E. & N.	50,536	27	20	4	6	-	-	1	3	-	-	-	-	-	-	2
South-west Hackney 3H - E. & N.	50,921	32	13	2	3	-	-	-	-	-	-	-	-	-	-	2
South-east Hackney 2W, w, H E. & N.	58,255	46	23	8	7	-	-	-	-	-	-	-	-	-	1	5

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there; namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G. signifying Grand Junction; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New River. E. East London; and K. the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered each SUB-DISTRICT during the Week ended Saturday, 12th November, 1904—continued.

REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	The DEATHS registered during the Week include																
		Total BIRTHS.	Total DEATHS.	Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Certified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.			
ST. GILES AND BLOOMSBURY W, 2H N.	31,436	15	10	4	3	-	-	-	-	-	-	-	-	-	-	-	4	-
ST. GILES W, 4H - - - N. & C.	21,674	6	13	2	1	-	-	-	-	-	-	-	-	-	-	2	3	11
ST. GILES Union Workhouse, Edmonton -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1
ST. GILES W, 6H - - - N.	29,612	14	15	4	4	-	-	-	-	-	-	-	-	1	1	1	8	-
ST. GILES Clerkenwell - - - N.	28,676	15	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. GILES Clerkenwell H - - - N.	35,028	31	6	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. GILES W, 3H, L - - - N.	36,116	43	7	4	2	-	-	-	-	-	-	-	-	-	1	1	-	-
ST. GILES Union Workhouse, } ST. GILES - - - - - }	-	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	3	-
ST. GILES St. Giles H - - - N. & E.	10,299	13	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. GILES St. Giles Pulchre and Allhallows } ST. GILES - - - - - }	16,624	3	12	2	-	-	-	-	-	-	-	-	-	-	-	-	10	-
ST. GILES of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CENTRAL DISTRICTS.																		
ST. GILES South* H, L - E. & N.	46,362	29	13	3	1	-	-	-	-	-	-	-	-	-	-	2	-	-
ST. GILES North-West* W, 10, H N.	36,127	27	26	4	12	-	-	-	-	-	-	-	-	-	-	2	20	-
ST. GILES North-East* - N. & E.	36,148	15	9	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. GILES Union Workhouse, Wood } ST. GILES - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ST. GILES Green North 2H - E.	51,514	30	18	6	2	-	-	-	-	-	-	-	-	1	1	1	6	-
ST. GILES Green South - - E.	33,472	20	10	4	3	-	2	-	-	-	-	-	-	-	1	1	2	-
ST. GILES Green East 2W, H, L - E.	44,664	31	22	4	5	-	-	-	1	-	-	-	-	1	1	1	13	-
ST. GILES Fields - - - E. & N.	27,969	17	4	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-
ST. GILES End New Town - W, H - E.	28,718	25	25	3	5	-	-	-	-	-	-	1	-	-	1	5	24	-
ST. GILES Man's Fields - - - E.	22,081	13	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
ST. GILES George and St. John 2W E.	49,068	42	15	6	3	-	-	-	-	-	-	-	-	-	-	2	5	-
ST. GILES Well and Ratcliff W, H E. & N.	25,568	13	5	1	-	-	-	-	-	-	-	-	-	1	-	-	2	-
ST. GILES House - - - - E.	32,369	23	9	3	4	-	-	-	-	-	-	1	-	-	1	3	-	-
ST. GILES End Old Town South- } ST. GILES - - - - - }	63,698	47	13	4	4	-	-	-	-	-	-	-	1	-	1	-	-	-
ST. GILES End Old Town North- } ST. GILES W, 10 - - - }	49,129	29	16	4	3	-	-	-	-	-	-	-	-	1	1	2	6	-
ST. GILES L - - - E.	41,989	16	8	3	1	-	-	-	-	-	-	-	-	-	-	1	1	-
ST. GILES W, 10, H - - - E.	68,219	53	33	3	10	-	-	-	-	-	-	1	-	2	-	3	22	-
ST. GILES W, 10 - - - E.	56,514	43	10	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-

On 1st September, 1904, the four sub-districts of Shoreditch district were dissolved and formed into three new sub-districts as above.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-
MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., regis-
tered in each SUB-DISTRICT during the Week ended Saturday, 12th November, 1904—continued.

The DEATHS registered during the Week include																		
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	Deaths of		Deaths from											Inquest Cases	Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhoea.	Violence.			
SOUTH DISTRICTS.																		
Christchurch Southwark W, H, L. & S.	11,263	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Saviour Southwark H - S.	12,056	7	15	4	2	-	-	-	-	-	-	-	-	-	-	2	1	
Kent-road - - - S. & L.	21,904	14	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
St. George the Martyr } S. & L.	39,094	21	16	5	2	-	-	-	-	-	-	-	-	-	1	1	4	
West W, 2H, L - - - }																		
Newington North - - S. & L.	49,022	24	12	9	1	-	-	-	-	-	-	-	-	-	-	1	1	
Newington South W - S. & L.	72,841	50	22	8	7	-	-	-	-	-	-	-	-	-	-	-	3	
St. Olave 2W - - - S.	9,817	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Bermondsey W - - - S.	82,483	51	15	6	3	-	2	-	-	-	-	-	-	-	-	-	1	
Rotherhithe W, F - - S. & K.	38,460	23	24	3	4	-	3	-	-	-	-	-	-	-	-	1	1	
Waterloo-road 2H - - L. & S.	27,440	24	7	3	1	-	-	-	-	-	-	-	-	-	1	-	-	
Lambeth Church 1st H L. & S.	18,423	12	18	3	3	-	-	-	-	-	-	-	1	-	1	3	4	
Lambeth Church 2nd 2W L. & S.	39,818	38	17	5	2	-	-	-	-	-	-	-	-	-	-	-	2	
Kennington 1st H - - S. & L.	53,198	37	16	3	10	-	-	-	-	-	-	-	-	-	-	-	-	
Kennington 2nd H - - S. & L.	42,896	19	13	2	3	-	-	-	-	-	-	-	-	-	-	2	2	
Brixton F - - - L. & S.	84,232	29	13	5	3	-	-	-	-	-	-	1	-	-	-	-	-	
Norwood W, H - - - L.	35,888	14	5	1	1	-	-	-	-	-	-	-	-	-	-	-	1	
East Battersea H - - S.	72,203	45	7	2	2	-	-	-	-	-	-	-	-	-	-	-	1	
North-west Battersea - - S.	49,656	24	11	8	1	-	-	-	-	-	-	-	-	-	-	-	-	
South-west Battersea W, H - S.	47,048	17	18	1	6	-	-	-	-	-	-	-	-	-	-	1	2	
Clapham 2H - - - S.	51,361	31	9	3	1	-	-	-	1	-	-	-	-	-	-	-	-	
Streatham W, 2w, 2F, 2L - L.	88,019	52	22	4	10	-	1	1	-	1	-	-	-	-	-	1	1	
Springfield 2W, L - - S.	27,959	18	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Southfields H - - - S.	40,444	24	13	5	2	-	-	-	-	-	-	-	-	-	-	1	1	
Putney - - - - S.	24,139	1	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	
Dulwich - - - L. & S.	13,359	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Camberwell South W, w S. & L.	40,206	19	34	2	20	-	-	-	-	-	-	-	-	-	-	1	3	
Camberwell North W, 2L S. & L.	65,584	41	20	5	11	-	-	-	-	-	-	-	-	-	-	-	1	
St. George - - - L. & S.	47,331	27	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
Peckham 2W, w - - S., L. & K.	92,859	55	17	7	2	-	-	-	-	-	-	-	-	-	1	-	-	
Deptford North - - - K.	37,613	26	13	3	4	-	-	-	-	-	-	-	-	-	-	-	-	
Deptford Central F - - K.	45,481	21	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Deptford South - - - K.	34,625	16	7	2	2	-	-	-	-	-	-	-	-	-	-	1	3	
Greenwich West 2H - - K.	23,456	15	7	2	4	-	-	-	-	-	-	-	-	-	-	1	1	
Greenwich East 2W, H - K.	43,859	25	25	2	14	-	-	-	-	-	-	-	-	-	-	1	3	
Eltham w, H - - - K.	7,226	8	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
Lee w, H - - - K.	25,490	7	3	2	3	-	-	-	-	-	-	-	-	-	-	-	-	
Lewisham W, w, F - - K.	55,352	40	19	2	3	-	-	3	1	-	-	2	-	-	1	-	-	
Sydenham H - - - L.	43,653	16	5	2	1	-	2	-	-	-	-	-	-	-	-	-	-	
Charlton F, 2H - - - K.	21,134	12	8	-	2	-	1	2	1	-	-	1	-	-	-	-	-	
Woolwich 4H - - - K.	41,625	20	11	6	1	-	-	-	-	-	-	-	-	-	-	-	-	
Plumstead West W - - K.	18,063	6	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Plumstead East 2W, H - K.	50,264	41	12	6	2	-	-	-	-	-	-	-	-	-	-	-	-	
London County Asy., Banstead -	-	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	-	
Manor Asylum, Epsom - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Horton Asylum, Epsom - - -	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Lon. Co. Asy. Epilep. Colony, Epsom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Met. Asy. for Imbeciles, Catterham	-	-	4	-	3	-	-	-	-	-	-	-	-	-	2	-	-	
London County Asy., Cane Hill -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
M.A.B. Hospitals, Dartford - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Met. Asy. for Imbeciles, Darenth -	-	-	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	
London County Asylum, Dartford } Heath	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
London County Asylum, Hanwell -	-	-	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
Central London Sick Asy., Hendon	-	-	3	-	3	-	-	-	-	-	-	-	-	-	1	-	-	
London County Asy., Colney Hatch	-	-	4	-	2	-	-	-	-	-	-	-	-	-	1	-	-	
M.A.B. North-Eastern Hospital -	-	-	3	1	-	-	1	-	-	-	-	1	-	-	-	-	-	
M.A.B. Northern Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Met. Asy. for Imbeciles, Leavesden	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
London County Asylum, Claybury	-	-	4	-	3	-	-	-	-	-	-	-	-	-	1	-	-	

LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ending Saturday, 12th November, 1904.

The DEATHS registered in the Week include																		
REGISTRATION SUB-DISTRICTS	Area in Acres.	Enu- merated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths of		Deaths from											
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
DON—OUTER RING	368,580	2,044,973	1294	538	135	142	-	9	3	7	1	4	13	22	53	89	2	
Marshallton <i>w, 2F, 2H</i>	12,228	32,997	19	3	-	2	-	-	-	-	-	-	-	-	-	1	-	
Widmore, part of * <i>W, w, 2F, H</i>	10,423	15,548	8	5	1	3	-	1	-	-	-	-	-	-	-	-	3	
Woodstone, part of * <i>W, F</i>	2,754	2,692	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Woolston	11,069	8,168	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
South Croydon <i>w</i>	4,200	49,309	22	13	3	7	-	-	-	-	1	-	-	-	-	2	-	
West Croydon <i>3W, F, H</i>	2,168	42,888	26	24	8	4	-	-	-	-	-	-	-	-	-	9	-	
North Croydon <i>H</i>	2,644	41,668	24	7	2	1	-	-	-	-	-	-	-	1	-	1	-	
Wenge <i>w</i>	770	22,465	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Witcham <i>w</i>	11,689	30,015	17	8	1	4	-	-	-	1	-	-	2	-	1	-	-	
Wimbledon <i>F, 3H</i>	3,221	41,652	27	4	-	3	-	-	-	-	-	-	-	-	-	-	-	
Kingston <i>W, H</i>	6,224	42,068	29	12	4	6	-	-	-	-	-	-	1	-	-	8	-	
Wimbledon <i>F, H</i>	3,046	15,017	7	4	-	1	-	-	-	-	-	-	-	-	-	-	-	
Widmore, part of * <i>H</i>	5,402	13,100	9	4	1	3	-	-	-	-	-	-	-	1	2	-	-	
Wimbledon <i>H, L</i>	4,564	23,456	12	5	-	3	-	-	-	-	-	-	-	-	-	1	-	
Widmore <i>W, H</i>	2,162	28,865	10	10	1	5	-	-	-	-	-	-	-	-	1	3	-	
Widmore <i>F</i>	2,847	20,628	12	11	3	2	-	2	-	-	-	-	-	1	2	-	-	
Widmore <i>F, 2H</i>	4,703	27,354	9	12	2	4	-	-	-	-	-	-	-	-	1	2	-	
Widmore <i>H</i>	7,825	28,497	11	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
Widmore, part of * <i>W</i>	10,113	9,857	4	5	-	3	-	-	-	-	-	-	-	-	-	4	-	
Widmore <i>2H</i>	7,333	16,446	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Widmore <i>F, H</i>	8,678	21,151	11	3	1	2	-	-	-	-	-	-	-	-	-	-	-	
Widmore <i>F, H</i>	3,854	25,296	19	5	-	2	-	-	-	-	-	-	-	-	-	-	1	
Widmore <i>W, F, part of *</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Widmore <i>w</i>	11,054	18,683	8	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
Widmore <i>W, H</i>	13,277	15,178	9	4	-	4	-	-	-	-	-	-	-	-	-	-	-	
Widmore <i>W, F, H</i>	6,035	13,661	4	4	1	-	-	-	-	-	-	-	-	-	-	2	-	
Widmore <i>W, F</i>	12,757	8,984	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	
Widmore <i>w, F, H</i>	8,066	16,358	21	7	3	1	-	-	-	-	1	-	-	-	-	-	-	
Widmore <i>3W, 2F, H</i>	6,859	30,863	19	9	-	4	-	-	-	-	-	-	-	-	1	4	-	
Widmore <i>F, H</i>	2,421	20,991	10	6	1	1	-	-	-	-	-	-	-	-	1	-	-	
Widmore <i>2F, 2H, L</i>	4,319	48,289	33	19	4	5	-	-	1	1	-	1	-	-	-	3	-	
Widmore <i>H</i>	1,249	29,809	18	11	2	3	-	-	-	1	-	-	-	-	1	-	-	
Widmore <i>w, 3H</i>	6,132	48,914	35	15	3	1	-	-	-	-	-	-	-	-	-	-	-	
Widmore <i>F, H</i>	13,809	25,523	10	2	-	-	-	-	-	-	-	-	-	1	1	-	-	
Widmore <i>F, 2H</i>	6,994	4,521	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Widmore <i>W, F, 2H</i>	4,384	114,811	105	25	6	8	-	-	-	-	-	-	1	1	2	7	-	
Widmore <i>W, F</i>	8,382	22,460	17	9	2	2	-	-	1	-	-	-	-	1	1	3	-	
Widmore <i>2F, H</i>	17,755	7,308	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Widmore <i>W, 3H</i>	3,324	17,970	16	3	1	-	-	-	-	-	-	-	-	-	-	1	-	
Widmore <i>F, 2H</i>	4,688	33,692	20	3	-	2	-	-	-	-	-	-	-	-	-	-	-	
Widmore <i>F, H</i>	2,875	72,066	28	13	1	5	-	-	-	-	-	-	-	-	-	-	-	
Widmore <i>W, H</i>	1,625	34,233	25	9	1	1	-	-	-	-	-	-	-	-	-	-	-	
Widmore <i>F</i>	996	48,853	32	12	5	3	-	3	-	-	-	-	-	1	2	3	6	
Widmore <i>F, H</i>	2,017	53,688	36	18	2	3	-	-	-	-	-	-	1	2	3	3	-	
Widmore <i>W, w, 2F</i>	7,491	61,892	52	19	7	2	-	-	-	1	-	-	3	-	2	3	-	
Widmore <i>2W, F, H</i>	12,601	42,738	27	11	1	2	-	-	-	-	-	-	-	1	3	1	-	
Widmore <i>W, F</i>	11,017	6,549	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Widmore <i>F, H</i>	8,479	12,292	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Widmore, part of * <i>W</i>	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Widmore <i>H</i>	9,333	9,173	7	5	1	1	-	-	-	-	-	-	-	-	-	-	-	
Widmore <i>W, 2F part of *</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Widmore <i>H</i>	1,072	44,827	25	8	3	-	-	-	-	-	-	-	1	-	2	-	-	
Widmore <i>F, 2H</i>	1,249	90,921	65	24	11	3	-	-	1	-	-	1	-	-	-	3	-	
Widmore <i>H</i>	1,556	70,718	47	25	9	3	-	-	-	-	-	-	1	3	5	-	-	
Widmore <i>w</i>	806	60,892	23	13	3	3	-	1	-	-	-	-	-	1	1	-	-	
Widmore <i>W</i>	1,333	58,676	46	12	3	2	-	-	-	-	-	-	1	-	2	-	-	
Widmore <i>2F</i>	1,993	37,342	35	17	8	5	-	-	-	-	-	-	-	1	1	2	-	
Widmore <i>F</i>	1,679	9,179	1	3	1	-	-	-	-	1	-	-	-	-	1	1	-	
Widmore <i>2W</i>	631	50,467	39	11	4	3	-	-	-	-	-	-	1	-	2	2	16	
Widmore <i>W, w, F</i>	1,963	48,445	28	24	4	5	-	-	-	-	-	-	-	-	2	5	-	
Widmore <i>3H, L</i>	6,504	108,929	84	25	12	8	-	-	-	-	-	-	-	-	-	-	-	
Widmore, part of * <i>2F, 4H</i>	11,778	16,397	5	3	-	2	-	-	-	1	-	-	-	1	1	1	-	
Widmore <i>W, F, part of *</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Widmore, part of * <i>W, 2F</i>	6,556	6,091	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-	
Widmore <i>F, L</i>	8,496	41,234	28	11	3	4	-	-	-	-	-	-	-	-	-	3	-	
Widmore <i>F</i>	3,803	21,547	12	8	3	1	-	2	-	-	-	-	-	-	1	1	-	
Middlesex County Asylum, Wandsworth.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	

Parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring as follows:—30: 2, excepting Ashted parish; 37: 1, Warrington and Farley parishes; 39: 4, excepting Esher; 41: 3, excepting Chelsfield, Oudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.
CALCUTTA (including SUBURBS)	847,796	September 24	-	372	22·8	2	-	-	1	-	131
BOMBAY - -	776,006	October 25	446	621	41·8	2	1	-	-	-	111†
MADRAS - -	509,346	" 7	-	-	-	-	-	-	-	-	-
PARIS - - -	2,660,559	November 5	1105	791	15·4	-	-	2	2*	2	4
BRUSSELS - -	586,936	" 5	197	147	13·0	-	3	-	1*	1	-
ANTWERP - -	286,695	" 5	139	73	13·2	-	-	-	-	-	-
AMSTERDAM -	548,160	October 29	241	141	13·4	-	6	1	-	4	2
COPENHAGEN -	423,600	November 5	230	100	12·3	-	1	2	1*	4	-
STOCKHOLM -	309,196	October 29	129	89	15·0	-	-	-	4*	-	-
CHRISTIANIA -	223,619	November 5	117	59	13·7	-	-	1	1*	-	1
ST. PETERSBURG	1,248,122	October 29	603	501	20·9	2	7	18	22*	4	16
MOSCOW - -	1,092,360	" 29	-	580	27·7	-	5	22	15*	1	3
BERLIN - - -	1,964,315	" 22	899	597	15·7	-	6	13	10*	3	3
HAMBURG - -	751,842	November 5	-	199	13·8	-	3	3	2*	3	-
BRESLAU - -	445,679	" 5	-	197	23·0	-	1	-	-	?	1
MUNICH - - -	520,000	" 5	-	190	19·0	-	-	1	2*	4	-
VIENNA - - -	1,797,992	" 5	897	513	14·7	-	3	-	4*	1	1
PRAGUE - - -	426,402	October 29	190	137	16·5	-	4	-	-	-	-
BUDA-PESTH -	813,399	November 5	384	274	17·5	-	3	4	4*	-	4
TRIESTE - - -	190,166	" 5	105	70	19·0	-	1	-	4*	-	-
ROME - - - -	505,371	September 17	277	144	14·9	-	1	-	-	1	98
VENICE - - -	166,288	October 22	72	51	16·0	-	-	-	-	-	1
		" 29	64	56	17·6	-	-	-	-	-	-
CAIRO - - - -	624,338	July 8	492	498	41·6	1	7	-	7*	?	21
ALEXANDRIA -	349,300	" 8	229	322	48·1	-	23	-	1*	?	7†
NEW YORK - -	3,838,024	October 22	1842	1193	16·2	-	3	7	30*	3	17
PHILADELPHIA -	1,408,154	" 15	-	414	15·3	-	1	2	11*	1	11
BOSTON - - -	617,950	" 15	-	161	13·6	-	-	-	3*	-	7
		" 22	-	192	16·2	-	1	-	4*	1	6

* Including deaths from croup.

† Including 3 deaths from plague in Calcutta, 63 in Bombay, and 5 in Alexandria.

§ Including 4 deaths from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 12th November, 190

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	59·0	36·4	48·8	1·40	BRADFORD - -	56·6	37·4	46·2	1·18
BRIGHTON - -	57·4	39·1	51·1	1·08	LEEDS - - - -	59·0	39·0	47·5	0·80
PORTSMOUTH -	59·5	43·0	51·8	1·21	HULL - - - - -	59·0	35·0	46·4	0·80
NORWICH - - -	?	?	?	?	TYNEMOUTH - -	56·0	33·0	42·5	1·18
PLYMOUTH - -	59·9	40·4	52·4	1·11					
BRISTOL - - -	58·0	40·5	49·5	1·43	EDINBURGH - -	52·1	33·3	41·3	0·80
BIRMINGHAM -	58·5	38·8	47·4	0·80	GLASGOW - - -	54·8	31·2	42·7	1·18
NOTTINGHAM -	59·7	36·2	46·9	0·60					
LIVERPOOL - -	57·0	40·0	48·4	0·84	DUBLIN { Phoenix Park.	57·3	37·4	46·7	0·80
OBSERVATORY. }					Fitz- william Square.†	59·0	39·0	48·8	0·80
MANCHESTER -	55·2	36·7	45·5	2·22					
PRESTON - - -	55·0	38·2	47·5	2·31	BELFAST - - -	56·0	36·5	46·0	1·18
HUDDERSFIELD -	55·8	36·2	44·8	1·50					

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0·25 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1904.

1904.		TEMPERATURE.										TEMPERATURE.										Wind as deduced from Anemometers.										Rain collected in a gauge during the month.
Phases of the Moon.	MEAN.	Of the Air.				Of the Dew point.		Difference between the Air Temperature and Dew Point Temperature.				Degree of the Air Temperature midway (Saturation equals 100).	Of Radiation.		General Direction.		Oster's.		Pressure on the Square Foot.		Robinson's.		Horizontal Movement of the Air on each day.	Vertical Movement of the Air on each day.	Miles.	Miles.	Miles.					
		High-est.	Low-est.	Daily Range.	Mean daily value.	De-ature Average value.	Mean daily value.	Great-est.	Least.	Highest in Sun's Rays.	Lowest in the Grass.		A.M.	P.M.	Great-est.	Least.	Mean of 24 hours.	Horizontal Movement of the Air on each day.	Vertical Movement of the Air on each day.													
NOVEMBER.																																
SUNDAY	6	in.	29.870	53.0	43.4	9.6	48.0	+ 2.5	45.5	0	6.4	0	65.0	37.0	52.29	W. & W.S.W.	W. & W.N.W. & variable.	188	0.0	188	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
MONDAY	7	New	29.444	50.9	42.0	8.9	47.5	+ 2.4	45.2	0	7.5	1.3	59.1	37.3	52.18	Variable & S.W.	SSW. & NNW.	312	0.0	312	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
TUESDAY	8	..	29.716	49.6	40.4	9.2	45.2	+ 0.6	37.0	8.2	10.3	6.0	73	65.2	52.06	N.W. & W.	NNW. & W.	638	0.0	638	0.0	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
WEDNESDAY	9	..	29.403	50.0	49.6	9.4	55.5	+ 11.5	50.8	4.7	12.1	1.4	84	59.3	51.88	W.S.W. & W.	WSW. & W.	155	0.0	867	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
THURSDAY	10	..	29.879	55.4	45.2	10.2	47.1	+ 3.5	42.6	4.5	10.9	0.8	84	63.8	51.62	W. & W.S.W.	W. & W.N.W. & N.N.E.	258	0.0	258	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
FRIDAY	11	Greatest Dec. S.	29.778	58.8	46.3	12.5	52.9	+ 9.7	43.9	6.0	10.5	0.8	80	82.9	51.68	ESE. & SE.	SE, vari-able & W.	46	0.0	360	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
SATURDAY	12	..	30.099	53.4	36.4	17.0	45.4	+ 2.5	39.4	6.0	12.0	0.5	79	70.7	51.53	W. & W.N.W.	W. & W.N.W. & S.W.	12	0.0	257	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
MEANS	-		29.741	54.3	43.3	11.0	46.8	+ 4.7	43.9	4.9	10.0	1.7	83	66.6	51.89	Variable	Variable	Sum 2880	Sum 140	Sum 140	0.7	0.7	0.7	0.7	0.7	0.7		
No. of Column	3		4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31		

GENERAL REMARKS.

DATE.	ELECTRICITY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Horizontal Sunshine in hours.	GENERAL REMARKS.
NOVEMBER.				
SUNDAY - 6	m. P. till 2h. A.M.; w. P. generally till 6h. P.M.; w. P. and w. N. afterwards.	00	93	Generally cloudy till afternoon with slight showers between 8h. and 9h. A.M.; overcast with frequent rain afterwards.
MONDAY - 7	w. P. and w. N. generally.	00	93	Generally overcast; frequent rain; gusty wind after 8h. P.M.
TUESDAY - 8	w. P. till 10h. A.M.; m. P. till 7h. P.M.; w. P. afterwards.	24	92	Very fine generally; till noon; overcast afterwards; brisk wind.
WEDNESDAY - 9	w. P. throughout.	00	92	Generally overcast; frequent rain till 10h. A.M.; strong gusty wind; very mild.
THURSDAY - 10	w. P. generally till 6h. P.M.; w. P. and w. N. afterwards.	06	91	Fine generally till 11h. A.M. with gusty wind and occasional light showers in early morning; overcast afterwards with con- tinuous rain after 5h. 45m. P.M.
FRIDAY - 11	w. N. till 1h. A.M.; w. P. afterwards.	37	91	Overcast till 10h. A.M. with continuous rain till 4h. A.M.; fine generally till 6h. P.M.; generally overcast afterwards; very mild.
SATURDAY - 12	w. P. till 9h. A.M.; m. P. afterwards.	50	90	Generally cloudless; slight fog in morning and at night.
		Sum 117	Sum 642	
No. of Col. -		28	29	

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h, A.M., noon, 3p. M. and 9p. M. The means of the eye-readings of the barometer, the dry bulb thermometer and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean reading of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's hygrometric tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 18 years ending 1876.

In reading columns 9 and 24 it will be borne in mind that + indicates "*higher*," and "*lower*," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are—P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 5th November, 1904.*

BOROUGHs.	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	Chicken-pox.
WEST.											
Paddington- - - -	146,975	-	12	7	-	1	-	-	3	-	2
Kensington - - - -	179,236	-	4	9	-	-	-	-	5	-	5
Hammersmith - - -	117,412	-	8	8	-	-	-	-	2	1	12
Fulham - - - - -	152,482	-	8	5	-	1	-	-	4	-	23
Chelsea - - - - -	74,329	-	5	2	-	-	-	-	1	-	2
City of Westminster-	177,321	-	9	1	-	3	-	-	1	1	9
NORTH.											
St. Marylebone - - -	130,337	-	3	5	-	-	-	-	5	-	8
Hampstead - - - -	86,663	-	4	3	-	-	-	-	1	-	5
St. Pancras - - - -	235,936	-	14	1	-	4	-	-	7	2	7
Islington - - - - -	341,044	-	24	13	-	5	-	-	8	-	20
Stoke Newington - -	52,445	-	10	2	-	-	-	-	-	-	1
Hackney - - - - -	226,266	-	29	14	-	3	-	-	7	1	14
CENTRAL.											
Holborn - - - - -	57,161	-	2	1	-	1	-	-	-	-	1
Finsbury - - - - -	98,958	-	7	7	-	1	-	-	3	-	4
City of London - - -	23,482	-	-	1	-	-	-	-	2	-	-
EAST.											
Shoreditch - - - - -	117,033	-	7	6	-	-	-	-	8	-	3
Bethnal Green - - -	130,207	-	6	7	-	4	1	-	10	1	22
Stepney - - - - -	303,791	-	28	16	-	10	-	-	8	-	27
Poplar - - - - -	169,905	-	16	21	-	6	-	-	5	-	21
SOUTH.											
Southwark - - - - -	207,937	-	17	6	-	4	-	-	9	-	17
Bermondsey - - - -	129,397	-	14	3	-	2	-	-	5	-	4
Lambeth - - - - -	310,359	-	24	5	-	4	-	-	3	-	25
Battersea - - - - -	175,465	-	10	10	-	3	-	-	2	-	11
Wandsworth - - - -	257,448	-	28	11	-	-	-	-	8	2	36
Camberwell - - - -	268,384	-	22	6	-	5	-	-	9	-	25
Deptford - - - - -	113,509	-	7	5	-	1	-	-	5	-	24
Greenwich - - - - -	101,651	-	14	1	-	-	-	-	4	-	8
Lewisham - - - - -	140,401	-	13	8	-	-	-	-	1	1	8
Woolwich - - - - -	123,416	-	9	3	-	-	-	-	2	-	4
Port of London - - -	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.											
} 4,648,950		-	354	187	-	58	1	-	130	11	348
Agea											
0-1 - - - - -	-	-	4	3	-	1	-	-	2	-	33
" 1-5 - - - - -	-	-	113	69	-	2	-	-	7	-	146
" 5- - - - -	-	-	158	61	-	8	1	-	6	-	143
" 10- - - - -	-	-	47	26	-	13	-	-	10	-	19
" 15- - - - -	-	-	7	6	-	3	-	-	8	1	3
" 20- - - - -	-	-	12	7	-	9	-	-	8	5	2
" 25- - - - -	-	-	9	8	-	5	-	-	19	4	2
" 35- - - - -	-	-	3	2	-	12	-	-	20	1	-
" 45- - - - -	-	-	1	4	-	3	-	-	21	-	-
" 55- - - - -	-	-	-	1	-	2	-	-	16	-	-
" 65 and upwards	-	-	-	-	-	-	-	-	13	-	-
Age not stated - -	-	-	-	-	-	-	-	-	-	-	-

This table is supplied by the Medical Officer of Health of the Administrative County of London and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING OCTOBER, 1904.

*Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
4th November, 1904.*

SIR,

I HAVE to report to you the results of the chemical analysis and physical examination of the water supplied to London by the Water Board during the month of October.

Thirteen samples were taken in each of the eight districts, making a total of 104 samples for the month.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

DISTRICTS.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Ni- trates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
THAMES.										
Chelsea - - - -	{ October 17th, Cab Rank, Victoria Street, near Christ Church. }	11·7	26·90	·101	·014	0	·223	·237	1·7	18·6
West Middlesex - -	{ October 17th, Cab Rank, by Turnham Green Station. }	12·1	27·72	·127	·015	0	·236	·251	1·7	19·7
Southwark - - - -	{ October 17th, Cab Rank, Southwark Street, by Hop Exchange. }	11·6	28·54	·113	·014	0	·240	·254	1·7	19·9
Grand Junction - -	{ October 17th, Cab Rank, Portman Street, Oxford Street. }	11·4	28·14	·108	·017	0	·277	·294	1·7	19·7
Lambeth - - - -	{ October 17th, Cab Rank, Station Road, Brixton. }	11·2	26·42	·116	·015	0	·205	·220	1·65	18·7
LEA, WELLS & C.										
New River - - - -	{ October 17th, Cab Rank, by St. Clement Danes Church. }	10·7	32·78	·044	·005	0	·210	·215	1·75	22·5
East London - - - -	{ October 17th, Tap on main at Lea Bridge Works. }	11·0	39·32	·156	·019	0	·170	·189	2·05	23·6
DEEP WELLS.										
Kent- - - - -	{ October 17th, Cab Rank, Amersham Road, near New Cross Station. }	12·5	39·94	·050	·006	0	·506	·512	2·25	27·8
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The water collected in the "Chelsea" district of the Water Board, on the 17th October, at the cab rank in Victoria Street, had a temperature of 11·7° C.; 100,000 lbs. of it contained 26·90 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained ·101 lb. of carbon and ·014 lb. of nitrogen. The above quantity of water also contained ·223 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was ·237 lb. The above weight of water also contained 1·7 lb. of chlorine and 18·6 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on the 17th were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied from each of the District Works was:—New River 0·8, Kent 0·9, Chelsea 1·9, Grand Junction 2·1, Southwark and Lambeth 2·2, West Middlesex 2·4, and East London 3·0.

The supplies from the Water Board's five district works distributing Thames water were all clear and of good quality, the average amount of organic matter present being small and practically the same as that found in September.

The New River district filtered Lea and well water, taken on the 17th, was clear and of very good quality. The East London district filtered Lea water was clear and of good quality but the proportion of organic impurity in it was a little more than that found in the average filtered Thames water.

The Kent District deep-well supply was, as usual, clear and of high organic purity.

Seen through a stratum two feet deep the Kent water was colourless, and the New River supply nearly colourless; and the water from the other district works had a very pale yellow tint.

In addition to the above analytical examination, the 104 samples of water, collected during October at various places in the districts supplied by the Water Board, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded. The following results were obtained:—

RESULTS IN PARTS PER 100,000.

DISTRICTS.	"Oxygen consumed."						"Albuminoid Ammonia."		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)					
	Max.	Min.	Mean.	Max.	Min.	Mean.	Max.	Min.	Mean.
THAMES.									
Chelsea	·057	·047	·052	·063	·054	·058	·0055	·0045	·005
West Middlesex	·058	·049	·054	·064	·053	·060	·0055	·0045	·005
Southwark	·062	·046	·055	·068	·049	·060	·0055	·004	·005
Grand Junction	·057	·049	·051	·064	·054	·061	·006	·0045	·005
Lambeth	·059	·053	·056	·069	·057	·063	·006	·005	·0055
LEA AND WELLS.									
New River	·024	·018	·021	·025	·021	·023	·002	·002	·002
East London	·075	·044	·056	·084	·053	·063	·007	·0045	·005
DEEP WELLS.									
Kent	·009	·006	·008	·011	·008	·009	·0015	·001	·001

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

With reference to the five supplies sent out from the district works dealing with Thames water, the above data show that in every case the proportion of organic impurity in the water was low. For upwards of three months the Thames-derived water, delivered in the Metropolis, has been of remarkably uniform and good quality.

The "New River" district supply was of very good quality throughout the month.

The "East London" water, chiefly obtained from the Lea, was of good quality, but it contained, on the average, slightly more organic matter than the Thames supplies.

All the samples of deep-well water collected in the "Kent" district were, as usual, of great organic purity and excellent quality.

All the samples of Thames, Lea, and deep-well water examined during the month were clear.

I am, Sir,

Your obedient Servant.

T. E. THORPE

The Registrar General, etc., etc.,

Somerset House.

RETURNS OF LONDON WATER DISTRICTS.

The following is an account of the number of services and the average daily amount of water supplied during the month of October, 1904, exclusive of supply to the Urban Districts of Tottenham and Enfield and inclusive of supply to the Borough of Croydon. The supply was in the ratio of 220 gallons to one service.

DISTRICTS.	Number of Services.		Average Daily Supply of Water in Gallons.	
	OCTOBER. 1903.	OCTOBER. 1904.	OCTOBER. 1903.	OCTOBER. 1904.
TOTAL SUPPLY - - -	976,433	995,890	210,422,746	219,593,515
From Thames - - - -	463,811	473,083	112,715,628	115,553,724
From Lea and from other Sources -	512,622	522,807	97,707,118	104,034,791
THAMES.				
Chelsea - - - - -	39,652	39,884	12,128,387	12,526,452
West Middlesex - - - - -	90,308	91,404	23,248,111	23,613,000
Southwark and Vauxhall - - -	128,740	129,925	31,220,085	31,739,000
Grand Junction - - - - -	74,774	77,691	16,362,529	16,390,385
Lambeth - - - - -	130,337	134,179	29,756,016	31,289,887
LEA AND OTHER SOURCES.				
New River - - - - -	178,883	181,433	39,604,765	43,352,802
East London - - - - -	225,730	230,656	39,858,000	42,323,000
Kent - - - - -	108,009	110,718	18,244,353	18,353,989

Note.—The Return for October, 1904, as compared with that for the corresponding month of 1903, shows an increase of 19,457 services, and of 9,170,769 gallons of water supplied daily. Owing to changes of area, the returns for 1904 are not strictly comparable with those for 1903.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 24-40, BACON STREET, E.

1904.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 46. 1904. VOL. LXV.] WEEK ENDED SATURDAY, NOV. 19. [Price 1½d.

*General Register Office, Somerset House,
November 21st, 1904.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 16·6 per 1000 of their aggregate population, which is estimated† at 15,271,287 persons in the middle of this year. In the preceding three weeks the rates had been 15·0, 14·9, and 15·7. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 21·1 in Bootle, 21·2 in St. Helens, 21·5 in Stockport, 21·6 in Wigan, 22·0 in Newcastle on Tyne, 22·1 in Blackburn, 22·3 in South Shields, 24·5 in Hanley, and 25·4 in Coventry; from *measles*, 2·3 in Liverpool, 2·4 in Hanley, 2·5 in Wigan, 2·7 in Middlesbrough, 2·9 in St. Helens, 3·1 in Grimsby, 4·0 in Stockton on Tees, and 4·1 in Plymouth; from *scarlet fever*, 1·7 in Bootle; from *diphtheria*, 1·6 in Hanley and in Swansea, and 2·0 in Stockton on Tees; from *whooping-cough*, 1·3 in Derby, 1·4 in Coventry, and 2·9 in South Shields. Two deaths from *small-pox* were registered in Halifax, 1 in Hanley, 1 in Huddersfield, and 1 in Newcastle on Tyne, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2455 BIRTHS and 1505 DEATHS were registered. Allowing for increase of population, the births were 210 and the deaths 84 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 14·7, 14·9, and 15·2 in the preceding three weeks, further rose last week to 16·9. During the four weeks ended on Saturday last the death-rate averaged 15·4 per 1000, being 2·3 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1505 deaths included 15 from measles, 8 from scarlet fever, 23 from diphtheria, 12 from whooping-cough, 10 from enteric fever, and 25 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 93 deaths were referred to these diseases in the aggregate, being 63 below the corrected average weekly number.

The deaths from *measles*, which had been 20, 14, and 15 in the preceding three weeks, were again 15 last week, and were 26 below the corrected average; 4 deaths belonged to the Borough of Finsbury and 3 to Lewisham. The deaths from *scarlet fever*, which had been 8, 13, and 9 in the preceding three weeks, were 8 last week, and were 4 below the corrected average. The deaths from *diphtheria*, which had been 12, 15, and 13 in the preceding three weeks, rose last week to 23, but were 20 below the corrected average; 6 deaths belonged to Stepney and 4 to Poplar. The deaths from *whooping-cough*, which had been 7, 4, and 4 in the preceding three weeks, rose last week to 12, but were 5 below the corrected average. The fatal cases of *enteric fever*, which had been 7, 6, and 11 in the preceding three weeks, were 10 last week, and were 13 below the corrected average. The deaths from *diarrhoea*, which had been 25, 22, and 27 in the preceding three weeks, were 25 last week, and were 6 above the corrected average; 3 deaths belonged to Paddington, 3 to Islington, and 3 to Poplar. Of the 25 deaths from diarrhoea, 21 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 3 more deaths at this age. The deaths attributed directly to *influenza* numbered 18, having been 29, 25, and 24 in the preceding three weeks. The death of a horse-keeper, aged 25 years, was certified after inquest as due to *glanders*, and that of a chemical glass-blower, aged 37 years, as due to *mercurial poisoning*.

Different forms of *violence* caused 44 deaths, concerning all but 1 of which inquests were held. Of these 44 deaths, 11 were cases of suicide, while the remaining 33 were attributed to accident or negligence. Two of these latter were referred to vehicles in the streets, 1 to a conflagration, 2 to burns and scalds, 1 to the effects of an anæsthetic administered for surgical purposes, and 7 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1 case of small-pox, 2773 cases of scarlet fever, 922 of diphtheria, and 214 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 1 case, against 0, 0, and 0; of scarlet fever, 259 cases, against 305, 294, and 294; of diphtheria, 118 cases, against 129, 154, and 119; and of enteric fever, 27 cases, against 27, 35, and 26. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended November 12th.

GREATER LONDON.

In Greater London 3649 births and 2013 deaths were registered. Allowing for increase of population these numbers are 239 and 157 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 6 deaths from measles, 3 from diphtheria, 3 from whooping-cough, 2 from "fever," and 3 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 30·26 inches, and that of the Thermometer 42°·2, the latter being 0°·2 below the week's average in the 50 years 1841–90. The general direction of the wind was variable, the horizontal movement of the air being 48 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 14·9 hours; the measured rainfall amounted to 0·04 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	POPULATION estimated to the middle of the Year 1904.*	Week ended				In Cols. 11-17.	during the Week ended 19th Nov., 1904.		Deaths of		Deaths from								Inquest Cases.		Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
		29th Oct., 1904.		5th Nov., 1904.			19th Nov., 1904.	Week ended 19th Nov., 1904.	Infants under 1 Year	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.					
		2.	3.	4.	5.														6.	7.			
76 TOWNS	15,271,287	150	149	157	166	15	8373	4866	1212	1234	5	143	54	78	46	42	76	178	378	1130	45	76 TOWNS.	
LONDON -	4,648,950	147	149	152	169	10	2455	1505	357	421	-	15	8	23	12	10	25	44	126	532	2	LONDON.	
(CROYDON -	144,419	137	58	152	116	-	61	32	7	11	-	-	-	-	-	2	-	-	2	4	-	(CROYDON.	
WILLESDEN -	132,566	94	126	102	98	08	95	25	10	4	-	-	-	-	-	2	1	1	1	3	-	WILLESDEN.	
HORNSEY -	81,221	64	64	83	51	06	31	8	1	5	-	-	-	-	-	-	1	-	1	-	-	HORNSEY.	
(TOTTENHAM -	112,981	166	125	138	120	14	65	26	9	3	-	2	1	-	-	-	-	5	5	5	-	(TOTTENHAM.	
WEST HAM -	288,424	148	150	148	150	13	163	83	29	17	-	1	2	-	1	1	2	3	5	18	-	WEST HAM.	
EAST HAM -	116,902	120	107	134	125	22	87	28	8	5	-	3	-	1	-	1	-	-	1	2	-	EAST HAM.	
LEYTON -	110,844	89	118	99	132	05	55	28	5	12	-	-	-	-	-	1	1	1	1	7	1	LEYTON.	
(WALTHAMSTOW -	111,282	98	70	127	145	14	65	31	9	11	-	-	1	-	2	-	-	-	1	9	-	(WALTHAMSTOW.	
HASTINGS -	66,503	157	110	125	110	16	20	14	2	7	-	-	-	-	-	-	2	-	-	3	-	HASTINGS.	
BRIGHTON -	126,286	161	161	111	124	-	51	30	4	10	-	-	-	-	-	-	-	3	3	7	-	BRIGHTON.	
PORTSMOUTH†	198,098	134	161	171	132	05	117	50	14	10	-	-	-	-	-	1	1	1	1	8	-	PORTSMOUTH.†	
BOURNEMOUTH -	64,645	137	113	145	81	-	23	10	-	4	-	-	-	-	-	-	-	1	1	2	-	BOURNEMOUTH.	
SOUTHAMPTON -	112,500	93	102	153	134	-	61	29	4	11	-	-	-	-	-	-	-	3	7	6	-	SOUTHAMPTON.	
READING -	76,373	96	96	130	205	14	38	30	7	11	-	-	-	-	-	-	2	2	2	5	-	READING.	
NORTHAMPTON -	91,146	137	132	149	172	11	47	30	6	10	-	-	1	-	1	-	-	-	-	4	-	NORTHAMPTON.	
IPSWICH -	69,805	172	105	149	179	-	32	24	4	13	-	-	-	-	-	-	-	1	5	-	-	IPSWICH.	
GREAT YARMOUTH -	52,099	190	130	150	70	-	22	7	2	2	-	-	-	-	-	-	1	1	2	1	-	GREAT YARMOUTH.	
NORWICH -	115,588	117	144	162	185	05	49	41	8	15	-	-	-	-	1	-	-	2	3	6	1	NORWICH.	
PLYMOUTH -	114,003	174	174	185	206	46	74	45	6	14	-	9	-	-	-	-	1	-	1	7	-	PLYMOUTH.	
DEVONPORT -	75,334	125	111	145	159	07	44	23	5	4	-	1	-	-	-	-	-	6	-	-	-	DEVONPORT.	
BRISTOL†	343,204	132	149	150	156	26	171	103	19	34	-	7	1	3	2	2	2	4	8	24	-	BRISTOL.†	
HANLEY -	63,932	196	130	171	245	65	47	30	11	5	1	3	-	2	1	-	1	-	2	2	1	HANLEY.	
BURTON-ON-TRENT -	51,934	80	110	50	141	30	26	14	2	1	-	1	1	-	1	-	-	1	2	1	-	BURTON-ON-TRENT.	
WOLVERHAMPTON -	88,194	101	143	117	122	11	51	23	3	10	-	-	-	1	-	-	1	1	3	4	-	WOLVERHAMPTON.	
WALSALL -	81,432	171	160	131	200	29	61	35	12	6	-	-	-	-	1	-	2	1	3	3	-	WALSALL.	
HANDSWORTH -	59,634	105	157	131	184	09	26	21	8	5	-	-	-	-	-	-	-	-	-	3	-	HANDSWORTH.	
WEST BROMWICH -	67,186	85	202	124	70	-	43	9	2	5	-	-	-	-	-	-	-	1	3	1	-	WEST BROMWICH.	

* See note † on first page of this return.
† These towns are included within the area of Greater London.
‡ The recent extension of these towns will not be taken into account in the Weekly Returns until next year.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES during the Week ended Saturday, 19th November, 1904, and DEATH-RATES during the preceding three weeks.

TOWNS.	POPULATION estimated to the middle of the Year 1904.*	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the Week ending 19th Nov., 1904.		The DEATHS registered in the Week include										TOWNS.		
		Week ended				Week ended		BIRTHS.	DEATHS.	Deaths from						Inquest Cases.	Deaths in Public Institutions.	Causes of Death.				
		26th Oct., 1904.				12th Nov., 1904.				Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.				Diarrhoea.		Violence.	
		26th Oct., 1904.	5th Nov., 1904.	12th Nov., 1904.	19th Nov., 1904.	Week ended 19th Nov., 1904.	Week ended 19th Nov., 1904.															Infants under 1 Year of Age.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
BIRMINGHAM -	537,865	15.9	17.3	17.0	18.3	1.5	324	189	68	41	-	1	1	5	2	2	4	9	11	34	2	BIRMINGHAM.
KINGS NORTON -	66,867	8.6	10.2	10.2	13.3	-	27	17	1	9	-	-	-	-	-	-	-	-	1	2	-	KINGS NORTON.
SMETHWICK -	60,881	11.2	9.5	13.7	19.8	-	37	23	11	4	-	-	-	-	-	-	-	1	1	1	1	SMETHWICK.
ASTON MANOR -	80,363	13.0	15.6	8.4	16.9	-	41	26	11	4	-	-	-	-	-	-	-	2	4	1	-	ASTON MANOR.
COVENTRY -	73,904	10.6	13.4	12.7	25.4	1.4	40	36	9	9	-	-	-	-	2	-	-	3	5	2	1	COVENTRY.
LEICESTER -	224,186	14.7	13.3	12.3	13.3	0.5	102	57	19	16	-	-	1	-	-	-	1	1	5	8	-	LEICESTER.
GRIMSBY -	68,958	20.2	18.7	21.0	12.5	3.9	38	16	2	2	-	4	-	1	-	-	-	-	2	2	-	GRIMSBY.
NOTTINGHAM -	248,811	15.9	14.3	12.4	14.5	1.0	119	69	15	16	-	1	2	2	-	-	2	2	8	6	-	NOTTINGHAM.
DERBY -	120,449	9.1	14.7	10.4	15.2	1.7	59	35	4	12	-	-	-	1	3	-	-	-	1	12	-	DERBY.
STOCKPORT -	97,008	11.8	10.1	16.1	21.5	1.6	46	40	9	9	-	3	-	-	-	-	-	1	3	10	-	STOCKPORT.
BIRKENHEAD -	114,814	18.2	13.6	17.7	15.9	1.8	62	35	15	7	-	-	1	2	-	-	1	1	3	5	1	BIRKENHEAD.
WALLASEY -	60,354	9.5	10.4	9.5	19.0	1.7	42	22	3	5	-	1	1	-	-	-	-	2	5	3	1	WALLASEY.
LIVERPOOL -	723,430	20.3	20.0	20.9	21.0	4.0	475	292	52	50	-	32	4	10	1	3	6	10	16	95	5	LIVERPOOL.
BOOTLE -	61,755	18.6	12.7	12.7	21.1	2.5	34	25	4	3	-	1	2	-	-	-	-	4	4	6	1	BOOTLE.
ST. HELENS -	88,545	20.6	21.8	21.8	21.2	4.1	64	38	13	3	-	5	-	-	2	-	-	3	3	4	2	ST. HELENS.
WIGANT -	62,800	17.4	12.5	22.4	21.6	4.2	31	26	7	6	-	3	-	-	1	-	1	1	2	7	-	WIGANT.
WARRINGTON -	67,331	16.3	16.3	14.7	10.8	-	39	14	3	1	-	-	-	-	-	-	-	1	1	3	-	WARRINGTON.
BOLTON -	175,744	16.6	14.5	14.5	18.4	0.9	75	62	15	20	-	-	-	1	-	2	-	4	6	6	-	BOLTON.
BURY -	58,450	9.8	10.7	19.6	16.9	1.8	24	19	4	8	-	1	-	-	-	1	-	1	1	3	-	BURY.
MANCHESTER† -	557,938	18.7	15.8	16.3	19.5	1.5	339	209	46	48	-	6	3	4	2	1	-	4	7	47	5	MANCHESTER.†
SALFORD -	228,983	18.2	16.9	18.3	18.7	2.2	70	50	13	15	-	4	4	2	1	1	1	5	8	19	2	SALFORD.
OLDHAM -	139,497	15.0	16.8	18.3	18.7	2.2	70	50	13	15	-	-	1	1	-	1	3	-	2	4	-	OLDHAM.
ROCHDALE -	88,601	20.1	13.4	17.1	9.7	0.6	34	16	3	6	-	-	-	1	-	-	-	2	2	2	1	ROCHDALE.
BURNLEY -	100,589	16.6	17.6	20.2	17.6	1.6	47	34	12	8	-	2	2	-	-	-	1	-	-	4	1	BURNLEY.
BLACKBURN -	132,134	15.8	17.4	18.5	22.1	2.4	47	56	16	12	-	2	1	-	-	-	1	-	-	4	-	BLACKBURN.
PRESTON -	115,055	18.1	15.4	20.8	13.6	0.9	65	30	8	7	-	-	1	1	-	1	1	1	2	5	1	PRESTON.

TOWNS.	POPULATION estimated to the middle of the Year 1904.*	Week ended			6.	19th Nov., 1904.		7.	19th Nov., 1904.		9.	10.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.	
		29th Oct., 1904.	5th Nov., 1904.	12th Nov., 1904.		19th Nov., 1904.																			
				Births.		Deaths.	Births.		Deaths.																
Colts.		1.	2.	3.	4.	5.			8.																
HUDDESFIELD.	-	94,925	12'1	14'3	17'6	15'9	1'6	43	29	5	10	1	-	-	-	1	-	1	-	1	2	5	-	HUDDESFIELD.	
HALIFAX.	-	107,580	15'0	11'6	24'2	15'0	3'4	40	31	10	5	2	2	1	-	-	-	-	2	5	10	-	HALIFAX.		
BRADFORD.	-	285,089	13'5	15'2	15'4	15'9	1'5	113	87	16	25	-	2	2	1	3	1	1	-	2	4	15	1	BRADFORD.	
LEEDS.	-	450,142	16'2	14'8	17'3	15'9	0'7	219	137	32	40	-	-	-	1	-	1	1	3	10	15	27	-	LEEDS.	
SHEFFIELD.	-	432,940	13'0	14'3	13'7	14'8	1'2	282	123	34	26	-	-	-	6	-	-	1	3	6	8	30	2	SHEFFIELD.	
ROTHERHAM.	-	58,498	13'4	20'5	16'0	9'8	0'9	40	11	4	1	-	1	1	-	-	-	-	1	1	1	1	1	ROTHERHAM.	
YORK.	-	81,268	16'0	14'8	12'2	14'8	3'8	53	23	6	2	-	3	3	2	-	-	1	-	1	1	2	-	YORK.	
HULL.	-	253,865	17'7	17'0	23'2	20'5	2'3	135	100	28	25	-	2	2	2	1	1	1	4	2	8	21	1	HULL.	
MIDDLESBROUGH.	-	86,684	15'6	21'6	22'7	19'4	2'7	66	36	11	7	-	-	5	-	-	-	-	1	2	7	2	2	MIDDLESBROUGH.	
STOCKTON-ON-TEES.	-	52,192	14'0	22'0	19'0	19'0	6'0	32	19	2	5	-	-	4	-	2	-	-	-	1	1	3	-	STOCKTON-ON-TEES.	
WEST HARTLEPOOL.	-	69,251	15'8	11'3	12'0	13'6	1'5	46	18	4	6	-	-	1	-	1	-	-	-	-	-	-	-	WEST HARTLEPOOL.	
SUNDERLAND.	-	161,157	20'7	18'3	20'7	20'0	1'0	103	58	16	16	-	-	-	-	-	-	2	1	1	3	7	3	SUNDERLAND.	
SOUTH SHIELDS.	-	107,334	15'1	23'8	25'7	22'3	4'9	77	46	18	5	-	3	1	-	-	6	-	1	1	3	4	-	SOUTH SHIELDS.	
GATESHEAD.	-	118,067	17'2	11'5	14'6	19'4	2'2	76	44	13	10	-	-	3	1	-	1	-	-	2	2	1	-	GATESHEAD.	
NEWCASTLE-ON-TYNE†	-	225,362	17'8	15'5	17'8	22'0	1'6	124	95	33	19	1	1	-	1	4	-	1	2	2	8	20	1	NEWCASTLE-ON-TYNE†	
TYNEMOUTH.	-	53,060	18'7	21'6	20'6	16'7	2'0	35	17	7	5	-	-	2	-	-	-	-	-	1	1	3	-	TYNEMOUTH.	
NEWPORT (MON.).	-	71,543	7'3	14'6	10'9	15'3	-	53	21	7	5	-	-	-	-	-	-	-	3	4	7	7	-	NEWPORT (MON.).	
CARDIFF.	-	176,313	11'8	12'7	12'1	10'9	1'2	110	37	12	8	-	2	-	-	1	-	1	2	4	4	1	-	CARDIFF.	
RHONDDA.	-	122,310	11'1	12'8	15'8	15'8	3'0	110	37	11	5	-	-	2	1	1	1	1	3	5	1	1	-	RHONDDA.	
MERTHYR TYDFIL.	-	72,745	21'5	7'9	17'9	15'8	-	63	22	7	3	-	-	-	-	-	-	-	2	2	3	3	-	MERTHYR TYDFIL.	
SWANSEA.	-	95,631	10'9	12'0	16'8	16'8	2'2	43	31	7	9	-	-	-	1	3	-	-	-	2	4	1	-	SWANSEA.	
GREATER LONDON.	-	6,907,756	13'7	13'7	14'3	15'2	1'0	3649	2013	497	564	-	27	12	27	27	16	19	31	59	166	612	4	GREATER LONDON.	
OUTER RING.	-	2,258,806	11'6	11'2	12'4	11'7	0'9	1194	508	140	143	-	12	4	4	4	4	9	6	15	40	80	2	OUTER RING.	
8 TOWNS IN OUTER RING.	-	1,098,639	12'2	11'0	12'9	12'4	1'0	622	261	78	68	-	6	4	1	1	1	7	3	5	16	48	1	8 TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING.	-	1,160,167	11'0	11'5	12'0	11'1	0'8	572	247	62	75	-	6	-	-	3	3	2	3	10	24	32	1	REMAINDER OF OUTER RING.	
EDINBURGH.	-	331,977	16'8	15'7	17'3	18'4	1'1	135	117	24	39	-	-	-	1	1	1	-	4	3	?	36	11	EDINBURGH.	
GLASGOW.	-	798,357	16'1	18'5	19'7	18'4	1'7	437	282	86	66	-	3	-	-	-	14	-	9	7	?	53	10	GLASGOW.	
DUBLIN†.	-	378,994	20'6	21'5	20'2	24'2	2'8	194	176	29	42	-	-	8	-	1	4	2	5	4	5	64	11	DUBLIN†.	
BELFAST†.	-	368,680	18'2	17'2	18'6	19'8	2'2	215	136	29	27	-	-	8	1	1	-	1	4	4	7	26	?	BELFAST†.	

* See note † on first page of this return.

† The recent extension of the City of Newcastle-on-Tyne will not be taken into account in the Weekly Returns until next year.
‡ Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the FORTY-SIXTH Week of each of the Eleven Years, 1894–1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894–1903.*	1904
TOTAL Births -	2494	2576	2675	2780	2585	2674	2323	2574	2679	2331	2664.7	2494
Males - -	1268	1328	1375	1407	1303	1357	1133	1350	1401	1213	1362.3	1268
Females - -	1226	1248	1300	1373	1282	1317	1190	1224	1278	1119	1302.4	1226
TOTAL Deaths -	1275	1510	1675	1617	1436	1528	1505	1744	1558	1473	1589.1	1275
Males - -	644	758	815	838	728	769	815	870	797	767	809.1	644
Females - -	631	752	860	779	708	759	690	874	761	706	780.0	631

* The numbers in this column are the average weekly numbers in the forty-sixth week of the ten years 1894–1903, raised by 3.723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Aug. 27.	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	13 Weeks
TOTAL Births -	2575	2160	2504	2514	2272	2537	2470	2491	2442	2585	2581	2476	2455	320
TOTAL Deaths -	1682	1459	1354	1360	1223	1279	1243	1270	1476	1311	1330	1357	1505	178
Ages at Death -														
Under 1 year -	739	544	448	401	306	311	287	267	292	289	288	306	357	48
1–5 years -	181	135	124	116	112	118	102	121	131	122	121	137	153	16
5–20 " -	71	60	59	62	76	53	56	74	87	55	78	75	74	8
20–40 " -	166	149	148	180	159	177	187	168	212	173	170	175	196	22
40–60 " -	204	228	266	255	235	282	271	282	279	286	286	281	304	34
60 yrs. & upwds.	321	343	309	346	335	338	340	358	475	386	387	383	421	47
Deaths from—														
Small-pox†	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - -	30	15	8	8	6	17	14	15	26	20	14	15	15	2
Scarlet Fever - -	9	6	2	14	3	9	4	11	6	8	13	9	8	1
Diphtheria - -	19	8	20	9	19	16	20	17	13	12	15	13	23	2
Whooping-cough -	20	25	16	16	5	9	7	5	11	7	4	4	12	1
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	4	12	8	9	13	10	9	15	11	7	6	11	10	1
Pyrexia (origin uncertain).	-	-	-	-	-	2	-	-	1	-	-	-	-	-
Diarrhoea, Dysentery	483	333	258	189	108	84	52	49	45	25	22	27	25	17
All above Diseases -	565	404	312	245	154	147	106	112	113	79	74	79	93	24
Dis. of Resp. System	35	49	61	59	72	85	85	94	127	145	158	171	175	13
Pneumonia - -	66	59	68	82	97	82	81	100	124	144	172	153	186	13
Phthisis - -	127	105	122	141	142	152	150	142	174	144	159	140	170	18
Dis. of Circ. System	147	161	160	156	150	152	157	179	197	182	169	169	186	21
Violence - -	46	47	40	46	45	49	51	41	53	47	52	46	44	8
Inquest Cases -	115	118	124	104	110	125	139	125	123	136	137	119	125	16
Deaths in Institutions	517	496	491	529	475	494	492	479	588	489	437	485	532	67
TEMPERATURE OF THE AIR.														
Mean - -	57.6	61.0	57.0	56.4	53.6	52.1	50.3	47.8	54.9	49.9	49.3	48.8	42.2	52
Mean of Highest -	68.7	71.2	67.0	66.2	61.3	63.2	58.0	56.3	61.3	56.1	53.1	54.3	49.6	60
Mean of Lowest -	48.9	51.8	48.6	47.9	46.1	42.5	43.3	38.7	48.7	43.1	45.9	43.3	35.3	44
Mean Humidity of the Air.	76	75	77	81	70	87	81	85	89	84	84	83	94	8
Rain-fall (in inches) -	0.22	1.01	0.36	0.24	0.20	0.14	0.36	0.02	0.43	0.20	0.11	1.40	0.04	5.2
Registered Sunshine (in hours)	40.6	39.0	41.3	37.1	52.7	28.1	17.5	25.0	10.0	22.9	9.8	11.7	14.9	35.0
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Mean
Small-pox - -	13	9	8	5	5	3	2	1	1	1	1	1	1	23
Scarlet Fever - -	1781	1820	1816	1929	1969	2158	2341	2516	2687	2725	2782	2843	2773	23
Diphtheria - -	813	825	814	832	833	878	892	931	950	947	979	947	922	8
Typhus - -	-	-	1	1	1	1	1	-	-	-	-	-	-	2
Enteric Fever - -	121	135	158	187	204	237	239	242	229	225	230	224	214	20

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the result have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme Esq., M.D., Brighton; A. Mearns Fraser Esq., M.B., Portsmouth; H. Victor Prigg Esq., A.M.I.C.E., Plymouth R. C. Cann Lippincott Esq., F.R. Met. Soc., Bristol; A. Cresswell Esq., Edgbaston, Birmingham A. W. Preston Esq., F.R. Met. Soc., Norwich; Arthur Brown Esq., M.Inst. C.E., and P. Boobyer Esq., M.D. Nottingham; W. E. Plummer Esq., F.R.A.S., Liverpool; T. R. H. Clunn Esq., M.D., Prestwich, Manchester. H. O. Pilkington Esq., M.R.C.S., Preston; J. Firth Esq., Huddersfield; H. A. Johnson Esq., M.Inst. C.E., Bradford; H. Crowther Esq., Leeds; H. B. Witty Esq., Hull; and W. B. Clark Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-SIXTH Week of the Year 1904.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 46th week of the year 1903.	1904—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 46th week of the year 1903.	1904—Deaths of Persons of the Ages												
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.						
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.									
L CAUSES	1473	1505	357	153	74	196	304	421	Meningitis (not tuberc.)	13	14	6	6	-	-	1	1						
									Insanity, Gen. Par. of	13	19	-	-	-	6	8	5						
									Insane	6	6	-	-	-	3	2	1						
Small-pox*	-	-	-	-	-	-	-	-	Epilepsy	19	34	32	1	1	-	-	-						
Swamp-pox	-	-	-	-	-	-	-	-	Convulsions	3	3	-	-	-	1	2	-						
Measles (Morbilli)	36	15	3	11	-	1	-	-	Locomotor Ataxy	3	5	-	-	1	-	3	1						
Scarlet Fever	4	8	1	5	2	-	-	-	Paraplegia, Dis. of Cord	26	14	1	-	-	2	3	8						
Erysiphus	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	49	46	-	-	1	10	13	22						
Scarlatina	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis	30	36	-	-	-	1	13	22						
Fluenza	9	18	2	-	3	-	4	9	Cerebr. Hæm. Thromb.	20	21	-	-	-	-	4	17						
Whooping-cough	13	12	4	7	1	-	-	-	Apoplexy, Hemiplegia	4	5	-	-	-	2	3	-						
Diphtheria	20	23	5	13	5	-	-	-	Aneurysm	-	3	-	-	-	1	-	2						
Cerebro Spinal Fever	-	-	-	-	-	-	-	-	Embolism, Thrombosis	87	75	-	1	4	9	22	39						
Paratyphoid (Origin uncertain)	-	-	-	-	-	-	-	-	(not cerebral)	1	1	-	1	-	-	-	-						
Enteric Fever	12	10	-	-	2	5	2	1	Heart & Blood Vessel Dis.	137	160	51	15	-	2	17	75						
Asiatic Cholera	-	-	-	-	-	-	-	-	Croup (not Spasm: nor Memb.)	5	5	-	-	-	-	2	3						
Epidemic Diarrhoea	11	11	10	1	-	-	-	-	Membr.	5	2	-	-	-	-	1	1						
(Infective Enteritis)	18	14	9	1	-	1	1	2	Bronchitis	17	7	2	-	3	-	-	2						
Bacillary Dysentery	-	1	1	-	-	-	-	-	Asthma, Emphysema	-	1	-	1	-	-	-	-						
Staphylococcus	-	-	-	-	-	-	-	-	Pleurisy	-	1	-	-	-	-	-	-						
Hydrophobia	-	1	-	-	-	1	-	-	Respiratory Dis. (other)	-	1	-	-	-	-	-	-						
Landers	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy	-	1	-	-	1	-	-	-						
Erysipelas (Splenic Fever)	-	-	-	-	-	-	-	-	Enteritis (not Epid.)	15	7	4	-	-	2	1	-						
General Dis.	8	11	7	2	-	2	-	-	Gastro-Enteritis	3	4	2	1	-	-	-	1						
Septicæmia	1	2	-	-	-	2	-	-	Feritonitis (not Puerp.)	2	2	-	-	1	-	-	-						
Pyæmia	-	-	-	-	-	-	-	-	Cirrhosis of Liver	19	10	-	-	-	1	6	3						
Septicæmia	2	1	-	-	-	1	-	-	Liver Dis. (other)	5	4	-	-	-	-	1	3						
Septicæmia	3	1	-	-	-	1	-	-	Digestive Dis., Other	27	37	4	1	9	6	11	6						
Septicæmia	12	14	-	-	1	6	3	4	Nephritis, Acute	7	11	-	2	3	-	3	3						
Septicæmia	89	109	56	42	2	1	1	7	Bright's Dis., Albuminuria	36	42	-	-	-	6	18	18						
Septicæmia	59	63	12	11	3	6	16	15	Urinary Sys., Other Dis.	14	10	-	-	-	-	4	6						
Septicæmia	4	3	1	-	-	1	-	1	Generative Organs Dis.	3	9	-	-	-	3	3	3						
Septicæmia	1	1	-	-	-	-	-	-	Childbirth (Accid. of)	6	1	-	-	-	1	-	-						
Septicæmia	1	1	-	-	1	-	-	-	Old Age	45	40	-	-	-	-	1	39						
Septicæmia	11	10	6	1	-	2	-	1	Other Diseases	98	95	59	10	5	4	6	11						
Septicæmia	75	100	1	5	10	41	33	10	ACCIDENT.														
Septicæmia	71	70	-	-	4	37	26	3	By Railways	4	2	-	-	-	-	1	1						
Septicæmia	26	15	5	8	1	1	-	-	By Vehicles and Horses	5	2	-	-	1	-	-	1						
Septicæmia	8	5	1	1	1	2	-	-	In Ships, Boats, Docks, (exclusive of Drowning)	-	1	-	-	-	-	-	1						
Septicæmia	6	-	-	-	-	-	-	-	In Building Operations	2	-	-	-	-	-	-	-						
Septicæmia	13	17	3	5	4	1	2	2	In Conflagrations	-	1	-	-	-	-	-	1						
Septicæmia	2	-	-	-	-	-	-	-	By Burns, Scalds, Explosions	11	2	1	-	1	-	-	-						
Septicæmia	18	11	-	-	-	3	5	3	By Drowning	2	1	-	-	-	-	-	1						
Septicæmia	6	8	-	-	3	3	2	-	By Suffocation in Bed	17	7	7	-	-	-	-	-						
Septicæmia	2	4	-	-	-	-	1	3	By Poisons or Poisonous Vapours	1	2	-	-	-	2	-	-						
Septicæmia	41	62	-	-	-	6	26	30	Other Deaths by Accident	14	15	2	1	-	2	1	9						
Septicæmia	3	6	-	1	-	1	2	2	VIOLENCE OTHER THAN ACCIDENTAL.														
Septicæmia	37	38	-	-	-	3	13	20	Homicide	2	-	-	-	-	-	-	-						
Septicæmia	6	10	-	-	-	1	7	2	Suicide	13	11	-	-	-	-	5	5	1					
Septicæmia	59	59	59	-	-	-	-	-	Execution	-	-	-	-	-	-	-	-						

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

150 *Population, Births, and Deaths in London Sub-Districts.*
TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 19th November, 1904.

The DEATHS registered during the Week include																	
REGISTRATION SUB-DISTRICTS.	Enu- me- rated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of													
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from											
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.
LONDON - - -	4,536,429	2455	1505	357	421	-	15	8	23	12	-	10	-	25	44	126	532
WEST DISTRICTS - - -	805,311	359	233	54	74	-	-	-	1	3	-	1	-	8	14	27	69
NORTH DISTRICTS - - -	1,056,070	520	322	64	107	-	5	1	5	1	-	4	-	4	9	19	87
CENTRAL DISTRICTS - - -	209,465	117	72	20	15	-	4	-	-	1	-	-	-	2	7	34	34
EAST DISTRICTS - - -	715,739	499	295	83	65	-	2	-	5	4	-	1	-	11	39	126	126
SOUTH DISTRICTS - - -	1,749,844	960	530	135	146	-	4	4	11	3	-	1	-	5	8	34	153
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON* }	-	-	53	1	14	-	-	3	1	-	-	3	-	1	-	-	53
WEST DISTRICTS.																	
St. Mary Paddington } G. & W.	93,178	56	27	10	9	-	-	-	1	-	-	1	-	4	2	4	10
W,2H																	
St. John Paddington H - - G.	33,617	6	14	1	5	-	-	-	-	-	-	-	-	-	4	5	4
North-West Paddington - - C.	17,181	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Kensington Town 2W,w,2H G.,W. & C.	128,037	55	32	5	12	-	-	-	-	-	-	-	-	-	1	3	13
Brompton 2H - - W. & C.	48,591	13	11	1	4	-	-	-	-	-	-	-	-	-	-	1	1
North Hammersmith W,w,H } W. & G.	49,192	29	12	4	3	-	-	-	-	-	-	-	-	1	-	1	-
South Hammersmith w,2H } W. & G.	63,047	38	23	8	5	-	-	-	-	2	-	-	-	2	4	1	-
North-west Fulham W } W. & C.	45,180	43	25	8	6	-	-	-	-	-	-	-	-	2	3	14	-
North-east Fulham F } W. & C.	48,405	15	10	3	3	-	-	-	-	-	-	-	-	-	-	-	-
South Fulham W } W. & C.	45,704	28	14	4	7	-	-	-	-	-	-	-	-	-	-	1	-
Chelsea North W,w,3H - - C.	42,514	13	23	3	8	-	-	-	-	-	-	-	-	-	-	-	15
Chelsea South W,2H - - C.	31,328	9	6	3	1	-	-	-	-	-	-	-	-	-	-	-	-
May Fair and Knightsbridge C. & G.	28,743	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Belgrave W,2H - - C.	55,815	18	9	1	3	-	-	-	-	-	-	-	-	1	-	-	4
St. Margaret & St. John 4H - C.	43,698	15	16	2	4	-	-	-	-	1	-	-	-	-	3	3	6
St. James Westminster } N. & G.	21,588	7	6	1	2	-	-	-	-	-	-	-	-	-	-	2	1
W,H																	
St. Anne Soho 5H - - - N.	11,493	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NORTH DISTRICTS.																	
All Souls Marylebone 8H - W.	35,391	7	13	1	7	-	1	-	-	-	-	-	-	-	-	-	4
Rectory Marylebone W G. & W.	19,849	7	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
St. Mary Marylebone 4H G. & W.	18,099	40	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Christchurch Marylebone H- W.	39,536	16	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-
St. John Marylebone 3H - W.	20,426	8	5	1	2	-	-	-	-	-	-	-	-	-	-	-	2
Hampstead W,K,3H - N. & W.	81,942	26	21	3	5	-	-	-	1	-	-	2	-	-	1	1	10
West St. Pancras 2H - - W.	60,562	21	15	5	4	-	-	-	-	1	-	-	-	-	1	1	2
Cottenham-court w,6H N. & W.	21,258	9	9	-	1	-	-	-	-	-	-	-	-	-	1	1	7
Gray's Inn Lane 4H - - N.	34,449	21	15	2	3	-	-	-	-	-	-	-	-	-	1	2	4
East St. Pancras W,2H - - N.	60,320	36	28	-	19	-	-	-	-	-	-	-	-	-	2	4	13
North St. Pancras 2W - - N.	58,728	32	16	3	6	-	-	-	-	-	-	-	-	-	-	-	5
Canfoll W - - - N.	31,995	10	23	4	9	-	-	-	-	-	-	-	-	-	-	-	13
Upper Holloway 2W,w,2H - N.	33,978	23	21	1	9	-	-	-	-	-	-	-	-	1	-	17	-
Collington W - - - N.	33,922	12	7	4	2	-	-	-	-	-	-	-	-	1	1	1	-
Lower Holloway - - - N.	41,424	21	7	1	3	-	-	-	-	-	-	-	-	-	-	3	-
Barnsbury - - - N.	54,478	29	18	6	5	-	1	-	-	-	-	1	-	-	-	-	-
Clington South-east F - - N.	75,397	34	21	6	5	-	-	-	-	1	-	-	-	-	-	-	-
Highbury 2H - - - N.	63,797	25	14	1	4	-	-	-	-	-	-	-	-	-	1	3	1
Stoke Newington H - - N.	51,247	21	11	2	3	-	1	-	-	-	-	-	-	-	-	-	-
North Hackney - - - E. & N.	50,560	23	11	-	7	-	-	-	-	-	-	-	-	-	-	-	-
Central Hackney 2w,F - E. & N.	50,536	35	15	11	-	-	-	1	3	-	-	-	-	-	1	1	2
South-west Hackney 3H E. & N.	59,921	33	21	6	2	-	2	-	-	-	-	1	-	-	-	-	5
South-east Hackney 2W,w,H E. & N.	58,255	31	20	4	7	-	-	-	-	-	-	-	-	-	-	1	10

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein.
G—General Hospital; *W*—Workhouse belonging to the District or Union; *w*—Workhouse belonging wholly or partly to other Districts than that in which it stands; *F*—a Fever Hospital; *H*—another Hospital; *L*—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—*G* signifies Grand Junction; *W*, West Middlesex; *C*, Chelsea; *S*, Southwark and Vauxhall; *L*, Lambeth; *N*, New River; *E*, East London; and *K*, the Kent District.
* See also note * on first page of this return.
† Formerly described as "Simple Continued Fever."

(contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 19th November, 1904—continued.

POPULATION SUB-DISTRICTS,	Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of		Deaths from									Inquest Cases.				
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarrhoea.		Violence.			
CENTRAL DISTRICTS.																			
and Bloomsbury W, 2H N.	31,436	29	8	3	-	-	-	-	-	-	-	-	-	-	1	3	5	-	
W, 4H - - - N. & C.	21,874	7	11	4	2	-	-	-	-	-	-	-	-	-	-	-	9	1	
Union Workhouse, Edmonton -	-	-	5	5	-	-	-	-	-	-	-	-	-	1	-	1	5	-	
W, 6H - - - N.	29,612	12	17	5	4	-	-	-	-	-	-	-	-	1	1	1	6	-	
erkenwell - - - N.	28,676	14	5	1	1	-	-	-	-	-	-	-	-	-	-	2	-	-	
erkenwell H - - - N.	35,028	14	13	4	2	-	4	-	-	-	-	-	-	-	-	-	-	-	
3H, L - - - N.	36,116	35	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
Union Workhouse, }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
h H - - - N. & E.	10,299	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Shoreditch and Allhallows } N.	16,824	3	10	1	1	-	-	-	-	1	-	-	-	-	-	-	8	-	
London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EAST DISTRICTS.																			
h South* H, L - E. & N.	46,362	25	12	3	2	-	-	-	-	-	-	-	-	-	-	2	-	-	
h North-West* W, w, H N.	36,127	36	21	6	10	-	-	-	-	-	-	-	-	-	-	1	13	-	
h North-East* - N. & E.	36,148	15	9	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
Union Workhouse, Wood }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Green North 2H - E.	51,514	35	19	5	6	-	-	-	-	1	-	-	-	-	2	2	4	-	
Green South - - E.	33,472	21	4	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
Green East 2W, H, L - E.	44,694	40	40	9	11	-	-	-	-	1	-	-	-	-	1	3	21	-	
h - - - E. & N.	27,969	18	7	3	1	-	-	-	-	-	-	-	-	-	1	1	-	-	
New Town W, H - E.	28,718	23	43	11	4	-	-	-	4	-	-	-	-	-	4	7	39	-	
's Fields - - - E.	22,081	14	6	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	
and St. John 2W E.	49,068	44	23	6	4	-	-	-	-	-	-	-	-	-	-	3	10	-	
and Ratcliff W, H E. & N.	25,568	14	10	4	-	-	-	-	-	-	-	-	-	-	-	-	7	-	
le - - - E.	32,369	20	12	5	-	-	2	-	-	1	-	-	-	-	-	1	-	-	
Old Town South- }	63,698	62	7	-	3	-	-	-	-	-	-	-	-	-	-	2	-	-	
Old Town North- }	49,129	30	20	5	7	-	-	-	-	-	-	-	-	1	1	3	9	-	
W, H - - - E.																			
h - - - E.	41,989	20	13	5	-	-	-	-	-	-	-	1	-	2	-	2	1	-	
W, H - - - E.	68,319	47	35	7	9	-	-	-	-	1	-	-	-	2	2	9	21	-	
V, W - - - E.	58,514	35	14	4	5	-	-	-	-	-	-	-	-	-	-	1	-	-	

At September, 1904, the four sub-districts of Shoreditch district were dissolved and formed into three new sub-districts above.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 19th November, 1904—continued.

[illegible]

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSE HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 19th November, 1904.

REGISTRATION SUB-DISTRICTS	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include														
					Deaths of		Deaths from												
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	ScarletFever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of		
ONDON—OUTER RING	368,580	2,044,973	1194	508	140	143	-	12	4	4	4	9	6	15	40	80	2		
Carshalton <i>w,2F,2H</i>	12,228	32,997	13	6	1	1	-	-	-	-	-	-	-	-	1	2	-		
Epsom, <i>part of</i> * <i>W,w,2F,H</i>	10,423	15,548	5	7	-	2	-	2	-	-	-	-	-	-	-	1	-		
Godstone, <i>part of</i> * <i>W,F</i>	2,754	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Coulsdon	11,069	8,166	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
South Croydon <i>w</i>	4,200	49,209	19	6	-	4	-	-	-	-	-	-	-	-	-	-	-		
West Croydon <i>3W,F,H</i>	2,168	42,888	24	17	6	4	-	-	-	-	-	-	-	-	1	4	-		
North Croydon <i>H</i>	2,644	41,668	18	9	2	3	-	-	-	-	-	-	-	-	1	-	-		
Penge <i>w</i>	770	22,465	6	5	-	1	-	-	-	-	-	-	-	-	-	-	-		
Mitcham <i>w</i>	11,689	30,015	13	4	-	2	-	-	-	-	-	-	-	1	1	-	-		
Wimbledon <i>F,3H</i>	3,221	41,652	20	6	2	1	-	-	-	-	-	-	-	-	-	-	-		
Kingston <i>W,H</i>	6,224	42,688	10	10	2	4	-	-	-	-	-	-	-	1	3	6	-		
Surbiton <i>F,H</i>	3,046	15,017	6	4	-	3	-	-	-	-	-	-	-	-	1	1	-		
Esher, <i>part of</i> * <i>H</i>	5,402	13,100	7	2	-	1	-	-	-	-	-	-	-	-	-	-	-		
Hampton <i>H,L</i>	4,564	23,456	9	4	-	2	-	-	-	-	-	-	-	-	-	1	-		
Richmond <i>W,H</i>	2,162	28,865	9	8	-	3	-	2	-	-	-	-	-	-	-	-	1		
Mortlake <i>F</i>	2,847	20,628	10	6	3	2	-	-	-	-	-	-	-	1	1	-	-		
Bromley <i>F,2H</i>	4,703	27,354	16	2	-	2	-	-	-	-	-	-	-	-	1	-	-		
Beckenham <i>H</i>	7,825	28,497	17	7	-	4	-	-	-	-	-	1	-	-	-	-	-		
Orpington, <i>part of</i> * <i>W</i>	10,113	9,857	5	6	3	-	-	-	-	-	2	-	1	-	-	1	-		
Chislehurst <i>2H</i>	7,333	16,446	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-		
Bexley <i>F,H</i>	8,678	21,151	8	4	3	-	-	-	-	-	-	-	-	-	-	1	-		
Erith <i>F,H</i>	3,854	25,296	23	5	2	2	-	-	-	-	-	-	-	2	2	-	-		
Dartford <i>W,F, part of</i> *	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-		
Sunbury <i>w</i>	11,054	18,683	15	3	-	2	-	-	-	-	-	-	-	-	-	-	-		
Staines <i>W,H</i>	13,277	15,178	5	5	3	1	-	-	-	-	-	-	-	-	-	1	-		
Hillingdon <i>W,F,H</i>	6,035	13,661	10	4	-	1	-	-	-	-	-	-	-	-	-	-	-		
Uxbridge	12,757	8,984	6	5	3	-	-	-	-	-	-	-	-	-	1	-	-		
Hayes <i>w,F,H</i>	8,066	16,358	15	2	1	-	-	-	-	-	-	-	-	-	-	-	-		
Isleworth <i>3W,2F,H</i>	6,859	30,863	26	21	6	6	-	-	-	-	-	-	-	1	2	6	-		
Twickenham <i>F,H</i>	2,421	20,991	10	8	3	3	-	-	-	-	-	-	1	-	-	-	-		
Brentford <i>2F,2H,L</i>	4,319	48,289	35	8	-	4	-	-	-	-	-	-	-	-	-	1	-		
Chiswick <i>H</i>	1,249	29,809	19	2	-	1	-	-	-	-	-	-	-	-	-	-	-		
Acton <i>w,3H</i>	6,132	48,914	40	11	4	4	-	-	-	-	-	-	-	-	1	-	-		
Harrow <i>F,H</i>	13,809	25,523	15	4	-	-	-	-	-	-	-	-	-	-	-	-	-		
Edgware <i>F,2H</i>	6,994	4,521	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Willesden <i>W,F,2H</i>	4,384	114,811	95	24	10	4	-	-	-	-	2	-	1	1	1	2	-		
Hendon <i>W,F</i>	8,382	22,450	8	8	2	4	-	-	-	-	1	-	-	-	-	2	-		
South Mimms <i>2F,H</i>	17,755	7,308	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Barnet <i>W,3H</i>	3,324	17,970	6	3	-	1	-	-	-	-	-	-	-	-	-	-	-		
Finchley <i>F,2H</i>	4,688	33,692	17	7	1	-	-	-	-	-	1	-	-	-	-	-	-		
Hornsey <i>F,H</i>	2,875	72,056	31	8	1	5	-	-	-	-	-	-	1	-	-	-	-		
Wood Green <i>H</i>	1,625	34,233	22	6	2	1	-	-	-	-	-	-	-	-	-	-	-		
West Tottenham <i>F</i>	996	48,853	32	12	5	-	-	2	-	-	-	-	-	-	3	-	-		
East Tottenham <i>F,H</i>	2,017	53,668	33	12	4	2	-	-	1	-	-	-	-	-	-	3	-		
Edmonton <i>W,w,2F</i>	7,491	61,892	37	20	7	4	-	-	-	-	-	-	1	2	6	4	-		
Enfield <i>2W,F,H</i>	12,601	42,738	20	8	1	5	-	-	-	-	-	1	-	-	-	4	-		
Waltham Abbey	11,017	6,549	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-		
Cheshunt <i>F,H</i>	8,479	12,292	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Hatfield, <i>part of</i> * <i>W</i>	3,305	664	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-		
Bushey <i>H</i>	9,333	9,173	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Watford <i>W,2F part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Stratford <i>H</i>	1,072	44,827	21	12	5	3	-	-	-	-	-	-	-	2	3	2	-		
Plaistow <i>F,2H</i>	1,249	90,921	67	35	13	6	-	-	2	-	1	1	2	-	1	6	-		
Canning Town <i>H</i>	1,556	70,718	45	16	6	1	-	-	-	-	-	-	-	-	-	1	-		
Forest Gate <i>w</i>	806	60,392	27	11	4	4	-	1	-	-	-	-	-	-	-	-	-		
North East Ham <i>w</i>	1,333	58,676	53	17	5	3	-	1	-	1	-	1	-	-	-	-	-		
South East Ham <i>2F</i>	1,993	37,342	34	9	2	1	-	2	-	-	-	-	-	-	1	-	-		
Wanstead <i>F</i>	1,679	9,179	3	4	-	-	-	-	-	-	-	-	-	-	-	1	-		
South Leyton <i>2W</i>	631	50,467	26	12	2	6	-	-	-	-	-	-	-	2	2	7	-		
North Leyton <i>W,w,F</i>	1,963	48,445	29	33	5	14	-	-	-	-	-	-	2	-	-	17	1		
Walthamstow <i>3H,L</i>	6,504	108,929	76	28	12	8	-	-	-	-	-	-	1	-	2	1	1		
Chigwell, <i>part of</i> * <i>2F,4H</i>	11,778	16,397	5	3	-	1	-	-	1	-	-	-	-	-	-	1	-		
Epping <i>W,F, part of</i> *	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-		
Romford, <i>part of</i> * <i>W,2F</i>	6,556	6,091	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Ilford <i>F,L</i>	8,496	41,234	26	12	5	2	-	1	-	-	-	-	-	-	-	1	-		
Barking Town <i>F</i>	3,303	21,547	13	6	2	1	-	1	-	1	-	-	-	-	-	1	-		
Middlesex County Asylum, Wandsworth.	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-		

The parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chislefield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping- cough.	Fever.
CALCUTTA (including SUBURBS)	847,796	October 1	-	385	23·6	-	-	-	2	-	124
BOMBAY - -	776,008	November 1	434	600	40·2	1	1	-	-	-	104†
MADRAS - -	509,346	October 7	426	289	29·5	-	1	?	?	?	87†
PARIS - - -	2,680,559	November 12	1020	879	17·0	1	3	1	4*	1	14
BRUSSELS - -	586,936	" 12	209	153	13·5	-	3	-	3*	-	1
ANTWERP - -	286,695	" 12	144	72	13·1	-	4	-	-	-	-
AMSTERDAM -	548,160	" 5	278	135	12·8	-	9	-	3*	5	1
COPENHAGEN -	423,000	" 12	190	101	12·5	-	1	1	-	-	1
STOCKHOLM -	309,496	" 5	131	66	11·1	-	-	1	2*	-	-
CHRISTIANIA -	223,649	" 12	122	51	11·9	-	3	-	4*	1	-
ST. PETERSBURG	1,248,122	" 5	678	501	20·9	1	11	19	8*	7	10
MOSCOW - -	1,092,360	" 5	-	493	23·5	3	10	24	8*	3	3
BERLIN - - -	1,964,315	October 29	818	566	14·9	-	3	8	6*	7	1
HAMBURG - -	751,842	November 12	-	194	13·4	-	2	1	2*	1	-
BRESLAU - -	445,679	" 12	-	194	22·7	-	2	-	3*	?	-
MUNICH - - -	520,000	" 12	-	188	18·8	-	-	1	1*	1	-
VIENNA - - -	1,797,992	" 12	833	521	14·9	-	4	3	6*	-	-
PRAGUE - - -	426,402	" 5	203	154	18·6	-	1	-	2*	2	1
BUDA-PESTH -	813,399	" 12	371	262	16·8	-	6	12	3*	-	3
TRIESTE - - -	190,166	" 12	130	69	18·8	-	-	2	1*	-	-
ROME - - -	505,371	September 24	204	153	16·3	-	-	-	-	-	98
VENICE - - -	166,288	November 5	-	-	-	-	-	-	-	-	-
CAIRO - - -	624,338	July 15	-	-	-	-	-	-	-	-	-
ALEXANDRIA -	349,300	" 15	-	-	-	-	-	-	-	-	-
NEW YORK - -	3,838,024	October 29	1907	1064	14·5	-	7	8	17*	3	16
PHILADELPHIA -	1,408,154	" 22	-	380	14·0	1	-	1	11*	-	10
BOSTON - - -	617,950	" 29	-	197	16·6	-	-	-	5*	-	4

* Including deaths from croup.

† Including 3 deaths from plague in Calcutta, 60 in Bombay, and one in Madras.

‡ Including 2 deaths from cholera in Calcutta, and one in Bombay.

§ Including one death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 19th November, 190

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	53·6	30·0	42·5	0·04	BRADFORD - -	54·6	33·4	45·0	0·00
BRIGHTON - -	55·6	35·1	45·9	0·00	LEEDS - - -	55·0	33·0	43·7	0·00
PORTSMOUTH -	56·0	35·0	45·7	0·01	HULL - - -	54·0	34·0	43·7	0·00
NORWICH - - -	?	?	?	?	TYNEMOUTH -	57·0	33·0	44·6	0·00
PLYMOUTH - -	59·7	35·8	49·1	0·04					
BRISTOL - - -	55·8	30·8	43·1	0·05	EDINBURGH -	56·4	39·8	48·5	0·00
BIRMINGHAM -	52·8	33·4	43·3	0·05	GLASGOW - -	57·2	38·4	48·9	0·00
NOTTINGHAM -	50·8	26·3	39·8	0·06					
LIVERPOOL - -	53·0	38·0	45·5	0·07					
MANCHESTER -	51·5	31·4	42·8	0·30	DUBLIN { Phoenix Park. Fitz- william Square.†	57·5	30·6	45·8	0·00
PRESTON - - -	51·8	38·2	45·5	0·36					
HUDDERSFIELD -	54·5	27·5	43·3	0·10	BELFAST - -	55·5	39·6	47·8	0·00

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0·2° Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D. Dublin.

1904.		METHEN.		OF THE AIR.		OF THE DEW POINT		DIFFERENCE BETWEEN THE MEAN DAILY TEMPERATURE, OF THE DRY POINT AND WET POINT.		DEGREE OF HUMIDITY (Ratio of actual to saturation, 100°).		OF RADIATION.		OF THE EARTH'S SURFACE.		GENERAL DIRECTION.		OSLER'S.		PRESSURE ON THE SQUARE FOOT.		ROBINSON'S.		OSONA									
MONTH AND DAY		Phases of the Moon.		High-est.		Low-est.		Daily Range.		Mean daily value.		Mean daily value.		Mean daily value.		Greatest.		Least.		Greatest.		Least.		Mean hourly obs.		Horizontal Movement of the Air.		Vertical Movement of the Air.		Average of 15 years.		Gauge reading, 5 inches above the surface of Ground.	
NOVEMBER.		in.		°		°		°		°		°		°		°		°		°		°		°		°		°		°			
SUNDAY	- 13	..	30281	534	313	221	405	- 23	394	11	82	00	96	680	257	5140	SW. S. & E. N. E.	SSE. & E. N. E.	00	00	00	00	00	00	111	-176	in.	000	00	00			
MONDAY	- 14	..	30422	515	332	183	405	- 21	378	27	124	00	90	679	244	5104	E. N. E. & S. E.	SE. & ESE.	00	00	00	00	00	00	104	-188	000	000	00	00			
TUESDAY	- 15	First Quarter.	30343	536	300	236	412	- 13	380	32	104	00	88	708	218	5058	SE. calm & variable.	SW. & SSW.	05	00	00	00	00	00	130	-163	000	000	00	00			
WEDNESDAY	- 16	..	30270	499	372	127	445	+ 21	428	17	40	05	94	580	280	5009	WSW. & N. N. E.	NNE. & N. N. E.	12	00	00	00	00	00	172	-124	000	000	00	00			
THURSDAY	- 17	Apogee	30326	452	392	60	428	+ 05	424	04	15	00	99	462	272	4970	N. SSW. & N. E.	N. SSW. & WSW.	00	00	00	00	00	00	102	-196	000	000	00	00			
FRIDAY	- 18	In Equator.	30192	429	356	73	387	- 35	385	02	13	00	99	429	356	4947	WSW. & N. E.	WSW. & N. E.	04	00	00	00	00	00	194	-105	002 (fog)	002	00	00			
SATURDAY	- 19	..	29977	510	406	104	473	+ 51	450	23	111	02	91	590	390	4930	WSW. & N. W.	WSW. N. W. & NNW.	11	00	00	00	00	00	270	- 30	002	002	00	00			
MEANS	-		30260	496	353	143	422	- 02	406	17	70	01	94	590	288	5023	Variable	Variable	Sum 1083	Sum -880	Sum 004	Sum 004	Sum 004	Sum 004	Sum 004	Sum 004		
No. of Column	-	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26								

The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 139 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1890, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1875. In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average. The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: -P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable. The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day; the beginning of the week the reading of the barometer increased from 30.22 in. at 9h. P.M. on the 14th; increased to 30.45 in. by 9h. P.M. on the 15th; decreased to 30.25 in. by 3h. P.M. on the 16th; increased to 30.36 in. by 11h. A.M. on the 17th; decreased to 29.95 in. by 5h. P.M. on the 18th; and was 29.98 in. at midnight on the same day.

GENERAL REMARKS.

DATE.	EXPLANATION OF SYMBOLS, SEE NOTE.	REGISTERED SUNSHORE HORIZON, IN HOURS.	SHADE, IN HOURS.
NOVEMBER.			
SUNDAY - 13	m. P. till 7h. A.M.; w. P. generally afterwards.	54	89
MONDAY - 14	w. P. till 3h. P.M.; m. P. generally afterwards.	43	89
TUESDAY - 15	w. P. generally; occasional m. P.	52	88
WEDNESDAY - 16	w. P. throughout.	00	88
THURSDAY - 17	w. P. throughout.	00	87
FRIDAY - 18	w. P. throughout.	00	87
SATURDAY - 19	w. P. throughout.	00	87
Sum		149	685
No. of Col.		98	98

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 12th November, 1904.*

BOROUGHES	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever	Diphtheria (Includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - - -	146,975	-	8	2	-	-	-	-	-	-
Kensington - - - - -	172,236	-	5	8	-	-	-	-	3	-
Hammersmith - - - - -	117,412	-	8	1	-	3	-	-	5	-
Fulham - - - - -	152,482	-	6	4	-	-	-	-	3	-
Chelsea - - - - -	74,329	-	4	2	-	1	-	-	1	-
City of Westminster - - -	177,321	-	6	3	-	-	-	-	5	-
NORTH.										
St. Marylebone - - - - -	130,337	-	7	4	-	-	-	-	4	-
Hampstead - - - - -	86,663	-	5	3	-	-	-	-	-	-
St. Pancras - - - - -	235,936	-	11	4	-	2	-	-	5	-
Islington - - - - -	341,044	-	27	12	-	6	-	-	12	-
Stoke Newington - - - - -	52,445	-	4	2	-	-	-	-	3	-
Hackney - - - - -	226,266	-	13	14	-	3	-	-	10	-
CENTRAL.										
Holborn - - - - -	57,161	-	2	-	-	4	-	-	4	1
Finsbury - - - - -	98,958	-	8	4	-	2	-	-	3	1
City of London - - - - -	23,482	-	-	2	-	-	-	-	-	-
EAST.										
Shoreditch - - - - -	117,033	-	9	4	-	-	-	-	4	-
Bethnal Green - - - - -	130,207	-	19	8	-	3	-	-	5	1
Stepney - - - - -	303,791	-	27	15	-	6	-	-	10	-
Poplar - - - - -	169,905	-	14	12	-	2	-	-	5	-
SOUTH.										
Southwark - - - - -	207,937	-	4	4	-	1	-	-	9	-
Bermondsey - - - - -	129,397	-	14	3	-	2	-	-	5	-
Lambeth - - - - -	310,359	-	21	7	-	2	1	-	5	2
Battersea - - - - -	175,465	-	6	3	-	-	-	-	4	-
Wandsworth - - - - -	257,448	-	26	11	-	1	-	-	4	1
Camberwell - - - - -	263,384	-	22	5	-	1	-	-	6	1
Deptford - - - - -	113,509	-	7	7	-	1	-	-	6	-
Greenwich - - - - -	101,651	-	9	-	-	-	-	-	3	-
Lewisham - - - - -	140,401	-	11	3	-	-	-	-	4	-
Woolwich - - - - -	123,416	-	16	4	-	-	-	-	1	-
Port of London - - - - -	-	-	-	-	-	1	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,648,950										
		-	319	151	-	41	1	-	129	7
Ages										
0-1 - - - - -	-	-	5	6	-	-	-	-	3	-
" 1-5 - - - - -	-	-	83	61	-	3	-	-	4	-
" 5- - - - -	-	-	149	53	-	6	1	-	6	-
" 10- - - - -	-	-	54	16	-	10	-	-	11	-
" 15- - - - -	-	-	16	4	-	5	-	-	8	-
" 20- - - - -	-	-	6	3	-	5	-	-	7	2
" 25- - - - -	-	-	5	3	-	8	-	-	13	4
" 35- - - - -	-	-	1	3	-	4	-	-	29	1
" 45- - - - -	-	-	-	1	-	-	-	-	23	-
" 55- - - - -	-	-	-	1	-	-	-	-	16	-
" 65 and upwards - - - -	-	-	-	-	-	-	-	-	9	-
Age not stated - - - - -	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891. The Order of the County Council, making compulsory the notification of chicken-pox in the County of London, terminated on 7th November, 1904.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., :1-40, BACON STREET, E.

1904.

OFFICIAL COPY

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

~~~~~  
By Authority of the Registrar General.  
~~~~~

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 47. 1904. VOL. LXV.] WEEK ENDED SATURDAY, NOV. 26. [Price 1½d.

*General Register Office, Somerset House,
November 28th, 1904.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 17·3 per 1000 of their aggregate population, which is estimated† at 15,271,287 persons in the middle of this year. In the preceding three weeks the rates had been 14·9, 15·7, and 16·6. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 21·0 in Grimsby, 21·6 in Liverpool, 22·4 in Wigan, 22·8 in Birmingham, 23·0 in St. Helens, 24·7 in Stockport, and 24·8 in South Shields; from *measles*, 1·9 in Liverpool, 2·4 in St. Helens, 2·7 in Salford, 2·9 in Tynemouth, and 3·1 in Grimsby; from *scarlet fever*, 1·8 in Rochdale; from *diphtheria*, 2·3 in West Hartlepool; from *whooping-cough*, 2·4 in South Shields; from "*fever*," 3·8 in Rhondda; and from *diarrhoea*, 2·4 in Hanley and 2·6 in Barrow in Furness. One death from *small-pox* was registered in Oldham, and 1 in South Shields, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2356 BIRTHS and 1502 DEATHS were registered. Allowing for increase of population, the births were 240 and the deaths 135 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 14·9, 15·2, and 16·9 in the preceding three weeks, was 16·8 last week. During the four weeks ended on Saturday last the death-rate averaged 16·0 per 1000, being 2·0 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1502 deaths included 14 from measles, 19 from scarlet fever, 11 from diphtheria, 10 from whooping-cough, 3 from enteric fever, and 18 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 75 deaths were referred to these diseases in the aggregate, being 95 below the corrected average weekly number.

The deaths from *measles*, which had been 14, 15, and 15 in the preceding three weeks, were 14 last week, and were 35 below the corrected average; 3 deaths belonged to the Borough of Bermondsey and 3 to Wandsworth. The deaths from *scarlet fever*, which had been 13, 9, and 8 in the preceding three weeks, rose last week to 19, and were 4 above the corrected average. 4 deaths belonged to Hackney. The deaths from *diphtheria*, which had been 15, 13, and 24 in the preceding three weeks, fell last week to 11, and were 32 below the corrected average. The deaths from *whooping-cough*, which had been 4, 4, and 12 in the preceding three weeks, were 10 last week, and were 12 below the corrected average. The fatal cases of *enteric fever*, which had been 6, 11, and 10 in the preceding three weeks, fell last week to 3, and were 19 below the corrected average. The deaths from *diarrhoea*, which had been 22, 27, and 25 in the preceding three weeks, fell last week to 18, but were 2 above the corrected average. Of the 18 deaths from diarrhoea, 16 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 7 more deaths at this age. The deaths attributed directly to *influenza* numbered 30, having been 25, 24, and 18 in the preceding three weeks. The death of a plumber, aged 48 years, and that of a waterman, aged 45 years, were certified as due to *plumbism*.

Different forms of *violence* caused 54 deaths, concerning all but 1 of which inquests were held. Of these 54 deaths, 11 were cases of suicide, and 1 of homicide, while the remaining 42 were attributed to accident or negligence. Five of these latter were referred to vehicles in the streets, 4 to burns and scalds, 3 to the effects of anæsthetics administered for surgical purposes, and 14 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 1 case of small-pox, 2741 cases of scarlet fever, 919 of diphtheria, and 191 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 2 cases, against 0, 0, and 1; of scarlet fever, 262 cases, against 294, 294, and 259; of diphtheria, 118 cases, against 154, 119, and 118; and of enteric fever, 17 cases, against 35, 26, and 27. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended November 19th.

GREATER LONDON.

In Greater London 3602 births and 2133 deaths were registered. Allowing for increase of population these numbers are 215 and 111 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 13 deaths from measles, 4 from scarlet fever, 13 from diphtheria, 12 from whooping-cough, 5 from "fever," and 4 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.58 inches, and that of the Thermometer 33.7, the latter being 8.3 below the week's average in the 50 years 1841-90. The general direction of the wind was Westerly, the horizontal movement of the air being 10 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 9.6 hours; the measured rainfall amounted to 0.18 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

THE DEATHS REGISTERED IN THE WEEK ENDING

DEATHS OF

CAUSES.

POPULATION

TOWNS

TOWNS	Cols.	POPULATION estimated to the middle of the year 1904.*					Week ended			in Coln. 11-17.		during the week ended 26th Nov., 1904.		Deaths of										Deaths from		Inquest Cases.		Deaths in Public Institutions.		Uncertified Causes of Death.		TOWNS.
		1.	2.	3.	Week ended		6.	7.	8.	9.	10.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Dysentery.	Violence.	18.	19.	20.	21.	Cols.							
					12th. Nov., 1904.	25th Nov., 1904.																				Week ended 26th Nov., 1904.						
76 TOWNS		15,271,287	14'9	15'7	16'6	17'3	1'4	7596	5075	1256	1309	2	120	48	73	53	36	68	185	385	1162	70	76 TOWNS.									
LONDON -	-	4,648,950	14'9	15'2	16'9	16'8	0'8	2356	1502	345	440	-	14	19	11	10	3	18	54	124	536	9	LONDON.									
(CROYDON -	-	144,419	5'8	5'2	11'6	14'8	1'1	77	41	5	15	-	-	-	-	-	-	-	2	6	8	-	(CROYDON.									
WILLESDEN -	-	132,666	12'6	10'2	9'8	11'8	0'8	84	30	2	10	-	-	-	-	-	-	-	-	-	5	-	WILLESDEN.									
HORNSEY -	-	81,221	6'4	8'3	5'1	12'8	1'9	31	20	8	6	-	-	-	-	-	-	-	-	-	3	-	HORNSEY.									
TOTTENHAM -	-	112,881	12'5	13'8	12'0	20'8	1'9	75	45	11	12	-	1	-	2	1	1	1	2	7	8	-	TOTTENHAM.									
WEST HAM -	-	288,424	15'0	14'8	15'0	19'9	1'4	201	110	30	32	-	2	-	1	2	-	3	7	12	20	-	WEST HAM.									
EAST HAM -	-	116,802	10'7	13'4	12'5	15'2	3'6	67	34	7	8	-	3	1	2	-	-	1	1	3	2	-	EAST HAM.									
LEYTON -	-	110,844	11'8	9'9	13'2	12'7	0'9	63	27	6	10	-	-	-	1	1	-	-	-	2	6	-	LEYTON.									
(WALTHAMSTOW -	-	111,282	7'0	12'7	14'5	13'1	2'3	65	28	10	7	-	-	-	1	1	2	1	1	4	5	-	(WALTHAMSTOW.									
HASTINGS -	-	68,503	11'0	12'5	11'0	11'0	-	13	14	2	4	-	-	-	-	-	-	-	-	-	1	-	HASTINGS.									
BRIGHTON -	-	126,286	16'1	11'1	12'4	18'6	-	42	45	5	17	-	-	-	-	-	-	-	-	2	8	-	BRIGHTON.									
PORTSMOUTH†	-	188,038	16'1	17'1	13'2	20'0	0'5	98	76	14	24	-	-	-	-	-	-	-	-	3	14	2	PORTSMOUTH†									
BOURNEMOUTH -	-	64,645	11'3	14'5	8'1	11'3	-	20	14	1	5	-	-	-	-	-	-	-	-	-	2	-	BOURNEMOUTH.									
SOUTHAMPTON -	-	112,500	10'2	15'3	13'4	16'7	-	52	36	8	14	-	-	-	-	-	-	-	-	5	6	-	SOUTHAMPTON.									
READING -	-	76,373	9'6	13'0	20'5	13'7	-	39	20	3	10	-	-	-	-	-	-	-	1	1	5	-	READING.									
NORTHAMPTON -	-	91,146	13'2	14'9	17'2	12'6	1'1	37	22	7	6	-	-	1	-	-	-	-	-	3	1	-	NORTHAMPTON.									
IPSWICH -	-	69,805	10'5	14'9	17'9	19'4	2'2	37	26	2	11	-	1	-	2	-	-	-	-	2	8	-	IPSWICH.									
GREAT YARMOUTH -	-	52,099	13'0	15'0	7'0	18'0	1'0	20	18	4	9	-	-	-	-	-	1	-	-	1	5	-	GREAT YARMOUTH.									
NORWICH -	-	115,538	14'4	16'2	18'5	15'3	1'4	51	34	7	12	-	-	-	2	-	-	1	-	1	2	1	NORWICH.									
PLYMOUTH -	-	114,003	17'4	16'5	20'6	17'8	2'3	59	39	7	11	-	3	1	1	-	-	-	2	7	6	-	PLYMOUTH.									
DEVONPORT -	-	75,334	11'1	14'5	15'9	11'8	0'7	42	17	4	1	-	-	-	-	-	-	-	-	4	2	-	DEVONPORT.									
BRISTOL† -	-	343,204	14'9	15'0	15'6	18'2	2'6	159	120	24	31	-	-	-	2	2	-	-	1	3	7	18	-	BRISTOL†								
HANLEY -	-	63,932	13'0	17'1	24'5	20'4	4'1	30	25	7	6	-	1	-	1	-	-	3	2	3	2	-	HANLEY.									
BURTON-ON-TRENT -	-	51,934	11'0	5'0	14'1	20'1	3'0	17	20	3	8	-	-	1	-	-	-	-	-	1	7	1	BURTON-ON-TRENT.									
WOLVERHAMPTON -	-	98,194	14'3	11'7	12'2	15'4	2'7	36	29	8	5	-	-	-	2	1	1	1	-	-	9	-	WOLVERHAMPTON.									
WALSALL -	-	91,432	16'0	13'1	20'0	15'4	1'1	38	27	6	9	-	-	-	-	-	-	-	1	1	4	3	-	WALSALL.								
HANDSWORTH -	-	59,634	15'7	13'1	18'4	16'6	-	28	19	8	3	-	-	-	-	-	-	-	-	-	1	-	-	HANDSWORTH.								
WEST BROMWICH -	-	67,186	20'2	12'4	7'0	9'3	-	35	12	6	2	-	-	-	-	-	-	-	-	-	-	1	-	WEST BROMWICH.								

* See note † on first page of this return.
 † These ... are included within the area of Greater London.
 ‡ The recent extension of these towns will not be taken into account in the Weekly Returns until next year.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES during the Week ended Saturday, 26th November, 1904, and DEATH-RATES during the preceding three weeks.

TOWNS.	Cols.	DEATH-RATES from all Causes.											Rate from: Diseases during the week ended 26th Nov., 1904.		The DEATHS registered in the Week include																																
		Week ended				5th Nov., 1904.	12th Nov., 1904.	19th Nov., 1904.	26th Nov., 1904.	Week ended 26th Nov., 1904.	11-17.	Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.													
		Causes.																																	Deaths of Persons aged under 1 year of age.		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
POPULATION estimated middle of the Year 1904.*																																				TOWNS.											
BIRMINGHAM	-	597,965	17'3	17'0	18'3	22'8	1'3	281	235	68	47	-	1	2	4	2	3	10	11	51	9	BIRMINGHAM.																									
KINGS NORTON	-	68,667	10'2	10'2	13'3	10'2	-	17	13	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	KINGS NORTON.													
SMETHWICK	-	60,691	9'5	13'7	19'8	16'3	1'7	30	19	4	6	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	SMETHWICK.													
ASTON MANOR	-	60,363	15'6	8'4	16'9	13'6	0'6	33	21	7	5	-	-	-	-	1	-	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	ASTON MANOR.												
COVENTRY	-	73,804	13'4	12'7	25'4	14'8	2'1	47	21	9	2	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	COVENTRY.												
LEICESTER	-	224,166	13'3	12'3	13'3	20'2	0'2	91	87	21	27	-	1	-	-	-	-	4	11	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	LEICESTER.												
GRIMSBY	-	86,958	18'7	21'0	12'5	21'0	5'5	35	27	7	7	-	4	-	-	-	1	-	-	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	GRIMSBY.												
NOTTINGHAM	-	248,811	14'3	12'4	14'5	17'0	2'1	112	81	22	28	-	3	2	2	1	1	3	6	16	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	NOTTINGHAM.											
DERBY	-	120,449	14'7	10'4	15'2	13'4	0'4	53	31	7	13	-	-	-	-	-	-	1	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	DERBY.											
STOCKPORT	-	97,008	16'1	16'1	21'5	24'7	1'1	33	46	13	14	-	-	1	1	-	-	1	2	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	STOCKPORT.											
BIRKENHEAD	-	114,814	13'6	17'7	15'9	17'7	0'5	44	39	11	7	-	-	-	1	1	-	2	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	BIRKENHEAD.											
WALLASEY	-	60,354	10'4	9'5	18'0	13'8	2'6	30	16	5	6	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	WALLASEY.											
LIVERPOOL	-	723,430	20'0	20'9	21'0	21'6	2'8	378	300	73	59	-	26	-	6	2	3	2	15	21	80	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	LIVERPOOL.										
BOOTLE	-	61,755	12'7	12'7	21'1	15'2	1'7	39	18	4	5	-	1	-	-	-	-	1	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	BOOTLE.											
ST. HELENS	-	88,545	21'8	21'8	21'2	23'0	4'7	58	39	15	4	-	4	1	-	1	1	-	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	ST. HELENS.										
WIGAN†	-	62,800	12'5	22'4	21'6	22'4	1'7	52	27	13	1	-	2	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	WIGAN†.											
WARRINGTON	-	67,331	16'3	14'7	10'8	13'2	-	41	17	4	4	-	-	-	-	-	-	-	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	WARRINGTON.											
BOLTON	-	175,744	14'5	14'5	18'4	13'9	0'9	89	47	10	13	-	1	-	1	-	1	-	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	BOLTON.											
BURY	-	58,450	10'7	19'6	16'9	16'9	1'8	20	19	6	3	-	2	-	-	-	-	-	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	BURY.											
MANCHESTER†	-	557,938	15'8	16'3	19'5	20'6	0'9	273	220	53	47	-	3	2	1	2	-	12	16	64	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	MANCHESTER†.											
SALFORD	-	228,983	16'9	15'7	15'3	20'7	3'6	123	91	27	15	-	-	-	2	-	-	4	10	13	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	SALFORD.											
OLDHAM	-	139,497	16'8	18'3	18'7	19'4	1'9	63	52	15	14	1	-	-	-	1	1	2	1	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	OLDHAM.											
ROCHDALE	-	85,601	13'4	17'1	9'7	19'5	4'3	43	32	4	6	-	1	3	1	-	2	1	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	ROCHDALE.											
BURNLEY	-	100,569	17'6	20'2	17'6	18'7	1'0	61	36	14	7	-	-	-	1	-	-	-	-	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	BURNLEY.											
BLACKBURN	-	132,134	17'4	18'5	22'1	13'2	0'8	50	31	8	6	-	-	-	-	-	-	-	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	BLACKBURN.											

TOWNS.	Cols.	Week ended					26th Nov., 1904.		Deaths under 1 Year of Age.		Diseases of							TOWNS.				
		1904.					1904.		Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Unidentified Causes of Death.	Cols.
		5th Nov., 1904.	12th Nov., 1904.	19th Nov., 1904.	26th Nov., 1904.	Week ended 26th Nov., 1904.	BIRTHS.	DEATHS.														
HUDDESFIELD.	-	14'3	17'6	15'9	11'0	2'2	32	20	2	5	-	-	-	1	2	1	-	1	1	2	-	21.
HALIFAX.	-	11'6	24'2	15'0	14'5	0'5	40	30	7	7	-	-	-	-	-	-	1	1	3	6	-	-
BRADFORD.	-	15'2	15'4	15'9	13'9	1'8	85	76	11	23	-	1	2	3	2	-	2	3	11	14	-	-
LEEDS.	-	45'0	14'2	17'3	15'1	0'3	214	130	34	32	-	-	1	-	1	1	5	5	13	26	-	-
SHEFFIELD.	-	14'3	13'7	14'8	17'9	0'8	216	149	34	41	-	-	2	-	-	2	3	6	15	25	6	-
ROTHERHAM.	-	20'5	16'0	9'8	14'3	0'9	46	16	4	1	-	-	-	-	-	1	-	1	1	2	-	-
YORK.	-	14'8	12'2	14'8	12'2	1'3	36	19	6	5	-	1	1	-	-	-	-	1	1	2	-	-
HULL.	-	25'3	8'65	17'0	23'2	1'2	117	79	22	18	-	3	-	2	-	-	1	5	8	13	-	-
MIDDLESBROUGH.	-	21'6	22'7	19'4	17'3	1'6	65	32	7	3	-	3	-	-	-	-	-	-	-	3	1	-
STOCKTON-ON-TES.	-	22'0	19'0	19'0	20'0	3'0	27	20	8	1	-	1	-	1	-	-	1	2	2	1	1	-
WEST HARTLEPOOL.	-	11'3	12'0	13'6	13'6	3'8	38	18	3	5	-	-	-	3	-	-	-	-	2	2	-	-
SUNDERLAND.	-	18'3	20'7	20'0	18'3	1'4	71	53	21	7	-	-	-	-	1	1	5	1	7	6	3	-
SOUTH SHIELDS.	-	23'8	25'7	22'3	24'8	4'4	68	51	20	3	1	2	-	-	5	-	1	1	1	5	2	-
GATESHEAD.	-	11'5	14'6	19'4	18'1	2'2	76	41	13	9	-	2	-	1	-	-	2	2	2	2	2	-
NEWCASTLE-ON-TYNE†.	-	15'5	17'8	22'0	19'9	1'2	99	86	30	21	-	1	-	2	2	-	-	2	10	9	-	-
TYNEMOUTH.	-	21'6	20'6	16'7	13'8	2'9	27	14	2	4	-	3	-	-	-	-	-	-	-	1	-	-
NEWPORT (MON.).	-	14'6	10'9	15'3	18'2	0'7	44	25	8	5	-	-	-	1	-	-	-	-	2	1	-	-
CARDIFF.	-	12'7	12'1	10'9	14'8	1'2	88	50	14	11	-	-	-	-	2	-	1	1	11	3	-	-
RHONDDA.	-	12'8	15'8	15'8	18'3	6'0	72	43	12	6	-	1	1	-	2	9	1	2	3	3	-	-
MERTHYR TYDFIL.	-	7'9	17'9	15'8	16'5	2'2	38	23	7	4	-	-	1	2	-	-	-	4	6	1	-	-
SWANSEA.	-	12'0	16'8	16'8	16'3	-	33	30	5	9	-	-	-	-	-	-	-	4	5	3	1	-
GREATER LONDON.	-	6,907,756	13'7	14'3	15'2	1'0	3602	2133	493	641	-	27	23	24	22	8	22	72	177	638	9	-
OUTER RING.	-	2,258,806	11'2	12'4	11'7	1'2	1246	631	151	201	-	13	4	13	12	5	4	18	53	102	-	-
8 TOWNS IN OUTER RING.	-	1,098,659	11'0	12'9	12'4	1'7	663	335	79	100	-	6	3	11	7	4	4	13	35	57	-	-
REMAINDER OF OUTER RING.	-	1,160,167	11'5	12'0	11'1	0'7	583	296	72	101	-	7	1	2	5	1	-	5	18	45	-	-
EDINBURGH.	-	331,977	15'7	17'3	18'4	0'6	130	98	12	23	-	1	-	3	-	-	-	2	?	?	5	-
GLASGOW.	-	798,357	18'5	19'7	18'4	2'5	427	308	84	59	-	1	1	5	19	2	11	9	?	73	9	-
DUBLIN†.	-	378,994	21'5	20'2	22'6	2'9	149	164	38	48	-	12	1	-	4	-	4	8	7	55	8	-
BELFAST†.	-	358,680	17'2	18'6	19'8	2'2	142	135	20	27	-	7	-	-	-	5	3	3	9	23	?	-

* See note † on first page of this return.

† The recent extension of the City of Newcastle-on-Tyne will not be taken into account in the Weekly Returns until next year.

‡ Excluding deaths of persons admitted into Public Institutions from without the boundaries of Dublin and Belfast respectively.

TABLE 2. LONDON.—Births and Deaths Registered in the FORTY-SEVENTH Week of each of the Eleven Years, 1894–1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894–1903.*	1904
TOTAL Births -	2704	2596	2688	2523	2155	2556	2538	2519	2410	2342	2596.3	2342
Males -	1379	1314	1400	1295	1082	1267	1311	1316	1207	1186	1323.2	1186
Females -	1325	1282	1288	1228	1073	1289	1227	1203	1203	1156	1273.1	1156
TOTAL Deaths -	1326	1488	1688	1793	1439	1526	1515	1939	1532	1536	1637.0	1536
Males -	655	770	838	891	719	798	761	997	811	791	833.0	791
Females -	671	718	850	902	720	728	754	942	721	745	804.0	745

* The numbers in this column are the average weekly numbers in the forty-seventh week of the ten years 1894–1903, raised by 3.723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Sept. 3.	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	13 Weeks
TOTAL Births -	2160	2504	2514	2272	2537	2470	2491	2442	2585	2581	2476	2455	2356	318
TOTAL Deaths -	1459	1354	1360	1223	1279	1243	1270	1476	1311	1330	1357	1505	1502	176
Ages at Death {														
Under 1 year -	544	448	401	306	311	287	267	292	289	288	306	357	345	44
1–5 years -	135	124	116	112	118	102	121	131	122	121	137	153	144	16
5–20 " -	60	59	62	76	53	56	74	87	55	78	75	74	80	8
20–40 " -	149	148	180	159	177	187	168	212	173	170	175	196	181	22
40–60 " -	228	266	255	235	282	271	282	279	266	286	281	304	312	35
60 yrs. & upwds. -	343	309	346	335	338	340	358	475	386	387	383	421	440	48
Deaths from—														
Small-pox -	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Measles -	15	8	8	6	17	14	15	26	20	14	15	15	14	1
Scarlet Fever -	6	2	14	3	9	4	11	6	8	13	9	8	19	1
Diphtheria -	8	20	9	19	16	20	17	13	12	15	13	24	11	1
Whooping-cough -	25	16	16	5	9	7	5	11	7	4	4	12	10	1
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Enteric Fever -	12	8	9	13	10	9	15	11	7	6	11	10	3	1
Pyrexia (origin uncertain) -	-	-	-	-	2	-	-	1	-	-	-	-	-	-
Diarrhoea, Dysentery -	338	253	189	108	84	52	49	45	25	22	27	25	18	12
All above Diseases -	404	312	245	154	147	106	112	113	79	74	79	94	75	19
Dis. of Resp. System -	49	61	59	72	85	85	94	127	145	158	171	175	228	15
Pneumonia -	59	68	82	97	82	81	100	124	144	127	153	186	157	14
Phthisis -	105	122	141	142	152	150	142	174	144	159	140	170	163	19
Dis. of Circ. System -	161	160	156	150	152	157	179	197	182	169	169	185	191	23
Violence -	47	40	46	45	49	51	41	53	47	52	46	45	54	6
Inquest Cases -	118	124	104	110	125	139	125	123	136	137	119	127	124	16
Deaths in Institutions -	496	491	529	475	494	492	479	588	489	475	485	532	536	65
TEMPERATURE OF THE AIR.														
Mean -	61.0	57.0	56.4	53.6	52.1	50.3	47.8	54.9	49.9	49.3	48.8	45.2	33.7	56
Mean of Highest -	71.2	67.0	66.2	61.3	63.2	58.0	56.3	61.3	58.1	54.3	54.3	49.6	37.7	5
Mean of Lowest -	51.8	48.6	47.9	46.1	42.5	43.3	38.7	48.7	43.1	45.9	43.3	35.3	28.5	5
Mean Humidity of the Air.	75	77	81	70	87	81	85	89	84	84	83	94	82	
Rain-fall (in inches) -	1.01	0.36	0.24	0.20	0.14	0.36	0.02	0.43	0.20	0.11	1.40	0.04	0.18	5
Registered Sunshine (in hours) -	39.0	41.3	37.1	52.7	28.1	17.5	25.0	10.0	22.9	9.8	11.7	14.0	9.6	31
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														
Small-pox -	9	8	5	5	3	2	1	1	1	1	1	1	1	Mean
Scarlet Fever -	1830	1816	1929	1969	2158	2341	2516	2687	2725	2782	2843	2774	2741	23
Diphtheria -	825	814	832	833	878	892	931	950	947	979	947	921	919	8
Typhus -	-	1	1	1	1	-	-	-	-	-	-	-	-	8
Enteric Fever -	135	158	187	204	237	239	242	229	225	230	224	214	191	2

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholm, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D. Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S. Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E. Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-SEVENTH Week of the Year 1904.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 47th week of the year 1903.	1904—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 47th week of the year 1903.	1904—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.			
L CAUSES	1536	1502	345	144	80	181	312	440	Meningitis (not tuberc.)	10	17	2	3	4	1	5	2
									Insanity, Gen. Par. of }	7	9	-	-	-	-	5	4
									Insane - - - - }	5	9	-	-	-	2	4	3
Small-pox*	1	-	-	-	-	-	-	-	Epilepsy - - - - }	17	22	19	3	-	-	-	-
Whooping-cough	37	14	1	13	-	-	-	-	Convulsions - - - }	1	2	-	-	-	-	2	-
Scarlet Fever	6	19	1	14	3	-	1	-	Locomotor Ataxy - - }	4	5	-	-	1	-	2	2
Diphtheria	-	-	-	-	-	-	-	-	Paraplegia, Dis. of Cord	16	14	-	1	1	-	4	8
Epidemic Typhus	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	58	45	-	-	3	10	14	18
Epidemic Typhus	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis-	32	31	-	-	-	-	8	23
Epidemic Typhus	-	-	-	-	-	-	-	-	Cerebr. Hæm. Thromb.-	19	14	-	-	-	-	5	9
Epidemic Typhus	-	-	-	-	-	-	-	-	Apoplexy, Hemiplegia -	5	5	-	-	1	1	3	-
Epidemic Typhus	-	-	-	-	-	-	-	-	Aneurysm - - - - }	-	1	1	-	-	-	-	-
Epidemic Typhus	-	-	-	-	-	-	-	-	Embolism, Thrombosis }	-	-	-	-	-	-	-	-
Epidemic Typhus	-	-	-	-	-	-	-	-	(not cerebral) - - }	86	95	-	-	5	10	30	50
Epidemic Typhus	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.	-	1	-	1	-	-	-	-
Epidemic Typhus	-	-	-	-	-	-	-	-	Croup (not Spasm: nor	-	1	-	1	-	-	-	-
Epidemic Typhus	-	-	-	-	-	-	-	-	Memb.) - - - - }	179	207	77	8	-	3	24	95
Epidemic Typhus	-	-	-	-	-	-	-	-	Bronchitis - - - - }	7	7	-	-	-	-	1	6
Epidemic Typhus	-	-	-	-	-	-	-	-	Asthma, Emphysema - -	-	1	-	-	-	-	-	-
Epidemic Typhus	-	-	-	-	-	-	-	-	Pleurisy - - - - }	17	12	3	2	-	1	2	4
Epidemic Typhus	-	-	-	-	-	-	-	-	Respiratory Dis. (other)	1	-	-	-	-	-	-	-
Epidemic Typhus	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy - -	10	3	1	1	1	-	-	-
Epidemic Typhus	-	-	-	-	-	-	-	-	Enteritis (not Epid.) -	9	9	7	-	-	1	-	1
Epidemic Typhus	-	-	-	-	-	-	-	-	Gastro-Enteritis - - }	5	3	-	-	-	2	-	-
Epidemic Typhus	-	-	-	-	-	-	-	-	Fertionitis (not Puerp.)	14	16	-	-	-	-	12	4
Epidemic Typhus	-	-	-	-	-	-	-	-	Cirrhosis of Liver - - }	1	8	-	-	1	1	1	5
Epidemic Typhus	-	-	-	-	-	-	-	-	Liver Dis. (other) - - }	31	28	2	1	10	6	3	6
Epidemic Typhus	-	-	-	-	-	-	-	-	Digestive Dis., Other -	11	8	-	2	-	2	1	5
Epidemic Typhus	-	-	-	-	-	-	-	-	Nephritis, Acute - - - }	32	46	-	-	-	12	22	12
Epidemic Typhus	-	-	-	-	-	-	-	-	Bright's Dis., Albumin-	8	11	1	-	-	-	-	10
Epidemic Typhus	-	-	-	-	-	-	-	-	uria - - - - }	-	-	-	-	-	-	-	-
Epidemic Typhus	-	-	-	-	-	-	-	-	Urinary Sys., Other Dis.	3	2	-	-	-	1	1	-
Epidemic Typhus	-	-	-	-	-	-	-	-	Generative Organs Dis.-	4	3	-	-	-	3	-	-
Epidemic Typhus	-	-	-	-	-	-	-	-	Childbirth (Accid. of)	56	62	-	-	-	-	-	62
Epidemic Typhus	-	-	-	-	-	-	-	-	Old Age - - - - - }	118	98	64	10	3	2	10	9
Epidemic Typhus	-	-	-	-	-	-	-	-	Other Diseases - - - }	-	-	-	-	-	-	-	-
Epidemic Typhus	-	-	-	-	-	-	-	-	ACCIDENT.	-	-	-	-	-	-	-	-
Epidemic Typhus	-	-	-	-	-	-	-	-	By Railways - - - - }	3	-	-	-	-	-	-	-
Epidemic Typhus	-	-	-	-	-	-	-	-	By Vehicles and Horses-	4	5	-	-	2	-	2	1
Epidemic Typhus	-	-	-	-	-	-	-	-	In Ships, Boats, Docks,	1	-	-	-	-	-	-	-
Epidemic Typhus	-	-	-	-	-	-	-	-	(exclusive of Drown-	-	-	-	-	-	-	-	-
Epidemic Typhus	-	-	-	-	-	-	-	-	ing) - - - - }	-	-	-	-	-	-	-	-
Epidemic Typhus	-	-	-	-	-	-	-	-	In Building Operations-	11	4	1	3	-	-	-	-
Epidemic Typhus	-	-	-	-	-	-	-	-	In Conflagrations - - }	2	1	-	-	-	-	1	-
Epidemic Typhus	-	-	-	-	-	-	-	-	By Burns, Scalds, Ex-	13	14	14	-	-	-	-	-
Epidemic Typhus	-	-	-	-	-	-	-	-	plosions - - - - }	-	3	-	-	-	-	1	1
Epidemic Typhus	-	-	-	-	-	-	-	-	By Drowning - - - - }	-	-	-	-	-	-	-	-
Epidemic Typhus	-	-	-	-	-	-	-	-	By Suffocation in Bed -	15	15	2	1	-	3	2	7
Epidemic Typhus	-	-	-	-	-	-	-	-	By Poisons or Poisonous	-	-	-	-	-	-	-	-
Epidemic Typhus	-	-	-	-	-	-	-	-	Vapours - - - - }	-	-	-	-	-	-	-	-
Epidemic Typhus	-	-	-	-	-	-	-	-	Other Deaths by Acci-	-	-	-	-	-	-	-	-
Epidemic Typhus	-	-	-	-	-	-	-	-	dent - - - - }	-	-	-	-	-	-	-	-
Epidemic Typhus	-	-	-	-	-	-	-	-	VIOLENCE OTHER THAN	-	-	-	-	-	-	-	-
Epidemic Typhus	-	-	-	-	-	-	-	-	ACCIDENTAL.	-	-	-	-	-	-	-	-
Epidemic Typhus	-	-	-	-	-	-	-	-	Homicide - - - - }	-	1	-	-	-	-	1	-
Epidemic Typhus	-	-	-	-	-	-	-	-	Suicide - - - - }	4	11	-	-	-	-	5	5
Epidemic Typhus	-	-	-	-	-	-	-	-	Execution - - - - }	-	-	-	-	-	-	-	-

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
 † Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 26th November, 1904.

REGISTRATION SUB-DISTRICTS.	Enu- me- rated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include															Deaths in Public Institutions.
				Deaths of		Deaths from													
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia† (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.			
LONDON - - -	4,536,429	2356	1502	345	440	-	14	19	11	10	-	3	-	18	54	124	536		
WEST DISTRICTS - - -	805,311	353	258	58	80	-	1	4	3	4	-	-	-	9	10	17	103		
NORTH DISTRICTS - - -	1,056,070	519	353	77	118	-	4	7	6	1	-	1	-	2	11	30	104		
CENTRAL DISTRICTS - - -	209,465	94	60	12	12	-	-	-	-	-	-	1	-	-	6	7	27		
EAST DISTRICTS - - -	715,739	459	304	91	71	-	1	1	-	2	-	-	-	2	13	39	123		
SOUTH DISTRICTS - - -	1,749,844	931	490	106	146	-	8	5	2	3	-	1	-	5	14	31	147		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	32	1	13	-	-	2	-	-	-	-	-	-	-	-	32		
WEST DISTRICTS.																			
St. Mary Paddington } G. & W.	93,178	40	30	7	10	-	-	-	-	1	-	-	-	2	1	4	10		
W ₂ H - - -																			
St. John Paddington H - - G.	33,617	3	15	-	2	-	-	-	-	-	-	-	-	-	2	2	11		
North-West Paddington - - C.	17,181	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Kensington Town 2W, w ₂ H G. & W. & C.	128,037	48	54	11	26	-	-	-	-	1	-	-	-	2	1	3	27		
Brompton 2H - - W. & C.	48,591	9	12	-	7	-	-	-	-	-	-	-	-	-	1	1	1		
North Hammersmith W, w ₂ H } W. & G.	49,192	31	15	5	2	-	-	-	-	-	-	-	-	-	1	2	-		
South Hammersmith w ₂ H - -	63,047	31	16	6	3	-	-	-	1	-	-	-	-	-	-	-	3		
North-west Fulham W - -	45,180	50	20	7	6	-	1	-	-	-	-	-	-	2	1	1	13		
North-east Fulham F - -	46,405	22	20	4	3	-	-	4	2	1	-	-	-	-	-	-	6		
South Fulham W - -	45,704	25	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-		
Chelsea North W, w ₃ H - - C.	42,514	13	22	5	7	-	-	-	-	-	-	-	-	1	1	1	15		
Chelsea South W ₂ H - - C.	31,328	9	15	4	6	-	-	-	-	1	-	-	-	-	-	1	2		
May Fair and Knightsbridge C. & G.	28,743	8	3	2	-	-	-	-	-	-	-	-	-	1	-	-	-		
Belgrave W ₂ H - - C.	55,815	29	18	2	5	-	-	-	-	-	-	-	-	-	1	1	9		
St. Margaret & St. John 4H - C.	43,698	21	7	2	1	-	-	-	-	-	-	-	-	-	-	-	4		
St. James Westminster } N. & G.	21,588	3	2	-	1	-	-	-	-	-	-	-	-	-	1	1	1		
W ₂ H - - -																			
St. Anne Soho 5H - - N.	11,493	4	5	1	1	-	-	-	-	-	-	-	-	1	-	-	1		
NORTH DISTRICTS.																			
All Souls Marylebone 8H - W.	35,391	11	18	-	6	-	-	-	-	-	-	-	-	-	1	3	9		
Rectory Marylebone W - G. & W.	19,549	9	4	1	3	-	-	-	-	-	-	-	-	-	-	1	-		
St. Mary Marylebone 4H - G. & W.	18,099	40	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Christchurch Marylebone H - W.	39,536	18	11	8	1	-	-	-	-	-	-	-	-	1	-	-	1		
St. John Marylebone 3H - W.	20,426	6	5	-	4	-	-	-	-	-	-	-	-	-	-	-	-		
Hampstead W, F, 6H - N. & W.	81,942	22	22	4	7	-	-	2	1	-	-	-	-	-	1	2	8		
West St. Pancras 2H - - W.	60,562	28	21	1	7	-	1	-	-	-	-	-	-	-	-	1	6		
Tottenham-court w ₂ 6H - N. & W.	21,258	4	10	1	2	-	-	-	-	-	-	-	-	-	-	1	6		
Gray's Inn Lane 4H - - N.	34,449	16	13	4	3	-	-	-	-	1	-	-	-	-	1	1	2		
East St. Pancras W ₂ H - - N.	60,320	35	20	6	7	-	1	-	-	-	-	-	-	-	-	3	7		
North St. Pancras 2W - - N.	58,728	32	23	4	6	-	-	-	-	-	-	-	-	-	1	3	7		
Tufnell W - - N.	31,995	17	23	4	10	-	1	-	-	-	-	-	-	-	1	4	11		
Upper Holloway 2W, w ₂ 2H - N.	33,978	18	20	2	9	-	-	-	-	-	-	-	-	-	1	1	20		
Tollington W - - N.	33,922	10	7	4	2	-	1	-	-	-	-	-	-	-	-	-	-		
Lower Holloway - - N.	41,424	23	15	8	2	-	-	-	-	-	-	-	-	-	-	-	-		
Barnsbury - - N.	54,478	30	21	7	8	-	-	-	-	-	-	-	-	-	-	-	-		
Islington South-east F - - N.	75,397	43	18	4	4	-	-	-	-	-	-	-	-	-	1	-	-		
Highbury 2H - - N.	63,797	13	10	1	6	-	-	-	-	-	-	-	-	-	2	3	1		
Stoke Newington H - - N.	51,247	22	14	-	6	-	-	-	-	-	-	-	-	-	-	-	-		
North Hackney - - E. & N.	60,560	22	13	2	6	-	-	-	1	-	-	-	-	-	-	-	-		
Central Hackney 2w, F - E. & N.	50,536	27	23	3	5	-	-	4	5	-	-	1	-	-	-	1	9		
South-west Hackney 3H - E. & N.	59,921	40	17	5	5	-	-	-	-	-	-	-	-	-	-	1	4		
South-east Hackney 2W, w, H E. & N.	68,255	33	28	7	9	-	-	-	-	-	-	-	-	1	3	4	13		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there; namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated.—G, signifying Grand Junction; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River E, East London; and K, the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 26th November, 1904—continued.

POPULATION SUB-DISTRICTS,	Enume- rated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include											
				Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhœa.	Violence.
CENTRAL DISTRICTS.															
and Bloomsbury W, 2H N.	31,436	13	4	1	-	-	-	-	-	-	-	-	-	-	-
W, 4H - - - N. & C.	21,674	5	18	2	5	-	-	-	-	-	-	-	-	3	3
Union Workhouse, Edmonton -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	11
W, 6H - - - N.	29,612	12	9	3	1	-	-	-	-	-	-	-	-	-	5
Merkenwell - - - N.	28,676	19	3	1	-	-	-	-	-	-	-	-	-	-	-
Merkenwell H - - - N.	35,028	13	6	1	3	-	-	-	-	-	-	-	-	-	-
y 3H, L - - - N.	36,116	26	8	2	-	-	-	-	-	-	-	-	-	3	4
Union Workhouse, }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
lph H - - - N. & E.	10,299	3	-	-	-	-	-	-	-	-	-	-	-	-	-
loshre and Allhallows } N.	16,624	3	10	1	2	-	-	-	-	-	-	1	-	-	9
London Asylum, Stone -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1
EAST DISTRICTS.															
ch South* H, L - E. & N.	46,362	17	18	8	3	-	-	-	-	-	-	-	-	2	4
ch North-West* W, w, H N.	36,127	28	29	10	9	-	1	-	-	-	-	-	-	2	4
ch North-East* - N. & E.	36,148	24	14	7	2	-	-	-	-	-	-	-	1	1	19
ch Union Workhouse, Wood }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Green North 2H - E.	51,514	21	18	8	2	-	-	-	-	2	-	-	-	2	4
Green South - - E.	33,472	27	7	1	4	-	-	-	-	-	-	-	-	1	2
Green East 2W, H, L - E.	44,694	23	33	3	12	-	-	-	-	-	-	-	-	-	27
Fields - - - E. & N.	27,969	13	2	-	1	-	-	-	-	-	-	-	-	1	1
nd New Town W, H - E.	28,718	18	38	10	3	-	-	-	-	-	-	-	-	4	4
n's Fields - - - E.	22,081	14	5	1	2	-	-	-	-	-	-	-	-	-	34
ge and St. John 2W E.	49,068	28	16	4	4	-	-	-	-	-	-	-	-	4	5
oll and Ratcliff W, H E. & N.	25,568	15	8	4	-	-	-	-	-	-	-	-	-	1	1
use - - - E.	52,369	22	16	10	1	-	-	-	-	-	-	-	-	2	-
nd Old Town South- }	63,698	55	16	5	3	-	-	-	-	-	-	-	-	1	-
nd Old Town North- }	49,129	29	17	6	6	-	-	-	-	-	-	-	1	1	3
rn W, C - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7
y 3W, H - - - E.	41,989	29	13	3	2	-	-	-	-	-	-	-	-	-	2
W, w - - - E.	68,319	54	40	6	15	-	-	1	-	-	-	-	-	5	22
W, w - - - E.	58,514	42	14	5	2	-	-	-	-	-	-	-	-	1	4

1st September, 1904, the four sub-districts of Shoreditch district were dissolved and formed into three new sub-districts as above.

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS FROM ALL CAUSES, and from SMALLPOX, MEASLES, SCARLET FEVER, DIPHTERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., &c., in each SUB-DISTRICT during the Week ended Saturday, 26th November, 1904.—continued.

			The DEATHS registered during the Week include													
REGISTRATION SUB-DISTRICTS,			Enu- me- rated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths of		Deaths from								Un- quest Cases
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Euteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	
SOUTH DISTRICTS.																
Christchurch Southwark W, H, L. & S.	11,263	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-
St Saviour Southwark H - S.	12,066	5	23	8	2	-	-	-	-	-	-	-	-	-	-	4
Kent-road - - - S. & L.	21,904	14	2	2	-	-	-	-	-	-	-	-	-	-	-	1
St. George the Martyr } S. & L.	39,094	9	13	3	3	-	-	-	-	-	-	-	-	-	-	-
West W, H, L. - - - }																
Newington North - - S. & L.	49,022	38	15	8	1	-	-	-	-	-	-	1	-	-	-	-
Newington South W - S. & L.	72,841	47	19	4	8	-	-	-	-	-	-	-	-	-	-	-
St. Olave 2W - - - S.	9,817	11	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Bermondsey W - - - S.	82,483	61	20	11	5	-	1	-	-	-	-	-	-	-	-	-
Rotherhithe W, F - - S. & K.	38,460	12	17	2	3	-	1	-	-	-	-	-	-	-	-	2
Waterloo-road 2H - - L. & S.	27,440	22	8	2	1	-	-	-	-	-	-	-	-	-	-	-
Lambeth Church 1st H - L. & S.	18,423	16	16	3	2	-	-	-	-	-	-	-	-	-	-	4
Lambeth Church 2nd 2W - L. & S.	39,818	30	20	2	5	-	-	-	-	-	-	-	-	-	1	-
Kennington 1st H - - S. & L.	53,198	28	7	3	2	-	-	-	-	-	-	-	-	-	-	-
Kennington 2nd H - - S. & L.	42,896	17	8	2	2	-	-	-	-	-	-	-	-	-	-	-
Brixton F - - - L. & S.	84,232	25	13	1	5	-	-	2	-	-	-	-	-	-	-	-
Norwood W, H - - - L.	35,888	13	5	-	3	-	-	-	-	1	-	-	-	-	-	-
East Battersea H - - S.	72,203	40	14	4	7	-	-	-	-	-	-	-	-	-	1	-
North-west Battersea - - S.	49,656	23	11	-	4	-	-	-	-	-	-	-	-	-	-	-
South-west Battersea W, H - S.	47,048	15	16	1	3	-	-	-	-	-	-	-	-	-	-	-
Clapham 2H - - - S.	51,361	24	10	3	4	-	-	-	-	-	-	-	-	-	-	-
Streatham W, 2w, 2F, 2L - L.	88,019	48	32	3	16	-	-	1	1	-	-	-	-	-	1	1
Springfield 2W, L - - S.	27,959	14	3	1	-	-	2	-	-	-	-	-	-	-	-	-
Southfields H - - - S.	40,444	34	8	1	-	-	1	-	-	-	-	-	-	-	-	-
Putney - - - - S.	24,139	12	4	-	1	-	-	-	-	-	-	-	-	-	-	-
Dulwich - - - L. & S.	13,359	2	3	-	3	-	-	-	-	-	-	-	-	-	-	-
Camberwell South W, w - S. & L.	40,206	18	32	2	13	-	-	-	-	1	-	-	-	-	1	-
Camberwell North W, 2L - S. & L.	65,584	36	22	2	6	-	-	-	-	-	-	-	-	-	-	1
St. George - - - L. & S.	47,331	33	4	3	-	-	-	-	-	-	-	-	-	-	-	-
Peckham 2W, w - - S., L. & K.	92,859	37	21	6	8	-	-	-	-	-	-	-	-	-	-	-
Deptford North - - - K.	37,613	16	9	4	-	-	1	-	-	-	-	-	-	-	-	-
Deptford Central F - - K.	45,481	27	11	4	2	-	-	-	-	-	-	-	-	-	-	-
Deptford South - - - K.	34,625	15	6	-	2	-	-	-	-	-	-	-	-	-	-	-
Greenwich West 2H - - K.	23,456	12	6	1	3	-	-	-	-	1	-	-	-	-	-	-
Greenwich East 2W, H - K.	43,859	33	29	6	11	-	-	-	-	-	-	-	-	-	-	-
Eltham w, H - - - K.	7,226	10	2	1	1	-	-	-	-	-	-	-	-	-	-	1
Lee w, H - - - - K.	25,490	3	5	-	2	-	-	-	-	-	-	-	-	-	-	-
Lewisham W, w, F - - K.	58,352	34	16	5	4	-	-	1	-	-	-	-	-	-	1	-
Sydenham H - - - L.	43,653	25	8	3	2	-	-	-	-	-	-	-	-	-	-	-
Charlton F, 2H - - - K.	21,134	7	8	-	2	-	2	1	1	-	-	-	-	-	-	-
Woolwich 4H - - - K.	41,625	23	6	-	3	-	-	-	-	1	-	-	-	-	-	-
Plumstead West W - - K.	18,063	7	2	-	2	-	-	-	-	-	-	-	-	-	-	-
Plumstead East 2W, H - K.	50,264	27	13	5	3	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Banstead -	-	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-
Manor Asylum, Epsom - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton Asylum, Epsom - - -	-	-	4	-	3	-	-	-	-	-	-	-	-	-	-	-
Lon. Co. Asy. Epilep. Colony, Epsom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Caterham	-	-	6	-	4	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Cane Hill -	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-
M.A.B. Hospitals, Dartford - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Darenth -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Dartford } Heath	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Gore Farm	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Hanwell	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asy., Hendon	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Colney Hatch	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
M.A.B. North-Eastern Hospital -	-	-	2	1	-	-	-	2	-	-	-	-	-	-	-	-
M.A.B. Northern Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Leavesden	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Claybury	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-

Area, Population, Births, and Deaths in Outer Ring.

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSE HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 26th November, 1904.

The DEATHS registered in the Week include																
REGISTRATION SUB-DISTRICTS	Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths from											
					Deaths of 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhea.	Violence.	Inquest Cases.	Deaths in Public Institutions.
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.										
LONDON—OUTER RING	368,589	2,044,973	1246	631	151	201		13	4	13	12	5	4	18	53	102
1 Carshalton <i>w</i> 2F,3H	12,228	32,997	11	7		2					1					4
2 Epsom, part of* <i>W,w</i> 2F,H-	10,423	15,548	3	8	2	1		1								2
1 Godstone, part of* <i>W,F</i>		2,754	2	2		2										
1 Coulsdon	11,069	8,166	1	2	2	2										
2 South Croydon <i>w</i>	4,200	49,099	20	15	18	8										1
3 West Croydon <i>3W,F,H</i>	2,168	42,888	36	18	23	6		1	2					1	2	7
4 North Croydon <i>H</i>	2,644	41,668	21	9	1	1									1	1
5 Penge <i>w</i>	770	22,465	10	6		4									1	
6 Mitcham <i>w</i>	11,689	30,015	26	5		1										
1 Wimbledon <i>F,3H</i>	3,221	41,652	23	9	2	2					1					1
2 Kingston <i>W,H</i>	6,224	42,068	19	11		10								1	1	6
3 Surbiton <i>F,H</i>	3,046	15,017	7	5	2	2										
4 Esher, part of* <i>H</i>	5,402	13,100	6	2	1	1										
5 Hampton <i>H,L</i>	4,564	23,456	8	4		1									1	
1 Richmond <i>W,H</i>	2,162	23,865	11	10	1	3		1								1
2 Mortlake <i>F</i>	2,847	20,628	17	4		3		1								
1 Bromley <i>F,2H</i>	4,703	27,354	9													
2 Beckenham <i>H</i>	7,325	28,497	11	7	2	2								1	2	
3 Orpington, part of* <i>W</i>	10,113	9,857	5	2	1	1										1
4 Chislehurst <i>2H</i>	7,333	16,446	7	3												2
1 Bexley <i>F,H</i>	8,678	21,151	14	4		2										
2 Erith <i>F,H</i>	3,854	25,296	13	4		3										
3 Dartford <i>W,F</i> , part of*				1		1										1
1 Sunbury <i>w</i>	11,054	18,683	13	1					1							
2 Staines <i>W,H</i>	13,277	15,178	8	8	2	3										3
1 Hillingdon <i>W,F,H</i>	6,035	13,661	3	5												1
2 Uxbridge	12,757	8,984	6	2	1	1										
3 Hayes <i>w,F,H</i>	8,066	16,368	15	8	4	1								1	2	
1 Isleworth <i>3W,2F,H</i>	6,859	30,863	14	10	4	1									1	2
2 Twickenham <i>F,H</i>	2,421	20,991	15	9	4	1					1					
3 Brentford <i>2F,2H,L</i>	4,319	48,289	30	14		6						1				2
4 Chiswick <i>H</i>	1,249	29,809	14	7	1	3									1	
5 Acton <i>w,3H</i>	6,132	48,914	34	19	11	3					1			1	2	
1 Harrow <i>F,H</i>	13,809	25,523	20	9	3	3										
2 Edgware <i>F,2H</i>	6,994	4,521	1													
3 Willesden <i>W,F,2H</i>	4,384	114,811	84	30	2	10				1	1					5
4 Hendon <i>W,F</i>	8,382	22,460	16	10	5	3						2			1	
1 South Mimms <i>2F,H</i>	17,755	7,308	4	2	1	1										
2 Barnet <i>W,3H</i>	3,324	17,970	10	8	4	1								1		1
3 Finchley <i>F,2H</i>	4,688	33,692	17	4		3										
1 Hornsey <i>F,H</i>	2,875	72,056	31	18	7	5				1	1	1			1	1
2 Wood Green <i>H</i>	1,625	34,233	25	11	2	4		1								
3 West Tottenham <i>F</i>	996	48,853	30	21	7	5		1						1	4	
4 East Tottenham <i>F,H</i>	2,017	53,688	45	18	3	4										2
5 Edmonton <i>W,w,2F</i>	7,491	61,892	40	24	5	11				1				1	3	11
6 Enfield <i>2W,F,H</i>	12,601	42,738	22	9	4	4									2	
7 Waltham Abbey	11,017	6,549	5	2												
8 Cheshunt <i>F,H</i>	8,479	12,292	6	3	1	1										
1 Hatfield, part of* <i>W</i>	3,305	664		1												
2 Bushey <i>H</i>	9,333	9,173	4	8		6										1
3 Watford <i>W,2F</i> part of*																
1 Stratford <i>H</i>	1,072	44,827	29	13	4	4								2	3	
2 Plaistow <i>F,2H</i>	1,249	90,921	87	38	15	9		1						2	2	4
3 Canning Town <i>H</i>	1,556	70,718	58	24	4	7								1	3	4
4 Forest Gate <i>w</i>	806	80,892	27	17	4	7		1								
5 North East Ham <i>w</i>	1,333	58,676	38	17	3	6									1	
6 South East Ham <i>2F</i>	1,993	37,342	29	17	4	2			1	2		1	1	1	2	2
7 Wanstead <i>F</i>	1,679	9,179	3	4	1	1										
8 South Leyton <i>2W</i>	631	50,467	32	18	5	7					1				1	4
9 North Leyton <i>W,w,F</i>	1,993	48,445	31	26	4	3				2		1			2	19
10 Walthamstow <i>3H,L</i>	6,504	108,929	72	26	10	8					2			1	4	2
1 Chigwell, part of* <i>2FAH</i>	11,778	16,397	8	4		1			1	1						2
2 Epping <i>W,F</i> , part of*																
1 Romford, part of* <i>W,2F</i>	6,556	6,091	2	5	2	2										2
2 Ilford <i>F,L</i>	8,496	41,234	25	11	3	2										3
3 Barking Town <i>F</i>	3,893	21,547	13	5	2			1								
N.E. Hospital, Tottenham	—	—	—	3	1						2		1			3
Middlesex County Asylum, Wandsworth.	—	—	—	4		1										4

The parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Norton parish; 187: 1, excepting Croydon Bois parish, and part of Epping parish; 189: 2, Dagenham parish. Deaths in Workhouses and Infectious Hospitals belonging to the Outer Ring in 43: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.
CALCUTTA (including SUBURBS)	847,796	October 8	-	381	23·3	1	-	-	1	-	124
BOMBAY - -	776,006	November 8	449	609	40·8	2	-	-	-	2	924
MADRAS - -	509,346	October 14	395	260	28·5	-	-	?	?	?	74
PARIS - - -	2,660,559	November 19	1031	813	15·8	3	-	6	5*	1	6
BRUSSELS - -	586,936	" 19	231	162	14·4	1	3	-	2*	-	1
ANTWERP - -	286,895	" 19	141	84	15·2	-	2	-	-	-	1
AMSTERDAM -	548,160	" 12	276	154	14·6	-	6	1	1*	1	1
COPENHAGEN -	423,000	" 19	221	87	10·7	-	1	-	1*	1	-
STOCKHOLM -	309,196	" 12	143	96	16·1	-	-	2	2*	-	-
CHRISTIANIA -	223,649	" 19	102	42	9·1	-	-	-	2*	-	-
ST. PETERSBURG	1,248,122	" 12	613	555	23·2	-	5	15	21*	6	16
MOSCOW - -	1,092,360	" 12	-	578	27·6	2	6	23	12*	6	4
BERLIN - - -	1,964,315	" 5	810	573	15·1	-	2	10	9*	6	2
HAMBURG - -	751,842	" 19	-	216	14·9	-	6	-	2*	1	-
BRESLAU - -	445,679	" 19	-	159	13·6	-	2	-	4*	?	-
MUNICH - - -	520,000	" 19	-	196	19·6	-	2	1	3*	1	1
VIENNA - - -	1,797,992	" 19	1040	518	14·8	-	1	2	12*	2	2
PRAGUE - - -	426,402	" 12	207	168	20·3	-	3	2	2*	2	1
BUDA-PESTH -	813,399	" 19	417	303	19·4	-	5	6	4*	-	7
TRIESTE - - -	190,166	" 19	100	103	28·0	-	-	-	-	-	-
ROME - - - -	505,371	October 1	216	169	17·4	1	-	1	1*	-	6
VENICE - - -	166,288	November 5	-	-	-	-	-	-	-	-	-
CAIRO - - - -	624,338	July 15	521	490	40·9	4	6	-	5*	?	18
ALEXANDRIA -	349,300	" 15	208	353	52·7	1	40	-	4*	-	74
NEW YORK - -	3,888,024	November 5	1982	1234	16·8	-	5	9	23*	5	19
PHILADELPHIA -	1,408,154	October 29	-	407	15·0	-	-	3	18*	-	7
BOSTON - - -	617,950	November 5	-	386	14·3	-	-	2	11*	1	3

* Including deaths from croup.

† Including 52 deaths from plague in Bombay, and 2 in Alexandria.

‡ Including 6 deaths from cholera.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 26th November, 1904.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rain in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	46·9	23·2	33·1	0·18	BRADFORD - -	45·0	26·4	34·8	0·8
BRIGHTON - -	50·2	27·9	36·6	0·27	LEEDS - - -	49·0	27·0	36·5	0·6
PORTSMOUTH -	48·0	27·0	37·5	0·10	HULL - - -	40·0	24·0	33·6	0·6
NORWICH - - -	46·6	23·0	33·9	1·26	TYNEMOUTH - -	42·0	27·0	35·0	1·3
PLYMOUTH - -	49·9	25·9	37·2	0·93					
BRISTOL - - -	49·5	13·7	33·6	0·45	EDINBURGH - -	38·5	24·5	31·9	0·1
BIRMINGHAM -	45·3	20·0	32·0	0·51	GLASGOW - - -	40·8	21·8	32·1	0·4
NOTTINGHAM -	43·1	11·8	30·8	0·36					
LIVERPOOL - -	44·0	31·0	36·5	0·50					
OBSERVATORY. }									
MANCHESTER -	43·6	17·0	32·1	0·35	DUBLIN { Phoenix Park.	45·0	23·1	33·6	0·3
PRESTON - - -	44·0	25·2	34·7	0·22	{ Fitz- william Square.†	44·3	27·3	35·9	0·3
HUDDERSFIELD -	43·0	25·5	33·3	0·77	BELFAST - - -	45·9	28·0	36·7	0·5

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of the return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0·3 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D. Dublin.

1904.

1904.		TEMPERATURE.												Wind as deduced from Anemometers.				Rain collected							
MONTH AND DAY	Phases of the Moon.	Of the Air.				Of the Dew point				Difference between the Air Temperature and Dew Temperature.				Degrees of Humidity (Saturation equals 100).		Radiation.		Of the Earth's Surface.		Oiler's.		Robinson's.		Gauge receiving surface 5 inches square from the Ground.	Ozone.
		High-est.	Low-est.	Daily Range.	Mean daily value.	De-ature from Average of 50 years.	Mean daily value.	Greatest.	Least.	High-est in Sun's Rays.	Lowest on the Grass.	°	°	°	°	A.M.	P.M.	Greatest.	Least.	Mean hourly obs.	Horizontal Movement of the Air on each Day.	Vertical Movement of the Air on each Day.			
NOVEMBER.		in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
SUNDAY - 20	..	29-887	48-9	35-0	11-9	41-6	- 0-5	36-2	5-4	11-1	2-3	81	51-3	28-0	49-16	°	W. & WSW.	W. & WSW.	1-3	0-0	0-1	Miles. 249	- 52	in. 0-00	0-0
MONDAY - 21	..	29-616	42-5	30-6	11-9	37-6	- 4-5	31-4	6-2	11-2	0-7	78	56-6	24-0	48-94	°	WSW.	WSW., S.W. & SSW.	4-0	0-0	0-1	250	- 51	0-07	0-0
TUESDAY - 22	..	29-257	36-9	30-2	6-7	33-9	- 8-3	27-5	6-4	9-2	0-7	77	42-2	25-5	48-86	°	W.	W. WNW.	9-0	0-0	1-1	580	+280	0-00	0-0
WEDNESDAY - 23	Full.	29-373	38-9	28-4	8-5	33-0	- 9-1	23-7	9-3	10-8	0-3	88	49-4	22-0	47-93	°	W. & WSW.	WSW. & N.W.	2-0	0-0	0-2	331	+ 32	0-11	0-0
THURSDAY - 24	..	29-543	32-6	25-8	6-8	29-0	- 13-1	25-8	3-2	5-1	0-6	88	34-0	21-2	47-40	°	N., WNW. & WSW.	WSW., N.W. & NNW.	0-7	0-0	0-0	139	- 159	0-00	0-5
FRIDAY - 25	Greatest Dec. N.	29-609	35-1	26-3	8-8	32-0	- 10-0	28-3	3-7	4-2	1-8	86	35-6	20-1	46-63	°	NNW. & N.W.	N., WNW. & WSW.	1-3	0-0	0-1	224	- 73	0-00	3-5
SATURDAY - 26	..	29-803	32-8	23-2	9-6	29-0	- 12-9	27-6	1-4	2-4	0-0	94	38-4	18-0	46-08	°	W., N.W. & N.	W., N.W. & WSW.	0-2	0-0	0-0	117	- 173	0-00	0-2
MEANS	-	29-584	37-7	28-5	9-2	33-7	- 8-3	28-6	5-1	7-7	0-9	82	43-9	22-7	47-88	°	WSW. & NW.		Sum 1890	Sum 0-18	0-6	
No. of Column -	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	

DATE.	ELEVATION (For explanation of symbols see Note.	Registered Sun above horizon in hours.	GENERAL REMARKS.									
			The results apply to the civil day, or from midnight to midnight. The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level. Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1868 for the thermometers. With the corrected mean readings of the dry bulb thermometer combined the corrected mean of the readings of the maximum and minimum thermometers forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1860, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1876. In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average. If are not corrected for the index error of the thermometer, which cannot be determined. The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are: -P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.									
NOVEMBER.			Generally overcast till afternoon; fine afterwards.									
SUNDAY - 20	w. P. generally till evening; m. P. at night.	0-0	8-6	Partially cloudy with hoar frost in morning; very fine with little cloud till evening; generally overcast at night. Slight rain between 6h. 30m. and 8h. 30m. P.M.								
MONDAY - 21	w. P. till 9h. A.M.; m. P. generally afterwards, with s. P. and s. N. at 8h. P.M.	4-6	8-6	Fine and partially cloudy with hoar frost in morning; generally overcast with gusty wind afterwards. Slight snow in forenoon. Cloudless till 11h. A.M.; very fine with little cloud generally till evening; overcast at night, with snow after 10h. P.M. Hoar frost in morning.								
TUESDAY - 22	m. P. till 2h. P.M.; s. P. afterwards.	0-0	8-5	Overcast in morning; variable with foggy and gloomy intervals till evening; overcast at night. Solar halo in forenoon. Very cold.								
WEDNESDAY - 23	s. P. generally till 10h. P.M.; v. P. and s. N. afterwards.	5-0	8-5	Generally overcast till afternoon; decreasing clouds till evening; cloudless with hoar frost at night.								
THURSDAY - 24	m. P. generally with occasional s. P. till 9h. P.M.; w. P. afterwards.	0-0	8-4	Fog of variable density prevalent throughout the day. Hoar frost.								
FRIDAY - 25	w. P. till 9h. A.M.; m. P. afterwards.	0-0	8-4									
SATURDAY - 26	m. P. generally.	0-0	8-3									
No. of Col. -	-	Sum 96	Sum 19-3	28	29							

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 19th November, 1904.*

BOROUGHES.	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - - -	146,975	-	7	3	-	4	-	-	6	-
Kensington - - - - -	179,236	-	1	3	-	1	-	-	1	-
Hammersmith - - - - -	117,412	-	7	4	-	1	-	-	4	-
Fulham - - - - -	152,482	-	7	11	-	1	-	-	4	-
Chelsea - - - - -	74,339	-	3	-	-	-	-	-	-	-
City of Westminster - - -	177,321	-	4	2	-	1	1	-	3	-
NORTH.										
St. Marylebone - - - - -	130,337	-	7	1	-	2	-	-	4	-
Hampstead - - - - -	86,663	-	1	-	-	1	-	-	-	-
St. Pancras - - - - -	235,936	1	7	8	-	3	-	-	7	-
Islington - - - - -	341,044	-	20	13	-	3	-	-	12	1
Stoke Newington - - - - -	52,445	-	6	1	-	-	-	-	3	-
Hackney - - - - -	226,266	-	23	6	-	7	-	-	3	-
CENTRAL.										
Holborn - - - - -	57,161	-	1	-	-	-	-	-	1	-
Finsbury - - - - -	98,958	-	11	2	-	-	-	-	1	-
City of London - - - - -	23,482	-	-	-	-	-	-	-	1	-
EAST.										
Shoreditch - - - - -	117,033	-	8	-	-	2	-	-	3	-
Bethnal Green - - - - -	130,207	-	12	6	-	2	-	-	7	-
Stepney - - - - -	303,791	-	29	27	-	4	-	-	13	-
Poplar - - - - -	169,905	-	14	14	-	6	-	-	12	-
SOUTH.										
Southwark - - - - -	207,937	-	10	2	-	4	-	-	9	-
Bermondsey - - - - -	129,397	-	8	5	-	1	-	-	4	-
Lambeth - - - - -	310,359	-	18	15	-	3	1	-	4	1
Battersea - - - - -	175,466	-	11	3	-	2	-	-	5	-
Wandsworth - - - - -	257,448	-	15	5	-	2	-	-	10	-
Camberwell - - - - -	268,384	-	30	6	-	2	-	-	6	-
Deptford - - - - -	113,509	-	4	1	-	1	-	-	4	-
Greenwich - - - - -	101,851	-	2	1	-	-	-	-	3	-
Lewisham - - - - -	140,401	-	11	5	-	1	-	-	2	-
Woolwich - - - - -	123,416	-	9	4	-	-	-	-	2	-
Port of London - - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,648,950		1	286	148	-	54	2	-	134	2
Ages 0-1 - - - - -		-	4	5	-	-	-	-	6	-
" 1-5 - - - - -		-	90	53	-	3	-	-	9	-
" 5- - - - -		-	125	52	-	8	-	-	7	-
" 10- - - - -		-	33	16	-	8	-	-	7	-
" 15- - - - -		-	13	4	-	9	-	-	9	-
" 20- - - - -		-	8	4	-	6	-	-	8	-
" 25- - - - -		-	12	9	-	10	1	-	15	2
" 35- - - - -		1	-	5	-	4	-	-	20	-
" 45- - - - -		-	1	-	-	3	1	-	25	-
" 55- - - - -		-	-	-	-	2	-	-	22	-
" 65 and upwards - - -		-	-	-	-	1	-	-	6	-
Age not stated - - - - -		-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
BY DARLING & SON, LTD., 34-40, BACON STREET, E.

1904.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 48. 1904. VOL. LXV.] WEEK ENDED SATURDAY, DEC. 3. [Price 1½d.

*General Register Office, Somerset House,
December 5th, 1904.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 21·6 per 1000 of their aggregate population, which is estimated† at 15,271,287 persons in the middle of this year. In the preceding three weeks the rates had been 15·7, 16·6, and 17·3. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 30·0 in Gateshead, 30·1 in Stockport, 30·3 in Manchester, 30·7 in Wigan and in Middlesbrough, 30·9 in Smethwick, and 32·4 in Tynemouth; from *measles*, 2·1 in Bristol, 2·2 in Liverpool, 2·5 in Bootle and in Wigan, 2·6 in Gateshead, 3·0 in Stockton on Tees, 3·2 in Middlesbrough, and 5·5 in Grimsby; from *scarlet fever*, 1·3 in York, 1·4 in Plymouth, and 2·3 in Warrington; from *diphtheria*, 1·0 in Sunderland, 1·1 in Swansea and in Walsall, and 1·4 in Hull; from *whooping-cough*, 1·9 in South Shields; from "*fever*," 1·3 in Rhondda and 1·4 in Merthyr Tydfil; and from *diarrhoea*, 1·3 in Aston Manor, 1·6 in Middlesbrough, and 2·4 in Hanley. One death from *small-pox* was registered in Halifax, 1 in Gateshead, and 1 in Newcastle on Tyne, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2542 BIRTHS and 1932 DEATHS were registered. Allowing for increase of population, the births were 17 and the deaths 269 above the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 15·2, 16·9, and 16·8 in the preceding three weeks, rose last week to 21·7. During the four weeks ended on Saturday last the death-rate averaged 17·7 per 1000, being 0·5 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1932 deaths included 32 from measles, 5 from scarlet fever, 18 from diphtheria, 15 from whooping-cough, 8 from enteric fever, and 16 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 94 deaths were referred to these diseases in the aggregate, being 72 below the corrected average weekly number.

The deaths from *measles*, which had been 15, 15, and 14 in the preceding three weeks, rose last week to 32, but were 18 below the corrected average; 6 deaths belonged to the Borough of Wandsworth, and 4 each to Shoreditch and Stepney. The deaths from *scarlet fever*, which had been 9, 8, and 19 in the preceding three weeks, fell last week to 5, and were 8 below the corrected average. The deaths from *diphtheria*, which had been 13, 24, and 11 in the preceding three weeks, rose last week to 18, but were 24 below the corrected average; 4 deaths belonged to St. Pancras. The deaths from *whooping-cough*, which had been 4, 12, and 10 in the preceding three weeks, rose last week to 15, but were 8 below the corrected average; 3 deaths belonged to Hammersmith and 3 to St. Pancras. The fatal cases of *enteric fever*, which had been 11, 10, and 3 in the preceding three weeks, rose last week to 8, but were 10 below the corrected average. The deaths from *diarrhoea*, which had been 27, 25, and 18 in the preceding three weeks, were 16 last week, the corrected average being 17; 3 deaths belonged to Paddington and 3 to Poplar. Of the 16 deaths from diarrhoea, 13 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 2 more deaths at this age. The deaths attributed directly to *influenza* numbered 26, having been 24, 18, and 30 in the preceding three weeks. The death of a hawker, aged 51 years, was certified after inquest as due to *plumbism*.

Different forms of *violence* caused 76 deaths, concerning all but 1 of which inquests were held. Of these 76 deaths, 13 were cases of suicide, and 1 of homicide, while the remaining 62 were attributed to accident or negligence. Six of these latter were referred to vehicles in the streets, 1 to a conflagration, 12 to burns and scalds, 3 to drowning, 1 to the effects of an anæsthetic administered for surgical purposes, and 18 (including 17 of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 3 cases of small-pox, 2625 of scarlet fever, 892 of diphtheria, and 178 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 2 cases, against 0, 1, and 2; of scarlet fever, 247 cases, against 294, 259, and 262; of diphtheria, 115 cases, against 119, 118, and 118; and of enteric fever, 22 cases, against 26, 27, and 17. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended November 26th.

GREATER LONDON.

In Greater London 3804 births and 2650 deaths were registered. Allowing for increase of population these numbers are 68 and 349 above the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 3 deaths from measles, 5 from scarlet fever, 6 from diphtheria, 8 from whooping-cough, and 2 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29·73 inches, and that of the Thermometer 40°·5, the latter being 0°·4 below the week's average in the 50 years 1841–90. The general direction of the wind was South-westerly, the horizontal movement of the air being 19 per cent. below the week's average in the 16 years 1860–75. The duration of registered bright sunshine in the week was 4·3 hours; the measured rainfall amounted to 0·07 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

The deaths registered in the week include

Deaths from Causes

POPULATION estimated to the middle of the year 1904.

TOWNS	POPULATION on the 1st middle of the year 1904*	Week ended				In 1904.		during the week ended 3rd Dec., 1904.		Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS
		1904.		1904.		11-17.		BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoea.	Violence.				
		12th Nov., 1904.	19th Nov., 1904.	26th Dec., 1904.	3rd Dec., 1904.	Week ended 3rd Dec., 1904.	6.																
76 TOWNS	15,271,287	15'7	16'6	17'3	21'6	1'6	8518	6326	1476	1824	3	151	53	89	69	54	63	211	504	1349	81	76 TOWNS.	
LONDON -	4,648,850	15'2	16'9	16'8	21'7	1'1	2512	1932	400	619	-	32	5	18	15	8	16	76	204	641	3	LONDON.	
CROYDON -	144,419	15'2	11'6	14'8	20'9	1'1	66	58	5	27	-	-	-	1	-	-	2	1	6	15	-	CROYDON.	
WILLESDEN -	132,566	10'2	9'8	11'8	14'6	-	89	37	11	16	-	-	-	-	-	-	-	3	4	4	-	WILLESDEN.	
HORNEY -	81,221	8'3	5'1	12'8	5'8	-	32	9	1	5	-	-	-	-	-	-	-	-	1	1	-	HORNEY.	
TOTTENHAM -	112,981	13'8	12'0	20'8	18'5	0'9	75	40	12	15	-	1	-	-	-	1	-	2	5	5	-	TOTTENHAM.	
WEST HAM -	288,424	14'8	15'0	19'9	18'6	2'2	163	103	29	22	-	3	1	4	1	1	2	3	9	25	-	WEST HAM.	
EAST HAM -	116,802	13'4	12'5	15'2	19'2	2'2	69	43	13	7	-	2	-	2	-	1	-	2	5	5	-	EAST HAM.	
LEYTON -	110,844	9'9	13'2	12'7	18'8	1'4	58	40	2	18	-	1	-	-	1	1	-	1	2	6	3	LEYTON.	
WALTHAMSTOW -	111,282	12'7	14'5	13'1	12'7	0'9	77	27	6	8	-	-	-	1	-	1	-	3	4	-	-	WALTHAMSTOW.	
HASTINGS -	66,503	12'5	11'0	11'0	17'2	-	14	22	2	12	-	-	-	-	-	-	-	-	-	2	-	HASTINGS.	
BRIGHTON -	126,286	11'1	12'4	18'6	20'2	-	53	49	10	23	-	-	-	-	-	-	-	1	5	6	-	BRIGHTON.	
PORTSMOUTH†	198,038	17'1	13'2	20'0	26'1	1'8	100	99	14	43	-	-	2	2	2	1	-	1	4	26	1	PORTSMOUTH†	
BOURNEMOUTH -	64,645	14'5	8'1	11'3	21'0	0'8	23	26	1	14	-	-	-	-	-	-	1	-	-	3	1	BOURNEMOUTH.	
SOUTHAMPTON -	112,500	15'3	13'4	16'7	15'8	0'5	56	34	10	14	-	-	-	1	-	-	1	1	1	5	-	SOUTHAMPTON.	
READING -	76,373	13'0	20'5	13'7	19'1	0'7	40	28	1	15	-	-	-	-	-	-	1	1	1	6	-	READING.	
NORTHAMPTON -	91,146	14'9	17'2	12'6	17'7	1'1	39	31	4	12	-	-	1	1	-	-	-	-	-	10	-	NORTHAMPTON.	
IPSWICH -	69,805	14'9	17'9	19'4	20'2	-	35	27	7	11	-	-	-	-	-	-	1	1	3	2	-	IPSWICH.	
GREAT YARMOUTH -	52,099	15'0	7'0	18'0	20'0	-	25	20	4	11	-	-	-	-	-	-	-	-	3	4	-	GREAT YARMOUTH.	
NORWICH -	115,538	16'2	18'5	15'3	17'6	0'9	56	39	8	16	-	-	-	-	-	1	1	1	5	4	-	NORWICH.	
PLYMOUTH -	114,003	16'5	20'6	17'8	21'0	3'2	58	46	2	16	-	3	3	-	-	1	1	1	3	9	-	PLYMOUTH.	
DEVONPORT -	76,334	14'5	15'9	11'8	21'5	1'4	37	31	10	11	-	-	-	-	-	1	1	-	3	2	-	DEVONPORT.	
BRISTOL† -	343,204	15'0	15'6	18'2	25'7	3'5	179	169	33	47	-	14	2	4	3	-	2	10	20	20	2	BRISTOL†	
HANLEY -	63,932	17'1	24'5	20'4	26'1	5'7	44	32	11	8	-	1	-	1	2	-	3	1	2	3	2	HANLEY.	
BURTON-ON-TRENT -	51,934	5'0	14'1	20'1	22'1	2'0	23	22	5	6	-	-	1	1	-	-	-	1	1	2	-	BURTON-ON-TRENT.	
WOLVERHAMPTON -	98,194	11'7	12'2	15'4	13'3	1'6	62	25	4	7	-	-	1	1	-	1	-	2	7	-	-	WOLVERHAMPTON.	
WALSALL -	91,432	13'1	20'0	15'4	28'5	1'7	59	50	13	14	-	-	1	2	-	-	2	4	6	-	-	WALSALL.	
HANDSWORTH -	59,634	13'1	18'4	16'6	19'2	2'6	29	22	5	3	-	1	-	1	-	1	-	-	-	-	-	HANDSWORTH.	
WEST BROMWICH -	67,186	12'4	7'0	9'3	23'3	1'6	51	30	13	6	-	-	-	-	-	1	1	-	-	1	1	WEST BROMWICH.	

† These towns are included within the area of Greater London.

‡ The recent extension of these towns will not be taken into account in the Weekly Returns until next year.

* See note † on first page of this return

† The recent extension of these towns will not be taken into account in the Weekly Returns until next year.

TABLE 1 (cont.).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES during the Week ended Saturday, 3rd December, 1904, and DEATH-RATES during the preceding three weeks.

TOWNS.	POPULATION estimated to the middle of the year 1904.*	DEATH-RATES from all Causes.				Rate from: Diseases in Cols. 11-17.		Registered during the Week ended 3rd Dec., 1904.		The DEATHS registered in the Week include											TOWNS.			
		Week ended				Week ended 3rd Dec., 1904.		BIRTHS.	DEATHS.	Deaths of			Deaths from						Inquest Cases.	Deaths in Public Institutions.		Uncertified Causes of Death.		
		12th Nov., 1904.		19th Nov., 1904.		Infants under 1 year of Age.	Persons aged 10 years and upwards.			Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.							
		2.	3.	4.	5.													6.					7.	8.
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.		
BIRMINGHAM -	-	537,985	17'0	18'3	22'8	23'9	1'8	317	247	76	62	-	2	-	7	4	3	3	7	11	35	5	BIRMINGHAM.	
KINGS NORTON -	-	68,667	10'2	13'3	10'2	11'7	-	32	15	6	3	-	-	-	-	-	-	-	1	1	1	-	KINGS NORTON.	
SMETHWICK -	-	60,681	13'7	19'8	16'3	30'9	0'9	36	36	11	7	-	-	-	-	-	-	1	1	2	-	-	SMETHWICK.	
ASTON MANOR -	-	80,383	8'4	16'9	13'6	12'3	2'6	46	19	5	4	-	1	-	1	1	-	2	-	-	1	-	ASTON MANOR.	
COVENTRY -	-	73,904	12'7	25'4	14'8	26'1	0'7	49	37	12	10	-	-	-	-	1	-	-	-	2	1	1	COVENTRY.	
LEICESTER -	-	224,186	12'3	13'3	20'2	24'0	0'9	91	103	19	39	-	1	-	-	2	-	1	2	6	18	4	LEICESTER.	
GRIMSBY -	-	68,958	21'0	12'5	21'0	16'4	5'5	42	21	9	2	-	7	-	-	-	-	-	1	1	2	1	GRIMSBY.	
NOTTINGHAM -	-	248,811	13'4	14'5	17'0	25'8	2'1	129	123	32	29	-	4	2	2	2	-	5	8	16	2	2	NOTTINGHAM.	
DERBY -	-	120,449	10'4	15'2	13'4	19'0	0'9	45	44	13	16	-	-	-	-	-	1	3	8	10	-	-	DERBY.	
STOCKPORT -	-	97,008	16'1	21'5	24'7	30'1	1'6	53	56	11	20	-	1	-	-	-	-	1	2	5	3	1	STOCKPORT.	
BIRKENHEAD -	-	114,814	17'7	15'9	17'7	29'1	1'8	73	64	15	21	-	1	-	-	-	2	-	4	11	12	-	-	BIRKENHEAD.
WALLASEY -	-	60,354	9'5	19'0	13'8	25'9	1'7	30	30	10	6	-	-	-	-	-	-	-	-	-	1	-	-	WALLASEY.
LIVERPOOL -	-	723,430	20'9	21'0	21'6	26'5	4'0	506	368	82	72	-	31	8	7	4	4	1	18	23	97	20	-	LIVERPOOL.
BOOTLE -	-	61,755	12'7	21'1	15'2	19'4	3'4	50	23	5	6	-	3	-	-	-	-	1	1	1	5	1	1	BOOTLE.
ST. HELENS -	-	88,545	21'8	21'2	23'0	28'3	3'5	48	48	17	6	-	3	1	-	2	-	-	1	1	4	1	-	ST. HELENS.
WIGAN† -	-	62,800	22'4	21'6	22'4	30'7	3'3	35	37	12	6	-	3	-	-	-	-	-	1	1	1	-	-	WIGAN†.
WARRINGTON -	-	67,331	14'7	10'8	13'2	24'0	3'1	45	31	11	6	-	-	3	-	-	-	1	1	1	5	-	-	WARRINGTON.
BOLTON -	-	175,744	14'5	18'4	13'9	10'0	0'9	66	64	9	23	-	-	-	-	-	2	-	1	7	9	1	-	BOLTON.
BURY -	-	58,450	19'6	16'9	10'9	18'7	0'9	28	21	8	2	-	-	-	-	-	-	-	-	-	-	-	-	BURY.
MANCHESTER† -	-	557,938	16'3	19'5	20'6	30'3	1'4	305	324	64	82	-	4	3	1	3	1	3	11	21	85	5	-	MANCHESTER.†
SALFORD -	-	228,983	15'7	15'3	20'7	23'5	3'2	149	103	26	27	-	6	2	3	-	1	2	3	9	23	1	-	SALFORD.
OLDHAM -	-	139,497	18'3	18'7	19'4	25'8	1'9	62	69	20	21	-	1	-	-	1	-	3	2	4	15	-	-	OLDHAM.
ROCHDALE -	-	85,601	17'1	9'7	19'5	20'7	1'8	42	34	5	11	-	2	-	-	-	-	-	-	-	3	2	-	ROCHDALE.
BURNLEY -	-	100,569	20'2	17'6	18'7	20'2	2'1	51	39	11	12	-	2	-	-	-	1	-	-	1	5	-	-	BURNLEY.
BLACKBURN -	-	132,134	18'5	22'1	12'2	23'7	1'6	61	61	15	22	-	-	-	1	-	-	-	-	5	7	1	-	BLACKBURN.
PRESTON -	-	115,055	20'8	13'6	17'2	16'3	0'9	54	38	7	13	-	-	-	-	-	-	4	-	1	-	1	-	PRESTON.

TABLE 2. LONDON.—Births and Deaths Registered in the FORTY-EIGHTH Week of each of the Eleven Years, 1894–1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894–1903.*	1904
TOTAL Births -	2550	2159	2530	2459	2575	2439	2338	2460	2373	2460	2524.9	2541
Males - -	1280	1081	1324	1253	1358	1259	1191	1234	1171	1244	1285.6	1290
Females - -	1270	1078	1206	1206	1217	1180	1147	1226	1202	1216	1239.3	1251
TOTAL Deaths -	1347	1455	1596	1725	1569	1695	1572	1785	1708	1578	1662.7	1931
Males - -	700	745	816	836	797	879	804	910	854	789	846.4	981
Females - -	647	710	780	889	772	816	768	875	854	789	816.3	950

* The numbers in this column are the average weekly numbers in the forty-eighth week of the ten years 1894–1903, raised by 3.723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Sept. 10.	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	13 Week
TOTAL Births -	2504	2514	2272	2537	2470	2491	2442	2585	2581	2476	2455	2356	2542	3222
TOTAL Deaths -	1354	1360	1223	1279	1243	1270	1476	1311	1330	1357	1505	1502	1932	1814
Ages at Death -														
Under 1 year -	448	401	306	311	287	267	292	289	288	306	357	345	400	429
1–5 years -	124	116	112	118	102	121	131	122	121	137	153	144	197	169
5–20 " -	59	62	76	53	56	74	87	55	78	75	74	80	80	90
20–40 " -	148	180	159	177	187	168	212	173	170	175	196	181	234	236
40–60 " -	266	255	235	282	271	282	279	286	286	281	304	312	402	374
60 yrs. & upwds. -	309	346	335	338	340	358	475	386	387	383	421	440	619	513
Deaths from—														
Small-pox - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - - -	8	8	6	17	14	15	26	20	14	15	15	14	32	20
Scarlet Fever - -	2	14	3	9	4	11	6	8	13	9	8	19	5	11
Diphtheria - - -	20	9	19	16	20	17	13	12	15	13	24	11	18	20
Whooping-cough -	16	16	5	9	7	5	11	7	4	4	12	10	15	12
Typhus - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	8	9	13	10	9	15	11	7	-	11	10	3	8	13
Pyrexia (origin uncertain) -	-	-	-	2	-	-	1	-	6	-	-	-	-	-
Diarrhoea, Dysentery	253	189	108	84	52	49	45	25	22	27	25	18	16	91
All above Diseases -	312	245	154	147	106	112	113	79	74	79	94	75	94	168
Dis. of Resp. System														
Pneumonia - - -	61	59	72	85	85	94	127	145	158	171	175	228	357	181
Phthisis - - -	68	82	97	82	81	100	124	144	127	153	186	157	208	160
Dis. of Circ. System -	122	141	142	152	150	142	174	144	159	140	170	163	193	199
Violence - - -	160	156	150	152	157	179	197	182	189	169	185	191	255	240
Inquest Cases - - -	40	46	45	49	51	41	53	47	52	46	45	54	76	64
Deaths in Institutions	124	104	110	125	139	125	123	156	137	119	127	124	204	169
TEMPERATURE OF THE AIR.														
Mean - - -	57.0	56.4	53.6	52.1	50.3	47.8	54.9	49.9	49.3	48.8	42.2	33.7	40.5	49.0
Mean of Highest - -	67.0	66.2	61.3	63.2	58.0	56.3	61.3	56.1	53.1	54.3	49.6	37.7	41.5	56.0
Mean of Lowest - -	48.0	47.9	46.1	42.5	43.3	38.7	48.7	43.1	45.9	43.3	35.3	28.5	36.8	42.1
Mean Humidity of the Air.	77	81	70	87	81	85	89	84	84	83	94	82	87	83
Rain-fall (in inches) -	0.36	0.24	0.20	0.14	0.86	0.02	0.43	0.20	0.11	1.40	0.04	0.18	0.07	4.26
Registered Sunshine (in hours).	41.3	37.1	52.7	28.1	17.5	25.0	10.0	22.9	9.8	11.7	14.9	9.6	4.3	284.6
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means
Small-pox - - -	8	5	3	2	1	1	1	1	1	1	1	1	1	2.5
Scarlet Fever - - -	1816	1929	1969	2158	2341	2516	2687	2725	2782	2843	2774	2741	2825	2454
Diphtheria - - -	814	832	833	878	892	931	950	947	979	947	921	919	892	904
Typhus - - -	1	1	1	1	1	1	1	1	1	1	1	1	1	1.0
Enteric Fever - - -	158	187	204	237	239	242	229	225	230	224	214	191	178	212

* The Metropolitan Asylum and London Fever Hospitals.
† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Formerly described as "Simple Continued Fever."

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 3rd December, 1904.

REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														Inquest Cases.	Deaths in Public Institutions.
					Deaths of Infants under 1 Year of Age.		Deaths from													
							Persons aged 60 Years and upwards.													
								Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.			
LONDON - - -		4,536,429	2542	1932	400	619	-	32	5	18	15	-	8	-	16	76	204	641		
WEST DISTRICTS		805,311	345	334	63	116	-	-	-	3	5	-	2	-	4	14	32	102		
NORTH DISTRICTS		1,056,070	562	422	78	131	-	9	1	8	5	-	2	-	1	19	45	125		
CENTRAL DISTRICTS		209,465	112	78	13	18	-	2	-	1	1	-	1	-	-	2	12	30		
EAST DISTRICTS		715,739	439	379	85	106	-	10	-	3	2	-	1	-	4	16	59	158		
SOUTH DISTRICTS		1,749,844	1084	652	158	219	-	10	4	2	2	-	1	-	5	25	56	161		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*		-	-	67	-	29	-	1	-	1	-	-	1	-	2	-	-	67		
WEST DISTRICTS.																				
St. Mary Paddington } G. & W.		93,178	44	37	8	15	-	-	-	1	-	-	-	-	3	-	-	12		
W ² H																				
St. John Paddington H - - G.		33,617	9	18	-	6	-	-	-	-	-	-	1	-	-	3	5	7		
North-West Paddington - - C.		17,181	7	7	2	3	-	-	-	-	-	-	-	-	-	-	-	-		
Kensington Town 2W, w ² H G. & W. & C.		128,037	51	88	11	38	-	-	-	-	-	-	-	-	1	1	6	38		
Brompton 2H - - W. & C.		48,591	9	14	3	3	-	-	-	-	-	-	1	-	-	1	1	1		
North Hammersmith W, w ² H } W. & G.		49,192	21	8	4	1	-	-	-	-	-	-	-	-	-	-	1	-		
South Hammersmith w ² H		63,047	29	27	10	9	-	-	-	-	3	-	-	-	-	-	1	2		
North-west Fulham W		45,180	38	28	5	8	-	-	-	-	1	-	-	-	-	1	4	16		
North-east Fulham F } W. & C.		46,405	31	21	3	6	-	-	-	2	1	-	-	-	-	2	4	3		
South Fulham W		45,704	29	9	-	4	-	-	-	-	-	-	-	-	-	1	2	-		
Chelsea North W, w ³ H - - C.		42,514	18	24	6	9	-	-	-	-	-	-	-	-	-	1	2	13		
Chelsea South W ² H - - C.		31,328	13	12	3	7	-	-	-	-	-	-	-	-	-	-	-	1		
May Fair and Knightsbridge C. & G.		28,743	3	4	-	2	-	-	-	-	-	-	-	-	-	-	1	-		
Belgrave W ² H - - - C.		55,815	13	16	5	2	-	-	-	-	-	-	-	-	-	1	2	6		
St. Margaret & St. John 4H - C.		43,898	20	15	4	2	-	-	-	-	-	-	-	-	-	1	1	3		
St. James Westminster } N. & G.		21,588	6	4	1	1	-	-	-	-	-	-	-	-	-	2	2	-		
W ² H																				
St. Anne Soho 5H - - - N.		11,493	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
NORTH DISTRICTS.																				
All Souls Marylebone 8H - W.		35,391	13	22	1	4	-	-	-	-	-	-	-	-	-	3	6	12		
Rectory Marylebone W G. & W.		19,849	7	6	2	3	-	-	-	-	-	-	-	-	-	-	1	3		
St. Mary Marylebone 4H G. & W.		18,999	48	6	3	2	-	-	-	-	-	-	-	-	-	-	-	2		
Christchurch Marylebone H - W.		39,536	22	17	3	8	-	-	-	-	-	-	-	-	-	-	1	-		
St. John Marylebone 3H - W.		20,426	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-		
Hampstead W, F, 6H - N. & W.		81,942	18	21	4	8	-	1	-	1	1	-	1	-	-	1	1	7		
West St. Pancras 2H - - W.		60,562	28	16	2	3	-	-	-	-	-	-	-	-	-	-	-	3		
Tottenham-court w ³ H N. & W.		21,258	6	16	6	2	-	-	-	-	1	-	-	-	-	2	2	9		
Gray's Inn Lane 4H - - N.		34,449	23	22	6	3	-	-	-	-	-	-	-	-	-	3	5	8		
East St. Pancras W ² H - - N.		60,320	36	31	4	10	-	3	-	1	-	-	-	-	1	-	-	11		
North St. Pancras 2W - - N.		58,728	38	29	2	7	-	-	-	1	2	-	-	-	-	1	3	12		
Tufnell W - - - N.		31,995	8	27	1	11	-	-	-	-	-	-	1	-	-	1	3	19		
Upper Holloway 2W, w ² H - N.		33,978	23	29	4	12	-	-	-	-	-	-	-	-	-	2	4	16		
Tollington W - - - N.		33,922	20	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-		
Lower Holloway - - - N.		41,424	21	21	4	5	-	-	-	-	-	-	-	-	-	1	2	-		
Barnsbury - - - N.		54,478	32	16	2	9	-	-	-	1	-	-	-	-	-	-	-	-		
Islington South-east F - - N.		75,397	41	27	7	8	-	-	-	-	1	-	-	-	-	-	3	-		
Highbury 2H - - - N.		63,797	18	16	3	7	-	1	-	-	-	-	-	-	-	-	-	-		
Stoke Newington H - - N.		51,247	24	14	2	6	-	1	-	1	-	-	-	-	-	-	4	-		
North Hackney - - - E. & N.		50,560	19	14	1	5	-	-	-	-	-	-	-	-	-	-	-	-		
Central Hackney 2w, F - E. & N.		50,536	30	19	6	2	-	1	1	3	-	-	-	-	-	1	2	5		
South-west Hackney 3H E. & N.		59,021	40	27	8	7	-	1	-	-	-	-	-	-	-	-	5	9		
South-east Hackney 2W, w ² H E. & N.		58,255	40	19	5	7	-	-	-	-	-	-	-	-	-	2	3	9		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated thereon: namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G, signifi-Grand Junction; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River; E, East London; and K, the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered each SUB-DISTRICT during the Week ended Saturday, 3rd December, 1904—continued.

REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														Deaths in Public Institutions.	Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
				Deaths of	Deaths from										Inquest Cases.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
					Infants under 1 Year of Age.	Persons aged 40 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).		Diarrhoea.	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
CENTRAL DISTRICTS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., &c., in each SUB-DISTRICT during the Week ended Saturday, 3rd December, 1904.—continued.

		The DEATHS registered during the Week include														
REGISTRATION SUB-DISTRICTS.		Enu- me- rated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from									Inquest Cases
							Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	
SOUTH DISTRICTS.																
Christchurch Southwark W,HL.&S.		11,263	3	4	-	2	-	-	-	-	-	-	-	-	-	1
St Saviour Southwark H - S.		12,066	10	18	4	3	-	1	-	-	-	-	-	-	1	3
Kent-road - - - S. & L.		21,904	17	8	2	2	-	-	-	-	-	-	-	-	-	1
St. George the Martyr } S. & L.		39,094	24	11	3	2	-	-	-	-	-	-	-	-	1	3
West W,2H,L - - - S. & L.		49,022	29	9	3	3	-	-	-	-	-	-	-	-	-	2
Newington North - - S. & L.		72,841	50	24	8	10	-	-	-	-	-	-	-	-	-	1
Newington South W - S. & L.																
St. Olave 2W - - - S.		9,817	6	4	1	2	-	-	-	-	-	-	-	-	-	1
Bermondsey W - - - S.		82,483	61	30	12	6	-	-	-	1	-	-	-	-	1	3
Rotherhithe W,F - - S. & K.		38,460	26	21	7	7	-	1	-	-	-	-	-	-	-	-
Waterloo-road 2H - - L. & S.		27,440	34	10	4	3	-	-	-	-	-	-	-	-	-	2
Lambeth Church 1st H - L. & S.		18,423	8	21	4	5	-	-	-	-	-	-	-	-	4	4
Lambeth Church 2nd 2W - L. & S.		39,818	30	25	6	10	-	-	-	-	-	-	-	-	-	2
Kennington 1st H - - S. & L.		53,198	45	7	1	2	-	-	-	-	-	-	-	-	-	2
Kennington 2nd H - - S. & L.		42,896	26	19	5	8	-	-	-	-	-	-	-	-	-	2
Brixton F - - - L. & S.		84,232	38	34	9	10	-	1	-	2	-	-	-	-	1	3
Norwood W,H - - - L.		35,888	12	11	-	4	-	-	-	-	-	-	-	-	-	-
East Battersea H - - S.		72,203	56	23	10	4	-	-	-	-	-	-	-	1	-	1
North-west Battersea - - S.		49,656	38	9	4	2	-	-	-	-	-	-	-	-	-	1
South-west Battersea W,H - S.		47,048	29	26	3	13	-	-	-	-	-	-	-	-	2	2
Clapham 2H - - - S.		51,361	24	18	7	3	-	-	-	-	-	-	-	-	2	3
Streatham W,2v,2F,2L - - L.		88,019	49	35	6	15	-	1	-	-	-	-	-	-	1	1
Springfield 2W,L - - - S.		27,959	13	9	2	2	-	2	-	-	-	-	-	-	-	-
Southfields H - - - S.		40,444	28	14	5	2	-	4	-	-	-	-	-	-	-	-
Putney - - - S.		24,139	12	4	-	1	-	-	-	-	-	-	-	-	-	-
Dulwich - - - L. & S.		13,359	4	5	1	3	-	-	-	-	-	-	-	-	1	1
Camberwell South W,w - S. & L.		40,206	18	37	1	22	-	-	-	-	-	-	-	1	1	3
Camberwell North W,2L - S. & L.		65,584	41	25	6	8	-	-	-	-	-	-	-	-	1	-
St. George - - - L. & S.		47,331	31	12	3	3	-	-	-	-	-	-	-	-	-	-
Peckham 2W,w - - S., L. & K.		92,859	66	26	5	9	-	1	-	1	-	-	-	-	2	2
Deptford North - - - K.		37,613	34	14	4	5	-	-	-	-	-	-	-	1	1	1
Deptford Central F - - K.		45,481	30	9	2	2	-	-	-	-	-	-	-	-	1	2
Deptford South - - - K.		34,625	12	9	2	2	-	-	-	-	-	-	-	-	-	-
Greenwich West 2H - - K.		23,456	10	4	1	-	-	-	-	-	-	-	-	-	-	-
Greenwich East 2W,H - K.		43,869	16	35	10	15	-	-	-	-	-	-	-	1	2	4
Eltham w,H - - - K.		7,226	9	1	-	1	-	-	-	-	-	-	-	-	-	-
Lee w,H - - - K.		25,490	10	5	-	2	-	-	-	-	-	-	-	-	1	-
Lewisham W,w,F - - K.		58,352	34	7	15	15	-	2	-	-	-	1	-	-	1	3
Sydenham H - - - L.		43,663	21	10	3	4	-	-	-	-	-	-	-	-	-	2
Charlton F,2H - - - K.		21,134	4	4	-	1	-	-	-	-	-	-	-	-	-	-
Woolwich 4H - - - K.		41,625	22	8	2	2	-	-	-	-	-	-	-	-	-	-
Plumstead West W - - K.		18,063	7	3	-	1	-	-	-	-	-	-	-	-	1	1
Plumstead East 2W,H - K.		50,264	36	17	5	3	-	1	-	-	1	-	-	-	1	1
London County Asy.,Banstead		-	-	12	-	3	-	-	-	-	-	-	-	-	-	-
Manor Asylum, Epsom		-	-	3	-	3	-	-	-	-	-	-	-	-	-	-
Horton Asylum, Epsom		-	-	13	-	6	-	-	-	-	-	-	-	-	2	-
Lon. Co. Asy. Epilep. Colony, Epsom		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Caterham		-	-	4	-	2	-	-	-	-	-	-	-	-	-	-
London County Asy., Cane Hill		-	-	2	-	1	-	-	-	-	-	-	-	-	-	-
M.A.B. Hospitals, Dartford		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Darenth		-	-	4	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Dartford		-	-	2	-	1	-	-	-	-	-	-	-	-	-	-
Heath		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Gore Farm		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Hanwell		-	-	5	-	3	-	-	-	-	-	-	-	-	-	-
Central London Sick Asy., Hendon		-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
London County Asy.,Colney Hatch		-	-	9	-	3	-	-	-	-	-	-	-	-	-	-
M.A.B. North-Eastern Hospital		-	-	3	-	-	-	1	-	-	1	-	-	-	-	-
M.A.B. Northern Hospital		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Leavesden		-	-	5	-	4	-	-	-	-	-	-	-	-	-	-
London County Asylum, Claybury		-	-	3	-	1	-	-	-	-	-	-	-	-	-	-

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSE HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 3rd December, 1904.

REGISTRATION SUB-DISTRICTS		Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include																
						Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of		
						Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.							
LONDON—OUTER RING						368,580	2,044,973	1262	718	166	259	-	10	6	14	10	4	7	21	61	122	3
1	Carshalton w,2F,3H	12,228	32,997	17	5	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	2	-
2	Epsom, part of * W,w,2F,H	10,423	15,548	9	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Godstone, part of * W,F	2,754	2,692	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Coulsdon	11,069	8,166	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	South Croydon w	4,200	49,309	16	13	2	8	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-
3	West Croydon 3W,F,H	2,168	42,888	29	30	1	9	-	-	-	-	1	-	-	1	1	4	18	-	-	-	-
4	North Croydon H	2,644	41,698	21	15	2	10	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
6	Penge w	770	22,465	5	7	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Mitcham w	11,689	30,015	21	6	4	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
1	Wimbledon F,3H	3,221	41,652	20	12	2	7	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
2	Kingston W,H	6,224	42,068	31	14	5	2	-	-	-	-	1	-	-	-	-	-	1	-	2	-	-
3	Surbiton F,H	3,046	15,017	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
4	Esher, part of * H	5,402	13,100	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	Hampton H,L	4,564	23,456	15	10	3	4	1	-	-	1	-	-	1	-	-	-	-	1	-	-	-
1	Richmond W,H	2,162	28,865	10	10	2	5	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-
2	Mortlake F	2,847	20,628	17	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Bromley F,2H	4,703	27,354	15	7	2	1	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-
2	Beckenham H	7,825	28,497	6	10	1	6	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
3	Orpington, part of * W	10,113	9,857	9	9	3	4	-	-	-	-	1	-	-	1	1	2	5	-	-	-	-
4	Chislehurst 2H	7,333	16,446	9	5	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Bexley F,H	8,678	21,151	8	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Erith F,H	3,854	25,296	21	7	2	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
3	Dartford W,F, part of *	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
1	Sunbury w	11,054	18,683	12	9	1	3	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-
2	Staines W,H	13,277	15,178	10	4	-	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
1	Hillingdon W,F,H	6,035	13,661	8	7	-	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
2	Uxbridge	12,757	8,984	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Hayes w,F,H	8,066	16,358	16	16	6	5	-	1	-	1	-	-	-	-	-	2	1	-	-	-	-
1	Isleworth 3W,2F,H	6,859	30,863	18	14	3	6	-	-	-	-	-	-	-	-	1	1	3	-	-	-	-
2	Twickenham F,H	2,421	20,991	11	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Brentford 2F,2H,L	4,319	48,289	19	19	6	4	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-
4	Chiswick H	1,249	29,809	23	4	-	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	Acton w,3H	6,132	48,914	41	19	3	6	-	-	-	-	3	-	-	-	1	1	1	-	-	-	-
1	Harrow F,H	13,809	25,523	15	6	2	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
2	Edgware F,2H	6,994	4,521	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Willesden W,F,2H	4,384	114,811	89	37	11	16	-	-	-	-	-	-	-	-	3	4	4	-	-	-	-
4	Hendon W,F	8,382	22,450	10	2	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
1	South Mimms 2F,H	17,755	7,308	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Barnet W,3H	3,324	17,970	5	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Finchley F,2H	4,688	33,692	11	9	-	7	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
1	Hornsey F,H	2,875	72,056	32	8	1	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
2	Wood Green H	1,825	34,233	26	11	1	3	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-
3	West Tottenham F	996	48,853	34	19	5	10	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
4	East Tottenham F,H	2,017	53,688	41	24	8	6	-	1	-	-	-	-	-	-	-	2	3	8	-	-	-
5	Edmonton W,w,2F	7,491	61,892	48	24	3	10	-	-	1	-	1	-	-	-	1	-	3	7	-	-	-
6	Enfield 2W,F,H	12,601	42,738	29	16	1	7	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-
7	Waltham Abbey	11,017	6,549	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Cheshunt F,H	8,479	12,292	6	6	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Hatfield, part of * W	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Bushey H	9,333	9,173	8	2	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-
3	Watford W,2F part of *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	Stratford H	1,072	44,827	28	8	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	Plaistow F,2H	1,249	90,921	62	37	14	6	-	2	1	3	-	-	-	-	1	2	7	-	-	-	-
3	Canning Town H	1,556	70,718	35	17	5	1	-	-	-	-	-	-	-	-	1	1	4	-	-	-	-
4	Forest Gate w	806	60,892	38	23	8	7	-	1	-	1	1	-	-	-	1	3	-	-	-	-	-
5	North East Ham w	1,333	58,676	33	16	7	4	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-
6	South East Ham 2F	1,993	37,342	36	23	6	-	-	2	-	2	-	-	-	1	-	2	1	-	-	-	-
7	Wanstead F	1,679	9,179	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	South Leyton 2W	631	50,467	26	27	1	7	-	1	-	-	1	-	-	2	-	1	2	9	2	-	-
9	North Leyton W,w,F	1,963	48,445	32	37	1	13	-	-	-	-	-	-	-	-	-	-	21	-	-	-	-
0	Walthamstow 3H,L	6,504	108,929	83	29	9	10	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-
1	Chigwell, part of * 2F,4H	11,778	16,397	9	5	-	1	-	-	-	1	-	-	-	-	-	-	2	1	-	-	-
2	Epping W,F, part of *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	Romford, part of * W,2F	6,556	6,091	12	4	2	2	-	-	1	-	-	-	-	-	-	-	-	4	-	-	-
4	Ilford F,L	8,496	41,234	30	23	8	10	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-
5	Barking Town F	3,803	21,547	13	14	8	3	-	1	-	1	-	-	-	-	-	-	1	1	-	-	-
N.E. Hospital, Tottenham						-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-
Middlesex County Asylum, Wandsworth.						-	-	-	4	-	3	-	-	-	-	-	-	-	-	4	-	-

The parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes, 39: 4, excepting Esher; 41: 3, excepting Chelsfield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 137: 1, excepting Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria	Whooping- cough.	Fever.	Diarrhoeal
ALCUTTA (including SUBURBS)	847,798	October 15	-	391	23·9	-	-	-	-	-	135†	
BOMBAY - -	778,008	November 15	422	638	42·7	7	1	-	-	-	122†	
MADRAS - -	509,346	October 21	438	297	30·3	-	2	?	?	?	83	
PARIS - - -	2,680,559	November 26	994	824	16·0	-	2	1	-	4	5	
BRUSSELS - -	586,936	" 26	221	160	14·2	-	-	-	1*	1	2	
ANTWERP - -	286,695	" 26	155	81	14·7	-	-	1	-	2	-	
AMSTERDAM -	548,160	" 19	268	159	15·1	-	14	1	2*	7	-	
COPENHAGEN -	423,000	" 26	189	113	13·9	-	1	1	-	-	1	
STOCKHOLM -	309,496	" 19	144	100	16·8	-	-	-	3*	2	-	
CHRISTIANIA -	223,649	" 26	91	50	11·6	-	-	-	-	1	-	
S. PETERSBURG	1,248,122	" 19	622	545	22·8	1	8	9	16*	1	14	
MOSCOW - -	1,092,360	" 19	-	586	28·0	-	11	24	16*	7	5	
BERLIN - - -	1,964,315	" 12	884	574	15·1	-	2	11	16*	8	-	
HAMBURG - -	751,842	" 26	-	219	15·1	-	1	4	3*	4	-	
BRESLAU - -	445,679	" 26	-	219	25·6	-	1	-	2*	?	-	
MUNICH - - -	520,000	" 26	-	204	20·4	-	2	2	3*	1	-	
VIENNA - - -	1,797,992	" 26	845	656	18·8	1	10	-	14*	-	-	
PRAQUE - - -	426,402	" 19	176	159	19·2	-	2	-	1*	-	3	
BUDA-PESTH -	813,399	" 26	-	-	-	-	-	-	-	-	-	
TRIESTE - - -	190,166	" 26	139	94	25·6	-	-	-	-	1	-	
ROME - - -	505,371	October 8	-	-	-	-	-	-	-	-	-	
GENOEA - - -	166,288	November 5	69	53	18·2	-	-	-	-	1	-	
CAIRO - - -	624,338	July 22	539	500	41·8	-	4	-	9*	?	18	
ALEXANDRIA -	349,300	" 22	271	337	50·3	3	39	-	2*	?	7†	
NEW YORK - -	3,838,024	November 12	1792	1228	16·7	-	3	8	27*	3	21	
PHILADELPHIA -	1,408,154	" 12	-	422	15·6	-	-	1	9*	1	3	
BOSTON - - -	617,950	" 5	-	176	14·8	-	-	1	3*	-	6	

* Including deaths from croup.

† Including 2 deaths from plague in Calcutta, 75 in Bombay, and 3 in Alexandria.

‡ Including 8 deaths from cholera in Calcutta and 1 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 3rd December, 1904.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	52·3	25·9	40·2	0·07	BRADFORD - -	52·0	28·0	42·9	0·24
BRIGHTON - -	52·8	29·1	42·2	0·11	LEEDS - - -	52·0	32·0	42·0	0·01
PORTSMOUTH -	54·0	25·5	41·7	0·05	HULL - - -	52·0	29·0	39·8	0·03
NORWICH - - -	52·4	28·0	40·3	0·08	TYNEMOUTH - -	55·0	27·0	40·8	0·12
PLYMOUTH - -	53·3	25·8	42·2	0·34					
BRISTOL - - -	52·0	19·0	40·4	0·11	EDINBURGH - -	49·8	27·4	41·0	0·07
BIRMINGHAM -	51·7	25·3	40·3	0·05	GLASGOW - - -	51·4	26·0	41·3	0·43
NOTTINGHAM -	52·3	18·7	38·8	0·05					
LIVERPOOL - -	53·0	27·0	41·8	0·32	DUBLIN { Phoenix Park.	53·4	24·9	41·3	0·10
OBSERVATORY, }					Fitz-				
MANCHESTER -	52·8	20·8	38·9	0·33	william Square.†	54·7	30·0	43·7	0·10
PRESTON - - -	?	?	?	?					
HUDDERSFIELD -	50·2	29·7	41·4	0·07	BELFAST - - -	51·6	30·2	40·5	0·09


* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0·2° Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D. Dublin.

TABLE 10.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 26th November, 1904.*

BOROUGHES	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - -	146,975	-	6	1	-	1	-	-	3	-
Kensington - - - -	179,236	-	5	5	-	1	-	-	1	-
Hammersmith - - - -	117,412	-	9	5	-	-	-	-	4	-
Fulham - - - -	152,482	-	5	11	-	-	-	-	1	-
Onelsea - - - -	74,329	-	5	-	-	-	-	-	1	-
City of Westminster - - - -	177,321	-	5	3	-	1	-	-	1	-
NORTH.										
St. Marylebone - - - -	130,337	-	3	2	-	-	-	-	7	-
Hampstead - - - -	86,663	-	4	-	-	-	-	-	1	1
St. Pancras - - - -	235,936	1	10	9	-	2	-	-	3	-
Islington - - - -	341,044	-	29	8	-	2	-	-	5	-
Stoke Newington - - - -	52,445	-	1	-	-	-	-	-	1	-
Hackney - - - -	226,266	-	45	10	-	4	-	-	8	1
CENTRAL.										
Holborn - - - -	57,161	-	1	1	-	2	-	-	-	-
Finsbury - - - -	98,958	-	-	2	-	2	-	-	2	-
City of London - - - -	23,482	-	-	-	-	1	-	-	-	-
EAST.										
Shoreditch - - - -	117,033	-	5	1	-	1	-	-	-	-
Bethnal Green - - - -	130,207	-	7	6	-	1	-	-	3	-
Stepney - - - -	303,791	1	22	18	-	7	-	-	14	-
Poplar - - - -	169,905	-	12	14	-	-	-	-	4	2
SOUTH.										
Southwark - - - -	207,937	-	6	4	-	2	-	-	8	-
Bermondsey - - - -	129,397	-	12	1	-	1	-	-	2	-
Lambeth - - - -	510,359	-	13	8	-	2	-	-	6	-
Battersea - - - -	175,465	-	9	5	-	3	-	-	4	-
Wandsworth - - - -	257,448	-	14	7	-	1	-	-	7	-
Camberwell - - - -	263,384	-	39	6	-	1	-	-	2	-
Deptford - - - -	113,509	1	10	1	-	1	-	-	5	-
Greenwich - - - -	101,651	-	6	-	-	-	-	-	3	-
Lewisham - - - -	140,401	-	11	2	-	-	-	-	2	-
Woolwich - - - -	123,416	-	15	13	-	-	-	-	-	-
Port of London - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.		3	309	143	-	35	-	-	99	4
Ages										
0-1 - - - -	-	-	4	5	-	-	-	-	5	-
" 1-5 - - - -	-	-	106	47	-	1	-	-	2	-
" 5- - - - -	-	-	121	49	-	2	-	-	5	-
" 10- - - - -	-	1	39	11	-	7	-	-	3	-
" 15- - - - -	-	1	14	6	-	8	-	-	6	-
" 20- - - - -	-	-	11	10	-	3	-	-	9	1
" 25- - - - -	-	-	10	9	-	9	-	-	16	2
" 35- - - - -	-	-	4	3	-	4	-	-	20	1
" 45- - - - -	-	1	-	2	-	1	-	-	16	-
" 55- - - - -	-	-	-	-	-	-	-	-	9	-
" 65 and upwards - - - -	-	-	-	-	-	-	-	-	8	-
Age not stated - - - -	-	-	-	1	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.



LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1904.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

~~~~~  
By Authority of the Registrar General.  
~~~~~

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 49. 1904. VOL. LXV.] WEEK ENDED SATURDAY, DEC. 10. [Price 1½d.

*General Register Office, Somerset House,
December 12th, 1904.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 18·5 per 1000 of their aggregate population, which is estimated† at 15,271,287 persons in the middle of this year. In the preceding three weeks the rates had been 16·6, 17·3, and 21·6. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 23·1 in Bristol and in Burton on Trent, 23·2 in Wigan and in Manchester, 23·3 in Plymouth, 23·6 in Tynemouth, 23·9 in Reading, 24·5 in Hanley and in Newcastle on Tyne, 25·0 in Salford, and 26·2 in Walsall; from *measles*, 2·2 in Gateshead, 2·4 in South Shields, 2·5 in Wigan, and 2·9 in Tynemouth; from *scarlet fever*, 1·4 in Devonport, 1·5 in Warrington, and 1·9 in York; from *diphtheria*, 2·6 in Wallasey; from *whooping-cough*, 1·7 in Wigan and in Barrow in Furness, and 2·3 in Preston; from "*fever*," 2·6 in Rhondda; and from *diarrhoea*, 1·4 in Plymouth, and 1·5 in Oldham and in West Hartlepool. One death from *small-pox* was registered in Hanley, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2185 BIRTHS and 1613 DEATHS were registered. Allowing for increase of population, the births were 319 and the deaths 84 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 16·9, 16·8, and 21·7 in the preceding three weeks, fell last week to 18·1. During the four weeks ended on Saturday last the death-rate averaged 18·4 per 1000, being 0·1 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1613 deaths included 22 from measles, 9 from scarlet fever, 23 from diphtheria, 19 from whooping-cough, 11 from enteric fever, and 16 from diarrhœa, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 100 deaths were referred to these diseases in the aggregate, being 72 below the corrected average weekly number.

The deaths from *measles*, which had been 15, 14, and 32 in the preceding three weeks, fell last week to 22, and were 29 below the corrected average; 5 deaths belonged to the Borough of St. Pancras, 4 to Bermondsey, and 3 each to Islington and Wandsworth. The deaths from *scarlet fever*, which had been 8, 19, and 5 in the preceding three weeks, rose last week to 9, but were 5 below the corrected average. The deaths from *diphtheria*, which had been 24, 11, and 18 in the preceding three weeks, rose last week to 23, but were 22 below the corrected average; 5 deaths belonged to Poplar, and 3 each to Hackney and Wandsworth. The deaths from *whooping-cough*, which had been 12, 10, and 15 in the preceding three weeks, rose last week to 19, but were 9 below the corrected average; 3 deaths belonged to Hammersmith. The fatal cases of *enteric fever*, which had been 10, 3, and 8 in the preceding three weeks, rose last week to 11, but were 6 below the corrected average. The deaths from *diarrhœa*, which had been 25, 18, and 16 in the preceding three weeks, were again 16 last week, the corrected average being 14; 4 deaths belonged to Stepney, 3 to Fulham, and 3 to Poplar. Of the 16 deaths from diarrhœa, 14 were those of children under 5 years of age. The deaths attributed directly to *influenza* numbered 30, having been 18, 30, and 26 in the preceding three weeks. The death of a porter, aged 18 years, was certified after inquest as due to *anthrax*; and that of a painter, aged 47 years, was certified as due to *lead poisoning*.

Different forms of *violence* caused 55 deaths, concerning all of which inquests were held. Of these 55 deaths, 8 were cases of suicide, and 1 of homicide, while the remaining 46 were attributed to accident or negligence. Three of these latter were referred to vehicles in the streets, 1 to a conflagration, 6 to burns and scalds, 2 to drowning, 1 to the effects of an anæsthetic administered for surgical purposes, and 17 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 4 cases of small-pox, 2490 of scarlet fever, 874 of diphtheria, and 165 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 1 case, against 1, 2, and 2; of scarlet fever, 263 cases, against 259, 262, and 247; of diphtheria, 96 cases, against 118, 118, and 115; and of enteric fever, 20 cases, against 27, 17, and 22. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended December 3rd.

GREATER LONDON.

In Greater London 3332 births and 2279 deaths were registered. Allowing for increase of population these numbers are 369 and 54 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 5 deaths from measles, 1 from scarlet fever, 1 from diphtheria, 5 from whooping-cough, 2 from "fever," and 2 from diarrhœa were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.34 inches, and that of the Thermometer 42.3, the latter being 1.5 above the week's average in the 50 years 1841-90. The general direction of the wind was variable, the horizontal movement of the air being 6 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 3.3 hours; the measured rainfall amounted to 1.54 inches.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	POPULATION to the middle of the year 1904.*	DEATH-RATES from all Causes.					Registered during the Week ended 10th Dec. 1904.		The DEATHS registered in the Week include												
		Week ended					BIRTHS.	DEATHS.	Deaths of		Deaths from										
		19th Nov., 1904.		10th Dec., 1904.		Infants under 1 Year of Age.			Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
		1.	2.	3.	4.		5.	6.													7.
76 TOWNS	15,271,287	16'6	17'3	21'6	18'5	1'5	7718	5426	1192	1659	1	136	50	80	71	47	53	193	420	1211	66
LONDON -	4,648,950	16'9	16'8	21'7	18'1	1'1	2185	1613	330	538	-	22	9	23	19	11	16	55	155	567	2
CROYDON.	144,419	11'6	14'8	20'9	15'5	0'7	51	43	5	23	-	-	-	-	1	-	1	3	5	10	-
WILLESDEN.	132,566	9'8	11'8	14'6	13'8	0'4	73	35	10	14	-	-	-	-	1	-	-	2	3	6	1
HORNSEY.	81,221	5'1	12'8	5'8	10'9	0'6	31	17	1	5	-	-	-	-	1	-	1	3	3	-	-
TOTTENHAM.	112,981	12'0	20'8	18'5	19'4	1'4	65	42	10	16	-	2	-	2	1	-	2	7	4	-	-
WEST HAM.	288,424	15'0	19'9	18'6	18'6	2'0	139	103	22	20	-	3	2	2	2	1	1	5	9	25	-
EAST HAM.	116,902	12'5	15'2	19'2	15'2	1'3	72	34	9	8	-	2	1	-	-	1	-	2	4	3	-
LEYTON.	110,844	13'2	12'7	18'8	15'5	1'4	61	33	6	7	-	1	-	-	-	1	1	3	3	-	-
WALTHAMSTOW.	111,282	14'5	13'1	12'7	14'5	0'5	65	31	7	17	-	-	-	1	-	-	-	1	4	-	-
HASTINGS.	66,503	11'0	11'0	17'2	19'6	-	16	25	2	18	-	-	-	-	-	-	-	3	3	1	1
BRIGHTON.	126,286	12'4	18'6	20'2	20'6	1'7	46	50	5	23	-	-	-	3	-	1	-	2	13	-	-
PORTSMOUTH†	188,038	13'2	20'0	26'1	20'8	1'6	97	79	11	32	-	-	1	2	-	3	-	6	20	-	-
BOURNEMOUTH.	64,645	8'1	11'3	21'0	8'9	0'8	14	11	1	3	-	-	-	1	-	-	-	1	1	-	-
SOUTHAMPTON.	112,500	13'4	16'7	15'8	14'8	-	43	32	4	14	-	-	-	-	-	-	2	7	9	-	-
READING.	76,373	20'5	13'7	19'1	23'9	-	44	35	6	17	-	-	-	-	-	-	2	2	5	-	-
NORTHAMPTON.	91,146	17'2	12'6	17'7	12'0	1'1	48	21	2	7	-	-	-	-	2	-	-	1	1	6	-
IPSWICH.	69,805	17'9	19'4	20'2	20'9	0'7	34	28	2	18	-	1	-	-	-	-	1	2	6	2	-
GREAT YARMOUTH.	52,069	7'0	18'0	20'0	14'0	1'0	27	14	4	6	-	-	-	1	-	-	-	-	1	-	-
NORWICH.	115,538	18'5	15'3	17'6	21'2	0'5	64	47	9	19	-	-	-	-	-	1	-	-	5	-	-
PLYMOUTH.	114,003	20'6	17'8	21'0	23'3	3'2	39	51	12	23	-	2	2	-	-	-	2	4	3	-	-
DEVONPORT.	75,334	15'9	11'8	21'5	11'8	2'1	39	17	2	9	-	1	2	-	-	-	-	2	1	-	-
BRISTOL†.	343,204	15'6	18'2	25'7	23'1	2'6	157	152	33	57	-	5	-	4	5	1	2	4	13	30	2
HANLEY.	63,632	24'5	20'4	26'1	24'5	3'3	38	30	6	9	1	-	1	-	1	1	-	3	3	4	2
BURTON-ON-TRENT.	51,934	14'1	20'1	22'1	23'1	1'0	16	23	7	8	-	-	-	-	-	-	-	-	-	3	1
WOLVERHAMPTON.	98,194	12'2	15'4	13'3	13'3	1'6	40	25	7	11	-	-	1	-	-	2	1	1	1	8	-
WALSALL.	91,432	20'0	15'4	28'5	26'2	1'7	51	46	4	17	-	-	-	-	1	-	2	2	3	8	-
HANDSWORTH.	59,634	18'4	16'6	19'2	12'2	2'6	29	14	1	5	-	-	-	1	1	1	-	1	1	1	-
WEST BROMWICH.	67,186	7'0	9'3	23'3	17'9	0'8	39	23	9	8	-	-	-	-	-	-	-	3	3	1	-

* See note † on first page of this return.

* See note † on first page of this return.

† These towns are included within the area of Greater London.

Births, Deaths, and Rates of Mortality.

TOWNS	POPULATION estimated to the middle of the year 1904.	DEATH-RATES from all Causes.				Rate from Diseases in Cols. 11-17.		Registered during the week ended 10th Dec., 1904.		The DEATHS registered in the week include												TOWNS.
		Week ended				Week ended 10th Dec., 1904.		Deaths of 60 Years aged under 1 Year.	Deaths from	Deaths from												
		19th Nov., 1904.	26th Nov., 1904.	3rd Dec., 1904.	10th Dec., 1904.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
BIRMINGHAM -	537,965	18'3	22'8	23'9	19'7	1'4	302	203	50	62	-	2	1	5	1	1	4	5	7	62	7	BIRMINGHAM.
KINGS NORTON -	66,967	13'3	10'2	11'7	11'7	-	36	15	1	8	-	-	-	-	-	2	2	1	1	-	-	KINGS NORTON.
SMETHWICK -	60,691	19'8	16'3	30'9	9'5	-	32	11	5	3	-	-	-	-	-	1	-	-	-	1	-	SMETHWICK.
ASTON MANOR -	80,363	16'9	13'6	12'3	10'4	0'6	29	16	6	6	-	-	1	-	-	-	-	-	2	-	-	ASTON MANOR.
COVENTRY -	73,904	25'4	14'8	26'1	14'1	0'7	38	20	2	9	-	-	1	-	-	-	-	-	1	-	-	COVENTRY.
LEICESTER -	224,186	13'3	20'2	24'0	17'0	1'2	91	73	14	33	-	5	-	-	-	-	-	2	8	-	-	LEICESTER.
GRIMSBY -	66,968	12'5	21'0	16'4	14'8	1'6	36	19	3	3	-	1	-	-	1	1	-	1	1	-	-	GRIMSBY.
NOTTINGHAM -	248,811	14'5	17'0	25'8	20'3	1'0	104	97	15	32	-	3	-	2	-	3	-	10	16	1	1	NOTTINGHAM.
DERBY -	120,449	15'2	13'4	19'0	14'7	0'4	53	34	7	14	-	-	-	-	-	-	-	-	4	-	-	DERBY.
STOCKPORT -	97,008	21'5	24'7	30'1	19'9	1'1	47	37	9	7	-	-	1	1	-	-	-	-	3	2	-	STOCKPORT.
BIRKENHEAD -	114,814	15'9	17'7	29'1	15'0	0'9	64	33	11	8	-	-	1	-	-	-	1	2	1	2	1	BIRKENHEAD.
WALLASEY -	60,354	19'0	13'8	25'9	16'4	4'3	41	19	1	5	-	-	1	3	-	-	-	-	3	-	-	WALLASEY.
LIVERPOOL -	723,430	21'0	21'6	26'5	21'6	2'5	461	300	83	61	-	-	5	3	-	2	3	10	18	80	7	LIVERPOOL.
BOOTLE -	61,755	21'1	15'2	19'4	18'6	0'8	22	22	3	5	-	-	-	-	-	1	-	-	1	4	2	BOOTLE.
ST. HELENS -	88,545	21'2	23'0	28'3	22'4	2'9	76	38	13	8	-	2	1	1	1	-	-	-	9	1	1	ST. HELENS.
WIGAN† -	62,800	21'6	22'4	30'7	23'2	5'0	35	28	5	6	-	3	1	-	2	-	1	2	6	-	-	WIGAN†.
WARRINGTON -	67,331	10'8	13'2	24'0	16'3	2'3	44	21	5	7	-	-	2	-	-	-	1	1	1	3	-	WARRINGTON.
BOLTON -	175,744	18'4	13'9	19'0	17'5	2'1	91	59	13	14	-	1	3	1	-	1	2	2	2	7	-	BOLTON.
BURY -	58,450	16'9	16'9	18'7	20'5	1'8	16	23	6	4	-	-	-	1	-	1	1	-	2	-	-	BURY.
MANCHESTER† -	557,938	19'5	20'6	30'3	23'2	2'0	310	248	58	65	-	7	1	6	5	-	2	12	21	62	8	MANCHESTER†.
SALFORD -	228,983	15'3	20'7	23'5	25'0	3'2	150	110	25	32	-	8	1	-	-	3	2	7	15	24	-	SALFORD.
OLDHAM -	139,497	18'7	19'4	25'8	19'8	2'6	59	53	13	13	-	1	-	1	1	4	-	-	2	5	-	OLDHAM.
ROCHDALE -	85,601	9'7	19'5	20'7	17'1	1'8	32	28	6	7	-	2	1	-	-	-	1	2	2	2	-	ROCHDALE.
BURNLEY -	100,569	17'6	18'7	20'2	21'8	3'6	54	42	10	9	-	3	-	2	1	-	-	2	3	3	-	BURNLEY.
BLACKBURN -	132,134	22'1	12'2	23'7	18'2	1'6	49	46	19	12	-	2	1	-	1	-	-	-	5	1	1	BLACKBURN.
PRESTON -	115,055	13'6	17'2	16'3	22'2	2'7	58	49	8	14	-	-	-	1	-	-	-	-	-	9	2	PRESTON.
BARROW-IN-FURNESS	59,454	7'9	14'9	15'7	13'1	1'7	28	15	3	4	-	-	-	-	-	-	-	-	-	1	-	BARROW-IN-FURNESS.

The Deaths registered in the Week include

Deaths from

Registered during the week ended 10th Dec., 1904.

Deaths from all Causes.

Population estimated to the middle of 1904.

TOWNS.

TOWNS.

Deaths in Public Institutions. Unregistered Causes of Death.

Deaths of Persons aged under 1 Year.

Deaths from all Causes.

Population estimated to the middle of 1904.

TOWNS.

Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.
HUDDESFIELD.	-	84,925	15'9	11'0	13'7	18'1	0'5	36	33	7	9	-	-	1	-	-	-	-	-	1	2	HUDDESFIELD.
HALIFAX.	-	107,580	15'0	14'5	18'4	18'9	0'5	38	39	8	15	-	-	5	3	1	-	1	2	8	-	HALIFAX.
BRADFORD.	-	285,089	15'9	13'9	19'0	18'7	2'4	108	102	16	27	-	-	5	3	1	-	-	3	18	1	BRADFORD.
LEEDS.	-	450,142	15'9	15'1	17'0	14'9	0'9	218	129	29	38	-	-	2	2	3	1	4	9	23	-	LEEDS.
SHEFFIELD.	-	432,940	14'8	17'9	17'5	15'7	1'2	240	130	36	26	-	2	-	7	-	1	8	12	27	5	SHEFFIELD.
ROTHERHAM.	-	58,498	9'8	14'3	13'4	14'3	-	36	16	3	4	-	-	-	-	-	-	1	1	4	1	ROTHERHAM.
YORK.	-	81,268	14'8	12'2	17'3	19'9	3'8	42	31	7	10	-	1	-	-	1	-	-	-	3	-	YORK.
HULL.	-	253,805	20'5	16'2	19'3	19'3	1'8	136	94	27	20	-	6	1	-	2	-	4	8	9	3	HULL.
MIDDLESBROUGH.	-	96,684	19'4	17'3	30'7	21'6	1'6	69	40	15	5	-	3	-	-	-	-	2	6	2	1	MIDDLESBROUGH.
STOCKTON-ON-TEES.	-	52,192	19'0	20'0	20'0	17'0	3'0	35	17	2	2	-	1	1	-	-	-	-	-	-	-	STOCKTON-ON-TEES.
WEST HARTLEPOOL.	-	69,251	13'6	13'6	11'3	12'0	2'3	31	16	5	3	-	1	-	-	-	2	1	2	2	-	WEST HARTLEPOOL.
SUNDERLAND.	-	151,157	20'0	18'3	20'0	22'1	0'3	88	64	21	12	-	-	-	1	-	-	1	4	4	1	SUNDERLAND.
SOUTH SHIELDS.	-	107,334	22'3	24'8	23'8	18'9	3'4	76	39	5	7	-	-	1	-	-	-	-	1	3	3	SOUTH SHIELDS.
GATESHEAD.	-	118,067	19'4	18'1	30'0	19'4	3'1	68	41	12	6	-	5	-	1	-	1	4	5	2	3	GATESHEAD.
NEWCASTLE-ON-TYNE†	-	225,362	22'0	19'9	20'6	24'5	1'2	138	106	31	26	-	1	-	1	-	-	6	7	22	1	NEWCASTLE-ON-TYNE†
TYNEMOUTH.	-	53,060	16'7	13'8	32'4	23'6	2'9	40	21	6	4	-	3	-	-	-	-	2	2	3	-	TYNEMOUTH.
NEWPORT (MON.).	-	71,543	15'3	18'2	17'5	11'7	0'7	43	16	2	3	-	-	1	-	-	-	-	-	1	-	NEWPORT (MON.).
CARDIFF.	-	176,313	10'9	14'8	16'9	16'3	0'9	98	55	14	14	-	1	1	1	-	-	2	3	5	-	CARDIFF.
RHONDDA.	-	122,310	15'8	18'3	18'8	17'9	2'6	84	42	9	4	-	-	-	-	6	-	3	4	3	1	RHONDDA.
MERTHYR TYDFIL.	-	72,745	15'8	16'5	15'8	17'9	2'2	59	25	8	3	-	1	-	-	1	-	3	5	2	-	MERTHYR TYDFIL.
SWANSEA.	-	95,491	16'8	16'3	18'5	16'8	1'1	50	31	7	9	-	-	1	-	1	-	2	2	3	1	SWANSEA.
GREATER LONDON.	-	8,907,756	15'2	16'1	20'0	17'2	1'1	3332	2279	483	774	-	35	13	29	15	22	81	213	697	5	GREATER LONDON.
OUTER RING.	-	2,258,806	11'7	14'6	16'6	15'4	0'9	1147	666	153	236	-	13	4	10	4	6	26	53	100	3	OUTER RING.
8 TOWNS IN OUTER RING.	-	1,098,639	12'4	15'9	16'9	16'0	1'2	557	338	70	119	-	8	3	5	2	4	17	35	55	1	8 TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	-	1,100,167	11'1	13'3	16'2	14'7	0'7	580	328	83	117	-	5	1	1	5	2	9	23	45	2	REMAINDER OF OUTER RING.
EDINBURGH.	-	331,977	18'4	15'4	15'5	16'3	0'9	121	104	15	35	-	-	-	3	-	3	2	?	32	5	EDINBURGH.
GLASGOW.	-	798,357	18'4	20'1	23'8	23'1	2'7	471	354	97	74	-	2	2	32	-	6	11	?	75	-	GLASGOW.
DUBLIN†.	-	378,994	24'2	22'6	27'0	25'2	1'9	185	183	35	47	-	10	1	-	2	1	2	4	74	7	DUBLIN†.
BELFAST†.	-	368,880	19'8	19'6	22'5	24'3	3'2	204	167	34	36	-	18	-	-	4	-	2	4	37	?	BELFAST†.

TABLE 2. LONDON.—Births and Deaths Registered in the FORTY-NINTH Week of each of the Eleven Years, 1894-1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894-1903.*	1904
TOTAL Births -	2599	2373	2419	2489	2577	2339	2299	2374	2225	2418	2504.1	2185
Males - -	1315	1238	1268	1244	1306	1217	1156	1250	1144	1245	1283.4	1107
Females - -	1284	1145	1151	1245	1271	1122	1143	1124	1081	1203	1220.7	1078
TOTAL Deaths -	1614	1459	1604	1866	1447	1957	1544	1698	1506	1669	1697.3	1613
Males - -	808	738	833	950	755	1012	810	859	776	878	873.2	837
Females - -	806	721	771	916	692	945	734	839	730	791	824.1	776

* The numbers in this column are the average weekly numbers in the forty-ninth week of the ten years 1894-1903, raised by 3.723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Sept. 17.	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	13 Weeks.
TOTAL Births -	2514	2272	2537	2470	2491	2442	2585	2581	2476	2455	2356	2542	2185	31906
TOTAL Deaths -	1360	1223	1279	1243	1270	1476	1311	1330	1357	1505	1502	1932	1613	18401
Ages at Death -														
Under 1 year -	401	306	311	287	267	292	289	288	306	357	345	400	330	4179
1-5 years -	116	112	118	102	121	131	122	121	137	153	144	197	157	1731
5-20 " -	62	76	53	56	74	87	55	78	75	74	80	80	82	932
20-40 " -	180	159	177	187	168	212	173	170	175	196	181	234	154	2366
40-60 " -	255	235	282	271	282	279	286	281	304	312	402	352	3827	
60 yrs. & upwds.	346	335	338	340	358	475	386	387	383	421	440	619	538	5366
Deaths from—														
Small-pox - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles - -	8	6	17	14	15	26	20	14	15	15	14	32	22	218
Scarlet Fever -	14	3	9	4	11	6	8	13	9	8	19	5	9	118
Diphtheria - -	9	19	16	20	17	13	12	15	13	24	11	18	23	210
Whooping-cough -	16	5	9	7	5	11	7	4	4	12	10	15	19	124
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	9	13	10	9	15	11	7	6	11	10	3	8	11	123
Pyrexia (origin uncertain).	-	-	2	-	-	1	-	-	-	-	-	-	-	3
Diarrhoea, Dysentery	180	108	84	52	49	45	25	22	27	25	18	-	16	676
All above Diseases -	245	154	147	106	112	113	79	74	79	94	75	94	100	1472
Dis. of Resp. System	59	72	85	85	94	127	145	158	171	175	228	357	268	2024
Pneumonia - -	82	97	82	81	100	124	144	127	153	186	157	208	180	1721
Phthisis - -	141	142	152	150	142	174	144	150	140	170	163	193	163	2033
Dis. of Circ. System	156	150	152	157	179	197	182	169	169	185	191	255	211	2353
Violence - -	46	45	49	51	41	53	47	52	46	45	54	76	55	660
Inquest Cases -	104	110	125	139	125	123	136	137	119	127	124	204	155	1728
Deaths in Institutions	529	475	494	492	479	588	489	475	485	532	536	641	567	6782
TEMPERATURE OF THE AIR.														
Mean - - -	55.4	53.6	52.1	50.3	47.8	54.9	49.9	49.3	48.8	42.2	33.7	40.5	42.3	47.8
Mean of Highest -	66.2	61.3	63.2	58.0	56.3	61.3	58.1	53.1	54.3	49.6	37.7	41.5	46.4	54.5
Mean of Lowest -	47.9	46.1	42.5	43.3	38.7	48.7	43.1	45.9	43.3	35.3	28.5	35.8	35.9	41.2
Mean Humidity of the Air.	81	70	87	81	85	89	84	84	83	94	82	87	88	84
Rain-fall (in inches) -	0.24	0.20	0.14	0.36	0.02	0.43	0.20	0.11	1.40	0.04	0.18	0.07	1.51	5.43
Registered Sunshine (in hours).	37.1	52.7	28.1	17.5	25.0	10.0	22.9	9.8	11.7	14.9	9.6	4.3	3.3	246.0
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox - -	5	5	3	2	1	1	1	1	1	1	1	3	4	2
Scarlet Fever -	1929	1969	2158	2341	2516	2687	2725	2782	2843	2774	2741	2625	2490	2506
Diphtheria - -	832	833	878	892	931	950	947	979	947	921	919	892	874	907
Typhus - -	1	1	1	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	187	204	237	239	242	229	225	230	224	214	191	178	165	213

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Creswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the FORTY-NINTH Week of the Year 1904.

as printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 49th week of the year 1903.	1904—Deaths of Persons of the Ages						CAUSES OF DEATH.	Deaths in the 49th week of the year 1903.	1904—Deaths of Persons of the Ages							
		ALL AGES.								ALL AGES.							
		Under 20.	Under 20.	Under 20.	Under 20.	Under 20.	Under 20.			Under 20.	Under 20.	Under 20.	Under 20.	Under 20.	Under 20.		
0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.	0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.	0-1.	1-5.	5-20.	20 and under 40.	40 and under 60.	60 years and upwards.
1669	1613	330	157	82	154	352	538	Meningitis (not tuberc.)	17	10	4	3	2	-	1	-	-
								Insanity, Gen. Par. of	19	13	-	-	-	1	6	-	-
								Insane -	9	5	-	-	1	1	-	3	-
								Epilepsy -	29	18	17	1	-	-	-	-	-
								Convulsions -	2	1	-	-	-	-	1	-	-
								Locomotor Ataxy -	3	8	-	1	-	-	1	-	-
								Paraplegia, Dis. of Cord	30	18	1	1	-	-	5	11	-
								Nervous Sys. (other dis.)									
								Valv. Dis., Endocarditis-	58	49	-	-	3	7	17	22	-
								Cerebr. Hæm. Thromb.-	36	34	-	-	-	1	7	26	-
								Apoplexy, Hemiplegia -	27	25	-	-	-	2	4	19	-
								Aneurysm -	3	2	-	-	1	-	1	1	-
								Embolism, Thrombosis }	-	2	-	-	-	-	-	2	-
								(not cerebral) }									
								Heart & Blood Vessel Dis.	117	99	-	-	2	8	37	52	-
								Croup (not Spasm : nor }	1	-	-	-	-	-	-	-	-
								Memb.) -	196	242	45	20	1	4	32	140	-
								Bronchitis -	14	9	-	-	-	1	4	4	-
								Asthma, Emphysema -	5	4	1	-	-	1	-	2	-
								Pleurisy -	19	13	5	1	-	1	2	4	-
								Respiratory Dis. (other)									
								Tonsillitis, Quinsy -	-	-	-	-	-	-	-	-	-
								Enteritis (not Epid.) -	12	9	6	1	-	-	-	2	-
								Gastro-Enteritis -	4	1	-	-	1	-	-	-	-
								Feritonitis (not Puerp.) -	5	1	-	-	1	-	-	-	-
								Cirrhosis of Liver -	15	9	-	-	-	-	7	2	-
								Liver Dis. (other) -	6	3	-	-	-	-	-	1	-
								Digestive Dis., Other -	33	40	5	4	7	5	7	12	-
								Nephritis, Acute -	7	8	-	-	1	5	1	1	-
								Bright's Dis., Albumin-	23	41	-	1	-	3	17	20	-
								uria	9	14	-	-	-	-	4	10	-
								Urinary Sys., Other Dis.									
								Generative Organs Dis.-	3	4	-	-	1	2	-	1	-
								Childbirth (Accid. of) -	3	6	-	-	-	5	1	-	-
								Old Age -	77	49	-	-	-	-	-	49	-
								Other Diseases -	98	91	56	12	2	4	5	12	-
								ACCIDENT.									
								By Railways -	-	2	-	-	-	-	1	1	-
								By Vehicles and Horses-	4	3	-	1	-	-	1	1	-
								In Ships, Boats, Docks,	-	1	-	-	-	-	1	-	-
								(exclusive of Drown-	-	-	-	-	-	-	-	-	-
								ing) -	1	1	-	-	-	-	1	-	-
								In Building Operations -	-	1	1	-	-	-	-	-	-
								In Conflagrations -	13	6	-	4	1	-	1	-	-
								By Burns, Scalds, Ex-	-	-	-	-	-	-	-	-	-
								plosions -	1	2	-	-	2	-	-	-	-
								By Drowning -	15	17	17	-	-	-	-	-	-
								By Suffocation in Bed -	3	2	-	-	-	1	1	-	-
								By Poisons or Poisonous	-	-	-	-	-	-	-	-	-
								Vapours -	15	11	3	2	-	1	1	4	-
								Other Deaths by Acci-	-	-	-	-	-	-	-	-	-
								dent -	-	-	-	-	-	-	-	-	-
								VIOLENCE OTHER THAN									
								ACCIDENTAL.									
								Homicide -	2	1	-	-	-	1	-	-	-
								Suicide -	11	8	-	-	1	2	4	1	-
								Execution -	-	-	-	-	-	-	-	-	-

In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty encountered in obtaining full particulars in time for publication in the successive weekly returns. Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 10th December, 1904.

REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include												
				Deaths of		Deaths from										
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhœa.	Violence.	Inquest Cases.
LONDON - - -	4,536,429	2185	1613	330	538	-	22	9	23	19	-	11	-	16	55	155
WEST DISTRICTS	805,311	295	280	65	106	-	1	-	2	7	-	-	-	5	5	21
NORTH DISTRICTS	1,056,070	483	361	57	129	-	8	1	6	4	-	3	-	-	8	28
CENTRAL DISTRICTS	209,465	107	79	17	17	-	1	-	-	-	-	-	-	-	5	3
EAST DISTRICTS	715,739	412	278	58	72	-	3	-	-	3	-	5	-	7	13	42
SOUTH DISTRICTS	1,749,844	888	571	133	197	-	9	3	14	5	-	-	-	4	24	53
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	44	-	17	-	-	5	1	-	-	-	-	-	-	1
WEST DISTRICTS.																
St. Mary Paddington } G. & W.	93,178	31	36	7	13	-	-	-	1	1	-	-	-	-	1	1
W ² H																
St. John Paddington } H - G.	33,617	7	16	2	8	-	-	-	-	-	-	-	-	-	2	3
North-West Paddington } - C.	17,181	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-
KensingtonTown } 2W,w ² H G.W. & C.	128,037	46	46	9	20	-	-	-	-	1	-	-	-	-	-	3
Brompton } 2H - W. & C.	48,591	6	9	1	5	-	-	-	-	-	-	-	-	-	-	1
NorthHammersmith } W,w ² H } W. & G.	49,192	28	11	4	3	-	-	-	-	3	-	-	-	-	-	-
SouthHammersmith } w ² H } W. & G.	63,047	25	21	9	4	-	1	-	-	-	-	-	-	-	-	1
North-west Fulham } W } W. & C.	45,180	37	23	10	6	-	-	-	-	-	-	-	-	4	1	4
North-east Fulham } F } W. & C.	46,405	20	16	6	7	-	-	-	1	-	-	-	-	-	2	2
South Fulham } W } W. & C.	45,704	24	15	7	3	-	-	-	-	2	-	-	-	-	1	2
Chelsea North } W,w ² H - C.	42,514	11	32	2	19	-	-	-	-	-	-	-	-	-	-	2
Chelsea South } W ² H - C.	31,328	11	8	1	3	-	-	-	-	-	-	-	-	-	-	-
May Fair and Knightsbridge } C. & G.	28,743	4	4	-	3	-	-	-	-	-	-	-	-	-	-	-
Belgrave } W ² H - C.	56,815	22	18	2	5	-	-	-	-	-	-	-	-	1	-	1
St. Margaret & St. John } 4H - C.	43,698	15	14	4	3	-	-	-	-	-	-	-	-	-	-	4
St. James Westminster } W,H } N. & G.	21,588	4	3	1	1	-	-	-	-	-	-	-	-	-	-	-
St. Anne Soho } 5H - N.	11,493	3	6	-	1	-	-	-	-	-	-	-	-	-	-	1
NORTH DISTRICTS.																
All Souls Marylebone } 8H - W.	35,391	9	13	1	2	-	-	-	-	-	-	-	-	-	-	4
Rectory Marylebone } W } G. & W.	19,849	3	5	-	4	-	-	-	-	-	-	-	-	-	-	1
St. Mary Marylebone } 4H } G. & W.	18,999	30	4	2	3	-	-	-	-	-	-	-	-	-	-	1
Christchurch Marylebone } H - W.	39,536	16	11	3	4	-	-	-	-	1	-	-	-	-	-	2
St. John Marylebone } 3H - W.	20,426	3	2	1	1	-	-	-	-	-	-	-	-	-	1	1
Hampstead } W,F,8H - N. & W.	81,942	35	30	1	12	-	1	1	2	1	-	1	-	-	1	1
West St. Pancras } 2H - W.	60,562	22	11	3	2	-	1	-	-	-	-	-	-	-	1	1
Tottenham-court } w,6H - N. & W.	21,258	3	12	-	4	-	-	-	-	-	-	-	-	-	-	1
Gray's Inn Lane } 4H - N.	34,449	12	18	2	5	-	-	-	-	-	-	1	-	-	-	1
East St. Pancras } W ² H - N.	60,320	29	33	2	17	-	3	-	-	-	-	1	-	-	-	3
North St. Pancras } 2W - N.	58,728	25	26	2	15	-	-	-	-	-	-	-	-	-	-	1
Tufnell } W - N.	31,995	13	21	1	10	-	-	-	-	-	-	-	-	-	-	1
Upper Holloway } 2W,w ² H - N.	33,978	19	24	5	7	-	1	-	-	-	-	-	-	-	-	2
Tollington } W - N.	33,922	14	10	1	5	-	-	-	-	-	-	-	-	-	-	1
Lower Holloway } - N.	41,424	24	19	6	3	-	-	-	-	1	-	-	-	-	-	2
Barnsbury } - N.	54,478	32	10	3	3	-	2	-	-	-	-	-	-	-	-	1
Islington South-east } F - N.	75,397	28	20	2	8	-	-	-	-	1	-	-	-	-	-	2
Highbury } 2H - N.	63,797	32	9	-	3	-	-	-	-	-	-	-	-	-	-	1
Stoke Newington } H - N.	51,247	16	4	2	1	-	-	-	-	-	-	-	-	-	-	-
North Hackney } - E. & N.	50,560	17	11	3	2	-	-	-	-	-	-	-	-	-	-	2
Central Hackney } 2w,F - E. & N.	50,536	23	11	2	4	-	-	-	4	-	-	-	-	-	-	2
South-west Hackney } 3H - E. & N.	59,921	38	21	5	5	-	-	-	-	-	-	-	-	-	-	1
South-east Hackney } 2W,w,H E. & N.	58,255	35	36	10	10	-	-	-	-	-	-	-	-	-	1	1

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated the namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G. sign E. East London; W. West Middlesex; C. Chelsea; S. Southwark and Vauxhall; L. Lambeth; N. New Big E. Kent Junction; and K. the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever"

5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 10th December, 1904—continued.

REGISTRATION SUB-DISTRICTS,	Enu- mer- ated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include															Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of Age.	Deaths from											Inquest Cases.				
					Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.					
CENTRAL DISTRICTS.																				
Isles and Bloomsbury W,2H N.	31,436	22	10	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	
Islington W,4H - - - N. & C.	21,674	2	13	2	3	-	-	-	-	-	-	-	-	-	-	-	-	11	-	
Islington Union Workhouse, Edmonton -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Islington W,8H - - - N.	29,612	12	14	2	4	-	-	-	-	-	-	-	-	-	-	1	2	7	-	
Islington Clerkenwell - - - N.	28,676	19	4	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
Islington Clerkenwell H - - - N.	35,028	20	7	3	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
Islington St. Pancras 3H,L - - - N.	36,116	27	10	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Islington St. Pancras Union Workhouse, } Islington - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Islington St. Pancras H - - - N. & E.	10,299	1	2	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	
Islington St. Pancras and Allhallows } Islington St. Pancras - - - }	16,824	4	19	4	3	-	-	-	-	-	-	-	-	-	-	3	4	15	-	
Islington St. Pancras of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EAST DISTRICTS.																				
Islington South H,L - E. & N.	46,362	25	14	3	5	-	-	-	-	-	-	-	-	-	-	-	2	-	-	
Islington North-West W,w,H N.	36,127	11	21	4	4	-	-	-	-	-	1	-	1	-	-	-	1	10	-	
Islington North-East - N. & E.	36,148	26	14	7	2	-	-	-	-	-	-	-	-	-	-	2	4	-	-	
Islington Union Workhouse, Wood } Islington - - - - - }	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Islington Green North 2H - E.	51,514	31	17	5	1	-	1	-	-	-	-	-	-	-	-	3	3	4	-	
Islington Green South - - E.	33,472	31	8	4	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	
Islington Green East 2W,H,L - E.	44,694	27	25	2	7	-	-	-	-	-	1	-	-	-	-	1	4	11	-	
Islington Fields - - - E. & N.	27,969	19	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Islington End New Town W,H - E.	28,718	18	40	9	3	-	-	-	-	-	-	-	2	-	-	1	2	5	33	
Islington Man's Fields - - - E.	22,081	4	5	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
Islington George and St. John 2W E.	49,068	33	18	3	8	-	-	-	-	-	-	-	-	-	-	-	7	5	-	
Islington Roper and Ratcliff W,H,E. & N.	25,568	15	11	4	2	-	-	-	-	-	-	-	-	-	-	-	1	5	-	
Islington Roper - - - - - E.	32,369	25	11	2	3	-	-	-	-	-	-	-	-	-	-	1	1	3	-	
Islington End Old Town South- } Islington Eastern H - - - }	63,698	44	8	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	
Islington End Old Town North- } Islington Eastern W,w - - - }	49,129	19	16	2	6	-	-	-	-	-	-	-	-	-	-	1	2	6	-	
Islington L - - - - - E.	41,989	19	8	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	
Islington Ley 3w,H - - - - E.	68,310	35	44	6	15	-	1	-	-	-	-	-	-	-	-	5	2	4	29	
Islington Ley W,w - - - - E.	68,514	30	12	3	5	-	-	-	-	-	-	-	-	-	-	1	4	2	-	

Area, Population, Births, and Deaths in Outer Ring.

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSE HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 10th December, 1904.

The DEATHS registered in the Week include																
REGISTRATION SUB-DISTRICTS	Area in Acres.	Enume- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths of											
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	Deaths from									
					Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.		
LONDON—OUTER RING	368,602	2,044,973	1147	666	153	236	-	13	4	4	10	4	6	26	58	100
Carshalton <i>w, 2F, 3H</i>	12,228	32,907	19	8	3	3	-	-	-	-	-	-	-	-	-	1
Epsom, <i>part of</i> * <i>W, w, 2F, H</i>	10,423	15,548	19	4	-	2	-	-	-	1	-	-	-	-	-	1
Godstone, <i>part of</i> * <i>W, F</i>	2,754	2,692	2	1	1	-	-	-	-	-	-	-	-	-	-	-
Coulsdon	11,069	8,166	6	1	-	1	-	-	-	-	-	-	-	-	-	-
South Croydon <i>w</i>	4,200	49,509	20	12	1	7	-	-	-	-	-	-	-	-	1	2
West Croydon <i>3W, F, H</i>	2,168	42,888	16	22	-	13	-	-	-	1	-	-	2	2	11	1
North Croydon <i>H</i>	2,644	41,668	15	11	4	5	-	-	-	-	-	1	1	2	1	1
Penge <i>w</i>	770	22,465	4	3	-	1	-	-	-	-	-	-	-	-	-	-
Mitcham <i>w</i>	11,711	30,015	19	10	1	6	-	-	-	-	-	-	-	-	1	-
Wimbledon <i>F, 3H</i>	3,221	41,652	22	13	1	6	-	-	-	-	-	-	1	1	-	-
Kingston <i>W, H</i>	6,224	42,168	17	22	8	8	-	1	-	-	-	2	2	3	4	-
Surbiton <i>F, H</i>	3,046	15,017	5	2	-	1	-	-	-	-	-	-	-	-	-	-
Esher, <i>part of</i> * <i>H</i>	5,402	13,100	10	3	1	-	-	-	-	-	-	-	-	-	-	-
Hampton <i>H, L</i>	4,564	23,466	20	5	1	1	-	-	-	-	-	-	-	-	-	-
Richmond <i>W, H</i>	2,162	28,865	9	6	2	4	-	-	-	-	-	-	-	1	-	-
Mortlake <i>F</i>	2,847	20,628	12	4	2	-	-	-	-	-	1	-	-	1	-	-
Bromley <i>F, 2H</i>	4,703	27,354	19	9	3	-	-	1	-	-	2	-	-	-	-	3
Beckenham <i>H</i>	7,825	28,497	10	6	3	1	-	-	-	-	-	-	-	-	-	-
Orpington, <i>part of</i> * <i>W</i>	10,113	9,857	2	5	-	3	-	-	-	-	-	-	-	-	1	-
Chislehurst <i>2H</i>	7,393	16,446	7	2	1	-	-	-	-	1	-	-	-	-	-	-
Bexley <i>F, H</i>	8,678	21,151	14	13	4	5	-	-	-	-	-	-	1	2	-	-
Erith <i>F, H</i>	3,854	25,296	14	4	1	-	-	-	-	-	-	-	-	-	1	-
Dartford <i>W, F, part of</i> *	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	1
Sunbury <i>w</i>	11,054	18,883	8	4	2	-	-	-	-	-	-	-	-	-	-	-
Staines <i>W, H</i>	13,277	15,178	7	4	-	2	-	-	-	-	-	-	-	-	-	3
Hillingdon <i>W, F, H</i>	6,035	13,661	7	4	2	1	-	-	-	-	-	-	-	-	-	-
Uxbridge	12,757	8,984	6	2	1	1	-	-	-	-	-	-	-	-	-	-
Hayes <i>w, F, H</i>	8,066	16,358	22	5	3	-	-	-	-	-	-	-	-	-	-	-
Isleworth <i>3W, 2F, H</i>	6,859	30,863	11	13	2	6	-	-	-	-	-	-	-	-	1	3
Twickenham <i>F, H</i>	2,421	20,991	11	12	3	5	-	-	-	-	-	-	-	-	1	1
Brentford <i>2F, 2H, L</i>	4,319	48,289	32	13	2	8	-	-	1	-	-	-	-	1	2	2
Chiswick <i>H</i>	1,249	29,809	10	5	-	-	-	-	-	-	-	-	-	-	-	-
Acton <i>w, 3H</i>	6,132	48,914	38	13	4	3	-	-	-	-	-	-	-	1	-	-
Harrow <i>F, H</i>	13,809	25,523	10	2	-	-	-	-	-	-	-	-	-	-	-	-
Edgware <i>F, 2H</i>	6,994	4,521	2	1	-	1	-	-	-	-	-	-	-	-	-	-
Willesden <i>W, F, 2H</i>	4,384	114,811	73	34	10	14	-	-	-	1	-	-	2	3	5	2
Hendon <i>W, F</i>	8,382	22,450	13	10	4	3	-	-	-	-	-	-	-	-	-	-
South Mimms <i>2F, H</i>	17,755	7,308	4	4	1	-	-	-	-	-	-	-	-	-	-	1
Barnet <i>W, 3H</i>	3,324	17,070	4	3	1	1	-	-	-	-	-	-	-	-	-	-
Finchley <i>F, 2H</i>	4,688	33,692	17	17	7	5	-	-	-	-	-	-	-	1	3	-
Hornsey <i>F, H</i>	2,875	72,056	31	17	1	5	-	-	-	-	-	-	1	3	3	-
Wood Green <i>H</i>	1,825	34,233	5	11	2	5	-	-	-	-	-	-	-	-	-	1
West Tottenham <i>F</i>	996	48,653	23	23	8	5	-	2	-	-	-	-	2	4	-	-
East Tottenham <i>F, H</i>	2,017	53,683	37	16	2	9	-	-	-	-	-	-	-	-	3	1
Edmonton <i>W, w, 2F</i>	7,491	61,892	40	27	7	7	-	-	-	1	-	-	1	1	8	3
Enfield <i>2W, F, H</i>	12,601	42,738	22	13	1	9	-	-	-	-	-	-	-	-	-	-
Waltham Abbey	11,017	6,549	3	4	-	3	-	-	-	-	-	-	-	-	-	-
Cheshunt <i>F, H</i>	8,479	12,292	7	2	-	1	-	-	-	-	-	-	-	-	-	-
Hatfield, <i>part of</i> * <i>W</i>	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bushey <i>H</i>	9,333	9,173	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Watford <i>W, 2F part of</i> *	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1
Stratford <i>H</i>	1,072	44,827	19	8	1	4	-	-	-	-	-	-	-	1	1	1
Plaistow <i>F, 2H</i>	1,249	90,921	59	34	7	6	-	2	1	2	-	-	2	3	6	1
Canning Town <i>H</i>	1,556	70,718	45	30	11	3	-	-	-	-	2	1	1	3	1	-
Forest Gate <i>w</i>	806	60,892	16	14	1	7	-	-	1	-	-	-	1	1	1	-
North East Ham <i>w</i>	1,333	58,676	42	23	4	6	-	1	-	-	-	-	-	-	-	-
South East Ham <i>2F</i>	1,993	37,342	30	9	4	2	-	1	1	-	-	-	2	2	1	-
Wanstead <i>F</i>	1,679	9,179	5	3	1	1	-	-	-	-	-	-	-	-	-	-
South Leyton <i>2W</i>	631	50,467	30	18	3	7	-	1	-	-	-	-	1	1	7	7
North Leyton <i>W, w, F</i>	1,963	48,445	31	34	7	6	-	-	-	-	-	-	1	3	1	15
Walthamstow <i>3H, L</i>	6,504	108,929	69	31	6	29	-	-	-	-	-	1	1	1	3	1
Chigwell, <i>part of</i> * <i>2FAH</i>	11,778	16,397	10	7	1	1	-	-	-	-	-	-	-	-	3	-
Epping <i>W, F, part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Romford, <i>part of</i> * <i>W, 2F</i>	6,556	6,091	3	1	-	-	-	-	-	-	-	1	-	-	-	1
Ilford <i>F, L</i>	8,196	41,234	37	15	4	7	-	1	-	-	-	-	-	1	2	3
Barking Town <i>F</i>	3,803	21,547	18	6	3	2	-	2	-	-	-	-	-	-	2	-
Middlesex County Asylum, Wandsworth.	-	-	-	6	-	1	-	-	-	-	-	-	-	-	-	6

The parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher parish; 11: 3, excepting Chelsfield, Uddham, and Knockholt parishes; 135: 1, Northaw parish; 137: 1, excepting Croydon Bois parish, and part of Epping parish; 139: 1, Dagenham parish. Deaths in Workhouses and Infectious Diseases Hospitals belonging to the Outer Ring in 42: 3, 137: 3, and 137: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM						
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.	Diarrhoeal Diseases.
ALCUTTA (including SUBURBS)	847,706	October 22	-	382	23·4	-	1	-	-	-	139†	60
BOMBAY - -	776,006	November 22	496	635	42·5	2	4	-	-	1	114†	52
CADRAS - -	509,346	October 28	423	312	31·8	-	-	?	?	?	81	46
PARIS - - -	2,660,559	December 3	931	957	18·6	-	2	2	4*	1	4	27
RUSSELS - -	586,936	" 3	214	164	14·5	-	1	-	-	1	-	6
ANTWERP - -	286,695	" 3	137	94	17·0	-	5	1	-	2	3	7
AMSTERDAM -	548,160	November 26	275	132	12·5	-	4	-	-	2	1	2
COPENHAGEN -	423,000	December 3	228	110	13·6	-	3	2	-	-	-	6
STOCKHOLM -	309,196	November 26	125	88	14·8	-	1	2	2*	-	-	2
CHRISTIANIA -	223,649	December 3	131	61	14·2	-	-	-	1*	-	-	3
ST. PETERSBURG	1,248,122	November 26	594	635	26·5	-	8	11	14*	3	12	68
MOSCOW - -	1,092,360	" 26	-	605	28·9	1	11	23	19*	3	2	60
BERLIN - - -	1,861,315	" 19	900	607	15·9	-	4	11	8*	4	2	31
HAMBURG - -	751,342	December 3	-	220	15·2	-	1	2	3*	5	-	10
BRESLAU - -	445,679	" 3	-	187	21·9	-	-	1	1*	?	1	10
CUNEO - - -	520,000	" 3	-	205	20·5	-	1	2	1*	2	-	28
VIENNA - - -	1,797,992	" 3	919	620	17·7	-	3	2	17*	-	2	41
PRAGUE - - -	426,402	November 26	135	170	20·5	-	8	1	2*	-	1	8
BUDA-PESTH -	813,399	" 26	409	295	18·9	-	6	7	8*	-	2	6
TRIESTE - -	190,166	December 3	114	105	28·6	-	-	1	-	-	-	1
ROME - - -	505,371	October 8	-	-	-	-	-	-	-	-	-	-
VENICE - - -	166,288	November 12	80	54	16·9	-	-	-	1*	-	-	-
NAIROBI - -	624,338	July 29	534	533	44·5	5	8	-	11*	?	13	14
ALEXANDRIA -	349,300	" 29	259	324	48·4	2	39	-	-	?	8†	80
NEW YORK - -	3,838,024	November 10	1894	1232	16·7	-	7	15	36*	1	18	39
PHILADELPHIA -	1,408,154	" 19	-	401	14·8	-	-	1	12*	-	8	4
BOSTON - - -	617,950	" 12	-	194	16·3	-	2	-	5*	-	1	?
		" 19	-	199	16·8	-	-	-	7*	-	2	?

* Including deaths from croup.

† Including 3 deaths from plague in Calcutta, 57 in Bombay, and 2 in Alexandria.

‡ Including 14 deaths from cholera.

TABLE 8.—METEOROLOGY in certain TOWNS during the week ended Saturday, 10th December, 1904.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	53·7	26·2	41·1	1·51	BRADFORD - -	55·6	25·0	39·9	0·80
BRIGHTON - -	54·2	29·1	45·4	1·61	LEEDS - - -	57·0	27·0	41·5	0·58
PORTSMOUTH -	54·5	30·0	44·1	1·77	HULL - - -	55·0	26·0	40·1	0·42
NORWICH - - -	54·0	25·2	40·9	1·12	TYNEMOUTH -	53·0	26·0	38·7	0·87
PLYMOUTH - -	55·0	36·3	46·5	2·58	EDINBURGH -	55·1	28·1	37·2	0·81
BRISTOL - - -	55·8	27·5	42·0	1·34					
BIRMINGHAM -	53·6	28·5	39·3	0·99					
NOTTINGHAM -	55·1	25·6	39·0	0·68	GLASGOW - -	56·8	27·5	38·8	1·02
LIVERPOOL - -	57·0	30·0	40·2	0·94	DUBLIN { Phoenix Park. Fitz- william Square.†	53·5	26·9	40·4	0·49
OBSERVATORY. }	54·4	24·9	38·7	0·60					
MANCHESTER -	54·0	26·8	40·0	0·77	BELFAST - -	51·5	30·0	40·0	0·90
SHUDDERSFIELD -	55·6	21·3	38·1	0·86					

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0° 1 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D. Dublin.

1904. MONTH AND DAY		Phases of the Moon.	Mean daily reading (cor- rected to 32° Fahren- heit).	Of the Air.				Of the Dew point		the Air Temperature.			Degree of Hu- midity (Satu- ration equals 100).	Of Radiation.		Of the Earth 3 feet below the Surface.	General Direction.		Olor's.		Pressure on the Square Foot.		Robinson's.	Gauge whose reading is 5 inches above the ground.	
				High- est.	Low- est.	Daily Range.	Mean daily value.	De- parture from Average of 50 years.	Mean daily value.	Great- est.	Least.	Highest in the Day.		Lowest on the Grass.	A.M.		P.M.	Great- est.	Least.	Mean of hourly obs.	Horizontal Movement of the Air on each Day.	Depar- ture from Average of 16 years.			
DECEMBER.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
SUNDAY	- 4	..	29 55 4	53 4	41 5	11 9	50 6	+ 9 5	48 1	2 5	4 0	1 0	91	56 8	35 0	45 38	SW.	SW.	12 0	0 0	1 0	491	138	in. 0 01	90
MONDAY	- 5	..	29 46 1	53 7	44 3	9 4	48 6	+ 7 3	41 7	6 9	10 0	1 8	77	66 8	37 3	45 68	SW. & WSW.	WSW. & WSW.	8 5	0 0	0 8	462	+ 158	0 09	38
TUESDAY	- 6	..	29 15 5	48 6	38 2	10 4	44 4	+ 3 1	42 9	1 5	5 1	0 9	94	48 6	32 1	46 16	Variable, W. & WSW.	Variable, W. & WSW.	4 8	0 0	0 4	319	+ 15	1 11	0 0
WEDNESDAY	7	New	29 18 3	41 5	36 3	5 2	39 0	- 2 0	36 2	2 8	4 8	1 0	90	42 0	29 3	46 14	WSW.	WSW.	1 3	0 0	0 1	225	- 80	0 01	0 0
THURSDAY	- 8	Greatest Dec. S.	29 55 1	38 8	26 3	12 5	33 8	- 6 8	28 4	5 4	7 8	2 0	80	41 3	17 1	46 07	WSW., NW. & NNW.	NNW. WSW. & SW.	5 4	0 0	0 4	322	+ 17	0 00	0 2
FRIDAY	- 9	..	29 24 2	43 8	26 2	17 6	37 4	- 2 9	35 5	1 9	5 5	0 4	93	43 8	17 0	45 71	SE. & SSE.	SE. & SSE.	1 5	0 0	0 1	226	- 80	0 05	2 8
SATURDAY	- 10	..	29 20 2	45 3	38 3	7 0	42 2	+ 2 3	40 4	1 8	4 4	0 2	93	47 3	36 6	45 24	SSE. & SW.	SSE. & N.	2 3	0 0	0 2	217	- 89	0 27	0 0
MEANS		-	29 35 5	46 4	35 9	10 6	42 3	+ 1 5	39 0	3 3	5 9	1 0	88	49 5	29 3	45 77	WSW. & variable	WSW. & variable	Sum 2262	Sum + 120	Sum 1 54	2 3
No. of Column		-	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26

The results apply to the civil day, or from midnight to midnight.
The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.
Observations are usually taken at 9h. A.M.; noon; 3h. p. m. and 9h. p.m. The means of the observations of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1888 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables. The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1880, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1876.
In reading columns 9 and 24 it will be borne in mind that + indicates "higher," and - "lower," than the average.
The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.
The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P. positive; N. negative; w. weak; m. moderate; s. strong; and v. variable.
The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day; the beginning of the week to 29.38 in. by 7h. A.M. on the 5th; increased to 29.45 in. by 10h. A.M. on the same day; decreased to 29.37 in. by 4h. P.M. on the 6th; increased to 29.24 in. A.M. on the 7th; decreased to 29.13 in. by noon on the same day; increased to 29.60 by 7h. P.M. on the 8th; decreased to 29.12 in. by 7h. A.M. on the 10th; and increased to 29.42 in. by midnight on the same day.

DATE.		ELEVATION (Fore-explanation of symbols, see Note.		Registered Sun above Horizon, in hours.		GENERAL REMARKS.	
DECEMBER.							
SUNDAY	-	4	W. P. throughout.	0'0	80	Generally overcast; brisk wind and fre- quent slight rain after noon; very mild.	
MONDAY	-	5	W. P. throughout.	3'2	80	Overcast with occasional showers in morning; very fine with small amounts of cloud generally afterwards. Solar halo in forenoon. Slight shower at 7h. 15m. P.M.; mild.	
TUESDAY	-	6	W. P. till 5h. A.M.; W. P. and V. N. till 3h. P.M.; w. P. after- wards.	0'0	80	Cloudless till 3h. A.M.; overcast, with rain, gloom, and fog till evening; fine at night.	
WEDNESDAY	7		W. P. generally.	0'0	79	Partially cloudy till 4h. A.M.; overcast till afternoon; generally cloudless afterwards; slight rain with fog and gloom in forenoon; lightning at night.	
THURSDAY-	8		W. P. till 10h. A.M. Loss of Register till 1h. P.M.; in P. after- wards.	0'1	79	Generally cloudy till noon, very fine but hazy afterwards; brisk wind in forenoon; slight fog and hoar frost at night. A cold day.	
FRIDAY	-	9	W. P. generally; W. N. between 9h. A.M. and noon.	0'0	79	Cloudless with hoar frost in morning; generally overcast with frequent rain after 7h. A.M.	
SATURDAY-	10		W. P. generally; W. N. at night.	0'0	79	Generally overcast; frequent rain; great gloom prevalent between 10h. A.M. and 2h. P.M.	
				Sum 3'3	Sum 55'6		
No. of Col.-	-			23	29		

GENERAL REMARKS.
Generally overcast; brisk wind and frequent slight rain after noon; very mild. Overcast with occasional showers in morning; very fine with small amounts of cloud generally afterwards. Solar halo in forenoon. Slight shower at 7h. 15m. P.M.; mild. Cloudless till 3h. A.M.; overcast with rain, gloom, and fog till evening; fine at night.
Partially cloudy till 4h. A.M.; overcast till afternoon; generally cloudless of afterwards; slight rain with fog and gloom in forenoon; lightning at night. Generally cloudy till noon, very fine but hazy afterwards; brisk wind in forenoon; slight fog and hoar frost at night. A cold day. Cloudless with hoar frost in morning; generally overcast with frequent rain after 7h. A.M. Generally overcast; frequent rain; great gloom, prevalent between 10h. A.M. and 2h. P.M.
Sum 556
Sum 28
Sum 29

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 3rd December, 1904.*

BOROUGHES	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - -	146,975	-	10	4	-	-	-	-	7	-
Kensington - - - -	179,236	-	1	-	-	1	-	-	6	-
Hammersmith - - - -	117,412	-	4	4	-	-	-	-	1	-
Fulham - - - -	152,482	-	8	10	-	-	-	-	3	-
Orpington - - - -	74,339	-	4	-	-	-	-	-	1	-
City of Westminster - -	177,321	-	10	4	-	3	-	-	3	-
NORTH.										
St. Marylebone - - - -	130,337	-	4	4	-	2	-	-	4	-
Hampstead - - - -	86,663	-	7	-	-	-	-	-	-	-
St. Pancras - - - -	235,936	-	5	12	-	2	-	-	5	-
Islington - - - -	341,044	-	24	5	-	4	-	-	4	-
Stoke Newington - - - -	52,445	-	2	2	-	1	-	-	-	-
Hackney - - - -	226,266	-	20	8	-	3	-	-	10	-
CENTRAL.										
Holborn - - - -	57,161	-	1	-	-	1	-	-	1	-
Finsbury - - - -	98,958	-	8	1	-	2	-	-	2	-
City of London - - - -	23,482	-	-	-	-	-	-	-	1	-
EAST.										
Shoreditch - - - -	117,033	-	4	3	-	3	-	-	5	-
Bethnal Green - - - -	130,207	-	12	16	-	-	-	-	4	-
Stepney - - - -	303,791	-	22	22	-	8	-	-	9	-
Poplar - - - -	169,905	-	13	19	-	1	-	-	2	-
SOUTH.										
Southwark - - - -	207,937	-	6	7	-	1	-	-	6	-
Bermondsey - - - -	129,397	-	14	3	-	1	-	-	5	-
Lambeth - - - -	310,359	-	14	3	-	-	-	-	5	-
Battersea - - - -	175,485	-	9	3	-	3	-	-	2	-
Wandsworth - - - -	257,448	-	26	9	-	1	-	-	6	-
Camberwell - - - -	268,384	-	17	4	-	2	-	-	4	-
Deptford - - - -	113,509	2	4	2	-	-	-	-	2	-
Greenwich - - - -	101,651	-	6	1	-	-	-	-	1	-
Lewisham - - - -	140,401	-	11	1	-	1	-	-	1	-
Woolwich - - - -	123,416	-	12	5	-	1	-	-	3	-
Port of London - - - -	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON. } 4,648,950		2	278	152	-	42	-	-	103	10
Agess										
0-1 - - - -	-	-	2	3	-	-	-	-	3	-
" 1-5 - - - -	-	-	86	69	-	3	-	-	4	-
" 5- - - - -	-	2	123	53	-	4	-	-	8	-
" 10- - - - -	-	-	35	7	-	5	-	-	3	-
" 15- - - - -	-	-	6	4	-	8	-	-	7	-
" 20- - - - -	-	-	14	4	-	6	-	-	8	-
" 25- - - - -	-	-	11	9	-	6	-	-	15	-
" 35- - - - -	-	-	1	3	-	6	-	-	18	-
" 45- - - - -	-	-	-	-	-	3	-	-	13	-
" 55- - - - -	-	-	-	-	-	-	-	-	11	-
" 65 and upwards - - -	-	-	-	-	-	1	-	-	13	-
Age not stated - - - -	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

ANALYSIS OF METROPOLITAN WATER SUPPLY DURING NOVEMBER, 1904.

*Government Laboratory,
Clement's Inn Passage,
Strand, London, W.C.,
5th December, 1904.*

SIR,

I HAVE to report to you the results of the chemical analysis and physical examination of the water supplied to London by the Water Board during the month of November.

Thirteen samples were taken in each of the eight districts, making a total of 104 samples for the month.

RESULTS OF ANALYSIS EXPRESSED IN PARTS PER 100,000.

DISTRICTS.	Date and Place of Collection.	Temperature in Centigrade degrees.	Total Solid Matter.	Organic Carbon.	Organic Nitrogen.	Ammonia.	Nitrogen as Ni- trates and Nitrites.	Total Combined Nitrogen.	Chlorine.	Total Hardness.
THAMES.										
Chelsea - - - -	{ November 21st, Cab Rank, Fulham Road, near Hospital for Women. }	9.0	29.56	.137	.019	0	.229	.248	1.75	20.1
West Middlesex - -	{ November 21st, Cab Rank, Earl's Court Gardens. }	9.5	29.74	.167	.016	0	.251	.287	1.75	20.6
Southwark - - - -	{ November 21st, Cab Rank, Bond Street, Vauxhall. }	8.3	31.40	.172	.018	0	.261	.279	1.8	21.0
Grand Junction - -	{ November 21st, Cab Rank, Kensington Park Road. }	8.7	30.30	.135	.014	0	.246	.260	1.8	20.6
Lambeth - - - -	{ November 21st, Cab Rank, St. George's Road, Southwark. }	8.8	29.74	.149	.013	0	.247	.260	1.75	20.3
LEA AND WELLS.										
New River - - - -	{ November 21st, Cab Rank, Tottenham Court Road. }	8.7	35.30	.064	.006	0	.262	.268	1.9	23.1
LEA, THAMES AND WELLS.										
East London - - - -	{ November 21st, Cab Rank, High Street, Shoreditch. }	10.0	33.18	.174	.016	0	.417	.433	2.05	22.4
DEEP WELLS.										
Kent - - - -	{ November 21st, Cab Rank by Woolwich Arsenal Station. }	11.0	48.42	.050	.006	0	.647	.653	3.35	30.6
Column 1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.

All the numbers in columns 4, 5, 6, 7, 8, 9, 10, and 11 relate to 100,000 parts of the waters. The Table is to be read thus:—The water collected in the "Chelsea" district of the Water Board, on the 21st November, at the cab rank in Fulham Road, had a temperature of 9.0° C.; 100,000 lbs. of it contained 29.56 lbs. of solid matter in solution; the organic substances constituting a portion of this matter contained .137 lb. of carbon and .019 lb. of nitrogen. The above quantity of water also contained .229 lb. of nitrogen in the form of nitrates, and the total amount of combined nitrogen was .248 lb. The above weight of water also contained 1.75 lb. of chlorine and 20.1 lbs. of carbonate of lime, or an equivalent quantity of other hardening or soap-destroying ingredients.

The numbers in the analytical Table can be converted into grains per imperial gallon by multiplying them by 7, and then moving the decimal point one place to the left. The same operation transforms the hardness in the Table into degrees of hardness on Clark's scale.

The samples collected on the 21st were fully examined. With regard to these, taking the average amount of organic impurity in a given volume of the Kent Company's water, during the nine years ending December, 1876, as unity, the proportional amount contained in an equal volume of water supplied from each of the District Works was :— Kent 0·9 New River 1·2, Grand Junction 2·5, Chelsea 2·6, Lambeth 2·7, West Middlesex 3·1, and Southwark and East London 3·2.

All the supplies derived from the Thames contained more organic matter than had been found in corresponding samples taken during the four preceding months, but the increments in impurity were slight and all the filtered supplies were clear and of good quality.

The New River district filtered water, obtained from the Lea and wells, was clear and of very good quality. The East London district water, taken on the 21st, was drawn in the area partly supplied with water abstracted from the Thames at Sunbury and wells at Hanworth. This water was clear and of good quality for the time of the year; the proportion of organic impurity in it was practically the same as in the Southwark district water on the same date, but the amount of nitric nitrogen was higher than in any of the supplies obtained exclusively from the Thames.

The Kent district water, collected on the 21st, in the area partly supplied from the deep well at Plumstead, was of high organic purity, but owing to its greater hardness was somewhat inferior in quality to the supplies furnished in other parts of the Kent district.

Seen through a stratum two feet deep the Kent water was colourless, and that sent out from the New River works nearly colourless; all the remaining supplies had a very pale yellow colour.

In addition to the above analytical examination, the 104 samples of water, collected during November at various places in the districts supplied by the Water Board, have been examined, and estimations have been made of the amounts of "oxygen consumed" (measure of organic pollution) and "albuminoid ammonia" (measure of nitrogenous organic pollution); the degree of turbidity, if any (indication of inefficiency of filtration or of disturbance in the mains), has also been recorded. The following results were obtained :—

RESULTS IN PARTS PER 100,000.

DISTRICTS.	“Oxygen consumed.”						“Albuminoid Ammonia.”		
	4 hours at 26·7° C. (80° F.)			1 hour at 50° C. (122° F.)			Max.	Min.	Mean.
	Max.	Min.	Mean.	Max.	Min.	Mean.			
THAMES.									
Chelsea	·077	·053	·062	·084	·060	·070	·0065	·005	·006
West Middlesex	·088	·055	·069	·098	·065	·077	·0085	·0055	·007
Southwark	·093	·059	·076	·097	·068	·084	·009	·006	·007
Grand Junction	·080	·056	·069	·092	·064	·077	·007	·0055	·0065
Lambeth	·086	·059	·071	·095	·065	·079	·008	·0055	·007
LEA AND WELLS.									
New River	·027	·022	·024	·031	·023	·026	·003	·002	·0025
LEA, THAMES AND WELLS.									
East London	·078	·049	·062	·084	·054	·068	·0075	·005	·0065
DEEP WELLS.									
Kent	·009	·006	·008	·012	·009	·010	·002	·0015	·0015

The amounts of "oxygen consumed" from acid solutions of permanganate of potash, as recorded above, are the results of experiments made in stoppered vessels at the two temperatures. With each class of water there is a fairly constant relation between the two sets of results, the higher readings being obtained at the higher temperature.

With regard to the five supplies drawn from the Thames, the above results, compared with those obtained in the four months preceding, show that the mean proportion of organic matter had in all cases increased; the rise commenced about the middle of the month, but the increments in organic impurity were but slight and all the samples examined (40) were of good quality.

The "New River" district water was of very good quality throughout the month.

The "East London" district water, obtained chiefly from the Lea, was of good quality, the mean amount of organic matter in it being slightly less than in the best of the Thames-derived supplies.

All the samples of deep-well water collected in the "Kent" district were, as usual, of high organic purity and good quality.

All the samples of Thames, Lea, and deep-well water examined during the month were clear.

I am, Sir,
Your obedient Servant,
T. E. THORPE.

The Registrar General, etc., etc.,
Somerset House.

RETURNS OF LONDON WATER DISTRICTS.

The following is an account of the number of services and the average daily amount of water supplied during the month of November, 1904, exclusive of supply to the Urban Districts of Tottenham and Enfield and inclusive of supply to the Borough of Croydon. The supply was in the ratio of 211 gallons to one service.

DISTRICTS.	Number of Services.		Average Daily Supply of Water in Gallons.	
	NOVEMBER. 1903.	NOVEMBER. 1904.	NOVEMBER. 1903	NOVEMBER. 1904.
TOTAL SUPPLY - - -	977,754	997,595	204,543,338	210,668,378
From Thames - - - -	464,377	473,582	108,770,323	110,850,494
From Lea and from other Sources -	513,377	524,013	95,773,015	99,817,884
THAMES.				
Chelsea - - - - -	39,683	39,902	11,541,333	11,988,000
West Middlesex - - - - -	90,256	91,347	22,553,983	22,426,000
Southwark and Vauxhall - - - -	128,807	129,999	29,497,629	30,389,000
Grand Junction - - - - -	74,973	77,904	16,073,718	15,810,374
Lambeth - - - - -	130,653	134,430	29,103,660	30,237,120
LEA AND OTHER SOURCES.				
New River - - - - -	178,930	181,948	39,202,760	41,166,993
East London - - - - -	226,165	231,034	38,810,000	40,585,000
Kent - - - - -	108,282	111,031	17,760,255	18,065,891

Note.—The Return for November, 1904, as compared with that for the corresponding month of 1903, shows an increase of 19,841 services, and of 8,125,040 gallons of water supplied daily. Owing to changes of area, the returns for 1904 are not strictly comparable with those for 1903.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 31-40, BACON STREET, E.

1904.

WEEKLY RETURN
OF
BIRTHS AND DEATHS IN LONDON
AND IN
SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,

AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

NO. 50. 1904. VOL. LXV.] WEEK ENDED SATURDAY, DEC. 17. [Price 1½d.

General Register Office, Somerset House,
December 19th, 1904.

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 19·2 per 1000 of their aggregate population, which is estimated† at 15,271,287 persons in the middle of this year. In the preceding three weeks the rates had been 17·3, 21·6, and 18·5. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 25·5 in Bristol, 25·7 in Wigan, 26·1 in Burton on Trent, 26·2 in South Shields, 26·4 in West Bromwich, 27·4 in Plymouth, and 30·2 in Hanley; from *measles*, 1·7 in Bristol and in Liverpool, 2·1 in Devonport, 2·5 in Wigan, 2·7 in Middlesbrough, 3·7 in Plymouth, 3·9 in Tynemouth, and 4·7 in Grimsby; from *diphtheria*, 1·7 in Derby, 2·0 in Stockton on Tees, 2·3 in West Hartlepool, and 2·6 in Handsworth; from *whooping-cough*, 1·7 in Barrow in Furness and 2·9 in South Shields; and from "*fever*," 1·3 in York. Two deaths from *small-pox* were registered in Preston, 2 in South Shields, 1 in Oldham, and 1 in Halifax, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2446 BIRTHS and 1696 DEATHS were registered. Allowing for increase of population, the births were 87 below and the deaths 26 above the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 16·8, 21·7, and 18·1 in the preceding three weeks, rose last week to 19·0. During the four weeks ended on Saturday last the death-rate averaged 18·9 per 1000, being 0·2 per 1000 above the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1696 deaths included 32 from measles, 6 from scarlet fever, 12 from diphtheria, 20 from whooping-cough, 4 from enteric fever, and 16 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 90 deaths were referred to these diseases in the aggregate, being 84 below the corrected average weekly number.

The deaths from *measles*, which had been 14, 32, and 22 in the preceding three weeks, rose last week to 32, but were 25 below the corrected average; 7 deaths belonged to the Borough of Islington, 4 to Shoreditch, 3 to Bethnal Green, 3 to Wandsworth, and 3 to Greenwich. The deaths from *scarlet fever*, which had been 19, 5, and 9 in the preceding three weeks, fell last week to 6, and were 6 below the corrected average. The deaths from *diphtheria*, which had been 11, 18, and 23 in the preceding three weeks, fell last week to 12, and were 31 below the corrected average; 3 deaths belonged to Poplar. The deaths from *whooping-cough*, which had been 10, 15, and 19 in the preceding three weeks, were 20 last week, being 9 below the corrected average; 3 deaths belonged to Hammersmith and 3 to Lambeth. The fatal cases of *enteric fever*, which had been 3, 8, and 11 in the preceding three weeks, fell last week to 4, and were 12 below the corrected average. The deaths from *diarrhoea*, which had been 18, 16, and 16 in the preceding three weeks, were again 16 last week, the corrected average being 13. Of the 16 deaths from diarrhoea, 13 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 2 more deaths at this age. The deaths attributed directly to *influenza* numbered 45, having been 30, 26, and 30 in the preceding three weeks. The death of a male, aged 25 years, was certified after inquest as due to *eating periwinkles which were decomposing*, and that of a general labourer, aged 30 years, was certified after inquest as due to *anthrax*.

Different forms of *violence* caused 62 deaths, concerning all but 1 of which inquests were held. Of these 62 deaths, 8 were cases of suicide, 1 of homicide, and 2 of execution, while the remaining 51 were attributed to accident or negligence. Three of these latter were referred to vehicles in the streets, 3 to conflagrations, 7 to burns and scalds, 2 to the effects of anæsthetics administered for surgical purposes, and 11 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 6 cases of small-pox, 2403 of scarlet fever, 839 of diphtheria, and 174 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 2 cases, against 2, 2, and 1; of scarlet fever, 242 cases, against 262, 247, and 263; of diphtheria, 89 cases, against 118, 115, and 96; and of enteric fever, 34 cases, against 17, 22, and 20. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended December 10th.

GREATER LONDON.

In Greater London 3748 births and 2322 deaths were registered. Allowing for increase of population these numbers are 9 below and 36 above the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 8 deaths from measles, 5 from diphtheria, 8 from whooping-cough, and 1 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 29.49 inches, and that of the Thermometer 43.4, the latter being 3.3 above the week's average in the 50 years 1841-90. The general direction of the wind was South-westerly, the horizontal movement of the air being 2 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 5.8 hours; the measured rainfall amounted to 0.5 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

ended Saturday, 17th December, 1904, and *DEATH-RATES* during one preceding three weeks.

TOWNS	POPULATION estimated at the middle of the Year 1904.*	DEATH-RATES from all Causes.					Rate from Deaths in Cols. 11-17.		Registered during the Week ended 17th Dec. 1904.		The DEATHS registered in the Week include										TOWNS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
		Week ended					26th Nov., 1904.	3rd Dec., 1904.	10th Dec., 1904.	17th Dec., 1904.	Week ended 17th Dec., 1904.	BIRTHS.	DEATHS.	Deaths of						Deaths from				Inquest Cases.	Deaths in Public Institutions.	Unsettled Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
		2.	3.	4.	5.	6.								7.	8.	9.	10.	11.	12.	13.		14.	15.				16.	17.	18.	19.	20.	21.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	76 TOWNS.	LONDON.	CROYDON.	WILLESDEN.	HORSEY.	TOTTENHAM.	WEST HAM.	EAST HAM.	LEYTON.	WALTHAMSTOW.	HASTINGS.	BRIGHTON.	PORTSMOUTH†	BOURNEMOUTH.	SOUTHAMPTON.	READING.	NORTHAMPTON.	IPSWICH.	GREAT YARMOUTH.	NORWICH.	PLYMOUTH.	DEVONPORT.	BRISTOL†	HANLEY.	BURTON-ON-TRENT.	WOLVERHAMPTON.	WALSALL.	HANDSWORTH.	WEST BROMWICH.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	15,271,287	17.3	21.6	18.5	19.2	1.4	8438	5631	1248	1791	6	146	43	66	69	42	49	206	443	1345	65																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		

* See note 1 on first page of this return.

† These towns are included within the area of Greater London.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES during the Week ended Saturday, 17th December, 1904, and DEATH-RATES during the preceding three weeks.

[illegible]

TOWNS	POPULATION estimated to the middle of the Year 1904.*	Causes.				Diseases in 1904.		Registered Deaths in 17th Dec. 1904.		Deaths of Persons aged 60 Years and upwards.		Deaths from										Deaths in Public Institutions.		Uncertified Causes of Death.		TOWNS.
		Week ended				11-17.		17th Dec. 1904.		Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.				
		26th Nov. 1904.	3rd Dec. 1904.	10th Dec. 1904.	17th Dec. 1904.	Week ended 17th Dec. 1904.	Deaths.	Births.	Deaths.																	
		Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.		
HUDDESFIELD -	94,925	11'0	13'7	18'1	24'2	-	42	44	7	23	-	-	-	-	-	-	-	2	4	5	-	HUDDESFIELD.				
HALIFAX -	107,580	14'5	18'4	18'9	17'4	1'5	39	36	6	20	1	1	-	1	-	-	-	-	1	8	-	HALIFAX.				
BRADFORD -	285,089	13'9	19'0	18'7	21'2	1'6	119	116	27	38	-	-	1	4	2	2	-	2	3	21	-	BRADFORD.				
LEEDS -	450,142	15'1	17'0	14'9	13'1	0'6	251	113	21	42	-	-	1	2	1	1	-	6	16	24	-	LEEDS.				
SHEFFIELD -	432,940	17'9	17'5	15'7	14'8	0'4	268	123	37	40	-	-	1	1	1	-	-	4	7	25	5	SHEFFIELD.				
ROTHERHAM -	58,498	14'3	13'4	14'3	18'7	-	39	21	5	5	-	-	-	-	-	-	-	1	1	4	1	ROTHERHAM.				
YORK -	81,268	12'2	17'3	19'9	18'0	2'6	39	23	7	5	-	1	1	-	-	2	-	-	2	2	-	YORK.				
HULL -	253,865	16'2	19'3	19'3	23'8	2'7	152	116	26	35	-	4	1	-	5	1	2	7	12	25	3	HULL.				
MIDDLESBROUGH -	96,684	17'3	30'7	21'6	21'6	3'8	61	40	9	12	-	5	-	-	-	1	1	4	6	6	-	MIDDLESBROUGH.				
STOCKTON-ON-TEES	52,192	20'0	20'0	17'0	17'0	4'0	32	17	4	2	-	-	1	2	-	1	-	-	3	3	-	STOCKTON-ON-TEES.				
WEST HARTLEPOOL	68,251	13'6	11'3	12'0	15'8	2'3	46	21	4	6	-	-	-	3	-	-	1	-	1	1	-	WEST HARTLEPOOL.				
SUNDERLAND -	151,157	18'3	20'0	22'1	23'5	1'0	103	68	23	21	-	-	-	-	-	1	2	3	4	12	1	SUNDERLAND.				
SOUTH SHIELDS	107,334	24'8	23'8	18'9	26'2	5'8	57	54	14	7	2	3	-	1	6	-	-	1	1	3	4	SOUTH SHIELDS.				
GATESHEAD -	118,067	18'1	30'0	19'4	23'4	1'3	68	53	14	12	-	3	-	-	-	-	-	1	2	2	2	GATESHEAD.				
NEWCASTLE-ON-TYNE†	225,362	19'9	20'6	24'5	21'3	0'5	158	92	22	26	-	1	-	-	1	-	2	2	6	15	-	NEWCASTLE-ON-TYNE.†				
TYNEMOUTH -	53,060	13'8	32'4	23'6	21'6	3'9	31	22	8	5	-	4	-	-	-	-	-	-	1	1	-	TYNEMOUTH.				
NEWPORT (MON.) -	71,543	18'2	17'5	11'7	15'3	-	49	21	6	4	-	-	-	-	-	-	-	1	2	2	-	NEWPORT (MON.).				
CARDIFF -	176,313	14'8	16'9	16'3	19'8	0'3	88	67	14	23	-	-	1	-	-	-	-	2	5	12	1	CARDIFF.				
RHONDDA -	122,310	18'3	18'8	17'9	16'2	1'3	105	38	13	8	-	-	1	-	1	1	-	1	1	1	-	RHONDDA.				
MERTHYR TYDFIL -	72,745	16'5	15'8	17'9	16'5	3'6	60	23	10	4	-	1	1	-	2	-	1	2	2	4	-	MERTHYR TYDFIL.				
SWANSEA -	95,931	16'3	18'5	16'8	15'2	-	48	28	8	8	-	-	-	-	-	-	-	-	1	2	-	SWANSEA.				
GREATER LONDON -	6,907,756	16'1	20'0	17'2	17'5	1'0	3748	2322	452	793	-	46	10	24	31	6	17	87	221	716	7	GREATER LONDON.				
OUTER RING -	2,253,806	14'6	16'6	15'4	14'5	1'0	1302	626	158	177	-	14	4	12	11	2	1	25	51	87	1	OUTER RING.				
8 TOWNS IN OUTER RING	1,093,639	15'9	16'9	16'0	13'9	1'0	652	293	80	76	-	6	4	7	3	2	-	12	26	51	-	8 TOWNS IN OUTER RING.				
REMAINDER OF OUTER RING	1,160,167	13'3	16'2	14'7	15'0	1'0	650	333	78	101	-	8	-	5	8	-	1	13	25	36	1	REMAINDER OF OUTER RING.				
EDINBURGH -	331,977	15'4	15'5	16'3	17'1	0'9	139	109	13	31	-	1	-	-	3	-	2	6	?	33	3	EDINBURGH.				
GLASGOW -	793,357	20'1	23'8	23'1	26'6	2'9	432	407	97	80	-	3	1	5	26	4	6	12	?	86	7	GLASGOW.				
DUBLIN† -	578,994	22'6	27'0	25'2	25'3	1'4	189	184	39	46	-	6	-	-	-	1	3	5	6	51	10	DUBLIN†.				
BELFAST† -	363,680	19'6	22'5	24'3	21'7	3'5	209	149	29	30	-	16	-	-	-	5	3	2	8	28	?	BELFAST†.				

* See note † on first page of this return.
† The recent extension of the City of Newcastle-on-Tyne will not be taken into account in the Weekly Returns until next year.
‡ By including deaths of persons residing in this Institution.

TABLE 2. LONDON.—Births and Deaths Registered in the FIFTIETH Week of each of the Eleven Years, 1894–1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894–1903.*	1904
TOTAL Births -	2597	2219	2565	2623	2519	2269	2527	2231	2339	2544	2533·2	2446
Males -	1247	1171	1342	1292	1309	1179	1295	1151	1189	1331	1297·1	1215
Females -	1350	1048	1213	1331	1210	1090	1232	1080	1150	1213	1236·1	1231
TOTAL Deaths -	1550	1477	1539	1796	1423	2078	1454	1612	1682	1486	1669·6	1696
Males -	780	759	789	910	734	1040	762	834	884	752	855·1	850
Females -	770	718	750	886	689	1038	692	778	798	734	814·5	846

* The numbers in this column are the average weekly numbers in the fiftieth week of the ten years 1894–1903, raised by 3·723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Sept. 24.	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	13 Weeks.
TOTAL Births -	2272	2537	2470	2491	2442	2585	2581	2476	2455	2356	2512	2185	2446	31838
TOTAL Deaths -	1223	1279	1243	1270	1476	1311	1330	1357	1505	1502	1932	1613	1696	18737
Deaths from—														
Under 1 year -	306	311	287	267	292	289	288	306	357	345	400	330	294	4072
1–5 years -	112	118	102	121	131	122	121	137	153	144	197	157	164	1779
5–20 " -	76	53	56	71	87	65	78	75	74	80	80	82	75	945
20–40 " -	159	177	187	168	212	173	170	175	196	181	234	154	202	2388
40–60 " -	235	282	271	282	279	286	286	281	304	312	402	352	345	3917
60 yrs. & upwds.	335	338	340	358	475	386	387	383	421	440	619	538	616	5636
Deaths from—														
Small-pox -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles -	6	17	14	15	26	20	14	15	15	14	32	22	32	242
Scarlet Fever -	3	9	4	11	6	8	13	9	8	19	5	9	6	110
Diphtheria -	19	16	20	17	13	12	15	13	24	11	18	23	12	213
Whooping-cough -	5	9	7	5	11	7	4	4	12	10	15	19	20	128
Typhus -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	13	10	9	15	11	7	6	11	10	3	8	11	4	118
Pyrexia (origin uncertain).	-	2	-	-	1	-	-	-	-	-	-	-	-	3
Diarrhoea, Dysentery	108	84	52	49	45	25	22	27	25	18	16	16	16	503
All above Diseases -	154	147	106	112	113	79	74	79	94	75	94	100	90	1317
Dis. of Resp. System														
Pneumonia -	72	85	85	94	127	145	158	171	175	228	357	268	272	2237
Phthisis -	97	82	81	100	124	144	127	153	186	157	208	180	215	1854
Dis. of Circ. System -	142	152	150	142	174	144	159	140	170	163	193	163	170	2062
Violence -	150	152	157	179	197	182	169	169	185	191	255	211	216	2413
Inquest Cases -	45	49	51	41	53	47	52	46	45	54	76	55	62	676
Deaths in Institutions	110	125	139	125	123	136	137	119	127	124	204	155	170	1794
TEMPERATURE OF THE AIR.														
Mean -	53·6	52·1	50·3	47·8	54·9	49·9	49·3	48·8	42·2	33·7	40·5	42·3	43·4	46·8
Mean of Highest -	61·3	63·2	58·0	56·3	61·3	56·1	53·1	54·3	49·6	37·7	44·5	46·4	47·7	53·0
Mean of Lowest -	46·1	42·5	43·3	48·7	48·7	43·1	45·9	43·3	35·3	28·5	35·8	35·9	37·7	40·4
Mean Humidity of the Air.	70	87	81	85	89	84	84	83	94	82	87	88	87	85
Rain-fall (in inches) -	0·20	0·14	0·86	0·02	0·43	0·20	0·11	1·40	0·04	0·18	0·07	1·54	0·50	5·69
Registered Sunshine (in hours)	52·7	28·1	17·5	25·0	10·0	22·9	9·8	11·7	14·0	9·6	4·3	3·3	5·8	215·6
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox -	5	3	2	1	1	1	1	1	1	1	3	4	6	2
Scarlet Fever -	1969	2158	2341	2516	2687	2725	2782	2843	2774	2741	2825	2490	2403	2543
Diphtheria -	833	878	892	931	950	947	979	947	921	919	892	874	839	908
Typhus -	1	1	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	204	237	239	242	229	225	230	224	214	191	178	165	174	212

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Croswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the FIFTIETH Week of the Year 1904.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 50th week of the year 1903.	1904—Deaths of Persons of the Ages							Deaths in the 50th week of the year 1903.	1904—Deaths of Persons of the Ages						
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.
			0-1.	1-5.	5-20.						0-1.	1-5.	5-20.			
ALL CAUSES	1486	1696	294	164	75	202	345	616	10	13	9	2	-	1	-	1
Small-pox*	-	-	-	-	-	-	-	-	18	19	-	-	-	7	5	-
Whooping-cough	-	-	-	-	-	-	-	-	8	5	-	1	-	-	-	3
Measles (Morbilli)	-	-	-	-	-	-	-	-	22	16	15	1	-	-	-	-
Scarlet Fever	-	-	-	-	-	-	-	-	3	2	-	-	-	-	2	-
Typhus	-	-	-	-	-	-	-	-	-	5	-	-	1	-	-	-
Plague	-	-	-	-	-	-	-	-	12	17	1	1	1	1	1	12
Influenza	-	16	45	4	-	3	3	11	24	31	48	-	-	3	6	18
Whooping-cough	-	22	20	5	15	-	-	-	-	32	39	-	-	1	1	11
Diphtheria	-	15	12	1	8	3	-	-	-	18	14	-	-	-	3	10
Cerebro Spinal Fever	-	-	1	1	-	-	-	-	-	11	3	-	-	2	-	1
Pyæmia,† (Origin un- certain)	-	-	-	-	-	-	-	-	-	3	2	-	-	-	1	1
Enteric Fever	-	8	4	-	-	1	2	-	1	98	110	-	-	4	10	29
Asiatic Cholera	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	67
Epidemic Diarrhoea } (Infective Enteritis)	-	10	6	5	1	-	-	-	-	Croup (not Spasm : nor Memb.)	1	-	-	-	-	-
Diarrhoea, Dysentery	-	12	10	5	2	-	-	3	-	Bronchitis	158	243	42	12	1	6
Tetanus	-	-	-	-	-	-	-	-	-	Asthma, Emphysema	8	12	-	-	-	4
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	-	Pleurisy	4	1	-	1	-	-
Glanders	-	-	-	-	-	-	-	-	-	Respiratory Dis. (other)	16	16	1	2	1	-
Anthrax (Splenic Fever)	-	-	1	-	-	1	-	-	-	Tonsillitis, Quinsy	1	-	-	-	-	-
Venerical Dis.	-	10	11	8	-	1	2	-	-	Enteritis (not Epid.)	10	8	4	1	-	1
Puerperal Septicæmia	-	6	2	-	-	2	-	-	-	Gastro-Enteritis	2	4	1	1	1	1
Puerperal Pyæmia	-	-	-	-	-	-	-	-	-	Feritonitis (not Puerp.)	3	3	1	-	-	1
Puerperal Fever	-	-	1	-	-	1	-	-	-	Cirrhosis of Liver	10	8	-	-	1	5
Infective Endocarditis	-	1	1	-	-	1	-	-	-	Liver Dis. (other)	5	7	-	1	-	1
Lobar	-	10	22	-	1	6	7	8	-	Digestive Dis., Other	33	42	1	1	3	10
Broncho-	-	77	100	32	40	5	3	17	-	Nephritis, Acute	5	3	-	-	1	1
Epidemic	-	-	-	-	-	-	-	-	-	Bright's Dis., Albumin-uria	37	37	-	-	5	16
Not defined	-	71	93	13	7	4	16	22	31	Urinary Sys., Other Dis.	11	13	-	-	1	11
Erysipelas	-	3	3	2	-	-	-	1	-	Generative Organs Dis.-Childbirth (Accid. of)	-	7	-	-	1	3
Septicæmia (not Puer- peral)	-	-	2	1	1	-	-	-	-	Old Age	59	61	-	-	-	61
Pyæmia (not Puerperal)	-	1	1	-	-	-	1	-	-	Other Diseases	120	91	61	10	1	2
Other Infective Processes	-	10	11	1	2	2	1	3	-	ACCIDENT.	-	-	-	-	-	-
Tuberculous Phthisis	-	88	89	5	5	4	33	35	7	By Railways	-	2	-	-	-	1
Phthisis"	-	54	81	-	-	2	35	39	5	By Vehicles and Horses-	6	3	-	-	1	-
Tuberculous Meningitis	-	19	22	4	16	1	1	-	-	In Ships, Boats, Docks, (exclusive of Drown- ing)	1	-	-	-	-	-
Tuberculous Peritonitis	-	10	3	-	1	1	1	-	-	In Building Operations-	1	2	-	-	1	1
Tubes Mesenterica	-	4	3	2	-	1	-	-	-	In Conflagrations	-	3	-	-	2	-
Tuberculous Dis. (other)	-	18	19	3	1	7	5	1	2	By Burns, Scalds, Ex- plosions	6	7	-	3	1	-
Scrofula	-	-	-	-	-	-	-	-	-	By Drowning	2	-	-	-	-	-
Alcoholism	-	15	13	-	-	2	7	4	-	By Suffocation in Bed	15	11	11	-	-	-
Rheumatic Fever	-	4	12	-	-	6	3	1	2	By Poisons or Poisonous Vapours	1	4	-	2	-	-
Gout	-	2	-	-	-	-	-	-	-	Other Deaths by Acci- dent	20	19	1	1	-	5
Carcinoma	-	50	63	-	-	5	31	27	-	VIOLENCE OTHER THAN ACCIDENTAL.	-	-	-	-	-	-
Sarcoma	-	8	10	-	-	2	1	5	2	Homicide	-	1	1	-	-	-
Cancer (undefined)	-	31	26	-	-	2	9	15	-	Suicide	8	8	-	-	3	4
Diabetes Mellitus	-	4	11	-	-	1	3	4	3	Execution	-	2	-	-	2	-
Premature Birth	-	50	48	48	-	-	-	-	-							

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.
† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHtheria, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 17th December, 1904.

The DEATHS registered during the Week include																			
REGISTRATION SUB-DISTRICTS.	Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	Deaths from															
				Deaths of		Deaths from													
				Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Euteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.		
LONDON - - -	4,536,429	2446	1696	294	616	-	32	6	12	20	-	4	-	16	62	170	620		
WEST DISTRICTS	805,311	355	288	44	104	-	-	3	1	8	-	2	-	2	12	30	101		
NORTH DISTRICTS	1,056,070	512	363	54	157	-	9	-	1	-	-	-	-	3	14	39	119		
CENTRAL DISTRICTS	209,465	98	83	14	21	-	2	-	-	-	-	-	-	-	3	11	39		
EAST DISTRICTS -	715,739	447	307	66	86	-	9	-	2	3	-	1	-	7	18	43	142		
SOUTH DISTRICTS	1,749,844	1034	602	116	229	-	12	1	8	9	-	1	-	3	13	46	175		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*	-	-	53	-	19	-	-	2	-	-	-	-	-	1	2	1	53		
WEST DISTRICTS.																			
St. Mary Paddington } G. & W.	93,178	57	35	3	14	-	-	-	-	1	-	-	-	-	1	5	12		
W ^{2H} }																			
St. John Paddington H - - G.	33,617	10	15	1	5	-	-	-	-	-	-	1	-	-	4	6	5		
North-West Paddington - - C.	17,181	2	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
Kensington Town 2W, w, 2H G., W. & C.	128,037	49	56	7	28	-	-	-	-	-	-	-	-	1	1	4	32		
Brompton 2H - - W. & C.	48,591	9	14	1	7	-	-	-	-	-	-	-	-	-	-	-	2		
North Hammersmith W, w, H } W. & G.	49,192	33	23	8	2	-	-	-	-	2	-	-	-	-	3	3	-		
South Hammersmith w, 2H }	63,047	31	17	5	3	-	-	-	-	1	-	-	-	-	2	5	3		
North-west Fulham W }	45,180	43	25	5	7	-	-	-	-	1	-	-	-	1	-	1	13		
North-east Fulham F }	46,405	24	13	1	3	-	-	3	1	-	-	-	-	-	-	1	5		
South Fulham W }	45,704	24	14	3	3	-	-	-	-	1	-	-	-	-	-	1	-		
Chelsea North W, w, 3H - - C.	42,514	17	34	4	17	-	-	-	-	-	-	-	-	-	-	-	19		
Chelsea South W, 2H - - C.	31,328	6	8	2	3	-	-	-	-	1	-	-	-	-	-	2	2		
May Fair and Knightsbridge O. & G.	28,743	5	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
Belgrave W, 2H - - C.	56,815	29	11	1	1	-	-	-	-	1	-	-	-	-	-	-	5		
St. Margaret & St. John 4H - - C.	43,698	13	11	2	1	-	-	-	-	-	-	1	-	-	1	1	3		
St. James Westminster } N. & G.	21,588	2	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-		
W, H }																			
St. Anne Soho 5H - - - N.	11,493	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-		
NORTH DISTRICTS.																			
All Souls Marylebone 8H - - W.	35,391	6	15	1	3	-	-	-	-	-	-	-	-	1	-	-	11		
Rectory Marylebone W G. & W.	19,849	3	4	-	2	-	-	-	-	-	-	-	-	-	-	1	3		
St. Mary Marylebone 4H G. & W.	18,099	42	5	1	3	-	-	-	-	-	-	-	-	-	-	1	2		
Christchurch Marylebone H- W.	39,536	16	12	3	7	-	-	-	-	-	-	-	-	-	3	-	-		
St. John Marylebone 3H - - W.	20,426	4	6	-	3	-	-	-	-	-	-	-	-	-	-	-	2		
Hampstead W, F, 3H - - N. & W.	81,042	39	20	2	7	-	-	-	-	-	-	-	-	1	2	2	10		
West St. Pancras 2H - - W.	60,582	30	16	4	4	-	-	-	-	-	-	-	-	-	-	3	1		
Tottenham-court w, 6H N. & W.	21,258	8	17	-	11	-	-	-	-	-	-	-	-	-	-	1	9		
Gray's Inn Lane 4H - - N.	34,449	26	13	3	3	-	-	-	-	-	-	-	-	-	3	4	1		
East St. Pancras W, 2H - - N.	60,320	36	33	5	16	-	1	-	-	-	-	-	-	-	1	4	17		
North St. Pancras 2W - - N.	58,728	31	18	2	11	-	-	-	-	-	-	-	-	-	-	2	9		
Tufnell W - - - N.	31,995	10	31	6	15	-	1	-	-	-	-	-	-	-	1	2	20		
Upper Holloway 2W, w, 2H - - N.	33,978	18	21	2	13	-	-	-	-	-	-	-	-	-	1	1	10		
Tollington W - - - N.	33,922	13	8	2	3	-	-	-	-	-	-	-	-	-	-	-	-		
Lower Holloway - - - N.	41,424	15	11	2	2	-	-	-	-	-	-	-	-	-	2	5	-		
Barnsbury - - - N.	54,478	33	17	2	7	-	4	-	-	-	-	-	-	-	-	-	-		
Islington South-east F - - N.	75,397	31	13	1	7	-	1	-	-	-	-	-	-	-	1	1	-		
Highbury 2H - - - N.	63,797	33	9	1	5	-	1	-	-	-	-	-	-	-	1	1	-		
Stoke Newington H - - N.	51,247	17	15	-	10	-	-	-	-	-	-	-	-	-	-	1	-		
North Hackney - - - E. & N.	50,560	22	12	3	3	-	-	-	-	-	-	-	-	1	-	1	-		
Central Hackney 2w, F - - E. & N.	50,536	28	12	4	6	-	1	-	1	-	-	-	-	-	-	2	1		
South-west Hackney 3H E. & N.	59,921	29	27	6	7	-	-	-	-	-	-	-	-	-	2	2	9		
South-east Hackney 2W, w, H E. & N.	58,255	22	29	4	9	-	-	-	-	-	-	-	-	-	-	2	14		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G, signifying Grand Junction; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

REGISTRATION SUB-DISTRICTS.

REGISTRATION SUB-DISTRICTS.	Enume- rated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include																	
				Deaths of		Deaths from										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.			
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhoea.	Violence.						
CENTRAL DISTRICTS.																					
Hilles and Bloomsbury W,2H N.	31,436	16	6	1	1	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	
and W,4H - - - N. & C. Union Workhouse, Edmonton -	21,674	1	15	1	1	-	-	-	-	-	-	-	-	-	-	1	1	13	1	-	
orn W,8H - - - N. Ch Clerkenwell - - - N. Ch Clerkenwell H - - - N. bury 3H,L - - - N. orn Union Workhouse, } icham - - - }	29,612 28,676 35,028 36,116 - -	13 16 18 28 - -	11 8 12 9 2 2	6 - 2 7 2 2	1 3 2 2 2 2	- - - 1 - -	- - - - 1 -	- - - - - -	- - - - - -	- - - - - -	- - - - - -	- - - - - -	- - - - - -	- - - - - -	- - - - - -	- 1 - 2 1 - 2	5 1 2 1 1 2	- - - - - -	- - - - - -	- - - - - -	
otolph H - - - N. & E. epulohre and Allhallows } 2H - - - N. of London Asylum, Stone -	10,299 16,824 - -	2 4 - -	2 17 - -	- 2 - -	2 1 - -	- 1 - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- 1 - -	- 3 - -	- 18 - -	- -	- -	- -	- -
EAST DISTRICTS.																					
ditch South H - E. & N. ditch North-West W,w,H N. ditch North-East - N. & E. ditch Union Workhouse, Wood } m - - - }	46,362 36,127 36,148 - -	28 20 24 - -	11 30 12 - -	2 4 2 - -	5 10 2 - -	- 1 3 - -	1 - - - -	- - - - -	- - - - -	- - - - -	- 1 - - -	- - - - -	- - - - -	- - 2 - -	2 1 1 - -	3 2 2 - -	- 22 -	- -	- -	- -	- -
al Green North 2H - E. al Green South - E. al Green East 2W,H,L - E.	51,514 33,472 44,694	39 26 27	20 9 29	7 4 2	4 16 16	- - -	1 2 -	- - -	1 - -	- - -	- - -	- - -	- - -	- 1 -	2 2 3	2 2 22	8 -	- -	- -	- -	
fields - - - E. & N. End New Town W,H - E. man's Fields - - - E.	27,969 28,718 22,081	16 21 10	2 49 3	1 5 1	- 8 -	- 1 -	- - -	- - -	- 1 -	- - -	- - -	- 1 -	- - -	- - -	1 6 -	1 7 1	- 45 -	- -	- -	- -	
Borge and St. John 2W E.	49,068	30	17	3	6	-	-	-	-	-	-	-	-	1	-	2	7	-	-	-	
Well and Ratcliff W,H E. & N. House - - - E.	25,568 32,369	12 21	16 10	6 2	2 2	- -	- -	- -	- -	- 1	- -	- -	- -	- -	1 -	3 1	7 -	- -	- -	- -	
End Old Town South- } tern H - - - E. End Old Town North- } ern W,w - - - E.	63,698 49,129	49 30	20 22	5 2	6 14	- -	- 1	- -	- -	1 -	- -	- -	- -	- -	1 1	4 11	- -	- -	- -	- -	
L - - - E. ley 3w,H - - - E. r W,w - - - E.	41,989 68,319 58,514	23 40 31	8 37 12	2 15 3	1 8 2	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- 3 -	1 1 2	2 8 2	- 19 1	- -	- -	- -	

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 17th December, 1904.—continued.

The DEATHS registered during the Week include																		
REGISTRATION SUB-DISTRICTS.	Enum- erated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	Deaths of		Deaths from										Inquest Cases	Deaths in Public Institutions.	
				Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhoea.	Violence.			
SOUTH DISTRICTS.																		
Christchurch Southwark W,H,L.&S.	11,263	4	4	-	1	-	1	-	-	-	-	-	-	-	-	-	1	1
St. Saviour Southwark H - S.	12,056	12	28	1	8	-	1	-	-	2	-	-	-	-	-	-	6	19
Kent-road - - - S. & L.	21,904	14	7	4	-	-	-	-	-	2	-	-	-	-	-	-	1	1
St. George the Martyr } S. & L.	59,091	24	21	7	4	-	-	-	-	-	-	-	-	-	-	-	1	5
West W,H,L - - - }																		
Newington North - - S. & L.	49,022	31	10	2	4	-	-	-	-	-	-	-	-	-	-	1	3	2
Newington South W - S. & L.	72,841	38	22	3	15	-	-	-	-	-	-	-	-	-	-	-	-	-
St. Olave 2W - - - S.	9,817	2	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Bermondsey W - - - S.	32,483	76	25	6	9	-	-	-	-	12	-	-	-	-	-	-	4	-
Rotherhithe W,F - - S. & K.	18,460	13	15	2	5	-	1	-	-	-	-	-	-	-	-	-	1	8
Waterloo-road 2H - - L. & S.	7,440	36	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Lambeth Church 1st H L. & S.	18,423	8	17	2	3	-	-	-	-	-	-	-	-	-	-	-	2	11
Lambeth Church 2nd 2W L. & S.	39,818	30	23	3	11	-	1	-	-	1	-	-	-	-	-	1	2	17
Kennington 1st H - - S. & L.	53,198	22	11	5	4	-	-	-	-	-	-	-	-	-	-	-	-	1
Kennington 2nd H - - S. & L.	12,896	15	12	3	5	-	-	-	-	-	-	-	-	-	-	-	-	1
Brixton F - - - L. & S.	34,232	36	13	1	6	-	-	-	-	1	12	-	-	-	-	-	-	1
Norwood W,H - - - L.	5,888	19	15	1	8	-	-	-	-	-	-	-	-	-	-	-	-	-
East Battersea H - - S.	72,203	34	18	8	4	-	-	-	-	-	-	-	-	-	-	1	2	1
North-west Battersea - - S.	49,656	37	9	-	3	-	-	-	-	-	-	-	-	-	-	-	1	2
South-west Battersea W,H - S.	47,048	14	30	3	14	-	-	-	-	-	-	-	-	-	-	-	2	20
Clapham 2H - - - L.	51,361	29	14	3	7	-	-	-	-	-	-	-	-	-	-	-	1	13
Streatham W,2w,2F,2L - L.	38,019	45	33	6	15	-	-	1	-	-	-	-	-	-	-	-	1	-
Springfield 2W,L - - S.	27,959	28	10	3	3	-	3	-	-	-	-	-	-	-	-	-	-	-
Southfields H - - - S.	40,444	31	11	1	3	-	-	-	-	-	-	-	-	-	-	-	1	-
Putney - - - - S.	34,139	11	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Dulwich - - - L. & S.	13,359	8	4	-	3	-	-	-	-	-	-	-	-	-	-	-	-	2
Camberwell South W,w S. & L.	40,206	22	34	4	21	-	-	-	-	-	-	-	-	-	-	-	-	1
Camberwell North W,2L S. & L.	65,584	32	27	1	12	-	-	-	-	-	-	-	-	-	-	-	-	1
St. George - - - L. & S.	47,331	36	13	3	3	-	-	-	-	-	-	-	-	-	-	-	1	1
Peckham 2W,w - - S., L. & K.	92,859	61	22	9	8	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford North - - - K.	7,613	26	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Deptford Central - - - K.	15,481	22	7	1	4	-	-	-	-	-	-	-	-	-	-	-	1	-
Deptford South - - - K.	14,625	10	6	1	3	-	-	-	-	-	-	-	-	-	-	-	-	3
Greenwich West 2H - - K.	23,456	13	6	1	2	-	1	-	-	-	-	-	-	-	-	-	1	-
Greenwich East 2W,H - K.	13,859	27	29	6	11	-	-	-	-	-	-	-	-	-	-	2	-	-
Eltham w,H - - - K.	7,226	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lee w,H - - - K.	25,490	12	7	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewisham W w,F - - K.	58,352	38	21	5	5	-	-	-	-	1	-	-	-	-	-	2	1	1
Sydenham H - - - L.	13,953	25	13	3	8	-	1	-	-	-	-	-	-	-	-	-	1	2
Charlton F,2H - - - K.	21,134	8	14	3	1	-	2	-	-	3	-	-	-	-	-	-	1	1
Woolwich 4H - - - K.	41,625	39	8	2	1	-	-	-	-	1	-	-	-	-	-	-	-	2
Plumstead West W - - K.	18,063	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Plumstead East 2W,H - K.	50,204	32	19	6	6	-	1	-	-	-	-	-	-	-	-	1	2	-
London County Asy.,Banstead -	-	-	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Manor Asylum, Epsom - - -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Horton Asylum, Epsom - - -	-	-	10	-	4	-	-	-	-	-	-	-	-	-	-	1	-	-
Lon. Co. Asy. Epilep. Colony, Epsom	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Caterham	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Cane Hill -	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
M.A.B. Hospitals, Dartford - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Darenth -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Dartford	-	-	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Heath - - - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Gore Farm	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asylum, Hanwell	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Central London Sick Asy., Hendon	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
London County Asy., Colney Hatch	-	-	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
M.A.B. North-Eastern Hospital -	-	-	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
M.A.B. Northern Hospital - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Met. Asy. for Imbeciles, Leavesden	-	-	7	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-
London County Asylum, Claybury	-	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 17th December, 1904.

The DEATHS registered in the Week include																		
REGISTRATION SUB-DISTRICTS	Area in Acres.	Enu- merated Popu- lation, 1901.	BIRTHS.	DEATHS.	Deaths of													
					Infants under 1 Year of Age.	Persons aged 60 Years & upwards.	S mall-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
LONDON-OUTER RING	368,602	2,044,973	1302	626	158	177	-	14	4	12	11	2	1	25	51	87	1	
Carshalton <i>w, 2F, 2H</i> -	12,238	32,997	11	6	1	2	-	-	-	-	-	-	-	-	-	-	1	
Kpsom, <i>part of</i> * <i>W, w, 2F, H</i> -	10,423	15,548	9	4	1	1	-	-	-	-	-	-	-	-	-	-	1	
Godstone, <i>part of</i> * <i>W, F</i> -	2,754	2,692	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Coulsdon -	11,069	8,166	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
South Croydon <i>w</i> -	4,200	49,309	24	9	3	5	-	-	-	-	-	-	-	-	-	-	-	
West Croydon <i>3W, F, H</i> -	2,168	42,888	22	19	4	8	-	-	-	-	-	-	-	-	-	-	9	
North Croydon <i>H</i> -	2,644	41,698	22	10	3	3	-	-	-	-	-	-	-	-	-	-	2	
Penge <i>w</i> -	770	22,465	3	3	-	3	-	-	-	-	-	-	-	-	-	-	-	
Mitcham <i>w</i> -	11,711	30,015	23	8	3	5	-	-	-	-	-	-	-	1	1	-	-	
Wimbledon <i>F, 3H</i> -	3,221	41,652	28	15	2	7	-	-	-	-	-	-	-	-	2	-	2	
Kingston <i>W, H</i> -	6,224	42,068	16	15	1	5	-	-	-	-	-	-	-	1	2	-	2	
Surbiton <i>F, H</i> -	3,046	15,017	13	5	2	1	-	-	-	-	-	-	-	-	-	-	-	
Esher, <i>part of</i> * <i>H</i> -	5,402	13,100	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
Hampton <i>H, L</i> -	4,564	23,456	12	5	-	2	-	-	-	-	-	-	-	-	-	-	-	
Richmond <i>W, H</i> -	2,162	28,865	14	7	4	1	-	3	-	-	-	-	-	-	1	1	-	
Mortlake <i>F</i> -	2,847	20,628	13	11	2	3	-	1	-	-	1	-	-	1	1	-	-	
Bromley <i>F, 2H</i> -	4,703	27,354	7	6	2	1	-	-	-	-	-	-	-	-	1	-	-	
Beckenham <i>H</i> -	7,825	28,497	18	9	2	2	-	-	-	-	-	-	-	-	-	1	-	
Orpington, <i>part of</i> * <i>W</i> -	10,113	9,857	5	2	-	-	-	-	-	-	1	-	-	-	-	-	-	
Chislehurst <i>2H</i> -	7,333	16,446	10	5	1	1	-	-	-	-	-	-	-	-	-	-	-	
Bexley <i>F, H</i> -	8,678	21,151	12	5	-	2	-	-	-	-	-	-	-	-	-	-	-	
Erith <i>F, H</i> -	3,854	25,296	18	6	3	-	-	-	-	-	-	-	-	-	-	-	-	
Dartford <i>W, F, part of</i> * -	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	2	-	
Sunbury <i>w</i> -	11,054	18,683	11	4	1	-	-	-	-	-	3	-	-	-	-	-	-	
Staines <i>W, H</i> -	13,277	15,178	10	3	1	-	-	-	-	-	-	-	-	-	-	-	-	
Hillingdon <i>W, F, H</i> -	6,035	13,661	8	4	-	4	-	-	-	-	-	-	-	-	-	-	-	
Uxbridge -	12,757	8,984	12	5	2	-	-	-	-	-	-	-	-	1	-	-	-	
Hayes <i>w, F, H</i> -	8,066	16,358	7	4	1	1	-	-	-	-	1	-	-	-	-	-	-	
Isleworth <i>3W, 2F, H</i> -	8,859	30,863	26	16	4	6	-	-	-	-	-	-	-	-	1	1	6	
Twickenham <i>F, H</i> -	2,421	20,991	13	7	3	2	-	-	-	-	-	-	-	-	-	-	-	
Brentford <i>2F, 2H, L</i> -	4,319	48,289	25	7	1	2	-	-	-	-	-	-	-	-	-	-	-	
Chiswick <i>H</i> -	1,249	29,809	17	11	1	5	-	-	-	-	-	-	-	-	1	1	-	
Acton <i>w, 3H</i> -	6,132	48,914	44	19	10	2	-	-	-	-	1	1	-	4	4	-	-	
Harrow <i>F, H</i> -	13,809	25,523	17	4	2	1	-	-	-	-	-	-	-	-	-	-	1	
Edgware <i>F, 2H</i> -	6,994	4,521	4	2	-	2	-	-	-	-	-	-	-	-	-	-	-	
Willesden <i>W, F, 2H</i> -	4,384	114,811	77	34	11	8	-	-	-	-	1	-	-	-	1	2	4	
Hendon <i>W, F</i> -	8,332	22,450	13	6	2	1	-	-	-	-	-	-	-	1	1	-	-	
South Mimms <i>2F, H</i> -	17,755	7,308	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	
Barnet <i>W, 3H</i> -	3,324	17,970	7	5	1	2	-	-	-	-	-	-	-	-	-	-	-	
Finchley <i>F, 2H</i> -	4,688	33,692	22	8	2	3	-	-	-	-	-	-	-	-	-	-	-	
Hornsey <i>F, H</i> -	2,375	72,056	30	11	1	4	-	-	-	-	-	-	-	-	-	-	-	
Wood Green <i>H</i> -	1,825	34,233	31	14	5	3	-	-	-	-	-	-	-	-	-	1	-	
West Tottenham <i>F</i> -	996	48,853	32	13	6	2	-	1	-	-	1	-	-	1	3	-	-	
East Tottenham <i>F, H</i> -	2,017	53,683	26	16	6	3	-	-	-	-	-	-	-	-	-	-	4	
Edmonton <i>W, w, 2F</i> -	7,491	61,892	39	39	4	11	-	-	-	-	1	-	-	2	4	7	-	
Enfield <i>2W, F, H</i> -	12,601	42,738	36	17	2	5	-	-	-	-	1	-	-	1	2	2	-	
Waltham Abbey -	11,017	6,549	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	
Cheshunt <i>F, H</i> -	8,479	12,292	4	1	1	-	-	-	-	-	-	-	-	-	-	-	1	
Hatfield, <i>part of</i> * <i>W</i> -	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Bushey <i>H</i> -	9,333	9,173	2	4	-	3	-	-	-	-	-	-	-	-	-	-	-	
Watford <i>W, 2F part of</i> * -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Stratford <i>H</i> -	1,072	44,827	32	15	5	4	-	-	-	-	-	-	-	-	-	-	2	
Plaistow <i>F, 2H</i> -	1,249	90,921	73	29	4	7	-	2	1	2	-	-	-	-	-	4	-	
Canning Town <i>H</i> -	1,558	70,718	69	25	11	1	-	3	1	1	-	1	-	-	3	6	1	
Forest Gate <i>w</i> -	806	60,892	25	18	6	6	-	-	-	-	-	-	-	-	1	2	-	
North East Ham <i>w</i> -	1,333	58,876	56	18	7	4	-	-	-	-	-	-	-	-	1	2	-	
South East Ham <i>2F</i> -	1,993	37,342	21	11	3	1	-	-	-	2	-	-	-	-	1	2	2	
Wanstead <i>F</i> -	1,679	9,179	4	5	1	3	-	-	-	-	-	-	-	-	-	-	-	
South Leyton <i>2W</i> -	631	50,467	39	11	2	6	-	-	-	-	-	-	-	-	-	1	5	
North Leyton <i>W, w, F</i> -	1,963	48,445	43	29	1	10	-	-	-	-	1	-	-	1	1	15	-	
Walthamstow <i>3H, L</i> -	6,504	108,929	68	22	8	6	-	-	-	-	-	-	-	-	4	1	-	
Chigwell, <i>part of</i> * <i>2F, H</i> -	11,778	16,397	4	7	-	-	-	-	-	2	-	-	-	-	-	-	3	
Epping <i>W, F, part of</i> * -	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	
Romford, <i>part of</i> * <i>W, 2F</i> -	6,556	6,091	7	3	-	1	-	-	-	-	-	-	-	-	-	-	-	
Ilford <i>F, L</i> -	8,496	41,234	30	16	4	3	-	1	-	-	2	-	-	-	1	2	-	
Barking Town <i>F</i> -	3,803	21,547	20	10	2	-	-	3	-	-	-	-	-	1	1	-	-	
Middlesex County Asylum, Wandsworth.	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-	5	-	

The parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Waringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chislefield, Cudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting London Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 137: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.
CALCUTTA (including SUBURBS)	817,706	October 29	-	393	24.1	-	-	-	-	-	147†
BOMBAY - -	776,006	November 29	481	685	45.9	5	5	-	-	-	143†
MADRAS - -	502,346	" 4	410	279	28.4	1	1	?	?	?	87
PARIS - - -	2,660,559	December 10	985	907	17.6	-	2	1	3*	3	4
BRUSSELS - -	586,936	" 10	216	161	14.2	-	4	-	1*	-	1
ANTWERP - -	286,695	" 10	148	98	17.8	-	4	-	1*	-	1
AMSTERDAM -	548,160	" 3	282	174	16.5	-	7	1	-	5	-
COPENHAGEN -	423,000	" 10	237	103	12.7	-	4	-	1*	-	-
STOCKHOLM -	302,496	" 3	142	76	12.8	-	-	-	1*	1	-
CHRISTIANIA -	223,649	" 10	119	50	11.6	-	1	-	1*	1	-
ST. PETERSBURG	1,248,122	" 3	633	687	28.6	-	8	14	21*	7	14
MOSCOW - - -	1,092,360	" 3	-	656	31.3	2	4	23	13*	2	4
BERLIN - - -	1,961,315	November 26	834	582	15.2	-	11	10	8*	4	2
HAMBURG - -	751,842	December 10	-	228	15.8	-	2	5	3*	3	-
BRESLAU - - -	445,679	" 10	-	211	24.7	-	-	1	2*	?	3
MUNICH - - -	520,000	" 10	-	173	17.3	-	1	1	1*	1	-
VIENNA - - -	1,787,992	" 10	916	581	16.6	-	9	2	9*	-	1
PRAGUE - - -	426,402	" 3	208	170	20.5	-	1	-	4*	1	3
BUDA-PESTH -	813,399	" 3	426	270	17.3	-	7	12	4*	-	2
TRIESTE - - -	190,166	" 10	120	137	37.3	-	-	1	-	2	-
ROME - - - -	505,371	October 8	-	-	-	-	-	-	-	-	-
VENICE - - -	166,288	November 19	-	-	-	-	-	-	-	-	-
CAIRO - - - -	624,338	August 5	531	505	42.2	1	5	-	7*	?	17
ALEXANDRIA -	349,300	" 12	492	476	39.7	3	9	-	4*	?	20
		" 15	252	319	47.6	-	36	-	1*	?	13†
		" 12	267	284	42.4	2	30	-	2*	?	8†
NEW YORK - -	3,838,024	November 26	1802	1328	18.0	-	9	9	40*	1	12
PHILADELPHIA -	1,408,154	December 3	-	426	15.7	-	1	-	15*	1	8
BOSTON - - -	617,950	November 26	-	-	-	-	-	-	-	-	-

* Including deaths from croup.

† Including 4 deaths from plague in Calcutta, 74 in Bombay, and 5 and 4, respectively, in Alexandria.

‡ Including 8 deaths from cholera in Calcutta, and 1 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 17th December, 1904.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	56.0	30.6	42.7	0.50	BRADFORD - -	55.6	27.6	41.7	0.9
BRIGHTON - -	52.6	31.3	44.2	0.71	LEEDS - - - -	58.0	30.0	42.5	0.7
PORTSMOUTH -	56.0	32.0	44.7	1.03	HULL - - - -	55.0	28.0	40.1	0.8
NORWICH - - -	56.0	29.4	41.6	0.88	TYNEMOUTH - -	56.0	25.0	39.2	0.7
PLYMOUTH - -	54.1	33.1	46.9	1.32					
BRISTOL - - -	56.0	27.8	43.2	0.93	EDINBURGH - -	56.0	24.2	39.3	1.3
BIRMINGHAM -	54.0	29.2	40.6	0.73	GLASGOW - - -	56.1	19.0	40.4	1.9
NOTTINGHAM -	55.0	26.4	40.7	0.64					
LIVERPOOL - -	56.0	31.0	42.5	1.21	DUBLIN { Phoenix Park.	57.0	26.8	42.6	0.7
OBSERVATORY.	54.7	24.9	40.0	1.93	DUBLIN { Fitz- william Square.†	58.5	31.2	44.5	0.5
MANCHESTER -	55.0	28.5	41.1	1.31					
PRESTON - - -	54.7	26.3	40.8	0.86	BELFAST - - -	56.0	26.3	38.7	1.4
HUDDERSFIELD -									

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of the return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0.0 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D. Dublin.

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 10th December, 1904.*

BOROUGHS	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Croup).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - - -	146,975	-	5	4	-	3	-	-	-	-
Kensington - - - -	179,236	-	5	2	-	1	-	-	7	-
Hammersmith - - - -	117,412	-	8	7	-	1	-	-	1	1
Fulham - - - -	152,482	-	6	7	-	-	-	-	3	-
Chelsea - - - -	74,329	-	5	-	-	-	-	-	1	1
City of Westminster - - - -	177,321	-	11	-	-	2	-	-	1	-
NORTH.										
St. Marylebone - - - -	130,337	-	4	1	-	1	-	-	1	-
Hampstead - - - -	86,663	-	5	-	-	2	-	-	1	1
St. Pancras - - - -	235,936	-	15	8	-	5	-	-	2	1
Islington - - - -	341,044	-	27	5	-	-	-	-	6	-
Stoke Newington - - - -	52,445	-	9	3	-	-	-	-	2	-
Hackney - - - -	226,266	-	12	15	-	4	-	-	8	-
CENTRAL.										
Holborn - - - -	57,161	-	3	1	-	-	-	-	4	-
Finsbury - - - -	98,958	-	1	-	-	1	-	-	2	-
City of London - - - -	23,482	-	-	1	-	-	-	-	-	-
EAST.										
Shoreditch - - - -	117,033	-	11	4	-	1	-	-	3	1
Bethnal Green - - - -	130,207	-	16	11	-	1	-	-	6	1
Stepney - - - -	303,791	-	16	15	-	2	-	-	4	-
Poplar - - - -	169,905	-	13	19	-	2	-	-	3	1
SOUTH.										
Southwark - - - -	207,937	-	6	6	-	1	-	-	3	-
Bermondsey - - - -	129,397	-	8	6	-	1	-	-	1	-
Lambeth - - - -	310,359	-	17	5	-	5	-	-	5	-
Battersea - - - -	175,485	-	10	2	-	2	-	-	6	-
Wandsworth - - - -	257,448	-	26	6	-	3	-	-	10	1
Camberwell - - - -	268,384	-	22	4	-	2	-	-	7	-
Deptford - - - -	113,509	1	11	5	-	-	-	-	2	-
Greenwich - - - -	101,651	-	2	-	-	1	-	-	1	-
Lewisham - - - -	140,401	-	7	2	-	1	-	-	-	-
Woolwich - - - -	123,416	-	9	2	-	1	-	-	-	-
Port of London - - - -	-	-	-	-	-	1	-	-	-	-
ADMINISTRATIVE COUNTY } 4,648,950										
OF LONDON.		1	290	141	-	44	-	-	90	8
Ages										
0-1 - - - -	-	-	4	6	-	-	-	-	2	-
" 1-5 - - - -	-	-	86	61	-	3	-	-	-	-
" 5- - - - -	-	-	126	41	-	3	-	-	7	-
" 10- - - - -	-	-	34	10	-	7	-	-	3	-
" 15- - - - -	-	-	17	8	-	5	-	-	6	1
" 20- - - - -	-	-	13	8	-	9	-	-	5	2
" 25- - - - -	-	-	9	6	-	11	-	-	15	1
" 35- - - - -	-	1	1	1	-	6	-	-	20	4
" 45- - - - -	-	-	-	-	-	-	-	-	12	-
" 55- - - - -	-	-	-	-	-	-	-	-	12	-
" 65 and upwards - - - -	-	-	-	-	-	-	-	-	8	-
Age not stated - - - -	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1904.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

By Authority of the Registrar General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY EYRE AND SPOTTISWOODE, 9, EAST HARDING ST., FETTER LANE, E.C.

No. 51. 1904. VOL. LXV.] WEEK ENDED SATURDAY, DEC. 24. [Price 1½d.

*General Register Office, Somerset House,
December 27th, 1904.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 19·4 per 1000 of their aggregate population, which is estimated† at 15,271,287 persons in the middle of this year. In the preceding three weeks the rates had been 21·6, 18·5, and 19·2. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 25·0 in Bury, 25·3 in South Shields, 25·5 in Newcastle on Tyne, 25·6 in Rhondda, 26·5 in Manchester, 27·0 in Stockton on Tees, 28·5 in Tynemouth, 29·1 in Middlesbrough, 31·9 in Huddersfield, and 32·6 in Hanley; from *measles*, 1·3 in Nottingham and in Rhondda, 1·4 in Liverpool and in Merthyr Tydfil, 1·8 in St. Helens, 2·0 in Stockton on Tees, 2·2 in Stockport, 3·1 in Grimsby, 3·3 in Wigan, and 4·8 in Devonport; from *scarlet fever*, 1·3 in York and 1·6 in Hanley; from *diphtheria*, 1·6 in Hanley, 1·7 in Wigan, and 1·8 in East Ham; from *whooping-cough*, 1·3 in Rhondda, 1·4 in Norwich, 2·0 in Tynemouth, 2·7 in Preston, and 2·9 in Halifax. One death from *small-pox* was registered in Gateshead, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2122 BIRTHS and 1572 DEATHS were registered. Allowing for increase of population, the births were 355 and the deaths 87 below the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 21·7, 18·1, and 19·0 in the preceding three weeks, fell last week to 17·6. During the four weeks ended on Saturday last the death-rate averaged 19·1 per 1000, being 0·3 per 1000 above the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1572 deaths included 26 from measles, 3 from scarlet fever, 13 from diphtheria, 17 from whooping-cough, 7 from enteric fever, and 12 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 78 deaths were referred to these diseases in the aggregate, being 101 below the corrected average weekly number.

The deaths from *measles*, which had been 32, 22, and 32 in the preceding three weeks, fell last week to 26, and were 33 below the corrected average; 5 deaths belonged to the Borough of Islington, 5 to Shoreditch, 4 to Stepney, 3 to St. Pancras, and 3 to Hackney. The deaths from *scarlet fever*, which had been 5, 9, and 6 in the preceding three weeks, fell last week to 3, and were 10 below the corrected average. The deaths from *diphtheria*, which had been 18, 23, and 12 in the preceding three weeks, rose last week to 13, but were 30 below the corrected average; 3 deaths belonged to Poplar. The deaths from *whooping-cough*, which had been 15, 19, and 20 in the preceding three weeks, fell last week to 17, and were 13 below the corrected average; 3 deaths belonged to Fulham and 3 to St. Pancras. The fatal cases of *enteric fever*, which had been 8, 11, and 4 in the preceding three weeks, rose last week to 7, but were 10 below the corrected average. The deaths from *diarrhoea*, which had been 16, 16, and 16 in the preceding three weeks, fell last week to 12, the corrected average being 14; 3 deaths belonged to Bethnal Green. Of the 12 deaths from diarrhoea, 10 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the cause of 3 more deaths at this age. The deaths attributed directly to *influenza* numbered 40, having been 26, 30, and 45 in the preceding three weeks. The death of a house-painter, aged 58 years, was certified as due to *lead poisoning*, and that of a female, aged 44 years, was certified after inquest as due to *anthrax*.

Different forms of *violence* caused 60 deaths, concerning all of which inquests were held. Of these 60 deaths, 12 were cases of suicide, and 1 of homicide, while the remaining 47 were attributed to accident or negligence. Eleven of these latter were referred to vehicles in the streets, 4 to burns and scalds, 1 to the effects of an anæsthetic administered for surgical purposes, and 10 (including 9 of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 14 cases of small-pox, 2393 of scarlet fever, 825 of diphtheria, and 170 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 9 cases, against 2, 1, and 2; of scarlet fever, 242 cases, against 247, 263, and 242; of diphtheria, 105 cases, against 115, 96, and 89; and of enteric fever, 20 cases, against 22, 20, and 34. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended December 17th.

GREATER LONDON.

In Greater London 3210 births and 2205 deaths were registered. Allowing for increase of population these numbers are 452 and 87 below the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 6 deaths from measles, 1 from scarlet fever, 9 from diphtheria, 6 from whooping-cough, 2 from "fever," and 2 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 30·24 inches, and that of the Thermometer 34°·1, the latter being 4°·8 below the week's average in the 50 years 1841-90. The direction of the wind was variable, the horizontal movement of the air being 67 per cent. below the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 3·5 hours; the measured rainfall amounted to 0·04 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	Cols.	POPULATION estimated to the middle of the Year 1904.*	DEATH-RATES from all Causes.			Rate from all Causes in Cols. 1-7.		Registered during the Week ended 24th Dec, 1904.		The DEATHS registered in the Week include											TOWNS.		
			Week ended			Week ended 24th Dec., 1904.	BIRTHS.	DEATHS	Deaths of						Deaths from					Inquest Cases.		Deaths in Public Institutions.	Uncertified Cause of Death.
			3rd week ended 10th Dec., 1904.	17th Dec., 1904.	24th Dec., 1904.				Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Dysentery.	Violence.							
																	Infants under 1 Year of Age.	Persons aged 1 to 60 Years and upwards.					
76 TOWNS		15,271,287	21'6	18'5	19'2	19'4	1'4	5674	1170	1751	1	134	35	72	82	35	40	206	419	1295	73	76 TOWNS.	
LONDON -	-	4,648,950	21'7	18'1	19'0	17'6	0'9	2122	1572	547	-	26	3	13	17	7	12	60	140	592	4	LONDON.	
(CROYDON -	-	144,419	20'9	15'5	13'7	17'0	0'4	66	47	12	19	-	-	1	-	-	-	-	2	3	-	(CROYDON.	
WILLESDEN -	-	132,668	14'6	13'8	13'4	10'2	1'2	83	26	5	4	-	-	-	-	-	-	-	-	1	-	WILLESDEN.	
HORNSEY -	-	81,221	5'8	10'9	7'7	14'8	-	20	23	5	9	-	-	-	-	-	-	-	-	1	-	HORNSEY.	
TOTTENHAM -	-	112,681	18'5	19'4	13'4	16'2	0'9	54	35	9	12	-	-	-	-	-	-	-	7	7	-	TOTTENHAM.	
WEST HAM -	-	238,424	18'6	18'6	17'7	15'2	1'6	164	84	19	24	-	2	1	3	1	1	6	12	20	-	WEST HAM.	
EAST HAM -	-	116,602	19'2	15'2	13'4	15'6	3'1	72	35	15	4	-	1	4	2	-	-	1	2	6	-	EAST HAM.	
LEYTON -	-	110,844	18'8	15'5	12'2	11'3	0'9	56	24	2	6	-	1	1	-	-	-	-	2	2	-	LEYTON.	
(WALTHAMSTOW -	-	111,282	12'7	14'5	12'2	12'2	0'9	68	26	7	7	-	-	-	2	-	-	2	5	6	-	(WALTHAMSTOW.	
HASTINGS -	-	68,503	17'2	19'6	19'6	18'0	0'8	28	23	4	12	-	-	-	-	-	-	2	2	5	-	HASTINGS.	
BRIGHTON -	-	126,286	20'2	20'6	16'5	20'2	0'4	54	49	5	27	-	-	-	-	-	-	1	1	14	-	BRIGHTON.	
PORTSMOUTH†	-	198,038	26'1	20'8	23'4	24'5	1'6	110	93	21	28	-	-	1	3	-	2	5	8	20	1	PORTSMOUTH†	
BOURNEMOUTH -	-	64,645	21'0	8'9	12'9	10'5	-	25	13	3	4	-	-	-	-	-	-	-	-	1	-	BOURNEMOUTH.	
SOUTHAMPTON -	-	112,500	15'8	14'8	10'2	19'0	-	56	41	7	19	-	-	-	-	-	-	1	6	5	-	SOUTHAMPTON.	
READING -	-	73,373	19'1	23'9	16'4	14'3	-	43	21	10	5	-	-	-	-	-	-	-	1	1	2	1	READING.
NORTHAMPTON -	-	91,146	17'7	12'0	18'3	20'6	1'7	44	36	7	13	-	-	1	1	1	-	4	5	4	2	NORTHAMPTON.	
IPSWICH -	-	69,805	20'2	20'9	17'2	17'2	-	23	23	4	13	-	-	-	-	-	-	-	1	1	2	1	IPSWICH.
GREAT YARMOUTH -	-	52,099	20'0	14'0	16'0	14'0	-	18	14	2	5	-	-	-	-	-	-	-	-	-	-	-	GREAT YARMOUTH.
NORWICH -	-	115,538	17'6	21'2	20'3	23'9	1'4	71	53	9	25	-	-	-	-	-	-	1	2	10	1	-	NORWICH.
PLYMOUTH -	-	114,003	21'0	23'3	27'4	17'4	1'4	39	38	9	9	-	1	1	-	-	-	1	2	5	-	-	PLYMOUTH.
DEVONPORT -	-	75,334	21'5	11'8	17'3	17'3	4'8	36	25	7	3	-	7	-	-	-	-	-	-	2	-	-	DEVONPORT.
BRISTOL†	-	343,204	25'7	23'1	25'5	19'0	1'1	163	125	21	48	-	3	-	2	2	-	1	4	18	-	-	BRISTOL†
HANLEY -	-	63,832	26'1	24'5	30'2	32'6	6'5	35	40	9	6	-	1	2	1	-	1	2	6	5	-	-	HANLEY.
BURTON-ON-TRENT -	-	51,934	22'1	23'1	26'1	24'1	1'0	30	24	3	6	-	1	-	-	-	1	1	1	4	-	-	BURTON-ON-TRENT.
WOLVERHAMPTON -	-	98,194	13'3	13'3	18'1	17'0	1'1	54	32	5	8	-	-	-	-	-	-	-	1	3	3	-	WOLVERHAMPTON.
WALSALL -	-	91,432	28'5	26'2	16'5	24'5	2'9	40	43	11	12	-	2	-	1	-	-	4	7	1	-	-	WALSALL.
HANDSWORTH -	-	59,634	19'2	12'2	12'2	17'5	0'9	24	20	3	7	-	-	-	-	-	-	-	-	-	-	-	HANDSWORTH.
WEST BROMWICH -	-	67,186	23'3	17'9	26'4	23'3	0'8	40	30	13	5	-	-	-	-	-	-	-	2	2	5	1	WEST BROMWICH.

* See note † on first page of this return.
† These towns are included within the area of Greater London.
‡ The recent extension of these towns will not be taken into account in the Weekly Returns until next year.

TABLE 1 (*cont.*).—76 GREAT TOWNS, GREATER LONDON, and FOUR SCOTTISH or IRISH TOWNS.—BIRTHS, DEATHS and DEATH-RATES during the Week ended Saturday, 24th December, 1904, and DEATH-RATES during the preceding three weeks.

TOWNS.	Cols.	POPULATION estimated to the middle of year 1904.*	DEATH-RATES from all Causes.				Ratio from Diseases in Cols. 11-17.		Registered during the week ended 24th Dec., 1904.		The DEATHS registered in the Week include											TOWNS.				
			Week ended				3rd Dec. 1904.	10th Dec. 1904.	17th Dec. 1904.	24th Dec. 1904.	BIRTHS.	DEATHS.	Deaths of 60 Years and upwards.	Infants under 1 Year of Age.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.		Violence.	Inquest Cases.	Deaths in Public Institutions.	Unspecified Causes of Death.
			1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.		20.	21.	Cols.	
BIRMINGHAM -	-	537,965	23'9	19'7	20'6	20'5	1'0	280	212	45	63	-	2	2	-	2	15	16	59	2	BIRMINGHAM.					
KINGS NORTON -	-	69,687	11'7	11'7	13'3	16'4	-	33	21	10	5	-	-	-	-	-	2	2	2	1	KINGS NORTON.					
SMETHWICK -	-	69,691	30'9	9'5	18'0	13'7	-	36	16	7	5	-	-	-	-	-	1	1	-	1	SMETHWICK.					
ASTON MANOR -	-	80,363	12'3	10'4	16'9	11'7	-	39	18	7	4	-	-	-	-	-	1	2	1	-	ASTON MANOR.					
COVENTRY -	-	73,904	26'1	14'1	18'3	18'3	0'7	39	26	6	8	-	-	-	-	1	-	3	1	-	COVENTRY.					
LEICESTER -	-	224,186	24'0	17'0	14'2	11'4	0'2	95	49	13	18	-	-	-	-	-	-	2	13	1	LEICESTER.					
GRIMSEY -	-	68,958	16'4	14'8	18'7	17'1	4'7	31	22	5	3	-	4	-	-	2	-	1	1	-	GRIMSEY.					
NOTTINGHAM -	-	248,811	25'8	20'3	20'7	21'6	2'5	103	103	17	27	-	6	1	2	3	9	15	21	1	NOTTINGHAM.					
DERBY -	-	120,449	19'0	14'7	22'9	20'3	0'4	57	47	12	19	-	-	-	-	-	1	3	11	-	DERBY.					
STOCKPORT -	-	97,008	30'1	19'9	24'7	23'7	2'7	49	44	3	15	-	4	1	-	-	1	2	13	-	STOCKPORT.					
BIRKENHEAD -	-	114,814	29'1	15'0	23'6	18'2	1'8	70	40	8	9	-	1	1	-	-	-	4	7	1	BIRKENHEAD.					
WALLASEY -	-	60,364	25'9	16'4	13'0	14'7	-	35	17	3	7	-	-	-	-	-	1	1	1	1	WALLASEY.					
LIVERPOOL -	-	728,430	26'5	21'6	23'1	19'1	2'5	364	265	56	62	-	20	4	7	1	12	17	82	12	LIVERPOOL.					
BOOTLE -	-	61,755	19'4	18'6	22'0	21'1	0'8	36	25	7	3	-	1	-	-	-	-	-	4	3	BOOTLE.					
ST. HELENS -	-	88,545	28'3	22'4	15'3	21'8	5'9	64	37	7	6	-	3	-	2	2	1	1	5	-	ST. HELENS.					
WIGAN -	-	82,800	30'7	23'2	25'7	21'6	5'0	92	28	4	5	-	4	-	2	-	-	1	1	-	WIGAN.†					
WARRINGTON -	-	67,331	24'0	16'3	17'8	20'9	0'8	29	27	5	3	-	-	-	-	1	-	1	1	2	WARRINGTON.					
BOLTON -	-	175,744	19'0	17'5	16'9	22'8	2'7	85	77	14	24	-	3	-	2	1	2	6	8	-	BOLTON.					
BURY -	-	68,450	18'7	18'7	14'3	25'0	1'8	18	23	4	8	-	1	-	1	1	1	1	1	2	BURY.					
MANCHESTER† -	-	557,988	30'2	23'2	22'7	26'5	1'7	286	234	60	78	-	5	-	2	6	9	15	75	10	MANCHESTER.†					
SALFORD -	-	228,983	23'5	25'0	22'3	21'6	1'6	106	95	19	30	-	5	1	1	-	4	6	19	-	SALFORD.					
OLDHAM -	-	139,497	25'8	19'8	19'8	23'2	1'1	61	60	15	21	-	1	-	-	-	2	5	5	-	OLDHAM.					
ROCHDALE -	-	85,601	20'7	17'1	20'1	20'1	-	33	33	8	14	-	-	-	-	-	-	3	6	-	ROCHDALE.					
BURNLEY -	-	100,569	20'2	21'8	23'3	17'6	-	52	34	7	12	-	-	-	-	-	1	1	3	1	BURNLEY.					
BLACKBURN -	-	132,134	23'7	18'2	18'5	21'7	2'4	60	55	9	10	-	2	1	-	1	2	3	7	1	BLACKBURN.					
PRESTON -	-	115,055	16'3	22'2	23'1	22'7	3'2	71	50	10	18	-	-	-	1	-	1	6	8	2	PRESTON.					
BARROW-IN-FURNESS.	-	59,654	15'7	13'1	8'7	16'6	1'7	40	19	6	7	-	-	-	-	1	-	-	2	1	BARROW-IN-FURNESS.					

TABLE 2. LONDON.—Births and Deaths Registered in the FIFTY-FIRST Week of each of the Eleven Years, 1894–1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894–1903.*	1904
TOTAL Births -	2703	2401	2522	2106	2422	2585	2436	2493	2407	1802	2476.6	2122
Males - -	1395	1213	1285	1059	1232	1348	1282	1262	1259	909	1270.0	1117
Females - -	1308	1188	1237	1047	1190	1237	1154	1231	1148	893	1206.6	1005
TOTAL Deaths -	1448	1521	1459	1555	1470	2607	1382	1625	1720	1204	1658.6	1572
Males - -	726	794	719	764	774	1304	752	844	890	536	845.6	815
Females - -	722	727	740	791	696	1303	630	781	830	618	813.0	757

* The numbers in this column are the average weekly numbers in the fifty-first week of the ten years 1894–1903, raised by 3.723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Oct. 1.	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	13 Weeks.
TOTAL Births -	2537	2470	2491	2442	2585	2581	2476	2155	2356	2542	2185	2443	2122	31688
TOTAL Deaths -	1279	1243	1270	1476	1311	1330	1357	1505	1502	1932	1613	1696	1572	19086
Deaths from—														
Under 1 year -	311	287	267	292	289	283	303	357	345	400	330	294	278	4044
1–5 years -	118	102	121	131	122	121	137	153	144	197	157	164	140	1807
5–20 " -	53	56	74	87	55	78	75	74	80	80	82	75	76	945
20–40 " -	177	187	168	212	173	170	175	196	181	234	151	202	191	2420
40–60 " -	282	271	282	279	286	286	281	304	312	402	352	345	340	4022
60 yrs. & upwds.	338	340	358	475	386	387	383	421	440	619	538	616	517	5348
Deaths from—														
Small-pox -	17	14	15	26	20	14	15	15	14	22	32	23	23	263
Measles -	9	4	11	6	8	13	9	8	19	5	9	6	3	110
Scarlet Fever -	16	20	17	13	12	15	13	24	11	18	23	12	13	207
Diphtheria -	9	7	5	11	7	4	4	12	10	15	19	20	17	140
Whooping-cough -	10	9	15	11	7	6	11	10	3	8	11	4	7	112
Typhus -	2	-	-	1	-	-	-	-	-	-	-	-	-	3
Enteric Fever -	84	52	49	45	25	22	27	25	18	16	16	16	12	407
Pyrexia (origin uncertain).														
Diarrhoea, Dysentery	84	52	49	45	25	22	27	25	18	16	16	16	12	407
All above Diseases -	147	106	112	113	79	74	79	94	75	94	100	90	78	1241
Dis. of Resp. System	85	85	94	127	145	158	171	175	228	357	268	272	236	2401
Pneumonia -	82	81	100	124	144	127	153	186	157	208	180	215	180	1937
Phthisis -	152	150	142	174	144	159	140	170	163	193	163	170	181	2101
Dis. of Circ. System -	152	157	179	197	182	169	169	185	191	255	211	216	230	2463
Violence -	49	51	41	53	47	52	46	45	54	76	65	62	60	691
Inquest Cases -	125	139	125	123	136	137	119	127	124	204	155	170	140	1824
Deaths in Institutions	494	492	479	588	489	475	485	532	536	641	567	629	592	6993
TEMPERATURE OF THE AIR.														
Mean -	52.1	50.3	47.8	54.9	49.9	49.3	48.8	42.2	33.7	40.5	42.3	43.4	34.1	45.3
Mean of Highest -	63.2	58.0	56.3	61.3	56.1	53.1	51.3	49.6	37.7	41.5	44.4	47.7	38.0	51.2
Mean of Lowest -	42.5	43.3	38.7	48.7	43.1	45.9	43.3	35.3	28.5	35.8	35.9	37.7	23.7	39.0
Mean Humidity of the Air.	87	81	85	89	84	84	83	94	82	87	88	87	97	87
Rain-fall (in inches) -	0.14	0.86	0.02	0.43	0.20	0.11	1.40	0.04	0.18	0.07	1.54	0.50	0.04	5.53
Registered Sunshine (in hours).	28.1	17.5	25.0	10.0	22.9	9.8	11.7	14.9	9.6	4.3	3.3	5.8	3.5	166.4
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox -	3	2	1	1	1	1	1	1	3	4	6	14	3	
Scarlet Fever -	2158	2341	2516	2687	2725	2783	2843	2774	2741	2625	2490	2403	2393	2575
Diphtheria -	878	892	931	950	947	979	947	921	919	892	874	839	825	907
Typhus -	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever -	237	239	242	229	225	230	224	214	191	178	165	174	170	209

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 3.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office:—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Frigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Crosswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobbyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S., Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS FROM ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHOEA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 24th December, 1904.

REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include															Deaths in Public Institutions.
					Deaths of Age.		Deaths from													
							Infants under 1 Year	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhoea.	Violence.	Inquest Cases.	
LONDON	- - -	4,536,429	2122	1572	278	547	-	26	3	13	17	-	7	-	12	60	140	592		
WEST DISTRICTS	- - -	805,311	297	262	37	119	-	-	1	1	5	-	1	-	2	12	27	98		
NORTH DISTRICTS	- - -	1,056,070	483	362	60	125	-	10	-	3	4	-	4	-	1	16	31	124		
CENTRAL DISTRICTS	- - -	209,465	109	76	16	13	-	3	-	2	-	-	1	-	1	4	8	40		
EAST DISTRICTS	- - -	715,739	430	311	62	85	-	9	-	-	3	-	1	-	5	12	37	140		
SOUTH DISTRICTS	- - -	1,749,844	803	525	103	189	-	4	2	-	5	-	-	-	3	16	37	154		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*		-	-	36	-	16	-	-	-	-	-	-	-	-	-	-	-	36		
WEST DISTRICTS.																				
St. Mary Paddington } G. & W.		93,178	35	29	3	17	-	-	-	-	-	-	-	-	-	4	4	7		
W ² H																				
St. John Paddington } H - - G.		33,617	6	12	-	5	-	-	-	-	-	-	-	-	-	2	3	7		
North-West Paddington } - - C.		17,181	7	5	1	2	-	-	-	-	-	-	-	-	-	1	1	-		
KensingtonTown 2W, w, 2H G. & W. & C.		128,037	40	43	6	26	-	-	-	-	-	-	-	-	-	1	3	28		
Brompton 2H - - W. & C.		48,591	8	6	-	3	-	-	-	-	-	-	-	-	-	-	1	1		
NorthHammersmith W, w, H } W. & G.		49,192	33	18	7	7	-	-	-	-	1	-	-	-	-	-	1	1		
SouthHammersmith w, 2H } - - -		63,047	23	25	1	13	-	-	-	-	1	-	-	-	-	1	4	3		
North-west Fulham W } W. & C.		45,180	34	15	2	3	-	-	-	-	-	-	1	-	1	-	1	8		
North-east Fulham F } - - -		46,405	18	14	5	4	-	-	1	1	1	-	-	-	1	-	3	2		
South Fulham W		45,704	24	11	2	3	-	-	-	-	2	-	-	-	-	-	-	-		
Chelsea North W, w, 3H - - C.		42,514	8	30	1	15	-	-	-	-	-	-	-	-	-	1	1	20		
Chelsea South W, 2H - - C.		31,328	7	8	1	5	-	-	-	-	-	-	-	-	-	1	1	2		
May Fair and Knightsbridge C. & G.		28,743	6	8	-	6	-	-	-	-	-	-	-	-	-	1	1	8		
Belgrave W, 2H - - C.		55,815	24	14	2	4	-	-	-	-	-	-	-	-	-	1	1	8		
St. Margaret & St. John 4H - C.		43,698	14	18	6	3	-	-	-	-	-	-	-	-	-	1	2	7		
St. James Westminster } N. & G.		21,588	7	5	-	3	-	-	-	-	-	-	-	-	-	-	-	3		
W, H																				
St. Anne Soho 5H - - N.		11,493	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1		
NORTH DISTRICTS.																				
All Souls Marylebone 8H - W.		35,391	12	21	1	12	-	-	-	-	-	-	-	-	1	-	-	13		
Rectory Marylebone W G. & W.		19,849	6	2	-	1	-	-	-	-	-	-	-	-	-	1	1	-		
St. Mary Marylebone 4H G. & W.		18,999	31	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-		
Christchurch Marylebone H- W.		39,536	23	11	3	3	-	-	-	-	-	-	-	-	-	-	-	-		
St. John Marylebone 3H - W.		20,426	10	8	-	5	-	-	-	-	-	-	-	-	-	1	1	1		
Hampstead W, F, 8H - N. & W.		81,942	23	21	3	8	-	-	-	-	-	-	1	-	-	-	-	12		
West St. Pancras 2H - - W.		60,562	29	19	5	6	-	1	-	-	1	-	-	-	-	3	3	1		
Tottenham-court w, 6H N. & W.		21,258	2	14	1	2	-	-	-	-	-	-	-	-	-	2	2	12		
Gray's Inn Lane 4H - - N.		34,449	13	12	1	3	-	-	-	-	2	-	-	-	-	3	3	5		
East St. Pancras W, 2H - - N.		60,320	31	23	7	6	-	-	-	-	-	-	-	-	-	1	1	6		
North St. Pancras 2W - - N.		58,728	23	19	2	5	-	1	-	-	5	-	-	-	-	-	-	10		
Tufnell W - - N.		31,995	18	24	1	8	-	-	-	-	-	-	1	-	-	-	1	19		
Upper Holloway 2W, w, 2H - N.		33,978	19	24	4	7	-	-	-	-	1	-	-	-	-	-	-	18		
Tollington W - - N.		33,922	11	10	3	5	-	-	-	-	-	-	-	-	-	-	1	-		
Lower Holloway - - N.		41,424	21	12	2	3	-	-	-	-	1	-	-	-	-	1	2	-		
Barnsbury - - N.		54,478	33	14	4	3	-	2	-	-	-	-	-	-	-	2	4	-		
Islington South-east F - - N.		75,397	27	22	6	4	-	3	-	-	-	-	-	-	-	1	2	-		
Highbury 2H - - N.		63,797	24	16	2	11	-	-	-	-	-	-	-	-	-	-	-	-		
Stoke Newington H - - N.		51,247	21	7	2	3	-	-	-	-	-	-	-	-	-	1	2	-		
North Hackney - - E. & N.		50,560	24	17	4	8	-	3	-	-	-	-	1	-	-	-	-	-		
Central Hackney 2w, F - E. & N.		50,536	18	12	2	4	-	-	-	2	-	-	-	-	-	1	1	2		
South-east Hackney 3H E. & N.		59,921	23	23	2	9	-	-	-	-	-	-	-	-	-	-	3	7		
South-west Hackney 2W, w, H E. & N.		58,255	41	29	5	8	-	-	-	-	-	-	1	-	-	-	2	18		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated therein namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G, signifying Grand Junction; W, West Middlesex; O, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River; E, East London; and K, the Kent District.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

REGISTRATION SUB-DISTRICTS.

REGISTRATION SUB-DISTRICTS,	Enu- merated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include													Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of		Deaths from												
				Infants under 1 Year of Age.	Persons aged 10 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyrexia (Origin un- certain).	Diarthra.	Violence.	Inquest Cases.		
CENTRAL DISTRICTS.																		
Giles and Bloomsbury W,2H N.	31,436	25	9	3	3	-	-	-	-	-	-	-	-	-	-	-	4	-
and W,4H - - - N. & C. and Union Workhouse, Edmonton -	21,874	2	9	2	2	-	-	-	-	-	-	-	-	-	1	1	7	-
born W,6H - - - N.	29,612	10	13	1	1	-	1	-	1	-	-	-	-	-	-	-	11	-
th Clerkenwell - - - N.	28,676	13	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
th Clerkenwell H - - - N.	35,028	19	13	5	2	-	2	-	-	-	-	-	-	-	-	1	-	-
sbury 3H,L - - - N.	36,116	30	7	2	1	-	-	-	-	-	-	-	-	1	1	2	1	-
born Union Workhouse, } Richam - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Botolph H - - - N. & E.	10,299	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Sepulchre and Allhallows } W,2H - - - N.	16,624	2	20	3	3	-	-	-	1	-	-	1	-	-	1	2	17	-
y of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
EAST DISTRICTS.																		
reditch South H - E. & N.	46,362	15	13	5	4	-	2	-	-	-	-	-	-	-	-	1	-	-
reditch North-West W,w,H N.	36,127	26	25	-	13	-	1	-	-	-	-	-	-	-	-	-	18	-
reditch North-East - N. & E.	36,148	23	15	6	2	-	2	-	-	1	-	-	-	-	-	2	-	-
reditch Union Workhouse, Wood } reen - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
hnal Green North 2H - E.	51,514	42	15	6	5	-	-	-	-	-	-	-	-	-	-	-	6	-
hnal Green South - E.	33,472	21	6	2	2	-	-	-	-	-	-	-	-	2	1	2	-	-
hnal Green East 2W,H,L - E.	44,694	25	20	5	7	-	-	-	-	-	-	-	-	1	1	3	14	-
alfields - - - E. & N.	27,969	31	5	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-
e End New Town W,H - E.	28,718	25	53	8	4	-	-	-	-	-	-	-	-	-	3	9	50	-
odman's Fields - - - E.	22,081	11	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
George and St. John 2W E.	40,068	35	19	2	6	-	2	-	-	-	-	-	-	-	-	1	8	-
adwell and Ratcliff W,H,E. & N.	25,568	16	12	2	2	-	-	-	-	-	-	-	-	-	2	3	3	-
ehouse - - - E.	32,369	9	15	2	4	-	2	-	-	-	-	-	-	-	1	1	-	-
e End Old Town South- } Western H - - - E.	63,698	46	17	6	5	-	-	-	-	-	-	-	-	-	-	1	-	-
e End Old Town North- } Eastern W,w - - - E.	40,129	25	21	1	8	-	-	-	-	-	-	-	-	1	-	1	12	-
v L - - - E.	41,989	21	9	2	2	-	-	-	-	-	-	-	-	-	1	3	-	-
rnley 2w,H - - - E.	68,319	41	50	8	14	-	-	-	-	2	-	-	-	1	3	5	27	-
olar W,w - - - E.	68,614	18	13	2	6	-	-	-	-	-	-	-	-	-	1	3	2	-

TABLE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-
MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., regist-
in each SUB-DISTRICT during the Week ended Saturday, 24th December, 1904.—continued.

REGISTRATION SUB-DISTRICTS.		Enu- me- rated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include												Inquest Cases	Deaths in Public Institutions.
					Deaths of		Deaths from											
					Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhoea.	Violence.		
SOUTH DISTRICTS.																		
Christchurch Southwark	W, HL & S.	11,283	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
St. Saviour Southwark	H - S.	12,056	8	17	2	3	-	-	-	-	-	-	-	-	-	1	2	
Kent-road	- S. & L.	21,904	8	3	2	-	-	-	-	-	-	1	-	-	-	-	-	
St. George the Martyr	} S. & L.	39,091	21	11	3	1	-	-	-	-	-	-	-	-	-	1	2	
West W ² H,L		-	49,022	19	13	4	3	-	-	-	-	1	-	-	-	-	3	
Newington North	- S. & L.	72,841	37	19	1	12	-	-	-	-	-	-	-	-	-	1	1	
Newington South	W - S. & L.																	
St. Olave 2W	- - - S.	9,817	6	5	2	1	-	-	-	-	-	-	-	-	-	-	-	
Bermondsey W	- - - S.	82,483	54	20	11	2	-	-	-	-	-	-	-	-	-	1	2	
Rotherhithe W,F-	- - S. & K.	38,480	17	17	3	4	-	1	-	-	1	-	-	-	-	1	2	
Waterloo-road 2H	- L. & S.	27,440	12	10	2	1	-	-	-	-	-	-	-	-	-	1	1	
Lambeth Church 1st H	L. & S.	18,423	12	10	2	2	-	-	-	-	-	-	-	-	-	1	1	
Lambeth Church 2nd 2W	L. & S.	30,818	31	17	3	8	-	-	-	-	-	-	-	-	-	1	1	
Kennington 1st H	- S. & L.	53,198	29	13	3	6	-	-	-	-	-	-	-	-	-	-	2	
Kennington 2nd H	- S. & L.	42,896	10	15	6	5	-	-	-	-	-	-	-	-	-	-	1	
Brixton F	- - L. & S.	84,232	30	25	6	7	-	-	-	1	1	-	-	-	-	3	4	
Norwood W,H	- - L.	35,888	11	7	-	4	-	-	-	-	-	-	-	-	-	-	-	
East Battersea H	- - S.	72,203	35	20	4	7	-	-	-	-	-	-	-	-	-	-	2	
North-west Battersea	- - S.	49,656	25	9	2	2	-	-	-	-	-	-	-	-	-	-	1	
South-west Battersea W,H	- - S.	47,048	8	19	-	8	-	-	-	-	1	-	-	-	-	-	-	
Clapham 2H	- - S.	51,361	16	14	1	4	-	-	-	-	-	-	1	-	-	1	1	
Streatham W ² W ² F ² L	- L.	88,019	31	27	5	13	-	-	-	1	-	-	-	-	-	-	-	
Springfield 2W,L	- - S.	27,959	13	6	3	3	-	1	-	-	-	-	-	-	-	-	-	
Southfields H	- - S.	40,444	13	11	2	7	-	-	-	-	-	-	-	-	-	-	-	
Putney	- - S.	24,139	14	4	2	-	-	-	-	-	-	-	-	-	-	-	-	
Dulwich	- - L. & S.	13,359	5	4	-	3	-	-	-	-	-	-	-	-	-	-	-	
Camberwell South W,w	S. & L.	40,206	13	22	1	13	-	-	-	-	-	-	-	-	-	-	-	
Camberwell North W ² L	S. & L.	65,584	20	24	1	12	-	-	-	-	-	-	-	-	-	-	-	
St. George	- - L. & S.	47,331	28	5	3	-	-	-	-	-	-	-	-	-	-	-	-	
Peckham 2W,w	- - S., L. & K.	92,859	45	21	4	11	-	-	-	-	-	-	-	-	-	1	1	
Deptford North	- - - K.	37,613	18	7	3	1	-	-	-	-	-	-	-	-	-	-	-	
Deptford Central	- - - K.	45,481	31	5	2	1	-	-	-	-	-	-	-	-	-	1	1	
Deptford South	- - - K.	34,625	14	12	2	6	-	-	-	-	-	-	-	-	-	1	1	
Greenwich West 2H	- - K.	23,456	10	8	2	3	-	-	-	-	-	-	-	-	-	-	-	
Greenwich East 2W,H	- - K.	43,859	30	22	1	10	-	-	-	-	-	-	-	-	-	-	-	
Eltham w,H-	- - K.	7,226	4	1	1	-	-	-	1	-	-	-	-	-	-	-	-	
Lee wH-	- - K.	25,490	9	5	-	4	-	-	-	-	-	-	-	-	-	-	-	
Lewisham W w,F	- - K.	58,352	32	21	4	8	-	-	-	1	-	-	-	-	-	-	-	
Sydenham H	- - L.	43,653	24	11	1	4	-	-	-	-	-	-	-	-	-	-	-	
Charlton F ² H	- - K.	21,134	5	9	1	-	-	1	1	4	-	-	-	-	-	-	-	
Woolwich 4H-	- - K.	41,625	16	16	3	3	-	-	-	-	-	-	-	-	-	1	3	
Plumstead West W	- - K.	18,063	5	4	-	3	-	-	-	-	-	-	-	-	-	1	-	
Plumstead East 2W,H	- - K.	50,264	28	16	5	4	-	1	-	-	-	-	-	-	-	1	4	
London County Asy., Banstead	- -	-	-	8	-	2	-	-	-	-	-	-	-	-	-	-	-	
Manor Asylum, Epsom	- -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Horton Asylum, Epsom	- -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Lon. Co. Asy. Epilep. Colony, Epsom	- -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Met. Asy. for Imbeciles, Caterham	- -	-	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	
London County Asy., Cane Hill	- -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
M.A.B. Hospitals, Dartford	- -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Met. Asy. for Imbeciles, Darenth	- -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
London County Asylum, Dartford	- -	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	
Heath	- -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Met. Asy. for Imbeciles, Gore Farm	- -	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
London County Asylum, Hanwell	- -	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
Central London Sick Asy., Hendon	- -	-	-	4	-	4	-	-	-	-	-	-	-	-	-	-	-	
London County Asy., Colney Hatch	- -	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	
M.A.B. North-Eastern Hospital	- -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
M.A.B. Northern Hospital	- -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Met. Asy. for Imbeciles, Leavesden	- -	-	-	4	-	4	-	-	-	-	-	-	-	-	-	-	-	
London County Asylum, Claybury	- -	-	-	5	-	2	-	-	-	-	-	-	-	-	-	-	-	

6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSES, HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 24th December, 1904.

REGISTRATION SUB-DISTRICTS	Area in Acres.	Enu- merated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
					Deaths of	Deaths from												
						Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.
LONDON—OUTER RING	368,602	2,044,973	1088	633	157	217	-	10	3	19	11	6	3	18	43	103	4	
1. Carshalton <i>w, 2F, 3H</i>	12,223	32,997	7	9	2	1	-	-	-	-	2	-	-	-	1	2	3	-
2. Epsom, part of* <i>W, w, 2F, H</i>	10,423	15,548	4	4	1	1	-	-	-	-	-	-	-	-	-	3	1	-
1. Godstone, part of* <i>W, F</i>	2,754	2,692	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Coulsdon	11,069	8,166	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. South Croydon <i>w</i>	4,200	49,209	20	15	3	8	-	-	-	-	-	-	-	-	-	1	-	-
3. West Croydon <i>3W, F, H</i>	2,168	42,888	18	17	3	7	-	-	-	-	1	-	-	-	-	1	8	-
4. North Croydon <i>H</i>	2,644	41,668	28	18	6	4	-	-	-	-	-	-	-	-	-	1	-	-
5. Penge <i>w</i>	770	22,465	5	5	1	4	-	-	-	-	-	-	-	-	-	1	-	-
6. Mitcham <i>w</i>	11,711	30,015	15	9	3	1	-	-	-	-	1	-	-	-	-	1	-	-
1. Wimbledon <i>F, 3H</i>	3,221	41,652	22	6	1	2	-	-	-	-	-	-	1	-	-	-	2	-
2. Kingston <i>W, H</i>	6,224	42,068	18	12	1	6	-	-	-	1	-	-	-	-	1	1	6	-
3. Surbiton <i>F, H</i>	3,046	15,017	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
4. Esher, part of* <i>H</i>	5,402	13,100	10	4	1	3	-	-	-	-	-	-	-	-	1	1	-	-
5. Hampton <i>H, L</i>	4,564	23,456	9	5	2	-	-	2	-	-	-	-	-	-	-	-	-	-
1. Richmond <i>W, H</i>	2,162	28,865	9	15	3	5	-	1	-	-	-	2	-	-	1	1	2	-
2. Mortlake <i>F</i>	2,847	20,628	9	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
1. Bromley <i>F, 2H</i>	4,703	27,354	10	13	5	4	-	-	-	-	1	1	-	-	-	1	2	-
2. Beckenham <i>H</i>	7,825	28,497	12	2	-	1	-	-	-	-	-	-	-	-	1	1	1	-
3. Orpington, part of* <i>W</i>	10,113	9,857	-	5	1	4	-	-	-	-	-	-	-	-	-	-	1	-
4. Chislehurst <i>2H</i>	7,333	16,446	7	7	2	3	-	-	-	-	-	1	-	-	-	-	-	-
1. Bexley <i>F, H</i>	8,678	21,151	10	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-
2. Erith <i>F, H</i>	3,854	25,206	12	7	4	3	-	-	-	-	-	-	-	-	-	-	-	-
3. Dartford <i>W, F, part of*</i>	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	2	-
1. Sunbury <i>w</i>	11,054	13,683	8	9	2	4	-	-	-	-	-	1	-	-	-	-	1	-
2. Staines <i>W, H</i>	13,277	15,178	3	3	-	2	-	-	-	-	-	-	-	-	-	-	3	-
1. Hillingdon <i>W, F, H</i>	6,035	13,661	8	11	6	4	-	-	-	-	-	-	-	-	-	-	3	1
2. Uxbridge	12,757	8,984	3	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
3. Hayes <i>w, F, H</i>	8,066	16,358	13	4	-	2	-	-	-	-	1	-	-	-	-	-	1	-
1. Isleworth <i>3W, 2F, H</i>	6,859	30,863	10	17	6	6	-	-	-	-	-	-	1	-	-	-	4	-
2. Twickenham <i>F, H</i>	2,421	20,991	10	8	1	3	-	-	-	-	-	-	-	-	-	-	-	-
3. Brentford <i>2F, 2H, L</i>	4,319	48,239	32	14	6	6	-	-	-	-	-	-	-	-	1	1	-	-
4. Chiswick <i>H</i>	1,249	29,809	21	7	3	2	-	-	-	-	-	-	-	-	-	-	-	2
5. Acton <i>w, 3H</i>	6,132	48,914	30	17	5	4	-	-	-	-	-	-	-	-	1	2	-	-
1. Harrow <i>F, H</i>	13,809	25,523	4	7	3	3	-	-	-	-	-	-	-	-	-	1	-	-
2. Edgware <i>F, 2H</i>	6,994	4,521	2	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
3. Willesden <i>W, F, 2H</i>	4,384	114,311	83	26	5	4	-	-	-	-	1	2	-	-	-	-	1	-
4. Hendon <i>W, F</i>	8,332	22,450	12	7	1	4	-	-	-	-	-	1	-	-	-	-	1	-
1. South Mimms <i>2F, H</i>	17,755	7,308	3	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-
2. Barnet <i>W, 3H</i>	3,324	17,970	5	5	-	4	-	-	-	-	-	-	-	-	-	-	1	-
3. Finchley <i>F, 2H</i>	4,688	33,692	16	12	1	7	-	-	-	-	1	-	-	-	-	-	-	-
1. Hornsey <i>F, H</i>	2,875	72,056	20	23	5	9	-	-	-	-	1	-	-	-	-	-	1	-
2. Wood Green <i>H</i>	1,625	34,233	25	14	6	4	-	-	-	-	-	1	-	-	1	1	-	-
3. West Tottenham <i>F</i>	996	48,853	25	12	2	2	-	-	-	-	1	-	-	-	-	1	3	-
4. East Tottenham <i>F, H</i>	2,017	53,688	29	23	8	8	-	-	-	-	-	1	-	-	-	3	7	-
5. Edmonton <i>W, w, 2F</i>	7,491	61,892	33	20	3	7	-	-	-	-	1	-	-	-	-	1	7	-
6. Enfield <i>2W, F, H</i>	13,601	42,738	20	19	3	10	-	-	-	-	-	-	1	-	-	-	4	-
7. Waltham Abbey	11,017	6,549	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8. Cheshunt <i>F, H</i>	8,479	12,292	6	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-
1. Hatfield, part of* <i>W</i>	3,305	604	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2. Bushey <i>H</i>	9,333	9,173	1	5	-	3	-	-	-	-	1	-	-	-	-	-	-	-
3. Watford <i>W, 2F part of*</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1. Stratford <i>H</i>	1,072	44,827	24	9	4	2	-	-	1	-	-	-	-	-	2	3	-	-
2. Plaistow <i>F, 2H</i>	1,249	90,921	57	23	5	6	-	-	1	1	2	1	-	-	-	1	3	-
3. Canning Town <i>H</i>	1,558	70,713	57	20	6	5	-	-	-	-	1	-	-	1	4	6	2	-
4. Forest Gate <i>w</i>	806	60,892	26	14	4	5	-	-	-	-	-	-	-	-	-	2	-	-
5. North East Ham <i>w</i>	1,333	58,676	41	14	6	3	-	-	1	-	1	1	-	-	1	2	-	-
6. South East Ham <i>2F</i>	1,993	37,342	31	18	8	1	-	-	-	-	3	1	-	-	-	-	3	-
7. Wanstead <i>F</i>	1,679	9,179	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
8. South Leyton <i>2W</i>	631	50,467	21	16	2	5	-	-	-	-	-	-	-	-	-	-	5	-
9. North Leyton <i>W, w, F</i>	1,963	48,445	35	23	1	8	-	-	1	1	-	-	1	-	-	1	12	-
10. Walthamstow <i>3H, L</i>	6,504	108,929	72	25	7	7	-	-	1	-	1	-	-	-	2	4	3	-
1. Chigwell, part of* <i>2F, H</i>	11,778	16,397	11	4	1	-	-	-	-	-	1	-	-	-	-	-	1	-
2. Epping <i>W, F, part of*</i>	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1. Romford, part of* <i>W, 2F</i>	6,556	6,091	1	3	-	1	-	-	-	-	-	-	-	-	-	-	2	-
2. Ilford <i>F, L</i>	8,498	41,234	22	13	-	4	-	-	1	-	-	-	-	-	-	-	5	-
3. Barking Town <i>F</i>	3,803	21,547	18	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-
Middlesex County Asylum, Wandsworth.	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	2	-
City of London Asylum, Stone.	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-

The parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring are as follows:—30: 2, excepting Ashted parish; 37: 1, Warringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chislefield, Cadham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting ydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES.

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.
CALCUTTA (including SUBURBS)	847,798	November 5	-	418	25·6	-	-	-	-	-	141†
BOMBAY - -	776,008	December 6	455	723	48·4	14	6	-	-	-	124†
MADRAS - -	509,346	November 11	432	301	30·7	-	1	?	?	?	85
PARIS - - -	2,680,559	December 17	966	927	18·0	1	4	-	-	2	8
BRUSSELS - -	586,936	" 17	243	191	17·2	-	4	-	-	1	-
ANTWERP - -	286,695	" 17	157	91	16·5	-	3	-	-	1	1
AMSTERDAM -	548,160	" 10	252	165	15·6	-	11	-	3*	7	1
COPENHAGEN -	423,000	" 17	214	126	15·5	-	1	-	1*	1	-
STOCKHOLM -	309,496	" 10	151	103	17·3	-	1	1	1*	7	-
CHRISTIANIA -	223,649	" 17	111	63	14·6	1	-	-	2*	1	-
ST. PETERSBURG	1,248,122	" 10	604	648	27·0	-	9	15	11*	2	16
MOSCOW - -	1,092,360	" 10	-	600	28·6	2	3	14	14*	1	1
BERLIN - - -	1,964,315	" 3	891	655	17·1	-	8	14	6*	7	1
HAMBURG - -	751,842	" 17	-	205	14·2	-	3	1	1*	2	3
BRESLAU - -	445,679	" 17	-	227	26·6	-	2	1	-	-	-
MUNICH - - -	520,000	" 17	-	176	17·6	-	2	2	2*	4	-
VIENNA - - -	1,797,992	" 17	875	618	17·7	-	10	3	4*	-	1
PRAGUE - - -	426,402	" 10	130	194	23·4	-	13	-	-	1	8
BUDA-PESTH -	813,399	" 10	423	311	19·9	-	8	8	8*	-	2
TRIESTE - - -	190,166	" 17	115	117	31·8	-	-	-	-	-	-
ROME - - -	505,371	October 22	202	149	15·4	-	1	-	-	1	5§
VENICE - - -	166,288	November 19	64	58	18·2	-	-	-	-	-	1
CAIRO - - -	624,338	August 19	532	533	44·5	3	7	-	9*	?	17
ALEXANDRIA -	349,300	" 19	272	283	42·2	-	22	-	-	-	9†
NEW YORK - -	3,838,024	December 3	1902	1350	18·3	-	6	10	30*	4	17
PHILADELPHIA -	1,408,164	" 10	1932	1357	18·4	-	8	14	31*	4	19
BOSTON - - -	617,950	November 26	-	212	17·8	-	1	1	3*	2	7
		December 3	-	230	19·3	-	-	2	4*	1	8

* Including deaths from croup.

† Including 9 deaths from plague in Calcutta, 76 in Bombay, and 5 in Alexandria.

‡ Including 11 deaths from cholera in Calcutta, and 2 in Bombay.

§ Including one death from malarial fever.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 24th December, 1904.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rainfall in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	54·0	24·8	33·3	0·04	BRADFORD - -	46·0	25·0	33·8	0·00
BRIGHTON - -	52·6	31·1	40·9	0·00	LEEDS - - -	48·0	23·0	33·1	0·00
PORTSMOUTH - -	53·7	34·5	42·2	0·02	HULL - - -	50·0	23·0	32·6	0·03
NORWICH - - -	48·2	21·0	33·5	0·08	TYNEMOUTH - -	47·0	25·0	34·4	0·00
PLYMOUTH - -	53·7	28·0	44·0	0·01					
BRISTOL - - -	52·5	25·5	34·7	0·05	EDINBURGH - -	46·5	33·4	39·1	0·01
BIRMINGHAM -	51·8	23·0	32·1	0·00	GLASGOW - - -	48·4	31·5	40·3	0·00
NOTTINGHAM -	47·3	20·7	30·7	0·01					
LIVERPOOL - -	46·0	25·0	33·2	0·01					
MANCHESTER -	53·2	19·7	32·0	0·01	DUBLIN { Phoenix Park, Fitz- william Square,†	49·5	25·9	38·2	0·00
PRESTON - - -	46·5	22·8	32·0	0·00		51·2	28·2	41·8	0·01
HUDDERSFIELD -	45·5	21·0	29·8	0·00	BELFAST - - -	56·5	27·0	42·8	0·17

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of this return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied by the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0·0° Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D., Dublin.

1904. MONTH AND DAY		Phases of the Moon.	TEMPERATURE.				TEMPERATURE.				TEMPERATURE.				Wind as deduced from Anemometers.				Rain collected in Gauge whose receiving surface is 5 inches above the ground.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
			Of the Air.				Of the Dew point				Difference between the Air Temperature and Dew Point Temperature.				Degree of the midday radiation (Saturation equals 100).					Of the Earth 3 feet below the Surface.				Oiler's.				Pressure on the Square Foot.				Robinson's.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
			High- est.	Low- est.	Daily Range.	Mean daily value.	De- rature from Average of 50 years.	Mean daily value.	Mean daily value.	Great- est.	Least.	Mean daily value.	Highest in Sun's Rays.	Lowest in Gnass.	A.M.		P.M.			Great- est.	Least, hourly obs.	Mean of 24 hours.	Horizontal Movement of the Air on each Day.	Vertical Movement of the Air on each Day.	Average of the 16 years.	Miles.		Miles.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
															lbs.	lbs.	lbs.	lbs.								in.	in.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																						
DECEMBER.			in.	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°

* Fog.

The results apply to the civil day, or from midnight to midnight.

The height of the cistern of the barometer is 159 feet above the mean level of the sea; no correction has been applied to the readings to reduce to sea level.

Observations are usually taken at 9h. A.M.; noon; 3h. P.M. and 9h. P.M. The means of the eye-readings of the barometer, the dry bulb thermometer, and the wet bulb thermometer, are converted into mean daily values by the application of corrections deduced from a discussion of the photographic records made during the twenty years ending 1873 for the barometer, and during the twenty years ending 1888 for the thermometers. With the corrected mean readings of the dry bulb thermometer is combined the corrected mean of the readings of the maximum and minimum thermometers, forming the mean daily value of temperature of the air (column 8). The mean daily dew point temperature and degree of humidity are deduced from the mean daily values of the dry and wet bulb thermometers by Glaisher's Hygrometrical Tables.

The average temperature of the air is that derived from a discussion of the observations made at Greenwich during the 50 years ending 1880, and that of horizontal movement of the air from a discussion of the anemometric records for the 16 years ending 1876.

In reading columns 9 and 34 it will be borne in mind that + indicates "higher," and - "lower," than the average.

The values given in column 17 are not corrected for the index error of the thermometer, which cannot be determined.

The record of Electricity is derived from Thomson's self-registering Electrometer. The symbols employed are:—P, positive; N, negative; w, weak; m, moderate; s, strong; and v, variable.

The numbers in column 28, derived from the Campbell-Stokes Sunshine Instrument show the aggregate duration of bright sunshine on each day.

The reading of the barometer increased from 30.12 in. at the beginning of the week to 30.46 in. by 9h. A.M. on the 18th; and decreased to 29.93 in. by midnight on the 24th.

DATE.		ELECTRICITY. (For explanation of symbols, see Note.		Registered Sunshine Horizon, in hours.		GENERAL REMARKS.	
DECEMBER.							
SUNDAY	- 18	w. P. till afternoon; m. P. afterwards.	0'0	78	Generally cloudy till noon with sharp shower at 11h. A.M.; fine and partially cloudy afterwards with slight fog at night.		
MONDAY	- 19	s. P. till noon; m. P. afterwards.	0'0	78	Generally overcast; foggy.		
TUESDAY	- 20	m. P. till 8h. A.M.; s. P. till noon; w. P. afterwards.	2'6	78	Overcast and foggy in morning; very fine and generally cloudless after 10h. A.M.; hear frost and slight fog at night.		
WEDNESDAY	21	w. P. throughout.	0'9	78	Cloudless in early morning; dense fog prevailent afterwards; hear frost.		
THURSDAY	- 22	w. P. throughout.	0'0	78	Dense fog prevalent throughout the day; hear frost.		
FRIDAY	- 23	w. P. throughout.	0'0	78	Overcast; slight fog.		
SATURDAY	- 24	w. P. till noon; s. P. generally afterwards.	0'0	78	Overcast; slight fog.		
No. of Col. -	-	27	Sum 3'5	Sum 54'6			

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY OF LONDON during the Week ended 17th December, 1904.*

BOROUGHS.	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	
WEST.											
Paddington - - - - -	146,975	-	12	4	-	-	-	-	-	-	
Kensington - - - - -	179,236	-	4	2	-	3	-	-	3	-	
Hammersmith - - - - -	117,412	-	17	1	-	-	-	-	1	-	
Fulham - - - - -	152,482	-	8	7	-	-	-	-	4	-	
Chelsea - - - - -	74,329	-	3	-	-	-	-	-	1	-	
City of Westminster - - -	177,321	-	4	-	-	-	-	-	2	-	
NORTH.											
St. Marylebone - - - - -	130,337	-	4	1	-	3	-	-	2	-	
Hampstead - - - - -	86,663	-	3	-	-	-	-	-	-	-	
St. Pancras - - - - -	235,936	1	9	3	-	2	-	-	5	-	
Islington - - - - -	341,044	-	23	5	-	3	-	-	4	-	
Stoke Newington - - - - -	52,445	-	2	-	-	-	-	-	-	-	
Hackney - - - - -	226,266	-	11	5	-	7	-	-	5	-	
CENTRAL.											
Holborn - - - - -	57,161	-	1	1	-	1	-	-	2	-	
Finsbury - - - - -	98,958	-	7	1	-	3	-	-	-	-	
City of London - - - - -	23,482	-	-	-	-	-	-	-	-	-	
EAST.											
Shoreditch - - - - -	117,033	-	6	2	-	1	-	-	2	-	
Bethnal Green - - - - -	130,207	-	10	3	-	5	3	-	5	1	
Stepney - - - - -	303,791	-	24	13	-	6	-	-	10	-	
Poplar - - - - -	169,905	-	16	19	-	4	-	-	3	-	
SOUTH.											
Southwark - - - - -	207,937	-	8	5	-	3	-	-	6	-	
Bermondsey - - - - -	129,397	-	5	3	-	2	-	-	3	-	
Lambeth - - - - -	319,359	-	18	10	-	-	-	-	7	2	
Battersea - - - - -	175,485	-	8	4	-	1	-	-	1	-	
Wandsworth - - - - -	257,448	-	34	11	-	1	-	-	5	-	
Camberwell - - - - -	263,384	-	21	3	-	1	-	-	11	-	
Deptford - - - - -	113,509	-	8	1	-	1	-	-	3	-	
Greenwich - - - - -	101,651	-	8	3	-	4	-	-	3	-	
Lewisham - - - - -	140,401	-	5	4	-	1	-	-	1	-	
Woolwich - - - - -	123,416	2	7	5	-	-	-	-	3	-	
Port of London - - - - -	-	-	-	-	-	-	-	-	-	-	
ADMINISTRATIVE COUNTY OF LONDON. }		4,648,950	3	286	116	-	52	3	-	92	3
Ages											
0-1 - - - - -	-	-	7	2	-	-	-	-	4	-	
" 1-5 - - - - -	-	1	101	50	-	2	1	-	4	-	
" 5- - - - -	-	-	125	39	-	7	2	-	4	-	
" 10- - - - -	-	-	30	10	-	8	-	-	7	-	
" 15- - - - -	-	-	13	5	-	10	-	-	7	-	
" 20- - - - -	-	-	6	2	-	11	-	-	3	2	
" 25- - - - -	-	-	3	3	-	8	-	-	14	1	
" 35- - - - -	-	1	1	3	-	4	-	-	16	-	
" 45- - - - -	-	-	-	2	-	1	-	-	16	-	
" 55- - - - -	-	1	-	-	-	1	-	-	11	-	
" 65 and upwards - - - -	-	-	-	-	-	-	-	-	6	-	
Age not stated - - - - -	-	-	-	-	-	-	-	-	-	-	

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

LONDON:
PRINTED FOR HIS MAJESTY'S STATIONERY OFFICE,
By DARLING & SON, LTD., 34-40, BACON STREET, E.

1904.

WEEKLY RETURN

OF

BIRTHS AND DEATHS IN LONDON

AND IN

SEVENTY-FIVE OTHER GREAT TOWNS.

~~~~~

By Authority of the Registrar General.

~~~~~

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 52. 1904. VOL. LXV.] WEEK ENDED SATURDAY, DEC. 31. [Price 1½d.

*General Register Office, Somerset House,
January 2nd, 1905.*

SEVENTY-SIX GREAT TOWNS.*

The deaths registered last week in SEVENTY-SIX GREAT TOWNS of England and Wales corresponded to an annual rate of 22·4 per 1000 of their aggregate population, which is estimated† at 15,271,287 persons in the middle of 1904. In the preceding three weeks the rates had been 18·5, 19·2, and 19·4. Table 1 of this Return shows, for the several towns, the death-rates in each of the last four weeks: it also shows for the week ended last Saturday, the births, the deaths from several causes, and the death-rates from certain epidemic diseases.

The highest annual death-rates per 1000 living, as measured by last week's mortality, were:—from *all causes*, 28·6 in Huddersfield, 29·5 in Preston, 30·0 in Sunderland, 32·4 in Middlesbrough, 33·0 in Stockton on Tees, 33·3 in Oldham, 35·2 in Manchester, and 36·7 in Hanley; from *measles*, 1·3 in Gateshead, 1·4 in Devonport, in Leicester, and in Merthyr Tydfil, 1·7 in Bristol, in Nottingham, and in Liverpool, 2·0 in Tynemouth, 2·9 in St. Helens, 3·0 in Stockton on Tees, and 3·9 in Grimsby; from *scarlet fever*, 1·6 in Blackburn; from *diphtheria*, 2·2 in East Ham; and from *whooping-cough*, 1·1 in Bristol and in Middlesbrough, 1·2 in St. Helens, 1·3 in Derby, 1·5 in Oldham, 1·9 in South Shields, 2·0 in Great Yarmouth, and 2·4 in Hanley. One death from *small-pox* was registered in Bolton, 1 in Preston, and 1 in Bradford, but none in any other of the seventy-six towns.

LONDON.*

In LONDON 2320 BIRTHS and 1868 DEATHS were registered. Allowing for increase of population, the births were 300 and the deaths 20 above the average numbers in the corresponding weeks of the previous ten years. The annual death-rate per 1000 from all causes, which had been 18·1, 19·0, and 17·6 in the preceding three weeks, rose last week to 21·0. During the four weeks ended on Saturday last the death-rate averaged 18·9 per 1000, being 0·4 per 1000 below the mean rate in the corresponding periods of the ten years 1894–1903.

* The figures for London include deaths of Londoners in the Metropolitan Workhouses, Hospitals, and Lunatic Asylums, situated outside the County of London, but exclude deaths of persons not belonging to London occurring in the West Ham Temporary Workhouse, in the London Fever Hospital, in the Middlesex County Lunatic Asylum at Wandsworth, and in the Metropolitan Asylums Board Hospitals within the County of London. As far as practicable, the deaths thus excluded from the County of London are, for the purposes of Tables 1 and 6, added to the Outer Ring or to other areas to which they belong. The figures relating to the seventy-five other great towns have been similarly corrected.

† The provisional estimates of population for the several towns are based on the results of the Census of 1901, and on the increase in the last intercensal period.

The 1868 deaths included 44 from measles, 15 from scarlet fever, 17 from diphtheria, 25 from whooping-cough, 8 from enteric fever, and 15 from diarrhoea, but not one death from small-pox, from typhus, or from ill-defined pyrexia; thus, 124 deaths were referred to these diseases in the aggregate, being 60 below the corrected average weekly number.

The deaths from *measles*, which had been 22, 32, and 26 in the preceding three weeks, rose last week to 44, but were 20 below the corrected average; 6 deaths belonged to the Borough of Hackney, 6 to Finsbury, 5 to Islington, 5 to Poplar, 4 to Battersea, and 4 to Wandsworth. The deaths from *scarlet fever*, which had been 9, 6, and 3 in the preceding three weeks, rose last week to 15, and were 2 above the corrected average; 3 deaths belonged to Bermondsey. The deaths from *diphtheria*, which had been 23, 12, and 13 in the preceding three weeks, rose last week to 17, but were 25 below the corrected average; 3 deaths belonged to Lambeth. The deaths from *whooping-cough*, which had been 19, 20, and 17 in the preceding three weeks, rose last week to 25, but were 7 below the corrected average; 3 deaths belonged to Southwark and 3 to Camberwell. The fatal cases of *enteric fever*, which had been 11, 4, and 7 in the preceding three weeks, were 8 last week, and were 9 below the corrected average. The deaths from *diarrhoea*, which had been 16, 16, and 12 in the preceding three weeks, rose last week to 15, the corrected average being 13; 3 deaths belonged to Camberwell. Of the 15 deaths from diarrhoea, 13 were those of children under 5 years of age; the term *gastro-enteritis* was used to denote the causes of 2 more deaths at this age. The deaths attributed directly to *influenza* numbered 23, having been 30, 45, and 40 in the preceding three weeks. The death of a physician, aged 65 years, was certified as due to *cardiac dilatation (after plague)*.

Different forms of *violence* caused 76 deaths, concerning all of which inquests were held. Of these 76 deaths, 7 were cases of suicide, and 1 of homicide, while the remaining 68 were attributed to accident or negligence. Three of these latter were referred to vehicles in the streets, 9 to burns and scalds, 4 to drowning, and 26 (of infants under one year of age) to suffocation in bed.

CASES OF INFECTIOUS DISEASE.*

According to returns from the Metropolitan Asylums Board and from the London Fever Hospital there were 17 cases of small-pox, 2386 of scarlet fever, 807 of diphtheria, and 159 of enteric fever under treatment in these hospitals on Saturday last (Table 3). The admissions during the week, as compared with those in the preceding three weeks, were as follows:—Of small-pox, 5 cases, against 1, 2, and 9; of scarlet fever, 201 cases, against 263, 242, and 242; of diphtheria, 111 cases, against 96, 89, and 105; and of enteric fever, 14 cases, against 20, 34, and 20. Table 10, compiled and furnished by the Medical Officer of Health of the Administrative County of London, shows the number of cases of Infectious Disease that were notified in the County during the week ended December 24th.

GREATER LONDON.

In Greater London 3447 births and 2608 deaths were registered. Allowing for increase of population these numbers are 491 and 62 above the respective averages in the corresponding weeks of the previous ten years. In that portion of the Outer Ring which is outside the great towns, 6 deaths from measles, 1 from scarlet fever, 7 from diphtheria, 15 from whooping-cough, 1 from "fever," and 2 from diarrhoea were registered.

METEOROLOGY.

The mean reading of the Barometer last week at Greenwich was 30.02 inches, and that of the Thermometer 41.6, the latter being 3.1 above the week's average in the 50 years 1841-90. The direction of the wind was variable, the horizontal movement of the air being 6 per cent. above the week's average in the 16 years 1860-75. The duration of registered bright sunshine in the week was 7.0 hours; the measured rainfall amounted to 0.09 inch.

* The figures represent persons notified as suffering from the several specified forms of infectious disease, but in some of the cases the diagnosis is afterwards found to have been erroneous.

TOWNS.	POPULATION estimated to the middle of the year 1904.*	Causes.				Diseases in Cols. 11-17.	Registered during the Week ending 31st Dec, 1904.		Deaths of		Deaths from							Deaths in Public Institutions.		Uncertified Causes of Death.	TOWNS.		
		Week ended					BIRTHS.	DEATHS.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.			20.	21.
		10th Dec., 1904.	17th Dec., 1904.	24th Dec., 1904.	31st Dec., 1904.																		
Cols.	1.	2.	3.	4.	5.	6.	7.	8.	9.	10.	11.	12.	13.	14.	15.	16.	17.	18.	19.	20.	21.	Cols.	
76 TOWNS	15,271,287	18'5	19'2	19'4	22'4	1'6	7617	6567	1379	2132	3	152	50	80	105	31	54	256	586	1379	123	76 TOWNS.	
LONDON -	4,648,960	18'1	19'0	17'6	21'0	1'4	2920	1868	346	675	-	44	15	17	25	8	15	76	218	586	5	LONDON.	
CROYDON -	144,419	15'5	13'7	17'0	24'9	-	68	69	13	34	-	-	-	-	-	-	-	3	10	18	-	CROYDON.	
WILLESDEN -	132,666	13'8	13'4	10'2	11'8	-	68	30	6	12	-	-	-	-	-	-	-	2	3	7	1	WILLESDEN.	
HORNSEY -	81,221	10'9	7'7	14'8	13'5	-	28	21	3	9	-	-	-	-	-	-	-	-	1	2	-	HORNSEY.	
TOTTENHAM -	112,981	19'4	13'4	16'2	15'7	0'9	61	34	6	10	-	1	-	3	1	-	1	-	7	7	-	TOTTENHAM.	
WEST HAM -	288,424	18'6	17'7	15'2	17'0	1'6	145	94	20	32	-	2	1	5	-	2	3	6	25	-	-	WEST HAM.	
EAST HAM -	116,802	15'2	13'4	15'6	12'0	2'7	71	27	4	11	-	1	-	-	-	1	1	-	7	1	1	EAST HAM.	
LEYTON -	110,844	15'5	12'2	11'3	19'3	1'4	52	41	7	17	-	1	-	-	-	-	-	-	1	7	1	LEYTON.	
WALTHAMSTOW -	111,282	14'5	12'2	12'2	12'2	0'9	76	26	7	6	-	-	-	-	1	1	-	1	3	3	-	WALTHAMSTOW.	
HASTINGS -	66,503	19'6	19'6	18'0	12'5	-	27	16	3	8	-	-	-	-	-	-	-	1	1	4	-	HASTINGS.	
BRIGHTON -	126,286	19'8	16'5	20'2	16'1	0'4	58	39	5	17	-	-	-	-	-	1	-	1	1	10	-	BRIGHTON.	
PORTSMOUTH†	198,038	20'8	23'4	24'5	18'4	0'3	92	70	15	27	-	-	-	1	-	-	-	2	4	11	2	PORTSMOUTH†	
BOURNEMOUTH -	64,645	8'9	12'9	10'5	16'1	1'6	15	20	2	10	-	-	1	1	-	-	-	-	-	3	-	BOURNEMOUTH.	
SOUTHAMPTON -	112,600	14'8	10'2	19'0	14'4	-	48	31	4	14	-	-	-	-	-	-	-	2	2	7	-	SOUTHAMPTON.	
READING -	76,373	23'9	16'4	14'3	18'4	-	35	27	6	12	-	-	-	-	-	-	-	-	1	8	1	READING.	
NORTHAMPTON -	91,146	12'0	18'3	20'6	17'7	1'7	34	31	3	13	-	-	2	-	1	-	-	4	6	4	-	NORTHAMPTON.	
IPSWICH -	69,805	20'9	17'2	17'2	20'2	0'7	27	27	2	15	-	-	-	-	-	-	1	1	4	4	1	IPSWICH.	
GREAT YARMOUTH -	52,099	14'0	16'0	14'0	21'0	3'0	25	21	6	10	-	-	1	-	2	-	-	-	1	3	-	GREAT YARMOUTH.	
NORWICH -	115,538	21'2	20'3	23'9	22'6	0'5	49	50	12	21	-	-	-	1	-	-	-	-	3	13	2	NORWICH.	
PLYMOUTH -	114,003	23'3	27'4	17'4	19'7	0'5	40	43	11	15	-	-	1	-	-	-	-	1	3	10	-	PLYMOUTH.	
DEVONPORT -	75,334	11'8	17'3	17'3	17'3	1'4	50	25	6	6	-	2	-	-	-	-	-	1	2	2	-	DEVONPORT.	
BRISTOL† -	343,204	23'1	25'5	19'0	20'7	3'0	148	136	40	40	-	11	-	2	7	-	-	4	15	18	1	BRISTOL†	
HANLEY -	63,932	24'5	30'2	32'6	36'7	3'3	31	45	14	5	-	1	-	-	3	-	-	2	4	3	2	HANLEY.	
BURTON-ON-TRENT -	51,934	23'1	26'1	24'1	26'1	3'0	27	26	7	5	-	1	-	1	1	-	-	-	-	2	2	BURTON-ON-TRENT.	
WOLVERHAMPTON -	98,194	13'3	18'1	17'0	19'1	1'6	43	36	12	11	-	-	-	2	-	-	1	1	2	5	2	WOLVERHAMPTON.	
WALSALL -	91,432	26'2	16'5	24'5	20'0	1'1	59	35	9	10	-	1	-	1	-	-	-	1	2	1	-	WALSALL.	
HANDSWORTH -	59,634	12'2	12'2	17'5	13'1	-	20	15	4	8	-	-	-	-	-	-	-	-	-	-	-	HANDSWORTH.	
WEST BROMWICH -	67,186	17'9	26'4	23'3	20'2	1'6	36	26	7	10	-	1	-	-	-	-	1	-	2	2	1	WEST BROMWICH.	

* See note † on first page of this return.

† These towns are included within the area of Greater London. † The recent extension of these towns will not be taken into account in the Weekly Returns until 1905.

TOWNS.	Cols.	POPULATION estimated to the middle of the Year 1904.*	Week ended				In Cols. 11-17.		during the Week ended 31st Dec., 1904.		Deaths from										Deaths in Public Institutions.	Unsettled Causes of Death.	TOWNS.	
			Week ended				In Cols. 11-17.		during the Week ended 31st Dec., 1904.		Deaths from													
			10th Dec., 1904.	17th Dec., 1904.	24th Dec., 1904.	31st Dec., 1904.	Week ended 31st Dec., 1904.	Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.							
HUDDESFIELD.	-	94,925	18'1	24'2	31'9	28'6	0'5	29	52	10	25	-	-	-	-	-	-	-	-	-	1	21.	COLS.	
HALIFAX.	-	107,580	18'9	17'4	22'8	22'3	1'9	40	46	7	14	-	-	-	-	-	-	-	-	-	1	20.	HUDDESFIELD.	
BRADFORD.	-	285,089	18'7	21'2	22'5	23'6	1'8	115	129	23	42	1	-	-	-	-	-	-	-	-	3	19.	HALIFAX.	
LEEDS.	-	450,142	14'9	13'1	19'8	23'3	0'3	216	201	36	67	-	-	-	-	-	-	-	-	-	4	17.	BRADFORD.	
SHEFFIELD.	-	432,940	15'7	14'8	21'9	27'0	0'6	200	224	46	68	-	-	-	-	-	-	-	-	-	7	32.	LEEDS.	
ROTHERHAM.	-	58,498	14'3	18'7	12'5	15'2	-	31	17	8	2	-	-	-	-	-	-	-	-	-	3	19.	SHEFFIELD.	
YORK.	-	81,268	19'9	18'0	14'8	9'6	0'6	35	15	4	7	-	-	-	-	-	-	-	-	-	2	20.	ROTHERHAM.	
HULL.	-	253,865	19'3	23'8	20'1	20'7	2'5	135	101	19	29	-	-	-	-	-	-	-	-	-	5	18.	YORK.	
MIDDLESBROUGH.	-	96,684	21'6	21'6	29'1	32'4	2'2	59	60	14	13	-	-	-	-	-	-	-	-	-	1	17.	HULL.	
STOCKTON-ON-TEES.	-	52,192	17'0	17'0	27'0	33'0	3'0	27	33	12	9	-	-	-	-	-	-	-	-	-	1	16.	MIDDLESBROUGH.	
WEST HARTLEPOOL.	-	69,251	12'0	15'8	12'0	25'6	2'3	42	34	11	4	-	-	-	-	-	-	-	-	-	3	15.	STOCKTON-ON-TEES.	
SUNDERLAND.	-	151,157	22'1	23'5	24'8	30'0	0'7	98	87	20	22	-	-	-	-	-	-	-	-	-	9	14.	WEST HARTLEPOOL.	
SOUTH SHIELDS.	-	107,334	18'9	26'2	25'3	28'2	3'9	56	58	20	9	-	-	-	-	-	-	-	-	-	2	13.	SUNDERLAND.	
GATESHEAD.	-	118,067	19'4	23'4	23'8	25'2	1'3	60	57	15	20	-	-	-	-	-	-	-	-	-	6	12.	SOUTH SHIELDS.	
NEWCASTLE-ON-TYNE†	-	225,362	24'5	21'3	25'5	22'7	2'1	122	98	16	32	-	-	-	-	-	-	-	-	-	6	11.	GATESHEAD.	
TYNEMOUTH.	-	53,060	23'6	21'6	28'5	20'6	2'0	42	21	7	7	-	-	-	-	-	-	-	-	-	3	10.	NEWCASTLE-ON-TYNE†	
NEWPORT (MON.).	-	71,543	11'7	15'3	18'9	21'1	2'2	41	29	10	8	-	-	-	-	-	-	-	-	-	2	9.	TYNEMOUTH.	
CARDIFF.	-	176,313	16'3	19'8	17'2	21'9	0'9	85	74	21	22	-	-	-	-	-	-	-	-	-	11	8.	NEWPORT (MON.).	
RHONDDA.	-	122,310	17'9	16'2	25'6	26'4	1'7	71	62	19	12	-	-	-	-	-	-	-	-	-	1	7.	CARDIFF.	
MERTHYR TYDFIL.	-	72,745	17'9	16'5	17'2	25'1	2'9	36	35	4	14	-	-	-	-	-	-	-	-	-	5	6.	RHONDDA.	
SWANSEA.	-	95,931	16'8	15'2	16'8	22'3	0'5	49	41	8	18	-	-	-	-	-	-	-	-	-	1	5.	MERTHYR TYDFIL.	
GREATER LONDON.	-	6,907,756	17'2	17'5	16'6	19'7	1'3	3447	2608	506	939	-	-	-	-	-	-	-	-	-	99	13.	SWANSEA.	
OUTER RING.	-	2,258,806	15'4	14'5	14'6	17'1	1'2	1127	749	160	264	-	-	-	-	-	-	-	-	-	20	8.	GREATER LONDON.	
8 TOWNS IN OUTER RING.	-	1,098,639	16'0	13'9	14'2	16'2	1'0	569	342	66	131	-	-	-	-	-	-	-	-	-	10	31.	OUTER RING.	
REMAINDER OF OUTER RING.	-	1,160,167	14'7	15'0	15'0	17'9	1'4	558	398	94	133	-	-	-	-	-	-	-	-	-	13	41.	8 TOWNS IN OUTER RING.	
EDINBURGH.	-	331,977	16'3	17'1	17'0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5.	REMAINDER OF OUTER RING.
GLASGOW.	-	798,357	23'1	26'6	23'7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	EDINBURGH.
DUBLIN†.	-	378,494	25'2	25'3	24'5	25'0	3'6	220	182	40	48	-	-	-	-	-	-	-	-	-	3	74.	GLASGOW.	
BELFAST†.	-	368,680	24'3	21'7	20'6	23'6	3'9	190	162	31	30	1	17	2	2	2	2	2	2	2	2	7	28.	DUBLIN†.

* See note † on first page of this return.

† The recent extension of the City of Newcastle-on-Tyne will not be taken into account in the Weekly Returns until 1905.

TABLE 2. LONDON.—Births and Deaths Registered in the FIFTY-SECOND Week of each of the Eleven Years, 1894-1904.

	1894	1895	1896	1897	1898	1899	1900	1901	1902	1903	Corrected Weekly Average in 10 Years 1894-1903.*	1904
TOTAL Births -	1950	1501	1829	2363	2215	1880	1591	1668	1651	2828	2020.2	2320
Males - -	1061	753	904	1197	1154	950	842	881	868	1454	1044.5	1200
Females - -	889	743	925	1166	1061	930	749	787	783	1374	975.7	1120
TOTAL Deaths -	1434	1502	1279	2360	1593	3067	1466	1791	1458	1896	1847.9	1868
Males - -	775	775	648	1195	823	1485	751	918	735	957	940.4	939
Females - -	659	727	631	1165	765	1582	715	873	723	939	907.5	929

* The numbers in this column are the average weekly numbers in the fifty-second week of the ten years 1894-1903, raised by 3.723 per cent. for increase of population.

TABLE 3. LONDON.—BIRTHS, DEATHS, METEOROLOGY, and CASES of INFECTIOUS SICKNESS in HOSPITALS, in the Last THIRTEEN WEEKS.

	Oct. 8.	Oct. 15.	Oct. 22.	Oct. 29.	Nov. 5.	Nov. 12.	Nov. 19.	Nov. 26.	Dec. 3.	Dec. 10.	Dec. 17.	Dec. 24.	Dec. 31.	13 Weeks.
TOTAL Births -	2470	2491	2442	2585	2581	2476	2455	2356	2542	2185	2446	2122	2320	31471
TOTAL Deaths -	1243	1270	1476	1311	1330	1357	1505	1502	1932	1613	1696	1572	1868	19675
Under 1 year -	287	267	292	289	288	306	357	345	400	330	294	278	346	4079
1-5 years -	102	121	131	122	121	137	153	144	197	157	164	140	174	1863
5-20 " -	56	74	87	55	78	75	74	80	80	82	75	76	60	952
20-40 " -	187	168	212	173	170	175	196	181	234	154	202	191	230	2473
40-60 " -	271	282	279	286	286	281	304	312	402	352	345	340	383	4123
60 yrs. & upwards.	340	338	475	386	387	383	421	440	619	538	616	547	675	6185
Deaths from—														
Small-pox† - -	-	-	-	-	-	-	-	-	-	-	-	-	-	289
Measles - -	14	15	26	20	14	15	15	14	32	22	32	26	44	116
Scarlet Fever - -	4	11	6	8	13	9	8	19	5	9	6	3	15	208
Diphtheria - -	20	17	13	12	15	13	24	11	18	23	12	13	17	156
Whooping-cough -	7	5	11	7	4	4	12	10	15	19	20	17	25	110
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	1
Enteric Fever - -	9	15	11	7	6	11	10	3	8	11	4	7	8	110
Pyrexia (origin uncertain).	-	-	1	-	-	-	-	-	-	-	-	-	-	1
Diarrhoea, Dysentery	52	49	46	25	22	27	25	18	16	16	16	12	15	338
All above Diseases -	106	112	113	79	74	79	94	75	94	100	90	78	124	1218
Dis. of Resp. System	85	94	127	145	158	171	175	228	357	268	272	236	358	2674
Pneumonia - -	81	100	124	144	127	153	186	157	208	180	215	180	163	2018
Phthisis - -	150	142	174	144	159	140	170	163	193	163	170	181	192	2141
Dis. of Circ. System	157	179	197	182	169	169	185	191	255	211	216	200	243	2554
Violence - -	51	41	53	47	52	46	45	54	76	55	62	60	76	718
Inquest Cases - -	139	125	123	136	137	119	127	124	204	155	170	140	218	1917
Deaths in Institutions	492	479	588	489	475	485	532	536	641	567	629	592	586	7091
TEMPERATURE OF THE AIR.	°	°	°	°	°	°	°	°	°	°	°	°	°	°
Mean - -	50.3	47.8	54.9	49.9	49.3	48.8	42.2	33.7	40.5	42.3	43.4	34.1	41.6	44.5
Mean of Highest	58.0	56.3	61.3	56.1	53.1	54.3	49.6	37.7	41.5	46.4	47.7	38.0	45.6	49.9
Mean of Lowest	43.3	38.7	48.7	43.1	45.9	43.3	35.3	28.5	35.8	35.9	37.7	29.7	37.2	38.6
Mean Humidity of the Air.	81	85	89	84	84	83	94	82	87	88	87	97	85	87
Rain-fall (in inches) -	0.86	0.02	0.43	0.20	0.11	1.40	0.04	0.18	0.07	1.51	0.50	0.04	0.09	5.48
Registered Sunshine (in hours).	17.5	25.0	10.0	22.9	9.8	11.7	14.9	9.6	4.3	3.3	5.8	3.5	7.0	145.3
CASES OF INFECTIOUS SICKNESS IN HOSPITALS* AT THE END OF EACH WEEK.														Means.
Small-pox† - -	2	1	1	1	1	1	1	3	4	6	14	17	4	
Scarlet Fever - -	2341	2516	2687	2725	2782	2843	2774	2741	2625	2490	2403	2393	2386	2593
Diphtheria - -	892	931	950	947	979	947	921	919	892	874	839	825	807	902
Typhus - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Enteric Fever - -	239	242	259	225	230	224	214	191	178	165	174	170	159	203

* The Metropolitan Asylum and London Fever Hospitals.

† See note * to Table 4.

METEOROLOGICAL OBSERVATIONS.—(See TABLE 8.) The following gentlemen have kindly placed their meteorological observations at the disposal of the Registrar-General, and the results have been compiled at the Meteorological Office.—The Astronomer Royal, Greenwich; Arthur Newsholme, Esq., M.D., Brighton; A. Mearns Fraser, Esq., M.B., Portsmouth; H. Victor Prigg, Esq., A.M.I.C.E., Plymouth; R. C. Cann Lippincott, Esq., F.R. Met. Soc., Bristol; A. Cresswell, Esq., Edgbaston, Birmingham; A. W. Preston, Esq., F.R. Met. Soc., Norwich; Arthur Brown, Esq., M.Inst. C.E., and P. Boobyer, Esq., M.D., Nottingham; W. E. Plummer, Esq., F.R.A.S., Liverpool; T. R. H. Clunn, Esq., M.D., Prestwich, Manchester; H. O. Pilkington, Esq., M.R.C.S. Preston; J. Firth, Esq., Huddersfield; H. A. Johnson, Esq., M.Inst. C.E., Bradford; H. Crowther, Esq., Leeds; H. B. Witty, Esq., Hull; and W. B. Clark, Esq., Tynemouth, for the Meteorological Council.

TABLE 4. LONDON.—DEATHS Registered in the FIFTY-SECOND Week of the Year 1904.

Terms printed in italics being the names of symptoms merely, or being unauthorized or otherwise objectionable, should be used in Medical Certificates only when precise information is wanting.

CAUSES OF DEATH.	Deaths in the 52nd week of the year 1904.	1904—Deaths of Persons of the Ages							CAUSES OF DEATH.	Deaths in the 52nd week of the year 1903.	1904—Deaths of Persons of the Ages							
		ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.			ALL AGES.	Under 20.			20 and under 40.	40 and under 60.	60 years and upwards.	
			0-1.	1-5.	5-20.							0-1.	1-5.	5-20.				
ALL CAUSES	1866	1868	346	174	60	230	383	675	Meningitis (not tuberc.)	17	14	7	5	1	1	-	-	
									Insanity, Gen. Par. of	23	25	-	-	-	9	11	5	
									Insane -	19	8	-	-	-	-	-	-	
Small-pox*	-	-	-	-	-	-	-	-	Epilepsy -	30	31	29	2	1	3	1	2	
Cowpox -	-	-	-	-	-	-	-	-	Convulsions -	1	2	-	-	-	-	-	-	
Measles (Morbilli)	59	44	2	40	2	-	-	-	Locomotor Ataxy -	5	5	-	-	-	3	-	2	
Scarlet Fever -	9	15	1	13	1	-	-	-	Paraplegia, Dis. of Cord	29	25	-	-	-	1	5	19	
Typhus -	-	-	-	-	-	-	-	-	Nervous Sys. (other dis.)	63	55	-	-	5	8	6	36	
Plague -	-	-	-	-	-	-	-	-	Valv. Dis., Endocarditis-	44	56	-	-	-	2	9	45	
Influenza -	18	23	-	-	2	2	2	17	Cerebr. Hæm. Thromb.-	22	11	-	-	-	1	1	9	
Whooping-cough -	35	25	14	9	2	-	-	-	Apoplexy, Hemiplegia -	6	4	-	-	-	1	1	2	
Diphtheria -	27	17	-	12	4	1	-	-	Aneurysm -	-	-	-	-	-	-	-	-	
Cerebro Spinal Fever	-	-	-	-	-	-	-	-	Embolism, Thrombosis }	111	117	-	-	3	8	34	72	
Pyæmia,† (Origin un-	-	-	-	-	-	-	-	-	(not cerebral)	-	-	-	-	-	-	-	-	
Certain) -	-	-	-	-	-	-	-	-	Heart & Blood Vessel Dis.	1	-	-	-	-	-	-	-	
Enteric Fever -	10	8	-	-	3	3	2	-	Croup (not Spasm; nor	199	317	40	14	-	11	71	181	
Asiatic Cholera -	-	-	-	-	-	-	-	-	Membr. -	7	13	-	-	-	2	5	6	
Epidemic Diarrhœa }	8	5	3	2	-	-	-	-	Bronchitis -	5	4	-	-	-	1	2	1	
(Infective Enteritis)	-	-	-	-	-	-	-	-	Asthma, Emphysema -	18	24	4	4	-	2	2	12	
Diarrhœa, Dysentery	19	10	6	2	-	-	-	2	Pleurisy -	-	-	-	-	-	-	-	-	
Tetanus -	-	-	-	-	-	-	-	-	Respiratory Dis. (other)	2	1	1	-	-	-	-	-	
Rabies, Hydrophobia	-	-	-	-	-	-	-	-	Tonsillitis, Quinsy -	15	8	3	3	-	1	-	1	
Glanders -	-	-	-	-	-	-	-	-	Enteritis (not Epid.)	5	3	1	1	-	-	1	-	
Anthrax (Splenic Fever)-	-	-	-	-	-	-	-	-	Gastro-Enteritis -	2	1	1	-	-	-	-	-	
Venereal Dis. -	11	6	4	-	-	2	-	-	Peritonitis (not Puerp.)	13	23	-	-	1	2	11	9	
Puerperal Septicæmia	8	4	-	-	-	4	-	-	Cirrhosis of Liver -	8	7	-	-	-	3	3	7	
Puerperal Pyæmia -	1	-	-	-	-	-	-	-	Liver Dis. (other) -	51	39	13	1	3	5	7	10	
Puerperal Fever -	-	-	-	-	-	-	-	-	Digestive Dis., Other	3	12	-	1	-	2	7	2	
Infective Endocarditis	2	3	-	-	3	-	-	-	Nephritis, Acute -	44	43	-	-	-	6	10	27	
Lobar -	11	11	-	1	-	2	4	4	Bright's Dis., Albumin-	15	9	-	-	-	1	2	6	
Broncho -	79	84	34	23	1	3	9	14	uria	3	2	-	-	-	1	1	-	
Pneumonia } Epidemic	-	-	-	-	-	-	-	-	Urinary Sys., Other Dis.	3	4	-	-	-	4	-	-	
Not defined	86	68	12	10	3	11	21	11	Generative Organs Dis.-	5	4	-	-	-	-	-	-	
Erysipelas	6	8	2	1	-	1	1	3	Childbirth (Accid. of)	66	78	-	-	-	-	-	78	
Septicæmia (not Puer-	1	-	-	-	-	-	-	-	Old Age -	135	84	63	4	1	7	4	5	
peral) -	-	-	-	-	-	-	-	-	Other Diseases -	-	-	-	-	-	-	-	-	
Pyæmia (not Puerperal)	1	-	-	-	-	-	-	-	ACCIDENT.									
Other Infective Processes	11	14	3	1	3	0	1	-	By Railways -	1	1	-	-	-	-	1	-	
Tuberculous Phthisis	94	101	1	1	4	44	43	8	By Vehicles and Horses-	12	3	-	-	-	2	1	-	
"Phthisis" -	89	91	-	-	8	41	37	5	In Ships, Boats, Docks,	-	-	-	-	-	-	-	-	
Tuberculous Meningitis-	20	25	3	15	7	-	-	-	(exclusive of Drown-	-	-	-	-	-	-	-	-	
Tuberculous Peritonitis-	9	1	-	-	-	1	-	-	ing)	-	-	-	-	-	-	-	-	
Tubes Mesenterica -	4	2	2	-	-	-	-	-	In Building Operations-	1	-	-	-	-	-	-	-	
Tuberculous Dis. (other)-	14	10	2	1	2	2	3	-	In Conflagrations -	-	-	-	-	-	-	-	-	
Scrofula -	1	1	-	1	-	-	-	-	By Burns, Scalds, Ex-	8	9	-	5	-	-	-	4	
Alcoholism -	14	15	-	-	-	3	8	4	plosions -	1	4	-	-	-	1	1	-	
Rheumatic Fever -	6	3	-	-	1	-	1	1	By Suffocation in Bed	28	26	26	-	-	-	-	2	
Gout -	2	2	-	-	-	-	-	2	By Poisons or Poisonous	-	1	-	-	-	-	1	-	
Sarcoma -	3	3	-	-	-	2	1	-	Vapours -	-	-	-	-	-	-	-	-	
Cancer (undefined)	47	30	-	-	4	12	14	-	Other Deaths by Acci-	14	24	2	1	1	7	6	7	
Diabetes Mellitus -	6	5	-	-	1	1	3	-	dent -	-	-	-	-	-	-	-	-	
Premature Birth -	59	67	67	-	-	-	-	-	VIOLENCE OTHER THAN									
									ACCIDENTAL.									
									Homicide -	1	1	-	-	-	-	1	-	
									Suicide -	11	7	-	-	-	3	3	1	
									Execution -	-	-	-	-	-	-	-	-	

* In tables 3 and 4 the information respecting deaths from small-pox has been modified in view of the difficulty experienced in obtaining full particulars in time for publication in the successive weekly returns.

† Formerly described as "Simple Continued Fever."

TABLE 5. LONDON.*—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHTHERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 31st December, 1904.

REGISTRATION SUB-DISTRICTS.		Enu- mer- ated Popu- lation, 1901.	Total Births.	Total Deaths.	The DEATHS registered during the Week include														Inquest Cases.	Deaths in Public Institutions.
					Deaths of		Deaths from													
							Infants under 1 Year of Age.	Persons aged 1 Year and upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin uncertain).	Diarrhoea.	Violence.		
LONDON - - -		4,536,429	2320	1868	346	675	-	44	15	17	25	-	8	-	15	76	218	586		
WEST DISTRICTS		805,311	318	334	53	128	-	1	-	3	6	-	1	-	4	15	27	96		
NORTH DISTRICTS		1,056,070	478	398	64	161	-	13	1	4	6	-	1	-	1	17	60	105		
CENTRAL DISTRICTS		209,465	120	97	16	32	-	7	-	-	1	-	1	-	1	2	7	33		
EAST DISTRICTS -		715,739	443	322	73	107	-	8	-	-	2	-	1	-	3	19	58	110		
SOUTH DISTRICTS		1,749,844	961	668	140	228	-	15	13	10	10	-	3	-	5	23	86	193		
METROPOLITAN HOSPITALS AND ASYLUMS OUTSIDE REGISTRATION LONDON*		-	-	49	-	19	-	-	1	-	-	-	1	-	1	-	-	49		
WEST DISTRICTS.																				
St. Mary Paddington } G. & W.		93,178	34	36	5	14	-	-	-	-	-	-	-	-	1	2	4	9		
W ^{2H}																				
St. John Paddington H - - G.		33,617	5	12	-	6	-	-	-	-	-	-	-	-	-	3	3	6		
North-West Paddington - - C.		17,181	8	6	4	1	-	-	-	-	1	-	-	-	-	1	1	-		
Kensington Town 2W, w ^{2H} G., W. & C.		128,037	62	70	13	35	-	-	-	-	-	-	-	-	1	3	4	33		
Brompton 2H - - W. & C.		48,591	12	12	2	9	-	-	-	-	-	-	-	-	-	-	-	1		
North Hammersmith W, w ^{2H} } W. & G.		49,192	19	25	7	8	-	-	-	-	1	-	-	-	-	2	3	-		
South Hammersmith w ^{2H} }		63,047	29	23	2	6	-	-	-	-	-	1	-	-	-	-	1	4		
North-west Fulham W }		45,180	28	28	5	3	-	-	-	1	1	-	-	-	2	1	5	17		
North-east Fulham F }		46,406	20	25	3	9	-	-	-	1	-	-	-	-	-	-	-	1		
South Fulham W }		45,704	22	15	2	4	-	1	-	-	1	-	-	-	-	-	1	-		
Chelsea North W, w ^{3H} - - C.		42,514	17	22	1	9	-	-	-	-	-	-	-	-	-	1	1	15		
Chelsea South W ^{2H} - - C.		31,328	7	10	2	5	-	-	-	1	1	-	-	-	-	-	1	1		
May Fair and Knightsbridge C. & G.		28,743	6	9	2	4	-	-	-	-	-	-	-	-	-	1	1	-		
Belgrave W ^{2H} - - C.		55,815	19	23	3	5	-	-	-	-	-	-	-	-	-	1	1	4		
St. Margaret & St. John 4H - C.		43,698	21	10	2	6	-	-	-	-	1	-	-	-	-	-	-	2		
St. James Westminster } N. & G.		21,588	3	5	-	3	-	-	-	-	-	-	-	-	-	-	-	2		
W ^H																				
St. Anne Soho 5H - - N.		11,493	6	3	-	1	-	-	-	-	-	-	-	-	-	-	1	2		
NORTH DISTRICTS.																				
All Souls Marylebone 8H - W.		35,391	13	15	1	3	-	-	-	-	1	-	-	-	-	2	4	8		
Rectory Marylebone W G. & W.		18,849	8	7	-	3	-	-	-	-	-	-	-	-	-	-	-	9		
St. Mary Marylebone 4H G. & W.		18,099	32	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-		
Christchurch Marylebone H- W.		39,536	12	14	4	3	-	-	-	-	1	-	-	-	-	-	3	-		
St. John Marylebone 3H - W.		20,426	7	5	-	4	-	-	-	-	-	-	-	-	-	-	-	-		
Hampstead W, F, 8H - N. & W.		81,942	23	31	4	14	-	-	1	1	1	-	-	-	-	-	2	8		
West St. Pancras 2H - - W.		60,562	24	20	1	11	-	-	-	-	-	-	-	-	-	1	2	-		
Tottenham-court w, 6H - N. & W.		21,258	4	9	-	3	-	1	-	-	-	-	-	-	-	-	2	6		
Gray's Inn Lane 4H - - N.		34,449	17	9	7	1	-	1	-	-	1	-	-	-	-	1	1	1		
East St. Pancras W ^{2H} - - N.		60,320	34	31	2	16	-	-	-	-	-	-	-	-	-	2	2	11		
North St. Pancras 2W - - N.		58,728	23	21	3	5	-	-	-	-	-	-	-	-	-	-	2	5		
Tufnell W - - N.		31,995	10	24	4	13	-	-	-	-	1	-	-	-	-	2	2	18		
Upper Holloway 2W, w ^{2H} - N.		33,978	20	30	1	14	-	-	-	-	-	-	-	-	-	3	5	21		
Tollington W - - N.		33,922	13	5	1	1	-	-	-	-	-	-	-	-	-	-	-	-		
Lower Holloway - - N.		41,424	18	17	8	3	-	-	-	-	1	-	-	-	1	-	1	-		
Barnsbury - - N.		54,478	28	15	3	7	-	1	-	-	-	-	-	-	-	-	-	-		
Islington South-east F - - N.		75,397	28	20	4	8	-	-	-	-	-	-	-	-	-	1	3	-		
Highbury 2H - - N.		63,797	29	17	3	5	-	2	-	1	-	-	-	-	-	-	7	-		
Stoke Newington H - - N.		51,247	17	15	3	7	-	-	-	-	-	-	-	-	-	-	2	-		
North Hackney - - E. & N.		50,560	11	23	3	11	-	3	-	-	-	-	1	-	-	-	3	-		
Central Hackney 2w, F - E. & N.		50,538	23	14	3	4	-	2	-	2	-	-	-	-	-	-	2	3		
South-west Hackney 3H E. & N.		59,921	46	18	3	6	-	1	-	-	-	-	-	-	-	3	7	5		
South-east Hackney 2W, w, H E. & N.		58,255	38	36	6	17	-	-	-	-	-	-	-	-	-	2	10	16		

NOTE.—The Italic letters placed against the names of the sub-districts denote Public Institutions situated there, namely: W—Workhouse belonging to the District or Union; w—Workhouse belonging wholly or partly to other District than that in which it stands; F—a Fever Hospital; H—another Hospital; L—a Lunatic Asylum. When a sub-district contains more than one institution of either kind, the number is indicated by a figure prefixed to the letter. The Roman capitals signify the Water Districts in which the different Sub-districts are situated:—G, signifying Grand Junction; W, West Middlesex; C, Chelsea; S, Southwark and Vauxhall; L, Lambeth; N, New River.

* See also note * on first page of this return.

† Formerly described as "Simple Continued Fever."

LE 5. (contd.) LONDON.—POPULATION; BIRTHS; DEATHS from ALL CAUSES, and from SMALL-POX, MEASLES, SCARLET FEVER, DIPHThERIA, WHOOPING-COUGH, FEVER, DIARRHŒA, VIOLENCE, &c., registered in each SUB-DISTRICT during the Week ended Saturday, 31st December, 1904—continued.

REGISTRATION SUB-DISTRICTS,	Enu- me- rated Popu- lation, 1901.	Total BIRTHS.	Total DEATHS.	The DEATHS registered during the Week include														Deaths in Public Institutions.	Uncertified Causes of Death.
				Deaths of Infants under 1 Year of Age.	Persons aged 60 Years and upwards.	Deaths from										Inquest Cases.			
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Typhus.	Enteric (or Typhoid) Fever.	Pyæmia (Origin un- certain).	Diarrhœa.	Violence.				
CENTRAL DISTRICTS.																			
Giles and Bloomsbury W,2H N.	31,436	18	9	2	3	-	-	-	-	-	-	-	-	-	-	-	4	-	
and W,4H - - - N. & C.	21,674	3	10	1	5	-	-	-	-	-	-	-	-	-	-	-	9	-	
and Union Workhouse, Edmonton -	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	-	2	-	
born W,6H - - - N.	29,612	13	10	1	3	-	-	-	-	-	1	-	-	-	-	-	4	-	
th Clerkenwell - - - N.	28,676	13	12	2	4	-	-	-	-	-	-	-	-	-	-	1	-	-	
th Clerkenwell H - - - N.	35,028	20	11	3	1	-	3	-	-	-	-	-	-	-	-	1	-	-	
sbury 3H,L - - - N.	36,116	44	15	3	3	-	3	-	-	-	-	-	-	-	1	-	-	-	
born Union Workhouse, } Mcham - - -	-	-	4	-	4	-	-	-	-	-	-	-	-	-	-	-	4	-	
Botolph H - - - N. & E.	10,299	4	5	1	2	-	-	-	-	-	-	-	-	-	1	3	-	-	
Sepulchre and Allhallows } 2H - - - N.	16,624	5	19	3	5	-	1	-	-	-	-	1	-	-	1	1	10	-	
of London Asylum, Stone -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
EAST DISTRICTS.																			
reditch South H - E. & N.	46,362	24	13	7	3	-	-	-	-	-	1	-	-	-	1	1	-	-	
reditch North-West W,4H N.	36,127	27	44	5	22	-	1	-	-	-	-	-	-	-	2	6	30	-	
reditch North-East - N. & E.	36,148	19	12	4	3	-	-	-	-	-	-	-	-	-	-	4	-	-	
reditch Union Workhouse, Wood- green - - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
anal Green North 2H - E.	51,514	26	15	3	3	-	2	-	-	-	-	-	-	-	-	2	1	-	
anal Green South - - E.	33,472	16	11	3	1	-	1	-	-	-	-	-	-	-	-	1	-	-	
anal Green East 2W,H,L - E.	44,694	27	31	4	10	-	-	-	-	1	-	-	-	-	4	4	14	-	
alfields - - - E. & N.	27,969	8	10	2	4	-	-	-	-	-	-	-	-	-	1	4	-	-	
End New Town W,H - E.	23,718	20	29	2	5	-	-	-	-	-	-	1	-	-	1	4	26	-	
Edman's Fields - - - E.	22,081	7	3	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	
George and St. John 2W E.	49,068	30	16	5	4	-	-	-	-	-	-	-	-	-	1	4	7	-	
dwell and Ratcliff W,H E. & N.	25,568	13	10	4	-	-	-	-	-	-	-	-	-	-	1	2	3	1	
ehouse - - - E.	32,369	29	11	5	-	-	2	-	-	-	-	-	-	-	1	5	-	-	
End Old Town South- Eastern H - - - E.	63,698	58	16	8	3	-	-	-	-	-	-	-	-	-	3	5	-	-	
End Old Town North- Eastern W,4 - - - E.	49,129	34	31	8	19	-	-	-	-	-	-	-	-	-	-	4	8	-	
y L - - - E.	41,989	27	9	1	5	-	-	-	-	-	-	-	-	-	-	-	-	-	
ley 3w,H - - - E.	68,319	37	38	7	12	-	2	-	-	-	-	-	-	-	1	-	6	17	
lar W,4 - - - E.	68,614	41	23	3	13	-	-	-	-	-	-	-	-	-	1	2	4	6	

TABLE 6. LONDON.—OUTER RING (excluding DEATHS of LONDONERS in METROPOLITAN WORKHOUSE HOSPITALS, and ASYLUMS).—AREA; POPULATION; BIRTHS and DEATHS registered during the Week ended Saturday, 31st December, 1904.

REGISTRATION SUB-DISTRICTS		Area in Acres.	Enu- me- rated Popu- lation, 1901.	BIRTHS.	DEATHS.	The DEATHS registered in the Week include													
						Deaths of		Deaths from											
						1 Infants under Year of Age.	60 Persons aged Years & upwards.	Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping-cough.	Fever.	Diarrhoea.	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
LONDON—OUTER RING						160	264	-	11	3	15	17	3	5	23	67	118	8	
0:1	Carshalton <i>w, 2F, 2H</i>	12,228	32,997	19	13	5	3	-	-	-	1	-	-	-	-	-	-	2	-
0:2	Epsom, <i>part of</i> * <i>W, w, 2F, H</i>	10,423	15,548	6	7	1	4	-	-	-	-	-	-	-	-	-	-	4	-
0:7	Godstone, <i>part of</i> * <i>W, F</i>	2,754	2,692	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
0:8	Coulsdon	11,069	8,166	6	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
0:1	South Croydon <i>w</i>	4,200	49,309	15	14	1	7	-	-	-	-	-	-	-	-	-	3	-	-
0:3	West Croydon <i>3W, F, H</i>	2,168	42,888	32	39	9	21	-	-	-	-	-	-	-	-	1	4	16	-
0:4	North Croydon <i>H</i>	2,644	41,698	21	14	3	6	-	-	-	-	-	-	-	-	2	3	-	-
0:5	Penge <i>w</i>	770	22,465	9	9	1	2	-	-	-	-	1	-	-	-	-	2	-	-
0:6	Mitcham <i>w</i>	11,711	30,015	23	9	12	2	-	-	-	-	-	-	-	-	1	-	-	-
0:9	Wimbledon <i>F, 3H</i>	3,221	41,652	25	13	2	8	-	-	-	-	-	-	-	-	2	-	-	-
0:2	Kingston <i>W, H</i>	6,224	42,068	21	14	3	6	-	-	-	1	-	-	-	-	1	2	4	-
0:3	Surbiton <i>F, H</i>	3,046	15,017	3	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-
0:4	Esher, <i>part of</i> * <i>H</i>	5,402	13,100	8	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
0:5	Hampton <i>H, L</i>	4,564	23,456	12	7	1	3	-	1	-	-	-	-	-	-	-	-	-	-
0:1	Richmond <i>W, H</i>	2,162	28,865	9	18	4	7	-	1	-	-	1	-	-	-	-	8	-	-
0:2	Mortlake <i>F</i>	2,847	20,628	10	5	2	-	-	-	-	-	-	-	-	-	2	1	-	-
1:1	Bromley <i>F, 2H</i>	4,703	27,354	8	9	2	5	-	-	-	-	-	-	-	-	-	-	-	-
1:2	Beckenham <i>H</i>	7,825	28,497	16	9	2	4	-	-	-	-	-	-	-	-	-	-	-	-
1:3	Orpington, <i>part of</i> * <i>W</i>	10,113	9,857	6	5	-	2	-	-	-	-	-	-	-	1	-	5	-	-
1:4	Chislehurst <i>2H</i>	7,333	16,446	6	3	1	2	-	-	-	-	-	-	-	-	-	-	1	-
2:1	Bexley <i>F, H</i>	8,678	21,151	7	7	1	1	-	1	-	-	-	-	-	-	-	1	-	-
2:2	Erith <i>F, H</i>	3,854	25,296	8	5	1	2	-	-	-	1	-	-	-	-	-	-	-	-
2:3	Dartford <i>W, F, part of</i> *	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	2	-	-
4:1	Sunbury <i>w</i>	11,054	18,683	7	11	3	3	-	-	-	1	1	-	-	-	-	-	-	-
4:2	Staines <i>W, H</i>	13,277	15,178	4	6	1	2	-	-	-	-	-	-	-	-	-	-	-	-
5:1	Hillingdon <i>W, F, H</i>	6,035	13,661	7	4	-	2	-	-	-	-	-	-	-	-	-	-	1	-
5:2	Uxbridge <i>H</i>	12,757	8,984	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-
5:3	Hayes <i>w, F, H</i>	8,066	16,358	10	5	1	2	-	-	-	-	1	-	-	-	-	-	-	-
6:1	Isleworth <i>3W, 2F, H</i>	8,659	30,863	34	14	8	5	-	-	-	1	-	-	-	-	-	-	3	1
6:2	Twickenham <i>F, H</i>	2,421	20,991	8	7	-	3	-	-	-	-	1	-	-	-	-	-	-	-
6:3	Brentford <i>2F, 2H, L</i>	4,319	48,289	33	21	3	8	-	-	1	-	-	-	-	-	1	1	2	-
6:4	Chiswick <i>H</i>	1,249	29,809	17	12	2	3	-	-	-	-	-	-	-	-	-	1	-	-
6:5	Acton <i>w, 3H</i>	6,132	48,914	34	22	9	4	-	-	-	-	3	-	-	-	-	-	-	1
7:1	Harrow <i>F, H</i>	13,809	25,523	15	7	2	2	-	-	-	-	-	-	-	-	-	1	2	-
7:2	Edgware <i>F, 2H</i>	6,994	4,521	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7:3	Willesden <i>W, F, 2H</i>	4,384	114,811	68	30	6	12	-	-	-	-	-	-	-	-	2	3	7	1
7:4	Hendon <i>W, F</i>	8,382	22,460	9	8	3	2	-	-	-	-	1	-	-	-	-	-	-	-
8:1	South Mimms <i>2F, H</i>	17,755	7,308	3	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
8:2	Barnet <i>W, 3H</i>	3,324	17,970	8	10	1	6	-	-	-	-	-	-	-	-	-	-	-	-
8:3	Finchley <i>F, 2H</i>	4,688	33,692	14	4	-	2	-	-	-	-	-	-	-	-	-	1	-	-
8:4	Hornsey <i>F, H</i>	2,875	72,056	28	19	3	9	-	-	-	-	-	-	-	-	-	-	-	-
8:5	Wood Green <i>H</i>	1,625	34,233	19	9	2	3	-	-	-	-	1	-	-	-	1	-	-	-
8:6	West Tottenham <i>F</i>	996	48,853	22	12	3	2	-	1	-	-	-	-	-	-	-	-	-	-
8:7	East Tottenham <i>F, H</i>	2,017	53,688	39	18	2	5	-	-	-	-	-	-	-	-	1	5	3	-
8:8	Edmonton <i>W, w, 2F</i>	7,491	61,892	36	33	3	15	-	-	-	-	-	-	-	-	-	6	9	-
8:9	Enfield <i>2W, F, H</i>	12,601	42,738	19	13	3	6	-	-	-	-	-	-	-	-	1	2	1	-
7:7	Waltham Abbey	11,017	6,549	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
7:8	Cheshunt <i>F, H</i>	8,479	12,292	6	5	1	3	-	-	-	-	-	-	-	-	1	1	-	-
9:1	Hatfield, <i>part of</i> * <i>W</i>	3,305	664	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9:1	Bushey <i>H</i>	9,333	9,173	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
9:2	Watford <i>W, 2F part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1:1	Stratford <i>H</i>	1,072	44,827	18	9	5	1	-	-	-	-	-	-	-	-	-	-	-	-
1:2	Plaistow <i>F, 2H</i>	1,249	90,921	52	32	8	6	-	2	1	3	-	-	-	-	1	2	6	-
1:3	Canning Town <i>H</i>	1,566	70,718	44	21	4	6	-	-	-	-	-	-	-	-	1	3	-	-
1:4	Forest Gate <i>w</i>	806	60,892	31	14	3	7	-	-	-	-	-	-	-	-	-	-	-	-
1:5	North East Ham <i>w</i>	1,333	58,676	39	11	2	6	-	-	-	-	-	-	-	-	-	-	-	1
1:6	South East Ham <i>2F</i>	1,993	37,342	32	11	2	2	-	1	-	4	-	-	-	-	-	3	-	-
1:7	Wanstead <i>F</i>	1,679	9,179	3	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-
1:8	South Leyton <i>2W</i>	631	50,467	24	23	5	11	-	1	-	-	-	-	-	-	-	-	9	1
1:9	North Leyton <i>W, w, F</i>	1,963	48,445	28	41	2	21	-	-	-	1	-	-	-	-	2	2	21	-
1:1	Walthamstow <i>3H, L</i>	6,504	108,929	86	30	8	6	-	-	-	-	1	1	-	-	3	-	-	-
2:1	Chigwell, <i>part of</i> * <i>2F, 4H</i>	11,778	16,397	2	7	3	-	-	-	-	-	2	-	-	-	-	1	-	-
2:2	Epping <i>W, F, part of</i> *	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2:3	Romford, <i>part of</i> * <i>W, 2F</i>	6,556	6,091	3	2	-	1	-	-	-	1	-	-	-	-	-	-	2	-
2:4	Ilford <i>F, L</i>	8,496	41,234	26	25	9	6	-	3	-	2	-	-	-	-	-	2	3	-
2:5	Barking Town <i>F</i>	3,803	21,547	21	13	4	3	-	-	-	-	-	-	-	-	1	-	-	-
	Brook Hospital, Charlton	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-
	Middlesex County Asylum, Wandsworth.	-	-	-	5	-	1	-	-	-	-	-	-	-	-	-	-	5	-

The parts of sub-districts included within that portion of the Metropolitan Police District; which forms the Outer Ring are as follows:—30: 2, excepting Ashstead parish; 37: 1, Waringham and Farley parishes; 39: 4, excepting Esher parish; 41: 3, excepting Chelsfield, Oudham, and Knockholt parishes; 135: 1, Northaw parish; 187: 1, excepting Leydon Bois parish, and part of Epping parish; 189: 1, Dagenham parish. Deaths in Workhouses and Infectious cases Hospitals belonging to the Outer Ring in 42: 3, 137: 2, and 187: 2 are also included.

TABLE 7.—BIRTHS and DEATHS and Rate of MORTALITY in certain INDIAN and FOREIGN CITIES

CITIES.	POPULATION (enumerated or estimated).	DATE OF RETURN. Week ended	BIRTHS. Exclusive of Stillborn.	DEATHS.	ANNUAL DEATH- RATE per 1000 living.	DEATHS FROM					
						Small-pox.	Measles.	Scarlet Fever.	Diphtheria.	Whooping- cough.	Fever.
CALCUTTA (including SUBURBS)	847,796	November 12	-	459	28·1	-	1	-	2	-	17
BOMBAY - -	776,006	December 13	458	693	46·4	19	3	-	-	1	119†
MADRAS - -	509,346	November 18	417	316	32·2	3	1	?	?	?	78
		" 25	457	317	32·3	-	1	?	?	?	82
PARIS - - -	2,660,559	December 24	942	990	19·3	-	6	1	7*	-	7
BRUSSELS - -	586,936	" 24	214	188	16·6	1	5	-	-	-	-
ANTWERP - -	286,895	" 24	123	100	18·1	-	4	-	1*	-	1
AMSTERDAM -	548,160	" 17	288	190	18·0	-	6	-	2*	10	2
COPENHAGEN -	423,000	" 24	179	95	11·7	-	2	-	-	2	-
STOCKHOLM -	309,496	" 17	175	84	14·1	-	1	-	1*	1	-
CHRISTIANIA -	223,649	" 24	89	63	14·6	-	-	-	4*	1	-
ST. PETERSBURG	1,248,122	" 17	557	726	30·2	1	11	8	16*	2	18
MOSCOW - - -	1,092,360	" 17	-	548	26·2	-	7	15	12*	3	3
BERLIN - - -	1,964,315	" 10	885	643	16·8	-	6	12	3*	3	-
HAMBURG - - -	751,842	" 24	-	235	16·3	-	2	2	2*	2	1
BRESLAU - - -	445,679	" 24	-	215	25·2	-	-	-	7*	-	-
MUNICH - - -	520,000	" 24	-	176	17·6	-	2	1	3*	1	-
VIENNA - - -	1,797,992	" 24	954	637	18·2	-	8	-	11*	-	2
PRAGUE - - -	426,402	" 17	170	170	20·5	-	6	-	-	-	3
BUDA-PESTH -	813,399	" 17	452	311	19·9	-	6	4	3*	1	2
TRIESTE - - -	190,166	" 24	133	118	32·1	-	-	-	-	2	-
ROME - - -	505,371	October 29	233	154	15·9	-	-	-	-	-	5
VENICE - - -	166,288	November 26	79	63	19·8	-	-	-	1*	-	1
CAIRO - - -	624,338	August 26	-	-	-	-	-	-	-	-	-
ALEXANDRIA -	349,300	" 26	-	-	-	-	-	-	-	-	-
NEW YORK - -	3,838,024	December 17	2013	1380	18·8	-	12	13	40*	7	16
PHILADELPHIA -	1,408,154	" 10	-	453	16·7	1	2	3	17*	1	7
BOSTON - - -	617,950	" 10	-	-	-	-	-	-	-	-	-

* Including deaths from croup.

† Including 6 deaths from plague in Calcutta, and 72 in Bombay.

‡ Including 32 deaths from cholera in Calcutta, and 2 in Bombay.

TABLE 8.—METEOROLOGY in certain towns during the week ended Saturday, 31st December, 1901.

TOWNS.	Temperature of Air.			Rainfall in Inches.	TOWNS.	Temperature of Air.			Rain in Inches.
	Highest.	Lowest.	Mean.*			Highest.	Lowest.	Mean.*	
LONDON (Greenwich)	55·7	30·5	41·4	0·09	BRADFORD - -	53·0	25·2	37·5	0·1
BRIGHTON - -	51·8	34·5	42·8	0·04	LEEDS - - -	55·0	27·0	39·7	0·1
PORTSMOUTH -	53·3	36·0	43·4	0·07	HULL - - -	54·0	30·0	39·0	0·1
NORWICH - - -	54·0	29·4	39·1	0·44	TYNEMOUTH -	55·0	23·0	37·5	0·1
PLYMOUTH - -	52·9	38·4	46·8	0·12					
BRISTOL - - -	52·0	27·0	41·1	0·04	EDINBURGH - -	-	-	-	-
BIRMINGHAM -	53·1	27·2	39·4	0·06	GLASGOW - - -	-	-	-	-
NOTTINGHAM -	56·1	28·0	38·6	0·20					
LIVERPOOL - -	54·0	26·0	40·1	0·09	DUBLIN { Phoenix Park.	52·9	36·0	44·1	0·2
OBSERVATORY.					{ Fitz- william Square.†	55·1	39·0	46·3	0·1
MANCHESTER -	51·7	22·9	38·4	0·12					
PRESTON - - -	52·0	27·8	37·6	0·17					
HUDDERSFIELD -	50·4	21·0	37·3	0·35	BELFAST - - -	-	-	-	-

* Those figures in this column which are compiled by the Meteorological Office (see footnote to the sixth page of the return) are the averages of the mean of the daily Maximum and Minimum temperatures. The correction applied to the late Mr. Glaisher in the returns up to the 31st March, 1902, for the corresponding period to the above was 0·1 Fahrenheit to be subtracted. See Table V. of Glaisher's Diurnal Range Tables.

† Kindly furnished by Sir J. W. Moore, B.A., M.D. Dublin.

1904.

MONTH AND

1904.		Phases of the Moon.	TEMPERATURE.				Of the Air.				Of the Dew point		Difference between the Air Temperature and Dew Point Temperature.		Of Radiation.			Of the Earth's Surface.		Oiler's.				Robinson's.		collected in a Gauge when surface is above the Ground.					
			METER.	Mean and reduced to 32° Fahr. (height).		Low-est.	Daily Range.	Mean daily value.	De- parture from Average value.	Mean daily value.	Great- est.	Least.	Highest in Sun's Rays.	Lowest on the Grass.	General Direction.		Pressure on the Square Foot.		Horizontal Movement of the Air on each Day.	Depar- ture from Average of 16 years.											
				in.	re-										A.M.	P.M.	Great- est.	Least.			Mean of 24 hours										
DECEMBER.			in.	re-	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°	°
SUNDAY	- 25	..	29.873	39.9	30.5	9.4	35.1	- 3.2	32.5	2.6	4.6	1.2	90	47.7	22.0	43.27	Calm, ENE. & ESE.	E. & N.E.	lbs. 0.0	lbs. 0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	in. 0.00
MONDAY	- 26	..	29.818	37.4	34.1	3.3	36.5	- 1.9	34.8	1.7	2.8	1.0	94	40.8	27.3	43.19	NNE. & N.E.	NNE. & N.E.	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5
TUESDAY	- 27	Perigee	30.130	40.9	34.8	6.1	38.4	0.0	37.2	1.2	2.5	0.2	96	45.2	27.5	43.03	Variable & SSW.	Variable & SSW.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0
WEDNESDAY	28	..	30.263	43.1	35.1	13.0	43.1	+ 4.6	40.5	2.6	4.6	1.8	91	49.1	27.8	43.02	WSW. & W.	WSW. & W.	1.3	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.0	0.0	1.5
THURSDAY	- 29	In Eqr. Last Qr.	30.187	55.7	48.1	7.6	52.2	+13.6	47.1	5.1	7.7	2.7	83	69.0	46.0	43.14	WSW. & W.	WSW. & W.	3.8	0.0	0.7	0.0	0.7	0.0	0.7	0.0	0.7	0.0	0.0	0.0	0.7
FRIDAY	- 30	..	29.744	52.7	42.8	9.9	47.1	+ 8.5	36.9	10.2	12.6	5.6	68	80.2	36.6	43.57	W. & NW.	NW.	21.5	0.0	2.9	0.0	2.9	0.0	2.9	0.0	2.9	0.0	0.0	0.0	2.8
SATURDAY	- 31	..	30.139	44.5	34.8	9.7	39.0	+ 0.4	31.1	7.9	11.3	3.4	73	55.2	28.0	43.89	NNW. & N.	N.	4.3	0.0	0.6	0.0	0.6	0.0	0.6	0.0	0.6	0.0	0.0	0.0	1.5
MEANS	-		30.022	45.6	37.2	8.4	41.6	+ 3.1	37.2	4.5	6.6	2.3	85	52.5	30.5	43.32	Variable	Variable	Sum 0.08	1.3	
No. of Columns	-	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	

GENERAL REMARKS.

DATE.	EXPLANATORY. (For explanation of symbols, see Note.)	Registered Sunshine in hours.	Shore Horizon, in hours.	GENERAL REMARKS.
SUNDAY - 25	m. P. generally; s. P. in afternoon.	00	78	Fine but cloudy generally; hoar frost in morning and evening; slight fog at times.
MONDAY - 26	m. P. generally; w. P. in forenoon.	00	78	Overcast; occasional slight rain.
TUESDAY - 27	m. P. generally.	00	78	Generally overcast; slight fog; slight rain in forenoon.
WEDNESDAY - 28	v. P. with occasional w. N. till 1h. P.M.; w. P. generally afterwards.	00	78	Overcast till 8h. P.M.; fine and partially cloudy afterwards; occasional slight rain between 8h. A.M. and 1h. P.M.
THURSDAY - 29	w. P. throughout.	30	78	Overcast till 10h. A.M.; fine till evening; overcast at night; very mild.
FRIDAY - 30	w. P. generally till 9h. A.M.; m. P. afterwards.	13	78	Cloudy and showery in morning; fine with variable amounts of cloud afterwards; strong wind till evening; very mild.
SATURDAY - 31	m. P. till 6h. A.M.; s. P. afterwards.	27	78	Fine and partially cloudy; slight hoar frost in morning.
		Sum 70	Sum 546	
		28	29	
			27	

TABLE 10.—NUMBER OF CASES OF INFECTIOUS DISEASE NOTIFIED in the ADMINISTRATIVE COUNTY of LONDON during the Week ended 24th December, 1904.*

BOROUGHES	Estimated Population in the middle of 1904.	Small-pox.	Scarlet Fever	Diphtheria (includ- ing Membranous Group).	Typhus.	Enteric Fever.	Continued Fever.	Cholera.	Erysipelas.	Puerperal Fever.	
WEST.											
Paddington - - - - -	146,975	-	8	2	-	1	-	-	3	-	
Kensington - - - - -	179,236	-	5	4	-	4	-	-	2	1	
Hammersmith - - - - -	117,412	-	11	6	-	1	-	-	2	1	
Fulham - - - - -	152,482	-	8	4	-	3	-	-	1	-	
Onelsea - - - - -	74,329	-	7	4	-	-	-	-	-	-	
City of Westminster - - -	177,321	-	4	1	-	-	-	-	4	-	
NORTH.											
St. Marylebone - - - - -	130,337	-	7	3	-	-	-	-	4	-	
Hampstead - - - - -	86,663	-	4	1	-	1	-	-	3	-	
St. Pancras - - - - -	235,936	-	9	3	-	5	-	-	7	1	
Islington - - - - -	341,044	-	23	3	-	1	-	-	8	1	
Stoke Newington - - - - -	52,445	-	-	-	-	-	-	-	1	-	
Hackney - - - - -	226,266	-	16	10	-	4	-	-	8	-	
CENTRAL.											
Holborn - - - - -	57,161	-	5	-	-	3	-	-	1	-	
Finsbury - - - - -	98,958	-	1	2	-	3	-	-	-	-	
City of London - - - - -	23,482	-	1	2	-	1	-	-	-	-	
EAST.											
Shoreditch - - - - -	117,033	-	4	1	-	2	-	-	4	-	
Bethnal Green - - - - -	130,207	-	11	6	-	1	-	-	4	1	
Stepney - - - - -	303,791	-	21	8	-	2	-	-	6	-	
Poplar - - - - -	169,905	-	8	10	-	-	-	-	5	-	
SOUTH.											
Southwark - - - - -	207,937	-	7	10	-	3	-	-	6	-	
Bermondsey - - - - -	129,397	-	12	4	-	-	-	-	3	-	
Lambeth - - - - -	310,359	-	12	5	-	1	1	-	6	1	
Battersea - - - - -	175,465	-	10	7	-	-	-	-	3	-	
Wandsworth - - - - -	257,448	-	22	10	-	-	-	-	2	-	
Camberwell - - - - -	268,384	-	17	2	-	1	-	-	10	1	
Deptford - - - - -	113,509	6	6	1	-	2	-	-	4	-	
Greenwich - - - - -	101,651	-	5	2	-	2	-	-	2	-	
Lewisham - - - - -	140,401	-	5	1	-	2	-	-	2	-	
Woolwich - - - - -	123,416	2	10	8	-	-	-	-	2	-	
Port of London - - - - -	-	-	-	-	-	-	-	-	-	-	
ADMINISTRATIVE COUNTY OF LONDON. }		4,648,950	8	259	120	-	43	1	-	104	7
Ages											
0-1 - - - - -	-	-	7	6	-	-	-	-	5	-	
" 1-5 - - - - -	-	2	88	53	-	2	-	-	3	-	
" 5- - - - -	-	1	96	36	-	7	1	-	4	-	
" 10- - - - -	-	1	35	8	-	5	-	-	1	-	
" 15- - - - -	-	-	10	5	-	5	-	-	7	1	
" 20- - - - -	-	1	6	2	-	8	-	-	6	2	
" 25- - - - -	-	3	11	5	-	10	-	-	10	2	
" 35- - - - -	-	-	4	5	-	6	-	-	11	2	
" 45- - - - -	-	-	1	-	-	-	-	-	27	-	
" 55- - - - -	-	-	1	-	-	-	-	-	14	-	
" 65 and upwards - - - -	-	-	-	-	-	-	-	-	16	-	
Age not stated - - - - -	-	-	-	-	-	-	-	-	-	-	

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under Section 55 (4) of the Public Health (London) Act, 1891.

